

206,

2002

BOOK 2002

4-671

---

2002

FIELD NOTES

2002

GENERAL LAND OFFICE.

PAPAGO INDIAN RESERVATION

T16S-R13E.

2002

Township 16 South, Range 13 East,

GILA AND SALT RIVER MERIDIAN.

391	343. 388.	283 287.	217 214	147. 147.2	78 75
365	388 383.	280 277	213 211	144. 144	74 71
379	362 377	271 274	210 207	143 140	74 68
374	378 372	275 271	206 204	139 136	67 64
368.	370 365	269 267	202 200	135 131	63 60
362	364 359	260 264	199 197	131 128	59 56
356	359 354	263 261	196 195	127. 124	56 53
357	354 349	260 258	192. 190	123 120	52 49
345	347. 342	256. 254	188. 185	118 115	47 44
339	342. 337.	253 250	185. 182.	114 110	43 39
334	336 332	250 247	181 178	114 109	38 35
328	331 326	246 244	177 174	108 105	35 31
322.	324 319	242 240	173 170	104 102	30 27
316	319 314	239 237	170 167	101 98.2	26. 23
311	313 308	236 233	166 163	98 95	22 19
305	307 303	233 230	163 160	94 92	18 15
299.	301 297	229 226	159 156	90 87	13 10
293	296. 291	226 223	155. 153.	87 84 80	9 5
288	290 285	222 219	152 150	83 80	6 3
	285	219	149.	80	2
31	32	33	34	35	36

Referring the lines to the pages of the field notes.

## Subdivisions. T16S. R13E.

40. Set tempy  $\frac{1}{16}$  Sec cor
59. Dry wash 50 lks wide  
course N. E.
60. Set tempy  $\frac{1}{16}$  Sec cor
- 65.30 Dry wash 40 lks wide  
course N. E.
- 79.98 Intersect N + S line 5 lks  
N of  $\frac{1}{16}$  Sec cor  
Thence run N  $89^{\circ}58'W$   
on a true line thro N  $\frac{1}{2}$  of  
Sec 20 with same bar
- 19.99 Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  S on N face dug pits 18 x  
18 x 12 ins E + W of post  $5\frac{1}{2}$   
ft dist and raised around  
least  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.
- 39.98 Set a post 3 ft long 3 ins for

BOOK 2002  
Subdivisions

with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits 18 x 18 x 12 ins E  
+ W of post  $5\frac{1}{2}$  ft dist and  
raised mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base around  
post

59.97 Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  S on N face dug pits  
18 x 18 x 12 ins E + W of post  
 $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
ft base around post.

79.98 The  $\frac{1}{16}$  Sec cor  
Landowner but rolling  
Soil 2<sup>nd</sup> rate  
Scattering trees

T 16 S , R 13 E

mesquite and Palo verde  
Brush 80 chs.

Thence West on random  
line thro N  $\frac{1}{2}$  of sec 19  
Var  $13^{\circ}06' E$

- 10.20 Dry wash 30 lks wide  
course N. E.
20. Set tempy  $\frac{1}{16}$  Sec cor
- 23.15 Dry wash 25 lks wide  
course N. E.
40. Set tempy  $\frac{1}{16}$  Sec cor
49. Dry wash 40 lks wide  
course N. E.
60. Set tempy  $\frac{1}{16}$  Sec cor
- 79.10 Intersect. West Boundary  
of Township 9.98 chs S of  
 $\frac{1}{16}$  Sec cor
- Thence Run  $S 82^{\circ} 49' E$   
on a true line thro N  $\frac{1}{2}$  of

## Subdivisions.

- 19.67 See 19 with same var  
 Set a post 3 ft long 3 in of  
 with charred stake 12 in  
 in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S on N face  
 dug pits 18 x 18 x 12 in E  
 + W of post 5  $\frac{1}{2}$  ft dist <sup>and</sup>  
 raised mound of earth 1  $\frac{1}{2}$   
 ft high 3  $\frac{1}{2}$  ft base around  
 post
- 39.67 Set a post 3 ft long 3 in of  
 with charred stake 12 in in  
 ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S on N face,  
 dug pits 18 x 18 x 12 in E  
 + W of post 5  $\frac{1}{2}$  ft dist <sup>and</sup>  
 raised mound of earth 1  $\frac{1}{2}$   
 ft high 3  $\frac{1}{2}$  ft base around post.
- 59.67 Set a post 3 ft long 3 in of  
 with charred stake 12 in in

T 16 S. R 13 E.

ground for  $\frac{1}{16}$  Sec cor marked  
 $\frac{1}{16}$  Sec N face dug pits 18 x  
 18 x 12 ins E + W of post  $5\frac{1}{2}$  ft  
 dist and raised around  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post.

79.67 The  $\frac{1}{16}$  Sec cor  
 Landsowner's lot rolling  
 Soil 2<sup>nd</sup> rate  
 Scattering trees  
 Palo Verde and Mesquite  
 Brush 80 chs.

These North lot Secs  
 19 + 20

Var  $13^{\circ} 06'$  E.

3.90 Drywash 30 lbs wide  
 course N. E.

20. Set a post 4 ft long 4 ins  $\phi$   
 with charred stake 12 ins w

## Subdivisions

ground for corner to trees  
 17, 18, 19 + 20: marked  
 T 16 S, S 17 on NE  
 R 13 E, S 20 on SE  
 S 19 on S.W. and  
 S 18 on N.W. faces, with  
 3 Notches on the S and 5 notches  
 on E edges, dug pits 18 x  
 18 x 12 ins in each section  
 5 1/2 ft dia and raised a  
 mound of earth 2 ft high  
 4 1/2 ft base around post.  
 The old cor obliterated.

Land for rocks between  
 19 + 20 somewhat rolling  
 Soil 2<sup>nd</sup> rate  
 Scattering trees  
 Palo Verde and mesquite  
 Bush rocks

T 16 S. R 13 E

Thence East on a random  
line bet secs 17 + 20

Var  $13^{\circ} 06'$  E.

7.15 Dry wash 30 lks wide  
course N.E.

20. Set tempy  $1/16$  Sec cor

40. Set tempy  $1/4$  Sec cor

41.40 Dry wash 20 lks wide  
course N.E.

60. Set tempy  $1/16$  Sec cor

75.80 Dry wash 25 lks wide  
course N.E.

80.02 Intersect N + S line 6 lks  
N of cor to secs 16, 17, 20  
+ 21

Thence Run  $N 89^{\circ} 57'$   
W on a true line bet secs  
17 + 20 with same var

20. Set a post 3 ft long 3 ins dia  
with charred stake 12 ins in

## Subdivisions

ground for  $\frac{1}{16}$  Sec cor,  
 marked  $\frac{1}{16}$  S on N face  
 dug pits  $18 \times 18 \times 12$  ins E  
 + W of post  $5\frac{1}{2}$  ft dist <sup>and</sup>  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a-  
 round post from which  
 a mesquite 5 ins diam bears  
 $N 51^\circ W 144$  lrs dist marked  
 $\frac{1}{16}$  S. B. T.

40.01 Set a post 3 ft long 3 ins  $\phi$   
 with charred stake 12 ins  
 in ground for  $\frac{1}{4}$  Sec cor  
 marked  $\frac{1}{4}$  S on N face dug  
 pits  $18 \times 18 \times 12$  ins E + W of  
 post  $5\frac{1}{2}$  ft dist <sup>and</sup> raised a  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post, from  
 which a mesquite 6 ins diam  
 bears  $N 49^\circ 30' W 92$  lrs dist

T16 S, R13 E.

marked  $\frac{1}{4}$  S.B.T. The old corner obliterated.

60.01 Set a post 3 ft long 3 ins off with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  S on N face dug pits 18 X 18 X 12 ins E + W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

80.02 The cor to secs 17. 18. 19. + 20.

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Palo Verde and Mesquite

Brush 80 cks

---

Thence West on a random line bet secs 18 + 19

## Subdivisions

Var  $13^{\circ} 06' E.$ 

- 8.10 Dry wash 25 lks wide  
course N.E.
20. Settempy  $\frac{1}{16}$  Sec cor
33. Dry wash 30 lks wide  
course N.E.
40. Settempy  $\frac{1}{4}$  Sec cor
60. Settempy  $\frac{1}{16}$  Sec cor
- 79.20 Intersect West Boundary  
of Township 9. 94 chs S of  
cor to secs 13, 18, 19, + 24  
Thence run  $S 82^{\circ} 51'$   
E on a true line bet secs  
18 + 19 with same var
- 19.71 Set a post 3 ft long 3 in of  
with charred stake 12 in in  
ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  S on N face dug pits  
18 x 18 x 12 in E + W of  
post  $5\frac{1}{2}$  ft dist and

T 16 S . R 13 E

raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

- 39.71 Set a post 3 ft long 3 ins off with charred stake 12 ins in ground for  $\frac{1}{4}$  Sec cor, marked  $\frac{1}{4}$  S on N face, dug pits  $18 \times 18 \times 12$  ins E + W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.  
The old cor obliterated.

- 59.71 Set a post 3 ft long 3 ins off with charred stake 12 ins in ground for  $\frac{1}{6}$  Sec cor marked  $\frac{1}{6}$  S on N face dug pits  $18 \times 18 \times 12$  ins E + W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

## Subdivisions

79.71 The cor to secs 17, 18, 19 + 20  
 Land mostly level  
 Soil 2<sup>nd</sup> rate  
 Scattering trees  
 Palo Verde and Mesquite  
 Brush 80 chs.

Thence North bet secs  
 17 + 18

Var 132 06' E

12.15 Dry wash 20 lks wide  
 course N

20. Set a post 3 ft long 3 ins  $\phi$   
 with charred stake 12 ins in  
 ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S on W face dug  
 pits 18 x 18 x 12 ins N + S of  
 post 5  $\frac{1}{2}$  ft dist and raised  
 a mound of earth 1  $\frac{1}{2}$  ft high  
 3  $\frac{1}{2}$  ft base around post.

T 16 S. R 13 E.

Thence East on random  
line thro  $S\frac{1}{2}$  of sec 17  
Var  $13^{\circ} 06' E.$

16.70 Drywash 20 lks wide  
course N. E.

20. Set tempy  $\frac{1}{16}$  Sec cor

40. Set tempy  $\frac{1}{16}$  Sec cor

43. Drywash 30 lks wide  
course N. E.

60. Set tempy  $\frac{1}{16}$  Sec cor

67.80 Drywash 20 lks wide  
course N. E.

80.04 Intersect N & S line 7 lks  
S of  $\frac{1}{16}$  Sec cor.

Thence Run  $S 89^{\circ} 57' W$   
on a true line thro  $S\frac{1}{2}$  of sec  
17 with same var

20.01 Set a post 3 ft long 3 ins dia  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>

## Subdivisions

$\frac{1}{16}$  S on N face dug pits 18  
 $\times$  18  $\times$  12 ins E + W of post  $5\frac{1}{2}$   
 ft dist and raised mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post.

40.02 Set a post 3 ft long 3 ins of  
 with charred stake 12 ins  
 in ground for  $\frac{1}{16}$  Sec cor  
~~marked~~  $\frac{1}{16}$  S on N face dug  
 pits 18  $\times$  18  $\times$  12 ins E + W of  
 post  $5\frac{1}{2}$  ft dist and raised  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

60.03 Set a post 3 ft long 3 ins of  
 with charred stake 12 ins  
 in ground for  $\frac{1}{16}$  Sec cor,  
 marked  $\frac{1}{16}$  S on N face dug  
 pits 18  $\times$  18  $\times$  12 ins E + W of  
 post  $5\frac{1}{2}$  ft dist and raised  
 mound of earth  $1\frac{1}{2}$  ft high

T 16 S. R 13 E

3 1/2 ft base around post.

80.04

The 1/16 Sec cor

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Palo Verde and Mesquite

Brush 80 chs.

Thence West on a random  
line thro S 1/2 of sec 18  
Var 13° 06' E.

16.70

Dry wash 30 l R side  
course N. E.

20.

Set tempy 1/16 Sec cor

40.

Set tempy 1/16 Sec cor

60.

Set tempy 1/16 Sec cor

79.24

Intersect West Boundary  
Township 10.10 chs S of 1/16  
Sec cor

Thence S 82° 44' E on a

## Subdivisions

true line thro  $5\frac{1}{2}$  of Sec 18  
with same var

19.75 Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor marked  
 $\frac{1}{16}$  S on N face dug pits 18  
 $\times$  18  $\times$  12 ins E + W of post  $5\frac{1}{2}$   
ft dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

39.75 Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  P on N face dug pits  
18  $\times$  18  $\times$  12 ins E + W of post  
 $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

59.75 Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins

## T 16 S R 13 E

in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  Sec N face dry  
 pits  $18 \times 18 \times 12$  ins E + W  
 of post  $5\frac{1}{2}$  ft dist and  
 raised mound of earth  $1\frac{1}{2}$   
 ft high  $3\frac{1}{2}$  ft base around post.

79.75 The  $\frac{1}{16}$  Sec cor

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Paloverde and mesquite

Brush 80 chs

Febry 12<sup>th</sup> 1888.

Thence North bet secs  
 17 + 18

Var  $13^{\circ} 06'$  E.

19.90 Dry wash 30 lrs wide  
 course N. E.

20. The corner coming in Dry  
 Wash, at a point 30 lrs S

## Subdivisions

I set a post 3 ft long 3 in of  
with charred stake 12 in  
in ground for witness cor-  
ner to  $\frac{1}{4}$  Sec cor marked  
W.C.  $\frac{1}{4}$  S on W face,  
dug pits 18 x 18 x 12 in N  
+ S of post  $5\frac{1}{2}$  ft dist, and  
raised mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base around  
post. The old cor not found.

Thence East on random

line thro center of sec 17

20. Set tempy  $\frac{1}{16}$  Sec cor <sup>Up  $13^{\circ} 9' 6''$  E.</sup>
40. Set tempy  $\frac{1}{4}$  Sec cor
60. Set tempy  $\frac{1}{16}$  Sec cor
- 63.10 Dry wash 30 lbs Reridi  
course N.E.
- 80.01 Intersect N + S line 6 lbs  
N of  $\frac{1}{4}$  Sec cor  
Thence Iron N  $89^{\circ} 57'$

T 16 S, R 13 E.

W on a true line thro center  
of sec 17 with same var.

20. Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor marked  
 $\frac{1}{16}$  S on N face dug pits 18  
 $\times$  18  $\times$  12 ins E + W of post  
5  $\frac{1}{2}$  ft dist and raised a  
mound of earth 1  $\frac{1}{2}$  ft high  
3  $\frac{1}{2}$  ft base around post.

40. Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  S on N face dug  
pits 18  $\times$  18  $\times$  12 ins E + W  
of post 5  $\frac{1}{2}$  ft dist and  
raised mound of earth 1  $\frac{1}{2}$   
ft high 3  $\frac{1}{2}$  ft base around  
post.

60. Set a post 3 ft long 3 ins of

## Subdivisions

with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face dug  
pits 18 x 18 x 12 ins E + W  
of post  $5\frac{1}{2}$  ft dist and  
raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

80.01 The  $\frac{1}{4}$  Sec cor

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Paloverde and mesquite

Brush 80 chs.

---

Thence West on railroad  
line thro center of sec 18  
Var  $13^{\circ} 06'$  E.

20. Set tempy  $\frac{1}{16}$  Sec cor

40. Set tempy  $\frac{1}{4}$  Sec cor

T 16, S. R 13 E.

- 45.30 Drywash 50 lbs wide  
Course East.
60. Set temporary  $\frac{1}{16}$  Sec cor
- 79.19 Intersect West Boundary  
Township 10.12 chs S of  
 $\frac{1}{4}$  Sec cor  
Thence Iron  $S 82^{\circ} 43'$   
E on a true line thro cen-  
tre of sec 18 with same bar
- 19.68 Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins E  
& W of post  $5\frac{1}{2}$  ft dist, and  
raised mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base around post.
- 39.68 Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins in  
ground for  $\frac{1}{4}$  Sec cor <sup>marked</sup>

$\frac{1}{4}$  S on N face dug pits  
E + W of post  $5\frac{1}{2}$  ft dist  
and raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a-  
round post.

59.68 Set a post 3 ft long 3 ins off  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face dug  
pits  $18 \times 18 \times 12$  ins E + W of  
post and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

79.68 The  $\frac{1}{4}$  Sec cor  
Land mostly level.  
Soil 2<sup>nd</sup> rate  
Scattering trees  
Paloverde and Mesquite  
Brush & oaks

T 16 S, R 13 E.

Thence North bet sees  
17 + 18

Var  $13^{\circ} 06' E.$

16.10 Dry wash 40 lks wide  
course E

20. Set a post 3 ft long 3 in.  $\phi$   
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on W face  
dry pits  $18 \times 18 \times 12$  in  
N + S of post  $5\frac{1}{2}$  ft dist  
and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

Thence East on random  
line thro N  $\frac{1}{2}$  of sec 17

Var  $13^{\circ} 06' E.$

20. Set tempy  $\frac{1}{16}$  Sec cor

22.15 Dry wash 30 lks wide  
course N.E.

## Subdivisions.

- 1 40. Set tempy  $\frac{1}{16}$  Sec cor  
 60. Set tempy  $\frac{1}{16}$  Sec cor  
 80.09 Intersect N + S line of lks  
 S of  $\frac{1}{16}$  Sec cor.

Thence Iron S  $89^{\circ} 56'$   
 W on a true line thro N  
 $\frac{1}{2}$  of sec 17 with same var.

- 20.02 Set a post 3 ft long 3 ins  $\frac{1}{2}$   
 with charred stake 12 ins in  
 ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  S on N face dug pits  
 18 X 18 X 12 ins E + W of post  
 5  $\frac{1}{2}$  ft dist and raised a  
 mound of earth 1  $\frac{1}{2}$  ft high  
 3  $\frac{1}{2}$  ft base around post  
 from which a mesquite  
 5 ins in diam bears S  $4^{\circ}$   
 E 31 lks dist marked  
 $\frac{1}{16}$  S.B.T.

- 40.07 Set a post 3 ft long 3 ins  $\frac{1}{2}$

T 16 S. R 13 E.

with charred stake 12 ins.  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits 18 x 18 x 12 ins E  
& W of post  $5\frac{1}{2}$  ft dist  
and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post, from  
which a mesquite 4 ins  
in diam bears  $S 30^{\circ} E 25'$   
lR's dist marked  $\frac{1}{16}$  S D T.

60.06 Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits 18 x 18 x 12 ins E  
& W of post  $5\frac{1}{2}$  ft dist,  
and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

## Subdivisions

80.09 The  $\frac{1}{16}$  Sec cor  
 Land mostly level  
 Soil 2<sup>nd</sup> rate  
 Scattering trees in  
 Palo Verde and Mesquite  
 Brush 80 chs

Thence West on random  
 line thro N  $\frac{1}{2}$  of sec 18  
 Var  $13^{\circ} 06'$  E.

20. Let tempy  $\frac{1}{16}$  Sec cor

40. Let tempy  $\frac{1}{16}$  Sec cor

51. Dry wash 1 ch. wide  
 course N. E.

60. Let tempy  $\frac{1}{16}$  Sec cor

78.90 Road to San Jacinto mine  
 bears N. E. and S. W.

79.23 Intersect West Boundary  
 Township 9.96 chs S of  
 $\frac{1}{16}$  Sec cor.

T 16 S, R 13 E

Thence Run  $S 82^{\circ} 50'$ E on a true line thro  $N \frac{1}{2}$  sec 18 with same var.

19.72 Set a post 3 ft long 3 ins  $\phi$  with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on N face dug pits  $18 \times 18 \times 12$  ins E & W of post  $5 \frac{1}{2}$  ft dist, and raised mound of earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base around post.

39.72 Set a post 3 ft long 3 ins  $\phi$  with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on N face dug pits  $18 \times 18 \times 12$  ins E & W of post  $5 \frac{1}{2}$  ft dist and raised a mound of earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base around

## Subdivisions

post.

59.72 Set a post 3 ft long 3 ins  $\phi$ .  
 with charred stake 12 ins  
 in ground for  $\frac{1}{16}$  Sec cor  
<sup>cupls of 110 5 on n back</sup>  
 dug pits 18 x 18 x 12 ins E  
 + W of post 5  $\frac{1}{2}$  ft dist <sup>and</sup>  
 raised mound of earth 1  $\frac{1}{2}$  ft  
 high 3  $\frac{1}{2}$  ft base around post,  
 from which a mesquite  
 3 ins in diam bears S 61°  
 W 48 lrs marked  $\frac{1}{16}$  S.B.T.

79.72 The  $\frac{1}{16}$  Sec cor  
 Land mostly level  
 Soil 2<sup>nd</sup> rate  
 Scattering trees  
 Palo Verde <sup>and</sup> Mesquite  
 Brush 80 chs

---

Thence North bet secs

17 + 18

T 16 S, R 13 E

Var  $13^{\circ} 06' E$ .

20. Set a post 4 ft long 4 in  
 dia with charred stake  
 12 in in ground for cor  
 to secs 7, 8, 17 + 18,  
 marked:

T 16 S, S 8 on N.E.

R 13 E, S 17 on S.E.

S 18 on S.W. and

S 7 on N.W. faces

with 4 notches on S<sup>o</sup> and

5 notches on E edges, dug

pits 18 x 18 x 12 in in each

sec  $5\frac{1}{2}$  ft dist and raised

a mound of earth 2 ft high

 $4\frac{1}{2}$  ft base around post.

The old cor obliterated.

Land for 80 chs bet

secs 17 + 18 mostly level

Soil 2<sup>nd</sup> - rate

## Subdivisions

Scattering trees

Palo Verde and Mesquite

1 Bush 80 chs

---

 These East on random  
line bet secs 8 + 17
Var  $13^{\circ} 06' E$ .20. Set tempy  $1/16$  Sec cor40. Set tempy  $1/4$  Sec cor60. Set tempy  $1/16$  Sec cor80.07 Intersect N + S line 10 lbs  
N of cor to secs 8, 9, 16 + 17These I run  $N 89^{\circ} 56'$ W on a true line bet secs  
8 + 17 with same var20.01 Set a post 3 ft long 3 mis off  
with charred stake 12 mis  
in ground for  $1/16$  Sec cor  
marked  $1/16$  S on N face  
dug pits  $18 \times 18 \times 12$  mis E +

## T 16 S, R 13 E.

- W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post
- 40.03 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{4}$  Sec cor <sup>marked</sup>  $\frac{1}{4}$  S on N face dug pits  $18 \times 18 \times 12$  ins E + W of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post from which a mesquite 10 ins diam bears  $S 49^\circ W$  61 lks dist marked  $\frac{1}{4}$  S. B. T.
- 60.05 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on N face dug pits  $18 \times 18 \times 12$  ins

## Subdivisions

E + W of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post.

80.00 The cor to secs 7, 8, 17 + 18

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Palo Verde and Mesquite

Bush 80 chs

Thence West on random  
line bet secs 7 + 18

Var  $13^{\circ} 06'$  E.

20. Settempy  $\frac{1}{16}$  Sec cor

34. Dry wash 80 l Palo Verde  
course North

40. Settempy  $\frac{1}{4}$  Sec cor

60. Settempy  $\frac{1}{16}$  Sec cor

68. Road to San Zavier Mines

T 16 S, R 13 E

bears N. E. and S. W.

79.28 Intersect West Boundary Township 9.98 chs South of cor to secs 7.12.13. + 18

Thence Run  $S 82^{\circ} 49'$   
E on a true line bet secs  
7 + 18 with same var

19.74 Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  on N face  
dig pits  $18 \times 18 \times 12$  ins  
E + W of post  $5\frac{1}{2}$  ft dist  
and raised around of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post.

39.74 Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  on N face dig

## Subdivisions

pits  $18 \times 18 \times 12$  ins E + W of  
post  $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post  
The old cor obliterated.

59.74 Set a post 3 ft long 3 ins off  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  S on N face dug pits  $18$   
 $\times 18 \times 12$  ins E + W of post  
 $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

79.74 The cor to secs 7, 8, 17 + 18  
Land mostly level  
Soil 2<sup>nd</sup> rate  
Scattering trees  
Palo Verde and mesquite  
Brush 80 chs.

T 16 S, R 13 E.

Thence North let users

7 + 8

Var  $13^{\circ} 06' E.$ 

20.

Set a post 3 ft long 3 ins of  
with charred stake  
12 ins in ground for  $\frac{1}{16}$ Sec cor marked  $\frac{1}{16}$  S on W face  
dug pits  $18 \times 18 \times 12$  ins N +  
S of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.Thence East on railroad  
line thro  $S\frac{1}{2}$  of Sec 8Var  $13^{\circ} 06' E.$ 

20.

Set tempy  $\frac{1}{16}$  Sec cor

40.

Set tempy  $\frac{1}{16}$  Sec cor

60.

Set tempy  $\frac{1}{16}$  Sec cor

80. 10

Intersect N + S line 5 lks

N of  $\frac{1}{16}$  Sec Cor.Thence Iron N  $89^{\circ} 58'$

## Subdivisions

- W on a true line thro  $5\frac{1}{2}$   
of sec 8 with same var
- 20.02 Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dig pits  $18 \times 18 \times 12$  ins E +  
W of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a-  
round post.
- 40.05 Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face dig  
pits  $18 \times 18 \times 12$  ins E + W of  
post  $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post
- 60.07 Set a post 3 ft long 3 ins of

T 16 S. R 13 E.

with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face dry  
pits 18 x 18 x 12 ins E + W  
of post 5  $\frac{1}{2}$  ft and raised  
mound of earth 1  $\frac{1}{2}$  ft  
high 3  $\frac{1}{2}$  ft base around  
post.

80.10

The  $\frac{1}{16}$  Sec cor

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Palo Verde Dead mesquite

Brush 80 chs

Thence West on random  
line thro S  $\frac{1}{4}$  of sec 7  
Var 13° 06' E.

20.

Set tempy  $\frac{1}{16}$  Sec cor

23.10

Dry wash 70 lbrs wide

## Subdivisions

course N

40. Set tempy  $\frac{1}{16}$  Sec cor  
 51. Road to Saint Janis mine  
 bears N + S.  
 60. Set tempy  $\frac{1}{16}$  Sec cor  
 79.24 Intersect West Boundary  
 Township 10.05 Sec S of  $\frac{1}{16}$   
 Sec cor

Thence Run  $S 82^{\circ} 46'$   
 E on a true line thro  $5\frac{1}{2}$   
 of sec 7 with same var.

- 19.76 Set a post 3 ft long 3 in dia of  
 with charred stake 12 in  
 in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S or N face  
 dug pits  $18 \times 18 \times 12$  in E  
 + W of post  $5\frac{1}{2}$  ft dist and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
 post.

## T 16 S, R 13 E.

- 39.76 Set a post 3 ft long 3 in of with charred stake 12 in in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  P on N face dug pits 18 x 18 x 12 in E + W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 59.76 Set a post 3 ft long 3 in of with charred stake 12 in in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  P on N face dug pits 18 x 18 x 12 in E + W of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 79.76 The  $\frac{1}{16}$  Sec cor  
Land mostly level

## Subdivisions

Soil 2<sup>nd</sup> rate

Scattering trees

Paloverde and mesquite

Bush 80 chs

Thence North bet secs  
7 & 8

Var  $13^{\circ} 06' E$ .

20. Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{4}$  Sec cor <sup>marked</sup>  
 $\frac{1}{4}$  S on W face dug pits 18  
 $\times 18 \times 12$  ins N + S of post  
 $3\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post  
The old corner obliterated.

Thence East a random  
line thro center of sec 8

Var  $13^{\circ} 06' E$ .

## T 16 S, R 13 E

20. Set tempy  $\frac{1}{16}$  Sec cor
40. Set tempy  $\frac{1}{4}$  Sec cor
60. Set tempy  $\frac{1}{16}$  Sec cor
- 80.07 Intersect N + S line 7 lks  
S of  $\frac{1}{4}$  Sec cor  
Thence I run S  $89^{\circ} 57'$   
W on a true line thro cent  
of sec 8 with same var
- 20.01 Set a post 3 ft long 3 ins g  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits 18 x 18 x 12 ins E +  
W of post  $5\frac{1}{2}$  ft dist and  
raised mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base around post.
- 40.03 Set a post 3 ft long 3 ins g  
with charred stake 12 ins  
in ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  S on N face dug

## Subdivisions

pits  $18 \times 18 \times 12$  ins E + W  
 of post  $5\frac{1}{2}$  ft dist and raised  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post from  
 which a mesquite 6 ins in  
 diam bears  $N 4^\circ E 73$  lks<sup>4</sup>  
 marked  $\frac{1}{4}$  S.B.T.

60.05 Set a post 3 ft long 3 ins of  
 with charred stake 12 ins  
 in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S.W. N face dig  
 pits  $18 \times 18 \times 12$  ins E + W of  
 post  $5\frac{1}{2}$  ft dist and raised  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post from  
 which a mesquite 5 ins in  
 diam bears  $S 89^\circ W 15$  lks  
 dist marked  $\frac{1}{16}$  S.B.T

80.07 The  $\frac{1}{4}$  Sec cor  
 Land mostly level

T 16 S, R 13 E

Soil 2<sup>nd</sup> rate

Scattering trees

Palo Verde and Mesquite

Brush 80 chs

By observation taken this day & find  
the magnetic var to be  $13^{\circ} 06' E$ .Thence West on random  
line thro center of sec 7Var  $13^{\circ} 06' E$ .

- 10.14 Dry wash 90 lks wide  
course N. E.
20. Set tempy  $1/16$  Sec cor
40. Set tempy  $1/4$  Sec cor.
- 42 30 Road to San Jacinto turns  
bears N. E. & S. W.
60. Set tempy  $1/16$  Sec cor
- 79.27 Intersect West Boundary  
Township 9.98 chs S of  
 $1/4$  Sec cor
- Thence Run  $S 82^{\circ} 49' E$   
on a true line thro center

## Subdivisions

- of sec 7 with same var
- 19.77 Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor marked  
 $\frac{1}{16}$  P on N face dug pits 18  
 $\times 18 \times 12$  ins E + W of post  $\frac{1}{2}$   
ft dist and raised mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.
- 39.77 Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor marked  
 $\frac{1}{4}$  P on N face dug pits 18  
 $\times 18 \times 12$  ins E + W of post  $\frac{1}{2}$   
ft dist and raised mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post
- 59.77 Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>

T 16 S, R 13 E

1/16 Low N face dug pits  
 18 X 18 X 12 ins E + W of  
 post  $5\frac{1}{2}$  ft dist And raised  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post,  
 from which a mequte  
 4 ins in diam bears N  
 $33^{\circ}$  E 84 lks dist marked

1/16 P.B.T.

79.77

The 1/4 Sec cor

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Palo Verde and mequte

Brush 80 cts

x

Thence North bet secs

7 + 8

Var  $13^{\circ} 06'$  E.

5.80

Dry wash 100 lks wide

## Subdivisions

course N.E.

20. Set a post 3 ft long 3 in dia of  
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$ . Saw W face dry  
pits 18 x 18 x 12 in N + S of  
post 5  $\frac{1}{2}$  ft dist and raised  
mound of earth 1  $\frac{1}{2}$  ft high  
3  $\frac{1}{2}$  ft base around post, from  
which a mesquite 6 in dia  
bears N 40 E 66 lbs dist  
marked  $\frac{1}{16}$  S.B.T.

Thence East on random  
line thro N  $\frac{1}{2}$  of Sec 8

Var 13° 06' E<sub>01</sub>

- 9.70 Dry wash 40 lbs wide  
course N
- 15.60 Dry wash 60 lbs wide  
course N.E.
20. Set tempy  $\frac{1}{16}$  Sec cor

T 16 S, R 13 E.

40. Set temporary  $\frac{1}{16}$  Sec cor
60. Set temporary  $\frac{1}{16}$  Sec cor
- 80.09 Intersect N + S line of the  
S of  $\frac{1}{16}$  Sec cor  
Thence Iron  $S 89^{\circ} 56'$   
W on a true line thro N  
 $\frac{1}{2}$  of sec 8 with same bar
- 20.02 Set a post 3 ft long 3 ins dia  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins E  
& W of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
post from which a survey line  
5 ins diam bears  $S 2^{\circ} E 61$   
lks dist marked  $\frac{1}{16}$  S. B. T.
- 40.04 Set a post 3 ft long 3 ins dia  
with charred stake 12 ins

## Subdivisions

in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S on N face dug  
 pits  $18 \times 18 \times 12$  ins E + W  
 of post  $5\frac{1}{2}$  ft dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post,  
 from which a mesquite  
 8 ins diam bears  $S 54^{\circ} E$   
 58 lrs dist marked  $\frac{1}{16}$   
 P. B. T.

60.06 Set a post 3 ft long 3 ins of  
 with charred stake 12 ins  
 in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S on N face  
 dug pits  $18 \times 18 \times 12$  ins E +  
 W of post  $5\frac{1}{2}$  ft dist and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
 post from which a mesquite  
 6 ins in diam bears  $N 2^{\circ}$

T 16 S. R 13 E.

E 11 W. dist marked  $\frac{1}{16}$   
S. B. T.

80.09 The  $\frac{1}{16}$  Sec cor  
Land mostly rolling  
Soil 2<sup>nd</sup> rate  
Scattering trees  
Palo Verde and mesquite  
Brush 80 chs.

Febry 13<sup>th</sup> 1888.

Thence West on random  
line thro N  $\frac{1}{2}$  of sec 7  
Var  $13^{\circ} 06'$  E.

20. Let tempy  $\frac{1}{16}$  Sec cor

31.10 Road to San James mines  
bears N.E. & S.W.

40. Let tempy  $\frac{1}{16}$  Sec cor

60. Let tempy  $\frac{1}{16}$  Sec cor

79.22 Intersect West Boundary  
Township 9.93 chs S of  $\frac{1}{16}$   
Sec cor.

## Subdivisions

These run  $S 82^{\circ} 51' E$   
on a true line thro  $N \frac{1}{2}$  of  
sec 7 with same var

- 19.80 Set a post 3 ft long 3 ins sq  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  P on N face dug pits  $18 \times$   
 $18 \times 12$  ins E + W of post  $5 \frac{1}{2}$   
ft high and raised mound  
of earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft  
base around post.
- 39.80 Set a post 3 ft long 3 ins sq  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  P on N face dug pits  $18$   
 $\times 18 \times 12$  ins E + W of post  
 $5 \frac{1}{2}$  ft and raised mound of  
earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base  
around post
- 59.80 Set a post 3 ft long 3 ins sq

T 16 S, R 13 E.

with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  Sec N face dug  
pits  $18 \times 18 \times 12$  in E + W of  
post  $5\frac{1}{2}$  ft dist and raised  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post

79.80 The  $\frac{1}{16}$  Sec cor

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Paloverde and mesquite

Brush 80 chs

Thence North bet sees

7 + 8

Var  $13^{\circ} 06'$  E.

20. The old sec cor. I set a  
post 4 ft long 4 in off  
with charred stake 12

## Subdivisions

is in ground for cross to  
secs 5, 6, 7 + 8 marked.

T 16 S, S 5 on NE

R 13 E, S 8 on SE

S 7 on SW and

S 6 on NW faces,

with 5 notches on S and

5 notches on E edges, dug

pits 18 x 18 x 12 in in

each sec 5 1/2 ft dist and

raised around each

2 ft high 4 1/2 ft base a-

round post, from which

a mesquite 10 in diam

bears N 8° 30' E 120 lbs

dist marked T 16 S, R

13 E S 5 B T.

Land for 80 chs bet

secs 7 + 8 mostly level

Soil 2<sup>nd</sup> rate

T16 S, R13 E

Scattering trees  
 Palo Verde and Mesquite  
 Brush & rocks

Thence East on random  
 line bet secs 5 + 8

Var  $13^{\circ} 06'$  E.

- 18.60 Drywash 60 lks wide  
 course N.E.
20. Set tempy  $\frac{1}{16}$  Sec cor
40. Set tempy  $\frac{1}{4}$  Sec cor
- 50.50 Drywash 40 lks wide  
 course N.E.
60. Set tempy  $\frac{1}{16}$  Sec cor
- 80.04 Intersect N + S line 8 lks  
 N of cor to secs 4, 5, 8 + 9.  
 Thence Run N  $89^{\circ} 57'$  W  
 on a true line bet secs 5 +  
 8 with same var
- 20.01 Set a post 3ft long 3 ins of

## Subdivisions

with charred post 12 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on N face dug pits  $18 \times 18 \times 12$  ins E + W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

40.02 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  S on N face dug pits  $18 \times 18 \times 12$  ins E + W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post. The old cor obliterated

60.03 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on N face dug pits  $18 \times$

T 16 S. R 13 E.

18 X 12 vis E + W of post  $5\frac{1}{2}$   
ft deep and raised mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post

80.04

The cor to secs 5, 6, 7 + 8

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Paloverde and Mesquite

Bush 80 chs.

Thence West on random  
line bet secs 6 + 7

Var  $13^{\circ} 06'$  E.

20.

Set tempy  $\frac{1}{16}$  Sec cor

21.95

Road to San Jacinto mines  
bears N + S.

40.

Set tempy  $\frac{1}{4}$  Sec cor

44.50

Dry wash 30 lks wide  
course N. E.

## Subdivisions

60. Lettumpy  $\frac{1}{16}$  Sec cor
- 79.18 Intersect West Boundary Township 9.94 chs South of cor to secs 1, 6, 7 + 12  
Thence Run  $S 82^{\circ} 51' E$  on a true line bet secs 6 + 7 with same var
- 19.73 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  S on N face dug pits 18 x 18 x 12 ins E + W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 39.73 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  S on N face dug pits 18 x 18 x 12 ins E + W of

T 16 S, R 13 E.

post  $5\frac{1}{2}$  ft dist and raised  
mound of earth  $1\frac{1}{2}$  ft high

$3\frac{1}{2}$  ft base around post. The

59.73

old cor <sup>obliterated!</sup>  
Set a post 3 ft long 3 in of  
with charred stake 12 in

in ground for  $\frac{1}{16}$  Sec cor

marked  $\frac{1}{16}$  on N face dry

pits  $18 \times 18 \times 12$  in E + W

of post  $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$  ft high

$3\frac{1}{2}$  ft base around post.

79.73

The cor to secs 5, 6, 7 + 8

Land mostly rolling

Soil 2<sup>nd</sup> rate

Scattering trees

Palo Verde and Mesquite

Bush 80 chs

Thence North bet secs 5

+ 6

## Subdivisions

Var  $13^{\circ} 06' 00''$ 

20. Set a post 3 ft long 3 in dia of  
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on W face dry  
pits  $18 \times 18 \times 12$  in N + S  
off post  $5\frac{1}{2}$  ft dist and  
raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a-  
rounded post.

Thence East on random  
line thro S  $\frac{1}{2}$  of sec 5

20. Set tempy  $\frac{1}{16}$  Sec cor

38. Dry wash 120 lbs rock  
course N.E.

40. Set tempy  $\frac{1}{16}$  Sec cor

60. Set tempy  $\frac{1}{16}$  Sec cor

- 80.05 Intersect N + S line 5 lbs  
S of  $\frac{1}{16}$  Sec cor.

Thence S  $89^{\circ} 58' W$

T 16 S. R 13 E

on a true line thro  $S\frac{1}{2}$  of  
sec 5 with same vas

20.01 Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor <sup>marked</sup>  
 $\frac{1}{16}$  S on N face dug pits  
18 x 18 x 12 ins E + W of post  
 $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

40.02 A Mesquite tree 5 ins in  
diam which I marked  $\frac{1}{16}$   
S on N face for  $\frac{1}{16}$  Sec cor  
dug pits 18 x 18 x 12 ins E  
+ W of tree  $5\frac{1}{2}$  ft dist, <sup>and</sup>  
raised a mound of earth around  
tree.

60.03 Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor

## Subdivisions

marked  $\frac{1}{16}$  S on N face  
 dug pits  $18 \times 18 \times 12$  ins E  
 of post  $5\frac{1}{2}$  ft dist, and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
 post.

80.05 The  $\frac{1}{16}$  Sec cor

Land mostly good

Soil 2<sup>nd</sup> rate

Scattering trees

Palo Verde and Mesquite

Bush 8.0 chs.

+

Thence West on random  
 line thro  $S\frac{1}{2}$  of sec 6

Var  $13^{\circ} 06' E$ .

15.24 Road to San Jacinto mine  
 bears N + S

16.30 Dry wash 20 lks wide  
 course N.E.

T 16 S, R 13 E

20. Set temporary  $\frac{1}{16}$  Sec cor
10. Set temporary  $\frac{1}{16}$  Sec cor
60. Set temporary  $\frac{1}{16}$  Sec cor
- 64.74 Dry wash 20 ft wide  
course E.
- 65.13 Road to Licitia mts bears  
N.E + S.W.

- 79.24 Intersect West Boundary  
Township 9.95 chs S of  
 $\frac{1}{16}$  Sec cor.

Thence Run  $S 82^{\circ} 57' E$   
on a true line thro  $S \frac{1}{2}$  of  
Sec 6 with same var

- 79.79 Set a post 3 ft long 3 ins sp  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins E  
+ W of post  $5 \frac{1}{2}$  ft dist and  
raised mound of earth  $1 \frac{1}{2}$

## Subdivisions

- 39.79 1/2 ft high 3 1/2 ft base around post  
 Let a post 3 ft long 3 ins of  
 with charred stake 12 ins  
 in ground for 1/16 Sec cor  
 marked 1/16 S on N face  
 dug pits 18 x 18 x 12 ins <sup>and</sup> E  
 W of post 5 1/2 ft dist and  
 raised mound of earth 1 1/2  
 ft high 3 1/2 ft base around  
 post.
- 59.79 Let a post 3 ft long 3 ins of  
 with charred stake 12 ins  
 in ground for 1/16 Sec cor  
 marked 1/16 S on N face  
 dug pits 18 x 18 x 12 ins E  
 W of post 5 1/2 ft dist,  
 and raised a mound of  
 earth 1 1/2 ft high 3 1/2 ft  
 base around post
- 79.79 The 1/16 Sec cor

T 16 S, R 13 E.

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Palo Verde and Mesquite

Brush 80 cks

Thence North bet sees  
5 + 6

Var  $13^{\circ} 06' E.$

8.50 Wymash 20 lks wide  
course N. E.

Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  Sec W face  
dug pits  $18 \times 18 \times 12$  ins N  
+ S of post  $5\frac{1}{2}$  ft dist and  
raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a-  
round post. The old cor

Subdivision. T16S. R13E

obliterated.

Thence East on random  
line thro centre of sec 5

18.25 Drywash 25 <sup>Var. 13° 06' E.</sup> lks wide  
Course N.E.

20. Set tempy 1/16 Sec cor

40. Set tempy 1/4 Sec cor

60. Set tempy 1/16 Sec cor

64. Drywash 15 lks wide  
course N.E.

80.06 Intersect N + S line 7 lks  
S of 1/4 Sec cor

Thence Run S 89° 57'  
W on a true line thro cent  
of sec 5 with same ran

20.01 Set a post 3ft long 3in dia  
with charred stake 12 ins in  
ground for 1/16 Sec cor  
marked 1/16 S on N face  
dug pits 18x18x12 ins E

Concluded, Book 2003.