

2007

2003

BOOK 2003

4-671

2003

FIELD NOTES

2003

GENERAL LAND OFFICE.

PAPAGO INDIAN RESERVATION

T. 16 S. - R. 13 E.

2003

383

Indexed, Book 1997.

Township 16 South, Range 13 East.

GILA AND SALT RIVER MERIDIAN.

391	393. 388.	288	281.	217.	214	147.	112.2	78	75
385	388 383.	280	277	213	211	144	144	74	71
379	382 377	271	274	210	207	143	140	71	68
374	378 372	275	271	206	204	139	138	67	64
368.	370 365	269	267	202	200	135	131	63	60
362	364 359	266	264	199	197	131	128	59	56
356	359 354	263	261	196	195	127.	124	56	53
357	354 349	260	258	192	190	123	120	52	49
345	347. 342	256	254	188.	185	118	115	47	44
339	342. 337	253	250	185.	182.	114	112	43	39
334	336 332	250	247	181	178	110	109	38	35
328	331 326	246	244	177	174	108	106	36	31
322.	324 319	242	240	173	170	104	102	30	27
316	319 314	239	237	170	167	101	98.22	26.	23
311	313 308	236	233	166	163	98	95	22	19
305	307 303	233	230	162	160	94	92	18	15
299.	301 297	229	226	158	156	90	87	13	10
293	296. 291	226	223	155.	153.	87	84 20	9	5
288	290 285	222	219	152.	150	83	80	6	3
	285	219		149.		80		2	
31	32	33	34	35	36				

Referring the lines to the pages of the field notes.

Subterraneous. T165. R13E.

+ W of post 5 1/2 ft dist and raised mound of earth 1 1/2 ft high 3 1/2 ft base around post.

0.03 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for 1/4 Sec cor marked 1/4 S on N face dug pits 18 x 18 x 12 ins E + W of post 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

0.04 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for 1/16 Sec cor marked 1/16 S on N face dug pits 18 x 18 x 12 ins E + W of post 5 1/2 ft dist and raised mound of earth 1 1/2 ft high 3 1/2 ft

Subdivisions

- base around post.
- 80.06 The $\frac{1}{4}$ Sec cor
Land mostly level
Soil 2nd - rate
Scattering trees
Palo Verde and Mesquite
Brush 80 chs.
-
- Thence West on random
line thro center of Sec 6
Var $13^{\circ} 06' E.$
- 2.10 Road to San Jacinto Mine
N.E. and S.W.
- 7.70 Ascend South Slope of
Mountain 200 ft high
20. Set tempy $\frac{1}{16}$ Sec cor
36. Leave mountain.
40. Set tempy $\frac{1}{4}$ Sec cor
57. Road to Sierra Mts
bears N.E. + S.W.

T 16 S. R 13 E.

60. Set temporary $\frac{1}{16}$ Sec cor.
 79.27 Intersect West Boundary
 Township 9.92 ch S of
 $\frac{1}{4}$ Sec cor.

Thence Iron $S 82^{\circ} 52' E$
 on a true line thro center
 of sec 6 with same var

19.81 - Set a post 3 ft long 3 ins ϕ
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face
 dig pits 18x18x12 ins E
 & W of post $5\frac{1}{2}$ ft dist
 and raised mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post.

39.81 Set a post 3 ft long 3 ins ϕ
 with charred stake 12 ins
 in ground for $\frac{1}{4}$ Sec cor
 marked $\frac{1}{4}$ S on N face

Subdivisions

deep pits $18 \times 18 \times 12$ vis E
 & W of post $5\frac{1}{2}$ ft dist ^{and}
 raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post.

59.81 - Set a stone $12 \times 14 \times 16$
 vis 10 vis in ground for
 $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ S
 on N face and raised a
 mound of stone alongside.
 Pits impracticable.

79.81 The $\frac{1}{4}$ Sec cor
 Land for 60 chs level
 & soil 2nd rate; for 19 chs
 rocky, mountainous and
 soil worthless.

Scattering trees
 Palo Verde and Mesquite
 Brush 80 chs.

T 16 S. R 13 E.

Thence North bet secs
5 + 6

2.05 Var $13^{\circ} 06' E.$
Road to Saw Jacie Mines
bears N.E. + S.W.

20. Set a post 3 ft long 3 ins
off with charred stake 12
ins in ground fr $\frac{1}{16}$ Sec
cor marked $\frac{1}{16}$ Sec on W face
dug pits $18 \times 18 \times 12$ ins N
+ S of post $5\frac{1}{2}$ ft dist
and raised around of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

Thence East on random
line thro N $\frac{1}{2}$ of sec 5

Var $13^{\circ} 06' E.$

16.90 Road to Saw Jacie Mines
bears N.E. + S.W.

20. Set tempy $\frac{1}{16}$ Sec cor

Subdivisions

38.40 Drywash 30 lRr road
course N.E.

40. Set tempy $\frac{1}{16}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor

80.09 Intersect N + S line 6
lRr N of $\frac{1}{16}$ Sec cor

Thence run N $89^{\circ} 57'$
W on a true line thro N $\frac{1}{2}$
of sec 5 with same var

20.02 Set a post 3 ft long 3 ins off
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ S on N face dug pits
18 x 18 x 12 ins E + W of post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

40.04 Set a post 3 ft long 3 ins off
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor

T I L E R I S E

marked $\frac{1}{16}$ Sec on N face
 dug pits $18 \times 18 \times 12$ ins E
 + W of post $5\frac{1}{2}$ ft dist and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post

60.06 Set a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ Sec on N face
 dug pits $18 \times 18 \times 12$ ins E +
 W of post $5\frac{1}{2}$ ft dist and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post, from which
 a mesquite 4 ins diam bears
 $S 9^{\circ} 15' W$ 26 lrs dist marked
 $\frac{1}{16}$ S.B. T.

80.09 The $\frac{1}{16}$ Sec cor
 Land level

Subdivisions

Soil 2nd rate
 Scattering trees
 Palo Verde and Mesquite
 Brush 80 chs

Thence West on random
 line thro N $\frac{1}{2}$ of sec 6
 Var $13^{\circ} 06' E$

8. Ascend North Slope of
 Mountain 200 ft high
20. Let tempy $\frac{1}{16}$ Sec cor.
36. Road to Picorita Mts.
 bears N. E + S. W. and leave
 mountain.
40. Let tempy $\frac{1}{16}$ Sec cor
42. Ascend Southern Slope of
 Black Mountain
60. Let tempy $\frac{1}{16}$ Sec cor
- 79.30. Intersect West Boundary
 Township 9.98 chs S of $\frac{1}{16}$

T 16 S, R 13 E

See cor

Thence Run $S 82^{\circ} 50' E$
on a true line thro NW $\frac{1}{2}$ of
sec 6 with same var

19.75 Set a stone $12 \times 15 \times 18$ ins
10 ins in ground for $\frac{1}{16}$
See cor marked $\frac{1}{16}$ on
N face, and raised around
of stone alongside. Pits
unpracticable.

39.75 Set a stone $10 \times 18 \times 20$ ins
12 ins in ground for $\frac{1}{16}$
See cor marked $\frac{1}{16}$ on
N face, and raised around
of stone alongside. Pits un-
practicable.

59.75 Set a stone $14 \times 16 \times 18$ ins
12 ins in ground for $\frac{1}{16}$ See
cor marked $\frac{1}{16}$ on N face
and raised around of stones

Subdivisions.

alongside. Lots unpracticable
 79.75 The $\frac{1}{16}$ Sec cor
 Land mountainous
 Soil worthless
 No trees
 Greasewood, Palo Verde
 + mesquite Brush & chs

These North bet secs
 5 + 6.

Var $13^{\circ} 06' E$
 9.55 Road to Sierra Mts
 bears E + W.
 29.65 Intersect 3rd Standard,
 Parallel South 1.05 chs, West
 of Standard Corner to secs
 31 + 32 T 15 S R 13 E
 where I set a post 4 ft
 long 4 ins off with charred
 stake 12 ins in ground for

T16 S, R13 E

closing corner to secs 5+6
was Red

C.C. T16 S R13 E on S

S 5 on E and

S 6 on W faces dug

pits 18x18x12 ins S
E + W of post 5 1/2 ft
dist and raised mound
of earth 2 ft high 4 1/2
ft base around post.

Land for 90 chs bet
secs 5+6 mostly level

Soil 2nd rate

Palo Verde ^{an} alkali site

Brush 80 chs

General Description

This fractional township
contains two varieties of land,
mesa which is all 2nd-rate
and bottom which is a rich

Subdivisions

black loam. The Southern slope of Black Mountain, extends into the Northern half of Sec 6, and the land in Secs 19, 20, 21, 28, 29 + 30 is somewhat rolling. With these exceptions the land throughout is mostly level. All however can with water be cultivated. The Santa Cruz river runs through the Eastern portion of the Township, but it only runs above ground in Sec 2. In sections 1, 2, 11, 12 + 13 the land is covered with heavy mesquite timber, with scattering mesquite trees in Eastern

T 16 S. R 13 E

and Northern halves of Township. The South Western portion is covered mostly with Palo Verde trees. There is Mesquite and Palo Verde Brush throughout. The dry sand washes mentioned are mostly even with the ground and are more in the nature of deposits. There are no settlers in this township, except one Indian in section 12.

The ruins of the old stage station are in section 11 and the remains of the old smelter at Punta de Agua in Section 2

Feb 14th 1888

397.

BOOK 2003

I. D. Chilson

U. S. Dep't, Surveyor


U. S. Surveyor-General's Office,

TUCSON, A. T., July 11th 1888.

The foregoing Field Notes of the Surveys of
Subdivision T. 16. S. R.
13 E. in Papago Indian
Reservation,

Gila and Salt River Meridian
in Arizona Terr. executed by
L. D. Clifton

U. S. Deputy Surveyor, under his contract dated
November 30th 1887,
having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.


U. S. Surveyor-General
for the Territory of Arizona.