

2007

Hualpai Indian Reserv.

BOOK 2007

4-671

2007

FIELD NOTES

2007

GENERAL LAND OFFICE.

2007

lehs. North.

Mar. 16^o 6.

40.00

Set a lime stone 24x10x6 ins
18 ins. in the ground for
115 1/2 mile car. Marked
N. S. R. 115 1/2 M. on W. and
P. S. on E. faces. Raised
mound of stones 3 ft. base
2 ft. high. N. of car.

Pits impracticable

80.00

Set a lime stone
24x10x4 ins. 18 ins in
the ground for far 116 mile
car. Marked N. S. R. 116 M.
on W. and P. S. on E. faces
Raised mound of stone
3 ft base. 2 ft. high. N. of
car. Pits impracticable
Send broken bills

Salt 3rd rate,
New River. 80. ch

North.

Var. 16° E.

40.00 Set a lime stone $24 \times 10 \times 6$
ins. 18 ins. in the ground
for 116 $\frac{1}{2}$ mile car.
Marked N. J. R. 116 $\frac{1}{2}$ m
as W. and P. S. on E faces.
dug pits $36 \times 36 \times 12$ ins.
E + W of stone 4 ft. dirt;
raised mound of earth
5 ft. base. 2 $\frac{1}{2}$ ft high. N.
of car.

80.00 Set a lime stone
 $20 \times 20 \times 18$ ins. 14 ins. in
the ground for 117 mile
car.

Marked N. & P. 117 m on
 W. end P.S. on E face,
 raised mound of stones
 3 ft base, 2 ft high N of cor.
 Pits impracticable
 Sand broken till
 Salt 3rd rate
 Dense brush so. of.

North.

Var. 16° E.

40.00

set a line stone
 20 x 10 x 6 ins. 114 ins. in
 the ground for 117 1/2 mile
 cor. marked N. & P. 117 1/2 m
 on W end P.S. on E face
 raised mound of stone
 3 ft base. 2 ft high N of cor.
 Pits impracticable

80.00 Set a sand stone
 24 x 10 x 8 ins. 14 ins in the
 ground for 118 mile car.
 marked N. S. R. 118 m. on
 W. and P. L. on E. faces
 raised mound of stone
 2 ft base. 2 ft high N.
 of car.

Pit's impracticable
 find broken shells.

Sail 3rd rate,

Some hours. 80 Ch.

This Car is in bottom of
 Cañon 300 ft. deep. 1 ch
 mud on bottom. Cause
 E. 2 ch. Stone N. 5° W. to
 Colorado river.

North.

Mar. 16^o E.

28.00

To edge of sandstone
cliff about 1000 ft
high. breaking into
Grand Canon to the north
Impracticable as well as
impossible to proceed
further on this line. I
discontinue line at this
point. I cut X on N
face of a sand stone in
place, spacing 60x48x48
in above ground.

N. I. R. Cor. 6, W. C. on W.

and P. S. on 2 faces.
Primitive, cut to 118 1/2 mile ^{cut}
raised mound of stone
5 ft base 2 ft high
of ear.

Pets impracticable
Land mountainous
Sail 3rd rate
Dunhuang, 28 CB

General description.

The first 189 chs. of this line is absolutely impracticable to survey, on account of deep canons and perpendicular bluffs.

From witness to 2 m. car. to 11 m. is mountainous with scattering brush, good grazing land except for scarcity of water the nearest water being Ka-na-ka. Springs. it being impossible for stock to get to the river within 20 miles of this line. From 11 m. to Car. no. 3. rugged mts; with scrubby growth of

pine and cedar, not
first class grazing land
on account of rugged
character of country
and scarcity of water
From Car. 3. to 54 m.

rugged and rocky, a few
small areas of 2nd class
grazing land, but no
water.

From 54 m. to Car. 5. Steep
rugged mountains, with
dense growth of scrubby
pine and cedar, useful
only for fence posts and
fire wood. no water.

From Car. 5 to Car. 6.

broken, cedar brush,
mostly dead, no water

On this work I was
compelled to haul water
from 5 to 20 miles and
take it along the line
on pack animals, both
for animal and Compress.
From Car. 6, as far as
the eye can reach, North,
East and west, is
Cliff after Cliff and
Cliff upon Cliff, of
redist sand stone.
The scenery is better
expressed by my Flagman,
"This baffles exaggeration".

Referring to Department letter "E," Nov. 12-1900 with commenting upon the misleading map and statements of Britton and Gray, I submit the following:

Executive order dated January 4th, 1883, referring to line run by Mr. Read as follows:

"Beginning at a point on the Colorado river 5 miles eastward of Pinnakot Springs, thence south 20 miles to crest of High Mesa; thence South 40° E. 25 miles to a point of Music Mountain.

thence east 15 miles,
thence North 50° East
35 miles, thence North
30 miles, to the Caloosahatchee
river, all bearings and
distances being approximate
the South boundary
being at least 2 miles
South of Peach Springs
and the West boundary
at least 2 miles East
of Pine Springs."
My Special Instructions
read as follows:
"If you find that the
Courses and distances
given in the President's
Preliminary place
the South boundary

at least 2 miles south
of Peach Springs and
the east boundary at
least 2 miles east of
Pine Springs, you
will run the courses
and distances given
in Executive Order.
I found that the
courses and distances
given would place
the south boundary
at least 2 miles
south of Peach Springs
and the east boundary
at least 2 miles east
of Pine Springs, therefore
I followed Special
Instructions and run

~~The~~ Causes and distances
as given in ~~the~~ President's
Proclamation.

The Causes and distance
run by me place the
South boundary
about 5 miles South
of Peach Springs
and the East boundary
about 12 mile East
of Pine Springs.
I therefore submit
that I have established
the boundaries of
the reservation strictly
by according to instru-
tions.

Albert T. Colton
M.D. Deputy Surgeon

List of Names.

BOOK 2007

15

A List of the Names of the Individuals
employed by *Albert T. Colton*.....

U. S. Deputy Surveyor, to assist in running, meas-
uring and marking the lines and corners described
in the foregoing Field Notes of the survey of the

West, East and
South Boundary
of the Hualapai
Indian Reservation

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.

William N. McGuire..... Chainman.

Jesse H. Smith..... Chainman.

..... Chainman.

..... Chainman.

..... Axeman.

..... Axeman.

Andrew J. O'Leary..... Flagman.

18 manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

Albert T. Colton
U. S. Deputy Surveyor.

Sworn to and subscribed before me this 26th
day of November, 1891 900

David C. Sturges

Clerk, District Court, Second Judicial
District of Arizona, in and for
Pinal County.

BOOK 2007