

2013

1

BOOK 2013

4-671

2013  
FIELD NOTES 2013  
GENERAL LAND OFFICE.  
EXTERIORS.

SALT RIVER INDIAN RESERVATION

WEST BOUNDARY T.1N. R.5E.

WEST BOUNDARY T.2N. R.5E.

WEST BOUNDARY T.3N. R.5E.

NORTH BOUNDARY T.3N. R.6E.

2013

Preliminary Oaths of Assistants.

We Ramon Sais  
and Carlos Solorcio

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability and in accordance with instructions given us in the survey of the

Salt River Indian  
Reservation


of the principal base and meridian in the Territory of Arizona.

Ramon Sais Chainman.

Carlos X Solorcio Chainman.

Subscribed and sworn before me, this 9<sup>th</sup>

day of March 1888



John H. [unclear]  
Notary Public.

and t  
and  
erjur  
August

to an





2

We Matyo Cruz & Antonio Garcia  
Monsieur & Jaca Viah & Lucas Matias  
Axencia.

do solemnly swear that we will well and truly perform the  
the duties of Monsieur & Axencia

in the establishment of corners and other duties according to  
instructions given us, and to the best of our skill and ability,  
in the survey of the

Salt River Indian  
Reservation,

of the principal base and meridian in the Territory of Arizona.

his  
Matyo Cruz  
Antonio Garcia  
Jaca Viah  
Lucas Matias  
mark.

Subscribed and sworn to before me this 9<sup>th</sup> day

day of March 1888.

John H. [Signature]

Notary Public.



BOOK 2013

Exteriors, Fractional West  
Salt River In.

6





Boundary, T1N, R5E.  
draw Reservation.

Beginning at the old cor<sup>v</sup>  
to Secs 1. 6. 31 + 36, Tps 1 + 2  
N, Rps 4 + 5 E, where I set  
a post 4 ft long 4 ins ago, with  
a marked stone 12 ins in  
ground for the cor to Secs 1.  
6. 31 + 36, Tps 1 + 2 N, Rps  
4 + 5 E, marked,  
T2N, S31, SRR on NE  
R5E, S6 on SE  
T1N, S1 on SW <sup>and</sup>  
R4E, S36 on NW faces,  
with 6 notches on each edge.  
Dug pits 24 x 18 x 12 ins  
lengthwise on each line N.  
S. E + W of post 6 ft dist  
and raised a mound of  
earth 2 1/2 ft high 5 ft base  
around post, from which  
a mesquite 8 ins in diam,

## Exterior West

bears N  $30^{\circ} 15' E$  35 lrs dist  
marked T 2 N R 5 E S 31 B T.

A mesquite to mid drain bears  
S  $16^{\circ} 15' W$  139 lrs dist,  
marked T 1 N R 4 E S 1 B T.

This corner is also marked  
by a stone  $30 \times 40 \times 25$  ins  
set 20 ins in the ground &  
marked

A. C. C. O. on W and  
G. C. on E faces,  
with 6 notches on N. S. E  
& Wedges, as reestablished  
by private survey.

Thence I run South on  
Range line bet secs 1 & 6  
Tps 1 N, Rqs 4 & 5 E

20. Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins  
in ground for  $1/16$  Sec cor



## Boundary T1N R5E.

marked  $\frac{1}{6}$  S on W and S.  
 R. R. on E faces, dug pits  
 18 x 18 x 12 ins N + S of post  
 $5\frac{1}{2}$  ft dist and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post  
 from which a mesquite 6  
 ins diam bears S  $55^{\circ} 30'$  E  
 to 8 lbs dist marked  $\frac{1}{6}$  S.B.T.

34. Leave mesa and enter Salt  
 River Bottom.

38.10 Road bears S.W. and N.E.

40. Set a post 3 ft long 3 ins of  
 with charred stake 12 ins in  
 ground for  $\frac{1}{4}$  Sec cor marked  
 $\frac{1}{4}$  S on W and S. R. R. on  
 E faces, dug pits 18 x 18 x 12  
 ins N + S of post  $5\frac{1}{2}$  ft dist  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around

post, from which a mesquite tree 5 ins in diam bears S  $50^{\circ} 40'$  W 296 lbs dist and marked  $\frac{1}{4}$  S. B. T. The old corner obliterated.

60. Set a post 3 ft long, 3 ins of with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on W and S R.R. on E faces, dug pits  $18 \times 18 \times 12$  ins N + S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post, from which a mesquite tree 6 ins diam bears S  $60^{\circ}$  W 52 lbs dist marked  $\frac{1}{16}$  S B. T.

80. Set a stone  $20 \times 10 \times 12$  ins 10 ins in ground for cor

to sees 1. 6. 7 + 12 marked  
 S. R. R. on E face, with  
 5 notches on S and 1 notch  
 on N edges, dug pits  $18 \times$   
 $18 \times 12$  ins in each see  $5\frac{1}{2}$   
 ft dist and raised mound  
 of earth  $2\frac{1}{2}$  ft high  $4\frac{1}{2}$  ft  
 base alongside. The old  
 corner obliterated.

Land for 34 chs bet sees  
 1 + 6 level mesa and soil 2<sup>nd</sup>  
 rate, for 46 chs level bottom  
 and soil 1<sup>st</sup> rate

Scattering trees and Mesquite  
 Brush 80 chs

Thence South bet sees  
 7 and 12

Var  $13^{\circ} 10' E.$

5.80 across fence and water ditch bearing



- S. E and W and enter cultivated fields.
- 17.50 across fence bearing S.E. + N.W.
20. Set a post 3ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on W and S.R.R. on E faces dug pits  $18 \times 18 \times 12$  ins N + S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post, which is in a cultivated field.
- 21.50 a Water ditch bearing E + W.
- 25.10 a Water ditch bearing N + S.
40. Set a post 3ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  S on W and

S.R.R. on E face, dug pits  
 18 x 18 x 12 ins N + S of post  
 5 1/2 ft dist and raised a  
 mound of earth 1 1/2 ft high  
 3 1/2 ft base around post  
 which is in cultivated field.  
 The old corner obliterated.

44.65 "Quia" Water ditch, 4 ft wide  
 bearing E + W.

60. Set a stone 12 x 14 x 16 ins 10  
 ins in ground for 1/16 Sec cor  
 marked 1/16 S on W face and  
 S.R.R. on E face, dug pits  
 18 x 18 x 12 ins N + S of stone  
 5 1/2 ft dist, and raised a  
 mound of earth 1 1/2 ft high  
 3 1/2 ft base alongside

69.70 Across fence bearing E + W

70.65 The Right bank of the Salt  
 River.

I set a cottonwood post <sup>6 ft long</sup> 8 ins  
 off with marked stone 20 ins  
 in ground for witness cor-  
 ner for initial point of  
 Salt River Indian Reserva-  
 tion, and fractional sections  
 of <sup>and</sup> 12, marked

W.C. I.P. S R R. T I N. S 7  
 on E <sup>and</sup>

R 4 E S 12 on W faces,  
 with 2 notches on N <sup>and</sup> 4  
 notches on S edges, and  
 raised a mound of stone  
 3 ft high around post, from  
 which a cottonwood 10 ins  
 diam bears N 47° W 185  
 lbs dist marked W.C. T I N.  
 R 4 E S 12 B T.

Land for 70.55 cho level  
 bottom and soil 1<sup>st</sup> rate,



of which 70. cts are in cul-  
tivated fields.

---

12

BOOK 2013

Exterior West

Boundary, T2N, R5E

BOOK 2013

13

Thence from cor to secs 1, 6,  
31 + 36, Tps 1 and 2 N, Rps  
4 and 5 E, previously recited, and  
described by me, I run  
North bet secs 31 + 36

Var  $13^{\circ} 10' E$ .

20. Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $1/16$  Sec cor marked  
 $1/16$  S on W and S R R on E  
faces dug pits  $18 \times 18 \times 12$   
ins N + S of post  $5 \frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base around  
post from which a mesquite  
8 ins diam bears  $N 56^{\circ} 30' E$   
53 lbs dist marked  $1/16$  S.B.T.

40. Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $1/4$  Sec cor.



## Exterior West

marked  $\frac{1}{4}$  S on W and SRR.  
 on E faces dug pits  $18 \times 18$   
 $\times 12$  ins NTS of post  $5\frac{1}{2}$   
 ft dist and raised mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base around post. The old  
 cor obliterated. This point  
 is also marked by a stone  
 as established by private survey.

60. Set a post 3 ft long 3 ins sq  
 with charred stake 12 ins in  
 ground for  $\frac{1}{16}$  Sec cor,  
 marked  $\frac{1}{16}$  S on W and  
 SRR on E faces dug pits  
 $18 \times 18 \times 12$  ins NTS of  
 post  $5\frac{1}{2}$  ft dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

80. Set a post 4 ft long 4 ins sq  
 with charred stake 12 ins in

Boundary T 2 N. R 5 E.

ground for cor to secs 25,  
30, 31 & 36, marked,  
T 2 N, S 30, S R R on NE  
R 5 E, S 31, on SE  
R 4 E, S 36, on SW and  
S 25 on NW faces, with  
1 notch on S and 5 notches  
on N edges, dug pits 18  
x 18 x 12 ins in each <sup>5 1/2 ft dist</sup> sec and  
raised a mound of earth  
2 ft high 4 1/2 ft base around  
post. The old corner oblit-  
erated. This cor. is also  
marked by a stone as re-  
established by private survey.  
Land level mesa, no trees.  
Grasswood Red Ironwood  
Brush for 80 cts.

## Exterior West

Thence North between

25 + 30

Var  $13^{\circ}10'E$ .

20. Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on W and SRR on E face, dug pits  $18 \times 18 \times 12$  ins N + S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
40. Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  S on W and SRR on E face dug pits  $18 \times 18 \times 12$  ins N + S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base



## Boundary T2N R5E

around post. The old cor  
obliterated. This corner is  
also marked by a stone est-  
ablished by private survey

47.20 Road to Camp M<sup>c</sup>Donnell,  
bears NE and S.W.

60. Set a post 3 ft long 3 in of  
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on W. and SRR  
on E faces, dug pits 18 x 18  
x 12 in N + S of post  $5\frac{1}{2}$  ft  
dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post.

80. Set a post 4 ft long 4 in of  
with charred stake 12 in in  
ground for cor to secs 19.24.  
25 + 30, marked,  
T2N, S19, SRR on NE



Exterior West

RSE, S 30 on SE  
 RHE, S 25 on SW and  
 S 24 on NW faces, with  
 2 notches on S and 4  
 notches on N edges, dug  
 pits 18 x 18 x 12 ins in  
 each sec 5 1/2 ft dist and  
 raised a mound of earth 2 ft  
 high 4 1/2 ft base around  
 post, from which a mesquite  
 tree 5 ins diam bears ~~W~~ N 88°  
 30' E 46 lbs dist marked T  
 2 N, RSE, S 19 BT. The  
 old cor obliterated. This  
 corner is also marked by a  
 stone as established by private  
 survey.

Land level mesa  
 Soil 2<sup>nd</sup> - rate  
 Scattering trees

Greasewood and Ironwood  
Brush rocks

Thence North between 19

+74

Var  $13^{\circ} 10' E$ .

20. Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor marked  
 $\frac{1}{16}$  S on W and SRR, on E  
face dug pits  $18 \times 18 \times 12$  ins  
N + S of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base around  
post

40. Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{4}$  Sec cor marked  
 $\frac{1}{4}$  S on W face and SRR on E  
face dug pits  $18 \times 18 \times 12$  ins

## Exterior West

N + S of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post. The old cor  
obliterated. This corner  
is also marked by a stone  
as established by private  
survey.

60. Set a post 3 ft long 3 ins of  
with charred post 12 ins in  
ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on W and S  
RR on E faces dug pits 18  
 $\times 18 \times 12$  ins N + S of post  $5\frac{1}{2}$   
ft dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post

80. Set a post 4 ft long 4 ins of  
with charred stake 12 ins in  
ground for cor to secs 13. 18

Boundary T2N R5E.

19824 marked

T2N, S18, SRR on NE

R5E, S19 on SE

R4E, S24 on SW and

S13 on NW faces, with 3

notches on S and 3 notches

on N edges, dug pits 18 x 18

x 12 ins in each section 5 1/2

ft dist and raised a mound

of earth 2 ft high, 4 1/2 ft base

around post, from which

an Ironwood tree 4 ins diam

bears N44 E 190 lks dist

marked T2N, R5E S18 B

T. The old cor obliterated.

This corner is also marked by

a stone as established by pri-

vate survey.

Land level mesa

Soil 2<sup>nd</sup> rate



Exterior West

Scattering Trees

Greasewood & Lemwood

Bush 80 ch

Thence North bet sec

13 & 18

Var  $13^{\circ} 10' E$ .

20. Set a post 3 ft long 3 in dia  
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on W and S  
R.R. on E faces, dug pits  
 $18 \times 18 \times 12$  in N & S of post  
 $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

40. Set a post 3 ft long 3 in dia  
with charred stake 12 in  
in ground for the  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  S on W and S R.R.

## Boundary T 2 N R 5 E

on East faces dug pits  $18 \times 18 \times 12$  ins N + S of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post. The old corner obliterated. This corner is also marked by a stone as established by private survey.

60. Set a stone  $12 \times 14 \times 16$  ins 10 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on W and S R.R.

on E face dug pits  $18 \times 18 \times 12$  ins N + S of stone  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside

68.40 Telegraph line to Camp Mc'Dowell bears  $N 50^{\circ} 30' E$

80. Set a post 4 ft long 4 ins ago

## Exterior West

with charred stake 12 ins in  
ground for cor to sec 7. 12.  
13 + 18 marked  
T 2 N, S 7, S R R on NE  
R 5 E, S 18 on S E  
R 4 E, S 13 on S W and  
S 12 on N. W faces, with  
4 notches on S and 2 notches  
on N edges, dug pits 18 x 18  
x 12 ins in each sec 5 1/2  
ft dist and raised mound  
of earth 2 ft high 4 1/2 ft  
base around post. The old  
corner obliterated. This cor-  
ner is also marked by a  
stone as established by private

Survey

Land levelness

Soil 2<sup>nd</sup> rate

Scattering trees

Boundary T2N R5E

Ironwood and Greasewood  
Brush for rocks

Thence North bet secs

7 & 12

Var  $13^{\circ} 10' E$ .

20. Set a post 3 ft long 3 in  $\phi$  for  
with charred stake 12 in in  
ground for  $\frac{1}{16}$  Sec cor,  
marked  $\frac{1}{16}$  S on W and S  
R.R. on E face. dig pits  
 $18 \times 18 \times 12$  in N & S of post  
 $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

40. Set a post 3 ft long 3 in  $\phi$  for  
with charred stake 12 in in  
ground for  $\frac{1}{4}$  Sec cor<sup>marked</sup>  
 $\frac{1}{4}$  S on W and S R.R. on E face  
dig pits  $18 \times 18 \times 12$  in N &



## Exterior West

BOOK

S of post  $5\frac{1}{2}$  ft dist, and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a round post. The old cor obliterated. This corner is also marked by a stone as established by private survey.

42.20 A <sup>main</sup> canal 50 ft wide. Course  $N 45^{\circ} 30' W$ .

60. Set a post 3 ft long 3 ins of with charred stake, 12 ins in ground for  $\frac{1}{16}$  Lec cor, marked  $\frac{1}{16}$  S on W and SRR. on E faces dug pits  $18 \times 18 \times 12$  ins N + S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

80. Set a stone  $14 \times 18 \times 20$  ins

Boundary T 2 N R 5 E

10 ins in ground for cor to  
secs 1, 6, 7 & 12 marked  
S.R.P on E with 5 notches  
on S and 1 notch on N  
edges, dug pits 18 x 18 x  
12 ins in each sec 5 1/2 ft  
dia and raised a mound  
of earth 2 ft high 4 1/2 ft  
base alongside. The old  
cor obliterated. This corner  
is also marked by a stone  
as established by private  
survey.

Level mesa

Soil 2<sup>nd</sup> rate

Scattering trees

Greasewood & Ironwood

Brush for rocks

These North lot secs

2 P  
BOOK 2013

# Exterior West

1 and 6

Var  $13^{\circ} 16' E$ .

20. Set a post 3 ft long 3 in of  
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on W and S R R  
on E faces dug pits  $18 \times 18 \times$   
12 in N + S of post  <sup>$5\frac{1}{2}$  ft dist</sup> and  
raised a mound of earth  
 $\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
post.
40. Set a post 3 ft long 3 in of  
with charred stake 12 in in  
ground for  $\frac{1}{4}$  Sec cor marked  
 $\frac{1}{4}$  S on W and S R R on E  
faces dug pits  $18 \times 18 \times 12$  in  
N + S of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post. The old cor



## Boundary T 2 N R 5 E

obliterated. This corner is also marked by stone as established by private survey.

60. Set a post 3 ft long 3 in of with charred stake 12 in in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on W and S. R. R. on E faces dug pits  $18 \times 18 \times 12$  in N + S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

80. The old corner to Secs 1, 6, 31 and 36. Tps 2 + 3 N, Rgs 4 + 5 E. I set a post 4 ft long 4 in of with charred stake 12 in in ground for cor to Secs 1, 6, 31, + 36, marked



T 3 N, S 31, S R R on NE  
 R 5 E, S 6 on SE  
 T 2 N, S 1 on SW and  
 R 4 E, S 36 on N.W faces  
 with 6 notches on each  
 edge, dug pits 24 x 18 x  
 12 ins lengthwise on each  
 line, N. S. E and W of post,  
 6 ft dist, and raised mound  
 of earth 2 1/2 ft high 5 ft base  
 around post. This corner  
 is also marked by a stone  
 as established by private  
 survey.

Land level mesa  
 Soil 2<sup>nd</sup> rate  
 Scattering trees  
 Greasewood Red Ironwood  
 Brush for 80 chs

Exterior Fractional West  
Boundary T 3 N R 5 E.  
Salt River Indian Reservation.

Thence from cor to Sec 1, 6, 31 + 36 1/4 Sec.  
2 + 3 N, Rqs 4 + 5 E Iron North bet sec  
31 and 36


Var  $18^{\circ} 10' E$ .

20. Let a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $1/16$  Sec cor  
marked  $1/16 S$  on W and  
S R R on E faces, dug pits  
 $18 \times 18 \times 12$  ins N + S of post  
 $5 \frac{1}{2}$  ft dist and raised a  
mound of earth  $1 \frac{1}{2}$  ft high  
 $3 \frac{1}{2}$  ft base around post.

40. Let a post 3 ft long 3 ins of  
with charred stake 12  
ins in ground for  $1/4$  Sec cor  
marked  $1/4 S$  on W and S R R  
on E faces dug pits  $18 \times$   
 $18 \times 12$  ins N + S of post  $5 \frac{1}{2}$   
ft dist and raised mound  
of earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base

## Exterior West

around post.

60. Set a post 3 ft long 3 in off with charred stake 12 in in ground for  $\frac{1}{16}$  Sec cor, marked  $\frac{1}{16}$  S on W and S RR on E faces dug pits 18 x 18 x 12 in N + S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post
80. The cor to Secs 25, 30, 31 + 36. I set a post 4 ft long 4 in off with charred stake 12 in in ground for cor to secs 25, 30, 31 ~~2~~ 36 marked T 3 N, S 30,  on NE R 5 E, S 31, S. R. R. ow S. E., R 4 E, S 36, on SW and S 25 on N.W. faces, with 1 notch on S and 5 notches on

Boundary T3N R5E

Nedges, dug pits 18x18x12  
 ins in each sec 5 1/2 ft  
 dist and raised a mound  
 of earth 2 ft high 4 1/2 ft  
 base around post, from  
 which a mesquite 5 ins diam  
 bears N 38° E 150 lbs dist  
 marked T3N R5E S  
 30 BT.

Land levelness

Soil 2<sup>nd</sup> rate.

Scattered trees

Ironwood, Greasewood

and Mesquite Brush for 80 ch

March 10<sup>th</sup> 1888



34  
BOOK 2013  
Extension North Boundary  
of Secs. 31, 32, 33, 34, 35 + 36

Thence from the cor to secs  
25, 30, 31 + 36 Tp 3 N Rs 4 +  
5 E, I run East on true line  
bet secs 30 + 31. Var  $13^{\circ}10'E$ .

20. Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face and  
S R R on S face, dig pits  
 $18 \times 18 \times 12$  ins E + W of post  
 $5\frac{1}{2}$  ft dist and raised mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post

40. Set a post 3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{4}$  Sec cor <sup>marked</sup>  
 $\frac{1}{4}$  S on N face and S R R  
on S face, dig pits  $18 \times 18$   
 $\times 12$  ins E + W of post  $5\frac{1}{2}$  ft  
dist and raised a mound

T3N R5E Salt River Indian Res: 35

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post.

60. Set a post 3 ft long 3 in sq  
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
and S.R.R. on S face dig  
pits  $15 \times 18 \times 12$  in E + W  
of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
post.

80. Set a post 4 ft long 4 in sq  
with charred stake 12 in  
in ground for cor to Secs  
29, 30, 31 and 32, marked  
T3N S29 on NE  
R5E S32 SRR on SE  
S31 on SW and  
S30 on NW faces, with

1 notch on S and 5 notches  
on E edges, dug pits 18 x  
18 x 12 ins in each sec  
5 1/2 ft dia and raised a  
mound of earth 3 ft high <sup>and</sup>  
4 1/2 ft base around post.

Land levelness

Soil 2<sup>nd</sup> rate

Scattered trees

Greenwood Red Ironwood

Brush 80 chs

Thence I run East on  
a true line bet secs 29 + 32  
Set a post 3 ft long <sup>Var 13° 10' E.</sup> 3 ins of  
with charred stake 12 ins in  
ground for 1/6 Sec on marked  
1/6 S on N face and S R R  
on S face, dug pits 18 x 18 x  
12 ins E + W of post 5 1/2 ft



dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

40. Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  S on N face and S.R.R. on S face dug pits  $18 \times 18 \times 12$  ins E + W of post <sup>5 $\frac{1}{2}$  ft dist</sup> and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

60. Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on N face and S.R.R. on S face dug pits  $18 \times 18 \times 12$  ins E + W of post  $5\frac{1}{2}$  ft dist and raised a mound of earth



1/2 ft high 3 1/2 ft base  
around post.

80. Set a post 4 ft long 4 ins sq  
with chured stake 12 ins in  
ground for cor to sec 28.

29, 32 + 33 marked

T 3 N S 28 on NE

R 5 E S 33 S R R on SE

S 32 on SW and

S 29 on NW faces, with

1 notch on S and 4 notches

on E edges, dug pits 18 X 18

X 12 ins in each sec 5 1/2

ft dist and raised mound

of earth 2 ft high 4 1/2 ft base  
around post

Land belongs to

Soil 2<sup>nd</sup> rate

No trees

Greensand and brown

## Brush for rocks

Thenie I run East on a  
true line bet sees 28 & 33

Var  $13^{\circ} 10' E$ .

20. Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
and S.R. R on S face, dug  
pits  $18 \times 18 \times 12$  ins E & W  
of post  $5\frac{1}{2}$  ft dist, and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
post.

40. Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  S on N face and  
S.R.R on S face, dug pits  
 $18 \times 18 \times 12$  ins E & W of post.

5 1/2 ft dist, and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

58.20 Dry wash 10 lks wide course N

59.50 Dry wash 20 lks wide course N

60. Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for 1/16 Sec cor marked 1/16 S on N face and S.R. R. on E face, dug pits 18 x 18 x 12 ins <sup>2 rows of posts</sup> 5 1/2 ft dist and raised mound of earth 1 1/2 ft high 3 1/2 ft base around post.

80. Set a post 4 ft long 4 ins of with charred stake 12 ins in ground for cor to sec 27, 28, 33 + 34. marked

T 3 N S 27<sup>th</sup> NE

R 5 E S 34 SRR on SE

S 33 on SW and

S 28 on NW faces with

1 notch on S and 3 notches

on East edges, dug pits

18 x 18 x 12 ins in each

section <sup>5 1/2 ft dist</sup> and raised a

mound of earth 2 ft high.

4 1/2 ft base around foot,

from which an Ironwood

tree 18 ins diam bears

N 31° 15' W 77 lks dist

marked T 3 N R 5 E S 28

B T.

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Ironwood and Mesquite

Brush & rocks



- Thence I run East on a  
true line bet sees 27 & 34
20. Set a post <sup>Var  $13^{\circ}10' E$</sup>  3 ft long 3 ins of  
with charred stake 12 ins in  
ground for  $\frac{1}{16}$  Sec cor,  
marked  $\frac{1}{16}$  S on N face  
and S R R on E face, dug  
pits 18 x 18 x 12 ins E +  
W of post  $5\frac{1}{2}$  ft dist,  
and raised around of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post.
- 28.40 Dry wash 1 ch wide  
course S.W.
30. Ascend Rocky mesa.
40. Set a stone 10 x 12 x 18 ins  
10 ins in ground for  $\frac{1}{4}$  sec  
cor marked  $\frac{1}{4}$  S on N face  
and S R R on E face, dug  
pits 18 x 18 x 12 ins E + W

of stone  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

52.20 Drywash 30 lks wide course S.W.

60. Set a stone  $14 \times 16 \times 20$  ins 10 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on N face and S.R., R. on S face dug pits  $18 \times 18 \times 12$  ins E + W of stone  $3\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

65.30 Drywash 2 chs wide course S.W.

80. Set a stone  $12 \times 14 \times 15$  ins 10 ins in ground for cor to secs 26, 27, 34, & 35 marked.

S.R.R on S E face with 1  
notch on S and 2 notches  
on E edges dig pits 18 x  
18 x 12 ins in each section  
5 1/2 ft dist and raised a  
mound length 2 ft high  
4 1/2 ft base alongside

Land for 30 chs mostly  
level mesa and soil 2<sup>nd</sup> rate  
for 50 chs Rocky mesa and  
soil worthless.

No trees

Paloverde and Mesquite  
brush 80 chs

Thence Drive East on  
a true line between 26 & 35

20. Set a stone <sup>Var 13° 10' E.</sup> 12 x 14 x 16 ins  
10 ins in ground for 1/16 Sec  
Crs marked 1/16 S on N face



and S.R.R. on S face, deep  
pits  $18 \times 18 \times 12$  ins E & W  
of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a-  
longside.

27.10 Gulch, 1 ch wide, course  
S.W.

34.20 Telegraph line to Camp Mc?  
✓ Howell, bears  $N 48^\circ E$

36. Gulch 1 ch wide course S.W.

40. Set a stone  $14 \times 18 \times 20$  ins  
10 ins in ground for  $\frac{1}{4}$  Sec  
cor marked  $\frac{1}{4}$  on N face  
and S.R.R. on S face deep  
pits  $18 \times 18 \times 12$  ins E & W of  
stone  $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base alongside.

60. Set a stone  $12 \times 14 \times 10$  ins .10



in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S on N face <sup>and</sup>  
 S.R.R. on S face dug pits 18  
 $\times$  18  $\times$  12 ins E + W of stone  
 $5\frac{1}{2}$  ft dist and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base alongside.

64. Gulch 50 lbs iron course Sw.

80. Set a stone 20  $\times$  10  $\times$  15 ins  
 10 ins in ground for cor to  
 Secs 25. 26. 35 + 36 marked  
 S.R.R. on S E face with 1  
 notch on S and 1 notch on E  
 edges, dug pits 18  $\times$  18  $\times$  12  
 ins in each section  $5\frac{1}{2}$  ft  
 dist and raised a mound  
 of earth 2 ft high  $4\frac{1}{2}$  ft base  
 alongside.

Land rocky mess.

Soil worthless

No trees.

Greasewood and Palo Verde  
Brush for 80 chs

These runs East on a  
true line between 25 & 36

20. <sup>Var  $13^{\circ} 10' E$ .</sup>  
Set a stone  $10 \times 12 \times 14$  ins  
10 ins in ground for  $\frac{1}{16}$   
Sec cor marked  $\frac{1}{16}$  S on  
N face and S.R.R. on S face  
dug pits  $18 \times 18 \times 12$  ins E &  
W of post <sup>stone</sup>  $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base alongside.

40. Set a stone  $10 \times 12 \times 14$  ins  
10 ins in ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  S on N face and  
S.R.R. on S face dug pits  $18 \times$   
 $18 \times 12$  ins E & W of post <sup>stone</sup>  $5\frac{1}{2}$   
ft dist and raised a mound

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

60. Set a stone  $10 \times 12 \times 15$  ins 10 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on N face and SRR on S face dug pits  $18 \times 18 \times 12$  ins E + W of stone  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

72. Gulch 1 ch wide course SW.

80. Set a stone  $15 \times 18 \times 24$  ins 10 ins in ground for cor to secs 25, 30, 31 + 36 marked SRR on S face with 1 notch on S and 5 notches on N edges dug pits  $18 \times 18 \times 12$  ins E + W of <sup>stone</sup> ~~post~~  $5\frac{1}{2}$  ft <sup>dist</sup> and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft base alongside

Sand Rock Mesa

Soil worthless.

No trees.

Paloverde and Mesquite

Brush for stock

---



Exterior North Boundary  
of Secs 31, 32, 33, 34, 35 and 36.

Thence from cor to secs  
25, 30, 31, and 36  $\frac{1}{4}$  3 N  
Rgs 5 + 6 E. Run East  
on a true line bet secs 30  
+ 31 Var  $13^{\circ} 10' E$ .

20. Set a stone  $14 \times 12 \times 16$  ins 10  
ins in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face and  
~~4~~ 6 S R R on S face, dug pits  
 $18 \times 18 \times 12$  ins E + W of stone  
 $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base alongside.

21.30 Sand wash 4 chs wide <sup>Course</sup> S.

26.50 Ascend West slope of these  
R.R.s

40. Set a stone  $14 \times 16 \times 18$  ins  
10 ins in ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  S on N face and  
S.R.R. on S face dug pit

T3N, R6E, Salt River Indian Res.

18x18x12 ins E+W of stone  
5 1/2 ft dist and raised a mound  
of earth 1 1/2 ft high 3 1/2 ft base  
alongside

49.  
60. Base of N peak + descend  
Set a stone 12x15x18 ins  
10 ins in ground for 1/16 Sec  
cor marked 1/16 S on N face,  
and S.R.R. on S face and  
raised a mound of stone  
alongside. Pits unpracticable

80. Set a stone 20x12x14 ins  
10 ins in ground for cor to  
secs 29, 30, 31, 32 marked  
S.R.R. on S.E. face, with  
1 notch on S and 5 notches  
on E edges, and raised  
a mound of stone alongside  
Pits unpracticable.

Land for 54 chs uninc.

tannins and soil worthless  
for 26 lbs rocklynesa and  
Scatter trees.

Greasewood and Palo Verde  
Brush for rocks

↓

Thence Drive East on a  
true line between 29 & 32

Descending Var 13° 10' E

14. 20 Gulch 1 1/2 lbs wide course  
S.W.

20. Put a stone 12 x 15 x 18 ins  
10 ins in ground for 1/16 Sec  
cor marked 1/16 on N face  
and S R R on S face and  
raised a mound of stones  
alongside. Pits impracticable.

27. Gulch 50 lbs wide course  
South.

28 Ascend ridge.



32. Top of ridge and descend.
40. Set a stone  $12 \times 16 \times 18$  ins  
10 ins in ground for  $\frac{1}{4}$  Sec  
cor marked  $\frac{1}{4}$  S on N face  
and S.R.R. on S face and  
raised a mound of stones  
alongside. Pats impracticable.
48. Gulch 60 lks wide course  
S.E.
59. Ascend.
60. Set a stone  $15 \times 18 \times 20$  ins  
10 ins in ground for  $\frac{1}{16}$   
sec cor marked  $\frac{1}{16}$  S on N  
face and S.R.R. on S face  
and raised a mound of stones  
alongside Pats impracticable.
70. Top of ridge and descend
75. Gulch 30 lks wide course  
S.W.
80. Set a stone  $18 \times 20 \times 24$  ins



54  
 10' vis in ground for cor to  
 secs 28, 29, 32 + 33 marked  
 S.R.R. on SE face, with 1  
 notch on S and 4 notches  
 on E edges, dug pits 18 x  
 18 x 12 vis in each sec,  
 5 1/2 ft dist and raised a  
 mound of earth 2' ft high  
 4 1/2 ft base alongside  
 Land Monumentous  
 Soil worthless  
 No trees  
 Scattering Brush

---

Thence Run East on a  
 true line bet secs 28 + 33  
 Var 13° 10' E.

8  
 4.50 Gulch 20' or more wide course  
 S.W. and descend  
 12.20 Top of ridge and descend

20. Set a stone  $12 \times 14 \times 16$  ins  
10 ins in ground for  $\frac{1}{16}$  Sec  
or marked  $\frac{1}{16}$  S on N face  
and S R R on S face and  
raised a mound of stones  
alongside. Pits impracticable.  
Asced.
40. Set a stone  $14 \times 18 \times 20$  ins  
10 ins in ground for  $\frac{1}{4}$  sec  
or marked  $\frac{1}{4}$  S on N face  
S R R on S face and raised  
a mound of stones alongside  
Pits impracticable.
54. Top of main ridge, where  
I build a monument of rock  
4 ft high 4 ft base around  
rock in place marked  
N L S. R. R.  
Descend up
60. Set a stone  $15 \times 18 \times 20$  ins

56  
10 ins in ground for  $\frac{1}{16}$  Sec  
cor marked  $\frac{1}{16}$  S on N face  
and S. R. R. on S face and  
raised a mound of stones  
alongside. Pits unpracticable.

6 80.

Set a stone  $14 \times 18 \times 22$  ins  
10 ins in ground for corner  
to sec 27. 28. 33 + 34  
marked S. R. R. on S. E.

face with 1 notch on S  
and 3 notches on E and  
raised a mound of stones  
alongside. Pits unpracticable

Land Rocky and mountainous

Soil worthless

Scattered trees

Yucca and Palo Verde

Brush & chs

8  
March 12<sup>th</sup> 1888

Thence Draw East on a



true line bet sec 27 & 34  
 Var  $13^{\circ} 10' E$

In basin

20. Set a stone  $15 \times 16 \times 18$  ins 10  
 ins in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S on N face and  
 S.R.R. on S face and raised  
 a mound of stones alongside  
 Pits impracticable.

26. Ascend.

40. Set a Stone  $14 \times 18 \times 20$  ins  
 10 ins in ground for  $\frac{1}{4}$  sec  
 cor marked  $\frac{1}{4}$  S on N face  
 and S.R.R. on S face and  
 raised a mound of stones  
 alongside. Pits impracticable

54.20 Top of ridge and descend

60. Set a <sup>stone</sup>  $12 \times 14 \times 10$  ins  
 10 ins in ground for  $\frac{1}{16}$  Sec  
 cor marked  $\frac{1}{16}$  S on N face



and S.R.R. on S face and  
raised a mound of stones  
alongside. Sets impracticable

80. Set a stone 12 x 18 x 20 ins  
10 ins in ground for cor  
to sees No. 27, 34 + 35,  
marked,

S.R.R. on S E face with  
1 notch on S and 2 notches  
on E edges and raised a  
mound of stones alongside  
Sets impracticable.

Land rocky and desiccated

Soil worthless

Scattered trees

mesquite and Palo Verde

Bush & chs

---

Thence I run East on a  
true line bet sees 26 + 35

Var  $13^{\circ} 10' E$ 

In basin.

20. Set a stone  $12 \times 14 \times 16$  ins  
 10 ins in ground for  $\frac{1}{16}$  Sec  
 cor marked  $\frac{1}{16}$  S on N face  
 and S.R.R. on S face and  
 raised a mound of stones  
 alongside. Pits impracticable.

40. A Rock  $40 \times 40 \times 30$  ins  
 in place which I marked  
 $\frac{1}{4}$  S on N face and S.R.R.  
 on S face for the  $\frac{1}{4}$  Sec cor  
 and raised a mound of  
 stones alongside. Pits not  
 practicable.

54.20 The Road to Camp M'Dowell  
 bearing NE & SW.

60. Set a post 3 ft long 3 in of  
 with charred stake 12 ins  
 in ground for  $\frac{1}{16}$  Sec cor

marked  $\frac{1}{16}$  S on N face  
 and S.R.R. on S face, dug  
 pits  $18 \times 18 \times 12$  ins E +  
 W of post  $5\frac{1}{2}$  ft dist and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a-  
 round post.

63. leave Basin and ascend

80. Set a stone  $14 \times 16 \times 18$  ins  
 10 ins in ground for cross  
 sec 25, 26, 35, 36 marked  
 S.R.R. on S.E. face, with  
 1 notch on S and 1 notch  
 on E edges, and raised  
 a mound of stones along it.  
 Pits impracticable. From  
 this stone, the highest point  
 of cut Mt. Drwell bears  
 $S 13^{\circ} 15' E$ .

Sand rocky & mountainous



Soil worthless  
 Scattered trees  
 Mesquite and Palo Verde  
 Brush for rocks.

Thence East on a  
 true line but sees  
 25 + 36.

Var  $13^{\circ}12' E$

10.00 Set temporary post for  
 west line of Camp  
 McDowell Military  
 Reservation,  
 (Note) The monuments  
 on the South line  
 of the Reservation are  
 being obliterated I  
 proceeded to the  
 stump of the old  
 flagstaff in the



Center of the Parade Ground at Camp McDowell, and run  $S 6^{\circ} 30' W$  for a distance of five miles thus establishing a point on S Boundary of Reservation, as the distance called for in survey of Camp McDowell is 120 chs west of flag staff for the west line, from the point just described on the South here I run

$S 80^{\circ} 25' W$  on a true line, on South Side of McDowell

Military Reservation  
 120 chains where I  
 established the S.W.  
 Cor of Reservation  
 as follows:

A Granite rock  $40 \times$   
 $30 \times 20$  in 10 in in ground  
 for S.W. cor of Camp  
 in Doree Military  
 Reservation, marked

U.S.M.R. on N.E.  
 and S.R.R. on S. face  
 with a mound of  
 stones 4 ft high  
 3 ft base alongside.  
 Pits unpracticable.

Shuee  $N 60^{\circ} 30' E$ .

Var  $13^{\circ} 12' E$

8,85' Intersect E & W line  
 but sees 25736, 78300

West of temporary  
 post previously  
 established on 2.17 chs  
 East of Cor to sees  
 25, 26, 35 & 36, T 3 N. R  
 6 E, where I set a  
 granite rock 12x8x20  
 ins 10 ins ground for  
 point of intersection  
 with McDowell Military  
 Reservation, marked  
 U.S.M.R on E, and  
 S.R.R on S.W faces  
 and raised a mound  
 of stones 2 1/2 ft high  
 3 ft base alongside.  
 Pits unpracticable.  
 Mar 14<sup>th</sup> 1888.

Shovel from the  
 S.W cor of McDowell,