

2019

BOOK 2019

4-671

FIELD NOTES

2019 GENERAL LAND OFFICE. 2019

Fort Verde Garden Res.

General Land Office

March 24, 1899

2019

We George A Bailey and Harry Monroe solemnly swear that we will well and truly perform the

duties of Assessors and Chairman **BOOK 2019**

in the establishment of corners and other duties according to instructions given us, and to the best of our skill and ability, in the survey of the Extension and subdivision pieces of the Fort Verde Garden Reserve old Camp Grant, Camp Goodwin and Camp Catterden.

Territory of Arizona.

George A Bailey, Assessor
Harry Monroe, Chairman

Subscribed and sworn to before me this 13th

day of December 1887

Notary Public
Pima County
AJ

2
4
Preliminary Oaths of Assistants.

We W. G. Wingfield
and Harry Monroe
do solemnly swear that we will well and faithfully execute the
duties of Chain Carriers; that we will level the chain over even
and uneven ground, and plumb the tally pins, either by sticking
or dropping the same; that we will report the true distance
all notable objects, and the true length of all lines that we assist
in measuring, to the best of our skill and ability and in accordance
with instructions given us in the survey of the Extension
and subdivision lines
of the Fort Verde Garden Reserve.

BOOK 2019

Territory of Arizona
W. G. Wingfield Chainman
Harry Monroe Chainman

Subscribed and sworn to before me, this 25th
day of December 1887

Clarence C. Wallasey
Notary Public
U.S. Deputy Surveyor

No of Page

5- 24

I do solemnly swear that I
will well and truly perform the duties of Flagman
according to instructions given me and to the best of my
skill and ability. Wm Stephens, Flagman

Sworn to and subscribed before me this

25th day of Dec - 1888

Clarence H. Wallace

U.S. Deputy Surveyor

..... do solemnly swear that

will well and truly perform the duties of

according to instructions given and to the best of

..... skill and ability.

Wallace

for

4/1887

Sworn to and subscribed before me this

25. 1887

day of 188

27. 1887

2 Preliminary Oaths of Assistants

do solemnly swear that we will well and truly perform the duties of

in the establishment of corners and other duties according to instructions given us, and to the best of our skill and ability, in the survey of the

Territory of Arizona.

Subscribed and sworn to before me this

day of 188

Notary Public.

No. of Pages

Field notes of the Surveyofthe Exterior Lineof theFort Verde Garden ReservoirSurveyed byClarence G. Wallace,U.S. Dep. Surveyorunder contract ^{no. 7} A Dated Nov. 4. 1887Survey commenced Dec. 25. 1887Survey completed Dec. 27. 1887

List of names of persons
who assisted in the survey
of the Fort Verde Garden Res.

W. G. Wingfield . . . Chairman.
Harry Monro Chairman.
Chas. Wingfield Axeman.
Wm. Stephens Flagman
Geo. C. Bailey Axeman

There being no available Notary
Public and as one could not
be had without great delay
and expense I administer the
the oaths to some of the assistants
as prescribed by the Manual.
Clarence H. Wallace
U.S. Dep. Surveyor

No. of Page

Fort Verde Garden Reserve

Preliminary to the survey of the Fort Verde Garden Reserve I test the parts of my instrument and find the adjustments correct.

Instrument used a Furley Solar Transit and Steel chain.

By an observation with the Solar apparatus near the corner to secs. 10, 11, 14 and 15 T. 13 N. R. 5 E. I find the latitude to be $34^{\circ} 30' N.$

Survey commenced Dec. 25-1887 with a Solar Transit. I begin at the cor. to sections 9, 10, 15 and 16 T. 13 N. R. 5 E.,

Fort Verde Garden Reserve

which is a post 3 in. sq.
firmly set in the ground
marked

S. 13 N. S. 10 on N.E.

R. 5 E. S. 15 on S.E.

S. 16 on S.W. and

S. 9 on N.W. faces, with 4
notches on S. and ^{notches} $\frac{3}{4}$ on E. edge

Hence draw N. br. recs. 9 and 10.

Variation $13\frac{1}{2}^{\circ}$ E.

Ascend -

40.40 Find $\frac{1}{4}$ sec. cor. a stone
firmly set in the ground and
marked $\frac{1}{4}$ with a mound
of stone alongside.

50.40 The S.W. boundary line of
the Fort Verde Garden Res.
when I set a temporary

Fort Verde Garden Reserve.

monument.

Thence I run $N. 35^{\circ} W.$ Variation $13\frac{1}{2}^{\circ} E.$ 4.80 I set a limestone $24 \times 16 \times 12$ in.

18 in. in the ground marked

N. M. F. V. G. R. No. 1 and raise a

monument of stone along side

for the N. W. cor. of the "Fort

Verde Garden Reserve" and the

initial point of the survey.

There is no remaining trace

of the old cor. now to be found

and no available objects for

bearing points. The flagstaff

at Fort Verde is no longer

standing.

Thence I run $N. 55^{\circ} E.$ Variation $13\frac{1}{2}^{\circ} E.$

6.00 Hay road br. E. and W.

Fort Verde Garden Reserve.

- 30.50 Ascend
- 35.00 Top of ridge 200 ft high
and descend along brushy
slopes of same.
- 40.00 Set a temporary flag to
mark a point on boundary.
- 80.00 Set temporary flag.
Land broken hills.
Soil rocky - 4th rate.
No timber.
-

Thence Iron N. 55° E. (compass)
Variation 13½° E.

- 20.00 Set temporary flag.
- 57.04 Ravine, 40 lbs wide, course
S.W. and ascend, along
S. side of same.
- 80.00 Set temporary flag.

Fort Verde Garden Reservoir.

Land mountainous.
Soil rocky - 4th rate.
No timber.

Thence I run $N. 55^{\circ} E.$ (same course)
Variation $13\frac{1}{2}^{\circ} E.$

Ascend side of mountain
along the S. side of cañon.

27.00 Leave cañon and ascend steep slope

30.00 Set temporary flag.

Land hilly.

Soil rocky - 4th rate.
No timber.

Thence I run $N. 55^{\circ} E.$ (same course)

Variation $13\frac{1}{2}^{\circ} E.$

Ascend along ridge

Fort Verde Garden Reservoir

10.00 Comes on the surface of a limestone in place 20 x 10 x 1 ft. which I mark with a cross (X) at exact cor. point and the letters F. V. G. R. No. 2 and raised a mound of stone alongside for the N.E. cor. of the Fort Verde Garden Reservoir.

Land lilly.

Soil rocky.

No timber.

Thence down S. 35° E. along the N.E. boundary line.

Variation 13 1/2° E.

43.05 Descend from ridge along steep slope. This ridge is about 500 ft high and for N.E. & S.W.

Fort Verde Garden Reserv.

30.00 Set temporary flag.
 Land rough and broken.
 Soil rocky - worthless.
 No timber.

December 26, 1887.

Thence we ran S. 35° E. (same course)
 Variation 13½° E.

40.00 Set a limestone 24 x 18 x 8 in
 18 in. in the ground marked
 F. V. G. R. Tr. 3. and raised a
 monument of stone alongside
 for the S.E. cor. of the Fort Verde
 Garden Reserv.

Wooden tree 2 ft in diam.
 bore N. 64° E. 77 pikes marked
 F. V. G. R. Tr. 3. B. D.
 No other trees within limits.

Fort Verde Garden Reserve

Land hilly.

Soil rocky.

No timber.

Thence I run S35° W. along the
S.E. boundary of the Fort Verde
Garden Reserve.

Variation: 13½° E.

Along Ridge.

22.34 Descend from ridge.

25.34 Cross ravine 27 lks wide,
course west.

28.34 Same ravine, course S.E.

32.92 Ravine 40 lks wide, course W.

40.00 Set temporary flag.

44.00 Bear Creek wagon road
bet. E. and W.

47.82 Ravine 1ch wide and road

Fort Verde Garden Reserve.

along same line S.W. & N.E.

57.00 Road to Fort Verde line N.E.
and S.W.

80.00 Set temporary flag and
descend into ravine.

Land surface flat sloping S.W.

Soil 3rd rate.

No timber.

Thence on an S. 55° W. (same course)

Variation $13\frac{1}{2}^{\circ}$ E.

8.00 Leave ravine, course S.W.

32.00 Ravine, 1 ch wide, course S.W.

34.00 Wagon road line N.E. and S.W.

40.00 Set temporary flag.

80.00 Set flag -

Land slightly rolling.

Soil 3rd rate. No timber.

Fort Verde Garden Reserve

Thence S. 55° W. (same course).

Variation $13\frac{1}{2}^{\circ}$ E.

- 7.00 Win fence bet E. and W. and
Enter W. S. Head's field.
- 22.00 Fence bet E. and W. clear widely
cleared ground of W. S. Head.
- 27.30 Water in Clear Creek to the
side, course S. W.
- 39.00 Leave bed of N. fork of Clear-
Creek
- 48.00 Enter south fork of Clear Creek
- 61.00 Leave south fork of Clear Creek.
- 61.80 Fence along N. side of road
bet N. W. and S. E. and enter the
ploughed land of W. J. Wingfield
- 80.00 Set temporary flag.
Bottom land - broken
soil, gravel and sand -
mesquite & underbrush -

Fort Verde Garden Reserve.

Thence S. 35° W. (same course)

Variation 13½° E.

.50 Lean, bloughed land and entire
dense growth of weeds and under
brush.

0.00 Set a sand stone 16 x 11 x 10 ins
11 ins. in the ground, marked
F. V. G. R. Tr. 4., and raised a
monument of stone alongside
for the S.W. cor. of the Fort Verde
Garden Reserve. This monument
is at the foot of a mesa extending
along the south edge of Clear Creek
bottom. W. J. Waigfield's house on N.
Land level -

Soil 1st rate -

No timber.

Fort Verde Garden Reservoir

Thence draw N. 35° W. along
the S.W. boundary of the Fort
Verde Garden Reservoir.

Variation $13\frac{1}{2}^{\circ}$ E.

- 4.20 Spring branch 3 lks wide,
course west.
- 12.20 W. F. Wainfield's wire fence E. & W.
- 13.90 " " " stone fence br. E. & W. 4
- 14.00 Clear Creek, 40 lks wide course S.W.
- 19.88 Irrigating ditch, 10 lks wide
course west.
- 21.00 Road, br. E. and W.
- 24.00 Road, br. E. and W.
- 37.50 Road, br. N.W. and S.E.
- 40.00 Set temp flag.
- 43.00 Wagon road br. E. and W.
- 50.00 Ravine 120 lks wide, course S.W.
- 80.00 Set temporary flag -
Land mesa and bottom

Fort Verde Garden. Reservoir

Soil, 1st and 2nd rate.

Timber mesquite and underbrush.

Thence down 7.35 W. (same course)

Variation $13\frac{1}{2}^{\circ}$ E.

Over rolling hills.

10.00 Corner monument at F.V.G. R. N. 1. S. N.

place of beginning.

Dec. 27. 1887.

Field notes of the
Survey of The

Subdivision lines T₁s 13^{and} 14
N. R. 5 E. included in the
Fort Verde Garden Reservoir
Arizona Territory

Surveyed by

Clarence H. Wallace,
U. S. Deputy Sur.

Under Contract No. 7.

Dated Nov. 4. 1887.

Survey commenced Dec. 27. 1887

Survey completed Dec. 29. 1887

Fort Verde, Garden Reservoir.

I begin at the corner to secs. 7
12, 13 and 18 $\text{N. } 13^{\circ} \text{ W. } \text{R. } 5^{\circ} \text{ } \text{S. } 6^{\circ} \text{ E.}$
which is a post 3 in square
firmly set in the ground and
marked

$\text{N. } 13^{\circ} \text{ W. } \text{S. } 7^{\circ} \text{ or } \text{N. } \text{E.}$

$\text{R. } 6^{\circ} \text{ E. } \text{S. } 18^{\circ} \text{ or } \text{S. } \text{E.}$

$\text{R. } 5^{\circ} \text{ E. } \text{S. } 12^{\circ} \text{ or } \text{S. } \text{W.}$

and $\text{S. } 12^{\circ} \text{ or } \text{W.}$ faces with 4
notches on the S. and South
W. edges.

Thence I run N. bet. secs. 7 & 12

Variation $13\frac{1}{2}^{\circ} \text{ E.}$

Over rocky hills.

80.00 Set a flag to mark the
cor. to secs. 1, 6, 7 and 12.

Thence N. bet. secs. 1 and 6.

Variation $13\frac{1}{2}^{\circ} \text{ E.}$

10.05 Intersect the S. E. boundary

Fort Verde Garden Reem.

of the Fort Verde Garden Reem
 when I set a limestone $26 \times 10 \times 5$ in.
 18 in. in the ground marked
 F. V. G. R. C. C. and raised a mound
 of stone alongside for
 closing corner bet. secs. 1 and
 6 -

40.00 Set a limestone $18 \times 10 \times 6$ in., 12
 in. in the ground for $\frac{1}{4}$ sec. cor.,
 marked $\frac{1}{4}$ on N. face, and raise
 a mound of stone alongside.

63.50 Intersect the N.E. boundary
 of the Fort Verde Garden Reem
 when I set a stone $20 \times 12 \times 10$ in.
 15 in. in the ground for closing
 corner bet. secs. 1 and 6, marked
 F. V. G. R. C. C. and raise a
 mound of stone alongside.
 Pits impracticable.

Fort Verde Garden Reserve

Hence N. over rocky brushy hills.

80.00 Set a flag to mark the cor. to T¹³ N. R. 5 and 6 E.

Land hilly.

Soil rocky.

No timber.

From the corner to secs. 9, 10, 15 and 16 T. 13 N. R. 5 E. which is a post 3 ins square finally set in the ground marked T. 13 N. S. 10 on N. E.

R. 5 E. S. 15 on S. E.

S. 16 on S. W. and

S. 9 on N. W. faces, with 4 notches on S. and ^{notches} on E. edge.

Fort Verde Garden Reserve

Run N. bet. secs 9 and 10

Variation $13\frac{1}{2}^{\circ}$ E.

Ascend over rolling hills.

40.40 Find $\frac{1}{4}$ sec. cor.

50.40 Intersect the S. N. boundary line of Fort Verde Garden Reserve when I set a limestone $16 \times 14 \times 13$ ins. in the ground, marked F. V. G. R. C. C. and raised a mound of stone alongside for closing cor. on line bet. secs. 9 and 10.

68.40 Intersect N. N. boundary line of Fort Verde Garden Reserve when I set a limestone $18 \times 10 \times 9$ ins., 12 ins., in the ground for closing corner bet. secs. 9 & 10 marked F. V. G. R. C. C. and raise a mound of stone alongside

Subdivisions of the

80.00 Set a flag to mark the cor.
to sec. 3, 4, 9 and 10.

Thence north to sec. 3 and 4

Variation $13\frac{1}{2}^{\circ}E$.

Over broken rocky hills.

80.00 Set a flag on $\frac{1}{2}$ p line to mark
the cor. to sec. 3, 4, 33 and 34.

Thence run E.

Variation $13\frac{1}{2}^{\circ}E$.

Over broken hills covered
with grass wood, at each
40 and 80 chains I set flags
and $\frac{1}{2}$ mi. 20 chs intersect
the E. boundary of township
at flag previously placed
for cor. to $\frac{1}{2}$ p 13 & 14 N R. 5 & 6 E.

Thence I run west

Variation $13\frac{1}{2}^{\circ}E$.

11.52 Intersect the N.E. boundary.

Fort Verde Garden Reservoir

of the Fort Verde Garden Reservoir when I set a limestone $16 \times 10 \times 8$ ins., 11 ins. in the ground for closing cor. to sec. 1 & 36, marked F. V. G. R. C. C. and raise a mound of stone along side.

40.00 I set a limestone $12 \times 10 \times 8$ ins., 8 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face and raised a monument of stone along side. Pits impracticable.

80.00 Set a limestone $16 \times 12 \times 8$ ins., 11 ins. in the ground for the cor. to sec. 1, 2, 35 and 36 marked with 1 notch on E. and 5 on N. edges, and raise a mound of stone along side. Pits impracticable.

Subdivisions of The
Land south slopes of rocky hill.
Soil 4th rate -
No timber.

From the corner to secs. 1, 2
35 and 36 just established.
Run north br. secs. 35
and 36.

Variation $13\frac{1}{2}^{\circ}$ E.

Up slope of hill.

20.430 intersect the U.N. boundary
line of the Fort Verde Garden
Reserve when I set a stone
 $24 \times 12 \times 8$ ins., 18 ins. in
the ground for closing
corner br. secs. 35 and 36.
N. 14 U. R. S. E., marked
F. V. G. R. C. C. Raised

Fort Verde Garden Reservoir.

a mound of stone alongside
land hilly.

Soil 4th rate -
no timber.

From the cor. to secs. 1, 2, 35 and
36

From west,

Variation $13\frac{1}{2}^{\circ}$ E.

along the N. edge of Sp.

29.17 Intersect the N.W. boundary
of the Camp Verde Garden
Reservoir, where I saw a limestone
 $12 \times 8 \times 6$ ins., 8 ins. in the
ground for closing corner
bet. secs. 2 and 35 - Sp. 13 &
14 N. R. 3 E., marked F. V.
G. R. C. C. and raised a

Subdivision of New
 monument of stone along side
 land hilly.
 Soil & the rate -
 No timber -

From the cor. to sec. 11, 12, 13
 and 14 S. 13 N. R. 5 E., which is
 a post 3 mi. square firmly
 set in the ground marked
 S. 13 N. S. 12 on N.E.
 R. 5 E. S. 13 on S.E.
 S. 14 on S.W. and
 S. 11 on N.W. faces, with 4 notches
 on the S. and 1 on E. edge
 from N. to N. sec. 11 and 12
 Variation $13\frac{1}{2}^{\circ}$ E.

34.02 intersect the S.E. boundary
 line of the Fort Verde Garden
 Reserve

Fort Verde Garden Recor.

when I set a limestone $12 \times 10 \times 8$ in.
8 in., in the ground for closing
corner bet. sec. 11 and 12, marked
A. P. G. R. C. C. and raised a
monument of stone alongside.
Pts. impracticable.

40.00 Set a limestone $20 \times 10 \times 2$ in.
15 in., in the ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on N. face and
raised a monument of stone
alongside
ascend.

52.00 Steep rocky slope largely
composed of calcite.

69.00 Top of ridge 400 ft high bet
E. and W.

80.00 Set a post 4 ft long 4 in. sq.
with marked stone, 12 in., in
the ground for cor. to sec.

Subdivision of The

1, 2, 11 and 12, marked
 S. 13 N. S. 1 on N.E.

R. 5 E. S. 12 on S.E.

S. 11 on S.N. and

S. E on N.N. faces, with 5 notches
 on the S. and 1 on the E. edges,
 dug pits 18 x 18 x 12 ins., in
 each Sec. $5\frac{1}{2}$ ft dist., and
 raised a mound of earth
 2 ft high $4\frac{1}{2}$ ft base around
 post.

Land till, ^{red} mica.

Soil 4th rate -
 to timber.

East, on a random line, bet.
 secs. 1 and 12.

Variation $13\frac{1}{2}^{\circ}$ E.

Fort Verde Garden Reserv.
 BOOK 2019

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 40.78 Ascend.
- 44.38 Bluff 40ft high b/c S.W. descen.
- 80.10 Intersect E. boundary of town-
ship 8 links south of the corner
to secs. 1, 6, 7 and 12.
- Thence I run S. $89^{\circ} 57'$ W. on a
true line bet. secs. 1 and 12.
- 14.45 Set a limestone $12 \times 12 \times 9$ ins.
8 ins. in the ground marked
F.V. G. R.C.C. for closing cor.
on line bet. secs. 1 and 12, and
raise a monument of stone
alongside.
- 40.05 Set a limestone $20 \times 9 \times 5$ ins.
15 ins. in the ground mark
 $\frac{1}{4}$ for $\frac{1}{4}$ sec. cor. and raised
a mound of stone along-
side.

Subdivision of the

80.10 the cor. to sec. 1, 2, 11 and 12.

Land broken hills.

Soil rocky - 4th rate.

No timber.

North on a random line bet. sec.
1 and 2.Variation $13\frac{1}{2}^{\circ}$ E.

34.00 Road bet N.E. and S.W.

40.00 Set temporary $\frac{1}{4}$ sec cor. & accend.71.00 Top of ridge about 500 ft high
bet E. and W.79.95 Intersect N. boundary of town-
ship 10 the E. of cor. to sec.
1, 2, 35 and 36 which is
a limestone $16 \times 12 \times 8$ ins.
firmly set in the ground
marked with 1 notch on

For Verde Garden Recross
 the E. and S on the Wedge
 and mound of stone alongside
 Dence Run 80° - of E on
 a true line bet. secs. 1 and 2
 Variation $13\frac{1}{2}^{\circ}$ E.

39.95 Set a limestone $20 \times 18 \times 16$ in.
 15 in. in the ground for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ on W.
 face and raised a mound
 of stone alongside

79.95 The cor. to secs. 1, 2, 11 and 12.
 Land lily and broken.
 Soil rocky - worthless.
 No timber.

From the $\frac{1}{4}$ sec. cor. on the line
 bet. secs. 14 and 15 N. 134. R. 38.
 which is large stone firmly

Subdivisions Fort Verde

set in the ground marked
 1/4 on N. face and mound of
 stone alongside I run N.
 Br. sec. 14 and 15-

Variation $13\frac{1}{2}^{\circ}$ E.

9.50 Stone fence of W. J. Wingfield
 bears E. and N.

10.00 Descend from mesa.

11.00 Foot of mesa, enter cultivated land

19.00 Intersect the S.E. boundary of
 the Fort Verde Garden Reserve
 when I set a sandstone $24 \times$
 18×16 ins. 20 ins. in the ground
 for closing corner, marked
 F. V. G. R. C. C. and raised
 a monument of stone alongside.
 I failed to discover any
 traces of old closing corner.

22.54 Win fence bears E. and N. bear

Garden Reserve.

cultivated land.

- 22.60 Road along Clear Creek.
- 23.00 South branch of Clear
Creek 30 lks wide, course S.W.
Thence cross brushy rocky bar
- 30.20 North branch of Clear Creek
20 lks wide, course S.W.
- 31.30 Top of mesa extending along
Clear Creek.
- 37.50 Wagon road on N.E. and S.W.
- 40.00 Set a limestone 12x10x6, ins
8 ins. in the ground for cor.
to sec. 10, 11, 14 and 15, marked
with 4 notches on the S and
2 on the E. edges and raised
a mound of stone alongside.
Pits impracticable.
Land mesa and bottom.
Soil, 1st and 2nd rate.

Subdivisions of The
Alder, Willow and under-
brush along Clear Creek.
Wingfield's house loc S 58 1/2° W.

From the cor. to secs. 10, 11, 14^{and},
15 I run E.

Variation 13 1/2° E.

5.50 Road loc N.E. and S.W.

30.50 N. branch of Clear Creek,
course S.W.

31.40 Intersect the S.E. boundary
of the Fort Verde Garden
Reserve, when I set a lime-
stone 24 x 18 x 16 ins., 18 ins. in
the ground for Closing Corner
bet. secs. 11 and 14, marked
F.V. G.R. C.C. and raised
a mound of stone alongside.

Fort Verde Garden Reserve.

Pits impracticable.

Laud Creek bottom.

Soil 2nd rate.

Older and willow along creek.

No traces of old mounds
to be found.

From the cor. to secs. 10, 11, 14 and

15 Town N. 1/4 sec 10 and 11

Variation $13\frac{1}{2}^{\circ}$ E.

Slightly ascending flat ground

2.00 Top of ridge 300 ft. high to

E. and W. about 400 yds. west

of well preserved cliff dwelling

on same ridge.

Hence along west end of hill

10.00 Set a limestone $16 \times 12 \times 6$ ins.

11 ins. in the ground for

Subdivision of The

for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W.
face and raised a mound
of stone alongside.

Rits impracticable.

46.00 Descend from ridge.

52.00 Foot of slope enter rolling ground

80.00 Set a limestone $22 \times 16 \times 7$ ins, 16
ins. in the ground for cor. & sec.

2, 3, 10 and 11 marked with
5 notches on the S and 2 on
the E. edges and raised a
mound of stone alongside.

Rits impracticable.

Land hilly.

Soil 2nd and 3rd rate.

No timber.

Dec. 28. 1887.

Fort Verde Garden Reserve.

E. on a random line bet.
secs. 2 and 11

Variation $13\frac{1}{2}^{\circ}$ E.

Ascend hill.

40.00 Set temporary $\frac{1}{4}$ sec. cor. on
tp of ridge that bet. N. and S.

42.40 Descend from ridge.

53.00 Foot of ridge and enter flat.

80.22 Intersect N. and S. line 40
lks south of the cor. to secs.
1, 2, 11 and 12.

Thence run S. $89^{\circ} 43' 11''$.

Variation $13\frac{1}{2}^{\circ}$ E.

On a true line bet. secs. 2 & 11

40.11 Comes on a limestone in place
10x8 ft. 3 ins high which I
mark with a cross (x) as
exact cor. point for $\frac{1}{4}$ sec.
cor. and $\frac{1}{2}$ ^{marked} and raise a

Subdivision of the
monument of stone alongside
Rte. impracticable.

80.22 The cor. to sec. 2, 3, 10 and 11.
Land lilly and broken.
Soil rocky and of the rate.
to timber.

From the cor. to sec. 2, 3, 10 & 11
I run North W. sec. 2 and 3.
Variation $13\frac{1}{2}^{\circ}$ E.

Over rolling ground.

23.00 Ravine 28 lbs wide course S.W.
40.00 I set a limestone $24 \times 8 \times 5$ ins
18 ins in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on W. face
and raised a monument
of stone alongside.

44.45 intersect the N.W. boundary

Fort Verde Garden Reserve.

of the Fort Verde Garden Reserve when I set a limestone $36 \times 24 \times 12$ ins. 2 ft in the ground, for closing corner on line bet. sec. 2 and 3, and raised a mound of stone alongside. Stone marked F.V.G. R.C.C.

Land lully.

Soil rocky - 4th rate.

No timber.

From sec. cor. 2, 3, 10 and 11
 from N. bet. sec. 3 and 10
 on a random line.

Variation $13\frac{1}{2}^{\circ}$ E.

20.00 Ravine 30 lks wide, corner S.W.

Subdivisions of The

40.00 Set temporary $\frac{1}{4}$ sec. cor. and ascend ridge.

41.43 Top of ridge and descend.

63.45 Intersect N.W. boundary of reservation when I set a temp. flag.

79.96 Intersect N. and S. line 20 clee north of flag marking the cor. to secs. 3, 4, 9 and 10.

Thence I run $N 89^{\circ} 41' E$ on a true line bet. secs. 3 and 10.

Variation $13\frac{1}{2}^{\circ} E$.

16.53 Set a limestone $14 \times 12 \times 6$ ins. 10 ins. in the ground for closing cor. on line bet. secs. 3 and 10 marked F.V.G.R. Co. and raised a mound of stone along side.

Rits impracticable

Fort Verde Garden Reserv.

39.98 Set a limestone $12 \times 10 \times 6$ ins. 8
ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N. face
and raised a monument
of stone alongside.

79.96 Cor. to sec. 2, 3, 10 and 11.
Land broken hills.
Soil rocky - 4th rate.
No timber.

From the cor. to sec. 10, 11, 14^{and}
15 which is a limestone $12 \times$
 10×6 ins. firmly set in the
ground marked with \times
notches on the S. and 2 on
the E. edges and mound
of stone alongside of run
N. on a random line bet.

Subdivisions of the

secs. 10 and 15.

Variation $13\frac{1}{2}^{\circ}$ E.40.00 Set temporary $\frac{1}{4}$ sec. cor.

42.50 Road br. S.W. and N.E.

51.00 Ravine 37 lks wide, course W.

80.30 Intersect N. and S. 60 links S.

of cor. to secs. 9, 10, 15 and 16 which
is a post 3 ins square firmly
set in the ground and properly
marked.

Thence draw S. $89^{\circ}-35'$ E. on
a true line br. secs. 10 and 15.

Variation $13\frac{1}{2}^{\circ}$ E.

35.48 Intersect the S.W. boundary
of the Fort Verde Garden
Reservoir, when I set a tri-
stone $14 \times 12 \times 5$ ins. 9 ins. in
the ground for closing cor.
br. secs. 10 and 15, marked

Art Verde Garden Reserve.

A. V. G. R. C. Co. and raised
a monument of stone along side

40.15 Set a limestone 16 x 10 x 6 in.
11 in. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N. face and
raised a monument of stone along
side.

60.30 W. J. Wingfield's house to
South 12.41 chains.

80.30 Corner to sec. 10, 11, 14 and 15
Land flat mesa.
Soil 2nd rate.
No timber.

December 29, 1887.

General Description

With the exception of a

small portion in the S. W. cor. the Fort Verde Garden Rec. is composed of rocky hills some of which produce good grass.

In sec. 10 there is a large deposit of hardened calcareous clay that answers very well without special preparation, for lime.

With the exception of the growth of willow and alder along the Clear Creek bottom and a few mesquit trees there is no timber on the Reservation.

Clarence H. Wallace
U.S. Deputy Sur.

Final Oaths of Assistants.

50

We hereby certify that we assisted Clarence
H. Wallace U. S. Deputy Surveyor, in surveying
the exterior and subdivision lines
of the Fort Verde Garden Reserve

BOOK 2019

of the principal base and meridian in the Territory of Arizona,
as are represented in the foregoing field notes as having been
surveyed by him and under his direction; and that said Survey
has been in all respects, to the best of our knowledge and belief,
well and faithfully surveyed, and the corner monuments es-
tablished according to the instructions furnished by the U. S.
Surveyor-General for Arizona.

Wm Stephens, Clerk
Chas. Wingfield, Assessor
W. G. Wingfield, Chairman

Subscribed and sworn to before me this 29th
day of December 1887.

Clarence H. Wallace
Notary Public.
U. S. Deputy Surveyor

LIST OF NAMES.

BOOK 2019

A List of the Names of Individuals employed by
 Clarence A. Wallace, U. S. Deputy Surveyor, to
 assist in running, measuring and marking the lines and
 corners described in the foregoing Field Notes of the survey of
 the Extension and subdivision
 of the Fort Verde Guard
 Reserve

of the principal base and meridian in the Territory of Arizona,
 showing the respective capacities in which they acted.

Harry Mason, Chairman

W. J. Wiggins, Chairman

Geo. A. Bailey, Assessor

William Stephens, Assessor

Chas. Wiggins, Assessor

U. S. Surveyor-General's Office,

TUCSON, A. T., Dec. 15 1888

The foregoing Field Notes of the Surveys of
The Fort Verde Garden
Reserve

Gila and Salt River Meridian

in Arizona executed by

Clarence K. Wallace

U. S. Deputy Surveyor, under his contract dated

Nov 4th 1887,


having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Hise
U. S. Surveyor-General
for the Territory of Arizona.

BOOK 2019

BOOK

BOOK 2019



BOOK 2019

BOOK 2019

13 N. 5 E.