

Filing of these notes authorized by  
4-679. Dept. letter E-dated June 29-1909.

JUL 3-1909

27

①

2102

BOOK 2102

# FIELD NOTES

OF THE SURVEY OF THE

2102

Townsite

2102

of

Parker, Arizona.

(Yuma County.)

(within Colorado River Indian Reservation)

2102

in Ts. 2 & 3 N. R. 1 E.

(9N/20W - GILA & SALT RIVER MER.)

Of the Colorado River

Meridian,

Arizona

AS SURVEYED BY

William Strover

U. S. Examiner of Surveys,  
~~United States Deputy Surveyor,~~

Under his ~~Contract No.~~ Instructions from the Hon. Comm. General Land Office, dated December 12, 1908

Survey commenced January 7, 1909

Survey completed March 31, 1909

6-151

2102

2102

2102

28

(1A)

BOOK 2102

NAMES AND DUTIES OF ASSISTANTS.

Jesse B. Wright, Chairman

Chas. F. Strover, Chairman

Robert E. Erwin, Flagman & Moundman

Richard P. Gilliland, Moundman & Chairman

C. E. Platt, Flagman & Moundman.


G. B. Thompson Axman & Moundman.

Daniel Coakley Moundman

BOOK 2102

INDEX DIAGRAM.

Townships 27 & 28 North, Range 1 E., Colorado Riv. Mer.



PRELIMINARY OATHS OF ASSISTANTS.

WE, Jesse B. Wright and Chas. F. Stover  
do solemnly swear that we will well and faithfully execute the duties of chainmen; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distances to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of The Townsite of Parker, Yuma Co., Arizona.

Jesse B. Wright, Chainman.

Chas. F. Stover, Chainman.

Subscribed and sworn to before me this 7th  
day of January, 1909

William Stover



U. S. Examiner of surveys.  
G.L.O.

WE, Richard P. Gilliland and  
do solemnly swear that we will well and truly perform the duties of moundmen in the establishment of corners, according to the instructions given us, to the best of our skill and ability, in the survey of The Townsite of Parker, Yuma County, Arizona

Richard P. Gilliland, Moundman.

Sworn to before me on March 1, 09 Daniel Coakley, Moundman.  
Wm. Stover

Subscribed and sworn to before me this 12th  
day of January, 1909

William Stover



U. S. Examiner of Surveys.  
G.L.O.

WE, \_\_\_\_\_ and \_\_\_\_\_  
do solemnly swear that we will well and truly perform the duties of axmen in the establishment of corners and other duties, according to instructions given us, to the best of our skill and ability, in the survey of \_\_\_\_\_

Sworn before me on Feb. 3, 1909  
Wm. Stover, Exam. of Surveys Glenn B. Thompson, Moundsman & Axman.

Sworn to before me Feb. 24, 09  
Wm. Stover, Exam. of Sur. C.E. Platt, Flagman & Axman.

Subscribed and sworn to before me this \_\_\_\_\_  
day of \_\_\_\_\_, 190

William Stover



G.L.O.

I, Robert E. Erwin & axman, do solemnly swear that I will well and truly perform the duties of flagman according to instructions given me, to the best of my skill and ability, in the survey of The Townsite of Parker, Yuma Co. Arizona.

Robert E. Erwin, Flagman.

Subscribed and sworn to before me this 7th  
day of January, 1909

William Stover



U.S. Examiner of surveys.  
G.L.O.

## Townsite of Parker, Yuma Co., Arizona.

Survey commenced January 7, 1909, and was executed with a Young and Sons Solar Transit No. 8145

The boundaries of the townsite are as follows:

The North half of the North half of section 5, T. 2 N. R. 1 E., of the Colorado River Meridian, thence from this NE. corner of section 5 North one mile, thence West one half mile, thence North to the Colorado river.

From the N.W. corner of sec. 5, North one half mile, thence West one quarter mile, thence North 2000 ft. to the Colorado river.

I have been informed by people at the Indian Agency, by local residents and by the local surveyor that no public corners were ever found in this vicinity but a blue print of the lands claimed by the Arizona and California Railroad shows a connection with the northeast corner of section 5 and therefore I proceed to the point on the Right of Way of the Railroad where same intersects the north boundary of sec. 5, according to the railroad plat. From this point of intersection which is shown to be 1020.4 ft. west of the N.E. corner of sec. 5, I run

East and after some search find the N.E. corner of sec. 5, nearly buried in sand, lying on its side, a lava stone 5x5x9 ins. marked with 4 notches on one side and 2 notches on opposite side.

The markings are evidently very old.

From this corner I ~~now~~ run West on N. bdy. of sec. 5 and at

15.46 chs. (1020.36 ft.) intersect the center of railroad track of the Arizona and California Railroad.

80.16 fall 74.5 lks. S. of the corner for secs. 5 and 6, a lava stone 4x6x10 ins. lying on its side in soft sand, mkd. with 5 notches on one side and 1 notch on opposite side,

The markings are very old. No witnesses. No timber.

At a post, set on the right of way bdy. of the Railroad lands on W. side of Depot and in center of the main street running paralell with the railroad Right of way, at 3 ocl. p.m. l.m.t. I set off 22° 20' on the decl. arc, 34°08' on the Lat. arc and determine a true meridian with the solar, mark same by driving a stake solid into the ground 620 ft. N. of my station.

The point of intersection on top of stake is marked by a thin nail.

At 6:12<sup>5</sup> p.m. I observe Polaris at upper culmination and mark the line thus determined by a nail driven in the wooden stake set this afternoon 620 ft. N. of my station.

January 7, 1909.

Jan. 8, 1909. At 9 Ocl. a.m. l.m.t. I set off 22° 14' on the decl. arc, 34°08' on the Lat. arc and determine a true meridian with the solar and mark the point with a nail on top of stake, set heretofore. This mark falls 0.3 ins. east of the point, marked at 3 p.m. yesterday and 0.18 ins. east of the point determined by polaris observation last night.

I now return to the corner for secs. 4 and 5 on N. bdy. of T. 2 N. R. 1 E. and run S. 0° 7' E. bet. secs. 4 & 5, found no trace of 1/16 & 1/4 corners, at 80.05 fall 11.2 lks. east of the corner for secs. 4, 5, 8 & 9, a lava stone, broken in two pieces, one half in ground, mkd. with 4 notches on E. & 5 notches on S. edges. I re-establish this cor. by reseting stone & erect a md. of stone 2 1/2 ft. base 1 1/2 ft. high W. of cor. 3 ft. distant. Thence I run N. 0° 2' W. bet. secs. 4 & 5.

## Townsite of Parker, Arizona.

- 40.00 Set a stake 2x2 ins. square, 2 ft. long 16 ins. in ground, mkd.  $\frac{1}{4}$  S. 5 on W. S. 4 on E. side, dig pits 18x18x12 ins. N. & S. of corner and build a mound of earth 3 ft. base 2 ft. high W. of corner.
- 60.00 Set a post 8x9x10 ins., 24 ins. in the ground, mkd. 1/16 S. 5 on W., S. 4 on E., S.E. corner P.T. on North, P.T. on S. for the southeast corner of the Townsite of Parker, dig pits 24x24x20 ins. N. & W. of Post 3 ft. dist. and raised a mound of earth 4 ft. base, 3 ft. high N.W. of corner.
- 80.05 intersect the corner for secs. 4 & 5 on N. bdy. of T. 2 N. R. 1 E., heretofore described, I set a post 6x8x30 ins., 18 ins. in the ground, mkd. T. 3 N. S. 32 on N.W., S. 33 on N.E., R. 1 E. S 4 on S.E. and P.T. T 2 N S 5 on S.W., side 4 notches on E & 2 notches on W. edges dug pits 18x18x12 in each section  $2\frac{1}{2}$  ft. dist. from post and raised a md. of earth 3 ft. base, 2 ft. high W. of corner.
- Land level & rolling, covered with greasewood brush 2 to 5 ft. high and somewhat dense. No grass. No timber.
- Soil: Sandy & gravelly, 3rd rate.
- 
- From the corner for secs. 5 & 6, heretofore described  
I run  
S.  $0^{\circ}$  N5' E. bet. secs. 5 & 6.
- 20.04 No cor. found.
- 40.04 No  $\frac{1}{4}$  cor. found.
- 60.04 fall 25 lks. W. of a lava stone 7x8x11 ins. set loosely in sandy ground on W. side of a road, mkd. 1/16 on W. side, no witnesses. Old marks.

- 80.04 make diligent search but find no trace of corner. Point falls on bank of a rocky wash & has probably been destroyed  
From this point I run  
S. 89° 21' W. bet. secs. 6 & 7.
- 20.00 No 1/16 cor. found
- 40.00 No  $\frac{1}{4}$  corner found.
- 60.00 This point falls within the ground occupied by the Indian Agency and School but no one knows anything of Govt. corners in this vicinity or has ever heard of any corners.
- 80.52 No corner found.  
Thence I run  
North on W. bdy. of township to the Colorado river, but find not a trace of corners.

---

I now return to the 1/16 corner bet. secs. 5 & 6 at 60.05 chs. S. of the corner for secs. 5 & 6 on N. bdy. of the township and reestablish said cor. by setting stone solid in ground, dig 2 pits, 18x18x12 ins. N. and S. of stone and raised a md. of earth 2 $\frac{1}{2}$  x 2 ft. W. of corner.  
Thence I run

- N. 0° 29' E. bet. secs. 5 & 6.
- 20.00 Set a post 4x4x30 ins. 18 ins. in the ground for  $\frac{1}{4}$  cor. bet. secs. 5 & 6, mkd.  $\frac{1}{4}$  S. 6 on W., S. 5 on E. side and dig pits 18x18x12 ins. N. & S. of post 2 $\frac{1}{2}$  ft. dist., raise a md. of earth 2 $\frac{1}{2}$  ft. x 2 ft. W. of corner.
- 40.00 Set a post 4x4x30 ins. 18 ins. in the ground for 1/16 corner and S.W. corner of the townsite of Parker, marked 1/16 S. 6 on N.W., S. 5 on S.E. and S.W. cor. P.T. on N.E. sides, dig pits 24x24x16 ins. N. and E. of post 3 ft. dist. and raised a md. of earth 3 $\frac{1}{2}$  ft. base 2 ft. high N.E. of corner.



## Townsite of Parker, Arizona.

Chs.

60.05 intersect the N.W. corner of sec. 5, heretofore described, set also a post 4x4x30 ins. 18 ins. in the ground, mkd. T. 3 N. S. 31 on N.W., R. 1 E. S. 5 P.T. on S.E., T. 2 N S 6 on S.W., S. 32 on N.E. sides & 5 notches on E. and 1 notch on W. edge.

Land rolling and level, covered with greasewood, dense in places & from 2 to 4 ft. high.

Soil, sandy & gravelly, 3rd rate.

No grass. No timber.

Jan. 8, 1909

Jan. 9, 1909

From the cor. for secs. 4 & 5 on N. bdy. of Tp., heretofore described I run

N. 89° 28' W. on a true line bet. secs. 5 & 32.

15.46 The center of the main track of the Arizona and California Railroad.

At this point at 9 ocl. a.m. l.m.t. I set off 22° 6' on the decl. arc, 34° 7½' on the Lat. arc and determine a true meridian with the solar. A pin at the exact center of this track about 10 chs. northerly of this point bears N. 26° 42' W., I recheck this course of the railroad track by taking a sight on a pin set at center of track South of my point about 10 chs. dist. with same result, therefore the course of the railroad map but, as stated above <sup>is not 27° 12' as given on the railroad</sup> 26° 42'.

This error probably occurred in the assumption by the Railroad Surveyors that the north boundary of sec. 5 with which they connected & which they intersected was taken for an east & west line.

## Townsite of Parker, Arizona.

- 40.08 Set a post 4x4x30 ins., 18 ins. in the ground, mkd.  $\frac{1}{4}$  S. 32 on N., S. 5 on S., dig pits 18x18x12 ins. E. & W. of post and raised a mound of earth  $2\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high W. of corner.
- 80.16 intersect the corner for secs. 5, 6, 31 & 32 heretofore described.
- Land rolling and level.
- Soil, sandy & gravelly, 2nd & 3rd rate.
- No grass. No timber. Dense greasewood.
- From the S.E. corner of the townsite, of Parker, heretofore described I run
- N.  $89^{\circ} 55'$  W. thro. the N. half of sec. 5 looking diligently for corners along this line at each 20. chs. but find no trace.
- 80.33<sup>6</sup> fall 63 lks. S. of the S.W. corner of the townsite, heretofore established and described.
- At the corner, at noon, I set off  $22^{\circ} 5\frac{1}{2}'$  on the decl. arc and observe the sun on the meridian, the resulting Lat. is  $34^{\circ} 07'$  N.
- Thence I run
- S.  $89^{\circ} 28'$  E. on a true line thro. the N. half of sec. 5 and along the South ~~side~~ of the Townsite of Parker.
- 40.16<sup>8</sup> Set a Post 4x4x30 ins., 18 ins. in the ground for 1/16 cor. mkd. 1/16 on W. face dug pits 18x18x12 ins. E. and W. of post  $2\frac{1}{2}$  ft. dist. and raised a md. of earth  $2\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high N. of corner.
- 75.01 intersect the center of the track of the Arizona and California Railroad, course N.  $26^{\circ} 42'$  W. and S.  $26^{\circ} 42'$  E.
- 80.33<sup>6</sup> intersect the S.E. cor. of the townsite of Parker.
- Land rolling and level.
- Soil, sandy & gravelly, 2nd & 3rd rate
- Grass: None, No timber.
- Land covered with dense greasewood brush 2 to 4 ft. high.

## Townsite of Parker, Arizona.

- From the center of Railroad track on South boundary of the Townsite, at 75.01 chs. S.  $89^{\circ} 28'$  E. from the S.W. corner of Townsite, I run
- N.  $26^{\circ} 42'$  W. along center of track.
- 22.57 (1489.6 ft.) intersect the N. bdy. of sec. 5. T. 2 N. R. 1 E. at 1020.4 ft. N.  $89^{\circ} 28'$  W. from the N.E. cor. of sec. 5.
- 30.66 (2023.5 ft.) a point or a prolongation of the S. bdy. line of Tract "B" Station grounds of A. & C.R.R. 200 ft. N.  $63^{\circ} 18'$  E. from the S.W. cor. of said Tract "B".
- 62.83 (4146.8 ft.) the North end line of station grounds (tracts A. & B) at 200 ft. N.  $63^{\circ} 18'$  E. from the N.W. cor. of Tract "B" and S.  $63^{\circ} 18'$  W. 420 ft. from the N.E. cor. of Tract "A" Railroad Station grounds.

Jan. 9, 1909.,

Jan. 11, 1909.

At the N.E. corner of sec. 5, T. 2 N. R. 1 E., heretofore described, at 9 oc'l A.M., l.m.t., I set off  $21^{\circ} 48'$  on the decl. arc,  $34^{\circ} 07\frac{1}{2}'$  on the lat. arc and determine a true meridian with the solar.

Thence I run

North, bet. secs. 32 & 33, T. 3 N. (unsur.) on East bdy. of townsite.

- 10.00 Set a stake & flag, ascend slightly.
- 20.00 Set a stake & flag.
- 26.00 ~~Set~~ of low knoll, descend slightly.
- 30.00 Set a stake & flag.
- 40.00 Set a pine post 4x4x30 ins., 18 ins. in the ground for  $\frac{1}{4}$  corner bet. secs. 32 & 33 T. 3 N. R. 1 E. mkt.  $\frac{1}{4}$  S. 32 P. T. on W. S. 33 on E. face, dug pits 18x18x12 ins. deep N. & S. of post and raised a md. of earth  $2\frac{1}{4}$  ft. base  $1\frac{1}{4}$  ft. high W. of post. No bearing trees.

Townsite of Parker, Arizona.

50.00 Set a stake & flag.

60.00 Set a stake & flag.

70.00 Set a stake & flag.

77.90 telephone line to Quartz King Mine N.E. & S.W.

80.00 Set a pine post 4x4x30 ins. 18 ins. in the ground for corner for secs. 28, 29, 32 & 33, marked T<sup>3</sup> N. S. 29 on N.W., S. 28 on N.E., R. 1 E. S. 33 on S.E. and S. 32 P.T. on S.W., dig 4 pits 18x18x12 ins. one in each section and raised a md. of earth 3 ft. base 2 ft. high W. of post. Land rolling & level, covered with low greasewood brush, rather dense.

Soil; gravelly & sandy, 2nd & 3rd rate.

No. grass. No timber.

---

From the corner for secs. 28, 29, 32 & 33 I run West on a true line on E. bdy. of the townsite.

10.00 Set a stake & flag.

20.00 Set a stake & flag.

30.00 Set a stake & flag.

40.00 Set a pine post 4x4x30 ins., 18 ins. in the ground for the  $\frac{1}{4}$  corner between secs. 29 & 32 and angle cor. on E. bdy. of townsite, mkd.  $\frac{1}{4}$  S. 29 on N., S. 32 on S. and P.T. on W. side, dig pits 24x24x16 ins. E. & N. on line, 2 $\frac{1}{2}$  ft. dist. of post and raised a md. of earth 3 ft. base 2 ft. high W. of corner.

Land rolling & level.

Soil: sandy & gravelly, 2nd & 3rd rate.

Poor grass. No timber. Land covered with rather dense, low greasewood brush.

---

## Townsite of Parker, Arizona.

At this corner at noon I set off  $21^{\circ} 48'$  on the decl. arc and observe the sun on the meridian, the resulting Lat. is  $34^{\circ} 08' N$ .

---

From the  $\frac{1}{4}$  sec. bet. secs. 29 & 32, above described I run North on true line, on E. bdy. of townsite over level land, through scattering greasewood brush.

- 10.00 Set stake & flag.
- 16.00 Point on edge of Mesa & south side of rocky gulch, W. of N., set flag, descend.
- 19.85 Wagon road in bottom of gulch, N.W.&S.E.
- 20.00 Set stake
- 21.00 A rocky gulch, comes from S.E.
- 23.00 Ascend over rocky spur of Mesa
- 24.00 top on point, extends abt. 50 ft. W.  
Set stake, descend down rocky slope
- 27.00 Ascend over rocky spur.
- 28.20 top on point, extends abot. 50 ft. West descend.
- 31.20 Ascend
- 33.00 top of rocky point, extends abt. 50 ft. W., descend.
- 34.00 foot of rocky slope in bottom, thence across sandy, level bottom land.
- 34.70 enter very dense willow brush & cats claw & mesquite in river bottom
- 35.41 high water mark on Colorado river.
- It is rather difficult to determine accurately the high water mark in this bottom but after due deliberation I conclude to establish the N.E. corner of the townsite of Parker at this point, though all this bottom may in times of extraordinary high water be subject to over flow.

## Townsite of Parker, Arizona.

Set a pine post 4x4x30 ins., 18 ins. in the ground, for N.E. cor. of townsite of Parker, mkd. N.E. cor. P.T. on S.W. side. cor stands in dense & high willow brush, which I clear out for a space of 20 ft. around the post. Set a flag at this point.

Land level mesa, first 16 chains.

Balance of line to 34.00 chs. rough and rocky washes, difficult to chain over.

Soil on mesa, gravelly & sandy, 3rd rate balance, strong, 4th rate.

No grass. No timber. Very dense brush along river.

---

From the N.W. cor. of sec. 5, heretofore described I run North on a true line on W. bdy. of the townsite, over rolling & level land through low but dense greasewood, brush between secs. 31 & 32, T 3 N. R 1 E.

- 10.00 Set a stake & flag
- 20.00 Set a stake & flag
- 28.85 Wagon road, W., S. W. and E. NE.
- 30.00 Set a stake & flag
- 40.00 Set a pine post 4x4x30 ins. 18 ins. in the ground for  $\frac{1}{4}$  corner bet. secs. 31 & 32 T. 3 N. R. 1 E., mkd.  $\frac{1}{4}$  S. 31 on W., S. 32 on E. & P.T. on N. sides, dig pits 24x24x16 ins. S. & W. on line, 2 $\frac{1}{2}$  ft. dist. from post and raised a md. of earth 3 ft. base 2 ft. high N.E. of corner.  
(this being an angle cor. for the townsite I deviate from the manual rules for locations of pits & md.)
- Set a flag at this point.
- Land nearly level.
- Soil, sandy & gravelly, 2nd & 3rd rate.

## Townsite of Parker, Arizona.

No grass. No timber. Land covered with dense greasewood brush from 2 to 5 ft. high.

Jan. 11, 1909.

Jan. 12, 1909. At the  $\frac{1}{4}$  cor. bet. secs. 31 & 32, above described, at 8<sup>30</sup> ocl'. A.M., l.m.t. I set off  $21^{\circ} 38\frac{1}{2}'$  on the decl. arc,  $34^{\circ} 08'$  on the Lat. arc and determine a true meridian with the solar.

Thence I run

West on a true line on W. bdy. of townsite.

10.00 Set a stake & flag.

20.00 Set a pine post 4x4x30 ins. 18 ins. in the ground for angle corner on the W. bdy. of townsite, mkd. A.P. Parker T. on N.E. side, dig pits 24x24x18 ins. E. & N. of post on line and raised a mound of earth 3 ft. base, 2 ft. high N.E. of post  $2\frac{1}{2}$  dist. from post.

Land rolling & level.

Soil, sandy, 2nd rate.

No grass. No timber.

Land covered with dense greasewood brush from 2 to 5 ft. high.

Set a flag at this point.

Thence I run

North on a true line, on W. bdy. of townsite, over nearly level mesa land.

5.55 Wagon road, N.E. & S.W.

10.00 Set a stake and a flag

## Townsite of Parker, Arizona.

- 18.00 Set a flag with a md. of stones around it for line point.
- 18.50 edge of Mesa, descend to Colorado river over rocky & steep slopes of washes.
- 20.00 Set stake & flag
- 23.00 foot of rocky slope in bottom
- 26.50 enter very dense willow brush
- 27.06 The point determined upon for the N.W. corner of the Townsite of Parker at high water marks. Set a pine post 2x4x30 ins., 18 ins. in the ground for N.W. cor., marked N.W. corner P.T. on S.E., I clear a space around cor. post and set a high flag at this point.
- Land, level mesa for first 18.50 chs., balance, rocky washes except last 4 chs. which fall in bottom.
- Soil, gravelly & sandy on mesa, 3rd rate strong on bal., 4th rate.
- No grass. No timber. Scattering greasewood brush on Mesa. Very dense willow and mesquite brush along river in bottom with a few small cottonwoods.

---

The N.W. cor. of this townsite stands about 10 ft. S. of the water edge and about 9 ft. above water level (at this time) on a high bank which falls off perpendicular to the river. It is rather difficult to determine precisely the high water mark along the river, testimony is rather conflicting in this matter & no one around here seems to know. The indications on the ground are that the river at some times overflows the bottom land, though it has not done so during the last three years. From this point on the south bank of the Colorado river, it is a nearly straight line to a point under the great steel bridges of the Arizona & California Railroad, spanning the river.



## Townsite of Parker, Arizona.

I now send a flag on the Bridge 60 ft. above the river and exactly over the point determined upon for a meander corner on the north boundary of the townsite. This point for a M.C. is 21 ft. south of the water's edge of the river. I now take a sight on my flag on the Bridge & its bearing is from this, the N.W. corner of the townsite N. 39° 35' E.

I now go onto the Railroad Bridge, set up my instrument exactly over the point for the M.C. and 60 ft. above it, a plumb bob having been lowered to the M.C. pin and after having determined a meridian with the solar, turned my telescope on the flag, set at the N.W. corner, which bears S. 39° 35' W.

The course of the North bdy. of the townsite from the NW. corner to the meander corner under the steel bridge is therefore N. 39° 35' E.

I set all my force to work to cut out the line along the N. bdy. which is a veritable jungle of willows mesquite, small cottonwoods & weeds, keeping my instrument on the bridge to keep the men on line. This work consumes 2½ days. The distance of this line is from the NW. corner

31.49 (2078. ft.) N. 39° 35' E. to a point under the Railroad bridge & at this point I set a pine post 4x4x30 ins. 18 ins. in the ground for meander corner on North boundary of the townsite of Parker marked M.C. P.T. on the North side., build a mound of large boulders around the post, pits impracticable.

Land level river bottom

Soil, sandy & clay or adobe, 2nd rate.

No grass, a few small cottonwoods.

Dense willows, mesquite & burrs brush.

January 14, 1909.

## Townsite of Parker, Arizona.

Jan. 15, 1909.

At a point on the Railroad Bridge and directly over the M. C. on the N. bdy. of the townsite, at 8.30 ocl' A.M. 1.m.t. I set off  $21^{\circ} 07'$  on the decl. arc,  $34^{\circ} 09'$  on the Lat. arc and determine a true meridian with the solar.

My flag, set at the N.E. corner, is plainly visible from this point and bears N.  $59^{\circ} 55'$  E. This line, running in bottom along the Colorado river is, as far as I am able to determine, along the high water mark, more or less, though it may be subject to overflow during extremely high water. For about 400 ft. easterly from the Bridge this main channel of the river is close to the left or south bank and seems to be eating gradually into the bank. I determine to run a straight line from the M.C. under the Bridge to the N.E. cor. as such a line will answer best all purposes and will probably be save at ordinary high water mark.

My force now cut out the line along the E. part of the N. bdy. of townsite, this takes the remainder of the day, all of Jan. 16 and nearly all of Jan. 18, the brush and undergrowth being extremely dense. The length of this line is

46.41 chs. (3062.78 ft.) from M.C. to N.E. cor. and its bearing is N.  $59^{\circ} 55'$  E.

Land: Level bottom land.

Soil: Sandy & adobe, 2nd rate.

No Grass: a few cottonwood very dense mesquite, willows and Burro brush.

January 18, 1908.

*Tables of Lat & Dep. showing Closing error*

Course	Distance Feet	Chain	LAT.		Dep.		D.M.D.	Area		
			N	S	E	W		N	S	
N. 89° 28' W	5302.2	80.33 <sup>6</sup>	0.75			80.36	120.23	90.01		
N. 00° 29' E	1323.3	20.05	30.04		0.17		39.83	798.19		
NORTH	2640.2	40.00	40.00			26.00	40.00	1600.00		
West	1320.2	20.10				26.00	20.00			
NORTH	1785.7	27.06	27.06							
N. 39° 35' E	2078.2	31.49	24.27		20.05		20.25	486.61		
N. 59° 53' E	3062.78	46.40 <sup>6</sup>	23.26		42.14		80.24	1866.38		
SOUTH	2397.06	35.41	35.41				120.38	4262.65		
EAST	2640.2	40.00			39.99		160.37			
SOUTH	5280.2	80.00	80.00				200.36	16028.82		
S 00° 21' F	1323.2	20.05	20.05		20.1		200.39	4017.42		
			135.38	135.46	100.40	100.33		4841.19	24308.87	

error in LAT = 0.08

error in Dep.

135.38  
135.38

100.33  
100.33

2 | 19467.68  
9733.84

Area 973.38 acres

## Townsite of Parker, Ariz.

feet

After consultation with the Indian Agent Mr. M.F.Holland of the Colorado River Indian Agency, who requested that if possible, the original arrangement of streets & blocks be not disturbed, for the reason, that some extensive and valuable improvements were made upon lots, occupied under permits and by merchants licensed as Indian Traders I conclude to lay out the streets paralell & at right angles to the Right of Way of the Arizona & California Railroad. I begin at the exact center of the main street, running easterly & westerly thro.the townsite and run thence N. 63° 18' E. across street (now California Ave. at 112.0 intersect the W. bdy.of the railroad lands (station grounds, Tract "B") at 666.ft.S. 26°42'E. from the N.W. cor.of Tract "B" station grounds,at this point I establish the Initial Monument from which I proceed to lay off lines N. and South-erly and E. and Westerly as reference lines for the future. I drive an iron bar  $\frac{1}{2}$  inch diameter, 2 ft. long, with a square top 1 ins. square, in the ground 2 ins. below street level & mark point on top of bar by a X.

From this point I measure off

532.1 S. 63° 18' W. and drive an iron bar  $\frac{1}{2}$  in diam. 2 ft. long with a 1 in square top into the ground 2 in below street level & mark the point of intersection on the top of the bar by a X. Thence from initial monument I measure off.

500.0 N. 26° 42' W. along the W. bdy. of the railroad lands and drive an iron bar  $\frac{1}{2}$  ins. diam. 16 ins. long, with a 1 in. square top into the ground, 2 ins. below the surface of the ground & mark the point of intersection by a X on top of the bar. Thence from the Initial Monument I measure off

500.0 S. 26° 42' E. along the W. bdy. of the Railroad lands and drive an iron bar 16 ins. long,  $\frac{1}{2}$  in. diam. with a 1 in. square top into the ground 2 ins. below the surface and mark the point of intersection by a X on top of the bar.

Townsite of Parker, Ariz.

feet

This line, from the Initial point N. 26° 42' W. 500 ft. and S. 26° 42' E. 500 ft., is exactly paralell with the main track & right of way of the Railroad, while the reference line running from the Initial point S. 63° 18' W. 532.1 ft. is at right angles with the railroad right of way.

I have acquainted many of the interested residents & also the local surveyors, with the location of these points in order that they may easily be found when wanted for reference.

California Ave.

From the Initial point above described on W. bdy. of the Railroad lands, I run

N. 26° 42' W. along E. side of Avenue & along Station grounds

666.0 The N.W. cor. of Tract MB station grounds, a post 4x4x18 ins. above ground, painted white and red and mkd. B.L. on W. and N. sides.

762.0 The E.W. cor. of Block No. 164  
Thence across 2nd str. N.E.

862.0 The S.W. cor. of Block No. 151

1162.0 The N.W. cor. of Block No. 151  
Thence across 3rd Str. N.E.

1262.0 The S.W. cor. of Block No. 135

1562.0 The N.W. Cor. of Block No. 135  
Thence across 4th Str. N.E.

1662.0 The S.W. cor. of Block No. 120

1962.0 The N.W. Cor. of Block No. 120  
Thence across 5th Str. N.E.

2062.0 The S.W. cor. of Block No. 106

2362.0 The N.W. cor. of Block No. 106  
Thence across 6th Str. N.E.

## Townsite of Parker, Ariz.

feet

- 2462.0 The S.W. Cor. of Block No. 90
- 2762.0 The NW. Cor. of Block No. 90  
Thence across 7th Str. N.E.
- 2855.0 intersect the right of way of the Arizona and California  
R.R., W. side crosses here.
- 3119.5 intersect the right of way of Railroad (east side)
- 3162.0 The N.W. corner of Block No. 72  
Thence across 8th Str. N.E.
- 3262.0 The S.W. corner of Block No. 63
- 3562.0 The N.W. Corner of Block No. 63  
Thence across 9th Str. N.E.
- 3662.0 The S.W. Corner of Block No. 46
- 3962.0 The N.W. Corner of Block No. 46  
Thence across 10th Str. N.E.
- 4062.0 The S.W. Corner of Block No. 39
- 4362.0 The N.W. Corner of Block No. 39  
Thence across 11th Str. N.E.
- 4462.0 The S.W. Corner of Block No. 24
- 4762.0 The N.W. Corner of Block No. 24  
Thence across 12th Str. N.E.
- 4862.0 The S.W. Corner of Block No. 15
- 5162.0 The N.W. Corner of Block No. 15  
Thence across 13th Str. N.E.
- 5262.0 The S.W. Corner of Block No. 6
- 5402.6 intersect the N. bdy. of the Townsite and the N.W. Corner  
of fractl. Block No. 6  
889.58 ft. N. 59° 55' E. from M.C. on N. bdy.  
Thence across California Ave. on N. bdy. of TOWNSITE  
S. 59° 55' W.
- 112.2 The N.E. Corner of fractl. Block No. 7 on N. bdy. of  
townsite, 777.38 ft. N. 59° 55' E. from M. C.

## Townsite of Parker, Ariz.

feet	
	Thence S. 26° 42' E. along W. side of California Ave.
134.20	The S.E. corner of Block No. 7. Thence across 13th Str. N.W.
234.2	The N.E. corner of Block No. 14.
534.2	The S.E. corner of Block No. 14. Thence across 12th Str. N.W.
634.2	The N.E. corner of Block No. 25.
934.2	The S.E. corner of Block No. 25 Thence across 11th Str. N.W.
1034.2	The N.E. corner of Block No. 38.
1334.2	The S.E. corner of Block No. 38. Thence across 10th Str. N.W.
1434.2	The N.E. corner of Block No. 47.
1734.2	The S.E. corner of Block No. 47. Thence across 9th Str. N.W.
1834.2	The N.E. corner of Block No. 62.
1973.85	intersect the Right of Way (E. side) of A. & C. R.R.
2134.2	Pt. for S.E. block cor. falls on R.R. land Thence across 8th Str. N.W. and across R.R. land.
2234.2	pt. for N.E. corner of block No. 73 falls on R.R. land.
2252.1	intersect the Right of Way (W. side) of A. & C. R.R.
2534.2	The S.E. corner of Block No. 73. Thence across 7th Str. N.W.
2634.2	The N.E. corner of Block No. 89.
2934.2	The S.E. corner of Block No. 89. Thence across 6th Str. N.W.
3034.2	The N.E. corner of Block No. 107.
3334.2	The S.E. corner of Block No. 107 Thence across 5th Str. N.W.
3434.2	The N.E. corner of Block No. 119.
3734.2	The S.E. corner of Block No. 119. Thence across 4th Str. N.W.
3834.2	The N.E. Corner of Block No. 136.
4134.2	The S.E. corner of block no. 136 Thence across 3rd Str. N.W.

## Townsite of Parker, Ariz.

feet	
4234.2	The N.E. corner of block 150.
4534.2	The S.E. corner of Block No. 150. Thence across 2nd Str. N.W.
4634.2	The N.E. corner of Block No. 165.
4934.2	The S.E. corner of Block No. 165. Thence across 1st Str. N.W.
5034.2	The N.E. corner of Block No. 181.
5334.2	The S.E. corner of Block No. 181. Thence across Arizona Ave.
5458.2	The N.E. corner of Block No. 194.
5758.2	The S.E. corner of Block No. 194. Thence across 1st Str. S.W.
5858.2	The N.E. corner of Block No. 212.
6158.2	The S.E. corner of Block No. 212. Thence across 2nd str. S.W.
6258.2	The N.E. corner of Block No. 223.
6558.2	The S.E. corner of Block No. 223. Thence across 3rd Str. S.W.
6658.2	The N.E. corner of Block No. 242.
6958.2	The S.E. corner of Block No. 242. Thence across 4th Str. S.W.
7058.2	The N.E. corner of Block No. 251.
7358.2	The S.E. corner of Block No. 251. Thence across 5th Str. S.W.
7458.2	The N.E. corner of Block No. 264.
7758.2	The S.E. corner of Block No. 264. Thence across 6th Str. S.W.
7858.2	The N.E. corner of Block No. 271.
8158.2	The S.E. corner of Block No. 271. Thence across 7th Str. S.W.
8258.2	The N.E. corner of Block No. 277.
8558.2	The S.E. corner of block No. 277. Thence across 8th Str. S.W.
8658.2	The N. corner of fractl. Block No. 280.
8716.2	intersect the S. bdy. of the Townsite. Thence across California Ave S. 89°28'E. on S.bdy. of townsite.



## Townsite of Parker, Ariz.

## Feet

126.0 The S.W. Cor. of fractl. Block No. 279

294.6 intersect the Right of Way of A. & C. R.R.

Thence from S.W. Cor. fractl. Block No. 279

N.  $26^{\circ} 42'$  W. on E. side of California Ave.

115.6 The N.W. Corner of fractl. Block No. 279

Thence N.  $63^{\circ} 18'$  E. on N. line Block 279

150 ft. to R.R. Right of Way.

from N.W. Cor. block 279 N.  $26^{\circ} 42'$  W. across 8th Str. S.E.

215.6 The S.W. Corner of Block No. 278

515.6 The N.W. Corner of Block No. 278

Thence across 7th Str. S.E.

615.6 The S.W. Corner of Block No. 270

915.6 The N.W. corner of Block No. 270

Thence across 6th Str. S.E.

1015.6 The S.W. Corner of Block No. 265

1315.6 The N.W. Corner of Block No. 265

Thence across 5th Str. S.E.

1415.6 The S.W. Corner of Block No. 250

1715.6 The N.W. Corner of Block No. 250

Thence across 4th Str. S.E.

1815.6 The S.W. Corner of Block No. 243

1921.4 intersect the S.W. corner of Tract "B"

Station grounds of A. & C. R.R.

(From this point I run N.  $63^{\circ} 18'$  E. on S. bdy. of tract "B" R.R. lands, at 150 ft. intersect Right of Way & at 200 ft. the ctr. of main track)

Thence from S.W. cor. Tract "B" I continue along E. side of California Ave. and W. bdy. of Station grounds, Tract "B"

3377.6 The Initial point & place of beginning.

52 22

Feet

Arizona Avenue.

Beginning at the Initial Monument I run  
 S. 63° 18' W., 112 ft. to the ctr. of Arizona Ave.  
 and at right Angles with the railroad right of way,  
 Thence I run  
 N. 26° 42' W. 62 ft. to the S.E. corner of Block No. 181  
 Thence I run  
 S. 63° 18' W. on N. side of Arizona Avenue

150.0 Set Alley stake on S. side of Block #181  
 170.0 Set alley stake  
 320.0 The S.W. cor. of Block No. 181  
 Thence across "A" str. N.W.  
 420.0 The S.E. Corner of Block #180  
 570.0 Set alley stake  
 590.0 Set alley stake  
 740.0 The S.W. Corner of Block No. 180  
 Thence across "B" str. N.W.  
 840.0 The S.E. Corner of Block No. 179  
 990.0 Set alley stake  
 1010.0 Set alley stake  
 1160.0 The S.W. Corner of Block No. 179  
 Thence across "C" str. N.W.  
 1260.0 The S.E. Corner of Block No. 178  
 1410.0 Set alley stake  
 1430.0 Set alley stake  
 1580.0 The S.W. Corner of Block No. 178  
 Thence across "D" str. N.W.  
 1680.0 The S.E. Corner of Block No. 177  
 1830.0 Set alley stake  
 1850.0 Set alley stake  
 2000.0 The S.W. Corner of Block No. 177  
 Thence across "E" Str. N.W.

## Townsite of Parker, Ariz.

Feet	
2100.0	The S.E. Corner of Block No. 176
2250.0	Set Alley stake
2270.0	Set Alley stake
2420.0	The S.W. Corner of Block No. 176
	Thence across "F" str. N.W.
2520.0	The S.E. Corner of Block No. 175
2670.0	Set alley stake
2690.0	Set alley stake
2840.0	The S.W. Cor. of Block No. 175
	Thence across "G" Str. N.W.
2940.0	The S.E. Corner of Block No. 174
3090.0	Set alley stake
3110.0	Set alley stake
3260.0	The S.W. Corner of Block No. 174
	Thence across "H" Str. N.W.
3360.0	The S.E. Corner of fractl. block No. 173
3435.8	intersect the W. bdy. of townsite at 111.5 ft. North of the corner for secs. 5, 6, 31 & 32, heretofore de- scribed.
	Thence I run
	South, across Arizona Avenue
111.65	The corner for secs. 5, 6, 31 & 32
	Thence S. 0° 29' W.
27.35	The N.W. cor. of fractl. block No. 202 on S. side of Arizona Avenue.
	Thence I run on S. side of Arizona Ave.
	N. 63° 18' E.
138.1	The N.E. Corner of Block No. 202
	Thence across "H" Str. S.W.
238.4	The N.W. Corner of Block No. 201
388.4	Set alley stake
408.4	Set alley stake
558.4	The N.E. corner of Block No. 201
	Thence across "G" Str. S.W.

## Townsite of Parker, Ariz.

658.4 The N.W. corner of Block No. 200  
808.4 Set alley stake  
828.4 Set alley stake  
978.4 The N.E. corner of Block No. 200  
Thence across "F" Str. S.W.  
1078.4 The N.W. Corner of Block No. 199  
1228.4 Set alley stake  
1248.4 Set alley stake  
1398.4 The N.E. Corner of Block No. 199  
Thence across "E" str. S.W.  
1498.4 The N.W. corner of Block No. 198  
1648.4 Set alley stake  
1668.4 Set alley stake  
1818.4 The N.E. Corner of Block No. 198  
Thence across "D" Str. S.W.  
1918.4 The N.W. Corner of Block No. 197  
2068.4 Set alley stake  
2088.4 Set alley stake  
2238.4 The N.E. Corner of Block No. 197  
Thence across "D" str. S.W.  
2338.4 The N.W. Corner of Block No. 196  
2488.4 Set alley stake  
2508.4 Set alley stake  
2658.4 The N.E. Corner of Block No. 196  
Thence across "B" str. S.W.  
2758.4 The NW. corner of Block No. 195  
2908.4 Set alley stake  
2928.4 Set alley stake  
3078.4 The N.E. Corner of Block No. 195  
Thence across "A" Str. S.W.  
3178.4 The N.W. Corner of Block No. 194  
3328.4 Set alley stake  
3348.4 Set alley stake

## Townsite of Parker, Ariz.

## Feet

- 3498.4 The N.E. corner of Block No. 194  
Thence across California Ave,
- 3690.4 intersect the W. bdy. of Railroad lands.  
(Tract B. station grounds) 728. ft. S. 26° 42' E. from  
the N.W. cor. thereof.  
Thence across Railroad land 620. ft.
- 4230.4 intersect the E. bdy. of Railroad lands  
(Tract "A" station grounds) 728. ft.  
S. 26° 42' E. from the N.E. cor. thereof  
the N.W. cor. of Block No. 192
- 4250.4 Set alley stake
- 4400.4 The N.E. Corner of Block No. 192  
Thence across "B" str. S.E.
- 4500.4 The N.W. corner of Block No. 191
- 4650.4 Set alley stake
- 4670.4 Set alley stake
- 4820.4 The N.E. Corner of Block No. 191  
Thence across "C" Str. S.E.
- 4920.4 The N.W. Corner of Block No. 190
- 5070.4 Set alley stake
- 5090.4 Set alley stake
- 5240.4 The N.E. Corner of Block No. 190  
Thence across "D" Str. S.E.
- 5340.4 The N.W. Corner of Block No. 189
- 5490.4 Set alley stake.
- 5510.4 Set alley stake
- 5660.4 The N.E. Corner of Block No. 189  
Thence across "E" str. S.E.
- 5760.4 The N.W. Corner of fractl. Block No. 188
- 5923.0 intersect the E. bdy. of townsite at 43.4 ft. north of the  
¼ sec. cor. between secs. 32 & 33, heretofore established  
and described.  
The N.E. Corner of fractl. Block No. 188

## Townsite of Parker, Ariz.

Feet	
	Thence I run
	North, across Arizona Ave. & along E. bdy. of townsite
139.35	The S.E. Corner of fractl. block No. 187
	Thence I run
	S. 63° 18' W. on N. side of Arizona Ave.
55.6	Set alley stake
75.6	Set alley stake
225.6	The S.W. Corner of fractl. Block No. 187
	Thence across "E" str. N.E.
325.6	The S.E. Corner of Block No. 186
475.6	Set alley stake.
495.6	Set alley stake.
645.6	The S.W. Corner of Block No. 186
	Thence across "D" str. N.E.
745.6	The S.E. Corner of Block No. 185
895.6	Set alley stake
915.6	Set alley stake
1065.6	The S.W. corner of Block No. 185
	Thence across "C" str. N.E.
1165.6	The S.E. Corner of Block No. 184
1315.6	Set alley stake
1335.6	Set alley stake
1485.6	The S.W. Corner of Block No. 184
	Thence across "B" str. N.E.
1585.6	The S.E. Corner of fractl. Block No. 183
1735.6	Set alley stake
1755.6	intersect the E. bdy. of Fract. "A" (station grounds, Railroad lands at 604 ft. S. 26° 42' E. from the N.E. Cor. thereof.
	The S.W. Cor. of fractl. block No. 183
	Thence across railroad lands 620 ft.
2375.6	intersect W. bdy. of railroad lands (Tract "A") at 62 ft. N. 62° 42' W. of the "Initial Monument", the place of beginning., thence across California Ave.

## Townsite of Parker, Arizona.

2487.6 The S.W. Corner of Block No. 181.

---

The survey of California Avenue, running parallell with the Railroad and of Arizona Avenue, running at right angles with the Railroad, divides the townsite into four quarters. All streets running parallell to California Ave. are lettered and the streets at right angles to & crossing California Ave. have been numbered beginning with "1st Str.", the street north of Arizona Ave. and ending with 13th Str., near the N. bdy. of the townsite, and again beginning with 1st Str., south of Arizona Ave. & ending with 8th Str. near the S. bdy. of the townsite. The streets in each quarter of the townsite are designated in addition to their number or letter as N.E., N.W., S.W. & S.E. as the case may be, i.e. "10th Str. N.E." or "F str. S.W."

California Avenue is 112 ft. wide  
 Arizona Avenue is 124 ft. wide

All other streets are 100 ft. wide with the exception of "A" street N.E., which is 70 ft. wide, the accompanying sketch map shows, why "A" str, was laid out as a 70 ft. street.

All regular blocks are 300 x 320 ft. wide, excepting the tier of blocks east of and adjoining California Avenue, these blocks are 300 x 400 ft. on account of the railroad right of way which runs thro. the center of said blocks in the southern half of the townsite.

Block No. 101 in the N.E. quarter  
 Block No. 111 in the N.W. quarter and  
 Block No. 238 in the S.W. quarter are reserved as School blocks and are so designated on the sketch plat.

## Townsite of Parker, Arizona.

feet

Blocks Nos. 140 & 146, are reserved for Public Buildings, Municipal bldy. etc.

Blocks Nos. 125 & 130 in the N.E. quarter and Blocks Nos. 240 & 253 are reserved for Public Parks.

Very little of the area lying north of 10th Str. (N.E. & N.W.) is desirable for building purposes & also Blocks 46 & 47 & 63, on account of the numerous rocky washes within that area. The townsite lies on a high mesa which bracks off abruptly near the river within the area stated above.

The Cemetery

The land reserved for a cemetery lies at the S.E. corner of the townsite and adjoining a railroad spur, being separated from the other lands in the townsite by the lands of the railroad. This tract, consisting of Tract C is entirely acceptable to the citizens of Parker for the purposes stated and would on account of its location not be desirable for other purposes.

The boundaries are as follows:

From the S.E. corner of the townsite, heretofore described I run

857.2 N.  $0^{\circ} 2'$  W. bet. secs. 4 & 5 on E. bdy. of townsite intersect the right of way of the A. & C. R.R. Co. Spur, set a pine post 4x4x30 ins., 18 ins. in the ground. thence I run

143.25 S.  $63^{\circ} 18'$  W. along R.R. right of Way. a point, at right angles, where track begins to curve. Set a post 4x4x30 ins. in the ground.

I return to the S.E. Cor. of townsite and run  
295.2 N.  $89^{\circ} 28'$  W. along S. bdy. of townsite intersect the R.R. right of Way.



Townsite of Parker, Arizona.

feet

Set a post 4x4x30 ins., 18 ins. in the ground.

Thence I run

N. 26° 42' W. along R.R. right of way.

154.95 a point, at right angles, where the curve begins for the R.R. spur.

Set a post 4x4x30 ins., 18 ins. in the ground. From this point the post set at 143.25 ft. S. 63° 18' W. on right of way, bears N. 19° 56' E.

693.15 ft., at the center of this line at 346.57 ft. I set up my instrument and run N. 70° 04' W. 157.55 ft. to the Right of Way on Curve and set a post 4x4x30 ins., 18 ins. in the ground.

---

1st Str. N.W.

From the S.E. Corner of Block No. 181 on the cor. of California & Arizona Aves. I run

N. 26° 42' W. on W. side of Cal. Ave. and at 300 ft.

intersect the N.E. cor. of Block No. 181.

Thence I run

S. 63° 18' W. on S. side of 1st Str. N.W. set alley stakes at each 150 & 170 ft. in each block, 100 ft. streets bet.

blocks and at

3260.0 the N.W. cor. of Block No. 174

Thence across "H" str. N.W.

3284.95 intersect the W. bdy. of townsite at 447.5 ft. North of the N.W. cor. of sec. 5, heretofore described.

thence I run

North across 1st str. N.W. on W. bdy. of townsite and at 112.0 ft., the S.W. cor. of fractl. block No. 172

thence I run

N. 63° 18' E. on N. side of 1st Str. N.W.

Townsite of Parker, Arizona.

103.0 Set alley stake

123.0 Set alley stake

273.0 the S.E. cor. of Block No. 172

Continue on N. side of street and set alley stakes each 150 & 170 ft. in each block with 100 ft. streets between blocks

3213.0 The S.E. Corner of Block No. 165 on W. side of California Avenue.

thence I run

N.  $26^{\circ} 42'$  W. on W. side of California Ave. & at 300 ft. intersect the N.E. Corner of Block No. 165

2nd Str. N.W.

Thence I run S.  $63^{\circ} 18'$  W. on S. side of 2nd str. N.W., setting alley stakes at 150 & 170 ft. in each block with 100 ft. streets bet. blocks & at

3083.1 the N.W. Cor. of fractl. block No. 172 & intersect the W. bdy. of townsite at 894.1 ft. North of the N.W. cor. of sec. 5

Thence I run North across 2nd Str. N.W. and on W. bdy. of townsite, 112 ft. to the S.W. cor. of fractl. Block No. 143

Thence I run N.  $63^{\circ} 18'$  E. on N. side of 2nd str. N.W.

92.7 the S.E. Corner of fractl. Block No. 143

thence continue on line, setting alley stakes at 150 & 170 ft. in each block with 100 ft. streets between blocks

3032.7 the S.E. Corner of Block No. 150 on W. side of California Avenue

thence across California Ave.

112 ft. to the S.W. Cor. of fractl. Block No. 151.

thence with new measurement on N. side of

2nd Str. N.E.

125.0 Set alley stake

Townsite of Parker, Arizona.

feet

- 150.0 intersect Railroad Right of Way (W. side)  
thence across Railroad
- 250.0 intersect Railroad Right of Way (E. side)
- 275.0 Set alley stake
- 400.0 the S.E. cor. of fractl. Block No. 151  
Thence across "A" str. N.E.
- 470.0 the S.W. corner of Block No. 152
- 620.0 Set alley stake
- 640.0 set alley stake
- 790.0 the S.E. corner of Block No. 152  
thence across "B" str. N.E.
- 890.0 the S.W. corner of Block No. 153  
Continue line setting alley stakes each 150 & 170 ft. in  
each block with 100 ft. streets between blocks
- 2777.7 intersect the E. bdy. of townsite 1077.85 ft. N. of the  
¼ cor. bet. secs. 32 & 33, heretofore established & de-  
scribed,  
thence across 2nd str. N.E., on E. bdy. of townsite,  
South 112 ft.  
the N.E. cor. of fractl. Block No. 158  
Thence I run  
S. 63° 18' W. on S. side of 2nd str. N.E.
- 157.85 the N.W. Corner of Block No. 158  
Continue line, setting alley stakes  
at each 150 & 170 ft. in each block and 100 ft. streets  
between blocks, to
- 2257.85 the N.W. cor. of fractl. Block No. 163  
thence across "A" str. N.E.
- 2327.85 the N.E. Corner of fractl. Block No. 164
- 2452.85 set alley stake
- 2477.85 intersect Railroad Right of Way (E side)  
thence across R.R.

## Townsite of Parker, Arizona.

2577.85 intersect Railroad Right of Way (W. side)  
 2602.85 Set alley stake  
 2727.85 the N.W. cor. of fractl. Block No. 164 on E. side of  
 California Ave.,  
 thence across California Ave.  
 2839.85 the N.E. Cor. block #165.

## Fractl. Block No. 164

From the N.W. Cor. I run  
 E.  $26^{\circ} 42'$  E. on E. side of Cal. Ave.  
 96.0 The N.W. cor. of Tract "A" Railroad Reserve, & S.W. Cor.  
 of this fractl. block, thence  
 N.  $63^{\circ} 18'$  E. on N. bdy. R.R. Reserve  
 125.0 Set alley stake  
 150.0 intersect Right of Way of Main Track A. & C. R.R.,  
 thence across Right of Way  
 250.0 to E. line of Right of Way  
 275.0 Set alley stake  
 400.0, the S.E. Cor. of fractl. cor. of Block #164  
 200 ft. S.  $63^{\circ} 18'$  W. from the N.E. corner of the R.R.  
 Reserve.  
 thence  
 N.  $26^{\circ} 42'$  W. on W. side of "A" str. N.E.  
 96.0 the N.E. Corner of Block No. 164, heretofore mentioned.

## Fractl. Block No. 163

From the N.W. Cor. I run  
 S.  $26^{\circ} 42'$  E. on E. side of "A" str. N.E.

## Townsite of Parker, Arizona.

feet

96.0 intersect N. bdy. of R.R. Reserve  
Tract "A" thence along R.R. Reserve  
N. 63° 18' E.

150.0 the N.E. Corner of Tract "A", Railroad Reserve. (Station  
grounds)  
thence I run  
S. 26° 42' E. on E. bdy. of R.R. lands

204.0 Set alley post on S. bdy. Block #163  
thence I run  
N. 63° 18' E. on N. side of  
1st Street N.E.

20.0 Set alley stake

170.0 the S.E. Corner of fractl. block No. 163  
thence continue line, setting alley stakes at 150 & 170  
ft. in each block, 100 ft. streets between blocks, at

1956.2 intersect the E. bdy. of the townsite 629.75 ft. N. of  
the  $\frac{1}{4}$  cor. between secs. 32 & 33, heretofore described.  
this is S.E. Cor. fractl. Block No. 158  
thence across 1st Str. N.E. and along E. bdy. of the  
townsite  
South 112. ft. to a point N. 63° 18' E. from the N.E.  
Cor. of Block No. 187  
thence I run  
S. 63° 18' W. on S. side of 1st. Str. N.E.

56.0 The N.E. Corner of fractl. Block No. 187  
(from this point I run S. 26° 42' E. 111.05 ft. to inter-  
section with E. bdy. of townsite, set block cor., thence  
I run South on E. bdy. of townsite, 210.4 ft. to S.E. Cor.  
of fractl. Block No. 187 on N. side of Arizona Ave.,  
heretofore mentioned.)  
thence return to N.E. Corn. fractl. Block No. 187 & con-  
tinue S. 63° 18' W. on S. side of 1st Str. N.E., and at

1736.0 the N.E. Corner of fractl. Block No. 183

Townsite of Parker, Arizona.

feet

1886.0 Set alley stake

1906.0 intersect the E. bdy. of Tract "A" Railroad Reserve  
(Station grounds) 304. ft. S. 26° 42' E. from the N.E.  
Cor. thereof., Set block corner.

Thence ~~across~~ R.R. Reserve

620 ft. to a point 362 ft. N. 26° 42' W. from the  
Initial Mon. on W. bdy. of R.R. Reserve, heretofore  
described.

---

Railroad Reserve, Tracts "A" "B" Station grounds.

From the N.E. Corner of Tract "A", a pine post 4x4x16 ins.  
above ground, painted red & white and marked

B L on S. & N. sides, I run

S. 26° 42' E. on E. bdy. of R.R. Reserves.

204.0 The S.W. Cor. of fractl. Block No. 163

304.0 The N.W. Cor. of fractl. Block No. 183

604.0 The S.W. Cor. of fractl. Block No. 183

Thence across Arizona Ave., East.

728.0 The N.W. Cor. of fractl. Block No. 192

1028.0 The S.W. Cor. of fractl. Block No. 192

Thence across 1st Str. S.E.

1128.0 The N.W. Cor. of fractl. Block No. 214

1428.0 The S.W. Cor. of fractl. Block No. 214

Thence across 2nd Str. S.E.

1528.0 The N.W. Cor. of fractl. Block No. 221

1828.0 The S.W. Cor. of fractl. Block No. 221

Thence across 3rd Str. S.E.

1928.0 The N.W. Cor. of fractl. Block No. 244

2228.0 The S.W. Cor. of fractl. Block No. 244

Thence across 4th Str. S.E.

2328.0 The N.W. Cor. of fractl. Block No. 249

2628.0 The S.W. Cor. of fractl. Block No. 249

Townsite of Parker, Arizona.

feet	<p>Thence across 5th Str. S.E.</p> <p>2728.0 The N.W. Cor. of fractl. Block No. 266</p> <p>2873.5 intersect the N. bdy. of sec. 5, marked by a stake set by me previously.</p> <p>3028.0 The S.W. corner of fractl. Block No. 266</p> <p>Thence across 6th Str. S.E.</p> <p>3128.0 The N.W. Corner of fractl. Block No. 269</p> <p>3441.3 The Right of Way of A. &amp; C. R.R. on spur, running easterly from the main track forming a Wye (a post 4x4x16 ins. above grd. painted red &amp; white &amp; mkd. B L on N. &amp; E. sides.)</p> <p>Thence I run</p> <p>N. 63° 18' E. along R.R. Right of Way.</p> <p>20.0 Set alley stake</p> <p>170.0 Set post for S.E. Cor. of fractl. Block No. 269</p> <p>Thence across "B" Str. S.E.</p> <p>270.0 Set a post for S.W. Corner of fractl. Block No. 268</p> <p>328. intersect the E. bdy. of sec. 5 and E. bdy. of townsite at 968.8 ft. N. 0° 2' W. of the S.E. corner of Townsite.</p> <p>Set a post for S.E. cor. fractl. Block No. 268</p> <p>I now return to the N.E. Corner of Tract "A" Railroad Reserve and run thence</p> <p>S. 63° 18' W. on N. bdy. of R.R. Reserve</p> <p>420.0 Center of Main track of A. &amp; C. R.R. course N. 26° 42' W. &amp; S. 26° 42' E.</p> <p>620.0 The N.W. Cor. of Tract "B" R.R. Reserve.</p> <p>Thence I run</p> <p>S. 26° 42' E. along W. bdy. of R.R. Reserve</p> <p>666.0 The Initial Monument, heretofore established and described</p> <p>2122.2 The S.W. Cor. of Tract "B" R.R. Reserve a post 4x4x16 ins. above ground painted red &amp; white and mkd. B L on W.&amp;S. sides.</p> <p>Thence I run on S. bdy. Tract "B" N. 63° 18' E.</p>
------	---

## Townsite of Parker, Ariz.

feet

125.0 Set alley stake

150.0 intersect the W. line of right of way of main tract of  
A. & C. R.R.

Set a post for N.E. Cor. of fractl. block No. 243

Thence I run

S. 26° 42' E. along right of way of A. & C. R.R.

105.8 The S.E. Cor. of fractl. Block No. 243

Thence across 4th Str. S.E.

205.8 The N.E. cor. of fractl. Block No. 250

505.8 The S.E. Cor. of fractl. Block No. 250

805.8 Thence across 5th Str. S.E.

605.8 The N.E. cor. of fractl. Block No. 265

905.8 The S.E. Cor. of fractl. Block No. 265

Thence across 6th Str. S.E.

1005.8 The N.E. cor. of fractl. Block No. 270

1305.8 The S.E. Cor. of fractl. Block No. 270

Thence across 7th Str. S.E.

1405.8 The N.E. Cor. of fractl. Block No. 278

1705.8 The S.E. cor. of fractl. Block No. 278

Thence across 8th Str. S.E.

1805.8 The N.E. cor. of fractl. Block No. 279

1998.5 intersect the S. bdy. of the townsite

Set a post for S.E. Cor. of fractl. Block No. 281

---

Thence I run

Fractl. Block No. 279

N. 89° 28' W. on S. bdy. of townsite

28.0 Set alley stake

168.0 The S.W. Cor. of fractl. block No. 279 on E. side of  
Cal. Ave.

Thence I run



## Townsite of Parker, Ariz.

N. 26° 42' W.

- 115.6 The N.W. Cor. of fractl. block No. 279.  
 Thence I run  
 N. 63° 18' E. on S. side of 8th Str. S.E.  
 125.0 Set Alley stake.  
 150.0 intersect Right of Way of A. & C. R.R.

## 3rd Str. N.W.

- From the N.E. Cor. of Block No. 150 on W. side of  
 California Ave. I run  
 S. 63° 18' W. on S. side of 3rd Str. N.W.  
 Setting alley stakes and block corners at regular distances  
 & at  
 2840 The N.W. Cor. of Block No. 144,  
 thence across G. Str. N.W.  
 2882 intersect the W. bdy. of townsite  
 thence along said W. bdy. 112 ft.  
 The S.W. cor. of fractl. Block No. 142  
 Thence I run  
 N. 63° 18' E. on N. side of 3rd Str. N.W.  
 141.2 Set alley stake.  
 161.2 Set alley stake  
 311.2 Set S.E. block corner for fractl. Block No. 142  
 Thence continue on line, setting alley stakes & block  
 corners at regular distances and at  
 2831.2 The S.E. corner of Block No. 136 on West side of Califor-  
 nia Avenue.

## 4th Str. N.W.

From the N.E. corner of Block No. 136 on W. side of Cal-

Townsite of Parker, Arizona.

ifornia Ave. I run

S. 63° 18' W. on S. side of 4th Str. N.W.

Setting alley stakes & block cors. at regular distances.

2520.0 The N.E. Cor. of fractl. Block No. 142

2680.2 The N.W. Cor. of fractl. Block No. 142 on W. bdy. of Townsite. From this cor. I run

South and at

334.6 The S.W. Cor. of fractl. Block No. 142

Return to N.W. cor. of fractl. Block No. 142 & run

North on W. bdy. of townsite and across 4th Str. N.W.

112.0 The S.W. Cor. of fractl. Block No. 112

Thence I run

N. 63° 18' E. on N. side of 4th Str. N.W.

110.75 The S.E. Corner of fractl. Block No. 113

Thence continue line, setting alley stakes & block corners at regular distances and at

2630.75 The S.E. Corner of Block No. 119.

5th Str. N.W.

From the N.E. Corner of Block No. 119 on W. side of California Ave. I run

S. 63° 18' W. on S. side of 5th Str. N.W.

Setting alley stakes & Block corners at regular distances & at

2420.0 The N.W. Cor. of Block No. 114

Thence I run N. 26° 42' W. across 5th Str. N.W.

100.0 The S.W. Corner of fractl. Block No. 112

From this corner I run

N. 26° 42' W. on W. bdy. fractl. Block No. 112 and at

18.05 ft. intersect the W. bdy. of townsite; set block

corner. Thence I run along W. bdy. of townsite.

Townsite of Parker, Arizona.

South

221.1 Set block cor. for N. cor. of fractl. Block No. 113,  
Thence run

South

on W. bdy. of townsite, also W. bdy. of fractl. Block  
No. 113 & at

246.75 intersect the S.W. Cor. of fractl. Block No. 113.

From the cor. set at 18.05 ft. N. 26° 42' W. from the  
S.W. Cor. of fractl. Block No. 112 I run

North on W. bdy. of townsite and W. bdy. of fractl. block  
No. 112 and at

269.3 intersect the 1/4 cor. bet. secs. 31 & 32 T. 3 N. R. 1 E.,  
heretofore established and described, also Angle cor. for  
townsite of Parker.

Return to the S.W. Corner of fractl. Block No. 112 and  
run thence

N. 63° 18' E. on N. side of 5th Str. N.W.

Setting alley stakes and block cors. at regular distances  
and at

2420.0 The S.E. Corner of Block No. 107 on S. side of California  
Ave.

---

6th Str. N.W.

From the N.E. Corner of Block No. 107 on W. side of  
California Ave. I run

S. 63° 18' W. on S. side of 6th Str. N.W.

Setting alley stakes and block corners at regular dis-  
tances & at

## Townsite of Parker, Arizona.

feet

2100.0 The N.E. corner of fractl. Block No. 112

2250.0 Set alley stake

2270.0 Set alley stake

2381.9 intersect the W. bdy. of townsite at 92.64 ft. West of the  $\frac{1}{4}$  cor. bet. secs. 31 & 32 and angle cor., heretofore described.

Set N.W. Block cor.

Thence I run West on W. bdy. of townsite and across 6th Str. N.W.

221.0 Set cor. on S. bdy. of fractl. Block 83

Thence I run

N.  $63^{\circ} 18'$  E. on N. side of 6th Str. N.W.

59.3 Set S.E. Cor. for fractl. Block No. 83,

continue line, setting alley stakes & block corners at regular distances, at

2579.3 intersect the S.E. corner of Block No. 89 on W. side of California Avenue.

---

7th Str. N.W.

From the N.E. corner of Block No. 89

I run S.  $63^{\circ} 18'$  W. on S. side of 7th Str. N.W. setting alley stakes & block corners at regular distances & at

2940.0 Set N. cor. for fractl. block No. 82

3177.9 intersect W. bdy. of townsite, 336.56 ft. East of Angle cor. heretofore established and described. Set Block corner.

Thence from this cor. I run East and at

266.25 Set block cor. for S.E. cor. of fractl. Block No. 82,

thence I run

N.  $26^{\circ} 42'$  W.

119.63 Intersect N. cor. for fractl. Block No. 82.

## Townsite of Parker, Arizona.

Thence from S.E. cor. fractl. Block No. 82  
 I run East across "G" str. N.W. and at  
 112.0 Set cor. for S.W. cor. of fractl. Block No. 83,  
 thence continue line with new measurement and at  
 291.55 The corner on S. bdy. of fractl. Block No. 83.  
 I now return to the Block cor. for fractl. Block No. 82,  
 set 336.56 ft. E. of angle cor. on W. bdy. of townsite  
 and run  
 West across 7th Str. N.W. and along W. bdy. of townsite &  
 at  
 223.66 Set cor. on S. bdy. of fractl. Block No. 81.  
 Thence I run  
 N. 63°18' E., on N. side of 7th Str. N.W.  
 17.2 Set S.E. corner for fractl. Block No. 81  
 thence I run  
 N. 26° 42' W. on W. side of "H" Str. N.W.  
 286.45 intersect W. bdy. of townsite 263.65 ft. N. of angle cor.,  
 heretofore described.  
 Set N. corner for fractl. Block No. 81 & run thence  
 South on W. bdy. of townsite.  
 263.65 intersect the angle cor. on W. bdy. of townsite  
 thence I run East and at  
 112.9 intersect the cor. on S. bdy. of fractl. Block No. 81,  
 heretofore established.  
 I now return to the S.E. corner of fractl. Block No. 81  
 on N. side of 7th Str. N.W. at N. 63° 18' E.  
 17.2 from W. bdy. of Townsite and continue line setting alley  
 stakes and block corners at regular distances  
 3377.2 intersect the S.E. Corner of fractl. Block No. 73  
 on W. side of California Ave.  
 (From this pt. the W. bdy. of R.R. Right of Way bears N.  
 63° 18' E. 104.72 ft.)

8th Str. N.W.

From the point for the N.E. Corner of fractl. Block No. 73 (on R.R. Right of Way) I run

S. 26° 42' E. & at 17.9 ft. intersect the W. bdy. of R.R. Right of way, set a post for block cor. on Right of Way. Thence return to the point for N.E. cor. of block No. 73 and run

S. 63° 18' W. on block line and at 10.0 ft. intersect the W. bdy. of R.R. Right of Way.

Set a block corner.

Thence on true line S. 63° 18' W.

140.0 Set alley stake

160.0 Set alley stake

310.0 Set post for N.W. Corner of fractl. Block No. 73

Continue line & set alley stakes & block corners at regular distances

3250.0 the N.W. Corner of Block No. 80

Thence I run

N. 26° 42' W., across 8th Str. N.W.

100.0 Set post for S.W. Cor. of fractl. Block No. 55

From this corner I run N. 26° 42' W. on W. bdy. of fractl. block No. 55

85.3 intersect W. bdy. of townsite.

Set block cor.

Thence I run South on W. bdy. of townsite and at

222.96 intersect the N. cor. of fractl. block No. 81

I now return to block cor. set at 85.3

N. 26° 42' W. of the S.W. cor. fractl. Block No. 55 and run

North on W. bdy. of townsite and W. bdy. of fractl. block No. 55

240.33 Set post for the N.W. cor. of fractl. Block No. 55

Thence return to S.W. cor. Block No. 55 and run

N. 63° 18' E. on N. side of 8th St. N.W.

## Townsite of Parker, Arizona.

Setting alley stakes and block corners at regular distances and at

2940.0 Set post for the S.W. Corner of Fractl. Block No. 62

3090.0 Set alley stake

3110.0 Set alley stake

3212.9 intersect the West bdy. of R.R. Right of Way and set a Block corner.

Thence I run along R.R. Right of Way 321.15 ft. and set a Block cor. at intersection of N. bdy. of block No. 62 with the R.R. Right of Way.

From this cor. I run

N.  $63^{\circ} 18'$  E. across Right of Way and at 108.65 intersect E. bdy. of Right of Way.

Set a post & run thence with new measurement N.  $63^{\circ} 18'$  E. 51.8 ft. & establish the N.E. Corner for Block No. 62.

Thence from this N.E. Cor. I run

S.  $26^{\circ} 42'$  E. on W. side of California Ave. and at 139.65 ft. intersect the E. bdy. of Right of Way. Set a Block cor.

From this cor. I run along R.R. Right of Way 148.65 ft. to the corner set at 51.8 ft. S.  $63^{\circ} 18'$  W. from the N.E. Corner. block No. 62.

## 9th Str. N.W.

From the N.E. corner of Block No. 62 on W. side of California Ave. I run

S.  $63^{\circ} 18'$  W. on S. side of 9th Str. N.W.

51.8 a post at intersection with E. line of R.R. Right of Way, thence across Right of Way

160.45 a post at intersection with W. line of R.R. Right of Way.

## Townsite of Parker, Arizona.

- 170.00 Set alley stake
- 320.0 Set post for N.W. cor. of Block No. 62 continue line setting alley stakes and block corners at regular distances and at
- 2940.0 set post for N.E. cor. of fractl. Block No. 55.
- 3090.0 Set alley stake
- 3110.0 Set alley stake
- 3152.3 The N.W. Cor. of fractl. Block No. 55  
on W. bdy. of townsite, heretofore established  
Thence I run  
North across 9th Str. N.W. and along W. bdy. of townsite
- 112.0 The S.W. Corner of fractl. Block No. 54.  
From this cor. I run  
North on W. bdy. of fractl. block No. 54 and at 335.7 ft.  
Set a post for N.W. cor. of fractl. Block No. 54.  
I return to the S.W. cor. of Block No. 54 and run  
Thence N.  $63^{\circ} 18'$  E. on N. side of 9th Str. NW.
- 162.2 Set a post for S.E. corner of fractl. Block No. 54,  
Continue line setting alley stakes and block corners at regular distanced to
- 2782.2 Set a post for the S.W. cor. of Block No. 47.
- 2904.2 intersect the W. bdy. of R.R. Right of Way.  
Set post thence, across Right of Way
- 3011.0 intersect the E. bdy. of R.R. Right of Way.  
Set a post  
From this cor. the dist. along E. line of R.R. Right of Way to N. bdy. of block is 321.15 ft.
- 3102.2 the S.E. Cor. of Block No. 47, on W. side of California Avenue.



Townsite of Parker, Ariz.

feet	
	10th Str. N.W.
	From the N.E. Cor. of Block No. 47 on W. side of California Ave. I run
	S. 63° 18' W. on S. side of 10th N.W.
203.4	intersect E. line of R.R. right of Way. Set a post, thence across Right of Way
310.2	intersect W. line of R.R. Right of Way. Set a post. The distance to cor. on S. bdy. of block on R.R. Right of Way is 321.15 ft.
320.0	Set a post for N.W. cor. of Block No. 47, continue line, setting alley stakes & block corners at regular distances.
2940.0	Set post for N.E. cor. of fractl. Block No. 54
2951.4	intersect W. bdy. of Townsite at post, heretofore set for N.W. cor. of fractl. Block No. 54. thence I run North on W. bdy. of townsite
247.4	Set a post for cor. on W. bdy. of fractl. Block No. 32, continue my line and at
443.9	Set a post for N.W. Cor. of fractl. Block No. 32. Return to post set at 247.4 ft. and run thence S. 26° 42' E
123.5	Set a post for the S.W. Corner of fractl. Block No. 32 Thence I run N. 63° 18' E. on N. side of 10th Str. West of 10th Str. N.W., setting alley stakes and block corners at regular distances.
2420.0	Set post for the S.E. corner of Block No. 37.
2492.2	intersect W. line of R.R. Right of Way
2599.0	intersect E. line of R.R. right of Way. set a post.
2670.0	Set alley stake
2690.0	Set alley stake.
2840.0	The S.E. Cor. of Block No. 38 on W. side of California Ave.

## Townsite of Parker, Arizona.

feet.

## 11th Str. N.W.

From the NE. Corner of Block No. 38 I run  
S.  $63^{\circ} 18'$  W. along S. side of 11th Str. NW.

150.0 Set alley stake

170.0 Set alley stake

320.0 Set a post for N.W. corner of Block No. 38

From this post I run

S.  $26^{\circ} 42'$  E. on W. bdy. of block and at 87.25 ft.

intersect R.R. right of Way. (E. line),

thence I run along Right of Way and at 226.1 ft. intersect  
post on S. bdy. of block on R.R. Right of Way.

Return to N.W. Corner.

Thence across "A" Str. N.W.

353.15 intersect E. bdy. of R.R. Right of Way

4320.0 point for N.E. Cor. of Block NO. 37 falls on R.R. land.

459.95 intersect W. bdy. of R.R. Right of Way.

Set a post.

(I now go to the S.E. Cor. of Block No. 37, on 10th & A  
Str. N.W. & run N.  $26^{\circ} 42'$  W. 192.6 ft. to intersection  
with W. bdy. of R.R. Right of Way.

Thence I run along Right of Way. 114.7 ft. to the corner  
on N. bdy. of Block No. 37)

continue my line on S. side of 10th Str. N.W.

570.0 Set alley stake

590.0 Set alley stake

740.0 Set a post for N.W. Corner of Block No. 37

Continue my line, setting alley stakes and block corners  
at regular distances

2520.0 set a post for N.E. Cor. of fractl. Block No. 32.

2670.0 set alley stake

2690.0 Set alley stake

2751.7 intersect the N.W. cor. post for fractl. Block No. 32,  
heretofore established.

Thence I run

## Townsite of Parker, Arizona.

feet

- North, across 11 th Str. N.W. and along W. bdy. of townsite
- 112.0 ft. Set a post for the S.W. corner of fractl. Block No. 31. From this post the N.W. Corner of the townsite, heretofore established and described, bears North 55.75 ft. distant.
- thence I run  
N. 63° 18' E. on N. side of 11th Str. N.W.
- 183.8 Set a post for S.E. Corner of fractl. Block No. 31.  
(From this post I run N. 26° 42' W. 118.5 ft. to intersection with N. bdy. of townsite, 173.4 ft. N. 39° 35' E. from the N.W. cor. thereof. set a post for NE. cor. of fractl. Block No. 31.)
- Continue my line on N. side of 11th Str. N.W.  
Setting alley stakes & block corn. at regular distances.
- 1963.8 Set a post for S.W. Cor. of Block No. 26.
- 2113.8 Set alley stake
- 2133.8 Set alley stake
- 2206.8 Set post at intersection with W. bdy. of R.R. Right of Way.
- 2313.4 Intersect E. bdy. of R.R. Right of Way
- 2383.8 Set post for S.W. Cor. for Block No. 25
- 2533.8 Set alley stake
- 2553.8 Set alley stake.
- 2703.8 The S.E. corner of Block No. 25 on W. side of California Ave. heretofore established

---

12th Str. N.W.

From the N.E. cor. of Block No. 25 on W. side of California Ave. I run

## Townsite of Parker, Arizona.

S.  $63^{\circ} 18'$  W. on S. side of 12th Str. NW.

150.0 Set alley stake

170.0 Set alley stake

320.0 set post for the N.W. Corner of block No. 25

Thence across "A" Str. N.W.

420.0 Set post for N.E. Corner of Block No. 26

502.75 intersect the E. bdy. of R.R. Right of Way.

Set a post. (From the N.E. Block cor. just established  
I run S.  $26^{\circ} 42'$  E. 221.0 ft. to the intersection with  
the E. bdy. of R.R. Right of Way. Set a post and run thence  
along Right of Way 236.2 ft. to the corner post on N. bdy.  
of Block No. 26.

Continue my line on S. side of 12th Str. NW. across R.R.  
land.

609.55 intersect the W. bdy. of the R.R. Right of way & set a  
post

740.0 Set a post for the N.W. Corner of Block No. 26,  
Continue line, setting alley stakes and block corners at  
regular distances.

2100.0 Set a post for the N.E. corner of fractl. Block No. 30.

2110.2 intersect the N. bdy. of townsite and set a post.

Thence I run  
S.  $39^{\circ} 35'$  W. on N. bdy. of townsite and N. bdy. of block  
No. 30, at 154.9 ft. set alley stake, at 176.63 ft. set  
alley stake and at 338.28 ft. set a post for N.W. cor.  
of fractl. block No. 30.

Thence I run  
S.  $26^{\circ} 42'$  E. 164.00 ft. to the S. W. cor. of Block 30,  
heretofore established.

From the N.E. cor. of Block No. 29 I run  
N.  $26^{\circ} 42'$  W. across 12th st. N.W. at

100.0 set a post for the S.E. cor. of fractl. Block No. 10.

## Townsite of Parker, Ariz.

feet	
	Continuing line at
86.5	Intersect N. bdy. of townsite, & set a post for N.E. cor. of Block No. 10. Thence I run S. 39° 35' W. on N. bdy. of fractl. block No. 10 and N. bdy. of townsite.
214.9	Set a post for W. cor. of Block No. 10. Thence I run N. 63° 18' E. on N. side of 12th Str. N.W.
196.3	The S.E. cor. of fractl. block No. 10. Thence across "D" Str. N.W.
296.3	Set post for S.W. cor. of fractl. block No. 11.
446.3	Set alley stake
466.3	Set alley stake
616.3	Set post for S.E. Cor. of fractl. Block No. 11. From this post I run Fractl. Block No. 11 N. 26° 42' W. 275.4 ft. & set. post for N.E. cor. of block at intersection with N. bdy. of townsite. Thence I run S. 39° 35' W. along N. bdy. of townsite 349.09 ft. and set a post for N.W. cor. of block. Thence I run S. 26° 42' E. 135.2 ft. & intersect the S.W. cor. of block heretofore established. Return to the S.E. cor. of fractl. Block No. 11 and continue line, across "C" str. NW.
716.3	Set a post for S.W. corner of Block No. 12.
866.3	Set alley stake
886.3	Set alley stake
1036.3	Set a post for S.E. Corner of Block No. 12 thence across "B" Str. N.W.
1136.3	Set a post for S.W. Corner of Block No. 13

## Townsite of Parker, Ariz.

feet

1229.45 intersect the W. bdy. of R.R. right of Way. Set a post.  
 (from the S.W. cor of Block #13 I run  
 N.  $26^{\circ} 42'$  W. 248.45 ft. and set a post at intersection  
 of W. bdy. of Block No. 13 with R.R. right of Way.  
 Thence I run along Right of Way 265.8 ft. to intersection  
 with S. bdy. of Block No. 13.)

Thence I continue my line across R.R. Right of Way.

1336.25 intersect the E. bdy. of Right of Way and set a post

1456.3 Set a post for S.E. cor. of Block No. 13.

(From this cor. I run N.  $26^{\circ} 42'$  W. 300 ft. to pt. for  
 N.E. cor. Block No. 13 & set a post. Thence I run S.  $63^{\circ}$   
 $18'$  W. 234.4 ft. to intersection with R.R. Right  
 of Way & set a post. Thence I run along Right of Way  
 321.15 ft. to post on S. bdy. of Block No. 13, heretofore  
 established.

Return to the S.E. Corner of Block No. 13 and continue  
 line, across "A" str. N.W.

1556.3 Set a post for the S.W. cor. of Block No. 14

1706.3 Set alley stake

1726.3 Set alley stake

1876.3 intersect the S.E. Corner of Block No. 14 on W. side of  
 California Avenue, heretofore established.

---

13th Str. N.W.

From the N.E. corner of Block No. 14 on W. side of  
 California Ave., heretofore established, I run  
 S.  $63^{\circ} 18'$  W. on S. side of 13th Str. N.W.

150.0 Set alley stake

170.0 Set alley stake

320.0 Set a post for N.W. Corner of Block No. 14.

Thence across "A" Str. N.W.

## Townsite of Parker, Arizona.

feet.	
420.0	The N.E. corner of Block No. 13, heretofore established
570.0	Set alley stake
590.0	Set alley stake
654.4	The post set at intersection with E. bdy. of R.R. Right of Way., thence across Right of Way.
761.2	Set post at intersection with Right of Way.
840.0	Set a post for N.E. Cor. of Block No. 12
990.0	Set alley stake
1010.0	Set alley stake.
1100.0	Set a post for N.W. Cor. of Block No. 12 Thence from the N.E. Cor. of Block No. 12, I run N. 26° 42' W. across 13th Str. N.W.
100.0	Set a post for S.E. corner of fractl. Block No. 9. Thence along E. bdy. of fractl. Block No. 9 N. 26° 42' W.
64.25	intersect the N. bdy. of townsite and set a post for N.E. cor. of fractl. Block No. 9 Thence I run S. 39° 35' W. on N. bdy. of townsite & N. bdy. of block.
159.5	Set a post for block corner. Thence I run N. 63° 18' E. on N. side of 13th Str. and S. bdy. of fractl. Block No. 9.
146.3	The S.E. corner of fractl. Block No. 9. (a pump house, belonging to the A. & C. R.R. co. is standing across the E. bdy. of this fractl. block & the remainder of the block has been taken up by a garden)  From the S.E. Corner of fractl. Block No. 7 on W. side of California Ave., I run S. 63° 18' W. on N. side of 13th Str. NW.
320.0	Set a post for S.W. cor. of fractl. Block No. 7. Thence I run N. 26° 42' W. on E. side of "A" Str. N.W.
115.05	intersect the N. bdy. of townsite & set a post for N.W. cor. of fractl. block No. 7

## Townsite of Barker, Arizona.

feet.

(the N.E. corner of fractl. block No. 7 bears N.  $59^{\circ} 55'$  E. 320.5 ft.)

Thence I run

S.  $59^{\circ} 55'$  W. along N. bdy. of townsite and across "A" Str. N.W.

100.18 Set a post for the N.E. cor. of fractl. Block No. 8.

Thence I run S.  $26^{\circ} 42'$  E. along W. side of "A" Str. N.W.

109.25 Set a post for the S.E. Cor. of fractl. Block No. 8.

Thence I run S.  $63^{\circ} 18'$  W. along N. side of 13th Str. N.W.

271.7 intersect the E. bdy. of R. R. Right of Way

Thence along Right of way 95.9 ft. to the N.W. cor. of fractl. Block No. 8 ~~was N. bdy. of townsite.~~ 9 ft.

From this point the N.E. cor. of fractl. Block No. 8, bears N.  $59^{\circ} 55'$  E. 306.9 ft.

## 3rd Str. N.E.

I begin at the N.W. cor. of Block No. 151 on E. side of California Ave.

Thence I run

N.  $63^{\circ} 18'$  E., on S. side of 3rd Str. N.E.

125.0 Set alley stake

150.0 Set post on R.R. Right of Way, W. side

Thence across Right of Way.

250.0 Set post on R.R. Right of Way, E. side.

275.0 Set alley stake

400.0 Set post for N.E. Corner of Block NO. 151

Thence across "A" Str. N.E.

470.0 Set post for N.W. Corner of Block No. 152

Continue line, setting alley stakes and block corners at regular distances.

2890.0 Set post for N.E. cor. of fractl. Block No. 157.

From this cor. I run



Townsite of Parker, Arizona.

S. 26° 42' E. 76.2 ft. & set post, thence I run South on E. bdy. of townsite 250.3 ft. & intersect the S.E. cor. post for Block No. 157, heretofore established.

Thence from the N.E. cor. of Block No. 157

I run N. 26° 42' W. across 3rd Str. N.E.

100.0 Set a post for the S.E. corner of block No. 129.

Thence I run S. 63° 18' W. on N. side of 3rd Str. N.E., setting alley stakes and block corners at regular distances

2420.0 Set a post for S.W. cor. of Block No. 134

Thence across "A" Str. N.E.

2490.0 Set a post for S.E. cor. of Block No. 135

2615.0 Set alley stake

2640.0 intersect E. bdy. of R.R. Right of Way & set a post.

2740.0 intersect W. bdy. of R.R. Right of Way & set a post.

2765.0 Set alley stake

2890.0 intersect the S.W. cor. of Block No. 135, heretofore established.

---

4th Str. N.E.

From the N.W. Corner of Block No. 135 on E. side of California Avenue, I run

N. 63° 18' E. on S. side of 4th Str. N.E.

125.0 Set alley stake

150.0 intersect W. bdy. of R.R. Right of Way & set a post, thence across Right of Way.

250.0 intersect E. bdy. of R.R. Right of Way and set a post.

275.0 Set alley stake

40000 Set a post for N.E. cor. of Block No. 135.

Thence across "A" Str. N.E.

## Townsite of Parker, Arizona.

feet.

- S.  $26^{\circ} 42'$  E. 76.2 ft. & set post, thence I run South on E. bdy. of townsite 250.3 ft. & intersect the S.E. cor. post for Block No. 157, heretofore established. Thence from the N.E. Cor. of Block No. 157 I run N.  $26^{\circ} 42'$  W. across 3rd Str. N.E.
- 100.0 Set a post for the S.E. corner of Block No. 129. Thence I run S.  $63^{\circ} 18'$  W. on N. side of 3rd str. N.E., setting alley stakes and block corners at regular distances
- 2420.0 Set a post for S.W. cor. of Block No. 134 Thence across "A" Str. N.E.
- 2490.0 Set a post for S.E. cor. of Block No. 135
- 2615.0 Set alley stake
- 2640.0 intersect E. bdy. of R.R. Right of Way & set a post.
- 2740.0 intersect W. bdy. of R.R. Right of Way & set a post.
- 2765.0 Set alley stake.
- 2890.0 intersect the S.W. cor. of Block No. 135 heretofore established.

## 4th Str. N.E.

- From the N.W. corner of Block No. 135. on E. side of California Avenue, I run N.  $63^{\circ} 18'$  E. on S. side of 4th Str. N.E.
- 125.0 Set alley stake
- 150.0 intersect W. bdy. of R.R. Right of Way & set a post, thence across Right of Way.
- 250.0 intersect E. bdy. of R.R. Right of Way and set a post.
- 275.0 Set alley stake
- 400.0 Set a post for N.E. cor. of Block No. 135 thence across "A" Str. N.E.

## Townsite of Parker, Arizona.

feet

- 470.0 Set a post for the N.W. Cor. of Block No. 134  
Continue line, setting Alley stakes and block corners at regular distances, to
- 2990.0 Set a post for the N.W. Cor. of fractl. Block No. 128.
- 3129.5 intersect the E. bdy. of townsite & set a post for N.E. Cor. of fractl. Block No. 128  
(From the cor. I run South on E. bdy. of townsite 310.4 ft. & set a post for S. corner of fractl. block No. 128, thence corner No. 268<sup>a</sup> 421. W. 1277.2 ft. to the N.W. block corner.)  
Thence return to N.E. Cor. of fractl. Block No. 128 and run North on E. bdy. of townsite, across 4th Str. N.E.
- 112.0 Set a post for S.E. Cor. of fractl. Block No. 127.  
Thence I run S. 63° 18' W. on N. side of 4th Str. N.E.
- 20.3 Set alley stake
- 40.3 Set alley stake
- 190.3 Set post for S.W. Cdr. of Block No. 127  
Continue line, setting alley stakes and block corners at regular distances, to
- 2710.3 Set a post for S.W. Cor. of Block No. 121  
Thence across "A" Str. N.E.
- 2780.3 Set a post for S.E. cor. of Block No. 120.
- 2905.3 Set alley stake
- 2930.3 intersect E. bdy. of R.R. Right of Way and set a post, thence across R. of W.
- 3030.3 intersect W. bdy. of R.R. right of Way & set a post.
- 3055.3 Set alley stake
- 3180.3 intersect the S.W. Corner of Block No. 120 on E. side of California Avenue and heretofore established.

5th Str. N.E.

From the N.W. cor. of Block No. 120 on E. side of Cali-

## Townsite of Parker, Arizona.

feet	
	fornia Ave., I run N. $63^{\circ} 18'$ E. on S. side of 5th Str. N.E.
125.0	Set alley stake
150.0	intersect W. bdy. of R.R. Right of Way and set a post, thence across Right of Way
250.0	intersect E. bdy. of R.R. Right of Way and set a post
275.0	Set alley stake
400.0	Set a post for N.E. Corner of Block No. 120 thence across "A" Str. N.E.
470.0	Set a post for N.W. Corner of Block No. 121 Continue line, setting alley stakes & block corners at regular distances, to
3310.0	Set a post for the N.E. Cor. of fractl. Block No. 127. (From this cor. I run S. $26^{\circ} 42'$ E. on E. bdy. of block 42.35 ft. to intersection with E. bdy. of townsite; set a post. Thence run South along E. bdy. of townsite 288.5 ft. to the S.E. Cor. of fractl. block No. 127, heretofore es- tablished.) From the N.E. Corner of fractl. Block No. 127. I run N. $26^{\circ} 42'$ W. across 5th Str. N.E.
100.0	Set a post for the S.E. cor. of Block No. 99. Thence for this cor. I run N. $26^{\circ} 42'$ W. on W. side of "H" Str. N.E.
281.4	intersect the E. bdy. of townsite, Set a post for N.E. cor. Block No. 99. Thence I run East across "H" Str. N.E.
112.0	ft., set a post for N.W. cor. of fractl. Block No. 98.
190.15	intersect the N.E. cor. of section 32, T. 3 N. R. 1 E. & Angle cor. on E. bdy. of Townsite, heretofore established Thence I run South on E. bdy. of townsite
155.8	Set a post for S. cor. of fractl. Block No. 98.

## Townsite of Parker, Arizona.

feet	
	(From this post the N.W. cor. of fractl. Block No. 98 bears N. 26° 42' W. 174.35 ft.)
	Continue my line South and at
379.0	intersect the cor. post on E. bdy. of Block No. 127. I return to the S.E. cor. of Block No. 99 & run thence S. 63° 18' W. on N. side of 5th Str. setting alley stakes and Block corners at regular intervals to
2840.0	Set a post for S.W. corner of Block No. 105., thence across "A" Str. N.E.
2910.0	Set a post for S.E. corner of Block No. 106.
3037.9	Set alley stake
3062.9	intersect E. bdy. of Right of Way (track curves here to the W.) set a post.
3162.9	intersect W. bdy. of Right of Way; set a post.
3187.9	Set alley stake
3310.0	intersect the S.W. cor. of block No. 106, on E. side of California Ave., heretofore established.

---

 6th Street N.E.

From the N.W. corner of Block No. 106, on E. side of California Avenue, I run

N. 63° 18' E. on S. side of 6th Str. N.E.

90.7	Set alley stake
115.7	intersect W. bdy. of R.R. Right of Way, on curve, & set a post.
215.7	intersect E. bdy. of R.R. Right of Way & set a post.
240.7	Set alley stake
400.0	set a post for N.E. cor. of Block No. 106.

Townsite of Parker, Arizona.

feet

Thence across "A" Str. N.E.

470.0 Set a post for N.W. cor. of Block No. 105

Thence continue line setting alley stakes and block corners at regular distances to

2990.0 set a post for N.W. Cor. of Block No. 99

3140.0 Set alley stake

3160.0 Set alley stake

3273.35 intersect the E. bdy. of townsite 41.15 ft. W. of the N.E. cor. of Block No. 99, heretofore establ'd. set a post.

Thence I run West on E. bdy. of townsite across 6th Str. N.E.

221.87 Set a post for cor. on fractl. Block No. 97.

Thence I run

S. 63° 18' W. on N. side of 6th Str. N.E.

85.1 Set a post for S. corner of fractl. Block No. 97.

(Thence I run N. 26° 42' W. on E. side of "G" Str. N.E. 42.8 ft. intersect E. bdy. of townsite at 95.15 ft.

West of corner for frac. Block No. 97, set a post. From this cor. I run West across "G" str. N.E. & along E. bdy. of townsite 112.0 ft. & set post for N.E. corner of fractl.

Block No. 96. Thence I run S. 26° 42' E. 93.15 ft. & set a post for S.E. cor. of fractl. Block No. 96.)

Thence I return to the S. cor. of factl. Block No. 97 & continue my line, setting alley stakes & block corners at regular distances, across "G" Str.

185.1 The S.E. cor. fractl. Block No. 96.

2605.1 Set post for S.W. corner of Block No. 91

2675.1 Set post for S.E. corner of Block No. 90

2800.1 Set alley stake

2825.1 Set alley stake

## Townsite of Parker, Arizona.

feet

- 2875.1 intersect E. bdy. of R.R. Right of Way. Set a post,  
thence across Right of Way
- 2986.2 intersect W. bdy. of R.R. Right of Way.  
Set a post
- 3075.1 intersect the S.W. cor. of Block No. 90 on E. side of Cal-  
ifornia Ave., heretofore established.

---

 Fractl. Block No. 96.

- From the N.E. Cor. of Block, heretofore established, I  
run  
West on E. bdy. of townsite
- 358.2 Set a post for N.W. cor. of Block  
Thence I run S. 26° 42' E.
- 254.45 intersect the S.W. cor. post, heretofore established.

---

 7th Street N.E.

- From the N.W. corner of Block No. 90 on E. side of  
California Ave. I run  
N. 63° 18' E. on S. side of 7th Str. N.E.
- 11.90 intersect the W. bdy. of R.R. Right of Way. Set post  
thence across Right of Way
- 128.8 intersect E. bdy. of Right of Way & set a post
- 200.0 set lot stake for lots 8 and 9
- 250.0 Set alley stake
- 275.0 Set alley stake
- 400.0 Set post for N.E. cor. of Block No. 90.  
Thence across "A" Str. N.E.
- 470.0 Set post for N.W. cor. of Block No. 91.  
Continue line, setting alley stakes & block corners at re-  
gular distances to

Townsite of Parker, Arizona.

feet	
2150.0	Set post for NW. cor. of Block No. 95.
2300.0	Set alley stake
2320.0	Set alley stake
2470.0	Set post for N.E. cor. of Block No. 95
	From this cor. I run
	N. 26° 42' W. 4.9 ft. to intersection with E. bdy. of
	townsite, thence along E. bdy. of townsite, West 213,35
	ft. set a post for E. corner of fractl. Block No. 67.
-----	
	Fractl. Block No. 67
	From the E. cor. of Block I run West along E. bdy. of
	townsite
144.35	Set post for W. cor. of block.
	Thence S. 26° 42' E.
65.35	Set post for S. cor. of Block
	Thence N. 63° 18' E.
129.4	intersect the E. cor. of Block.
-----	
	Fractl. Block No. 68.
	From the W. cor. of fractl. Block No. 67 I run
	West adross "E" str. N.E. on E. bdy. of townsite
112.0	Set a post for N.E. cor. of Block 68
	Thence S. 26° 42' E.
115.7	Set a post for S.E. cor. of Block 68
	Thence N. 63° 18' W. on N. side of 7th Str. N.E.
150.0	Set alley stake
170.0	Set alley stake
320.0	Set post for S.W. cor. of Block 68
	Thence N. 26° 42' W.



## Townsite of Parker, Arizona.

276.45 intersect E. bdy. of townsite and set a post for N.W. cor. of Block 68

Thence East on E. bdy. of townsite

358.2 The N.E. corner of block, place of beginning.

---

From the S.W. cor. of fractl. Block No. 68 I run  
S.  $63^{\circ} 18'$  W. on N. side of 7th Str. N.E.

Setting alley stakes and block corners at regular distances  
to

1260.0 Set a post for S.W. cor. of Block No. 71

Thence across "A" Str. N.E.

1330.0 Set a post for S.E. cor. of Block No. 72

1455.0 Set alley stake

1480.0 Set alley stake

1530.0 Set stake for lots 7 & 10

1580.0 Set alley stake

1605.0 Set alley stake

1635.25 intersect E. bdy. of R.R. Right of Way set a post

Thence along Right of Way E. side

274.6 Set a post, on W. bdy. of block at its intersection with  
Right of Way

Thence I run

N.  $26^{\circ} 42'$  W. on W. bdy. of block

42.5 intersect the N.W. cor. of Block No. 72, on E. side of  
California Ave., heretofore established.

---

8th Street N.E.

From the N.W. cor. of Block No. 72 I run

N.  $63^{\circ} 18'$  E. on S. side of 8th Str. N.E.

125.0 Set alley stake

150.0 Set alley stake

200.0 Set stake for lots 7 & 10.

## Townsite of Parker, Arizona.

feet	
250.0	Set alley stake
275.0	Set alley stake
400.0	Set post for N.E. cor. of Block NO. 72. Thence across "A" Str. N.E.
470.0	Set post for N.W. cor. of Block No. 71 Continue line, setting alley stakes & Block corners at regular distances to
1630.0	Set a post for N.E. cor. of Block NO. 69 Thence I run N. $26^{\circ} 42'$ W. across 8th Str. N.E. and at 26.6 intersect the E. bdy. of townsite Thence I run West on E. bdy. of townsite
164.0	Set a post for E. cor. of fractl. block No. 66.
	<hr style="width: 20%; margin: 0 auto;"/> <p>Fractl. Block No. 66.</p>
	From the E. cor. of block I run West 194.23 ft. & set a post for W. cor. of block thence I run S. $26^{\circ} 42'$ E. 87.5 ft. & set a post for S. corner of block.; thence I run N. $63^{\circ} 18'$ E. 173.55 ft. to the E. cor. of block & point of beginning.
	<hr style="width: 20%; margin: 0 auto;"/>
	From the E. cor. of fractl. Block NO. 66. I run S. $63^{\circ} 18'$ W. on S. side of 8th Str. N.E.
173.55	The S. cor. fractl. block No. 66 Thence across "C" Str. N.E.
273.55	Set a post for S.E. cor. of fractl. Block NO. 65, continue line, setting alley stakes and Block corners at

## Townsite of Parker, Arizona.

feet

regular distances to

1013.55 Set post for S.W. cor. of Block No. 64

Thence across "A" Str. N.E.

1083.55 Set a post for S.E. cor. of Block No. 63.

1208.55 Set alley stake

1233.55 Set alley stake

1283.55 Set a stake for lots 7 &amp; 10

1333.55 Set alley stake

1358.55 Set alley stake

1483.55 Intersect the S.W. cor. of Block NO. 63, on E' side of California Ave., heretofore described.

## 9th Street N.E.

From the N.W. cor. of Block No. 63 on E. side of California Ave., heretofore established, I run N. 63° 18' E. on S. side of 9th Str. N.E.

125.0 Set alley stake

150.0 Set alley stake

200.0 Set stake for lots 8 &amp; 9

250.0 Set alley stake

275.0 Set alley stake

400.0 Set a post for N.E. corner of Block No. 63

Thence across "A" Str. N.E.

470.0 Set a post for N.W. corner of Block 64

620.0 Set alley stake

640.0 Set alley stake

790.0 Set a post for N.E. cor. of Block No. 64

Thence across "B" Str. N.E.

890.0 Set a post for N.W. cor. of Block No. 65

1040.0 Set alley stake

1060.0 Set alley stake

1181.0 intersect the E. bdy. of townsite 131.8 ft. north of the

94

Townsite of Parker, Arizona.

feet

¼ cor. bet. secs. 29 and 32 T. 3 N. R. 1 E., heretofore established and described, which is also an angle cor. on townsite boundary; set a post.

Fractl. Block No. 65.

From the S.E. cor. of fractl. block No. 65, I run N. 26° 42' W. 137.7 ft. to the intersection with E. bdy. of townsite & set a post.

Thence I run

West 98.8 ft. to the ¼ cor. secs. 29 and 32 & Angle cor.

Thence I run

North 131.8 ft. to the N.E. cor. of fractl. Block #65

From the S.W. cor. of Block No. 46 on E. side of California Ave., heretofore established, I run N. 63° 18' E. on N. side of 9th Str. N.E.

- 125.0 Set alley stake
- 150.0 Set alley stake
- 200.0 Set stake for lots 7 & 10.
- 250.0 Set alley stake
- 275.0 Set alley stake
- 400.0 Set a post for S.E. cor. of Block No. 46  
thence across "A" Str. N.E.
- 470.0 Set a post for S.W. cor. of Block No. 45
- 620.0 Set alley stake
- 640.0 Set alley stake
- 790.0 Set a post for S.E. cor. of Block No. 45  
Thence across "B" Str. N.E.

## Townsite of Parker, Arizona.

feet

- 890.0 Set a post for S.W. cor. of Block No. 44  
 1040.0 Set alley stake  
 1060.0 Set alley stake  
 1210.0 Set a post for S.E. cor. of Block No. 44

---

 10th Street N.E.

From the N.W. corner of Block No. 46 on E. side of California Ave., heretofore established, I run N. 63° 18' E. on S. side of 10th Str. N.E.

- 125.0 Set alley stake  
 150.0 Set alley stake  
 200.0 Set stake for lots 8 & 9.  
 250.0 Set alley stake  
 275.0 Set alley stake  
 400.0 Set a post for N.E. corner of Block No. 46  
 Thence across "A" Str. N.E.  
 470.0 Set a post for N.W. cor. of Block No. 45  
 Continue line, setting alley stakes and block corners at regular distances to  
 1310.0 Set a post for N.W. cor. of fractl. Block No. 43  
 1382.65 intersect the E. bdy. of townsite and set a post

---

 Fractl. Block No. 43

From the N.W. cor. of fractl. Block No. 43 I run N. 63° 18' E. 72.65 ft. to post on E. bdy. of townsite, thence South on E. bdy. of townsite 161.5 ft. & set a post.  
 Thence I run N. 26° 42' W. 144.2 ft. to the N.W. cor. & point of beginning.

---

Townsite of Parker, Arizona.

feet

From the NW. corner of fractl. Block No. 43 I run  
N. 26° 42' W. across 10th Str. N.E.

100.0 Set a post for S.W. corner of Block No. 43,  
thence from this cor. I run  
N. 63° 18' E. 123.2 ft. to the intersection with the  
E. bdy. of the townsite and set a post for S.E. corner of  
fractl. Block No. 42.

Thence I run S. 63° 18' W. on N. side of 10th str. N.E.  
123.2 The S.W. cor. of Block No. 42

Continue line, setting alley stakes and block corners at  
regular distances to

963.2 Set a post for S.W. cor. of Block No. 40  
Thence across "A" Str. N.E.

1033.2 Set a post for S.E. cor. of Block No. 39

1158.2 Set alley stake

1183.2 Set alley stake

1233.2 Set a stake for lots 7 & 10

1283.2 Set alley stake

1308.2 Set alley stake

1433.2 intersect the S.W. cor. of Block No. 39, on E. side of  
California Ave., heretofore established.

---

11th Street N.E.

from the N.W. corner of Block No. 39 on E. side of  
California Ave., heretofore established, I run  
N. 63° 18' E. on S. side of 11th Str. N.E.

125.0 Set alley stake

150.0 Set alley stake

200.0 Set stake for lots 8 and 9.

Townsite of Parker, Arizona.

feet

250.0 Set alley stake

275.0 Set alley stake

~~275.0 Set alley stake~~

400.0 Set a post for N.E. corner of Block No. 39  
thence across "A" Str. N.E.

470.0 Set a post for N.W. cor. of Block No. 40  
Continue line, setting alley stakes and block corners  
at regular distances, to

1310.0 Set a post for NW. cor. of fractl. Block No. 42

1584.2 intersect the E. bdy. of townsite, 335.5 ft. north of  
the S.E. cor. of fractl. Block No. 42, heretofore estab-  
lished.

From the S.W. cor. of Block No. 24 on E. side of Califor-  
nia Ave., heretofore established I run  
N. 63° 18' E. on N. side of 11th Str. N.E.

125.0 Set alley stake

150.0 Set alley stake

200.0 Set stake for lots 7 & 10

250.0 Set alley stake

275.0 Set alley stake

400.0 Set a post for S.E. corner of Block No. 24  
Thence across "A" Str. N.E.

470.0 Set a post for S.W. corner of Block No. 23  
Continue line, setting alley stakes and block corners  
at regular distances to

1630.0 Set a post for S.E. corner of Block No. 21

12th Street N.E.

From the N.W. corner of Block No. 24 on E. side of  
California Ave., heretofore established, I run  
N. 63° 18' E. on S. side of 12th Str. N.E.

feet	
125.0	Set alley stake
150.0	Set alley stake
200.0	Set stake for lots 7 & 10
250.0	Set alley stake
275.0	Set alley stake
400.0	Set a post for N.E. corner of Block No. 24 Thence across "A" Str. N.E.
470.0	Set a post for N.W. corner of Block No. 23 Continue line, setting alley stakes and block corners at regular distances to
1730.0	Set a post for N.W. cor. of fractl. Block No. 20.
1782.9	intersect the E. bdy. of townsite & set a post for N.E. cor. of fractl. Block No. 20 (From this point I run South 117.9 ft. & set a post for S. corner of fractl. block No. 20. Thence I run N. 26° 42' W. 105.1 ft. to the N.W. corner of Fractl. Block No. 20. Thence N. 63° 18' E. 52.9 ft.) From the N.E. cor. of fractl. Block No. 20 I run North on E. bdy. of townsite
112.0	across 12th str. N.E. and set a post for S.E. cor. of fractl. Block No. 19 Thence I run S. 63° 18' W. on N. side of 12th Str. N.E.
103.45	Set a post for S.W. corner of Block No. 19, continue my line, setting alley stakes and block corners at regular distances to
1363.45	Set a post for S.W. corner of Block No. 16 Thence across "A" Str. N.E.
1433.45	Set a post for S.E. corner of Block No. 15
1558.45	Set alley stake
1583.45	Set alley stake
1633.45	Set a stake for lots 7 & 10
1683.45	Set alley stake



## Townsite of Parker, Arizona.

feet

1708.45 Set alley stake

1833.45 intersect the S.W. corner of Block No. 15 on E. side of California Ave., heretofore established.

## 13th Street N.E.

From the N.W. corner of Block No. 15 on E. side of California Ave., heretofore establ'd. I run

N. 63° 18' E. on S. side of 13th Str. N.E.

125.0 Set alley stake

150.0 Set alley stake

200.0 Set a stake for lots 8 &amp; 9

250.0 Set alley stake

275.0 Set alley stake

400.0 Set a post for N.E. corner of Block No. 15

Thence across "A" Str. N.E.

470.0 Set a post for N.W. cor. of Block No. 16

continue line, setting alley stakes and block corners at regular distances to

1730.0 Set a post for N.W. cor. of fractl. Block No. 19

1880.0 Set alley stake

1900.0 Set alley stake

1985.1 intersect the E. bdy. of townsite 335.5 ft. North of the S.E. corner of fractl. Block No. 19.

Thence I run North across 12th Str. N.E.

112.0 and set a post for the S.E. corner of fractl. Block No. 2

From this cor. I run

S. 63° 18' W. on N. side of 13th Str. N.E.

133.5 Set alley stake

153.5 Set alley stake

303.5 Set post for S.W. corner of fractl. Block No. 2

Townsite of Parker, Arizona.

feet

- Continue line, setting alley stakes and block corners at regular distances, to
- 1563.5 Set a post for S.W. corner of fractl. Block No. 5  
Thence across "A" Str. N.E.
- 1633.5 Set a post for S.E. cor. of fractl. Block No. 6
- 1758.5 Set alley stake
- 1783.5 Set alley stake
- 1833.5 Set a stake for lots 4 & 5
- 1883.5 Set alley stake
- 1908.5 Set alley stake
- 2033.5 The S.W. corner of fractl. Block No. 6 on E. side of California Ave., heretofore establd.

---

Fractl. Block No. 6

From the N.W. cor. I run  
 N. 59° 55' E. on N. bdy. of townsite 400.63 ft. and  
 set a post for N.E. cor. of fractl. block No. 6  
 Thence I run  
 S. 26° 42' E. 165.64 ft. and intersect the S.E. cor.  
 of block.

---

Fractl. Block No. 5.

From the S.W. cor. on N. side of 13th Str. and "A" str.  
 N.E. I run  
 N. 26° 42' W. 169.70 ft. to the intersection with the  
 N. bdy. of townsite & set a post for N.W. cor. of block.  
 Thence I run  
 N. 59° 55' E. on N. bdy. of townsite 320.5 ft. and set  
 a post for N.E. cor.  
 Thence I run

Townsite of Parker, Arizona.

feet

S. 26° 42' E. 188.85 ft. & intersect the S.E. cor. of block No. 5, heretofore established.

---

Fractl. Block No. 4

From the S.W. corner, on N. side of 13th Str. & "B" Str. N.E. I run N. 26° 42' W. 194.65 ft. to intersection with the N. bdy. of townsite & set a post for N.W. corner. Thence I run N. 59° 55' E. on N. bdy. of townsite 320.5 ft. and set a post for N.E. corner. Thence I run S. 26° 42' E. 213.8 ft. and intersect the S.E. cor. of fractl. Block No. 4, heretofore established.

---

fractl. Block No. 3

From the S.W. cor. on N. side of 13th Str. & "C" str. N.E. I run N. 26° 42' W. 219.6 ft. to the intersection with N. bdy. of townsite and set a post for N.W. corner. Thence I run N. 59° 55' E. on N. bdy. of townsite and at 320.5 ft. set a post for N.E. cor. Thence I run S. 26° 42' E. 236.75 ft. and intersect the S.E. corner of fractl. Block No. 3, heretofore established.

---

Fractl. Block No. 2.

From the S.W. cor. on N. side of 13th Str. and "D" str. N.E., I run N. 26° 42' W. 244.5 ft. to the intersection with the N. bdy. of townsite and set a post for N.W. cor.

## Townsite of Parker, Arizona.

feet

Thence I run N.  $59^{\circ} 55'$  E. 320.5 ft. on N. bdy. of townsite and set a post for N.E. corner. Thence I run S.  $26^{\circ} 42'$  E. 230.65 ft. to the intersection with the E. bdy. of townsite 265.65 ft. South of the N.E. corner thereof.

Set a post. Thence I run South 36.7 ft. and intersect the S.E. cor. of fractl. Block No. 2, heretofore established.

---

Fractl. Block No. 1

From the N.E. corner of fractl. Block No. 2, on N. bdy. of townsite I run

N.  $59^{\circ} 55'$  E. along N. bdy. of townsite and across "D" Str. N.E. 100.18 ft. and set a post for N.W. cor. of fractl. Block No. 1.

Thence I run N.  $59^{\circ} 55'$  E. on N. bdy. of townsite

19.75 The N.E. corner of Townsite, heretofore established & described & the N.E. cor. of this fractl. Block.

Thence I run South on E. bdy. of townsite.

44.35 Set a post for S. cor. of fractl. Block No. 1.

Thence I run N.  $26^{\circ} 42'$  W.

38.45 intersect the N.W. corner of fractl. block No. 1.

---

1st Street. S.W.

From the S.E. corner of Block No. 194 on W. side of California Ave., heretofore established I run

S.  $63^{\circ} 18'$  W. on N. side of 1st Str. S.W.

Setting alley stakes and block corners at regular distances to

Townsite of Parker, Arizona.

feet

3360.0 Set post for S.E. cor. of fractl. Block No. 202

3510.0 Set alley stake

3530.0 Set alley stake

3651.8 Set a post for S.W. cor. at intersection with W. bdy. of townsite.

---

Fractl. Block No. 202.

From the S.W. cor. of Block No. 202, I run N. 0° 29' E. 337.3 ft., along W. bdy. of townsite and set a post for N.W. cor.

Thence N. 63° 18' E. 138.1 ft. to the N.E. cor. of Block No. 202, heretofore established

Thence S. 26° 42' E. 300.0 ft. to the S.E. cor.

---

From the N.E. corner of Block No. 212 on W. side of California Ave., heretofore established, I run S. 63° 18' W. on S. side of 1st Str. S.W. setting alley stakes & block corners at regular distances to

3680.0 Set a post for the N.W. cor. of Block No. 204.

---

2nd Street S.W.

From the S.E. corner of Block No. 212 on W. side of California Avenue, heretofore established I run S. 63° 18' W. on N. side of 2nd str. S.W., setting alley stakes and block cors. at regular distances to

3780.0 Set a post for S.E. cor. of fractl. Block No. 203.

3857.2 intersect the W. bdy. of townsite 508.95 ft. N. 0° 29' E. from the S.W. cor. thereof.

Townsite of Parker, Arizona.

feet

Set a post for S.W. cor. of fractl. Block No. 203.  
(Thence I run N. 0° 29' E. 169.0 ft. & set a post for  
N. cor. of fractl. block #203. Thence I run S. 26° 42'  
E. 150.3 ft. to the S.E. corner.)

From the S.W. corner of fractl. Block No. 203 I run  
S. 0° 29' W. 112.ft. along W. bdy. of townsite and  
across 2nd Str. S.W. & set a post for the N.W. corner  
of fractl. Block No. 232. Thence I run  
N. 63° 18' E. on S. side of 2nd str. S.W.

128.5 Set a post for N.E. corner of fractl. Block No. 232,  
continue line, setting alley stakes & block corners at  
regular distances to

3908.5 intersect the N.E. corner of Block No. 223 on W. side  
of California Ave., heretofore established.

---

3rd Street S.W.

From the S.E. corner of Block No. 223 on W. side of  
California Ave., heretofore described, I run  
S. 63° 18' W. on N. side of 3rd Str. S.W.

Setting alæy Stakes and block corners at regular  
distances to

3780.0 Set a post for S.W. cor. of fractl. Block No. 232.

3930.0 Set alley stake

3950.0 Set alley stake

4062.6 intersect the W. bdy. of townsite 59.65 ft. N. 0° 29'  
E. of the S.W. cor. thereof. Set a post for S.W. cor. of  
fractl. Block No. 232.

(Thence I run N. 0° 29' E. 337.3 ft. along W. bdy. of town-  
site & intersect the N.W. cor. of fractl. Block No. 232)

From the S.W. cor. of Townsite I run

S. 89° 28' E. on S. bdy. of townsite & at

## Townsite of Parker, Arizona.

feet

102.6 Set a post for W. cor. of fractl. Block No. 233.  
Thence I run N.  $63^{\circ} 18'$  E. on S. side of 3rd Str. S.W.

218.6 Set a post for the N. cor. of fractl. Block No. 233,  
continue line, setting alley stakes and block corners at  
regular distances to

3998.6 intersect the N.E. corner of Block No. 242 on W. side  
of California Avenue, heretofore established.

## 4th Street S.W.

From the S.E. corner of Block No. 242 on W. side of  
California Ave., heretofore established, I run  
S.  $63^{\circ} 18'$  W. on N. side of 4th Str. S.W. setting alley  
stakes and block corners at regular distances to

3360.0 Set a post for S.E. cor. of fractl. Block No. 234.

3415.8 intersect the S. bdy. of townsite & set a post  
Thence I run on S. bdy. of townsite N.  $89^{\circ} 28'$  W. and at

296.9 Set a post for S.W. cor. of fractl. Block No. 234, from  
which the N.W. cor. of block heretofore established,  
bears N.  $26^{\circ} 42'$  W. 164.0 ft., continue my line across  
"I" Str. S.W. and at

408.9 Set a post for E. cor. of fractl. block No. 233, from  
which the N. cor. of block, heretofore established, bears  
N.  $26^{\circ} 42'$  W. 112.5 ft., continue my line & at

654.8 intersect the W. cor. of fractl. Block No. 233. here-  
tofore established, and at

757.4 intersect the S.W. cor. of the Townsite.

Thence I return to the corner set on S. bdy. of Townsite  
55.8 ft. S.  $63^{\circ} 18'$  W. from the S.E. cor. of fractl. Block  
No. 234 and run S.  $89^{\circ} 28'$  E. on S. bdy. of Townsite &  
across 4th Str. S.W.

218.5 Set a post for the W. cor. of fract. block No. 258.  
Thence I run N.  $63^{\circ} 18'$  E. on S. side of 4th Str. S.W.

111.5 Set alley stake

## Townsite of Parker, Arizona.

feet

- From the N.E. corner of Block No. 271 on W. side of California Ave. heretofore established, I run S.  $63^{\circ} 18'$  W. on S. side of 6th Str. S.W. setting alley stakes & block corners at regular distances to
- 1580.0 Set a post for N.W. corner of fractl. Block No. 274.  
Thence I run  
S.  $26^{\circ} 42'$  E.
- 44.8 intersect the S. bdy. of Townsite & set a post for S.W. cor. of fractl. Block No. 274  
Thence I run  
S.  $89^{\circ} 28'$  E. on S. bdy. of townsite
- 359.9 Set a post for S.E. corner of Block No. 274  
(The N.E. cor. of Block bears N  $26^{\circ} 42'$  W. 209.5 ft.)  
Thence continue line with new measurement & across "C" Str. S.W.
- 112.0 Set a post for S.W. corner of Block No. 273 261.0 ft.  
S.  $26^{\circ} 42'$  E. from the N.W. cor. thereof.  
Thence continue line with new measurement.
- 85.3 Set a post for cor. on S. bdy. of Block No. 273.  
Thence I run N.  $63^{\circ} 18'$  E. on N. side of  
7th Street S.W.
- 74.2 Set alley stake
- 94.2 Set alley stake
- 244.2 Set a post for S.E. corner of Block No. 273  
Continue line, setting alley stakes and block corners at regular distances to
- 1084.2 intersect the S.E. corner of Block No. 271 on W. side of California Avenue, heretofore established.  
Thence from the N.E. corner of Block No. 277 on W. side of California Ave., I run S.  $63^{\circ} 18'$  W. on S. side of 7th Str. S.W.



## Townsite of Parker, Arizona.

feet	
150.0	Set alley stake
170.0	Set alley stake.
320.0	Set a post for the N.W. corner of Block No. 277 Thence across "A" Str. S.W.
420.0	Set a post for the N.E. corner of frac. Block No. 276.
570.0	Set alley stake
590.0	Set alley stake
740.0	Set a post for the N.W. corner of fractl. Block No. 276. Thence across "B" Str. S.W.
840.0	Set a post for the N. cor. of fractl. Block No. 275
889.9	intersect the S. bdy. of townsite & set a post for W. cor. of fractl. Block No. 275 Thence I run S. 89° 28' E. on S. bdy. of townsite & at
56.2	Set a post for E. cor. of fractl. Block No. 275. (The N. cor. of block bears N. 26° 42' W. 25.7 ft.) Thence I run across "B" Str. S.W.
112.0	And set a post for S.W. cor. of fractl. Block No. 276. (The N.W. cor. of block bears N. 26° 42' W. 77.2 ft.) Thence continue line with new measurement.
359.9	Set a post for S.E. cor. of fractl. Block No. 276. (The N.E. cor. of Block bears N. 26° 42' W. 241.8 ft.) Thence I run across "A" Str. S.W.
112.0	Set a post for S.W. cor. of Block No. 277. (The N.W. cor. of Block bears N. 26° 42' W. 293.3 ft.) Thence continue my line with new measurement.
14.6	Set a post on S. bdy. of Block No. 277 at intersection with S. bdy. of townsite. Thence I run N. 63° 18' E. on N. side of  <u>8th Street S.W.</u>
137.0	Set alley stake
157.0	Set alley stake
307.0	intersect the S.E. corner of Block No. 277. on W. side of

## Townsite of Parker, Arizona.

feet

California Ave., heretofore established.

---

Fractl. Block No. 280

From the N. corner of fractl. Block on W. side of California Ave., heretofore established, I run

S.  $63^{\circ} 18'$  W. on S. side of 8th Str. S.W.

112.7 intersect the S. bdy. of townsite &amp; set a post for the

W. cor. of fractl. block, thence I run

S.  $89^{\circ} 28'$  E. on S. bdy. of townsite

126.8 intersect post for E. cor. of fractl. block No. 280, on

W. side of California Ave. heretofore established at

58.0 ft. S.  $26^{\circ} 42'$  E. from the N. corner.

---

Fractl. Block No. 243

From the S.W. corner of Tract "B" Railroad Reserve, heretofore described, I run

N.  $63^{\circ} 18'$  E. along S. bdy. of R.R. Reserve.

125.0 Set alley stake

150.0 intersect R.R. Right of Way &amp; set post thence I run

S.  $26^{\circ} 42'$  E. along W. bdy. of R.R. Right of Way.

105.8 Set a post on R. of W.

Thence I run S.  $63^{\circ} 18'$  W. on N. side of 4th Str. S.E.

25.0 Set alley stake

150.0 The S.W. corner of fractl. Block No. 243 on E. side of California Ave., heretofore established.

---

Fractl. Block No. 250.

From the N.W. cor. of fractl. Block No. 250 on E. side of California Ave., heretofore established, I run

Townsite of Parker, Arizona.

feet

N. 63° 18' E. along S. side of 4th Str. S.E.

125.0 Set alley stake

150.0 intersect W. bdy. of R.R. Right of Way and

Set a post for N.E. cor. of fractl. Block

Thence along R. of Way. S. 26° 42' E.

300.0 Set a post for S.E. cor. of fractl. Block.

Thence I run S. 63° 18' W. on N. side of 5th Str. S.E.

25.0 Set alley stake.

150.00 intersect the S.W. cor. of fractl. Block on E. side of

California Ave., heretofore establ.

Fractl. Block No. 265.

From the N.W. cor. of fractl. Block on E. side of

California Ave., heretofore established, I run

N. 63° 18' E. on S. side of 5th Str. S.E.

125.0 Set alley stake

150.0 Set a post for N.E. cor. of fractl. Block at intersection

with R.R. Right of Way.

Thence I run S. 26° 42' E. along R. of Way.

300.0 Set a post for S.E. cor. of fractl. Block

Thence I run S. 63° 18' W. on N. side of 6th Str. S.E.

25.0 Set alley stake

150.0 intersect the S.W. cor. of fractl. Block on E. side of

California Ave., heretofore establ.

Fractl. Block No. 270.

From the N.W. cor. of fractl. Block on E. side of Cal-

ifornia Ave., heretofore establ.

I run N. 63° 18' E., on S. side of 6th Str. S.E.

Townsite of Parker, Arizona.

feet

125.0 Set alley stake

150.0 Set a post for N.E. cor. of fractl. Block at intersection with R.R. Right of Way.

Thence I run S. 26° 42' E. along R. of Way.

300.0 Set a post for S.E. cor. of fractl. Block

Thence I run

S. 63° 18' W. on N. side of 7th Str. S.E.

25.0 Set alley stake

150.0 intersect the S.W. cor. of fractl. Block on E. side of California Ave., heretofore established.

---

Fractl. Block No. 278.

From the N.W. cor. of fractl. Block on E. side of California Ave., heretofore established I run N. 63° 18' E. on S. side of 7th Str. S.E.

125.0 Set alley stake

150.0 intersect the W. bdy. of R.R. Right of Way & set a post for N.E. corner of fractl. Block.

Thence I run S. 26° 42' E. along Right of Way

300.0 Set a post for S.E. cor. of fractl. Block.

Thence I run S. 63° 18' W. on N. side of 8th Str. S.E.

25.0 Set alley stake

150.0 intersect the S.W. corner of fractl. Block on E. side of California Ave., heretofore established.

---

Fractl. Block No. 279.

From the N.W. cor. of fractl. Block, on E. side of California Ave., heretofore established I run N. 63° 18' E. on S. side of 8th Str. S.E.

## Townsite of Parker, Arizona.

feet	
125.0	Set alley stake
150.0	intersect the W. bdy. of R.R. Right of Way and set a post for N.E. corner of fractl. Block Thence I run S. 26° 42' E. along Right of Way.
192.7	intersect the South boundary of the townsite of Parker & set a post for the S.E. corner of fractl. Block Thence I run N. 89° 28' W. along S. bdy. of townsite.
28.0	Set alley stake
168.6	intersect the S.W. corner of fractl. Block on E. side of California Ave., heretofore established.
<hr/> <p>1st Street S.E.</p>	
	From the N.W. corner of fractl. Block No. 192, on S. side of Arizona Ave. and set at intersection of the N. bdy. of fractl. Block with the E. bdy. of Tract "A" Railroad Reserve, I run S. 26° 42' E., along R.R. Reserve
300.0	Set a post for S.W. cor. of fractl. Block No. 192. Thence I run N. 63° 18' E. on N. side of 1st Str. S.E.
20.0	Set alley stake
170.0	Set a post for S.E. cor. of fractl. Block No. 192. Thence across "B" Str. S.E.
270.0	Set a post for S.W. cor. of Block No. 191. Continue line, setting alley stakes and block corners at regular distances to
1530.0	Set a post for S.W. corner of fractl. Block No. 188.
1541.7	intersect the E. bdy. of Townsite & set a post for S.E. cor. of fractl. Block No. 188. (The $\frac{1}{4}$ cor. betw <sup>sec</sup> s. 32 and 33 T. 3 N. R. 1 E., heretofore established and described, bears North 293.2 ft.)

## Township of Parker, Arizona.

feet	
	Thence I run South on E. bdy. of Township
248.9	Set a post at intersection of E. bdy. of Fractl. Block #217 with E. bdy. of Township.
	Thence I run N. 26° 42' W. on W. side of "E" Str. S.E.
122.0	Set a post for N.E. cor. of fractl. Block No. 217
	Thence I run S. 63° 18' W. on S. side of 1st Str. S.E., setting alley stakes and block corners at regular distances to
1260.0	Set a post for N.E. cor. of fractl. Block No. 214.
1410.0	Set alley stake
1430.0	Set a post for N.W. cor. of fractl. Block No. 214, at intersection with E. bdy. of Tract "A" Railroad Reserve.
	Thence along R.R. Reserve S. 26° 42' E.
300.0	Set a post for S.W. cor. of fractl. Block No. 214. Thence I run N. 63° 18' E. on N. side of
	2nd Street S.E.
20.0	Set alley stake
170.0	Set a post for S.E. cor. of fractl. Block No. 214.
	Thence continue line, setting alley stakes and block corners at regular distances to
1110.0	Set a post for S.W. cor. of fractl. Block No. 217
1260.0	Set alley stake
1280.0	Set alley stake
1341.5	intersect E. bdy. of Township at 198.2 ft. south of the post heretofore set at intersection of E. bdy. of fractl. Block No. 217 with E. bdy. of the Township, set a post for S.E. cor. of fractl. Block No. 217. Thence I run South across 2nd str. S.E. and along E. bdy. of Township.
112.0	Set a post for N.E. cor. of fractl. Block No. 218.
	Thence I run
	S. 63° 18' W. on S. side of 2nd Str. S.E.

Townsite of Parker, Arizona.

feet	
180.3	Set a post for N.W. Cor. of fractl. Block No. 218. Continue line, setting alley stakes and block corners at regular distances to
1120.3	Set a post for N.E. cor. of fractl. Block No. 221.
1270.3	Set alley stake
1290.3	intersect the E. bdy. of Tract "A" Railroad Reserve & set a post for N.W. corner of fractl. Block No. 221 Thence I run along R.R. Reserve S. 26° 42' E.
300.0	Set a post for S.W. cor. of fractl. Block No. 221. Thence I run N. 63° 18' E. on N. side of  3rd Street S.E.
20.0	Set alley stake
170.0	Set a post for S.E. cor. of frac. Block No. 221 Continue line, setting alley stakes and block corners at regular distances to
1010.0	Set a post for S.W. cor. of fractl. Block No. 218.
1039.4	intersect the E. bdy. of Townsite 336.1 ft. S. of the N.E. cor. of fractl. Block No. 218. Set a post for S.E. cor. of fractl. Block No. 218. Thence I run South on E. bdy. of Townsite, across "D" Str. S.E.
288.6	Set a post at intersection of E. bdy. of fractl. Block No. 246 with E. bdy. of Townsite. Thence I run N. 26° 42' W. on W. side of "D" Str. S.E.
158.1	Set a post for N.E. cor. of fractl. Block No. 246. Thence I run S. 63° 18' W. on S. side of 3rd Str. S.E. setting alley Stakes and block corners at regular distances to
840.0	Set a post for N.E. cor. of fractl. Block No. 244.
990.0	Set alley stake.
1010.0	intersect E. bdy. of Tract "A" Railroad Reserve & set a post for N.W. cor. of fractl. Block No. 244.

## Townsite of Parker, Arizona.

feet

- Thence I run S.  $26^{\circ} 42'$  E. along E. bdy. of R.R. Reserve
- 300.0 Set a post for S.W. cor. of fractl. Block No. 244.
- Thence I run N.  $63^{\circ} 18'$  E. on N. side of
- 4th Street S.E.
- 20.0 Set alley stake
- 170.0 Set a post for S.E. corner of fractl. block No. 244,  
continue line, setting alley stakes and block corners  
at regular distances to
- 690.0 Set a post for S.W. cor. of fractl. Block No. 246.
- 840.0 Set alley stake
- 860.0 Set alley stake
- 938.5 intersect the E. bdy. of Townsite 159.0 ft. South of the  
post set at intersection of E. bdy. of fractl. Block No. 246  
with E. bdy. of Townsite, set a post for S.E. Cor. of fractl.  
Block No. 246.
- Thence I run South, across 4th Str. S.E. and along E.  
bdy. of townsite.
- 112.0 Set a post for N.E. cor. of fractl. Block No. 247
- Thence I run S.  $63^{\circ} 18'$  W. on S. side of 4th Str. S.E.
- 198.1 Set a post for N.W. cor. of fractl. Block No. 247.
- Thence across "C" Str. S.E.
- 298.1 Set a post for N.E. cor. of Block No. 248
- 448.1 Set alley stake
- 468.1 set alley stake
- 618.1 Set a post for the N.W. cor. of Block No. 248.
- Thence across "B" Str. S.E.
- 718.1 Set a post for N.E. cor. of fractl. Block No. 249.
- 868.1 Set alley stake.
- 888.1 intersect the E. bdy. of Tract "A"  
Railroad Reserve & set a post for N.W. corner of fractl.  
Block No. 249.
- Thence I run S.  $26^{\circ} 42'$  E. along R.R. Reserve



## Townsite of Parker, Arizona.

feet	
300.0	Set a post for S.W. corner of fractl. Block No. 249. Thence I run N. 63° 18' E. on N. side of  5th Street S.E.
20.0	Set alley stake
170.0	Set a post for S.E. cor. of fractl. Block No. 249, thence across "B" Str. S.E.
270.0	Set a post for S.W. cor. of Block No. 248.
420.0	Set alley stake
440.0	Set alley stake
590.0	Set a post for S.E. cor. of Block No. 248. Thence across "C" Str. S.E.
690.0	Set a post for S.W. cor. of fractl. Block 247/
737.0	intersect the E. bdy. of Townsite at 336.1 ft. South of the N.E. corner of fractl. Block No. 247. Set a post for S.E. cor. of fractl. Block No. 247 Thence I run South on E. bdy. of Townsite and across 5th & C. Strs. S.E.
326.75	Set a post at intersection of E. bdy. of fractl. Block No. 267 with E. bdy. of Townsite. Thence I run N. 26° 42' W. on W. side of "C" Str. S.E.
192.1	Set a post for N.E. corner of fractl. Block No. 267. Thence I run S. 63° 18' W. on S. side of 5th Str. S.E.
150.0	Set alley stake
170.0	Set alley stake
320.0	Set a post for N.W. corner of Block No. 267. Thence across "B" Str. S.E.
420.0	Set a post for N.E. corner of fractl. Block No. 266.
570.0	Set alley stake
590.0	intersect the E. bdy. of Tract "A" Railroad Reserve & set a post for N.W. corner of fractl. Block No. 266.

118

Townsite of Parker, Arizona.

feet	
	Thence I run S. 26° 42' E. along R.R. Reserve
300.0	Set a post for S.W. cor. of fractl. Block No. 266
	Thence I run N. 63° 18' E. on N. side of
	6th Street S.E.
20.0	Set alley stake
170.0	Set a post for S.E. cor. of fractl. Block No. 266, Thence across "B" Str. S.E.
270.0	Set a post for S.W. cor. of fractl. Block No. 267.
420.0	Set alley stake
440.0	Set alley stake
535.75	intersect the E. bdy. of Townsite, 120.7 ft. south of the post, heretofore established on E. bdy. of fractl. Block NO. 267 with intersection of E. bdy. of Townsite. Thence I run South on E. bdy. of Townsite and across 6th Str. S.E.
108.2	intersect the N.E. corner of sec. 5, T. 2 N. R. 1 E., heretofore reestablished and described.
112.0	Set a post for N.E. corner of fractl. Block No. 268.
462.6	intersect the R.R. Right of Way on spur (Wge) & set a post for S.E. corner of fractl. Block No. 268. Thence I return to the N.E. cor. of fractl. Block No. 268 and run thence S. 63° 18' W. on S. side of 6th Str. S.E.
45.45	Set alley stake
65.45	Set alley stake
215.45	Set a post for the N.W. cor. of fractl. Block No. 268. Thence across "B" str. S.E.
315.45	Set a post for N.E. cor. of fractl. Block No. 269.
455.45	Set alley stake
485.45	intersect the E. bdy. of of Tract "A" Railroad Reserve and set a post for N.W. corner of fractl. Block No. 269.

## Townsite of Parker, Arizona.

feet

Thence I run S. 26° 42' E. along Railroad Reserve and  
at  
313.3 intersect the S.E. corner of Tract "A" Railroad Reserve,  
identical with the S.W. cor. of fractl. Block No. 269.  
Thence I run  
N. 63° 18' E. along Right of Way of R.R. Spur.  
20.0 Set alley stake  
170.0 Set post for S.E. cor. of fractl. Block No. 269 313.3  
ft. S. 26° 42' E. from the N.E. cor. thereof.  
Thence across "B" Str. S.E.  
270.0 Set post for S.W. cor. of fractl. Block NO. 268, 313.3  
ft. S. 26° 42' E. from the N.W. corner thereof  
328.0 intersect the S.E. cor. of fractl. Block No. 268 at  
intersection of E. bdy. of Townsite with the Railroad Right  
of Way on Spur.

March 31, 1909.

Note: All Block corners are pine post 4x4x30 ins. set 18 ins.  
in the ground and stencilled with the number of the Block  
on top. The lot stakes are 1x18 ins. driven 12 ins. in  
the ground.

William Stover.  
Examiner of Surveys.  
G.L.O.

FINAL OATHS OF DEPUTY SURVEYOR AND HIS ASSISTANTS.

LIST OF NAMES.

A list of the names of the individuals employed by William Strover

U.S. Examiner of Surveys ~~United States Deputy Surveyor~~, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of

The Townsite of Parker, Yuma County, Arizona,

showing the respective capacities in which they acted:

Jesse B. Wright (resigned Feb. 4, 1909), *Chairman.*

Chas. F. Strover, *Chairman.*

Richard P. Gilliland *Chainman &*, *Moundman.*

Daniel Croakley, *Moundman.*

C.E. Platt *Flagman &*, *Arman.*

Robert E. Erwin (resigned Feb. 28, 1909), *Arman.*

*Flagman.*

FINAL OATH OF ASSISTANTS.

We hereby certify that we assisted William Strover.

U.S. Examiner of Surveys G.L.O., ~~United States Deputy Surveyor~~, in surveying all those parts or portions of the

Townsite of Parker, Yuma County in Townships 2 & 3 N.,

R. 1 E. of the

of the Colorado

River meridian, Territory of Arizona, which are represented

in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the ~~United States Surveyor~~

General for Hon. Commissioner, G.L.O.

Chas. F. Strover, *Chairman.*

R. Gilliland, *Chairman.*

*Moundman.*

*Moundman.*

Robert E. Erwin (resigned Feb. 28, 09 and sworn on that *Arman.*

G. B. Thompson (resigned Feb. 27, 09. *Moundman &*, *Arman.*

Chas. E. Platt, *Flagman.*

Subscribed and sworn to before me this 31st day of March, 1909

William Strover



Examiner of Surveys, G.L.O.

121  
BOOK 2102  
91

FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.

I, William Strover, Examiner of Surveys, United States Deputy Surveyor, do, solemnly swear that, in pursuance of a ~~contract~~ instructions received from the Hon. Commissioner United States Surveyor General for General Land Office, bearing date of the 12th day of December, 1908, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor General for Hon. Commissioner, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

Townsite of Parker, Yuma County, Arizona in Ts. 2 & 3 N.,  
R. 1 E.

of the Colorado River meridian, in the territory of Arizona, which are represented in the foregoing field notes as having been surveyed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the United States Surveyor General for Hon. Comm. G.L.O. and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

William Strover

United States Deputy Surveyor.  
Examiner of surveys  
H.L.O.

No officer with seal available to administer oath.  
Subscribed by said \_\_\_\_\_, and sworn to before me

this \_\_\_\_\_ day of \_\_\_\_\_, 190



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL  
Department of the Interior, General Land Office.

Washington, D.C. June 14, 1909

The foregoing field notes of the survey of the Townsite of Parker, situated in the N $\frac{1}{2}$  of the N $\frac{1}{2}$  of Sec. 5 T. 2 N., R. 1 E., all of Sec. 32, the SW $\frac{1}{4}$  of the SW $\frac{1}{4}$  of Sec. 29 (frac'1), the E $\frac{1}{2}$  of the NE $\frac{1}{4}$  of sec. 31 (frac'1), and the frac'1 S.E. $\frac{1}{4}$  of sec. 30, T. 3 N., R. 1 E., Colorado River Meridian, Arizona, under the provisions of the Act of April 30, 1908 (35 Stat. 77), executed by Wm. Strover, Examiner of Surveys, under his special instructions dated Dec. 12, 1908, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Fred Dennett

United States Surveyor General.  
Commissioner.

I certify that the foregoing transcript of the field notes of the above-described surveys in Arizona, has been correctly copied from the original notes on file in this office.

Fred Dennett

United States Surveyor General.  
Commissioner.