

2287

Book No.

1011

BOOK 2287

2287

FIELD NOTES

OF THE SURVEY OF THE

*Fragmentary Sub. division of T 9 R 10 E
and
Resurvey of one mile of East Bdy*

2287

2287

Of the *T 9 R 10 E* Base Meridian,
Arizona

AS SURVEYED BY

Hugh J. Sullat, United States Deputy Surveyor,
Under his Contract No. *163*, dated *May 16-1910*, 19
Survey commenced *February 10*, 19*11*
Survey completed *11*, 19*11*

2287

2287

For

NAMES AND DUTIES OF ASSISTANTS.

See Book B

Handwriting practice lines consisting of 15 horizontal dashed lines.

102
1A

BOOK 2287

INDEX DIAGRAM.

Township 72, Range 10 E.

| | | | | | |
|----|------|------|------|------|------|
| 6 | 5 | 4 | 3 | 2 | 1 |
| 7 | 8 | 9 | 10 | 11 | 12 |
| 18 | 17 | 16 | 15 | 14 | 13 |
| 19 | 20 | 21 | 22 | 23 | 24 |
| | 5 | 4 | | | |
| 30 | 5 29 | 4 28 | 3 27 | 26 | 25 |
| 5 | x | 3 | 2 | 2 | 1 |
| 31 | x 32 | 3 33 | 2 34 | 1 35 | 1 36 |

Meanders Page

PRELIMINARY OATHS OF ASSISTANTS.

See Book B

WE, _____ and _____

do solemnly swear that we will well and faithfully execute the duties of chainmen; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distances to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of _____

_____, *Chainman.*

_____, *Chainman.*

Subscribed and sworn to before me this _____ }
day of _____, 19 _____ }



WE, _____ and _____

do solemnly swear that we will well and truly perform the duties of moundmen in the establishment of corners, according to the instructions given us, to the best of our skill and ability, in the survey of _____

_____, *Moundman.*

_____, *Moundman.*

Subscribed and sworn to before me this _____ }
day of _____, 19 _____ }



WE, _____ and _____

do solemnly swear that we will well and truly perform the duties of axmen in the establishment of corners and other duties, according to instructions given us, to the best of our skill and ability, in the survey of _____

_____, *Axman.*

_____, *Axman.*

Subscribed and sworn to before me this _____ }
day of _____, 19 _____ }



I, _____, do solemnly swear that I will well and truly perform the duties of flagman according to instructions given me, to the best of my skill and ability, in the survey of _____

_____, *Flagman.*

Subscribed and sworn to before me this _____ }
day of _____, 19 _____ }



Subdivisional Lines of T. 7 S., R. 10 E.

Feb'y, 10th 1911

Resurvey of East Boundary.

Preparatory to subdividing this township I run North bet. secs. 31 and 36. At 40.00 chs. found no trace of the $\frac{1}{4}$ sec. cor., and at 80.00 chs. I found indistinct traces of old pits, and traces of old stake,

I therefore re-establish these two corners as follows:-
Set a granite stone, 14x7x7 ins., 10 ins. in the ground for the cor. of secs. 25, 30, 31 and 36, mkd. with 1 notch on the S. and 5 notches on the N. edges and dig pits, 18x18x12 ins., in each section, 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Thence I run South on a true line bet. secs. 31 and 36.

40.00 Set a mesquite post, 3 ft. long, 4 ins. sq., with mkd. stone, 2 4. ins. in the ground for the $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ S36 on W. and 31 on E. face, and dig pits, 18x18x12 ins., N. and S. of cor., 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

30.00 The cor. of Tps. 7 and 8 S., Rs. 10 and 11 E., marked and witnessed as described by the Surveyor General.

Having tested my instrument Feb'y. 8, at the SE. cor. of the Tp.,

From the cor. of secs. 1, 2, 35 and 36, previously described, I run N.0°01'W. bet. secs. 35 and 36.

40.00 Set a mesquite post, 3 ft. long, 4 ins. sq., with mkd. stone, 24 ins. in the ground, for the $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ S35 on W. and 36 on E. face, and dig pits, 18x18x12 ins., N. and S. of cor., 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

80.00 Set a granite stone, 14x7x7 ins., 10 ins. in the ground, for the cor. of secs. 25, 26, 35 and 36, mkd. with 1 notch on the S. and E. edge, and dig pits, 18x18x12 ins., in each section, 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land rolling. Soil 3rd rate. Mesquite and earth.

S.89°46'E. on a random line bet. secs. 25 and 36

40.00 Set a temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect the E. bdy. of the township at a point 5 lks. N. of the cor. of secs. 25, 30, 31 and 36, previously described.

Thence I run, N.89°44'W. on a true line bet. secs. 25 and 36.

40.00 Set a mesquite post, 36 ins. long, 4 ins. sq., with mkd. stone, 24 ins. in the ground, for the $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ S25 on N. and 36 on S. face, and dig pits, 18x18x12 ins., E. and W. of cor., 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

80.00 The cor. of secs. 25, 26, 35 and 36.
Land rolling. Soil 3rd rate. Mesquite brush.

From the cor. of secs. 2, 3, 34 and 35, previously described, I run N.0°1'W. bet. secs. 34 and 35.

40.00 Set a mesquite post, 3 ft. long, 4 ins. sq., with mkd. stone, 24 ins. in the ground for the $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ S34 on W. and 35 on E. face, dig pits, 18x18x12 ins.

Subdivisional Lines of T. 7 S., R. 10 E.

Chains.

N. and S. of cor., 3 ft. dist. and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

80.00 Set a mesquite post, 3 ft. long, 4 ins. sq., with mkd. stone, 24 ins. in the ground for the cor. of secs. 28, 29, 34 and 35, mkd. T7SS26 on NE., R1OES35 on SE., S34 on SW., S27 on NW. face, with 1 notch on the S. and 2 notches, on the E. edges, and dig pits, 18x18x12 ins., in each section, 5 1/2 ft. dist. and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land rolling. Soil 2nd rate. Mesquite and palo verde underbrush.

40.00 S. 89°46'E. on a random line bet. secs. 26 and 35, Set a temp. 1/4 sec. cor.
99.94 Intersect the N. and S. line at a point 9 lks. N. of the cor. of secs. 25, 26, 35 and 36. Thence I run, N. 89°42'W. on a true line bet. secs. 26 and 35.

39.97 Set a mesquite post, 4 ins. sq., 3 ft. long, 24 ins. in the ground, with a marked stone, for the section cor., mkd. 1/2 S26 on N. and 35 on S. face, and dig pits, 18x18x12 ins., E. and W. of cor., 3 ft. dist. and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

79.94 The cor. of secs. 26, 27, 34 and 35. Land rolling. Soil 3rd rate. Mesquite underbrush.

Feb. 10th:- At this cor., I set off 14°30'S. on the decl. arc, and at 12h14m, p. m., l. n. t., I obs. the sun on the mer., the resulting lat. is 32°47'N.

N. 0°2'W. bet. secs. 33 and 34 from the cor. of secs. 3, 4, 33 and 34, previously described.

40.00 Set a mesquite post, 3 ft. long, 4 ins., sq., with mkd. stone, 24. ins. in the ground for the 1/4 sec. cor., mkd. 1/2 S33 on W. and 34 on E. face, and dig pits, 18x18x12 ins., N. and S. of cor., 3 ft. dist. and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

80.00 Set a mesquite post, 3 ft. long, 4 ins. sq., with broken glass, 24 ins. in the ground, for the cor. of secs. 27, 28, 33 and 34, mkd. T7SS27 on NE., R1OES34 on SE., S33 on SW. and S28 on NW. face, with 1 notch on the S. and 3 notches on the E. edge, and dig pits, 18x18x12 ins., in each section, 5 1/2 ft. dist. and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land rolling. Soil 2nd rate. Mesquite brush.

40.00 S. 89°46'E. on a random line bet. secs. 27 and 34. Set a temp. 1/4 sec. cor.
80.12 Intersect the N. and S. line at a point 10 lks. N. of the cor. of secs. 26, 27, 34 and 35.

Thence I run, N. 89°42'W. on a true line bet. secs. 27 and 34.

40.06 Set a mesquite post, 3 ft. long, 4 ins. sq., with mkd. stone, 24 ins. in the ground for the 1/4 sec. cor., mkd. 1/2 S27 on N. and 34 on S. face, and dig pits, 18x18x12 ins., E. and W. of cor., 3 ft. dist. and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

Subdivisional Lines of T. 7 S., R. 10 E.

Chains.

80.12 The cor. of secs. 27, 28, 33 and 34.

Land rolling. Soil 2nd rate. Mesquite brush.

N.0°2'W. bet. secs. 27 and 28.

40.00 Set a mesquite post, 3 ft. long, 4 ins. sq., with mkd. stone, 24 ins. in the ground, for the $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ S28 on W. and 27 on E. face, and dig pits, 18x18x12 ins., N. and S. of cor., 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

80.00 Set a granite stone, 15x7x7 ins., 10 ins. in the ground for the cor. of secs. 21, 22, 27 and 28, mkd. with 2 notches on the S. and 3 notches on the E. edge, and dig pits, 18x18x12 ins., in each section, 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land rolling. Soil 2nd rate. Mesquite underbrush.

Feb. 10ths- At this cor. 3h. p. m., 1. m. t. I set off 14°27'S. on the decl. arc, 57°12' on the co-lat. arc, and determine a mer with the solar.

From cor. of secs. 4, 5, 32 and 33, previously described, I run, N.0°2'W. bet. secs. 32 and 33.

.17 Fence bears E. and W. Enter cultivation, bears E. and W.

40.00 Set a mesquite post, 3 ft. long, 4 ins. sq., with mkd. stone, 24 ins. in the ground, for the $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ S32 on W. and 33 on E. face, and dig pits, 18x18x12 ins., N. and S. of cor., 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

40.32 Fence bears E. and W. Leave cultivation, bears E. and W.

80.00 Set a granite stone, 15x7x6 ins., 10 ins. in the ground for the cor. of secs. 28, 29, 32 and 33, mkd. with 1 notch on the S. and 4 notches on the E. edge, and dig pits, 18x18x12 ins., in each section, 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land rolling. Soil 2nd rate. Mesquite brush.

S.89°46'E. on a random line bet. secs. 28 and 33.

40.00 Set a temp. $\frac{1}{4}$ sec. cor.

79.92 Intersect the N. and S. line at a point 8 lks. N. of the cor. of secs. 27, 28, 33 and 34.

Thence I run, N.89°43'W. on a true line bet. secs. 28 and 33.

39.96 Set a mesquite post, 3 ft. long, 4 ins. sq., with mkd. stone, 24 ins. in the ground, for the $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ S28 on N. and 33 on S. face, and dig pits, 18x18x12 ins., E. and W. of cor., 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

61.68 Road bears N. and S.

61.86 Fence bears N. and S.

67.92 Irrigation ditch, 8 lks. wide, , 2 ft. deep, course S.

Subdivisional Lines of T. 7 S., R. 10 E.

Chains.

79.92 The cor. of secs. 28, 29, 32 and 33.

Land rolling. Soil 2nd rate. Mesquite brush.
Feb. 10th, 1911.

N.0 2'W. bet. secs. 28 and 29.

0.15 Fence bears E. and W.

40.00 Set a granite stone, 14x7x6 ins., 10 ins. in the ground for the $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on W. face, and dig pits, 18x18x12 ins. N. and S. of cor., 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

80.00 Set a granite stone, 16x8x7 ins., 10 ins. in the ground, for the cor. of secs. 20, 21, 28 and 29, mkd. with 2 notches on the S. and 4 notches on the E. edge, and dig pits, 18x18x12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land rolling. Soil 2nd rate. Mesquite brush.

S.89°43'E. on a random line bet. secs. 21 and 28.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.06 Intersect the T. and S. line at a point 4 lks. N. of the cor. of secs. 21, 22, 27 and 28.

Thence I run N.89°41'W. on a true line bet. secs. 21 and 28.

40.03 Set a granite stone 14x7x7 ins., 10 ins. in the ground for the $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on N. face, and dig pits, 18x18x12 ins., E. and W. of cor., 3 ft. dist. and raise a mound of earth; 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

59.34 Road bears N. and S.

62.94 Ditch 15 lks. wide, course S.

80.06 The cor. of secs. 21, 20, 28 and 29.

Land rolling. Soil 2nd rate. Mesquite brush.

From the cor. of secs. 5, 6, 31 and 32, ^{on} S. bdy. of Tp. previously described.

N.0°3'W. bet. secs. 31 and 32.

40.00 Set a mesquite post, 36 ins. long, 4 ins. sq., with mkd. stone, 24 ins. in the ground, for the $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ S31 on W. and 32 on E. face, and dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

80.00 Set a mesquite post, 36 ins., long, with mkd. stone, 24 ins. in the ground for the cor. of secs. 29, 30, 31 and 32, mkd. T7SS29 on NE., R10ES32 on SE., S31 on SW and S30 on NW. face, with 1 notch on the S. and 5 notches on the E. edge, and dig pits, 18x18x12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land rolling. Soil 2nd rate. Mesquite brush.

S.89°46'E. on a random line bet. secs. 29 and 32.

40.00 Set a temp. $\frac{1}{4}$ sec. cor.

Subdivisional Lines of T. 7 S., R. 10 E.

Chains.

80.27 Intersect the N. and S. line, 9 lks. N. of the cor. of secs. 28, 29, 32 and 33.
 Thence I run, N.89°42'W. on a true line bet. secs. 29 and 32.

10.27 Arroyo, 10 lks. wide, course S.

40.13½ Set a mesquite post, 36 ins., long, 4 ins. wide, with mkd. stone, 24 ins. in the ground, for the ¼ sec. cor., mkd. ¼S29 on the N. and 32 on the S. face, and dig pits, 18x18x12 ins., E. and W. of cor., 3 ft. dist. and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.

Feb. 11th:- At this cor., I set off 14°8½'S. on the decl. arc, 57°13' on the co-lat. arc, and at 2h, p. m., 1. m. t., I determine a mer. with the solar.

80.27 The cor. of secs. 29, 30, 31 and 32.
 Land rolling. Soil 2nd rate. Mesquite brush.

40.00 N.89°46'W. on a random line bet. secs. 31 and 30.
 Set a temp ¼ sec. cor.
~~73.37~~ Intersect the W. bdy. of the township at a point 11 lks. S. of the cor. of secs. 25, 30, 31 and 36, previously described.
 73.00 Thence I run, S.89°41'E. on a true line bet. secs. 30 and 31.

~~33.37~~ Set a mesquite post, 36 ins. long, 4 ins. sq., with mkd. stone, 24 ins. in the ground, for the ¼ sec. cor., mkd. ¼S30 on the N. and 31 on the S. face, and dig pits, 18x18x12 ins., E. and W. of cor. 3 ft. dist. and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.
 33.00

73.37 The cor. of secs. 29, 30, 31 and 32.
 73.00 Land rolling. Soil 2nd rate. Mesquite brush.

N.0°3'W. bet. secs. 29 and 30.

40.00 Set a mesquite post, 36 ins., long, 4 ins. sq., with mkd. stone, 24 ins. in the ground, for the ¼ sec. cor., mkd. ¼S30 on W. face and 29 on E. face, and dig pits, 18x18x12 ins., N. and S. of cor., 3 ft. dist. and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.

80.00 Set a granite stone, 14x8x6 ins., 10 ins. in the ground for the cor. of secs. 19, 20, 29 and 30, mkd. with 2 notches on the S and 5 notches on the E. edge, and dig pits, 18x18x12 ins., in each sec., 5½ ft. dist. and raise amount of earth, 4 ft. base, 2 ft. high, W. of cor.
 Land rolling. Soil 2nd rate. Mesquite brush

S.89°42'E. on a random line bet. secs. 20 and 29.

40.00 Set a temp. ¼ sec. cor.
 79.94 Intersect the N. and S. line at a point 14 lks. S. of the cor. of secs. 20, 21, 28 and 29.
 Thence I run N.89°48'W. on a true line bet. secs. 20 and 29.

39.97 Set a granite stone, 14x7x6 ins., 10 ins. in the ground for the ¼ sec. cor., mkd. ¼ on N. face, and dig pits, 18x18x12 ins., E. and W. of cor., 3 ft. dist. and raise a

For this mile see Prof. notes
 sent attached

See Prof. notes
 attached

Chains.

mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

79.94

The cor. of secs. 19, 20, 29 and 30.

Land rolling. Soil 2nd raue. Mesquite brush.

NOTE:- The sky was overcast at noon and solar obs. at that time impossible.

Feb. 11th, 1911.

GENERAL DESCRIPTION.

This township is for the most part rolling. land covered with a scatterring growth of mesquite and cactus. The grass is good and the Soil is 2nd rate, sandy loam. In sections 32, 33, 28 and 29 Joseph Spinus and his family have considerable cultivation and improvements which were noted in the above notes.

Hugh J. DeLaf
U. S. D. S.

Jr

LIST OF NAMES.

De Book O

A list of the names of the individuals employed by _____

_____, United States Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of _____

showing the respective capacities in which they acted:

- _____, *Chainman.*
- _____, *Chainman.*
- _____, *Moundman.*
- _____, *Moundman.*
- _____, *Axman.*
- _____, *Axman.*
- _____, *Flagman.*

FINAL OATH OF ASSISTANTS.

We hereby certify that we assisted _____

_____, United States Deputy Surveyor, in surveying all those parts or portions of the _____

_____ of the _____

_____ meridian, _____ of _____, which are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for _____

- _____, *Chainman.*
- _____, *Chainman.*
- _____, *Moundman.*
- _____, *Moundman.*
- _____, *Axman.*
- _____, *Axman.*
- _____, *Flagman.*

Subscribed and sworn to before me this _____ }
day of _____, 19 _____ }



FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.

BOOK 2287

See Book 10

I, _____, United States Deputy Surveyor, do solemnly swear that, in pursuance of a contract received from _____ United States Surveyor General for _____, bearing date of the _____ day of _____, 19____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor General for _____, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ meridian, in the _____ of _____, which are represented in the foregoing field notes as having been surveyed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the United States Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

United States Deputy Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 19____ }



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL.

Phoenix, Ariz. July 13, 1912

The foregoing field notes of the survey of *the fragmentary of Subdivision A. J. J. D. R. 15 E. Gata and Salt River* _____
and Meridian, Arizona _____

executed by *Hugh J. Durbel W.S.D.*
under his contract No. *163*, dated *May 16*, 19*10*, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

United States Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in _____, has been correctly copied from the original notes on file in this office.

United States Surveyor General.

Book N.

110

Supplemental
FIELD NOTES

OF THE SURVEY OF THE

BOOK 2287

Corrections in T. 7 S., R. 10 E.

Of the ~~S~~ & S T Meridian,

Arizona

AS SURVEYED BY

Hugh F. Du Val, United States Deputy Surveyor,

Under his Contract No. 163, dated May 10, 1910, 19

Survey commenced Nov. 1st, 1911, 19

Survey completed Nov. 1st, 1911, 19

NAMES AND DUTIES OF ASSISTANTS.

Walter G. Turley

112 10

BOOK 2287

INDEX DIAGRAM.

Township 7D, Range 10E

| | | | | | |
|----|----|----|----|----|----|
| 6 | 5 | 4 | 3 | 2 | 1 |
| 7 | 8 | 9 | 10 | 11 | 12 |
| 18 | 17 | 16 | 15 | 14 | 13 |
| 19 | 20 | 21 | 22 | 23 | 24 |
| 30 | 29 | 28 | 27 | 26 | 25 |
| 31 | 32 | 33 | 34 | 35 | 36 |

Meanders Page

113

BOOK 2287

PRELIMINARY OATHS OF ASSISTANTS.

WE, Walter G. Turley and

do solemnly swear that we will well and faithfully execute the duties of chainmen; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distances to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of

Sub. Lines in T. 7 S. R. 10 E. S. bdy. T. 7 S., R. 10 E.

Walter G. Turley, Chainman.

Subscribed and sworn to before me this 1st day of Nov. 1911, 19



Hugh F. DeWolf U.S.D.

WE, Walter G. Turley and

do solemnly swear that we will well and truly perform the duties of moundmen in the establishment of corners, according to the instructions given us, to the best of our skill and ability, in the survey of

Sub. Lines in T. 7 S., R. 10 E. and the S. bdy. T. 7 S., R. 10 E.

Walter G. Turley, Moundman.

Subscribed and sworn to before me this 1st day of Nov. 1911, 19



Hugh F. DeWolf U.S.D.

WE, Walter G. Turley and

do solemnly swear that we will well and truly perform the duties of axmen in the establishment of corners and other duties, according to instructions given us, to the best of our skill and ability, in the survey of

Sub. and Exterior Lines in T. 7 S., R. 10 E.

Walter G. Turley, Axman.

Subscribed and sworn to before me this 1st day of Nov. 1911, 19



Hugh F. DeWolf U.S.D.

I, Walter G. Turley, do solemnly swear that I will well and truly

perform the duties of flagman according to instructions given me, to the best of my skill and ability, in the

survey of Sub lines in T. 7 S. R. 10 E. and the S. bdy. T. 7 S. R. 10 E.

Walter G. Turley, Flagman.

Subscribed and sworn to before me this 1st day of Nov, 1911



Hugh F. DeWolf U.S.D.

12
114

Corrections Sub. Lines T 7 S. R. 10 E.

Chains.

See page 5, original notes

as described in original notes

From the cor. of sections 25, 30, 31 and 36 on the West boundary of the township, I run S.89 41'E. on a true line bet. secs. 30 and 31

53.00 Intersect the 1/4 section corner bet. secs. 30 and 31, previously described.

From the corner of secs, 28, 29, 32 and 33, I run N.89 42'W. on a random line bet. secs. 29 and 32.

40.27 Intersect 1/4 sec. cor.

80.43 Intersect the corner of sections 29, 30, 31 and 32. as described in original notes, thence I run S.89*42'E.

70.16 Arroyo 10 lks. wide, course S.

40.21 1/2 Set a mesquite post, 4 ins. sq., 36 ins. long, with mkd. stone, 24 ins. in the ground, for the 1/4 sec. cor., mkd/ 1/4 29 on N. and 32 on S. face, dig pits, 18x18x12 ins., E. and W. of cor. 3 ft. dist. and raise a mound of earth, 5-1/2 ft. base, 1-1/2 ft. high, N. of cor/

80.43 The cor. of secs. 28, 29, 32 and 33. as described in original notes.

Land Rolling; Soil, 2nd rate: Mesquite brush.

In accordance with the examiners instructions, I have had an axeman go over all the lines in this township and reblaze and recut where necessary, for the proper marking of same.

Any mesquite bush big enough for a fence post is being rapidly appropriated in this township and the most durable and desirable material for corners in this township is mesquite post with pits. Where trees were found suitable for bearing trees same were so used, but owing to the destruction of such trees by the great number of wood and post haulers now operating in this section we used pits and mounds for the perpetuation of the corners wherever it appeared that the trees were in danger of being destroyed/

Handwritten Signature
U. S. D. S.

Nov. 1st, 1911.

FINAL OATHS OF DEPUTY SURVEYOR AND HIS ASSISTANTS.

13
115

LIST OF NAMES.

BOOK 2287

A list of the names of the individuals employed by Hugh E. Du Val

....., United States Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of Corrections T. 7 S. R. 10 E.

showing the respective capacities in which they acted:

Walter G. Turley Axeman, moundsmān, flagman and, Chainman.

....., Chainman.

....., Moundman.

....., Moundman.

....., Axman.

....., Axman.

....., Flagman.

FINAL OATH OF ASSISTANTS.

We hereby certify that we assisted Hugh E. Du Val

....., United States Deputy Surveyor, in surveying all those parts or portions of the Corrections in T. 7 S., R. 10 E.

..... of the G. and S.

R. meridian, Territory of Arizona, which are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for Arizona

Walter G. Turley Chainman.

Walter G. Turley Chainman.

Walter G. Turley Moundman.

Walter G. Turley Moundman.

Walter G. Turley Axman.

Walter G. Turley Axman.

Walter G. Turley Flagman.

Subscribed and sworn to before me this 29th day of Dec., 1911



D. R. Montfort
Notary Public, State of Florida.
My commission expires October 25, 1914.

116 14
BOOK 2287

FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.

I, Hugh J. Deuel, United States Deputy Surveyor, do solemnly swear that, in pursuance of a contract received from Frank C. Ingalls United States Surveyor General for Arizona, bearing date of the 16th day of May, 1910, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of Sp. 70 R 10 E.

_____ of the Gadsden meridian, in the Tantony of Arizona, which are represented in the foregoing field notes as having been surveyed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the United States Surveyor General for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Hugh J. Deuel
United States Deputy Surveyor.

Subscribed by said Hugh J. Deuel, and sworn to before me
this 29th day of Dec, 1911

W. R. Montfort
Notary Public, State of Arizona



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL.

Francis M. Jones, May 13, 1912

The foregoing field notes of the survey of Corrections in Subdivisional lines in Sp. 70 R 10 E, Gadsden Meridian, Arizona

executed by Hugh J. Deuel under his contract No. 16-3, dated May 16, 1910, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank C. Ingalls
United States Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in _____, has been correctly copied from the original notes on file in this office.

United States Surveyor General.