

2422

0114
22

4-879

BOOK 2422

SEP 3- 1912

①

Book "D"

Accepted G.L.O. letter "E" Dec. 15-1912

FIELD NOTES

OF THE SURVEY OF THE
Subdivision of ^{Fractional} Township 26 North, Range 8 West,

Of the Gila and Salt River Base and Meridian,
Arizona,
In the State of

EXECUTED BY
Jesse B. Wright,

In the capacity of U. S. Surveyor, under instructions dated August 28, 1911,
issued by the United States Surveyor General to govern surveys included in
Group No. 15, which were approved by the Commissioner of the General Land
Office, September 28, 1911, pursuant to authority contained in the Act of
Congress dated June 25, 1910

Survey commenced January 15, 1912

Survey completed January 21, 1912


(1A)

BOOK 2422

INDEX DIAGRAM.

39 80

Township 26 N. Range 8 W



- Book 1 - 2411
- Book 3 - 2413
- Book 5 - 2415

Fractional
Subdivision of T. 26 N., R. 8 W.

14

Chains.

Survey commenced Jan. 16, 1912, and executed with a Young & Son's light mountain transit No. 6492, with Smith's patent solar attachment on side.

The horizontal limb of the instrument reading to single minutes of arc by two double verniers placed opposite to each other, which is also the least reading of the verniers of the latitude and declination arcs.

Knowing the instrument to be correct as per recent and repeated tests made on a true meridian established by observation of Polaris, heretofore described,

I begin as per instructions at the cor. of secs. 1, 2, 35 & 36, on the South bdy. of the Tp. as recently established by William H. Elliott, & described in Book 1.

At this cor., at 8h a.m., l.m.t.,

I set off $35^{\circ}36'N.$ on the lat. arc, and $21^{\circ}09'S.$ on the decl. arc, and determine a meridian with the solar. Thence I run, Var. $16^{\circ}E.$

Chains.

N. 0° 1' W., bet. secs. 35 & 36.
Over level, open, grassy valley.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 35 in W., and S 36 in E. half;

80.00 dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 25, 26, 35, & 36, marked on brass cap, T 26 N R 8 W, in N. half, S 26 in NW., S 25 in NE., S 36 in SE., and S 35 in SW. quad.;

dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level, open.
Soil, 2nd & 3rd rate, sandy, loose, fertile.
No timber.
Undergrowth, sparse sage brush, fine native grass.

S. 89° 57' E., on a random line, bet. secs. 25 & 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect E. bdy. of Tp. 5 lks. N. of cor. of secs. 25, 30, 31 & 36, recently established by W. H. Elliott, & described in Book 11, whence I run, N. 82° 55' W., on a true line, bet. secs. 25 & 36.

Over level, open grassy valley, in draw.

1.88 Road, hrs. N. & S.

22.40 Wash, 50 lks. wide, course SSW., main drain, centre of valley.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 25 in N., and S 36 in S. half;

dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.

60.00 Leave draw, asc. slightly.

80.00 To cor. of secs. 25, 26, 35 & 36, hereinbefore described.
Land, level, gently rolling. Soil, 2nd rate, sandy, loose.
Sparse sage brush, fine native grass.

N. 0° 1' W., bet. secs. 25 & 26.
Over gently undulating, open, grassy valley.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 26 in W., and S 25 in E. half;

dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 23, 24, 25, & 26, marked on brass cap, T 26 N R 8 W, in N. half, S 23 in NW., S 24 in NE., S 25 in SE., and S 26 in SW. quad.;

dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level, gently undulating.
Soil, 3rd rate, sandy, gravelly, loose, dry.
Sage brush, cacti, good native grass.

Fractional
Subdivision of T. 26 N., R. 8 W.

Chains. S. 89°53' E., on a random line, bet. secs. 1 & 12.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.06 Intersect East bdy. of Tp. 7 lks. S. of cor. of
 secs. 1, 6, 7 & 12, recently established by W.H.Elliott,
 & described in Book 1, whence I run,
 N. 89°56' W., on a true line, bet. secs. 1 & 12.
 Over mountainous broken land, asc. SE. stony slope,
 through dense buck brush.
 40.03 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 1 in N., and
 S 12 in S. half;
 raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.
 43.00 Ridge, brs. NE. & SW., desc.
 62.00 Gulch, 20 lks. wide, at bottom, course NNE., asc.
 68.00 Spur, brs. NNE. & SSW., desc.
 72.50 Gulch, 50 lks. wide, course NE., asc. steep.
 80.06 To cor. of secs. 1, 2, 11 & 12, hereinbefore described.
 Land, mts., broken.
 Soil, 3rd rate, stony, gravelly.
 Scrub oak, buck brush, greasewood, cacti, fair grass.

N. 0° 1' W., bet. secs. 1 & 2.
 Over broken, stony land, through dense buck brush.
 15.00 On spur, brs. NE. & SW.
 descend gradually over rolling hills and ridges.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 2 in W., and
 S 1 in E. half;
 raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
 59.00 Gulch, 50 lks. wide, course NW., asc.
 62.85 Intersect SE. Boundary line of Hualpai Indian Reservation
 at a point whence
 79 mile cor. on said line brs. S. 50°05' W., 5.20 chs.
 dist., which is a sandstone 10x8x6 ins. above ground,
 marked and witnessed as described by Surveyor-General.
 79 $\frac{1}{2}$ mile cor. on said line brs. N. 50°05' E. 34.60 chs.
 dist., which is a limestone 10x6x6 ins. above ground,
 marked and witnessed as described by the Surveyor-
 General.
 The closing cor. of Tps. 26 & 27 N., R. 8 W., on said
 line, brs. N. 50°05' E., 26.85 chs. dist., as recently
 established by W. H. Elliott, and by him described in
 At the point of intersection, I Book 1
 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for closing cor. of secs. 1 & 2, marked on
 brass cap, C C E. of centre,
 H I R, in NW., and
 T 26 N R 8 W, in SE. halves,
 S 1 in SE., and
 S 2 in SW. sectors;
 raise a mound of stone 3 ft. base, 2 ft. high S. of cor.
 No bearings available. Pits impracticable.
 Land, mts., broken.
 Soil, 3rd rate, stony, gravelly.
 Scrub oak, buck brush, few cedars and pinons, fair grass.
 Jan. 16, 1912.

6

Fractional
Subdivision of T.26 N., R. 8 W.

Chains.

- Jan. 17, 1912.
At 8h a.m., l.m.t., at the cor. of secs. 2, 3, 34 & 35, on the S. bdy. of the Tp., as recently established by W. H. Elliott, and by him described, in Book 1
I set off 20°52' S. on the decl. arc, and 35°36' N. on the lat. arc, and determine a meridian with the solar. Thence I run,
N. 0° 1' W., bet. secs. 34 & 35.
Over gently undulating, valley.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 34 in W., and
S 35 in E. half;
dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.
- 49.70 Road, brs. NE. & SW.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 26, 27, 34 & 35, marked on brass cap, T 26 N R 8 W, in N. half,
S 27 in NW.,
S 26 in NE.,
S 35 in SE., and
S 34 in SW. quad.;
dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
Land, gently undulating. Soil, 3rd rate, sandy, loose. Sage brush, few cacti. Fair grass.
-
- S. 89°57' E., on a random line, bet. secs. 26 & 35.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 Intersect N. & S. line at cor. of secs. 25, 26, 35 & 36, ~~herebefore~~ hereinbefore described, whence I run
N. 89°57' W., on a true line, bet. secs. 26 & 35.
Over gently undulating valley.
- 40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 26 in N., and
S 35 in S. half;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
- 61.60 Road, brs. NNE. & SSW.
- 80.02 To cor. of secs. 26, 27, 34 & 35, hereinbefore described.
Land, rolling. Soil, 3rd rate, sandy, gravelly, loose. Sage brush, cacti, good grass.
-
- N. 0° 1' W., bet. secs. 26 & 27.
Over gently undulating valley.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 27 in W., and
S 26 in E. half;
dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 22, 23, 26 & 27, marked on brass cap, T 26 N R 8 W, in N. half,
S 22 in NW.,
S 23 in NE.,
S 26 in SE., and
S 27 in SW. quad.;
dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
Land, undulating, rolling.
Soil, 3rd rate, sandy, gravelly, loose, dry.
Sage brush, cacti, fine grass.

Fractional
Subdivision of T. 26 N., R. 8 W.

Chains.

S. 89°57' E., on a random line, bet. secs. 23 & 26.
 40.00 Set temp. 1/4 sec. cor.
 80.04 Intersect N. & S. line 2 1/4 lks. N. of cor. of
 secs. 23, 24, 25 & 26, ~~hereinbefore~~ described, whence I run,
 N. 89°56' W., on a true line, bet. secs. 23 & 26.
 Over gently rolling land.
 24.20 Road, brs. NNE. & SSW.
 40.02 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for 1/4 sec. cor., marked on brass cap,
 1/4 S 23 in N., and
 S 26 in S. half;
 dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
 raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high N. of cor.
 80.04 To cor. of secs. 22, 23, 26 & 27.
 Land, rolling.
 Soil, 3rd rate, gravelly, loose, dry.
 Sparse sage brush, cacti, good grass.

N. 0° 1' W., bet. secs. 22 & 23.
 Over rolling land, asc. gently.
 24.30 Road, brs. NE. & SW.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for 1/4 sec. cor., marked on brass cap,
 1/4 S 22 in W., and
 S 23 in E. half;
 dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and
 raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high W. of cor.
 65.00 Wash, 50 lks. wide, course ESE. asc., leave valley,
 brs. NE. & SW.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for cor. of secs. 14, 15, 22 & 23, marked on
 brass cap, T 26 N R 8 W, in N. half,
 S 15 in NW.,
 S 14 in NE.,
 S 23 in SE., and
 S 22 in SW. quad.;
 raise a mound of stone 2 ft. base, 1 1/2 ft. high W. of cor.
 No bearings available, pits impracticable.
 Land, rolling. Soil, 3rd rate, gravelly, stony, loose.
 Sage brush, cacti, good grass.

S. 89°56' E., on a random line, bet. secs. 14 & 23.
 40.00 Set temp. 1/4 sec. cor.
 79.98 Intersect N. & S. line 2 1/4 lks. N. of cor. of
 secs. 13, 14, 23 & 24, ~~hereinbefore~~ described, whence I run,
 N. 89°55' W., on a true line, bet. secs. 14 & 23.
 Over gently rolling land.
 1.76 Road, brs. NE. & SW.
 39.99 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for 1/4 sec. cor., marked on brass cap,
 1/4 S 14 in N., and
 S 23 in S. half;
 dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
 raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high N. of cor.
 58.00 Wash, 40 lks. wide, course SW. Asc. SE. slope.
 74.00 Small reservoir about 8 chs. to S., owned by Pine Springs
 Cattle Co.
 79.98 To cor. of secs. 14, 15, 22 & 23.
 Land, rolling.
 Soil, 3rd rate, sandy, gravelly, loose, dry.
 Sparse sage brush, cacti, fair grass.
 At this cor. at noon, I set off 20°52' S. on the decl.
 arc, and observe the sun on the meridian.
 The resulting lat. is 35°38 1/2' N.

Chains.

- N. $0^{\circ} 1'$ W., bet. secs. 14 & 15.
Over mountainous land, ascending.
- 4.00 Spur, brs. W. & E., desc.
- 10.00 Gulch, course ESE., 50 lks. wide, asc. steep.
- 14.00 Asc. precipitously.
- 28.00 Top of bluff, brs. ESE. & WNW., continue to asc. over high rolling, broken mesa., through dense buck brush, and scattering cedar.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 15 in W., and
S 14 in E. half; from which,
A pinon 15 ins. diam. brs. $S.75^{\circ}W.$ 104 lks. dist., marked $\frac{1}{4}$ S 15 B T.
No other trees available.
Raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
- 45.00 Thence over rolling mesa, through dense cedar and pinon.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 10, 11, 14 & 15, marked on brass cap, T 26 N R 8 W, in N. half,
S 10 in NW.,
S 11 in NE.,
S 14 in SE., and
S 15 in SW. quad.; from which,
A cedar tree 10 ins. diam. brs. $N.30^{\circ}E.$ 170 lks. dist., marked T 26 N R 8 W S 11 B T.
A cedar tree 12 ins. diam. brs. $S.7^{\circ}E.$ 122 lks. dist., marked T 26 N R 8 W S 14 B T.
A cedar tree 30 ins. diam. brs. $S.22^{\circ}W.$ 185 lks. dist., marked T 26 N R 8 W S 15 B T.
A cedar tree 20 ins. diam. brs. $N.54^{\circ}W.$ 116 lks. dist., marked T 26 N R 8 W S 10 B T.
- Land, mts.
Soil, 3rd rate, stony, gravelly.
Cedar, pinon, buck brush, fair grass.
-
- S. $89^{\circ}55'$ E., on a random line, bet. secs. 11 & 14.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 Intersect N. & S. line $2\frac{1}{2}$ lks. S. of cor. of secs. 11, 12, 13 & 14, ~~hereinbefore~~ described, whence I run, N. $89^{\circ}56'$ W., on a true line, bet. secs. 11 & 14.
Over mts. land, asc. steep.
- 20.00 Spur, brs. SE. & NW., desc.
- 30.00 Gulch, 30 lks. wide, course SE., near head, asc. prec.
- 40.01 Top of rim rock, brs. NE. & SW.
Set an iron post 3 ft. long, 1 in. in diam., on bed-rock, in mound of stone for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 11 in N., and
S 14 in S. half;
raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.
Continue to asc.
- 45.00 Top of mesa, brs. NE. & SW., asc. grad., through cedar & pinon.
- 60.00 Top of rise, brs. NE. & SW., desc. grad.
- 80.02 To cor. of secs. 10, 11, 14 & 15. ~~hereinbefore~~ described
- Land, mts.
Soil, 3rd rate, stony, gravelly.
Scrub oak, buck brush, greasewood, cedar, pinon, fair grass.

Fractional
Subdivision of T. 26 N., R. 8 W.

Chains.

N. 0° 1' W., bet. secs. 10 & 11.
 Over high rolling mesa, desc. grad., through heavy scattering cedar & pinon.

29.00 Gulch, 30 lks. wide, course NE.
 34.00 Gulch, 10 lks. wide, course E., asc. grad.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 10 in W., and S 11 in E. half; from which,
 A cedar tree 12 ins. diam. brs. N. 34 $\frac{1}{4}$ ° E. 229 lks. dist., marked $\frac{1}{4}$ S 11 B T.
 A pinon tree 10 ind. diam. brs. S. 15 $\frac{1}{2}$ ° W. 209 lks. dist., marked $\frac{1}{4}$ S 10 B T.

45.00 Spur of flat ridge, brs. NE. & SW., desc. grad.
 50.00 Head of gulch, course NE., asc.
 65.00 Spur, brs. E. & W., desc.
 73.50 Gulch, 50 lks. wide, course ENE., asc.
 76.00 Intersect SE. bdy. line of Hualpai Indian Reservation at a point whence
 77 $\frac{1}{2}$ mile cor. on said line, brs. S. 50° W. 21.00 chs. dist., which is a limestone 8x6x5 ins. above ground, marked and witnessed as described by the Surveyor General.
 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for closing cor. of secs. 10 & 11, marked on brass cap, C C, E. of centre,
 H I R in NW., and
 T 26 N R 8 W, in SE. halves,
 S 11 in SE., and
 S 10 in SW. sectors; from which,
 A pinon tree 6 ins. diam. brs. S. 2° E. 70 lks. dist., marked T 26 N R 8 W S 11 C C B T.
 A cedar tree 10 ins. diam. brs. S. 51 $\frac{1}{2}$ ° W. 42 lks. dist., marked T 26 N R 8 W S 10 C C B T.

Land, heavily rolling, broken.
 Soil, 3rd rate, gravelly.
 Cedar, pinon, scrub oak, fair grass.

From the cor. of secs. 1, 2, 11 & 12, ~~as before described~~, I run West, ~~both secs. 10 & 11~~.

Over heavily rolling mesa, asc.
 2.00 Flat ridge, brs. NE. & SW. desc. grad.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 2 in N., and S 11 in S. half;
 raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.

45.00 Wash, 50 lks. wide, course NE., asc.
 58.00 Flat ridge, brs. NE. & SW., desc. through dense cedar.
 62.00 Wash, 30 lks. wide, course NNE., asc.
 75.00 Intersect SE. bdy. line of Hualpai Indian Reservation, at a point whence,
 78 mile cor. on said line, brs. N. 50° E. 12.80 chs. dist., which is a lime rock in place 36x36x14 ins. above ground, marked and witnessed as described by the Surveyor General.
 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for closing cor. of secs. 2 & 11, marked on brass cap, C C, W. of centre,
 H I R in NW., and
 T 26 N R 8 W in SE. halves,
 S 2 in NE., and
 S 11 in SE. sectors; from which,
 A cedar tree 20 ins. diam. brs. S. 76° E. 176 lks. dist., marked T 26 N R 8 W S 11 C C B T.
 No other trees available.
 Raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high E. of cor.
 Land, heavily rolling, broken. Soil, 3rd rate, gravelly.
 Cedar, pinon, greasewood, scrub oak, sparse grass.
 Jan. 17, 1912.

Chains.

Jan. 18, 1912.

At 8h a.m., l.m.t., at the cor. of secs. 3, 4, 33 & 34, on the S. bdy. of the Tp., as recently established by W. H. Elliott, and by him described, in Book 1 I set off 20° 40' S. on the decl. arc, and 35° 36' N. on the lat. arc, and determine a meridian with the solar. Thence I run,

N. 0° 2' W., bet. secs. 33 & 34.

Over gently undulating valley.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap, ¼ S 33 in W., and S 34 in E. half;

dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 27, 28, 33 & 34, marked on brass cap, T 26 N R 8 W, in N. half, S 28 in NW., S 27 in NE., S 34 in SE., and S 33 in SW. quad.;

dig pits 18x18x12 ins. in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, rolling, level. Soil, 3rd rate, sandy, loose. Sparse sage brush, cacti, good grass.

S. 89° 57' E., on a random line, bet. secs. 27 & 34.

40.00 Set temp. ¼ sec. cor.

79.96 Intersect N. & S. line 2½ lks. S. of cor. of secs. 26, 27, 34 & 35, ~~hereinbefore~~ described, whence I run,

N. 89° 58' W., on a true line, bet. secs. 27 & 34.

Over gently rolling valley.

39.98 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap, ¼ S 27 in N., and S 34 in S. half;

dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.

79.96 To cor. of secs. 27, 28, 33 & 34, ~~hereinbefore~~ described.

Land, gently rolling. Soil, 3rd rate, sandy, gravelly, loose, dry. Sparse sage brush, cacti, fine grass.

N. 0° 2' W., bet. secs. 27 & 28.

Over gently undulating valley.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap, ¼ S 28 in W., and S 27 in E. half;

dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.

65.56 Road, brs. ENE. & WSW.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 21, 22, 27 & 28, marked on brass cap, T 26 N R 8 W, in N. half, S 21 in NW., S 22 in NE., S 27 in SE., and S 28 in SW. quad.;

dig pits 18x18x12 ins. in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level, gently rolling. Soil, 3rd rate, sandy, loose, dry. Sparse sage brush, cacti, fine grass.

Fractional
Subdivision of T. 26 N., R. 8 W.

Chains. S. 89°58' E., on a random line, bet. secs. 22 & 27.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.92 Intersect N. & S. line $2\frac{1}{2}$ lks. S. of cor. of
 secs. 22, 23, 26 & 27, ~~hereinbefore~~ ^{hereinbefore} described, whence I run,
 N. 89°59' W., on a true line, bet. secs. 22 & 27.
 Over gently rolling valley.
 39.96 Set an iron post 3 ft. long, 1 in. in diam, 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 22 in N., and
 S 27 in S. half;
 dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
 raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
 51.00 Road, brs. ENE. & WSW.
 79.92 To cor. of secs. 21, 22, 27 & 28, ~~hereinbefore~~ ^{hereinbefore} described.
 Land, rolling.
 Soil, 3rd rate, sandy, gravelly, loose, dry.
 Sparse sage brush, cacti, fine grass.
~~bedrock exposed~~

N. 0° 2' W., bet. secs. 21 & 22.
 Over gently rolling land, asc. slightly.
 32.00 Enter cedar, brs. ENE. & WSW., asc. grad., leave valley.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 21 in W., and
 S 22 in E. half;
 dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and
 raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
 Cor. in open grassy flat.
 45.00 Asc. steep SW. slope, through dense cedar.
 60.00 Asc. prec.
 74.00 Top of rocky spur, brs. WSW. & ENE., desc. prec. WNW.
 slope.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for cor. of secs. 15, 16, 21 & 22, marked on
 brass cap, T 26 N R 8 W, in N. half,
 S 16 in NW.,
 S 15 in NE.,
 S 22 in SE., and
 S 21 in SW. quad.; from which,
 A pinon tree 10 ins. diam. brs. N. 52° E. 58 lks. dist.,
 marked T 26 N R 8 W S 15 B T.
 A cedar tree 10 ins. diam. brs. S. 70° E. 15 lks. dist.,
 marked T 26 N R 8 W S 22 B T.
 A cedar tree 10 ins. diam. brs. S. 60° W. 3 lks. dist.,
 marked T 26 N R 8 W S 21 B T.
 A pinon tree 10 ins. diam. brs. N. 20° W. 4 lks. dist.,
 marked T 26 N R 8 W S 16 B T.
 Land, rolling, mts. Soil, 3rd rate, gravelly, stony.
 Cedar, pinon, sage brush, good grass in valley.

At this cor., at noon, I set off $20^{\circ}40\frac{1}{2}'$ S. on the decl.
 arc, and observe the sun on the meridian.
 The resulting lat. is $35^{\circ}38\frac{1}{2}'$ N.

Chains.	S. 89°59' E., on a random line, bet. secs 15 & 22.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	Intersect N. & S. line 14 lks. N. of cor. of secs. 14, 15, 22 & 23, hereinbefore described, whence I run, N. 89°53' W., on a true line, bet. secs. 15 & 22. Over mts. land, along S. slope of spur.
20.00	Gulch, 50 lks. wide, course SE., asc. steep.
29.00	Spur, brs. SE. & NW.,
32.00	Asc. prec.
40.02	Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 15 in N., and S 22 in S. half; raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
52.00	Top of bluff, brs. N. & S., S. end of mesa.
64.00	W. rim of mesa, brs. NNE. & SSW., desc. prec. W. slope through dense cedar & pinon.
80.04	To cor. of secs. 15, 16, 21 & 22, hereinbefore described. Land, mts. Soil, 3rd & 4th rate, stony. Pinon, cedar, scrub oak, fair grass in places.
<hr/>	
	N. 0° 2' W., bet. secs. 15 & 16. Over rough, mts. land, along prec. stony W. slope.
11.00	Gulch, 150 lks. wide, course SW., asc. prec.
19.00	Asc. abruptly 60 ft.
20.00	Top of sandstone bluff, brs. NW. & SE., asc. grad. through dense pinon & scrub oak.
40.00	Set an iron post 3 ft. long, 1 in. in diam., on bed-rock, in mound of stone for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 16 in W., and S 15 in E. half; from which, A cedar tree 10 ins. diam. brs. N. 26° E., 130 lks. dist., marked $\frac{1}{4}$ S 15 B T. A cedar tree 6 ins. diam. brs. N. 09° W., 10 lks. dist., marked $\frac{1}{4}$ S 16 B T.
44.00	Top of mountain, 1000 ft. above valley, brs. SE. & NW., desc. grad.
80.00	Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 9, 10, 15 & 16, marked on brass cap, T 26 N R 8 W, in N. half, S 9 in NW., S 10 in NE., S 15 in SE., and S 16 in SW. quad.; from which, A cedar tree 10 ins. diam. brs. N. 78° E. 30 lks. dist., marked T 26 N R 8 W S 10 B T. A cedar tree 10 ins. diam. brs. S. 0° 30' E. 120 lks. dist., marked T 26 N R 8 W S 15 B T. A cedar tree 20 ins. diam. brs. S. 61° W. 80 lks. dist., marked T 26 N R 8 W S 16 B T. A cedar tree 20 ins. diam. brs. N. 80° W. 75 lks. dist., marked T 26 N R 8 W S 9 B T. Land, mts., rough, Soil, 3rd rate, gravelly, stony. Cedar, pinon, scrub oak, greasewood, cacti, fair grass.

Fractional
Subdivision of T. 26 N., R. 8 W.

Chains
 40.00 S. 89°53' E., on a random line, bet. secs. 10 & 15.
 Set temp. 1/4 sec. cor.
 79.98 Intersect N. & S. line 17 lks. S. of cor. of
 secs. 10, 11, 14 & 15, ~~hereinbefore described~~, whence I run,
 West W., on a true line, bet. secs. 10 & 15.
 Over mts., broken land, asc. through dense cedar &
 pinon.
 20.00 Spur, brs. SE. & NW., desc.
 24.00 Ravine, 50 lks. wide, course SE., asc.
 39.99 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for 1/4 sec. cor., marked on brass cap,
 1/4 S 10 in N., and
 S 15 in S. half; from which,
 A cedar tree 10 ins. diam. brs. N. 59° W. 52 lks. dist.,
 marked 1/4 S 10 B T.
 A pinon tree 10 ins. diam. brs. S. 30° W. 23 lks. dist.,
 marked 1/4 S 15 B T.
 46.00 Top of upper mesa, brs. N. & S. desc. grad.
 79.98 To cor. of secs. 9, 10, 15 & 16 ~~hereinbefore described~~
 Land, rolling, broken.
 Soil, 3rd rate, gravelly, stony.
 Cedar, pinon, scrub oak, fair grass.

N. 0° 2' W., bet. secs. 9 & 10.
 Over rolling mesa.
 9.00 Intersect SE. bdy. line of Hualpai Indian Reservation
 at a point whence,
 76 1/2 mile cor. on said line, brs. N. 50° 05' E. 3.43 chs.
 dist., which is a limestone 24x12x6 ins. above ground,
 marked and witnessed as described by the Surveyor
 General.
 76 mile cor. ~~on said line~~ brs. S. 50° 05' W. 36.70 chs.
 dist., which is a sandstone ledge 4 ft. high, marked
 and witnessed as described by the Surveyor-General.
 Error in orig. description of this cor. calling for
 ledge 48 ft. high. At the point of intersection, I
 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for closing cor. of secs. 9 & 10, marked on
 brass cap, C C, E. of centre,
 H I R in NW., and
 T 26 N R 8 W, in SE. halves,
~~bedrock~~ ~~crossed~~ in SE., and
 S 9 in SW. sectors; from which,
 A cedar tree 10 ins. diam. brs. N. 78° E. 47 lks. dist.,
 marked T 26 N R 8 W S 10 C C B T.
 A Pinon tree 10 ins. diam. brs. S. 41° W. 100 lks. dist.,
 marked T 26 N R 8 W S 9 C C B T.
 Land, rolling. Soil, 3rd rate, gravelly. Cedar, pinon.

West, bet. secs. 9 & 16.
 Over rolling mesa.
 10.72 Intersect SE. bdy. line of Hualpai Indian Reservation
 at a point whence 76 1/2 mile cor. on said line,
 brs. N. 50° 05' E., 17.43 chs. dist., as above described.
 76 mile cor. on said line, brs. S. 50° 05' W., 22.70 chs.
 dist., as above described. At the point of intersection,
 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for closing cor. of secs. 9 & 16, marked on
 brass cap, C C, W. of centre,
 H I R in NW., and
 T 26 N R 8 W, in SE. halves,
 S 9 in NE., and
 S 16 in SE. sectors; from which,
 A pinon tree 8 ins. diam. brs. S. 45° E. 27 lks. dist.,
 marked T 26 N R 8 W S 16 C C B T.
 A cedar tree 8 ins. diam. brs. N. 62° E. 62 lks. dist.
 marked T 26 N R 8 W S 9 C C B T.
 Land, rolling. Soil, 3rd rate, gravelly. Cedar, pinon.
 Jan. 18, 1912.

Chains.

- Jan. 19, 1912.
At 8h a.m., l.m.t., at the cor. of secs. 4, 5, 32 & 33, on the S. bdy. of the Tp., as recently established by W. H. Elliott, and by him described, in Book 1
I set off $20^{\circ}28\frac{1}{2}'$ S. on the decl. arc, and $35^{\circ}36'$ N. on the lat. arc, and determine a meridian with the solar. Thence I run,
N. $0^{\circ}3'$ W., bet. secs. 32 & 33.
Over gently rolling land, asc. gently.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 32 in W., and S 33 in E. half;
dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
- 60.00 Knoll, brs. E. & W.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 28, 29, 32 & 33, marked on brass cap, ~~and~~ R 8 W, in N. half,
S 29 in NW.,
S 28 in NE.,
S 33 in SE., and
S 32 in SW. quad.;
dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
Land, rolling. Soil, 3rd rate, sandy, gravelly, loose. Sparse sage brush, cacti, fine grass.
-
- S. $89^{\circ}57'$ E., on a random line, bet. secs. 28 & 33.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.10 Intersect N. & S. line 12. lks. S. of cor. of secs. 27, 28, 33 & 34, ~~hereinbefore described~~, whence I run N. $89^{\circ}58'$ W., on a true line, bet. secs. 28 & 33.
Over gently rolling land.
- 40.05 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 28 in N., and S 33 in S. half;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 56.00 Knoll, brs. NNW. & SSE.
- 80.10 To cor. of secs. 28, 29, 32 & 33, ~~hereinbefore described~~.
Land, gently rolling. Soil, 3rd rate, sandy, gravelly. Sage brush, few cacti, fine grass.
-
- N. $0^{\circ}3'$ W., bet. secs. 28 & 29.
Over gently rolling land.
- 27.45 Road, brs. ENE. & WSW.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 29 in W., and S 28 in E. half;
dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 20, 21, 28 & 29, marked on brass cap, T 26 N R 8 W, in N. half,
S 20 in NW.,
S 21 in NE.,
S 28 in SE., and
S 29 in SW. quad.; from which,
A cedar tree 8 ins. diam. brs. S 70° W. 129 lks. dist., marked T 26 N R 8 W S 29 B T.
No other trees available.
Dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
Land, rolling. Soil, 3rd rate, sandy, loose, dry. Sage brush, cacti, few cedars, fair grass.

Chains. S. 89°58' E., on a random line, bet. secs. 21 & 28.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect N. & S. line at cor. of secs. 21, 22, 27 & 28, ~~hereinbefore~~ described, whence I run, N. 89°58' W., on a true line, bet. secs. 21 & 28. Over gently rolling land.
 37.00 Enter dense cedar & pinon, brs. N. & S.
 40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 21 in N., and S 28 in S. half; from which,
 A pinon tree 8 ins.diam.brs. S.5°W. 82 lks. dist., marked $\frac{1}{4}$ S 28 B T.
 A pinon tree 6 ins.diam.brs. N.40 $\frac{1}{4}$ °W.30 lks. dist., marked $\frac{1}{4}$ S 21 B T.
 74.00 Leave timber, brs. NNW. & SSW.
 80.02 To cor. of secs. 20, 21, 28 & 29, ~~hereinbefore~~ described. Land, rolling. Soil, 3rd rate, sandy, gravelly, loose. Cedar, pinon, good grass.

N. 0° 3' W., bet. secs. 20 & 21.
 Over gently rolling land, in grassy draw.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 20 in W., and S 21 in E. half; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor. At this cor., at noon, I set off 20°28 $\frac{1}{2}$ ' S. on the decl. arc, and observe the sun on the meridian. The resulting lat. is 35°38' N.
 70.00 Enter scattering cedar, brs. E. & W.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 16, 17, 20 & 21, marked on brass cap, T 26 N R 8 W, in N. half, S 17 in NW., S 16 in NE., S 21 in SE., and S 20 in SW. quad.; from which,
 A cedar tree 10 ins.diam.brs. S. 35° E., 397 lks. dist., marked T 26 N R 8 W S 21 B T.
 A cedar tree 10 ins.diam. brs. S.60°W. 120 lks. dist., marked T 26 N R 8 W S 20 B T.
 No other trees available.
 Dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor. Land, level, gently rolling. Soil, 3rd rate, gravelly. Sparse cedar, pinon, good grass.

S. 89°58' E., on a random line, bet. secs. 16 & 21.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect N. & S. line 12 lks. S. of cor. of secs. 15, 16, 21 & 22, ~~hereinbefore~~ described, whence I run, S. 89°57' W., on a true line, bet. secs. 16 & 21. Over mts. land, desc. steep, through dense cedar.
 20.00 Gulch, 150 lks. wide, course SW., foot of slope, brs. NE. & SW.
 30.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 16 in N., and S 21 in S. half; from which,
 A cedar tree 10 ins.diam.brs. S.47 $\frac{1}{2}$ °W. 41 lks. dist., marked $\frac{1}{4}$ S 21 B T.
 A cedar tree 10 ins.diam. brs. N.61 $\frac{1}{2}$ °W. 26 lks. dist., marked $\frac{1}{4}$ S 16 B T.
 80.00 To cor. of secs. 16, 17, 20 & 21, ~~hereinbefore~~ described. Land, mts., rolling. Soil, 3rd rate, stony, gravelly, loose, dry. Cedar, pinon, scrub oak, fair grass.

Chains.

N. 0° 3' W., bet. secs. 16 & 17.

Over rolling land, through scattering cedar & pinon.

22.10 Intersect SE. bdy. line of Hualpai Indian Reservation at a point whence

75 $\frac{1}{2}$ mile cor. on said line, brs. N.50°05'E. 23.53 chs. dist., which is a sandstone 10x6x6 ins. above ground, marked and witnessed as described by the Surveyor General.

75 mile cor. on said line, brs. S.50°05'W., 16.50 chs. dist., which is a sandstone 18x4x5 ins. above ground, marked and witnessed as described by the Surveyor General. At the point of intersection, I

Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for closing cor. of secs. 16 & 17, marked on brass cap, C C, E. of centre,

H I R in NW., and

~~bedrock or T 26 N R 8 W~~ R 8 W, in SE. halves,

S 16 in SE., and

S 17 in SW. sectors ;

dig pits 24x18x12 ins. crosswise on each line, N.50°05'E. and S.50°05'W. 3 ft., and S. of cor. 7 ft. dist., and

raise a mound of earth 4 ft. base, 2 ft. high S. of cor.

Land, rolling. Soil, 3rd rate, sandy, good grass.

~~From this cor. the 76 mile cor. on SE. bdy. line of H.I.R.~~
brs. N.50°05' E. 67.40 chs. dist., heretofore described.

West, bet. secs. 17 & 20.

Over rolling land.

26.35 Intersect SE. bdy. line of Hualpai Indian Reservation at a point whence

75 mile cor. on said line, brs. N.50°E. 18 chs. dist., which is a sandstone 18x4x5 ins. above ground, marked and witnessed as described by the Surveyor-General.

At the point of intersection, I

Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for closing cor. of secs. 17 & 20, marked on brass cap, C C, W. of centre,

T 26 N R 8 W, in SE., and

H I R in NW. halves,

S 17 in NE., and

S 20 in SE. sectors; from which,

A cedar tree 10 ins. diam. brs. N.85°E. 120 lks. dist., marked T 26 N R 8 W S 17 C C B T.

A cedar tree 10 ins. diam. brs. S.51°E. 57 lks. dist., marked T 26 N R 8 W S 20 C C B T.

Land, rolling.

Soil, 3rd rate, sandy, gravelly.

Sparse cedar, pinon, fine grass.

Jan. 19, 1912.

Fractional
Subdivision of T. 26 N., R. 8 W.

Chains.

Jan. 20, 1912.
At 8h a.m., l.m.t., at the cor. of secs. 5, 6, 31 & 32,
on the S. bdy. of the Tp., as recently established by
W. H. Elliott, and by him described, in Book 1
I set off 20° 16' S. on the decl. arc, and 35° 36' N. on
the lat. arc, and determine a meridian with the solar.
Thence I run,

- N. 0° 3' W., bet. secs. 31 & 32.
- Over rolling land, through scattering cedar & pinon.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 31 in W., and
S 32 in E. half; from which,
A cedar tree 12 ins. diam. brs. N. 50° E. 265 lks. dist.,
marked $\frac{1}{4}$ S 32 B T.
- A cedar tree 6 ins. diam. brs. S. 16 $\frac{1}{2}$ ° W. 271 lks. dist.,
marked $\frac{1}{4}$ S 31 B T.
- Dry well, brs. N. 43° 50' W., about 35 chs. dist.
- 52.65 Dry well, brs. N. 61° 25' W., same as above.
- 70.40 Road, brs. NE. & SW.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
the ground for cor. of secs. 29, 30, 31 & 32, marked on
brass cap, T 26 N R 8 W, in N. half,
S 30 in NW.,
S 29 in NE.,
S 32 in SE., and
S 31 in SW. quad.; from which,
A cedar tree 9 ins. diam. brs. N. 22 $\frac{1}{2}$ ° E. 126 lks. dist.,
marked T 26 N R 8 W S 29 B T.
- A cedar tree 8 ins. diam. brs. S. 46 $\frac{1}{2}$ ° E. 110 lks. dist.,
marked T 26 N R 8 W S 32 B T.
- A pinon tree 8 ins. diam. brs. S. 32 $\frac{3}{4}$ ° W. 86 lks. dist.,
marked T 26 N R 8 W S 31 B T.
- A cedar tree 12 ins. diam. brs. N. 24° W., 46 lks. dist.,
marked T 26 N R 8 W S 30 B T.

Land, rolling.
Soil, 3rd rate, sandy, gravelly, loose, dry.
Cedar, pinon, sage brush, few cacti, fine grass.

- S. 89° 57' E., on a random line, bet. secs. 29 & 32.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.94 Intersect N. & S. line 12 lks. S. of cor. of
secs. 28, 29, 32 & 33, ~~hereinbefore described~~, whence I run
S. 89° 58' W., on a true line, bet. secs. 29 & 32.
Over rolling land, through sparse cedar.
- 39.97 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 29 in N., and
S 32 in S. half;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
- 59.35 Road, brs. ENE. & WSW.
- 79.94 To cor. of secs. 29, 30, 31 & 32, ~~hereinbefore described~~.
- Land, rolling.
- Soil, 3rd rate, sandy, gravelly, loose, dry.
- Few cedars & pinons, sage brush, cacti, good grass.

~~hereinbefore described~~.

- Chains. N. $89^{\circ}57'$ W., on a random line, bet. secs. 30 & 31.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.34 Intersect West bdy. of Tp. 7 lks. N. of cor. of secs. 25, 30, 31 & 36, as recently established by W. H. Elliott, and by him described, in Book 1, whence I run East, on a true line, bet. secs. 30 & 31.
Over rolling land.
- 39.34 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 30 in N., and S 31 in S. half;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 79.34 To cor. of secs. 29, 30, 31 & 32, ~~hereinbefore~~ described.
Land, rolling.
Soil, 3rd rate, sandy, gravelly, loose, dry.
Sage brush, cacti, few cedars, fine grass.
-
- N. $0^{\circ}3'$ W., bet. secs. 29 & 30.
Over rolling land, through scattering cedar.
- 28.50 Road, brs. ENE. & WSW.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 25 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 30 in W., and S 29 in E. half; from which,
A cedar tree 14 ins. diam. brs. N. $75\frac{1}{2}^{\circ}$ E. 79 lks. dist., marked $\frac{1}{4}$ S 29 B T.
A cedar tree 6 ins. diam. brs. S. 80° W. 108 lks. dist., marked $\frac{1}{4}$ S 30 B T.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 19, 20, 29 & 30, marked on brass cap, T 26 N R 8 W, in N. half,
S 19 in NW.,
S 20 in NE.,
S 29 in SE., and
S 30 in SW. quad.;
dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
Land, rolling.
Soil, 3rd rate, gravelly, loose, dry.
Few cedars & pinons, sage brush, good grass.
At this cor., at noon, I set off $20^{\circ}16'$ S. on the decl. arc, and observe the sun on the meridian.
The resulting lat. is $35^{\circ}37\frac{1}{2}'$ N.
-
- N. $89^{\circ}58'$ E., on a random line, bet. secs. 20 & 29.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.92 Intersect N. & S. line 5 lks. S. of cor. of secs. 20, 21, 28 & 29, ~~hereinbefore~~ described, whence I run, S. $89^{\circ}56'$ W., on a true line, bet. secs. 20 & 29.
Over rolling land.
- 28.00 Road, brs. SSE and NNW.
- 39.96 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 20 in N., and S 29 in S. half;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 79.92 To cor. of secs. 19, 20, 29 & 30, ~~hereinbefore~~ described.
Land, rolling.
Soil, 3rd rate, sandy, gravelly, loose, dry.
Few cedars, pinons, good grass.

Chains. West, bet. secs. 19 & 30.
Over rolling land, through scattering cedar & pinon.

23.00 Asc.

37.00 Top of knoll, brs. NW. & SE., desc.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 19 in N., and
S 30 in S. half; from which,
A cedar tree 12 ins.diam.brs. S.60°E. 74 lks. dist., marked $\frac{1}{4}$ S 30 B T.
A cedar tree 6 ins.diam.brs. N.74°W. 73 lks. dist., marked $\frac{1}{4}$ S 19 B T.

42.30 Intersect SE. bdy. line of Hualpai Indian Reservation at a point whence,
73 $\frac{1}{2}$ mile cor. on said line, brs. N.50°E. 22.88 chs. dist., which is a sandstone 24x6x6 ins. above ground, marked and witnessed as described by the Surveyor-General.
At the point of intersection, I
Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for closing cor. of secs. 19 & 30, marked on brass cap, C C, W. of centre,
H I R in NW., and
T 26 N R 8 W, in SE. halves,
S 19 in NE., and
S 30 in SE. sectors; from which,
A cedar tree 12 ins.diam.brs. S.15°W. 112 lks. dist., marked T 26 N R 8 W S 30 C C B T.
A cedar tree 6 ins. diam. brs. N.83°E. 156 lks. dist., marked T 26 N R 8 W S 19 C C B T.

Land, rolling.
Soil, 3rd rate, sandy, gravelly, loose, dry.
Cedar, pinon, good grass.

N. 0° 3' W., bet. secs. 19 & 20.
Over rolling land, asc. gently, through scattering cedar.

35.40 Intersect SE. bdy. line of Hualpai Indian Reservation at a point whence,
73 $\frac{1}{2}$ mile cor. on said line brs. S.50°05' W. 32.23 chs. dist., as above described.
74 mile cor. on said line brs. N.50°05'E. 7.81 chs. dist., which is a sandstone 10x8x5 ins. above ground, marked and witnessed as described by the Surveyor-General.
At the point of intersection, I
Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for closing cor. of secs. 19 & 20, marked on brass cap, C C, E. of centre,
H I R in NW., and
T 26 N R 8 W, in SE. halves,
S 20 in SE., and
S 19 in SW. sectors; from which,
A cedar tree 30 ins.diam.brs. S.37°E. 223 lks. dist., marked T 26 N R 8 W S 20 C C B T.
A cedar tree 10 ins.diam.brs. S.22°W. 265 lks. dist., marked T 26 N R 8 W S 19 C C B T.

Land, rolling. Soil, 3rd rate, sandy, gravelly, loose.
Sparse cedars, pinon, good grass.

- General Description. -

T. 26 N., R. 8 W. is level, smooth or gently rolling in the southern and rough and mountainous in the northern parts.

The southern portion is covered with a fine growth of native bunch or grama grass, and is very fertile in places and would produce well if irrigated.

There is some cedar and pinon timber in the northern portion. No water is found in the Tp., nor are there any indications of mineral character. Jan. 20, 1912.

Joseph B. Wright - U.S. Surveyor.

Subdivisions Group 15
for **CERTIFICATE OF ASSISTANTS. to**
JESSE B. WRIGHT, U.S. Surveyor.
See Book "T"

We, the undersigned, hereby certify upon honor that we assisted, to the best of our skill and ability,
....., U. S. Surveyor, during the periods and in the capacities
stated opposite our several signatures, in surveying all those parts or portions of

.....
.....
.....
.....
.....
.....
.....

of the Meridian, in the State of

which are represented in the foregoing field notes as having been executed by him, and under his direc-
tion; and that said survey has been, in all respects, to the best of our knowledge and belief, well and
faithfully executed.

NAME.	PERIOD OF SERVICE.		CAPACITY.
	BEGUN.	ENDED.	
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Subscribed and certified to before me on the dates of the final service as shown above.

43
20 BOOK 2422

Subdivisions Group 15

for FINAL OATH OF UNITED STATES SURVEYOR.

JESSE B. WRIGHT

See Book "T"

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191____ }



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, April 21, 1913

The foregoing field notes of the survey of _____

the subdivision lines of Fractional Township 26 North, Range 8 West

Gila & Salt River Base & Meridian,

Arizona.

executed by *Jesse B. Wright, U.S. Surveyor*

under his special instructions, dated *for Group 15*

August 28, 191____,

having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank Ingalls

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in _____, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.