


Subdivisional  
**BOOK "X"**

BOOK 2602

FIELD NOTES

OF THE SURVEY OF THE

Subdivision lines of Twp. No. 26 North of  
Range No. 14 East.



Of the Gila and Salt River Base and Meridian,  
in the Territory of Arizona

EXECUTED  
AS ~~SURVEYED~~ BY

Sidney E. Blouh, United States <sup>Examiner of Surveys</sup> ~~Deputy Surveyor~~,  
Special Instructions from the Commissioner of the General Land Office  
Under ~~his Contract No.~~, dated Dec 2<sup>nd</sup> 1907 and May 15<sup>th</sup> 1908, 1908.

Survey commenced November 4<sup>th</sup>, 1909

Survey completed November 17<sup>th</sup>, 1909

NAMES AND DUTIES OF ASSISTANTS.

<u>Van L. White</u>	<u>Compassman</u>
<u>Armed L. Warner</u>	<u>Chairman</u>
<u>Earl Albright</u>	<u>Chairman</u>
<u>Chas L. Shumway</u>	<u>Woundman</u>
<u>William R. Carson</u>	<u>Woundman</u>
<u>Ralph Sampson</u>	<u>Flagman</u>

95  
13

BOOK 2602


2602

INDEX DIAGRAM.

Township No 26 North, Range No 14 East.

RESURVEYED EXTERIOR BOOK "AA"

RESURV.  
EXT. BK. "M"



PRELIMINARY OATHS OF ASSISTANTS.

See Subdivisional Book "Y"

WE, \_\_\_\_\_ and \_\_\_\_\_  
do solemnly swear that we will well and faithfully execute the duties of chainmen; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distances to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of \_\_\_\_\_

\_\_\_\_\_, Chainman.  
\_\_\_\_\_, Chainman.

Subscribed and sworn to before me this \_\_\_\_\_ }  
day of \_\_\_\_\_, 190 }



WE, \_\_\_\_\_ and \_\_\_\_\_  
do solemnly swear that we will well and truly perform the duties of moundmen in the establishment of corners, according to the instructions given us, to the best of our skill and ability, in the survey of \_\_\_\_\_

\_\_\_\_\_, Moundman.  
\_\_\_\_\_, Moundman.

Subscribed and sworn to before me this \_\_\_\_\_ }  
day of \_\_\_\_\_, 190 }



WE, \_\_\_\_\_ and \_\_\_\_\_  
do solemnly swear that we will well and truly perform the duties of axmen in the establishment of corners and other duties, according to instructions given us, to the best of our skill and ability, in the survey of \_\_\_\_\_

\_\_\_\_\_, Axman.  
\_\_\_\_\_, Axman.

Subscribed and sworn to before me this \_\_\_\_\_ }  
day of \_\_\_\_\_, 190 }



I, \_\_\_\_\_, do solemnly swear that I will well and truly perform the duties of flagman according to instructions given me, to the best of my skill and ability, in the survey of \_\_\_\_\_

\_\_\_\_\_, Flagman.

Subscribed and sworn to before me this \_\_\_\_\_ }  
day of \_\_\_\_\_, 190 }



chain

Survey commenced November 4<sup>th</sup> 1909 and executed with a W. & L. E. Gurley Engineers transit No. 76 with a Burh solar attachment, the horizontal limb is provided with one double vernier reading to single minutes of arc., the verniers of the latitude and declination arcs reading to 0'30" of arc.

Examine the adjustments of the transit and find them to be perfect, then to test the solar apparatus by comparing its indications resulting from solar observations made during a.m. and p.m. hours with a meridian established by observations on Polaris. I proceed as follows.

At my Camp, which is located near the  $\frac{1}{4}$  sec cor. Secs 14 and 15, T 26 N. R 14 E. Latitude  $35^{\circ} 38\frac{1}{2}' N.$  Longitude  $110^{\circ} 49' 53" W.$

I set off  $35^{\circ} 38\frac{1}{2}' N.$  on the lat. arc,  $15^{\circ} 23' S.$  on the decl. arc and at 4<sup>h</sup> <sup>p.m.</sup> <sub>l.m.t.</sub> determine a meridian with the solar and mark a point thereof by a tack driven in a stake set in the ground 5.00 chs. N. of my instruments.

At 5<sup>h</sup> 41<sup>m</sup> p.m. l.m.t. by my watch which is correct local mean time I observe Polaris in accordance with instructions in the manual and mark the direction thus determined by a tack driven in a stake set in the ground 5.00 chs. N. of my instruments.

Astron. l.m.t. of obs. Nov 4 <sup>th</sup> 1909.	5 <sup>h</sup> 41 <sup>m</sup>
Equivalent to time of Nov. 3 <sup>rd</sup>	29 41

Astron time U.C. Polaris Nov. 1 <sup>st</sup> 1909	10 <sup>h</sup> 45.1 <sup>m</sup>
Reduction to Nov. 3 <sup>rd</sup> Subtract	<del>11.7</del>
Astron time U.C. Polaris Nov. 3 1909	10 37.2 Subtract 10 37.2
Hour angle Polaris at Observation	19 03.8
Subtract from	<del>23 56.1</del>
Time argument for Table VII	4 52.3
Azimuth of Polaris at observation	1 <sup>o</sup> 23' E

November 4<sup>th</sup> 1909

November 5<sup>th</sup> 1909 At 7<sup>h</sup> 15<sup>m</sup> a.m. <sub>l.m.t.</sub> I lay off the azimuth of Polaris  $1^{\circ} 23'$  to the west and mark the meridian thus determined by a tack driven in the stake

chains

BOOK 2602

already set 5.00 ch. N. of my instrument, on which the meridian falls 0.25 in E of the point determined by the solar

At 7<sup>h</sup> 45<sup>m</sup> a.m. <sup>l.m.t.</sup> I set off 35° 38½' N. on the lat. arc. 15° 34' 3 on the decl arc and determined a meridian with the solar and mark a point thereof by a tack driven in the stake already set 5.00 ch. N. of my instrument, this point falls 0.2 in E. of the meridian established by the Polaris observations.

The solar apparatus by p.m. and a.m. observations defines positions for meridians respectively about 0'13" west and 0'10" east of the meridian established by the Polaris observation, therefore I conclude that the adjustments of the instrument are satisfactory

I begin at the Cor. of sec. 1, 2, 35 and 36 on the S. 1/4 of Twp 26 N. R14 E, latitude 35° 35' 48" N. Longitude 110° 48' 49" W.

At 9<sup>h</sup> 45<sup>m</sup> a.m. <sup>l.m.t.</sup> I set off 35° 36' N. on the lat. arc. 15° 37' 3 on the decl arc and determined a meridian with the solar. There I run

N 0° 01' W for sec. 35 and 36.

Across sandstone bluffs 35 ft. high bears NW. and SE. over stony land.

12.20 Top of bluffs bears NW. and SE. desc. N.E. slope.

20.70 Foot of descent in dry sand wash 25 lbs. wide 2 ft. deep course S.W. asc. gradually S.E. slope.

39.50 Top of sand ridge bears E and W. desc. N. slope

40.00 Set an iron post 3 ft. long in a draw 26 in in the ground for ¼ sec. cor. marked on brass cop ¼ 35 on W. half and 336 on E. half.

Dig pits 18x18x12 in N and S of post 3 ft. dia. and raise a mound of earth 3½ ft. base, 1½ ft. high. W. of cor.

80.00 Set an iron post 3 ft. long 2 in in draw 24 in in the ground for cor. of sec. 25, 26, 35, and 36 marked on brass cop T 26 N. S 26 in NW. R 14 E

S 25 in N.E. S 36 in S.E. and S 35 in S.W. quadrant.

Dig pits 18x18x12 in in each sec. 5½ ft. dia. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land rolling and hilly

Blaine

Soil sandy and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.  
No timber.

40.00 N 89° 58' E on a random line bet. sec. 25 and 36.  
Set temp.  $\frac{1}{4}$  sec. cor.

79.98 Intersect E. ldy of Twp. 3 lks N. of the cor. of sec. 25, 30, 31 and 36, <sup>recently estab. by Ireland & described in Exterior Book "AA"</sup> Thence <sup>Drum</sup>

S 89° 59' W. on a true line bet. sec. 25 and 36.  
Descend NW slope over rolling sandy land through sage and greasewood brush undergrowth and bunch grass.

39.99 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S 25 on N. half and S 36 on S half.

Dig pits 18x18x12 ins. E and W. of post 3 ft. dist. and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high W. of cor.

79.98 The cor. of sec. 25, 26, 35 and 36, heretofore described.

Land rolling  
Soil sandy 3<sup>rd</sup> rate.  
No timber

At this cor. set off 15° 39' S. on the decl. arc and at noon observe the sun on the meridian the resulting latitude being 35° 37' N.

N 0° 01' W bet. sec. 25 and 26.

Descend gradually NW slope over rolling sandy land through sage and greasewood brush undergrowth and bunch grass

44.00 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S 26 on W half and S 25 on E half.

Dig pits 18x18x12 ins. N and S. of post 3 ft. dist. and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high W. of cor.

70.00 Proof of descent in depression bears N. E. and S. W. drains to the N. E. and gradually over S. E. slope.

80.00 Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in the ground for cor. of sec. 23, 24, 25 and 26 marked on brass cap T 26 N S 23 in NW. T 14 E S

BOOK 2602

24 in N.E. S 25 in S.E. and S 26 in S.W. quadrant  
Dig pits 18x18x12 ins in each sec, 5½ ft. dist. and  
raise a mound of earth 4 ft. base, 2 ft. high W.  
of cor.

Land rolling,  
Soil sandy 3<sup>rd</sup> rate,  
No timber.

N 89° 59' E on a random line bet. secs. 24 and 25  
40.00 Set temp. ¼ sec. cor.  
80.06 Intersects E. l. dry. of T<sub>10</sub>N. 10 l. N. of the Cor. of secs. 19, 24.  
recently estab. by apt and described in Exterior Book "AA"  
25 and 30, Thence S. run

N 89° 59' W. on a true line bet. secs. 24 and 25.  
Descend gradually S.W. slope over rolling sandy land  
through scattering sage and greasewood bush undergrowth  
and bunch grass.

9.10 Dry ravine course S. ave.

40.03 Set an iron post, 3 ft. long 1 in. in diam. 26 ins. in the  
ground for ¼ sec. cor. marked on brass cap ¼ S 24 on  
N. half and S 25 on S half.

Dig pits 18x18x12 ins. E and W. of post, 3 ft. dist. and raise  
a mound of earth 3½ ft. base 1½ ft. high N. of cor.

80.06 The Cor. of secs. 23, 24, 25 and 26, heretofore described.  
Land rolling,  
Soil sandy 3<sup>rd</sup> rate  
No timber

N 0° 01' W. bet. secs. 23 and 24

Ascend S.E. slope over rolling sandy land through  
sage and greasewood bush undergrowth and bunch  
grass.

40.00 Set an iron post, 3 ft. long 1 in. in diam. 26 ins. in  
the ground for ¼ sec. cor. marked on brass cap ¼  
S 23 on W. half and S 24 on E half.

Dig pits 18x18x12 ins N and S. of post, 3 ft. dist. and  
raise a mound of earth 3½ ft. base 1½ ft. high W.  
of Cor.

80.00 Set an iron post, 3 ft. long 2 ins. in diam. 24 ins. in  
the ground for Cor. of secs. 13, 14, 23 and 24 marked  
on brass cap 'T 26 N. S 14 in N.W. R 14 E S 13 in N.E. S 24



chains

in S.E. and S 23 in S.W. quadrants.  
 Dig pits 18x18x12 ins in each sec 5 1/2 ft. dist. and  
 raise a mound of earth 4ft. base, 2ft. high. W. of cor.  
 Land rolling.  
 Soil sandy 3rd rate.  
 No timber.

S 89° 57' E on a random line bet. secs. 13 and 24

40.00 Set temp. 1/4 sec. cor.

80.08 Intersect E. ldy. of Twp. 3 lks. S. of the cor. of secs. 13, 18,  
 recently estab. by ~~me~~ <sup>me</sup> as described in Exterior Book "AA"  
 19 and 24. <sup>Thence</sup> ~~run~~ <sup>run</sup>

N 89° 58' W. on a true line bet. secs. 13 and 24

Ascend S.E. slope over rolling sandy land, through  
 sage and greasewood bush. undergrowth and  
 bunch grass.

40.04 Set an iron post. 3ft. long 1 in. in diam. 26 ins in  
 the ground for 1/4 sec. cor. marked on brass cap. 1/4  
 S 13 on N. half and S 24 on S. half

Dig pits 18x18x12 ins. East W. of post. 3ft. dist.  
 and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft.  
 high N. of cor.

49.00 Top of sand ridge bears N and S. desc.

80.08 The cor. of secs. 13, 14, 23, and 24, herebefore described.  
 Land rolling.  
 Soil sandy 3rd rate.  
 No timber.

Nov. 5 - 1909

Nov 11<sup>th</sup> 1909 at 8<sup>h</sup> 00<sup>m</sup> a.m. <sup>cont.</sup> Set off 35° 38' N. on the  
 cap. are 17° 19' S. on the decl. arc and determine a meridian  
 with the solar at the cor. of secs. 13, 14, 23 and ~~24~~ <sup>herebefore</sup> described.  
 Thence ~~run~~ <sup>run</sup>

N 0° 01' W bet. secs. 13 and 14.

Ascend S. slope over rolling sandy land through h. sage  
 and greasewood bush undergrowth and bunch grass.

40.00 Set an iron post. 3ft. long 1 in. in diam 26 ins. in  
 the ground for 1/2 sec. cor. marked on brass cap. 1/4 S 14  
 on W half and S 13 on E. half.

Dig pits 18x18x12 ins. N and S. of post. 3ft. dist. and  
 raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
 W. of cor

6

Chain

BOOK 2602

- 42.20 Top of sand ridge bears E and W. desc m slope over hilly land
- 52.00 Dry ravine 20 lbs. wide course S.E. asc.
- 69.30 Top of sand ridge bears N.E. and S.W. desc.
- 74.00 Dry ravine 25 lbs. wide 2 ft. deep course N.E. asc.
- 79.75 Top of stony ridge bears E and W. desc
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of sec. 11, 12, 13 and 14 marked on trans of T<sub>26</sub>N. S 11 in NW, R<sub>14</sub>E S 12 in NE, S 13 in S.E. and S 14 in SW. quadrant.  
Raise a mound of stone 3 ft. base, 1 1/2 ft. high. W. of cor.  
Pits impracticable  
Land rolling and hilly.  
Soil sandy and stony 3<sup>rd</sup> and 4<sup>th</sup> rate  
No timber.

- S 89° 58' E on a random line bet. sec. 12 and 13.
- 40.00 Set temp. 1/4 sec. cor.
- 80.12 Intersect E. ldy. of T<sub>26</sub>N. R<sub>14</sub>E. N. of the cor. of sec. 7, 12 recently estab. by fire and described in Exterior Book "AA" 13 and 18. A Chance Draw
- N 89° 56' W. on a true line bet. sec. 12 and 13.
- Ascend E slope of stony knoll over hilly sandy and stony land through sage and greasewood brush undergrowth and bunch grass.
- 17.30 Top of round knoll 100 ft. above cor. desc steeply over W. slope.
- 40.06 Set an iron post 3 ft. long 1 in in diam. 26 ins. in the ground for 1/4 sec. cor. marked on trans of T<sub>26</sub>N. S 12 in N.W. and S 13 on S.W. half.
- Dig pits 18x18x12 ins. E and W. of post 3 ft. diam. and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high. W. of cor.
- 40.75 Dry ravine course S.W. asc.
- 43.00 Top of sand ridge bears N. and S. desc.
- 47.75 Dry ravine course S.W. asc
- 50.40 Top of ridge bears N. and S. desc.
- 53.10 Dry ravine course S. asc.
- 65.00 Top of ridge bears N. and S. desc.
- 70.00 Dry ravine course N.E. asc.
- 80.12 The cor. of sec. 11, 12, 13 and 14, here before described.  
Land hilly

Subdivision of Twp. 26 N. R14 E.

Chains

7

Soil sandy and stony 3<sup>rd</sup> and 4<sup>th</sup> rate  
No timber.

N 90° 01' W. bet. sees 11 and 12.

Descend N. slope over hilly sandy land through sage and greasewood bush undergrowth and bunch grass.

- 1,50 Dry ravine Course E. are.
- 23,00 Top of ridge bears N.E. and S.W. desc.
- 25,20 Dry ravine Course N.E. are.
- 31,00 Top of sand ridge bears E. and W. desc.
- 40,00 Set an iron post 3 ft. long in diameter, 26 ins. in the ground for 1/4 sec. cor. marked on base Cap 1/4 S 11 on W. half and S 12 on E. half. Dig pits 18x18x12 ins N and S. of post. 3 ft. deep and raised a mound of earth 3 1/2 ft. base, 1 1/2 ft. high W. of cor.
- 41,60 Dry ravine Course E. are.
- 50,00 Top of sand ridge bears N.W. and S.E. desc.
- 56,85 Dry sand wash 20 lbs wide 2 ft. deep. Course S.E.
- 59,30 The same wash Course S.W.
- 60,60 The same wash. Course S.E. are.
- 80,00 Set an iron post 3 ft. long, 2 ins. in diam 24 ins. in the ground for cor. of sees, 1, 2, 11, and 12 marked on base cap. T 26 N S 2 in NW, N 14 E S 1 in NE, S 12 in SE, and S 11 in SW quadrants. Raise a mound of stone 2 ft. base 1 1/2 ft high W of cor.  
Pits impracticable  
Land hilly.  
Soil sandy 3<sup>rd</sup> rate  
No timber

At this cor I set off 17° 24' 3 on the decl. arc and at noon observe the sun on the meridian the resulting latitude being 35° 40' 76.

S 89° 56' E on a random line bet. sees 1 and 12.

- 40,00 Set temp. 1/4 sec. cor.
- 80,14 Intersect E. bdy. of Twp. 5 ltr. S. of the cor. of sees 1, 6, 7 and 12, recently estab. by line and described in Exterior Book "AA" Thence S run
- N 89° 58' W. on a true line bet. sees. 1 and 12.
- Descend N. W. slope over hilly sandy land through sage and greasewood bush undergrowth and bunch grass.
- 10,00 Foot of descent in depression bears N.W. and S.E. drain to S.E. are
- 37,35 Top of sand ridge bears N and S. desc.
- 38,40 Dry ravine Course S. are.
- 40,07 Set an iron post 3 ft. long 1 in. in diam 26 ins in the ground

BOOK 2602

Chain

for  $\frac{1}{4}$  sec. cor. marked on plan Cap  $\frac{1}{4}$  S 1 on N half and S 12 on  
 S half. Raise a mound of stone 2 ft. base  $1\frac{1}{2}$  ft. high. W.  
 of cor. Pits impracticable

40.35 Top of ridge bears N and S.  
 41.60 Dry ravine course S. ase.  
 44.70 Top of sand ridge bears N and S. desc.  
 46.40 Dry ravine course S.E. ase.  
 47.80 Top of ridge bears N.W. and S.E.  
 51.35 Dry ravine course S.E. ase.  
 77.25 Top of ridge bears N and S. desc.  
 80.14 The cor. of sees. 1, 2, 11 and 12, heretofore described.  
 Land hilly.  
 Soil sandy 3<sup>rd</sup> rate.  
 No timber.

No  $01^{\circ}$  W on a random line bet. sees. 1 and 2.  
 46.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.98 Intersect N. bdy. of Twp. 10 the S 89 $^{\circ}$  57' W. of the cor. of sees. 1, 2, 35  
 and 36, thence  $\frac{1}{4}$  sec. cor. run  
 recently re-established by me and described in Exterior Book "AA"

$80^{\circ}$  03' W. on a true line bet. sees. 1 and 2.  
 Around N.E. slope of ridge over rolling and hilly sandy  
 land through sage and greasewood brush undergrowth and buck grass

34.00 Top of gravelly ridge bears N.E. and S.W. desc.  
 39.00 Dry ravine course N.E. ase.  
 39.98 Set an iron post 3 ft. long 1 in. in diam. 26 in. in the ground for  
 $\frac{1}{4}$  sec. cor. marked on plan Cap  $\frac{1}{4}$  S 2 on W half and S 1 on E half  
 Raise a mound of stone 2 ft. base,  $1\frac{1}{2}$  ft. high. W. of cor.  
 Pits impracticable.

75.00 Top of high sand ridge bears N.E. and S.W. desc.  
 77.75 Begin steep descent over stony land bears N.E. and S.W.  
 79.20 Foot of steep descent. bears stony land bears N.E. and S.W.  
 Enter sandy land bears N.E. and S.W. desc. gradually.

79.98 The cor. of sees. 1, 2, 11 and 12, heretofore described.  
 Land broken and hilly.  
 Soil sandy and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.  
 No timber.

November 11<sup>th</sup> 1909

Chains

November 6<sup>th</sup> 1909  
Ch. 7<sup>h</sup> 45<sup>m</sup> a.m. l.m.t. Set off. 35°36' N on the lat. arc 15°51 1/2' S. on the decl. arc and determine a meridian with the solar alt. the cor. of secs. 2, 3, 34 and 35 on the S. side of the N. 1/4 Thence run

W 00° 01' W to the Sec 34 and 35

7.00 Descend N. slope over rolling sandy land through scattering sage and greasewood bush undergrowth and bunch grass. Poth of descent in depression bears N.E. and S.W. drains to the N.E. and S.E. slope.

16.00 Top of gravelly knoll desc.

22.00 Poth of descent. level hilly land bears E. and W. enters level land bears E. and W.

40.00 See an iron poth. 3ft. long 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor marked on brass cap. 1/4 S 34. on W half and S 35 on E half.

Dig pits 18x18x12 ins. N. and S. of poth. 3ft. dia. and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high W. of cor.

76.00 Level land bears E. and W., enters hilly land bears E. and W. we gradually over S. slope

80.00 See an iron poth. 3ft long 2 ins. in diam. 24 ins. in the ground for cor. of secs. 26, 27, 34 and 35 marked on brass cap T 26 N. S 27 in N.W. T 14 E S 26 in N.E. S 35 in S.E. and S 34 in S.W. quadrants.

Dig pits 18x18x12 ins. in each sec. 15 1/2 ft. dia. and raise a mound of earth 4 ft. base, 2 ft. high. W. of Cor.

This cor. is situated on top of low sand ridge, land level and hilly.

Soil sandy 3<sup>rd</sup> rate.

No timber.

40.00 W 89° 58' E on a random line bet. secs 26 and 35 - See top 1/4 sec. cor.

80.00 Intersect N. and S. line 5 lbs. S of the cor. of secs. 25, 26, 35 and 36. <sup>heretofore described</sup> Thence run

S 89° 56' W. on a true line bet. secs. 26 and 35

Descend W. slope over rolling sandy land through scattering sage and greasewood bush undergrowth and bunch grass.

40.00 See an iron poth. 3ft. long 1 in. in diam. 26 ins. in

BOOK 2602

the ground for  $\frac{1}{4}$  sec. cor. marked on base cap  $\frac{1}{4}$  S 26 on N. half and S 35 on S. half.

Dig pits 18x18x12 ins. East W. of post. 3 ft. dia. and raise a mound of earth  $3\frac{1}{2}$  ft. base.  $1\frac{1}{2}$  ft. high

W. of cor.

73.10 Dry sand wash 60 lbs wide 3 ft. deep course N. are gradually.

80.00 The cor. of sees. 26, 27, 34 and 35 heretofore described.

Land rolling.

Soil sandy 3<sup>rd</sup> rate.

No timber.

N 0° 01' W bet. sees. 26 and 27.

Descend N. slope of sand ridge over rolling sandy land through scattering sage and greasewood brush undergrowth and bunch grass.

5.00 Foot of descent. enter nearly level laid base N.W. and S.E.

40.00 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on base cap  $\frac{1}{4}$  S 27 on W. half and S 26 on E. half.

Dig pit 18x18x12 ins. N. and S. of post. 3 ft. dia. and raise a mound of earth  $3\frac{1}{2}$  ft. base.  $1\frac{1}{2}$  ft. high W. of cor.

75.80 Begin gradual ascent over S.E. slope.

80.00 Set an iron post 3 ft. long 2 in. in diam. 24 ins. in the ground for cor. of sees. 22, 23, 26 and 27 marked on base cap T 26 N, S 22 in N.W. R 14 E. S 23 in N.E. S 26 in S.E. and S 27 in S.W. quadrant.

Dig pits 18x18x12 ins in each sec.  $5\frac{1}{2}$  ft. dia. and raise a mound of earth 4 ft. base 2 ft. high. W. of cor.

Land rolling.

Soil sandy 3<sup>rd</sup> rate.

No timber.

NOTE At this cor. set off 15' 57' S on the decl. arc and at noon observe the sun on the meridian, and obtain on the lat. arc a reading of  $35^{\circ} 37\frac{1}{2}'$  N.

N 89° 56' E on a random line bet. sees 28 and 26.

40.00 Set temp  $\frac{1}{4}$  sec. cor.

79.90 Intersect N. and S. line at the cor. of sees. 23, 24, 25 and 26.

## Subdivision of Tr. 26 N, R14 E.

Chains

11

- heretofore described,  
Theiler's Run
- 89.56 W. on a true line bet. sees. 23 and 26.  
ascend E. slope over rolling sandy land through  
scattering sage and greasewood brush undergrowth  
and bunch grass.
- 14.50 Top of sand ridge bears N.E. and S.W. desc. NW.  
slope.
- 39.95 Set an iron post 3 ft. long 1 in. in diam. 20 ins. in the  
ground for  $\frac{1}{4}$  sec. cor. marked on brass cap T 323.  
on N. half and S 26 on S. half.
- Dig pits 18 x 18 x 12 ins. East W. of post 3 ft. dia.  
and raise a mound of earth 3  $\frac{1}{2}$  ft. base 1  $\frac{1}{2}$  ft.  
high W. of cor.
- 72.40 Hook of descent in sand wash. 40 lbs. wide, 3 ft.  
deep course N. asc. gently
- 79.90 The cor. of sees. 22, 23, 26 and 27, heretofore described.  
Land rolling.  
Soil sandy 3<sup>rd</sup> rate.  
No timber

- N. of 01 W. bet. sees. 22 and 23  
Desc gradually N.E. slope over rolling sandy land  
through scattering sage and greasewood brush  
and bunch grass.
- 40.00 Set an iron post 3 ft. long 1 in. in diam. 20 ins.  
in the ground for  $\frac{1}{4}$  sec. cor. marked on brass  
cap T 322 on W. half and S 23 on E half.
- Dig pits 18 x 18 x 12 ins. N and S. of post 3 ft. dia.  
and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft.  
high W. of cor.
- 59.50 Begin gradual ascent over S. slope.
- 80.00 Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in  
the ground for cor. of sees. 14, 15, 22 and 23.  
marked on brass cap T 26 N, S 15 in NW, R 14 E.  
S 14 in N.E. S 23 in S.E. and S 22 in S.W. quadrants.  
Raise a mound of stone 2 ft. base 1  $\frac{1}{2}$  ft. high.  
W. of cor. Pits impracticable  
Land rolling.  
Soil sandy and gravelly 3<sup>rd</sup> rate.  
No timber

BOOK 2602

- 40.00 N 89° 56' E on a random line bet. sec. 14 and 23  
Soh temp. 1/4 sec. cor.
- 79.92 Intersect N and S line 8 lks. N. of the cor. of sec. 13, 14, 23, and 24, <sup>heretofore described</sup> Thence S run
- 88° 59' W. on a true line bet. sec. 14 and 23.  
Ascend gradually E. slope over rolling sandy land through scattering sage and greasewood brush undergrowth and bunch grass.
- 17.60 Top of sand ridge bears N.E. and S.W. desc. gently over N.W. slope.
- 33.10 Dry ravine course S.W. arc.
- 39.96 Set an iron post 3 ft. long 1 in. in diam. 26 in. in the ground for 1/4 sec. cor. marked on base cap 1/4 S. 1/4 on N. half and 3/23 on S half  
Dig pits 18x18x12 in. East W. of post 3 ft. deep and place a mound of earth 3 1/2 ft. base, 1 1/2 ft. high. N. of cor.
- 44.50 Top of sand ridge bears N. and S. desc.
- 48.20 Top of descent, bear rolling land bears N.W. and S.E. Enter level, gravelly land bears N.W. and S.E.
- 61.15 Leave level land bears N.E. and S.W. enter hilly land bears N.E. and S.W. desc gradually over N.W. slope
- 63.00 Top of descent. Leave hilly land bears N.E. and S.W. Enter nearly level land bears N.E. and S.W.
- 79.92 The cor. of sec. 14, 15, 22, and 23, <sup>heretofore described</sup> Land level rolling and hilly.  
Soil sandy and gravelly 3<sup>rd</sup> and 4<sup>th</sup> rate.  
No timber.

November 6<sup>th</sup> 1909

- 1909  
November 12<sup>th</sup> At 7<sup>h</sup> 30<sup>m</sup> a.m. L.M.T. Sph. of 35° 38' N. on the hor. arc 17° 34 1/2' S. on the decl. arc and determine a meridian with the solar at the cor. of sec. 14, 15, 22 and 23, <sup>heretofore described</sup> Thence S run
- N 0° 01' W. bet. sec. 14 and 15  
Over rolling gravelly and adobe land.
- 1.85 Dry ravine 25 lks. wide 2 ft. deep course S.W.
- 24.50 Dry ravine 10 lks. wide 2 ft. deep course S.W.
- 26.75 Leave rolling land bears East W. enter hilly land bears East W. ascend steeply over S. slope of mesa
- 40.00 Set an iron post 3 ft. long 1 in. in diam. 26 in. in



Chaus

the ground for  $\frac{1}{4}$  sec. cor marked on brass cap  $\frac{1}{4}$  S 15 on W half and S 14 on E. half.

Raise a mound of stone 2 ft. base  $1\frac{1}{2}$  ft. high. W. of cor. Pits impracticable.

- 44.80 Dry rocky ravine 50 lbs. wide 15 ft. deep. Course S.E.
- 48.80 Top of abrupt ascent on S. edge of mesa bears E. and W. level sandy land bears E. and W. enter level sandy mesa level bears E. and W.
- 56.00 North edge of mesa level sandy. land bears E. and W. enter rolling land bears E. and W. desc. gently over N.E. slope.
- 77.00 Foot of descent in depression bears E. and W. desc. gradually.
- 80.00 Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in the ground for cor. of sec. 10, 11, 14, and 15 - marked on brass cap T 26 N, S 10 in N.W. R 14 E. S 11 in N.E. S 14 in S.E. and S 15 in S.W. quadrants. Dig pits 18 x 18 x 12 ins. in each. sec.  $5\frac{1}{2}$  ft. dia. and raise a mound of earth 4 ft. base, 2 ft. high. W. of cor. Land level rolling and hilly. Soil sandy adobe partly and stony 3<sup>rd</sup> and 4<sup>th</sup> rate. No timber.

N 89° 59' E on a random line bet. sec. 11 and 14  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.76 Intersect N and S. line 10 lbs. S. of the cor. of sec. 11, 12, 13 and 14 <sup>herein pre described</sup> ~~These~~ <sup>These</sup> ~~Drum~~

S 89° 55' W. on a true line bet. sec. 11 and 14 around E. slope over hilly sandy land through scattering sage and greasewood bush undergrowth and bunch grass.

- 24.00 Top of sand ridge bears N and S. desc.
- 26.00 Dry ravine course S.W. asc.
- 39.98 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S 10 on N. half and S 14 on S. half. Dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dia. and raised mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high. N. of cor.
- 41.00 Top of sand ridge bears N and S. desc.

BOOK 2602

- 42.40 Foot of descent in depression toward N. and S. drains to the S. are gently.
- 53.50 Top of sand ridge toward N. and S. desc.
- 55.10 Dry ravine course S.E. are.
- 79.96 The cor. of secs. 10, 11, 14, and 15, herein before described.  
Land hilly.  
Soil sandy 3<sup>rd</sup> rate.  
No timber.

N 90° 01' W. line sec. 10 and 11

Ascend S.E. slope over rolling sandy land through scattering sage and greasewood. Brush undergrowth and bunch grass.

- 40.00 Set a iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap. 4 S 10 on W. half and S 11 on E. half.  
Dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist. and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high. W. of cor.

- 54.00 Top of sand ridge toward E. and W. desc. gently

- 66.00 Foot of descent in depression, toward N.W. and S.E. drains to the S.E. are.

- 80.00 Set a iron post 3 ft. long 2 ins. in diam. 26 ins. in the ground for cor. of secs. 2, 3, 10 and 11 marked on brass cap T 26 N, S 3 in N.W., R 14 E S 2 in N.E. S 11 in S.E. and S 10 in S.W. quadrants.

Raise a mound of stone 2 ft. base, 1  $\frac{1}{2}$  ft. high. W. of cor. This impracticable

Land rolling.  
Soil sandy 3<sup>rd</sup> rate.  
No timber.

At this cor I set off 17° 40  $\frac{1}{4}$ ' S. on the decl. arc and at noon observe the sun on the meridian and obtain on the lab. arc a reading of 35° 40' 10" which is the proper lat. of this place.

N 89° 55' E on a random line sec 2 and 11

- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.

- 79.92 Intersect N. and S. line 3 lbs S. of cor. of secs 1, 2, 11 and 12, <sup>herein before described</sup> the well known

## Subdivision of Twp 26 N R 14 E.

Chain

- 89°54' W on a true line bet. sec. 2 and 11.  
Ascend S.E. slope over hilly sandy land through scattering  
sage and greasewood brush undergrowth and bunch  
grass.
- 13.25 Top of sand ridge bears N.E. and S.W. desc.
- 39.96 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the  
ground for 4 sec. cor. marked out bears cap 4 S 2 on N.  
half and S. 11 on S. half.  
Dig pits 18x18x12 ins E and W of post. 3 ft. dia. and raise a  
mound of earth 3½ ft. base 1½ ft. high. N. of cor.
- 77.00 Dry ravine course S. asc.
- 78.00 Top of gravelly ridge bears N and S. desc.
- 79.92 The cor. of sec. 2, 3, 10 and 11, heretofore described.  
Land hilly.  
Soil sandy and gravelly 3rd rate.  
No timber.
- 
- 40.00 90°01' W. on a true line bet. sec. 2 and 3.  
Set temp. 4 sec. cor.
- 79.96 Intersect N. bdy of Twp. at the cor. of sec. 2, 3, 34 and 35;  
recently re-established by me and described in Exterior Book "AA"  
Thurs. Drum
- 80°01' E on a true line bet. sec. 2 and 3.  
Descend S. slope over rolling sandy land through sage and greasewood  
brush undergrowth and bunch grass.
- 10.00 Foot of descent in depression bears N.E. and S.W. drains to N.E. cor.
- 39.96 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground  
for 4 sec. cor. marked out bears cap 4 S 3 on W half and S 2 on E half.  
Dig pits 18x18x12 ins. N. and S. of post 3 ft. dia. and raise a  
mound of earth 3½ ft. base, 1½ ft. high. W. of cor.
- 40.00 Top of sand ridge bears N.E. and S.W. desc.
- 60.50 Foot of descent in depression, bears N.E. and S.W. drains  
to the N.E. cor.
- 78.70 Top of stony ridge bears N.E. and S.W. desc. S.E. slope.
- 79.96 The cor. of sec. 2, 3, 10 and 11, heretofore described.  
Land rolling and hilly.  
Soil sandy and stony 3rd and 4th rate.  
No timber.

November 12<sup>th</sup> 1909

BOOK 2602

1909  
November 8<sup>th</sup> Ah. 7 h. 15 m <sup>l.m.t.</sup> a.m. S<sub>26</sub> off 35° 36' N on the lat. arc 16° 26' S on the decl. arc and determine a meridian with the solar at the cor. of sec. 3, 4, 33 and 34 on the S. b. dry, of the <sup>recently estab. by me and described in "Exterity Book"</sup> <sup>Thence</sup> <sup>Drum</sup> S 170° 02' W bet. sec. 33 and 34

Descend N. slope over rolling sandy land through sage and greasewood brush undergrowth and bunch grass.

30.00 Dry ravine course N.E. and

40.00 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor. marked on base. Cap T 333 on W half and S 34 on E half.

Dig pits 18 x 18 x 12 ins. N and S. of post. 3 ft. deep and raise a mound of earth 3 1/2 ft. base 1 1/2 ft. high W. of cor.

42.50 Top of ridge base E and W. desc.

64.70 Foot of descent leave rolling land base N.E. and S.W. enter level land base N.E. and S.W.

80.00 Set an iron post 3 ft. long 2 in. in diam. 26 ins. in the ground for cor. of sec. 27, 28, 33 and 34 marked on base Cap T 26 N, 328 in N.W. T 14 E 327 in N.E. S 34 in S.E. and S 33 in S.W. quadrants.

Dig pits 18 x 18 x 12 ins. in each. sec. 5 1/2 ft. deep and raise a mound of earth 4 ft. base 2 ft. high W. of cor.

Land level and rolling.

Soil sandy 3<sup>rd</sup> rate.

No timber.

S 89° 58' E on a random line bet. sec. 27 and 34  
40.00 Set temp. 1/4 sec. cor.

80.08 Intersect N and S. line 5 lks. N. of the cor. of sec. 26, 27, 34 and 35 <sup>herebefore described</sup> <sup>Thence</sup> <sup>Drum</sup>

West. on a true line bet. sec. 27 and 34  
Ascend E. slope over rolling sandy land through scattering sage and greasewood brush undergrowth and bunch grass.

5.80 Top of sand ridge base N and S. desc.

40.04 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor. marked on base Cap T 327 on N half and S 34 on S half.

## Subdivision of Tps 26 N. R 14 E.

17

Chains

- Dig pits 18x18x12 in. East W. of post. 3 ft. dia. and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high. W. of cor.
- 51.00 Top of descent. level rolling land bears N. and S. enter level land bears N. and S.
- 80.08 The cor. of sec. 27, 28, 33 and 34, heretofore described. Land level and rolling. Soil sandy 3<sup>rd</sup> rate. No timber.
- N 80° 02' W 1/2 sec. 27 and 28. Over level sandy and gravelly land through scattering sage and greasewood bush undergrowth and bunch grass
- 13.20 Leave level land bears N.E. and S.W. enter rolling land bears N.E. and S.W. desc. gently over N.W. slope.
- 18.70 Dry ravine course S.W. asc.
- 28.00 Top of sand ridge bears N.E. and S.W. desc.
- 40.00 Set an iron post 3 ft. long 1 in. in diam. 26 in. in the ground for cor. marked on brass cap. S 28 on W. half and S 27 on E. half. Raise a mound of stone 2 ft. base, 1 1/2 ft. high. W. of cor. Pits impracticable
- 47.00 Dry ravine course S.W. asc.
- 51.10 Top of sand ridge bears N.E. and S.W. desc.
- 54.35 Dry ravine 40 lbs. wide 3 ft. deep course S.W. asc.
- 80.00 Set an iron post 3 ft. long 2 in. in diam. 24 in. in the ground for cor. of sec. 21, 22, 27 and 28, marked on brass cap T 26 N. S 21 in N.W. R 14 E S 22 in N.E. S 27 in S.E. and S 28 in S.W. quadrants. Raise a mound of stone 2 ft. base, 1 1/2 ft. high. W. of cor. pits impracticable. Land rolling level and hilly. Soil sandy gravelly and stony 3<sup>rd</sup> and 4<sup>th</sup> rate. No timber.

NOTE. At this cor. the sun off 10° 36' S. on the decl. arc and at noon observed the sun on the meridian the resulting latitude being 35° 37' N.

BOOK 2602

- 40.00 Cash on a random line bet. sec. 22 and 27.  
 80.08 Set temp.  $\frac{1}{4}$  sec. cor.  
 22, 23, 26, and 27, <sup>heretofore described</sup> Thence down  
 N 89° 59' W. on a true line bet. sec. 22 and 27.  
 Over rolling sandy land through scattering sage  
 and greasewood brush undergrowth and bunch  
 grass.  
 33.30 Top of sand ridge bears N.E. and S.W. desc.  
 40.04 Set an iron post 3 ft. long 1 in. in diam. 26 ins.  
 in the ground for  $\frac{1}{4}$  sec. cor. marked on brass  
 cap T 22 on N. half, and S 27 on S. half  
 Dig pits 18 x 18 x 12 ins. East W. of post. 3 ft. dia.  
 and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft.  
 high N. of cor.  
 68.00 Dry sand wash. 25 lks. wide 1 ft. deep. course S.W.  
 ab.  
 80.08 The cor. of sec. 21, 22, 27 and 28, heretofore described  
 Land rolling.  
 Soil sandy 3rd rate.  
 No timber.
- 
- N 0° 02' W bet. sec. 21 and 22  
 Around S slope over hilly land.  
 30.20 Begin abrupt ascent.  
 33.00 Top of adobe ridge bears N.W. and S.E. desc.  
 38.75 Dry ravine course S.E. asc.  
 40.00 The point for the  $\frac{1}{4}$  sec. cor. falls on steep S.  
 slope of an adobe ridge unsuitable for the  
 establishment of a permanent cor. therefore at  
 39.00 Set an iron post 3 ft. long 1 in. in diam. 26 ins  
 in the ground for witness cor. to the  $\frac{1}{4}$  sec. cor.  
 marked on brass cap. T 26 N, R 14 E. S 21 on W  
 half. S 22 on E. half. and W 24 on N. half  
 Raise a mound of stone 2 ft. base 1  $\frac{1}{2}$  ft. high  
 W. of cor. Pits impracticable  
 40.70 Top of sand stone ledge bears East W. asc  
 54.20 Top of adobe ridge bears E and W desc.  
 74.40 Dry ravine course E asc.  
 77.20 Top of adobe ridge bears E and W. desc.  
 80.00 Set an iron post 3 ft. long 2 ins. in diam. 24 ins

Subdivision of Twp 26 N. R 14 E.

Chains

in the ground for cor. of sec. 15, 16, 21 and 22,  
 marked on brass cap T 26 N. S 16 in NW. T 14 E S 15  
 in NE. S 22 in SE and S 21 in SW. quadrants.  
 Raise a mound of stone 2 ft. base. 1 1/2 ft. high. W.  
 of cor. Pits impracticable  
 Land hilly  
 Soil sandy adobe and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.  
 No timber.

89° 59' E on a random line bet. sec. 15 and 22  
 40.00 Sec temp. 1/4 sec. cor.  
 80.16 Intersect N and S. line 20 lbs. S. of the cor. of sec.  
 14, 15, 22 and 23. <sup>heretofore described</sup> These 3 run

89° 52' W. on a true line bet. sec. 15 and 22.  
 Over hilly, sandy and gravelly land, through  
 scattering sage and greasewood bush undergrowth  
 and bunch grass

1.90 Dry sand wash. 30 lbs. wide 3 ft. deep course  
 S.W.  
 23.90 Dry ravine 50 lbs. wide 2 ft. deep course S.E. asc.  
 40.08 Show iron post. 3 ft. long 1 in in diam. 26 in  
 in the ground for 1/4 sec. cor. marked on brass  
 cap 1/4 S 15 on N. half and S 22 on S half.  
 Raise a mound of stone 2 ft. base 1 1/2 ft. high. W.  
 of cor. Pits impracticable

41.00 Begin very steep ascent.  
 41.85 Top of adobe ridge bears N and S. desc.  
 43.60 Dry ravine course S.E. asc. steeply.  
 46.90 Top of adobe ridge bears N.W. and S.E. desc  
 52.40 Dry ravine course S.W. asc. steeply  
 63.85 Top of adobe ridge bears N.E. and S.W. desc.  
 78.20 Dry ravine course S.E. asc.

80.16 The cor. of sec. 15, 16, 21 and 22, <sup>heretofore</sup> described.  
 Land hilly.  
 Soil sandy adobe and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.  
 No timber

November 8<sup>th</sup> 1909

1909  
 November 13<sup>th</sup> At 8<sup>h</sup> 00<sup>m</sup> a.m. <sup>l.m.t.</sup> set off 35° 38' N.  
 on the lat. arc. 17° 52' S. on the decl. arc and  
 determine a meridian with the solar at the cor. of.

BOOK 2602

heretofore described  
 Secs. 15, 16, 21 and 22, Thence Drive  
 N<sup>90°02'</sup> W 2' bet. secs. 15 and 16.  
 Ascend steep n.e. slope over hilly stony land, through  
 scattering sage and greasewood brush and bunch grass.  
 0.70 Dry ravine course E.E. asc. steeply over S. slope of  
 mesa.  
 7.40 Top of steep ascent on S. edge of mesa toward E and W,  
 asc. gradually.  
 40.00 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap.  $\frac{1}{4}$   
 S 16 on W half and S 15 on E. half  
 Dig pits 18x18x12 ins. N and S. of post. 3 ft. dia. and raise  
 a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high. W. of cor.  
 72.55 Top of sand ridge toward N.E. and S.W. desc. gradually  
 80.00 Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in  
 the ground for cor. of secs. 9, 10, 15, and 16. marked  
 on brass cap. T<sub>26</sub>N S<sub>9</sub> in N.W. R<sub>14</sub>E S<sub>10</sub> in N.E. S<sub>15</sub>  
 in S.E. and S<sub>16</sub> in S.W. quadrants.  
 Dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$  ft. dia. and  
 raise a mound of earth 4 ft. base, 2 ft. high. W. of cor.  
 Land broken and hilly.  
 Soil sandy and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.  
 No timber.

N<sup>89°52'</sup> E. on a random line bet. secs. 10 and 15  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.06 Intersect N and S. line 10 lbs. N. of the cor. of sec.  
 10, 11, 14, and 15, heretofore described  
 Thence Drive  
 S<sup>89°56'</sup> W. on a true line bet. secs. 10 and 15.  
 Ascend S.E. slope over rolling and hilly sandy  
 land, through scattering sage and greasewood  
 brush and bunch grass.  
 40.03 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S  
 10 on N. half and S 15 on S. half.  
 Dig pits 18x18x12 ins. E and W of post. 3 ft. dia. and  
 raise a mound of earth 3 $\frac{1}{2}$  ft. base 1 $\frac{1}{2}$  ft. high.  
 W. of cor.  
 69.00 Top of sand ridge toward N.E. and S.W. desc.  
 80.06 The cor. of secs. 9, 10, 15 and 16, heretofore described.  
 Land rolling and hilly.



Chain

Soil sandy 3<sup>rd</sup> rate.  
No timber.

N 0° 02' W. bet. sec. 9 and 10.

Descend N.W. slope over rolling sandy land through sage and greasewood brush undergrowth and bunch grass.

12,90 Dry sand wash 10 lbs. wide 2 ft. deep course N.W. desc.

14,30 Top of gravelly ridge bet. sec. N.W. and S.E. desc.

30,26 Dry ravine course W. desc.

40,00 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap 4 & 9 on W. half and 310 on E. half.

Dig pits 18 x 18 x 12 ins. N and S. of post 3 ft. dist. and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high. W. of cor.

This cor. is situated on top of ridge bet. sec. 9 and W. desc.

73,00 Foot of descent in depression bet. sec. 9 and W. drain to the W. desc. gently

80,00 Set an iron post 3 ft. long, 2 ins. in diam, 24 ins. in the ground for cor. bet. sec. 9, 4, 9 and 10, marked on brass cap. T 26 N, S 4 in N.W. T R 14 E S 3 in N.E. S 10 in S.E. and S 9 in S.W. quadrants.

Dig pits 18 x 18 x 12 ins. in each sec. 5  $\frac{1}{2}$  ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land rolling.

Soil sandy 3<sup>rd</sup> rate.

No timber

NOTE

At this cor. Dreh off 17° 56' S on the decl. arc and at noon observe the sun on the meridian, and obtain on the lat. arc a reading of 35° 39  $\frac{1}{2}$ ' N.

N 89° 56' E on a random line bet. sec. 3 and 10.

40,00 Set temp  $\frac{1}{4}$  sec. cor.

80,04 Intersect 7 and 8. line 14 lbs. S. of the cor. of sec. 2, 3, 10 and 11 <sup>herebefore described</sup> Merced Iron

S 89° 50' W. on a true line bet. sec. 3 and 10.

Descend W. slope over rolling sandy land through

BOOK 2602

- scattering sage and greasewood bush undergrowth and bunch grass.
- 11,00 Pook. descent in depression bears N and S. drains to the S. side.
- 28,00 Top of ridge bears N and S. desc.
- 40,02 Behav iron post 3 ft long 1 in in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S 30 N. half and S 10 on S. half.  
Dig pits 18x18x12 ins. E and W. of post 3 ft dist and raise a mound of earth  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high.  
W. of cor.
- 57,00 Pook. descent in depression bears N. E and S. W. drains to S. W. side.
- 61,00 Top of sand ridge bears N and S. desc.
- 78,50 Pook. of descent in depression bears N. and S. drains to the S. side.
- 80,04 The cor. of sec. 3, 4, 9 and 10, heretofore described.  
Land rolling.  
Soil sandy 3<sup>rd</sup> rate.  
No timber.
- 
- W 0° 02' W. on a random line bet. sec. 3 and 4.
- 40,00 Beh temp.  $\frac{1}{4}$  sec. cor.
- 80,08 Intersect N. Sec. of N. on the cor. of sec. 3, 4, 9 and 10, <sup>recently re-established and described in Exterior Book "AA" and 34.</sup> ~~Intersect~~ ~~Drum~~  
S 0° 02' E. on a true line bet. sec. 3 and 4  
Over rolling and hilly. gravelly and sandy land through scattering sage and greasewood bush undergrowth and bunch grass.
- 7,75 Pook of descent in depression bears E. and W. side.
- 40,08 Behav iron post 3 ft long 1 in in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S 40 W half and S 3 on E. half.  
Dig pits 18x18x12 ins N. and S. of post 3 ft dist. and raise a mound of earth  $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft high.  
W. of cor.
- 62,50 Top of sand ridge bears E and W. desc.
- 80,08 The cor. of sec. 3, 4, 9 and 10, heretofore described.  
Land rolling  
Soil sandy 3<sup>rd</sup> rate.  
No timber

November 13<sup>th</sup> 1909

November 9<sup>th</sup> <sup>1909</sup> Ch. 8<sup>h</sup> 30<sup>m</sup> a.m. <sup>l.m.t</sup> S. 35° 35' <sup>3</sup>/<sub>4</sub> N.  
 on the lat. arc. 16° 46' <sup>1</sup>/<sub>2</sub> S. on the decl. arc. and determine  
 a meridian with the solar at the cor. of sec. 4, 5.  
 32 and 33. on the S. 7<sup>th</sup> of the Twp. <sup>recently estab. by me and described in Exterior Book "J"</sup> Thence Drive  
 W 0° 03' W. to sec. 32 and 33

Descend N. slope over hilly sandy land through  
 scattering sage and greasewood bush undergrowth  
 and bunch grass.

- 11.40 Dry ravine 40 lbs. wide 6 ft. deep course N.W. sec  
 15.00 Top of stony spur bank N.E. and S.W. desc.  
 17.00 Same ravine course N.E. sec.  
 18.30 Top of ridge bank E. and W. desc.  
 18.80 The same ravine course N.W. sec.  
 22.50 Top of stony spur bank E. and W. desc.  
 32.75 The same ravine course N.E. sec. knoll.  
 39.35 Top of round knoll. desc.  
 40.00 Set an iron post 3 ft. long 1 in. in diam. 26  
 in. in the ground for <sup>1</sup>/<sub>4</sub> sec. cor. marked on  
 brass cap <sup>1</sup>/<sub>4</sub> S 32 on W. half and S 33 on E. half  
 Dig pits 18 x 18 x 12 in. N and S. of post 3 ft. dia. and  
 raise a mound of earth 3 <sup>1</sup>/<sub>2</sub> ft. base, 1 <sup>1</sup>/<sub>2</sub> ft. high.  
 W. of cor.  
 49.25 The same ravine course W. sec. knoll.  
 54.35 Top of round knoll. desc. N. slope.  
 64.00 Dry ravine 50 lbs. wide 4 ft. deep course S.W. sec.  
 80.00 Set an iron post 3 ft. long 2 in. in diam. 24 in.  
 in the ground for cor. of sec. 28, 29, 32 and 33  
 marked on brass cap T 26 N 329 in N.W. R 14 E S 28  
 in N.E. S 33 in S.E. and S 32 in S.W. quadrant.  
 Raise a mound of stone 2 ft. base. 1 <sup>1</sup>/<sub>2</sub> ft. high W.  
 of cor. Pits impracticable.  
 Land hilly.  
 Soil sandy and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.  
 No timber.

W 89° 58' E. on a random line to sec 28 and 33

40.00 Set temp. <sup>1</sup>/<sub>4</sub> sec. cor.

80.06 Intersect N and S. line 3 lbs. N. of the cor. of sec  
 27, 28, 33 and 34 <sup>heretofore described</sup> Thence Drive

BOOK 2602

- S<sub>89°59'</sub> W. on a true line bet. sec. 28 and 33  
Over rolling sandy land through scattering sage  
and greasewood bush undergrowth and bunch grass
- 13.55 Begin gradual descent over N.W. slope.
- 20.00 Top of descent. level rolling land bet. N.E. and S.W.  
enter level land bet. N.E. and S.W.
- 40.03 Set an iron post. 3 ft. long 1 in. in diam. 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S  
28 on N. half and S 33 on S half.
- Dig pits 18 x 18 x 12 ins. East W. of post. 3 ft. dia. and  
raise a mound of earth.  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high.  
N. of cor.
- 41.20 Dry ravine 10 lbs. wide 2 ft. deep. Course S.W.
- 45.20 The same ravine course N.W. asc. gradually.
- 47.25 Top of ridge bet. N.E. and S.W. desc.
- 49.75 Left bank of dry sand wash. 3 ft. high. bet. N.E. and  
S.W.
- 50.75 Right bank of dry sand wash. 2 ft. high. bet. N.E.  
and S.W. asc. gradually over S.E. slope.
- 65.00 Top of sand ridge bet. N.E. and S.W. desc.
- 73.65 Dry ravine course S.W. asc.
- 80.06 The cor. of sec. 28, 29, 32 and 33, heretofore described.  
Land level, rolling, and hilly,  
Soil sandy and gravelly 3<sup>rd</sup> rate.  
No timber.

- N<sub>0°03'</sub> W. bet. sec. 28 and 29.  
Across S.E. slope over rolling sandy and gravelly  
land through scattering sage and greasewood  
bush undergrowth and bunch grass.
- 19.00 Top of sand ridge bet. N.E. and S.W. desc.
- 40.00 The point for the  $\frac{1}{4}$  sec. cor. falls in the bottom  
of a dry sand wash, where natural causes  
would insure the destruction of a cor.  
therefore at
- 39.50 Set an iron post. 3 ft. long 1 in. in diam. 26 ins.  
in the ground for witness cor. to the  $\frac{1}{4}$  sec.  
Cor. marked on brass cap 'T<sub>26</sub>N R<sub>14</sub>E. S 29 on  
W half., S 28 on E half. and W.  $\frac{1}{4}$  in N. half  
Dig pits 18 x 18 x 12 ins. N and S of post 3 ft. dia.  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.

Chain

High W. of cor.  
 40.20 Center of dry sand wash course S.W. asc.  
 65.25 Top of sand ridge base N.E. and S.W. desc.  
 80.00 Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in the ground for cor. of sec. 20, 21, 28 and 29, marked on base. Cop. T26 N. S 20 in N.W., R14 E S 21 in N.E. S 28 in S.E. and S 29 in S.W. quadrants.  
 Raise a mound of stone 2 ft. base, 1 1/2 ft. high. W. of cor. Pts impracticable  
 Land rolling.  
 Soil sandy and gravelly 3<sup>rd</sup> rate.  
 No timber.

NOTE: At this cor. set off 16° 50' S. on the decl. arc and at noon observe the sun on the meridian the resulting latitude being 35° 38' N.

N 89° 59' E on a random line bet. sec. 21 and 28.  
 40.00 Set temp 1/4 sec. cor.  
 80.10 Intersect N and S. line 2 lks S. of the cor. of sec. 21, 22, 27 and 28, <sup>herebefore described</sup> Thence Drum  
 S 89° 58' W. on a true line bet. sec. 21 and 28  
 Over hilly land through scattering sage and greasewood brush undergrowth and bunch grass.  
 7.25 Dry ravine 15 lks. wide 4 ft. deep course S.E.  
 37.00 Dry ravine 10 lks. wide 2 ft. deep course S.E. asc.  
 40.05 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor. marked on base Cop. 1/4 S 21 on N. half and S 28 on S. half.  
 Raise a mound of stone 2 ft. base, 1 1/2 ft. high W. of cor. Pts impracticable  
 43.85 Top of clay ridge base N. and S. desc.  
 47.55 Dry ravine 20 lks wide course S. asc.  
 52.20 Top of clay ridge base N.E. and S.W. desc.  
 65.00 Dry ravine 40 lks. wide course S. asc.  
 68.40 Top of clay ridge base N. and S. desc.  
 70.30 Dry ravine 10 lks. wide course S.E. asc.  
 80.10 The cor. of sec. 20, 21, 28 and 29, herebefore described.  
 Land hilly.  
 Soil sandy and clayey 3<sup>rd</sup> and 4<sup>th</sup> rate.

BOOK 2600 Schaus

No timber.

- 57.00 Pop of clay ridge bears N.E. and S.W. desc.
- 24.70 Dry ranche course W. asc. ridge.
- 31.10 Pop of clay ridge bears N.E. and S.W. desc.
- 38.80 Dry ranche 30 lks. wide 2 ft. deep. course W. asc.
- 40.00 Schaus iron post 3 ft. long 1 in. in diam 26 in. in the ground for  $\frac{1}{4}$  sec. cor marked on brass cap.  $\frac{1}{4}$  S 20 on W half and S 21 on E. half. Raise a mound of stone 2 ft. base,  $1\frac{1}{2}$  ft. high. W. of cor. Pits impracticable
- 45.80 Pop of clay ridge bears E and W. desc.
- 48.00 Mouth of descent in depression bears E and W. drains to the W. asc.
- 57.99 Pop of clay ridge bears N.E. and S.W. desc. over ridges and courses.
- 80.00 The point for the cor. of secs. 16, 17, 20 and 21 falls in the bottom of dry sand wash. Course S.W. where natural causes would insure the destruction of the cor. therefore I continue my line, and measurement.
- 80.75 Schaus iron post 3 ft. long 2 in. in diam. 24 in. in the ground for witness cor. to the cor. of secs. 16, 17, 20 and 21, marked on brass cap. W.C. on N. half. T<sub>26</sub>N. S<sub>17</sub> in N.W. T<sub>14</sub>E S<sub>16</sub> in N.E. S<sub>21</sub> in S.E. and S. 20 in S.W. quadrant. Raise a mound of stone 2 ft. base,  $1\frac{1}{2}$  ft. high W. of cor. Pits impracticable. Land hilly and broken. Soil sandy clayey and stony 3<sup>rd</sup> and 4<sup>th</sup> rate No timber.

Nov. 9, 1909

1909  
 November 15<sup>th</sup> Ch. 7<sup>h</sup> 45<sup>m</sup> a.m. l.m.t. set off 35° 38' 76.  
 on the lat. arc, 18° 23' S. on the decl. arc and determine  
 a meridian with the solar at the <sup>true point for</sup> cor. of secs. 16  
 17, 20 and 21. <sup>heretofore described</sup> Thence I run  
 N 89° 58' E. on a random line bet. secs. 16 and  
 21. from the true point for cor. of secs 16, 17, 20 and 21

- 40.00 Set temp  $\frac{1}{4}$  sec. cor.
- 80.12 Intersect, N and S. line 3 lks. S. of the cor. of sec. 15, 16, 21 and 22 <sup>herebefore described</sup> Thence Drive S 89° 57' W, on a true line bet. sec. 16 and 21 around steep N.E. slope over hilly sandy and stony land through scattering sage and greasewood brush undergrowth and bunch grass.
- 30.55 Top of sand ridge bears N.E. and S.W. desc. W. slope.
- 40.00 Set an iron post, 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S 16 on N. half and S 21 on S half.  
Dig pits 18x18x12 ins. E and W. of post, 3 ft. dist. and raise a mound of earth  $3\frac{1}{2}$  ft. base, 1 1/2 ft. high N. of cor.
- 45.85 Dry rocky ravine course S.W. asc.
- 50.00 Top of clay ridge bears N.E. and S.W. desc. steeply over ridges and ravines.
- 79.00 E. ash edge of canyon, desc abruptly
- 80.12 The point for cor. of sec. 16, 17, 20 and 21 <sup>herebefore described</sup> sand hilly.  
Soil sandy and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.  
No timber

N 0° 03' W bet. sec. 16 and 17, from true point for cor. of sec. 16, 17 20 and 21, in bottom of dry sand wash, over dry bed of wash.

- 0.45 Begin abrupt ascent over cliffs
- 0.76 Intersect witness cor. to cor. of sec. 16, 17 20 and 21
- 1.90 Top of rocky ridge bears N.E. and S.W. desc. steeply
- 7.56 Dry ravine course S.W. asc.
- 13.15 Top of ridge bears N.E. and S.W. desc.
- 15.00 Dry ravine course S.E. asc.
- 24.20 Top of sand ridge bears E. and W. desc.
- 40.00 Set an iron post, 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S 17 on W. half and S 16 on E. half.  
Dig pits 18x18x12 ins. N. and S. of post, 3 ft.

BOOK 2602

- dit and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.
- 53.25 Dig round corner SW. sec.
- 61.00 Top of sand ridge bears N.E. and SW. desc.
- 69.00 Dig round corner SW. sec. knoll.
- 79.00 Top of knoll 20 ft. high desc.
- 80.00 Set an iron post 3 ft. long 2 ins. in diam., 24 ins. in the ground for cor. of secs. 8, 9, 16 and 17, marked on brass cap. T 26 N 38 in N.W., R 14 E S 9 in N.E., S 16 in S.E. and S 17 in S.W. quadrants.
- Dig pits 18x18x12 ins. in each sec. 5½ ft. dia. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
- Land broken and hilly.
- Soil sandy clayey and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.
- No timber.

- 40.00 Set temp. ¼ sec. cor.
- 80.06 Intersect N and S. line 3 lks. S. of the cor. of secs. 9, 10, 15, and 16, <sup>heretofore described</sup> thence run S 89° 56' W. on a true line bet. secs 9 and 16.
- Descend N.W. slope over rolling sandy land through sage and greasewood brush undergrowth and bunch grass.
- 40.03 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap 4 39 on N. half and S 16 on S half.
- Dig pits 18x18x12 ins. and W. of post 3 ft. dia. and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.
- 80.06 The cor. of secs. 8, 9, 16 and 17, heretofore described
- Land rolling.
- Soil sandy 3<sup>rd</sup> rate.
- No timber.

N 0° 03' W. bet. secs. 8 and 9.

Descend N.W. slope over rolling sandy land through sage and greasewood brush undergrowth and bunch grass.



chains

3.00 Dry ravine Course S.W. are gradually.  
 40.00 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass Cap  $\frac{1}{4}$  38.00 W. half and 39 on E. half. Dig pits 18x18x12 ins. N and S. of post. 3 ft. dia. and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high. W. of cor.

At this cor. I set off  $18^{\circ}28'$  S on the decl. arc. and at noon observe the sun on the meridian the resulting lab. being  $35^{\circ}39\frac{1}{2}'$  N.

77.00 Top of sand ridge bears N.E. and S.W. desc.  
 80.00 Set an iron post 3 ft. long. 2 ins. in diam. 24 ins. in the ground for cor. of sec. 4, 5, 8 and 9, marked on brass Cap. 7 26 N. 35 in N.W. T 14 E. 34 in N.E. 39 in S.E. and 38 in S.W. quadrants. Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dia. and raise a mound of earth 4 ft. base, 2 ft. high. W. of cor.

Land rolling.  
 Soil sandy 3<sup>rd</sup> rate.  
 No timber.

SV  $89^{\circ}56'$  E. on a random line bet. sec. 4 and 9.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.12 Intersect N and S. line 5 lks. S. of the cor. of sec. 3, 4, 9 and 10, <sup>hereinbefore described</sup> thence I run  $89^{\circ}54'$  W. on a true line bet. sec. 4 and 9. Around E. slope over rolling sandy land through sage and greasewood brush and bunch grass.

32.75 Top of sand ridge bears N.E. and S.W. desc.  
 40.06 Set an iron post 3 ft. long. 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass Cap  $\frac{1}{4}$  34 on N. half and 39. on S. half. Dig pits 18x18x12 ins. E and W. of post. 3 ft. dia. and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high. W. of cor.

58.00 Dry ravine Course S.W. asc. gently.  
 78.00 Top of sand ridge bears N.E. and S.W.  
 80.12 The cor. of sec. 4, 5, 8 and 9, hereinbefore described.  
 Land rolling

BOOK 2602

Soil sandy 3<sup>rd</sup> rate.  
No timber.

40.00 N<sup>0°03'</sup>W on a random line bet. sec. 4 and 5.  
Sth temp.  $\frac{1}{4}$  sec. cor.

80.16 Intersect N. l. bet. of Twp. 5 l. N. 58°51'W of the cor. of  
recently re-estab. by one and described in Exterior Book "AA"  
sec. 4, 5, 32 and 33. Thence S run

S<sup>0°01'</sup>E. on a true line bet. sec. 4 and 5.  
Descend S. slope over rolling sandy land through  
scattering sage and greasewood brush and  
bunch grass.

10.00 Foot of descent in depression, bears E. and W. drains  
to the W. are.

18.25 Top of sand ridge bears E. and W. desc.

22.00 Foot of descent in depression. Bears E. and W, drains  
W. are gradually over rolling sandy land.

40.16 Set an iron post 3ft. long 1 in. in diam. 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S 55  
on W. half and S 4 on E. half.

Dig pits 18 x 18 x 12 ins N. and S. of post. 3 ft.  
dia. and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft.  
high W. of cor.

80.16 The cor. of sec. 4, 5, 8, and 9, heretofore described.  
Land rolling.

Soil sandy 3<sup>rd</sup> rate.  
No timber.

November 15<sup>th</sup> 1909

November 10<sup>th</sup> 1909 l.m.t.  
Wh. 7<sup>h</sup> 30<sup>ne</sup> a.m. S. reb. off. 35°36' N.  
on the lat. arc. 17°02' S. on the decl. arc and determine  
a meridian with the solar ab. the cor. of sec. 5-  
6, 31, and 32 on the S. l. bet. of the Twp., recently  
estab. by one and described in Exterior Book "J"  
Thence S run

N<sup>0°03'</sup>W, bet. sec. 31 and 32.

Descend gradually N. slope over rolling sandy land  
through sage and greasewood brush undergrowth  
and bunch grass.

35.00 Dry sand wash 40 lks. wide, 2 ft. deep. Course S.W. are.

40.00 Set an iron post 3ft. long, 1 in. in diam. 26 ins in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S  
31 on W. half and S 32. on E. half.

- Dig pits 18x18x12 ins. N and S. of post 3 ft. dia. and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high. W. of cor.
- 52.40 Top of ridge trans N.E. and S.W. desc.
- 57.75 Dry ravine course S.W. asc.
- 61.00 Top of low ridge trans N.E. and S.W. desc.
- 74.90 Dry ravine course S.W. asc.
- 80.00 Set an iron post 3 ft. long 2 ins in diam. 24 ins in the ground for cor. of sec. 29, 30, 31 and 32 marked on brass cap. T 26 N. S 30 in N.W. T 14 E. S 29 in N.E. S 32 in S.E. and S 31 in S.W. quadrants.
- Dig pits 18x18x12 ins in each sec. 5 1/2 ft. dia. and raise a mound of earth 4 ft. base 2 ft. high W. of cor.
- Land hilly.  
Soil sandy 3<sup>rd</sup> rate.  
No timber.
- 
- N 89° 58' E. on a random line bet. sec. 29 and 32
- 40.00 Set temp 1/4 sec. cor.
- 80.00 Intersect N and S. line at the cor. of sec. 28, 29, 32 and 33, <sup>heretofore described</sup> Thence S.W.
- N 89° 58' W. on a true line bet. sec. 29 and 32.
- Ascend S.E. slope over rolling sandy land through scattering sage and greasewood bush undergrowth and bunch grass.
- 26.00 Top of sand ridge trans N.E. and S.W. desc.
- 40.00 Set an iron post 3 ft. long 1 1/2 in diam. 26 ins. in the ground for 1/4 sec. cor. marked on brass cap 1/4 S 29 on N. half and S 32. on S. half.
- Dig pits 18x18x12 ins. E and W. of post 3 ft. dia. and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high. W. of cor.
- 51.15 Dry ravine 30 lbs. wide 2 ft. deep. course S.W. asc gradually.
- 67.50 Top of sand ridge trans N.E. and S.W. desc.
- 76.45 Dry ravine course S.W. asc. gently.
- 80.00 The cor. of sec. 29, 30, 31. and 32, heretofore described.  
Land rolling.  
Soil sandy 3<sup>rd</sup> rate.  
No timber.

BOOK 2602

- 40.00 S 89° 58' W, on a random line bet. secs 30 and 31  
 Sec temp ¼ sec. cor.
- 79.32 Intersect W. bdy. of T<sub>1</sub> at the cor. of secs. 25, 30, 31 and 36,  
 recently estab. by One and described in Exterior Book "AB"  
 Survey of 1897
- N 89° 58' E. on a true line bet. secs. 30 and 31.  
 Descend S.E. slope over rolling sandy land through  
 scattering sage and greasewood brush undergrowth  
 and bunch grass.
- 3.20 Dry sand wash. 20 lbs. wide 2 ft. deep course S.
- 13.30 Dry sand wash 50 lbs. wide course SW. asc. gradually
- 39.32 Set an iron post. 3 ft. long 1 in. in diam. 26 ins. in  
 the ground for ¼ sec. cor. marked on brass cap. ¼ 3 30  
 on N. half and 3 31 on S. half.  
 Dig pits 18 x 18 x 12 ins. East W. of post 3 ft. dist. and  
 raise a mound of earth 3 ½ ft. base 1 ½ ft. high N. of cor.
- 59.00 Top of sand ridge bears N. and S. desc. gradually over  
 E. slope
- 79.32 The cor. of secs. 29, 30, 31 and 32, heretofore described.  
 Land rolling.  
 Soil sandy 3<sup>rd</sup> rate.  
 No timber.
- 
- N 0° 03' W. bet. secs 29 and 30.  
 Ascend S.E. slope of sand ridge over rolling land through  
 scattering sage and greasewood brush undergrowth  
 and bunch grass
- 22.50 Top of sand ridge bears N.E. and S.W. desc.
- 33.75 Top of sand stone ledge 20 ft. high. Bears E. and W. desc.  
 abruptly.
- 40.00 Set an iron post. 3 ft. long. 1 in. in diam. 26 ins. in  
 the ground for ¼ sec. cor. marked on brass cap.  
 ¼ 3 30 on W. half and 3 29 on E. half.  
 Raise a mound of stone 3 ft. base. 1 ½ ft. high W. of cor.  
 Pits impracticable  
 This cor. is situated at foot of bluff bears E. and W. asc.  
 steep S. slope.
- 41.60 Top of bluff. bears E. and W. desc.
- 43.75 Dry ravine course SW. asc.
- 49.00 Top of ridge bears E. and W. desc.
- 52.70 Dry sand wash 50 lbs. wide 6 ft. deep course SW.  
 ascend S.E. slope.

80.00 Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in the ground for cor. of sec. 19, 20, 29 and 30. marked on brass cap T 26 N. R 14 E S 20 in N.E. S 29 in S.E. and S. 30 in S.W. quadrants. Raise a mound of stone 2 ft. base, 1 1/2 ft. high W. of cor. . . . .  
 Not impracticable  
 Land rolling hilly and broken.  
 Soil sandy and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.  
 No timber.

40.00 Set temp. 1/4 sec. cor.  
 80.02 Intersect N and S. line 5 lks. S. of the cor. of sec. 20, 21, 28, and 29. <sup>hereinbefore described</sup> <sub>Three Trees</sub>  
 S 89° 56' W. on a true line bet. sec. 20 and 29.  
 Ascend S.E. slope over hilly sandy and clayey land.  
 3.75 Top of clay ridge bears N.E. and S.W. desc.  
 29.60 Dry ravine 20 lks. wide course S.W. asc.  
 30.50 Top of ridge bears N and S. desc.  
 32.80 Dry ravine course N.W. asc.

38.25 Top of clay ridge bears N and S. desc.  
 40.01 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor. marked on brass cap. 1/4 S 20 on N. half. and S 29 on S. half.  
 Raise a mound of stone 2 ft. base, 1 1/2 ft. high N. of cor. . . . .  
 Not impracticable.

55.50 Dry ravine course S. asc.  
 72.85 Top of clay ridge bears N. and S. desc.  
 80.02 The cor. of sec. 19, 20, 29 and 30, hereinbefore described.  
 Land hilly and broken.  
 Soil sandy clayey and stony, 3<sup>rd</sup> and 4<sup>th</sup> rate.  
 No timber.

40.00 S 89° 58' W. on a random line bet. sec. 19 and 30.  
 Set temp. 1/4 sec. cor.  
 79.28 Intersect W. ldy. of Tp. at the cor. of sec. 19, 24, 25 and 30. <sup>recently set by me and described in Exterior Book "AB"</sup> <sub>Three Trees</sub>  
 S 89° 58' E. on a true line bet. sec. 19 and 30.  
 Ascend N.W. slope of ridge over clayey land through scattering sage brush and bunch grass.

BOOK 2602

- 22.10 Top of ridge from N.E. and S.W. desc.
- 38.30 Dry ravine 25 lbs. wide course S.W. asc.
- 39.28 Set an iron post 3 ft. long 1 in in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. Cor. marked on brass cap  $\frac{1}{4}$  319 on N. half and 320 on S. half.  
Dig pits 18 x 18 x 12 ins. E. and W. of post. 3 ft. dia and raise a mound of earth  $3\frac{1}{2}$  ft. base.  $1\frac{1}{2}$  ft. high. W. of cor.
- 53.70 Top of clay ridge from N. and S. desc. E. slope.
- 79.28 The cor. of secs. 19, 20, 29 and 30, heretofore described.  
Land rolling and hilly.  
Soil sandy and clayey. 3<sup>rd</sup> rate.  
No timber

NOTE

Clouds obscured the sun at noon on this day rendering an observation for latitude with the solar impossible

Nov. 10 - 1909.

1909  
November 16<sup>th</sup> At 8<sup>h</sup> 15<sup>m</sup> a.m. I set off.  $35^{\circ} 37\frac{1}{2}' N.$  on the lat. arc.  $18^{\circ} 39\frac{1}{2}' S.$  on the decl. arc. and determined meridian with the solar at the cor. of secs. 19, 20, 29 and 30. <sup>heretofore described</sup> ~~These~~ Drum

$N 0^{\circ} 03' W.$  bet. secs. 19 and 20.

Over hilly clayey land through scattering sage brush and bunch grass.

- 38.20 Dry sand wash 10 lbs. wide course S.W. asc.
- 40.00 Set an iron post 3 ft. long 1 in in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. Cor. marked on brass cap  $\frac{1}{4}$  319 on W. half and 320 on E. half.  
Raise a mound of stone 2 ft. base  $1\frac{1}{2}$  ft. high W. of cor.  
Pits impracticable
- 50.60 Top of clay ridge from N.E. and S.W. desc.
- 53.40 Dry ravine course S.E. asc. gradually.
- 67.50 Begin steep ascent.
- 73.55 Top of clay ridge from E. and W. desc.
- 78.80 Dry ravine course S.E. asc.
- 80.00 Set an iron post 3 ft. long 2 ins. in diam. 24 ins in the ground for cor. of secs. 17, 18, 19 and 20. marked on brass cap. T 26 N 918 in N.W. R 14 E. S 17 in N.E. S 20 in S.E. and S 19 in S.W. quadrants.  
Raise a mound of stone 2 ft. base,  $1\frac{1}{2}$  ft. high W. of cor.  
Pits impracticable

Land hilly.  
Soil sandy and clayey. 2<sup>nd</sup> rate.  
No timber.

- N 89° 56' E on a random line bet. sees. 17 and 20.  
40.00 Set temp. ¼ sec. cov.  
80.00 Intersect N and S. line 80 lbs. S. of the witness cor. to the cor. of sees. 16, 17, 20 and 21. <sup>hereinbefore described</sup> ~~thence~~ <sup>thence</sup> run S 89° 54' W. on a true line bet. sees. 17 and 20.  
0.70 Cross sandy bed of dry ravine  
0.70 Right bank of ravine bears N.E. and S.W., around steep E. slope of ridge over hilly clayey land  
6.00 Top of clay ridge bears N. and S. desc.  
9.40 Foot of descent in stony ravine course S. asc. steeply  
26.25 Top of clay ridge bears N and S. desc.  
38.70 Dry ravine course S.W. asc. steeply.  
40.00 Set an iron post. 3 ft. long in a draw 26 ins. in the ground for ¼ sec. cov. marked on brass cap ¼ & 17 on N half and S 20 on S half.  
Raise a mound of stone 2 ft. base, 1½ ft. high N. of cor.  
Rts impracticable  
42.10 Top of clay ridge bears N and S. desc.  
44.70 Dry ravine course S.W. asc.  
48.00 Top of ridge bears N.E. and S.W. desc.  
49.70 Dry ravine course S.W. asc.  
52.00 Top of clay ridge bears N.E. and S.W. desc.  
56.45 Dry ravine course S.W. thence over ridges and ravines  
64.40 Dry ravine 40 lbs. wide 30 ft. deep course S.W. asc  
80.00 The cor. of. sees. 17, 18, 19 and 20, hereinbefore described.  
Land broken and hilly.  
Soil sandy clayey and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.  
No timber.

- S 89° 58' W on a random line bet. sees. 18 and 19.  
40.00 Set temp. ¼ sec. cov.  
79.16 Intersect W. l. by. of N.P. at the cor. of sees. 13, 18, 19 and 20 <sup>recently estab. by me and described in Exterior Book "AB"</sup> ~~thence~~ <sup>thence</sup> run  
N 89° 58' E. on a true line bet. sees. 18 and 19.  
Ascend W. slope over rolling sandy land through scattering sage and greasewood brush undergrowth

COOK 2602

39.16	<p>and bunch grass</p> <p>Set an iron post. 3 ft. long 1 in. in diam. 26 ins. in the ground for <math>\frac{1}{4}</math> sec. cor. marked on brass cap <math>\frac{1}{4}</math> S 18 on n. half and S 19 on S half.</p> <p>Dig pits 18x18x12 ins. E and W. of post. 3 ft. dist. and raise a mound of earth <math>3\frac{1}{2}</math> ft. base, <math>1\frac{1}{2}</math> ft. high. N. of cor.</p>	
NOTE	<p>At this cor. Dech. off. <math>18^{\circ}43'</math> S. on the decl. arc and at noon observe the sun on the meridian and obtain on the lat. arc a reading of <math>35^{\circ}38'</math> N.</p>	
73.50 79.16	<p>Top of sand ridge bears N.E. and S.W. desc.</p> <p>The cor. of secs. 17, 18, 19 and 20, heretofore described.</p> <p>Land rolling.</p> <p>Soil sandy 3<sup>rd</sup> rate.</p> <p>No timber.</p>	
19.00	<p>N <math>0^{\circ}03'</math> W. to sec. 17 and 18.</p> <p>Ascend S.E. slope of ridge over rolling sandy land through scattering sage and greasewood brush under growth and bunch grass.</p> <p>Top of sand ridge bears N.E. and S.W. desc. over N.W. slope.</p>	
40.00	<p>Set an iron post. 3 ft. long 1 in. in diam. 26 ins. in the ground for <math>\frac{1}{4}</math> sec. cor. marked on brass cap <math>\frac{1}{4}</math> S 18 on W half and S 17 on E. half</p> <p>Dig pits 18x18x12 ins. N and S. of post. 3 ft. dist. and raise a mound of earth <math>3\frac{1}{2}</math> ft. base, <math>1\frac{1}{2}</math> ft. high. W. of cor.</p>	
67.00	<p>Foot of descent in depression bears N.E. and S.W., drains to the S.W. are gradually.</p>	
80.00	<p>Set an iron post. 3 ft. long. 2 ins. in diam. 24 ins. in the ground for cor. of secs. 7, 8, 17, and 18, marked on brass cap T 26 N S 7 in N.W., R 14 E. S 8 in N.E. S 17 in S.E. and S 18 in S.W. quadrant.</p> <p>Dig pits 18x18x12 ins. in each sec. <math>5\frac{1}{2}</math> ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high. W. of cor.</p> <p>Land rolling.</p> <p>Soil sandy 3<sup>rd</sup> rate.</p> <p>No timber.</p>	



Chains

37

40.00 N 89° 54' E on a random line bet. sees 8 and 17

Set temp.  $\frac{1}{4}$  sec. cor.

80.04 Intersect N and S. line 16 lks. N. of the cor. of sees  
8, 9, 16 and 17 <sup>heretofore described</sup> Thence S run

N 89° 59' W. on a true line bet. sees. 8 and 17.

Descend W. slope over rolling sandy land through scattering sage and greasewood bush undergrowth and bunch grass

4.15 Dry ravine course S.W. asc. gradually over S.E. slope

21.00 Top of sand ridge bears N.E. and S.W. desc.

39.00 Foot of descent in depression bears N.E. and S.W. drains to the S.W. asc. gradually.

40.02 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  38 on N. half and S 17 on S half.

Dig pits 18 x 18 x 12 ins. E and W. of post. 3 ft. dirt and raise a mound of earth 5 ft. base,  $1\frac{1}{2}$  ft. high. N. of cor.

71.00 Top of ridge bears N. and S. desc.

80.04 The cor. of sees. 7, 8, 17 and 18, heretofore described.

Land rolling.

Soil sandy 3<sup>rd</sup> rate.

No timber.

November 16<sup>th</sup> 1909

1909  
November 17<sup>th</sup> 7<sup>h</sup> 45<sup>m</sup> a.m. l.m.t. Set off. 35° 39' 26".  
on the lat. arc, 18° 53' S. on the decl. arc and determine a meridian with the solar at the cor. of sees. 7, 8, 17 and 18. Thence S run

S 89° 58' W. on a random line bet. sees. 7 and 18.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.08 Intersect W. ldy. of Np at the cor. of sees 7, 12, 13 and recently estab. by me and described in Exterior Book "AB" 18. Thence S run

N 89° 58' E on a true line bet. sees. 7 and 18.

Over low rolling sand hills.

37.00 Near sand hills bears N. and S. enter rolling land bears N. and S. asc. gradually over W. slope through scattering sage and greasewood bush undergrowth and bunch grass

39.08 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S 7 on N. half and S 18 on S half

BOOK 2602

Dig pits 18x18x12 ins E and W of posth 3ft. dist. and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high N. of cor.

78.60 Top of sand ridge bears N.E. and S.W. desc.  
79.08 The cor. of sec. 7, 8, 17 and 18; heretofore described.

Land rolling and hilly.  
Soil sandy 3rd and 4th rate.  
No timber.

N 0° 03' W. Feb. sec. 7 and 8

Ascend gradually S.E. slope over rolling sandy land through scattering sage and greasewood brush undergrowth and bunch grass

28.00 Top of sand ridge bears N.E. and S.W. desc. gradually.

40.00 Set an iron posth. 3ft. long 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor. marked on brass cap 457 on W. half and S.W. 1/4.

Dig pits 18x18x12 ins. N and S. of posth. 3ft. dist and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high W. of cor.

46.30 Dry ravine course S.W. desc.

80.00 Set an iron posth. 3ft. long 2 ins. in diam. 24 ins in the ground for cor. of sec. 5, 6, 7 and 8. marked on brass cap T 26 N 36 in N.W. R 14 E 35 in N.E. 38 in S.E. and S. 7 in S.W. quadrant.

Dig pits 18x18x12 ins. in each sec 5 1/2 ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land rolling.  
Soil sandy 3rd rate.  
No timber.

S 89° 59' E on a random line bet. sec 5 and 8  
40.00 Set temp. 1/4 sec. cor.

80.00 Intersect N and S. line at the cor. of sec. 4, 5, 8 and 9, heretofore described  
Then set drum

N 89° 59' W, on a true line bet. sec. 5 and 8.

Ascend N.E. slope of sand ridge over rolling sandy land through scattering sage and greasewood brush undergrowth and bunch grass.

8.00 Top of sand ridge bears N. and S. desc.

Behrens

- 40.00 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  55 on n. half and 38 on s. half  
Dig pits 18x18x12 ins. East W. of post. 3 ft. dist. and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high No. of cor.
- 57.00 Proof of descent in depression bears n.e. and s.w. drains to the s.w. asc.
- 64.00 Top of sand ridge bears n. and s. desc.
- 74.00 Proof of descent in depression bears n. and s. drains to the south. asc gradually
- 80.00 The cor. of sec 5, 6, 7 and 8, heretofore described. Land rolling and hilly. Soil sandy 3<sup>rd</sup> rate.  
No timber.

NOTE On the  $\frac{1}{4}$  sec. cor. Feb. sec. 5 and 8, <sup>above described.</sup> Set off 18° 57' 2" S on the decl arc and on upon observe the sun on the meridian and obtain on the hor. arc a reading of 35° 40' N.

- 40.00 Set temp  $\frac{1}{4}$  sec. cor.
- 79.04 Intersect W. l. dry. of the Twp. 3 lks. N. of the cor. of sec. recently estab. by me and described in Exterior Book "AB" 1, 6, 7 and 12, <sup>Thence from</sup>
- N 89° 57' E. on a true line Feb. sec. 6 and 7.  
Crossed W. slope over rolling sandy and gravelly land through scattering sage and greasewood brush undergrowth and bunch grass.
- 26.00 Top of gravelly ridge bears n.e. and s.w. desc gently.
- 39.04 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  56 on n. half and 37 on s. half.  
Dig pits 18x18x12 ins. East W. of post. 3 ft. dist. and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high. No. of cor.
- 55.00 Proof of descent in depression. bears n.e. and s.w. drains s.w. asc. gradually
- 59.75 Top of gravelly knoll desc.
- 79.04 The cor. of sec 5, 6, 7 and 8; heretofore described. Land rolling and hilly. Soil sandy and gravelly, 3<sup>rd</sup> rate.

BOOK 2602

No timber.

No<sup>o</sup> 03' W. on a random line bet. sec. 5 and 6.  
40.00 Set temp  $\frac{1}{4}$  sec. cor.

80.10 Intersects N. l. l. of Twp. 12 l. l. S 89° 57' W. of the cor. of sec. 5, 6.  
recently re-estab. before and described in Exterior Book "AA"  
31 and 32. N. Thevenet Draw

80° 02' W. on a true line bet. sec. 5 and 6.

Descend over sandy and stony land, through scattering sage and greasewood bush undergrowth and bunch grass.

6.00 A point from which a stone house base East 5.50 chs dist.

13.40 Foot of descent in canyon. Cross. rock 2 l. l. wide 1 in deep. comes from small seeps. course S. W. are. N. W. slope

26.70 Top of steep ascent. asc. gradually.

40.10 Set an iron post 3 ft. long 1 in dia. down 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S low W. half and S 5 or E. half.

Dig pits 18 x 18 x 12 ins N. and S. of post. 3 ft. deep. and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high. W. of cor.

46.00 Top of sand ridge base East W. desc.

80.10 The cor. of sec. 5, 6, 7 and 8, heretofore described.  
Sand lilly and broken.

Soil sandy and stony 3<sup>rd</sup> and 4<sup>th</sup> rate.  
No timber.

November 17<sup>th</sup> 1909

### General Description

This township contains every variety of land from level to mountainous, the soil ranging from 2<sup>nd</sup> to 4<sup>th</sup> rate.

The township is traversed in a north easterly and south westerly direction by a high rocky ridge which breaks off very abruptly on the South and gradually changes into sand hills on the north - The soil over the hilly and mountainous portions of the township is generally 3<sup>rd</sup> and 4<sup>th</sup> rate and is covered with an excellent growth of bunch grass.

The soil of the rolling and level portions, is principally 2<sup>nd</sup> rate, and no doubt, would produce crops of corn with irrigation. The only running water in the township is found in sec. 54, although there are several small reservoirs constructed by the Navajo Indians, to retain water for stock purposes. Cedar timber is found along the ridges in the western part of the township but the trees are too small to be of any value except for firewood. There are several deserted Navajo Hogans in the township but no permanent settlers.

Sidney E. Blouh  
U.S. Examiner of Surveys

Nov. 17, 1909

LIST OF NAMES.

A list of the names of the individuals employed by Sidney E. Blouh  
Examiner of Surveys, United States ~~Deputy Surveyor~~, to assist in running, measuring, and

marking the lines and corners described in the foregoing field notes of the survey of the Subdivisional

lines of Twp. No. 26 N. of Range No. 14 E. of the Gila and Salt River Basins and Meridian

showing the respective capacities in which they acted: Van L. White, Compassman.

Fred L. Warner, Chainman.

Earl Albright, Chainman.

Chas. L. Shumway, Moundman.

William R. Carson, Moundman.

~~Arman~~

~~Arman~~

Ralph C. Sampson, Flagman.

FINAL OATH OF ASSISTANTS.

We hereby certify that we assisted Sidney E. Blouh  
Examiner of Surveys, United States ~~Deputy Surveyor~~, in surveying all

those parts or portions of the Subdivisional lines of Twp. No. 26 N. of Range  
No. 14 East

of the Gila and

Salt River Basins and meridian, Territory of Arizona, which are represented

in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully ~~surveyed~~ <sup>executed</sup> and the corner monuments established, according to the instructions furnished by the ~~United States~~ <sup>Commissioner</sup>

~~of the General Land Office~~ Van L. White Compassman

Earl Albright and Fred L. Warner, Chainman.

Chainman.

William R. Carson, Moundman.

Chas. L. Shumway, Moundman.

Arman.

Arman.

Ralph C. Sampson, Flagman.

Subscribed and sworn to before me this 22<sup>nd</sup>  
day of December, 1909



Sidney E. Blouh  
U.S. Examiner of Surveys

140  
43

BOOK 2602

EXAMINER OF SURVEYS  
FINAL OATH OF UNITED STATES DEPUTY SURVEYOR

I Sidney E. Blout, Examiner of Surveys, United States Deputy Surveyor do solemnly swear that, in pursuance of Special Instructions received from the Commissioner of the United States Surveyor General for the General Land Office, bearing date of the Oct 2<sup>nd</sup> 1907 and the 15<sup>th</sup> day of May, 1908, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor General of the General Land Office, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of The Subdivisional lines of Twp. No. 26 North, Range No. 14 East.

of the Gila and Salt River Base and meridian, in the Territory of Arizona, which are represented in the foregoing field notes as having been surveyed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the United States Surveyor General of the General Land Office and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Sidney E. Blout  
United States Deputy Surveyor  
Examiner of Surveys

Subscribed by said Sidney E. Blout, and sworn to before me  
this 14<sup>th</sup> day of March, 1908

Frank S. Ingalls  
SURVEYOR-GENERAL OF ARIZONA



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix Arizona. APR 25, 1908

The foregoing field notes of the survey of the Subdivision lines of Township 26 North, Range 14 East, of the Gila and Salt River Base and Meridian, Arizona.

executed by Sidney E. Blout, U.S. Examiner of Surveys under special instructions from the Commissioner of the General Land Office, dated October 2, 1907, and May 15, 1908, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank S. Ingalls  
SURVEYOR-GENERAL OF ARIZONA

I certify that the foregoing transcript of the field notes of the above-described surveys in \_\_\_\_\_, has been correctly copied from the original notes on file in this office.

United States Surveyor General