

2798  
4-679

SEP 30 1914

Book "H" BOOK 2798

Subdivisions

# FIELD NOTES

OF THE SURVEY OF THE

Subdivision Lines of Tp. 2 N., Rg. 6 W.

2798

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

John F. Hesse

In the capacity of U. S. Surveyor, under instructions dated February 10, 1914,

issued by the United States Surveyor General to govern surveys included in

Group No. 32, which were approved by the Commissioner of the General Land

Office, February 20, 1914, pursuant to authority contained in the Act of

Congress dated June 23, 1913.

Survey commenced February 26, 1914

Survey completed March 10, 1914

2798 2500

# Book "H"

BOOK 2798

## INDEX DIAGRAM.

Township 2 North, Range 6 West.

6	22	5	16	4	13	3	9	2	5	1
22		22		16		12		8		4
7	21	8	16	9	12	10	8	11	4	12
21		20		15		12		8		4
18	20	17	15	16	11	15	7	14	3	13
20		19		15		11		7		3
19	19	20	14	21	10	22	7	23	2	24
19		18		14		10		6		2
30	18	29	14	28	10	27	6	26	1	25
18		17		13		9		6		1
31	17	32	13	33	9	34	5	35	1	36

6-151

- Notes in Book "A" this Group
- " " " "B" " "
- Unsurveyed

Subdivision of Tp. 2 N. Rg. 6 W.

Chains.

Survey commenced February 26, 1914 and executed by  
 John F. Schesse, U. S. Surveyor, under instructions  
 for a Group 32 Arizona mining claim Young and Sons two  
 light mountain transit No. 18588, described in book "A"  
 single minutes of arc, which is also the least count of  
 the verniers of the latitude and declination arcs.  
 Description of the establishment of a meridian and of  
 field tests of instrument are given in the field notes of  
 the survey of the E. 1/4 of Tp. 2 N. Rg. 6 W.  
 I commence at the cor. of secs. 1, 2, 35 and 36 on the  
 S. bdy. of the Tp. recently established by Jesse B.  
 Wright, U. S. Surveyor, as described in book "A"

Thence I run

N. 0° 01' W. bet. secs. 35 and 36.

Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for 1/4 sec. cor., marked on brass cap 1/4 S35 in W.  
 S36 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.  
 N. and S. of post 3 ft. dist., and raise a mound of earth  
 3 1/2 ft. base 1 1/2 ft. high, W. of cor.

43.18 Windmill bears N. 17° 14' W.

71.50 Cross draw 200 lks. wide course S. W.

77.90 Cross road bears N. E. and S. W.

80.00 Set an iron post 3 ft. long, 2 in. diam., 24 ins. in the  
 ground for cor. of secs. 25, 26, 35 and 36, marked on  
 brass cap

T2NR6W in N. and

1914 in S. half;

S26 in N. W.

S25 in N. E.

S36 in S. E. and

S35 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in  
 each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft.  
 base 2 ft. high, W. of cor.

From this cor. windmill bears S. 44° 55' W.

Land, level.

Soil, sandy loam, dry, medium texture; 1st. rate.

No timber.

Undergrowth, greasewood, mesquite and sage.

Note: February 26: At this cor. I set off 8° 47 1/2' S. on the  
 decl. arc; and observe the sun on the meridian at noon;  
 the resulting lat. is 33° 28 1/2' N.

East on a random line bet. secs. 25 and 36.

40.00 Set temp. 1/4 sec. cor.

80.02 Intersect E. bdy. of Tp. at the cor. of secs. 25, 30, 31  
 and 36, established by me, as described in Book "B."

Thence I run

West on a true line bet. secs. 25 and 36.

Over level land, through dense brush.

27.80 Cross draw 200 lks. wide course S. W.

39.25 Cross road bears N. and S.

40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for 1/4 sec. cor., marked on brass cap 1/4 S25 in N.  
 and S36 1914 in S. half; dig pits 18 x 18 x 12 ins. E.  
 and W. of post 3 ft. dist., and raise a mound of earth  
 3 1/2 ft. base 1 1/2 ft. high, N. of cor.

78.80 Cross road bears N. E. and S. W.

80.02 The cor. of secs. 25, 26, 35 and 36.

Land, level.

Soil, sandy loam, dry, medium texture; 1st. rate.

No timber.

Undergrowth, greasewood and sage.

N. 0° 01' W. bet. secs. 25 and 26.

## Subdivision of Tp. 2 N. Rg. 6 W.

Chains.	
	Over level land, through dense brush.
11.00	Cross draw 100 lks. wide course S. W.
36.90	Cross wash 10 lks. wide course S. W. and cross and recross same to
40.00	Leave wash bears N. E. Point for $\frac{1}{4}$ sec. cor. falls at edge of wash so at
41.50	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for witness cor. of $\frac{1}{4}$ sec. cor., marked on brass cap WC $\frac{1}{4}$ 1914 in S. half; S26 in N. W. and S25 in N. E. quadrant; from which A mesquite 24 ins. diam., bears N. $65\frac{3}{4}^{\circ}$ E. 61 lks. dist., marked WC $\frac{1}{4}$ S25BT. A mesquite 26 ins. diam., bears N. $71\frac{3}{4}^{\circ}$ W. 8 lks. dist., marked WC $\frac{1}{4}$ S26BT.
80.00	Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked on brass cap T2NR6W in N. and 1914 in S. half; S23 in N. W. S24 in N. E. S25 in S. E. and S26 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor. Land, level. Soil, sandy loam, mixed with gravel; 2nd. rate. No timber. Undergrowth, greasewood and mesquite.
	East on a random line bet. secs. 24 and 25.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	Intersect E. bdy. of Tp. 2 lks. S. of the cor. of secs. 19, 24, 25 and 30, established by me, as described in Book "B." Thence I run S. $89^{\circ} 59'$ W. on a true line bet. secs. 24 and 25.
18.40	Over level land, through dense brush.
39.27	Cross wash 8 lks. wide course S.
40.02	Cross road bears N. and S. Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S24 in N. and S25 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
76.25	Cross wash 8 lks. wide course S.
80.04	The cor. of secs. 23, 24, 25 and 26. Land, level. Soil, sandy loam mixed with gravel; 2nd. rate. No timber. Undergrowth, greasewood and mesquite.
	February 26, 1914.
	March 4, 1914, At 8h. 00m. a.m., l.m.t., I set off $33^{\circ} 29\frac{1}{2}'$ N. on the lat. arc; $6^{\circ} 34'$ S. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 23, 24, 25 and 26, Thence I run N. $0^{\circ} 01'$ W. bet. secs. 23 and 24.
40.00	Over level land, through dense brush. Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S23 in W. S24 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
80.00	Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 13, 14, 23 and 24, marked on brass cap

## Subdivision of Tp. 2 N. Rg. 6 W.

Chains.

- T2NR6W. in N. and  
1914 in S. half;  
S14 in N. W.  
S13 in N. E.  
S24 in S. E. and  
S23 in S. W. quadrant; from which  
A mesquite 6 ins. diam., bears N.  $47\frac{3}{4}^{\circ}$  W. 50  
lks. dist., marked T2NR6WS14BT.  
A mesquite 8 ins. diam., bears S.  $73^{\circ}$  E. 105.  
lks. dist., marked T2NR6WS24BT.  
No other bearings available. Dig pits 18 x 18 x 12 ins.  
in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4  
ft. base 2 ft. high, W. of cor.  
Land, level.  
Soil, sandy loam, mixed with gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood and mesquite.
- 
- N.  $89^{\circ} 59'$  E. on a random line bet. secs. 13 and 24.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.02 Intersect E. bdy. of Tp. at the cor. of secs. 13, 18, 19  
and 24, established by me, as described in Book "B."  
Thence I run  
S.  $89^{\circ} 59'$  W. on a true line bet. secs. 13 and 24.  
Over level land, through dense brush.  
40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S13 in N.  
and S24 1914 in S. half; dig pits 18 x 18 x 12 ins. E.  
and W. of post 3 ft. dist., and raise a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.  
40.25 Cross road bears N. and S.  
80.02 The cor. of secs. 13, 14, 23 and 24.  
Land, level.  
Soil, sandy loam, mixed with gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood and mesquite.
- 
- N.  $0^{\circ} 01'$  W. bet. secs. 13 and 14.  
Over level land, through dense brush.  
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S14 in W.  
S13 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.  
N. and S. of post 3 ft. dist., and raise a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.  
80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the  
ground for cor. of secs. 11, 12, 13 and 14, marked on  
brass cap  
T2NR6W. in N. and  
1914 in S. half;  
S11 in N. W.  
S12 in N. E.  
S13 in S. E. and  
S14 in S. W. quadrant; from which  
An ironwood 10 ins. diam., bears N.  $30\frac{1}{2}^{\circ}$  W. 210  
lks. dist., marked T2NR6WS11BT.  
An ironwood 14 ins. diam., bears N.  $36\frac{3}{4}^{\circ}$  E. 177  
lks. dist., marked T2NR6WS12BT.  
A mesquite 7 ins. diam., bears S.  $57\frac{1}{4}^{\circ}$  E. 169  
lks. dist., marked T2NR6WS13BT.  
An ironwood 10 ins. diam., bears S.  $53\frac{1}{2}^{\circ}$  W. 355  
lks. dist., marked T2NR6WS14BT.  
Land, level.  
Soil, sandy loam, mixed with gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood, mesquite and ironwood.

## Subdivision of Tp. 2 N. Rg. 6 W.

Chains.	
	N. 89° 59' E. on a random line bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.06	Intersect E. bdy. of Tp. at the cor. of secs. 7, 12, 13 and 18, established by me, as described in Book "B."
	Thence I run
	S. 89° 59' W. on a true line bet. secs. 12 and 13.
	Over level land, through dense brush.
32.33	Cross road bears N. and S.
40.03	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S12 in N. and S13 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
80.06	The cor. of secs. 11, 12, 13 and 14.
	Land, level.
	Soil, sandy loam, mixed with gravel; 2nd. rate.
	No timber.
	Undergrowth, greasewood, mesquite and ironwood.
Note:	March 4: At this cor. I set off 6° 31' S. on the decl. arc; and observe the sun on the meridian at noon; the resulting lat. is 33° 31' N.
	N. 0° 01' W. bet. secs. 11 and 12.
	Over level land, through dense brush.
40.00	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S11 in W. S12 in E. and 1914 in S. half; from which
	A paloverde 6 ins. diam., bears N. 30 $\frac{1}{2}$ ° E. 60 lks. dist., marked $\frac{1}{4}$ S12BT.
	No other bearing available. Dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
80.00	Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, marked on brass cap
	T2NR6W in N. and 1914 in S. half;
	S2 in N. W.
	S1 in N. E.
	S12 in S. E. and S11 in S. W. quadrant; from which
	A paloverde 6 ins. diam., bears N. 50° W. 180 lks. dist., marked T2NR6WS2BT.
	A paloverde 6 ins. diam., bears N. 66° E. 163 lks. dist., marked T2NR6WS1BT.
	A mesquite, 8 ins. diam., bears S. 66 $\frac{3}{4}$ ° E. 205 lks. dist., marked T2NR6WS12BT.
	A paloverde 6 ins. diam., bears S. 42° W. 234 lks. dist., marked T2NR6WS11BT.
	Land, level.
	Soil, sandy loam, mixed with gravel; 2nd. rate.
	No timber.
	Undergrowth, greasewood, mesquite, ironwood and paloverde.
	N. 89° 59' E. on a random line bet. secs. 1 and 12.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	Intersect E. bdy. of Tp. 2 lks. S. of the cor. of secs. 1, 6, 7 and 12, established by me, as described in Book "B."
	Thence I run
	S. 89° 58' W. on a true line bet. secs. 1 and 12.
	Over level land, through dense brush.
37.55	Cross road bears N. and S.
40.02	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S1 in N. and S12 1914 in S. half; from which

## Subdivision of Tp. 2 N. Rg. 6 W.

Chains

A paloverde 20 ins. diam., bears N. 36° E. 146 lks. dist., marked  $\frac{1}{4}$ S1BT.  
 No other bearing available. Dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.  
 80.04 The cor. of secs. 1, 2, 11 and 12.  
 Land, level.  
 Soil, sandy loam, mixed with gravel; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood, ironwood and paloverde.

N. 0° 01' W. on a random line bet. secs. 1 and 2.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.93 Intersect N. bdy. of Tp. 7 lks. W. of the cor. of secs. 1, 2, 35 and 36, established by me, as described in Book "B."  
 Thence I run  
 S. 0° 02' W. on a true line bet. secs. 1 and 2.  
 39.93 Over level land, through dense brush.  
 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S2 in W. S1 in E. and 1914 in S. half; from which  
 An ironwood 6 ins. diam., bears N. 37° W. 73 lks. dist., marked  $\frac{1}{4}$ S2BT.  
 A paloverde 12 ins. diam., bears S. 47 $\frac{1}{4}$ ° E. 209 lks. dist., marked  $\frac{1}{4}$ S1BT.  
 79.93 The cor. of secs. 1, 2, 11 and 12.  
 Land, level.  
 Soil, sandy loam, mixed with gravel; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood, mesquite, paloverde and ironwood.

March 4, 1914.

1914.

February 27; At 8h. 00m. a.m., l.m.t., I set off 33° 28' N. on the lat. arc; 8° 28' S. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the Tp., as established by Jesse B. Wright, U. S. Surveyor, as described in Book "A." Thence I run,  
 N. 0° 01' W. bet. secs. 34 and 35.  
 Over level land, through dense brush.  
 8.80 Cross road bears N. E. and S. W.  
 10.50 Cross wash 8 lks. wide course S. W. and cross and re-cross same to  
 24.30 Leave wash bears N. E.  
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S34 in W. S35 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.  
 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 26, 27, 34 and 35, marked on brass cap.  
 T2NR6W in N. and 1914 in S. half;  
 S27 in N. W.  
 S26 in N. E.  
 S35 in S. E. and S34 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.  
 Land, level.  
 Soil, sandy loam, dry, medium texture; 1st. rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

## Subdivision of Tp. 2 N. Rg. 6 W.

Chains.	
	East on a random line bet. secs. 26 and 35.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.96	Intersect N. and S. line at the cor. of secs. 25, 26, 35 and 36.
	Thence I run
	West, on a true line, bet. secs. 26 and 35.
	Over level land, through dense brush.
5.70	Cross wash 8 lks. wide course S.
8.70	Cross road bears N. and S.
39.98	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S26 in N. and S35 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
79.96	The cor. of secs. 26, 27, 34 and 35.
	Land, level.
	Soil, sandy loam, dry, medium texture; 1st. rate.
	No timber.
	Undergrowth, greasewood and mesquite.
	-----
	N. $0^{\circ} 01'$ W. bet. secs. 26 and 27.
	Over level land, through dense brush.
40.00	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S27 in W. S26 in E. and 1914 in S. half; from which
	A mesquite 5 ins. diam., bears N. $64^{\circ}$ W. 79 lks. dist., marked $\frac{1}{4}$ S27BT
	A mesquite 5 ins. diam., bears S. $47^{\circ}$ E. 22 lks. dist., marked $\frac{1}{4}$ S26BT.
80.00	Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 22, 23, 26 and 27, marked on brass cap
	T2NR6W in N. and 1914 in S. half;
	S22 in N. W.
	S23 in N. E.
	S26 in S. E. and
	S27 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
	Land, level.
	Soil, sandy loam, dry, medium texture; 1st. rate.
	No timber.
	Undergrowth, greasewood and mesquite.
	-----
	East on a random line bet. secs. 23 and 26.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.94	Intersect N. and S. line 2 lks. S. of the cor. of secs. 23, 24, 25 and 26
	Thence I run.
	S. $89^{\circ} 59'$ W. on a true line bet. secs. 23 and 26.
	Over level land, through dense brush.
39.97	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S23 in N. and S26 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
42.05	Cross road bears N. W. and S. E.
79.94	The cor. of secs. 22, 23, 26 and 27.
	Land, level.
	Soil, sandy loam, dry, medium texture; 1st. rate.
	No Timber.
	Undergrowth, greasewood and mesquite.

February 27, 1914.



Subdivision of Tp. 2 N. Rg. 6 W.

Chains

March 5<sup>1914</sup>: At 8h. 00m. a.m., l.m.t., I set off 33° 29½' N. on the lat. arc; 6° 11' S. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 22, 23, 26 and 27

Thence I run  
 N. 0° 01' W. bet. secs. 22 and 23.  
 Over level land, through dense brush.

39.40 Cross road bears N. W. and S. E.  
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor., marked on brass cap ¼ S22 in W. S23 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth 3½ ft. base 1½ ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 14, 15, 22 and 23, marked on brass cap  
 T2NR6W in N. and  
 1914 in S. half;  
 S15 in N. W.  
 S14 in N. E.  
 S23 in S. E. and  
 S22 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.  
 Land, level.  
 Soil, sandy loam mixed with gravel; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

---

40.00 N. 89° 59' E. on a random line bet. secs. 14 and 23.  
 Set temp. ¼ sec. cor.  
 79.90 Intersect N. and S. line 3 lks. N. of the cor. of secs, 13, 14, 23 and 24  
 Thence I run  
 West on a true line bet. secs. 14 and 23.  
 Over level land, through dense brush.

39.95 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor., marked on brass cap ¼ S14 in N. and S23 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth 3½ ft. base 1½ ft. high, N. of cor.

79.90 The cor. of secs. 14, 15, 22 and 23.  
 Land, level.  
 Soil, sandy loam, mixed with gravel; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

---

40.00 N. 0° 01' W. bet. secs. 14 and 15.  
 Over level land, through dense brush.  
 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor., marked on brass cap ¼ S15 in W. S14 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth 3½ ft. base 1½ ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 10, 11, 14 and 15, marked on brass cap  
 T2NR6W in N. and  
 1914 in S. half;  
 S10 in N. W.  
 S11 in N. E.  
 S14 in S. E. and  
 S15 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.  
 Land, level.  
 Soil, sandy loam, mixed with gravel; 2nd. rate.

## Subdivision of Tp. 2 N. Rg. 6 W.

Chains.

- No timber.  
Undergrowth, greasewood, mesquite and paloverde.
- 
- 40.00 East on a random line bet. secs. 11 and 14.  
Set temp.  $\frac{1}{4}$  sec. cor.
- 79.88 Intersect N. and S. line 2 lks. S. of the cor. of secs. 11, 12, 13 and 14,  
Thence I run  
S.  $89^{\circ} 59'$  W. on a true line bet. secs. 11 and 14.  
Over level land, through dense brush.
- 39.94 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S11 in N. and S14 1914 in S. half; from which  
A paloverde 6 ins. diam., bears N.  $35^{\circ}$  E. 330 lks. dist., marked  $\frac{1}{4}$ S11BT.  
A paloverde 6 ins. diam., bears S.  $70^{\circ}$  W. 151 lks. dist., marked  $\frac{1}{4}$ S14BT.
- 79.88 The cor. of secs. 10, 11, 14 and 15.  
Land, level.  
Soil, sandy loam, mixed with gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood and mesquite and paloverde.
- Note: March 5: At this cor. I set off  $6^{\circ} 07\frac{1}{2}'$  S. on the decl. arc; and observe the sun on the meridian at noon; the resulting lat. is  $33^{\circ} 31'$  N.
- 
- 40.00 N.  $0^{\circ} 01'$  W. bet. secs. 10 and 11  
Over level land, through dense brush.  
Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S10 in W. S11 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 2, 3, 10 and 11, marked on brass cap  
T2NR6W in N. and 1914 in S. half;  
S3 in N. W.  
S2 in N. E.  
S11 in S. E. and S10 in S. W. quadrant; from which  
An ironwood 5 ins. diam., bears N.  $76^{\circ}$  W. 102 lks. dist., marked T2NR6WS3BT.  
No other bearings available. Dig pits 18 x 18 x 12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.  
Land, level.  
Soil, sandy loam, mixed with gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood, mesquite and paloverde.
- 
- 40.00 N.  $89^{\circ} 59'$  E. on a random line bet. secs. 2 and 11  
Set temp.  $\frac{1}{4}$  sec. cor.
- 79.86 Intersect N. and S. line 3 lks. S. of the cor. of secs. 1, 2, 11 and 12  
Thence I run  
S.  $89^{\circ} 58'$  W. on a true line bet. secs. 2 and 11  
Over level land, through dense brush.
- 39.93. Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S2 in N. and S11 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth

## . Subdivision of Tp. 2 N. Rg. 6 W.

Chains.

79.86  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.  
The cor. of secs. 2, 3, 10 and 11.  
Land, level.  
Soil, sandy loam mixed with gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood, mesquite, paloverde and ironwood.

40.00 N.  $0^{\circ} 01'$  W. on a random line bet. secs. 2 and 3.  
Set temp.  $\frac{1}{4}$  sec. cor.  
79.88 Intersect N. bdy. of Tp. 7 lks. E. of the cor. of secs.  
2, 3, 34 and 35, established by me, as described in Book "B."

Thence I run  
S.  $0^{\circ} 04'$  E. on a true line bet. secs. 2 and 3.  
Over level land, through dense brush.  
13.40 Cross wash 12 lks. wide course S. W.  
39.88 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S3 in W.  
S2 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.  
N. and S. of post 3 ft. dist., and raise a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.

79.88 The cor. of secs. 2, 3, 10 and 11.  
Land, level.  
Soil, sandy loam, mixed with gravel; 2nd. rate.  
No timber.  
Undergrowth greasewood, mesquite, paloverde and ironwood.

March 5, 1914.

February 27, 1914:

From the cor. of secs. 3, 4, 33 and 34 on the S.  
bdy. of the Tp., recently established by Jesse B. Wright,  
U. S. Surveyor, established by me, as described in Book "A."

Thence I run  
N.  $0^{\circ} 02'$  W. bet. secs. 33 and 34.  
Over level land, through dense brush.  
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S33 in W.  
S34 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.  
N. and S. of post 3 ft. dist., and raise a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the  
ground for cor. of secs. 27, 28, 33 and 34, marked on  
brass cap

T2NR6W in N. and  
1914 in S. half;  
S28 in N. W.  
S27 in N. E.  
S34 in S. E. and  
S33 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in  
each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft.  
base 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood.

40.00 East on a random line bet. secs. 27 and 34.  
Set temp.  $\frac{1}{4}$  sec. cor.  
79.98 Intersect N. and S. line 14 lks. S. of the cor. of secs.  
26, 27, 34 and 35.

Thence I run  
S.  $89^{\circ} 54'$  W. on a true line bet. secs. 27 and 34.  
Over level land, through dense brush.

## Subdivision of Tp. 2 N. Rg. 6 W.

Chains.

- 13.80 Cross wash 8 lks. wide course S..
- 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S27 in N. and S34 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.
- 79.98 The cor. of secs. 27, 28, 33 and 34.  
Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood.
- 
- N.  $0^{\circ} 02'$  W. bet. secs. 27 and 28.  
Over level land, through dense brush.
- 9.37 Cross wash 6 lks. wide course S. W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S28 in W. S27 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 21, 22, 27 and 28, marked on brass cap.  
T2NR6W in N. and  
1914 in S. half;  
S21 in N. W.  
S22 in N. E.  
S27 in S. E. and  
S28 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.  
Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood, mesquite and sage.
- 
- N.  $89^{\circ} 54'$  E. on a random line bet. secs. 22 and 27.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 79.98 Intersect N. and S. line 2 lks. N. of the cor. of secs. 22, 23, 26 and 27.  
Thence I run  
S.  $89^{\circ} 55'$  W. on a true line bet. secs. 22 and 27.
- 39.99 Over level land, through dense brush.  
Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S22 in N. And S27 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor..
- 79.98 The cor. of secs. 21, 22, 27 and 28.  
Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood, mesquite and sage.

February 27, 1914.

1914  
March 6: At 8h. 00m. a.m., l.m.t., I set off  $33^{\circ} 29\frac{1}{2}'$  N. on the lat. arc;  $5^{\circ} 47\frac{1}{2}'$  S. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 21, 22, 27 and 28.

Thence I run

N.  $0^{\circ} 02'$  W. bet. secs. 21 and 22.  
Over level land, through dense brush.

## Subdivision of Tp. 2 N. Rg. 6 W.

## Chains.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S21 in W., S22 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.

51.40 Cross wash 10 lks. wide course S. W.

64.60 Cross road bears E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 15, 16, 21 and 22, marked on brass cap  
 T2NR6W in N. and  
 1914 in S. half;  
 S16 in N. W.  
 S15 in N. E.  
 S22 in S. E. and  
 S21 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.  
 Land, level.  
 Soil, sandy loam, mixed with gravel; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood.

N.  $89^{\circ} 55'$  E. on a random line bet. secs. 15 and 22.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line 5 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence I run

S.  $89^{\circ} 57'$  W. on a true line bet. secs. 15 and 22.  
 Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S15 in N. and S22 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.

59.70 Cross wash 15 lks. wide course S, W.

80.00 The cor. of secs. 15, 16, 21 and 22.  
 Land, level.  
 Soil, sandy loam, mixed with gravel; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

N.  $0^{\circ} 02'$  W. bet. secs. 15 and 16.  
 Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S16 in W. S15 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 9, 10, 15 and 16, marked on brass cap  
 T2NR6W in N. and  
 1914 in S. half;  
 S9 in N. W.  
 S10 in N. E.  
 S15 in S. E. and  
 S16 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.  
 Land, level.  
 Soil, sandy loam, mixed with gravel; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood.

## Subdivision of Tp. 2 N. Rg. 6 W.

Chains	
	N. 89° 57' E. on a random line bet. secs. 10 and 15.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.96	Intersect N. and S. line 2 lks. S. of the cor. of secs. 10, 11, 14 and 15.
	Thence I run
	S. 89° 56' W. on a true line bet. secs. 10 and 15.
	Over level land, through dense brush.
39.98	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S10 in N. and S15 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
47.90	Cross wash 20 lks. wide course S. W.
79.96	The cor. of secs. 9, 10, 15 and 16.
	Land, level.
	Soil, sandy loam, mixed with gravel; 2nd. rate.
	No timber.
	Undergrowth, greasewood, mesquite and paloverde.
Note:	March 6: At this cor. I set off 5° 44 $\frac{1}{2}$ ' S. on the decl. arc; and observe the sun on the meridian at noon; the resulting lat. is 33° 31' N.
	<hr/>
	N. 0° 02' W. bet. secs. 9 and 10.
	Over level land, through dense brush.
40.00	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S9 in W. S10 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
80.00	Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 3, 4, 9 and 10, marked on brass cap
	T2NR6W in N. and 1914 in S. half;
	S4 in N. W.
	S3 in N. E.
	S10 in S. E. and S9 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
	Land, level.
	Soil, sandy loam, mixed with gravel; 2nd. rate.
	No timber.
	Undergrowth, greasewood, mesquite and paloverde.
	<hr/>
	N. 89° 56' E. on a random line bet. secs. 3 and 10.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.94	Intersect N. and S. line 5 lks. S. of the cor. of secs. 2, 3, 10 and 11.
	Thence I run
	S. 89° 54' W. on a true line bet. secs. 3 and 10.
	Over level land, through dense brush.
17.90	Cross wash 20 lks. wide course S. W.
39.97	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S3 in N. and S10 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
79.94	The cor. of secs. 3, 4, 9 and 10.
	Land, level.
	Soil, sandy loam, mixed with gravel; 2nd. rate
	No timber.
	Undergrowth, greasewood, mesquite, paloverde and ironwood.

## . Subdivision of Tp. 2 N. Rg. 6 W.

Chains.

40.00 N.  $0^{\circ} 02'$  W. on a random line bet. secs. 3 and 4.  
Set temp.  $\frac{1}{4}$  sec. cor.

79.96 Intersect N. bdy. of Tp. 7 lks. E. of the cor. of secs. 3, 4, 33 and 34, established by me as described in Book "B."  
Thence I run  
S.  $0^{\circ} 05'$  E. on a true line bet. secs. 3 and 4.  
Over level land, through dense brush.

2.86 Cross road bears N. E. and S. W.

19.00 Cross road bears N. E. and S. W.

39.96 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S4 in W. S3 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.

79.96 The cor. of secs. 3, 4, 9 and 10.  
Land, level.  
Soil, sandy loam, mixed with rocks and gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood, mesquite, paloverde and ironwood.

March 6, 1914.

1914.  
February 28: At 8h. 00m., a.m., 1.m.t., I set off  $33^{\circ} 28'$  N. on the lat. arc;  $8^{\circ} 05\frac{1}{2}'$  S. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of the Tp. recently established by Jesse B. Wright U. S. Surveyor, as described in Book "A." Thence I run  
N.  $0^{\circ} 02'$  W. bet. secs. 32 and 33.  
Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S32 in W. S33 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 28, 29, 32 and 33, marked on brass cap  
T2NR6W. in N. and 1914 in S. half;  
S29 in N. W.  
S28 in N. E.  
S33 in S. E. and S32 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.  
Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood, mesquite and sage.

40.00 East on a random line bet. secs. 28 and 33  
Set temp.  $\frac{1}{4}$  sec. cor.

79.96 Intersect N. and S. line 2 lks. S. of the cor. of secs. 27, 28, 33 and 34.  
Thence I run  
S.  $89^{\circ} 59'$  W. on a true line bet. secs. 28 and 33.  
Over level land, through dense brush.

6.25 Cross wash 20 lks. wide course S.

39.98 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S28 in N. and S33 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.

79.96 The cor. of secs. 28, 29, 32 and 33.

Subdivision of Tp. 2 N. Rg. 6 W.

Chains.

Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood and mesquite.

N. 0° 02' W. bet. secs. 28 and 29.  
Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S29 in W. S28 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 20, 21, 28 and 29, marked on brass cap  
T2NR6W in N. and 1914 in S. half;  
S20 in N. W.  
S21 in N. E.  
S28 in S. E. and S29 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood and sage.

N. 89° 59' E. on a random line bet. secs. 21 and 28.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.98 Intersect N. and S. line 2 lks. N. of the cor. of secs. 21, 22, 27 and 28  
Thence I run  
West on a true line bet. secs. 21 and 28.  
Over level land, through dense brush.

1.75 Cross wash 15 lks. wide course S.

39.99 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S21 in N. and S28 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.

79.98 The cor. of secs. 20, 21, 28 and 29.  
Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood.

Note: February 28: At this cor. I set off 8° 02 $\frac{1}{2}$ ' S, on the decl. arc; and observe the sun on the meridian at noon; the resulting lat. is 33° 29 $\frac{1}{2}$ ' N.

February 28, 1914.

March 6, 1914:  
N. 0° 02' W. bet. secs. 20 and 21.  
Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S20 in W. S21 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 16, 17, 20 and 21, marked on brass cap  
T2NR6W in N. and 1914 in S. half;



## . Subdivision of Tp. 2 N. Rg. 6 W.

## Chains.

S17 in N. W.  
 S16 in N. E.  
 S21 in S. E. and  
 S20 in S. W. quadrant; and raise a mound of stone 2 ft.  
 base  $1\frac{1}{2}$  ft. high, W. of cor. Pits impracticable.  
 Land, level.  
 Soil, sandy loam, mixed with gravel and rocks; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

East on a random line bet. secs. 16 and 21.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.96 Intersect N. and S. line 3 lks. S. of the cor. of secs.  
 15, 16, 21 and 22.  
 Thence I run  
 S.  $89^{\circ} 59'$  W. on a true line bet. secs. 16 and 21.  
 Over level land, through dense brush.  
 38.50 Cross road bears N. W. and S. E.  
 39.98 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S16 in N.  
 and S21 1914 in S. half; dig pits 18 x 18 x 12 ins. E.  
 and W. of post 3 ft. dist., and raise a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.  
 79.96 The cor. of secs. 16, 17, 20 and 21.  
 Land, level.  
 Soil, sandy loam, mixed with rocks and gravel; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood and mesquite..

March 6, 1914.

1914:  
 March 7; At 8h. 00m. a.m., l.m.t., I set off  $33^{\circ} 30\frac{1}{2}'$  N.  
 on the lat. arc;  $5^{\circ} 24\frac{1}{2}'$  S. on the decl. arc; and  
 determine a meridian with the solar at the cor. of secs.  
 16, 17, 20 and 21.  
 Thence I run  
 N,  $0^{\circ} 02'$  W. bet. secs. 16 and 17.  
 Over level land, through dense brush.  
 12.20 Cross road bears N. W. and S. E.  
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S17 in W.  
 S16 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.  
 N. and S. of post 3 ft. dist., and raise a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.  
 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground for cor. of secs. 8, 9, 16 and 17, marked on brass  
 cap  
 T2NR6W in N. and  
 1914 in S. half;  
 S8 in N. W.  
 S9 in N. E.  
 S16 in S. E. and  
 S17 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in  
 each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft.  
 base 2 ft. high, W. of cor.  
 Land, level.  
 Soil, sandy loam, mixed with gravel and rocks; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

N.  $89^{\circ} 59'$  E. on a random line bet. secs. 9 and 16.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.92 Intersect N. and S. line at the cor. of secs. 9, 10, 15  
 and 16.

## . Subdivision of Tp. 2 N. Rg. 6 W.

Chains.	
	Thence I run
	S. 89° 59' W. on a true line bet. secs. 9 and 16. Over level land, through dense brush.
39.96	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S9 in N. and S16 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
79.92	The cor. of secs. 8, 9, 16 and 17. Land, level. Soil, sandy loam, mixed with gravel; 2nd. rate. No timber. Undergrowth, greasewood and mesquite.
	<hr/>
	N. 0° 02' W. bet. secs. 8 and 9. Over level land, through dense brush..
25.45	Cross road bears N. E. and S. W.
32.30	Cross road bears N. E. and S. W.
40.00	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S8 in W. S9 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
80.00	Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 4, 5, 8 and 9, marked on brass cap T2NR6W in N. and 1914 in S. half; S5 in N. W. S4 in N. E. S9 in S. E. and S8 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor. Land, level. Soil, sandy loam, mixed with rocks and gravel; 2nd. rate. No timber. Undergrowth, greasewood, ironwood, paloverde and mesquite.
	<hr/>
	N. 89° 59' E. on a random line bet. secs. 4 and 9.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	Intersect N. and S. line 2 lks. S. of the cor. of secs. 3, 4, 9 and 10.
	Thence I run
	S. 89° 58' W. on a true line bet. secs. 4 and 9. Over level land, through dense brush.
39.95	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S4 in N. and S9 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
42.00	Cross road bears N. E. and S. W.
60.68	Cross road bears N. E. and S. W.
79.90	The cor. of secs. 4, 5, 8 and 9. Land, level. Soil, sandy loam, mixed with gravel and rocks; 2nd. rate. No timber. Undergrowth, greasewood and mesquite.
	<hr/>
	N. 0° 02' W. on a random line bet. secs. 4 and 5.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.93	Intersect N. bdy. of Tp. 14 lks. E. of the cor. of secs.

## Subdivision of Tp. 2 N. Rg. 6 W.

Chains

4, 5, 32 and 33, established by me, as described in Book "B."  
 Thence I run  
 S.  $0^{\circ} 08'$  E. on a true line bet. secs. 4 and 5.  
 Over level land, through dense brush.  
 0.35 Cross wash 20 lks. wide course S. W.  
 39.93 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S5 in W.  
 S4 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.  
 N. and S. of post 3 ft. dist., and raise a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.  
 50.00 Cross wash, 25 lks. wide, course SW.  
 79.93 Cor. of secs. 4, 5, 8 & 9. Land, level. No timber. rate.  
 Soil, sandy loam, mixed with rocks & gravel, 2nd rate.  
 Undergrowth, greasewood, ironwood, paloverde and mesquite.

March 7, 1914.

February 28: 1914

From the cor. of secs. 5, 6, 31 and 32 on the S.  
 bdy. of the Tp., recently established by Jesse B. Wright  
 U. S. Surveyor, as described in Book "A."  
 I run  
 N.  $0^{\circ} 03'$  W. bet. secs. 31 and 32.  
 Over level land, through dense brush.  
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S31 in W.  
 S32 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.  
 N. and S. of post 3 ft. dist., and raise a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.  
 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground for cor. of secs. 29, 30, 31 and 32, marked on  
 brass cap  
 T2NR6W, in N. and  
 1914, in S. half;  
 S30 in N. W.  
 S29 in N. E.  
 S32 in S. E. and  
 S31 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in  
 each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft.  
 base 2 ft. high, W. of cor.  
 Land, level.  
 Soil, sandy loam, dry, medium texture; 1st. rate.  
 No timber.  
 Undergrowth, greasewood and sage.

East on a random line bet. secs. 29 and 32.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.00 Intersect N. and S. line 7 lks. S. of the cor. of secs.  
 28, 29, 32 and 33.  
 Thence I run  
 S.  $89^{\circ} 57'$  W. on a true line bet. secs. 29 and 32.  
 Over level land, through dense brush.  
 6.15 Cross wash 10 lks. wide course S.  
 39.70 Cross wash 30 lks. wide course S.  
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S29 in N.  
 and S32 1914 in S. half; from which  
 A paloverde 6 ins. diam., bears N.  $74\frac{3}{4}^{\circ}$  E. 18  
 lks. dist., marked  $\frac{1}{4}$ S29BT.  
 A paloverde 14 ins. diam., bears S.  $7\frac{1}{2}^{\circ}$  E. 58  
 lks. dist., marked  $\frac{1}{4}$ S32BT.  
 55.90 Cross wash 40 lks. wide course S.  
 80.00 The cor. of secs. 29, 30, 31 and 32.  
 Land, level.  
 Soil, sandy loam, dry, medium texture; 1st. rate.  
 No timber.  
 Undergrowth, greasewood, mesquite and sage.

February 28, 1914.

## . Subdivision of Tp. 2 N. Rg. 6 W.

Chains.	
	March 9 <sup>1914</sup> : At 8h. 00m. a.m., l.m.t., I set off $33^{\circ} 28\frac{1}{2}'$ N. on the lat. arc; $4^{\circ} 37\frac{1}{2}'$ S. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 29, 30, 31 and 32.
	Thence I run
	West on a random line bet. secs. 30 and 31.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.61	Intersect W. bdy. of Tp. 9 lks. N. of the cor. of secs. 25, 30, 31 and 36, established by me, as described in Book "B."
	Thence I run
	N. $89^{\circ} 56'$ E. on a true line bet. secs. 30 and 31.
	Over level land, through dense brush.
39.61	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S30 in N. and S31 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
52.85	Cross wash 25 lks. wide course S.
79.61	The cor. of secs. 29, 30, 31, and 32.
	Land, level.
	Soil, sandy loam, dry, medium texture; 1st. rate.
	No timber.
	Undergrowth, greasewood and mesquite.
	<hr/>
	N. $0^{\circ} 03'$ W. bet. secs. 29 and 30
	Over level land, through dense brush.
40.00	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S30 in W. S29 in E. and 1914 in S. half;
	dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
80.00	Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 19, 20, 29 and 30, marked on brass cap
	T2NR6W in N. and
	1914 in S. half;
	S19 in N. W.
	S20 in N. E.
	S29 in S. E. and
	S30 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
	Land, level.
	Soil, sandy loam, dry, medium texture; 1st. rate.
	No timber.
	Undergrowth, greasewood and sage.
	<hr/>
	N. $89^{\circ} 57'$ E. on a random line bet. secs. 20 and 29.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.02	Intersect N. and S. line 2 lks. N. of the cor. of secs. 20, 21, 28 and 29.
	Thence I run
	S. $89^{\circ} 58'$ W. on a true line bet. secs. 20 and 29.
	Over level land, through dense brush.
38.20	Cross wash 26 lks. wide course S.
40.01	Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S20 in N. and S29 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
44.15	Cross wash 10 lks. wide course S.
60.77	Cross wash 40 lks. wide course S.
80.02	The cor. of secs. 19, 20, 29 and 30.
	Land, level.
	Soil, sandy loam, dry, medium texture; 1st. rate.

## . Subdivision of Tp. 2 N. Rg. 6 W.

## Chains.

No timber.  
Undergrowth, greasewood and mesquite.

- S.  $89^{\circ} 56'$  W. on a random line bet. secs. 19 and 30.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
79.54 Intersect W. bdy. of Tp. at the cor. of secs. 19, 24, 25 and 30, established by me, as described in Book "B."  
Thence I run  
N.  $89^{\circ} 56'$  E. on a true line bet. secs. 19 and 30.  
Over level land, through dense brush.  
5.50 Cross wash 20 lks. wide course S. E.  
9.65 Cross wash 100 lks. wide course S.  
18.68 Cross road bears N. and S.  
39.54 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S19 in N. and S30 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.  
79.54 The cor. of secs. 19, 20, 29 and 30.  
Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood, mesquite and sage.  
Note: March 9: At this cor. I set off  $4^{\circ} 34\frac{1}{2}'$  S. on the decl. arc; and observe the sun on the meridian at noon; the resulting lat. is  $33^{\circ} 29\frac{1}{2}'$  N.

- N.  $0^{\circ} 03'$  W. bet. secs. 19 and 20.  
Over level land, through dense brush.  
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S19 in W. S20 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.  
66.95 Cross road bears N. E. and S. W.  
80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 17, 18, 19 and 20, marked on brass cap.  
T2NR6W in N. and  
1914 in S. half;  
S18 in N. W.  
S17 in N. E..  
S20 in S. E. and  
S19 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.  
From this cor. windmill bears N.  $36^{\circ} 45'$  E.  
Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood, mesquite and paloverde.

- N.  $89^{\circ} 58'$  E. on a random line bet. secs. 17 and 20.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
79.98 Intersect N. and S. line at the cor. of secs. 16, 17, 20 and 21.  
Thence I run  
S.  $89^{\circ} 58'$  W. on a true line bet. secs. 17 and 20.  
Over level land, through dense brush.  
39.99 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S17 in N. and S20 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.

## Subdivision of Tp. 2 N. Rg. 6 W.

Chains

42.40 Cross wash 75 lks. wide course S.  
 62.15 Cross road bears N. E. and S. W.  
 79.98 The cor. of secs. 17, 18, 19, and 20.  
 Land, level.  
 Soil, sandy loam, mixed with gravel and rocks; 2nd. rate.  
 No timber.  
 Undergrowth, greasewood, mesquite and paloverde.

S.  $89^{\circ} 56'$  W. on a random line bet. secs. 18 and 19.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.45 Intersect N. bdy. of Tp. 2 lks. N. of the cor. of secs.  
 13, 18, 19 and 24, estab. by me, as described in Book "B."  
 Thence I run  
 N.  $89^{\circ} 55'$  E. on a true line bet. secs. 18 and 19.  
 Over level land, through dense brush.  
 10.55 Cross wash 25 lks. wide course S. E.  
 33.85 Cross wash 50 lks. wide course S.  
 39.45 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S18 in N..  
 and S19 1914 in S. half; dig pits 18 x 18 x 12 ins. E.  
 and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$   
 ft. base  $1\frac{1}{2}$  ft. high, N. of cor.  
 79.45 The cor. of secs. 17, 18, 19, and 20.  
 Land, level.  
 Soil, sandy loam, dry, medium texture; 1st. rate.  
 No timber.  
 Undergrowth, greasewood, mesquite, paloverde and ironwood.

March 9, 1914.

1914:

March 10: At 8h. 00m. a.m., l.m.t., I set off  $33^{\circ} 30\frac{1}{2}'$  N.  
 on the lat. arc;  $4^{\circ} 14\frac{1}{2}'$  S. on the decl. arc; and  
 determine a meridian with the solar at the cor. of secs.  
 17, 18, 19 and 20.  
 Thence I run  
 N.  $0^{\circ} 03'$  W. bet. secs. 17 and 18.  
 Over level land, through dense brush.  
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$  S18 in W.  
 S17 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.  
 N. and S. of post 3 ft. dist., and raise a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor..  
 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground for cor. of secs. 7, 8, 17 and 18, marked on brass  
 cap  
 T2NR6W in N. and  
 1914. in S. half;  
 S7 in N. W.  
 S8 in N. E.  
 S17 in S. E. and  
 S18 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in  
 each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft.  
 base 2 ft. high, W. of cor.  
 Land, level.  
 Soil, sandy loam, dry, medium texture; 1st. rate.  
 No timber.  
 Undergrowth, greasewood, paloverde, ironwood and mesquite.  
 From this cor. windmill bears S.  $35^{\circ} 43'$  E.

N.  $89^{\circ} 58'$  E. on a random line bet. secs. 8 and 17.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.00 Intersect N. and S. line 2 lks. S. of the cor. of secs.  
 8, 9, 16 and 17.

Subdivision of Tp. 2 N. Rg. 6 W.

Chains.

Thence I run  
S. 89° 57' W. on a true line bet. secs. 8 and 17.  
Over level land, through dense brush.  
16.00 Cross road bears N. E. and S. W.  
16.55 Cross road bears N. E. and S. W.  
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S8 in N.  
and S17 1914 in S. half; dig pits 18 x 18 x 12 ins. E.  
and W. of post. 3 ft. dist., and raise a mound of earth.  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.  
57.80 Cross wash 75 lks. wide course S.  
80.00 The cor. of secs. 7, 8, 17 and 18.  
Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood, paloverde, ironwood and mesquite.

S. 89° 55' W. on a random line bet. secs. 7 and 18.  
40.00 Set temp  $\frac{1}{4}$  sec. cor.  
79.40 Intersect W. bdy. of Tp. at the cor. of secs. 7, 12, 13,  
and 18, established by me, as described in Book "B."

Thence I run  
N. 89° 55' E. on a true line bet. secs. 7 and 18.  
Over level land, through dense brush.  
5.40 Cross wash 12 lks. wide course S. E.  
19.90 Cross wash 20 lks. wide course S.  
29.70 Cross wash 10 lks. wide course S.  
39.40 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S7 in N.  
and S18 1914 in S. half; dig pits 18 x 18 x 12 ins. E.  
and W. of post. 3 ft. dist., and raise a mound of earth.  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.  
62.30 Cross wash 12 lks. wide course S. E.  
63.30 Cross wash 30 lks. wide course S. W.  
79.40 The cor. of secs. 7, 8, 17 and 18.  
Land, level.  
Soil, sandy loam, mixed with gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood, paloverde, ironwood and mesquite.

N. 0° 03' W. bet. secs. 7 and 8.  
Over level land, through dense brush.  
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the  
ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S7 in W.  
S8 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.  
N. and S. of post, 3 ft. dist., and raise a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.  
80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the  
ground for cor. of secs. 5, 6, 7, and 8, marked on brass  
cap  
T2NR6W in N. and  
1914 in S. half;  
S6 in N. W.  
S5 in N. E.  
S8 in S. E. and  
S7 in S. W. quadrant; from which  
An ironwood 7 ins. diam., bears N.  $11\frac{1}{2}$ ° E. 104  
lks. dist., marked T2NR6WS5BT.  
No other bearings available. Dig pits 18 x 18 x 12 ins. in  
each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft.  
base 2 ft. high, W. of cor.  
Land, level.  
Soil, sandy loam, mixed with rocks and gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood, paloverde, ironwood and mesquite.  
Note: March 10: At this cor. I set off 4° 11' S. on the decl.

. Subdivision of Tp. 2 N. Rg. 6 W.

Chains.

arc; and observe the sun on the meridian at noon; the resulting lat. is.  $33^{\circ} 32'$  N.

N.  $89^{\circ} 57'$  E. on a random line bet. secs. 5 and 8.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.02 Intersect N. and S. line. at the cor. of secs. 4, 5, 8, and 9.

Thence I run

S.  $89^{\circ} 57'$  W. on a true line bet. secs. 5 and 8.  
Over level land, through dense brush.  
18.10 Cross wash 30 lks. wide course S. W.  
40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S5 in N. and S8 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, N. of cor.  
45.50 Cross wash 30 lks. wide course S. W.  
59.10 Cross wash 12 lks. wide course S. E.  
63.20 Cross wash 15 lks. wide course S. E.  
80.02 The cor. of secs. 5, 6, 7 and 8.

Land, level.  
Soil, sandy loam, mixed with rocks and gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood, paloverde, ironwood and mesquite.

S.  $89^{\circ} 55'$  W. on a random line bet. secs. 6 and 7.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
79.36 Intersect W. bdy. of Tp. at the cor. of secs. 1, 6, 7, and 12, established by me, as described in Book "B."

Thence I run

N.  $89^{\circ} 55'$  E. on a true line bet. secs. 6 and 7.  
Over level land, through dense brush.  
0.55 Cross wash 7 lks. wide course S. E.  
20.25 Cross wash 10 lks. wide course S. E.  
39.36 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S6 in N. and S7 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high N. of cor.  
42.35 Cross wash 10 lks. wide course S.  
48.15 Cross wash 8 lks. wide course S. E.  
57.55 Cross wash 25 lks. wide course S.  
79.36 The cor. of secs. 5, 6, 7 and 8.

Land, level.  
Soil, sandy loam, dry, medium texture; 1st. rate.  
No timber.  
Undergrowth, greasewood, paloverde, ironwood and mesquite.

N.  $0^{\circ} 03'$  W. on a random line bet. secs. 5 and 6.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
79.86 Intersect N. bdy. of Tp. 9 lks. E. of the cor. of secs. 5, 6, 31 and 32, established by me, as described in Book "B."

Thence I run

S.  $0^{\circ} 07'$  E. on a true line bet. secs. 5 and 6.  
Over level land, through dense brush.  
13.36 Cross wash 8 lks. wide course S. E.  
39.86 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap  $\frac{1}{4}$ S6 in W. S5 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft. high, W. of cor.  
79.86 The cor. of secs. 5, 6, 7 and 8.  
Land, level.



## Subdivision of Tp. 2 N. Rg. 6 W.

Chains.

Soil, sandy loam, mixed with rocks and gravel; 2nd. rate.  
No timber.  
Undergrowth, greasewood, paloverde, ironwood and mesquite.

March 10, 1914.

---

GENERAL DESCRIPTION.

This township is level and is covered with a dense growth of greasewood, mesquite, ironwood and paloverde brush.

The soil is generally a sandy loam, mixed with small rocks and gravel; There is no water or timber in the township. There is a well in sec. 17 and one in sec. 35 used for stock watering. There are no settlers in the township.

*John P. Hesse*  
U.S. Surveyor.

FOR FINAL OATH OF UNITED STATES SURVEYOR.  
*See Book "E"*

I, \_\_\_\_\_, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for \_\_\_\_\_ bearing date of the \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of \_\_\_\_\_ of the \_\_\_\_\_ Meridian, in the State of \_\_\_\_\_, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for \_\_\_\_\_ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

\_\_\_\_\_  
U. S. Surveyor.

Subscribed by said \_\_\_\_\_, and sworn to before me }  
this \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_ }



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

*Phoenix Ariz. Aug 27*, 1915

The foregoing field notes of the survey of *the*  
*Subdivision lines of*  
*Township 2 North, Range 6 West*  
*of the Gila & Salt River Base & Meridian*  
*in the State of Arizona.*

executed by *John F. Hesse, U.S. Surveyor*  
under his special instructions dated *February 10, 1914 for Group 32*, ~~191~~, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

*Frank S. Ingalls*  
\_\_\_\_\_  
U. S. Surveyor General.  
OF ARIZONA.

~~I certify that the foregoing transcript of the field notes of the above described surveys in \_\_\_\_\_, has been correctly copied from the original notes on file in this office.~~