

2808
4-679

SEP 30 1914

Book "R"
Subdivisions
FIELD NOTES

BOOK 2808

OF THE SURVEY OF THE

Subdivision Lines of Tp. 2 N. Rg. 9 W.

2808

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

John F. Hesse

In the capacity of U. S. Surveyor, under instructions dated October 21, 1913, issued by the United States Surveyor General to govern surveys included in Group No. 32, which were approved by the Commissioner of the General Land Office, November 21, 1913, pursuant to authority contained in the Act of Congress dated June 23, 1913.

Survey commenced May 2, 1914

Survey completed May 9, 1914

ECCOX 2808

Book "R"

INDEX DIAGRAM.

Township 2 North, Range 9 West

| | | | | | | | | | | |
|----|----|----|----|----|----|----|---|----|---|----|
| 6 | 21 | 5 | 16 | 4 | 12 | 3 | 8 | 2 | 5 | 1 |
| 21 | | 21 | | 16 | | 12 | | 8 | | 4 |
| 7 | 20 | 8 | 15 | 9 | 12 | 10 | 8 | 11 | 4 | 12 |
| 20 | | 20 | | 15 | | 11 | | 8 | | 4 |
| 18 | 19 | 17 | 15 | 16 | 11 | 15 | 7 | 14 | 3 | 13 |
| 19 | | 19 | | 14 | | 11 | | 7 | | 3 |
| 19 | 18 | 20 | 14 | 21 | 10 | 22 | 7 | 23 | 3 | 24 |
| 18 | | 18 | | 14 | | 10 | | 6 | | 2 |
| 30 | 17 | 29 | 13 | 28 | 10 | 27 | 6 | 26 | 2 | 25 |
| 17 | | 17 | | 13 | | 9 | | 6 | | 2 |
| 31 | 16 | 32 | 13 | 33 | 9 | 34 | 5 | 35 | 1 | 36 |

6-151

Notes in Book "A", this Group

_____ " " " "B" " "

----- Unsurveyed

Subdivision of Tp. 2 N. Rg. 9 W.

Chains

Survey commenced May 2, 1914, and executed by ~~John F. Hesse~~ and John F. Hesse, U.S. Surveyor, No. 2589, with solar chronometer under instructions for Group 32, Arizona, using a Young and Sons' light mountain transit No. 8588, and described in book "A." It is also the local extent of the corners of the latitude and declination arcs.

I examine the adjustments of the transit, and find them correct; then, to test the solar apparatus, by comparing its indications, resulting from solar observations made during a.m. and p.m. hours, with a meridian determined by observations on Polaris, I proceed as follows:

At camp which is located near the cor. of Tps. 2 and 3 N. Rgs. 9 and 10 W.; latitude $33^{\circ} 32' 59''$ N., longitude $113^{\circ} 14' 23''$ W.; I set off $33^{\circ} 33'$ N. on the lat. arc; $15^{\circ} 24'$ N. on the decl. arc; and, at 5h. 30m. p.m., l.m.t., determine with the solar a meridian and mark a point thereof, on a stone firmly set in the ground, 5 chs. N. of my station.

May 2, 1914.

1914

May 3: At 4h. 50m. a.m. by my watch which has correct l. m.t., I observe Polaris at eastern elongation, in accordance with Manual of Instructions, and mark a point in the line thus determined, on a peg driven in the ground 5 chs. N. of my station.

At 6h. 15m. a.m., l.m.t., I lay off the azimuth of Polaris $1^{\circ} 23'$ to the west, and mark the meridian thus determined, by cutting a small groove in the stone set May 2, on which the meridian falls 0.2 ins. east of the mark determined by the solar.

At 6h. 30m. a.m., l.m.t., I set off $33^{\circ} 33'$ N. on the lat. arc; $15^{\circ} 33\frac{1}{2}'$ N. on the decl. arc; and mark a point in the meridian determined with the solar, by a cross on the stone already set 5 chs. N. of my station; this mark falls 0.2 ins. east of the meridian established by the Polaris observation.

The solar apparatus, by p.m. and a.m. observations, defines positions for meridians, respectively about $0^{\circ} 11'$ east and west of the meridian established by the Polaris observations; therefore I conclude that the adjustments of the instrument are satisfactory.

The magnetic bearing of the true meridian at 6h. 35m. a.m., is N. $14^{\circ} 30'$ W.; the angle thus determined gives the mag. decl. $14^{\circ} 30'$ E.

I commence at the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the Tp. recently established by Jesse B. Wright U. S. Surveyor, as described in book "A"

Thence I run

N. $0^{\circ} 01'$ W. bet. secs. 35 and 36.

Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S35 in W. S36 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 25, 26, 35 and 36, marked on brass cap

T2NR9W in N. and

1914 in S. half;

S26 in N. W.

S25 in N. E.

S36 in S. E. and

S35 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, dry, medium texture; 1st. rate.

Subdivision of Tp. 2 N. Rg. 9 W.

Chains

No timber.
Undergrowth, greasewood and mesquite.

- East on a random line bet. secs. 25 and 36.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.08 Intersect E. bdy. of Tp. 7 lks. S. of the cor. of secs. 25, 30, 31 and 36, recently established by Jesse B. Wright U. S. Surveyor, as described in book "A"
Thence I run
S. $89^{\circ} 57'$ W. on a true line bet. secs. 25 and 36.
Over level land, through dense brush.
40.04 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S25 in N. and S36 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
80.08 The cor. of secs. 25, 26, 35 and 36.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

- N. $0^{\circ} 01'$ W. bet. secs. 25 and 26.
Over level land, through dense brush.
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S26 in W. S25 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked on brass cap
T2NR9W in N. and
1914 in S. half;
S23 in N. W.
S24 in N. E.
S25 in S. E. and
S26 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

Note: May 3: At this cor. I set off $152^{\circ} 36\frac{1}{2}'$ N. on the decl. arc; and observe the sun on the meridian at noon; the resulting lat. is $33^{\circ} 29\frac{1}{2}'$ N.

- N. $89^{\circ} 57'$ E. on a random line bet. secs. 24 and 25.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.10 Intersect E. bdy. of Tp. 7 lks. S. of the cor. of secs. 19, 24, 25 and 30 recently established by Jesse B. Wright, U. S. Surveyor, as described in book "A"
Thence I run
S. $89^{\circ} 54'$ W. on a true line bet. secs. 24 and 25.
Over level land, through dense brush.
40.05 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S24 in N. and S25 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
80.10 The cor. of secs. 23, 24, 25 and 26.
Land, level.

COPY 2808

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

- N. 0° 01' W. bet. secs. 23 and 24.
Over rolling land, through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S23 in W. S24 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 13, 14, 23 and 24, marked on brass cap
T2NR9W in N. and
1914 in S. half;
S14 in N. W.
S13 in N. E.
S24 in S. E. and
S23 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

- N. 89° 54' E. on a random line bet. secs. 13 and 24.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.14 Intersect E. bdy. of Tp. 5 lks. S. of the cor. of secs. 13, 18, 19 and 24 recently established by Jesse B. Wright U. S. Surveyor, as described in book "A"
Thence I run
S. 89° 52' W. on a true line bet. secs. 13 and 24.
- 40.07 Over level land, through dense brush.
Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S13 in N. and S24 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
- 80.14 The cor. of secs. 13, 14, 23 and 24.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

- N. 0° 01' W. bet. secs. 13 and 14.
- 40.00 Over level land, through dense brush.
Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S14 in W. S13 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 11, 12, 13 and 14, marked on brass cap
T2NR9W in N. and
1914 in S. half;
S11 in N. W.
S12 in N. E.
S13 in S. E. and
S14 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

May 3, 1914.

1914

May 4: At 7h. 30m. a.m., l.m.t., I set off $33^{\circ} 51'$ N. on the lat. arc; $15^{\circ} 51'$ N. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 11, 12, 13 and 14.

Thence I run

N. $89^{\circ} 52'$ E. on a random line bet. secs. 12 and 13.40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.18 Intersect E. bdy. of Tp. at the true point for cor. of sec s 7, 12, 13 and 18 recently established by Jesse B. Wright, U. S. Surveyor, as described in book "A"

Thence I run, from true point for cor.

S. $89^{\circ} 52'$ W. on a true line bet. secs. 12 and 13.

0.12 Cross road bears N. W. and S. E.

13.40 Cross wash 15 lks. wide course S.

40.09 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S12 in N. and S13 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.

80.18 The cor. of secs. 11, 12, 13 and 14.

Land, level.

Soil, 0 to 13.40 chs. sandy mixed with rocks and gravel; 3rd. rate. 13.40 to 80.18 chs. sandy loam, dry, medium texture; 1st. rate.

No timber.

Undergrowth, greasewood, paloverde.

N. $0^{\circ} 01'$ W. bet. secs. 11 and 12.

Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S11 in W. S12 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.

45.25 Cross road bears N. W. and S. E.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, marked on brass cap

T2NR9W in N. and

1914 in S. half;

S2 in N. W.

S1 in N. E.

S12 in S. E. and

S11 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, dry, medium texture; 1st. rate.

No timber.

Undergrowth, greasewood and mesquite.

N. $89^{\circ} 52'$ E. on a random line bet. secs. 1 and 12.40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.20 Intersect E. bdy. of Tp. 9 lks. S. of the cor. of secs. 1, 6, 7 and 12, recently established by Jesse B. Wright, U. S. Surveyor, as described in book "A"

Thence I run

DOCK 2808

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

S. 89° 48' W. on a true line bet. secs. 1. and 12.
Over level land, through dense brush.

40.10 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S1 in N. and S12 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.

80.20 The cor. of secs. 1, 2, 11 and 12.
Land, level.
Soil, 0 to 70.00 chs. sandy mixed with rocks and gravel; 3rd. rate; 70.00 to 80.20 chs. sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood, paloverde and ironwood.

N. 0° 01' W. on a random line bet. secs. 1 and 2.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.24 Intersect N. bdy. of Tp. 21 lks. W. of the cor. of secs. 1, 2, 35 and 36, recently established by Jesse B. Wright, U. S. Surveyor, as described in book "A"
Thence I run

S. 0° 08' W. on a true line bet. secs. 1 and 2.
Over level land, through dense brush.

16.75 Cross wash 8 lks. wide course S. W.

35.95 Cross wash 10 lks. wide course S. W.

40.24 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S2 in W. S1 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.

80.24 The cor. of secs. 1, 2, 11 and 12.
Land, level.
Soil, 0 to 50.00 chs. sandy, mixed with rocks and gravel; 3rd. rate; 50.00 to 80.24 chs. sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood, mesquite and paloverde.

Note: May 4: At this cor. I set off 15° 54' N. on the decl. arc; and observe the sun on the meridian at noon; the resulting lat. is 33° 32' N.

May 4, 1914.

1914
May 5: At 7h. 00m. a.m., l.m.t., I set off 33° 28' N. on the lat. arc; 16° 08 $\frac{1}{2}$ ' N. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the Tp. recently established by Jesse B. Wright, U. S. Surveyor, as described in book "A"
Thence I run

N. 0° 01' W. bet. secs. 34 and 35.
Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S34 in W. S35 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 26, 27, 34 and 35, marked on brass cap
T2NR9W in N. and
1914 in S. half;
S27 in N. W.
S26 in N. E.
S35 in S. E. and
S34 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, dry, medium texture; 1st. rate.

No timber.

Undergrowth, greasewood and mesquite.

East on a random line bet. secs. 26 and 35.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line 7 lks. S. of the cor. of secs. 25, 26, 35 and 36, th

Thence I run

S. $89^{\circ} 57'$ W. on a true line bet. secs. 26 and 35.

Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S26 in N. and S35 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.

80.00 The cor. of secs. 26, 27, 34 and 35.

Land, level.

Soil, sandy loam, dry, medium texture; 1st. rate.

No timber.

Undergrowth, greasewood and mesquite.

N. $0^{\circ} 01'$ W. bet. secs. 26 and 27.

Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S27 in W. S26 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 22, 23, 26 and 27, marked on brass cap

T2NR9W in N. and

1914 in S. half;

S22 in N. W.

S23 in N. E.

S26 in S. E. and

S27 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in

each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, dry, medium texture; 1st. rate.

No timber.

Undergrowth, greasewood and mesquite.

N. $89^{\circ} 57'$ E. on a random line bet. secs. 23 and 26.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect N. and S. line 2 lks. N. of the cor. of secs. 23, 24, 25 and 26.

Thence I run

S. $89^{\circ} 58'$ W. on a true line bet. secs. 23 and 26.

Over level land, through dense brush.

39.99 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S23 in N. and S26 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.

79.98 The cor. of secs. 22, 23, 26 and 27.

Land, level.

Soil, sandy loam, medium texture; 1st. rate.

Undergrowth, greasewood and mesquite, No timber.

Subdivision of Tp. 2 N. Rg. 9 W.

- Chains
- N. $0^{\circ} 01'$ W. bet. secs. 22 and 23.
Over level land, through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S22 in W. S23 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 14, 15, 22 and 23, marked on brass cap
T2NR9W in N. and 1914 in S. half;
S15 in N. W.
S14 in N. E.
S23 in S. E. and S22 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- N. $89^{\circ} 58'$ E. on a random line bet. secs. 14 and 23.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 Intersect. N. and S. line 2. lks. N. of the cor. of secs. 13, 14, 23 and 24.
Thence I run
S. $89^{\circ} 59'$ W. on a true line bet. secs. 14 and 23.
Over level land, through dense brush.
- 40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S14 in N. and S23 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
- 80.02 The cor. of secs. 14, 15, 22 and 23.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
- Note May 5: At this cor. I set off $16^{\circ} 11'$ N. on the decl. arc; and observe the sun on the meridian at noon; the resulting lat. is $33^{\circ} 30\frac{1}{2}'$ N.
-
- N. $0^{\circ} 01'$ W. bet. secs. 14 and 15.
Over level land, through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S15 in W. S14 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 10, 11, 14 and 15, marked on brass cap
T2NR9W in N. and 1914 in S. half;
S10 in N. W.
S11 in N. E.
S14 in S. E. and S15 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

. Subdivision of Tp. 2 N. Rg. 9 W.

- Chains N. 89° 59' E. on a random line bet. secs. 11 and 14.
40.00 Set temp. $\frac{1}{4}$ sec. cor. random line bet. secs. 11 and 14.
80.02 Intersect N. and S. line 3 lks. N. of the cor. of secs. 11, 12, 13 and 14.
Thence I run
West on a true line bet. secs. 11 and 14.
Over level land, through dense brush.
40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S11 in N. and S14 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
80.02 The cor. of secs. 10, 11, 14 and 15.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- N. 0° 01' W. bet. secs. 10 and 11.
Over level land, through dense brush.
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S10 in W. S11 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 2, 3, 10 and 11. marked on brass cap
T2NR9W in N. and
1914 in S. half;
S3 in N. W.
S2 in N. E.
S11 in S. E. and
S10 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- East on a random line bet. secs. 2 and 11.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line 2 lks. N. of the cor. of secs. 1, 2, 11 and 12.
Thence I run
N. 89° 59' W. on a true line bet. secs. 2 and 11
Over level land, through dense brush.
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S2 in N. and S11 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
58.95 Cross road bears N. W. and S. E.
80.00 The cor. of secs. 2, 3, 10 and 11.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- N. 0° 01' W. on a random line bet. secs. 2 and 3.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.17 Intersect N. bdy. of Tp. 21 lks. W. of the cor. of secs. 2, 3, 34 and 35 recently established by Jesse B. Wright, U. S. Surveyor, as described in book "A"

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

Thence I run
S. $0^{\circ} 08'$ W. on a true line bet. secs. 2 and 3.
Over level land, through dense brush.
40.17 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S3 in W.
S2 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.
N. and S. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
68.25 Cross road bears N. W. and S. E.
80.17 The cor. of secs. 2, 3, 10 and 11.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

May 5, 1914.

1914
May 6: At 7h. 00m. a.m., l.m.t., I set off $33^{\circ} 28'$ N. on
the lat. arc; $16^{\circ} 25\frac{1}{2}'$ N. on the decl. arc; and determine
a meridian with the solar at the cor. of secs. 3, 4, 33
and 34 on the S. bdy. of the Tp., recently established by
Jesse B. Wright, U. S. Surveyor, as described in book "A"
Thence I run
N. $0^{\circ} 02'$ W. bet. secs. 33 and 34.
Over level land, through dense brush.
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S33 in W.
S34 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.
N. and S. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the
ground for cor. of secs. 27, 28, 33 and 34, marked on brass
cap
T2NR9W in N. and
1914 in S. half;
S28 in N. W.
S27 in N. E.
S34 in S. E. and
S33 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in
each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft.
base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

East on a random line bet. secs. 27 and 34.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.04 Intersect. N. and S. line 5 lks. S. of the cor. of secs.
26, 27, 34 and 35.

Thence I run
S. $89^{\circ} 58'$ W. on a true line bet. secs. 27 and 34.
Over level land, through dense brush.
40.02 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S27 in N.
and S34 1914 in S. half; dig pits 18 x 18 x 12 ins. E.
and W. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
80.04 The cor. of secs. 27, 28, 33 and 34.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

- N. $0^{\circ} 02'$ W. bet. secs. 27 and 28.
Over level land, through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S28 in W., S27 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 21, 22, 27 and 28, marked on brass cap
T2NR9W in N. and 1914 in S. half;
S21 in N. W.
S22 in N. E.
S27 in S. E. and S28 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- N. $89^{\circ} 58'$ E. on a random line bet. secs. 22 and 27.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 Intersect N. and S. line at the cor. of secs. 22, 23, 26 and 27.
- Thence I run
S. $89^{\circ} 58'$ W. on a true line bet. secs. 22 and 27.
Over level land, through dense brush.
- 40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S22 in N. and S27 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
- 80.02 The cor. of secs. 21, 22, 27 and 28.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- N. $0^{\circ} 02'$ W. bet. secs. 21 and 22.
Over level land, through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S21 in W., S22 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 15, 16, 21 and 22, marked on brass cap
T2NR9W in N. and 1914 in S. half;
S16 in N. W.
S15 in N. E.
S22 in S. E. and S21 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

Subdivision of Tp. 2 N. Rg. 9 W.

| Chains. | |
|---------|---|
| 40.00 | N. 89° 58' E. on a random line bet. secs. 15 and 22. |
| 80.02 | Set temp. $\frac{1}{4}$ sec. cor. |
| | Intersect N. and S. line 2 lks. S. of the cor. of secs. 14, 15, 22 and 23. |
| | Thence I run |
| | S. 89° 57' W. on a true line bet. secs. 15 and 22. |
| | Over level land; through dense brush. |
| 40.01 | Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the |
| | ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S15 in N. |
| | and S22 1914 in S. half; dig pits 18 x 18 x 12 ins. E. |
| | and W. of post 3 ft. dist., and raise a mound of earth |
| | $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high; N. of cor. |
| 80.02 | The cor. of secs. 15, 16, 21 and 22. |
| | Land, level. |
| | Soil, sandy loam, dry, medium texture; 1st. rate. |
| | No timber. |
| | Undergrowth, greasewood and mesquite. |
| Note: | May 6: At this cor. I set off 16° 28' N. on the decl. arc; |
| | and observe the sun on the meridian at noon; the resulting |
| | lat. is 33° 30 $\frac{1}{2}$ ' N. |
| 40.00 | N. 0° 02' W. bet. secs. 15 and 16. |
| | Over level land, through dense brush. |
| | Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the |
| | ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S16 in W. |
| | S15 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. |
| | N. and S. of post 3 ft. dist., and raise a mound of earth |
| | $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor. |
| 80.00 | Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the |
| | ground for cor. of secs. 9, 10, 15 and 16, marked on brass |
| | cap |
| | T2NR9W in N. and |
| | 1914 in S. half; |
| | S9 in N. W. |
| | S10 in N. E. |
| | S15 in S. E. and |
| | S16 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in |
| | each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. |
| | base 2 ft. high, W. of cor. |
| | Land, level. |
| | Soil, sandy loam, dry, medium texture; 1st. rate. |
| | No timber. |
| | Undergrowth, greasewood and mesquite. |
| 40.00 | N. 89° 57' E. on a random line bet. secs. 10 and 15. |
| | Set temp. $\frac{1}{4}$ sec. cor. |
| 80.04 | Intersect N. and S. line 2 lks. N. of the cor. of secs. 10, 11, 14 and 15. |
| | Thence I run |
| | S. 89° 58' W. on a true line bet. secs. 10 and 15. |
| | Over level land, through dense brush. |
| 40.02 | Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the |
| | ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S10 in N. |
| | and S15 1914 in S. half; dig pits 18 x 18 x 12 ins. E. |
| | and W. of post 3 ft. dist., and raise a mound of earth |
| | $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor. |
| 80.04 | The cor. of secs. 9, 10, 15 and 16. |
| | Land, level. |
| | Soil, sandy loam, dry, medium texture; 1st. rate. |
| | No timber. |
| | Undergrowth, greasewood and mesquite. |

Subdivision of Tp. 2 N. Rg. 9 W.

Chains

- N. $0^{\circ} 02'$ W. bet. secs. 9 and 10.
Over level land, through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S9 in W. S10 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 in. diam., 24 ins. in the ground for cor. of secs. 3, 4, 9 and 10, marked on brass cap
T2NR9W in N. and 1914 in S. half;
S4 in N. W.
S3 in N. E.
S10 in S. E. and S9 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- N. $89^{\circ} 58'$ E. on a random line bet. secs. 3 and 10.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 Intersect N. and S. line 2 lks. S. of the cor. of secs. 2, 3, 10 and 11.
Thence I run
S. $89^{\circ} 57'$ W. on a true line bet. secs. 3 and 10.
Over level land, through dense brush.
- 40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S3 in N. and S10 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
- 80.02 The cor. of secs. 3, 4, 9 and 10.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- N. $0^{\circ} 02'$ W. on a random line bet. secs. 3 and 4.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.17 Intersect N. bdy. of Tp. 23 lks. W. of the cor. of secs. 3, 4, 33 and 34 recently established by Jesse B. Wright, U. S. Surveyor, as described in book "A"
Thence I run
S. $0^{\circ} 08'$ W. on a true line bet. secs. 3 and 4.
Over level land, through dense brush.
- 26.42 Cross road bears N. W. and S. E.
- 40.17 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S4 in W. S3 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 80.17 The cor. of secs. 3, 4, 9 and 10.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

May 6, 1914.

Subdivision of Tp. 2 N. Rg. 9 W.

- Chains. 1914
 May 7: At 7h. 00m. a.m., l.m.t., I set off $33^{\circ} 28'$ N. on the lat. arc; $16^{\circ} 42\frac{1}{2}'$ N. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of the Tp., recently established by Jesse B. Wright, U. S. Surveyor, as described in book "A"
- Thence I run
 N. $0^{\circ} 02'$ W. bet. secs. 32 and 33.
 Over level land, through dense brush.
- 28.80 Cross road bears N. W. and S. E.
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S32 in W. S33 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 28, 29, 32 and 33, marked on brass cap
 T2NR9W in N. and
 1914 in S. half;
 S29 in N. W.
 S28 in N. E.
 S33 in S. E. and
 S32 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.
-
- 40.00 East on a random line bet. secs. 28 and 33.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect N. and S. line 2 lks. S. of the cor. of secs. 27, 28, 33 and 34.
 Thence I run
 S. $89^{\circ} 59'$ W. on a true line bet. secs. 28 and 33.
 Over level land, through dense brush.
- 40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S28 in N. and S33 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
- 80.02 The cor. of secs. 28, 29, 32 and 33.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.
-
- 40.00 N. $0^{\circ} 02'$ W. bet. secs. 28 and 29.
 Over level land, through dense brush.
 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S29 in W. S28 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 20, 21, 28 and 29, marked on brass cap
 T2NR9W in N. and
 1914 in S. half;
 S20 in N. W.
 S21 in N. E.
 S28 in S. E. and
 S29 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

- Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- N. 89° 59' E. on a random line bet. secs. 21 and 28.
40.00 Set temp. $\frac{1}{4}$ sec. cor.;
80.04 Intersect N. and S. line 3 lks. N. of the cor. of secs.
21, 22, 27 and 28.
Thence I run
West on a true line bet. secs. 21 and 28.
Over level land, through dense brush.
40.02 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S21 in N.
and S28 1914 in S. half; dig pits 18 x 18 x 12 ins. E.
and W. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
80.04 The cor. of secs. 20, 21, 28 and 29.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- N. 0° 02' W. bet. secs. 20 and 21.
Over level land, through dense brush.
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S20 in W.
S21 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.
N. and S. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the
ground for cor. of secs. 16, 17, 20 and 21, marked on
brass cap
T2NR9W in N. and
1914 in S. half;
S17 in N. W.
S16 in N. E.
S21 in S. E. and
S20 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in
each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft.
base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- East on a random line bet. secs. 16 and 21.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line 2 lks. N. of the cor. of secs.
15, 16, 21 and 22.
Thence I run
N. 89° 59' W. on a true line bet. secs. 16 and 21.
Over level land, through dense brush.
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S16 in N.
and S21 1914 in S. half; dig pits 18 x 18 x 12 ins. E.
and W. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
80.00 The cor. of secs. 16, 17, 20 and 21.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

Note: May 7: At this cor. I set off $16^{\circ} 45'$ N. on the decl. arc; and observe the sun on the meridian at noon; the resulting lat. is $33^{\circ} 30\frac{1}{2}'$ N.

N. $0^{\circ} 02'$ W. bet. secs. 16 and 17.
Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S17 in W. S16 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 8, 9, 16 and 17, marked on brass cap
T2NR9W in N. and 1914 in S. half;
S8 in N. W.
S9 in N. E.
S16 in S. E. and S17 in S. W. quadrant; from which
A mesquite 4 ins. diam., bears S. $80\frac{1}{4}^{\circ}$ W. 49 lks. dist., marked T2NR9WS17BT.
No other bearings available. Dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

S. $89^{\circ} 59'$ E. on a random line bet. secs. 9 and 16

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect N. and S. line 2 lks. N. of the cor. of secs. 9, 10, 15 and 16.
Thence I run
N. $89^{\circ} 58'$ W. on a true line bet. secs. 9 and 16.
Over level land, through dense brush.

40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S9 in N. and S16 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.

80.02 The cor. of secs. 8, 9, 16 and 17.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

N. $0^{\circ} 02'$ W. bet. secs. 8 and 9.
Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S8 in W. S9 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 4, 5, 8 and 9, marked on brass cap
T2NR9W in N. and 1914 in S. half;
S5 in N. W.
S4 in N. E.
S9 in S. E. and S8 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

- each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- S. $89^{\circ} 58'$ E. on a random line bet. secs. 4 and 9.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line 5 lks. S. of the cor. of secs. 3, 4, 9 and 10.
Thence I run
West on a true line bet. secs. 4 and 9.
Over level land, through dense brush.
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S4 in N. and S9 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor..
80.00 The cor. of secs. 4, 5, 8 and 9.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
-
- N. $0^{\circ} 02'$ W. on a random line bet. secs. 4 and 5.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.05 Intersect N. bdy. of Tp. 21 lks. W. of the cor. of secs. 4, 5, 32 and 33, recently established by Jesse B. Wright, U. S. Surveyor, as described in book "A"
Thence I run
S. $0^{\circ} 07'$ W. on a true line bet. secs. 4 and 5.
Over level land, through dense brush.
40.05 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S5 in W. S4 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor..
80.05 The cor. of secs. 4, 5, 8 and 9.
Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.
- May 7, 1914.
-
- 1914
May 8: At 7h. 00m. a.m., l.m.t., I set off $33^{\circ} 28'$ N. on the lat. arc; $16^{\circ} 59'$ N. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the Tp., recently established by Jesse B. Wright, U. S. Surveyor, as described in book "A"
Thence I run
N. $0^{\circ} 03'$ W. bet. secs. 31 and 32.
Over level land, through dense brush.
40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S31 in W. S32 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor..
80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 29, 30, 31 and 32, marked on brass cap
T2NR9W in N. and

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

- 1914 in S. half;
 S30 in N. W.
 S29 in N. E.
 S32 in S. E. and
 S31 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.
-
- 40.00 East on a random line bet. secs. 29 and 32.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect N. and S. line 2 lks. N. of the cor. of secs. 28, 29, 32 and 33.
 Thence I run
 N. $89^{\circ} 59'$ W. on a true line bet. secs. 29 and 32.
 Over level land, through dense brush.
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S29 in N. and S32 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
 55.00 Cross road bears N. W. and S. E.
 80.00 The cor. of secs. 29, 30, 31 and 32.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.
-
- 40.00 West on a random line bet. secs. 30 and 31.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.45 Intersect W. bdy. of Tp. at the cor. of secs. 25, 30, 31 and 36, estab. by me as described in book "B"
 Thence I run
 East on a true line bet. secs. 30 and 31.
 Over level land, through dense brush.
 39.45 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S30 in N. and S31 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
 79.45 The cor. of secs. 29, 30, 31 and 32.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.
-
- 17.20 N. $0^{\circ} 03'$ W. bet. secs. 29 and 30.
 Over level land, through dense brush.
 40.00 Cross road bears N. W. and S. E.
 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S30 in W. S29 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 19, 20, 29 and 30, marked on brass cap
 T2NR9W in N. and
 1914 in S. half;
 S19 in N. W.

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

S20 in N. E.
 S29 in S. E. and
 S30 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high, W. of cor.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

S. $89^{\circ} 59'$ E. on a random line bet. secs. 20 and 29.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect N. and S. line at the cor. of secs. 20, 21, 28 and 29.

Thence I run
 N. $89^{\circ} 59'$ W. on a true line bet. secs. 20 and 29.
 Over level land, through dense brush.
 39.98 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S20 in N. and S29 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
 79.96 The cor. of secs. 19, 20, 29 and 30.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

Note May 8: At this cor. I set off $17^{\circ} 01\frac{1}{2}'$ N. on the decl. arc; and observe the sun on the meridian at noon; the resulting lat. is $33^{\circ} 29\frac{1}{2}'$ N.

West on a random line bet. secs. 19 and 30.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.36 Intersect W. bdy. of Tp. 2. lks. N. of the cor. of secs. 19, 24, 25 and 30. Estab. by me as described in book "B"
 Thence I run
 N. $89^{\circ} 59'$ E. on a true line bet. secs. 19 and 30.
 Over level land, through dense brush.
 39.36 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S19 in N. and S30 1914 in S. half; dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
 79.36 The cor. of secs. 19, 20, 29 and 30.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

N. $0^{\circ} 03'$ W. bet. secs. 19 and 20.
 Over level land, through dense brush.
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S19 in W.
 S20 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 17, 18, 19 and 20, marked on brass cap
 T2NR9W in N. and
 1914 in S. half;
 S18 in N. W.
 S17 in N. E.

BOOK 2808

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

S20 in S. E. and
 S19 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in
 each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft.
 base 2 ft. high, W. of cor.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

S. $89^{\circ} 59'$ E. on a random line bet. secs. 17 and 20.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect N. and S. line 2 lks. S. of the cor. of secs.
 16, 17, 20 and 21.

Thence I run
 West on a true line bet. secs. 17 and 20.
 Over level land, through dense brush.
 39.99 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S17 in N.
 and S20 1914 in S. half; dig pits 18 x 18 x 12 ins. E.
 and W. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
 79.98 The cor. of secs. 17, 18, 19 and 20.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

S. $89^{\circ} 59'$ W. on a random line bet. secs. 18 and 19.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.30 Intersect W. bdy. of Tp. 5 lks. N. of the cor. of secs.
 13, 18, 19 and 24, estab. by me as described in book "B"

Thence I run
 N. $89^{\circ} 57'$ E. on a true line bet. secs. 18 and 19.
 Over level land, through dense brush.
 39.30 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S18 in N.
 and S19 1914 in S. half; dig pits 18 x 18 x 12 ins. E.
 and W. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
 79.30 The cor. of secs. 17, 18, 19 and 20.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

May 8, 1914.

1914
 May 9: At 7h. 00m. a.m., l.m.t., I set off $33^{\circ} 30\frac{1}{2}'$ N. on
 the lat. arc; $17^{\circ} 15'$ N. on the decl. arc; and determine
 a meridian with the solar at the cor. of secs. 17, 18, 19
 and 20.

Thence I run
 N. $0^{\circ} 03'$ W. bet. secs. 17 and 18.
 Over level land, through dense brush.
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S18 in W.
 S17 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.
 N. and S. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the
 ground for cor. of secs. 7, 8, 17 and 18, marked on brass
 cap
 T2NR9W in N. and

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

1914 in S. half;
 S7 in N. W.
 S8 in N. E.
 S17 in S. E. and
 S18 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in
 each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth $\frac{3}{4}$ ft.
 base 2 ft. high, W. of cor.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

40.00 East on a random line bet. secs. 8 and 17.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect N. and S. line 2 lks. S. of the cor. of secs.
 8, 9, 16 and 17.
 Thence I run
 S. $89^{\circ} 59'$ W. on a true line bet. secs. 8 and 17.
 Over level land, through dense brush.
 39.99 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S8 in N.
 and S17 1914 in S. half; from which
 A mesquite 7 ins. diam., bears S. 50° W. 179
 lks. dist., marked $\frac{1}{4}$ S17BT.
 No other bearing available. Dig pits 18 x 18 x 12 ins. E.
 and W. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
 79.98 The cor. of secs. 7, 8, 17 and 18.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

40.00 S. $89^{\circ} 57'$ W. on a random line bet. secs. 7 and 18.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.26 Intersect W. bdy. of Tp. 2 lks. N. of the cor. of secs.
 7, 12, 13 and 18, estab. by me as described in book "B"
 Thence I run
 N. $89^{\circ} 56'$ E. on a true line bet. secs. 7 and 18.
 Over level land, through dense brush.
 39.26 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S7 in N.
 and S18 1914 in S. half; dig pits 18 x 18 x 12 ins. E.
 and W. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.
 79.26 The cor. of secs. 7, 8, 17 and 18.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

40.00 N. $0^{\circ} 03'$ W. bet. secs. 7 and 8.
 Over level land, through dense brush.
 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S7 in W.
 S8 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.
 N. and S. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the
 ground for cor. of secs. 5, 6, 7 and 8, marked on brass ca
 cap
 T2NR9W in N. and
 1914 in S. half;

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

S6 in N. W.
 S5 in N. E.
 S8 in S. E. and
 S7 in S. W. quadrant; dig pits 18 x 18 x 12 ins. in
 each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft.
 base 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, dry, medium texture; 1st. rate.

No timber.

Undergrowth, greasewood and mesquite.

40.00 N. $89^{\circ} 59'$ E. on a random line bet. secs. 5 and 8.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect N. and S. line at the cor. of secs. 4, 5, 8 and
 9.

Thence I run

39.98 S. $89^{\circ} 59'$ W. on a true line bet. secs. 5 and 8.
 Over level land, through dense brush.
 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S5 in N.
 and S8 1914 in S. half; dig pits 18 x 18 x 12 ins. E.
 and W. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.

79.96 The cor. of secs. 5, 6, 7 and 8.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

Note: May 9: At this cor. I set off $17^{\circ} 18'$ N. on the decl.
 arc; and observe the sun on the meridian at noon; the
 resulting lat. is $33^{\circ} 32'$ N.

40.00 S. $89^{\circ} 56'$ W. on a random line bet. secs. 6 and 7.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.20 Intersect W. bdy. of Tp. 2 lks. N. of the cor. of secs.
 1, 6, 7 and 12, estab. by me as described in book "B"

Thence I run

39.20 N. $89^{\circ} 55'$ E. on a true line bet. secs. 6 and 7.
 Over level land, through dense brush.
 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S6 in N.
 and S7 1914 in S. half; dig pits 18 x 18 x 12 ins. E.
 and W. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, N. of cor.

79.20 The cor. of secs. 5, 6, 7 and 8.
 Land, level.
 Soil, sandy loam, dry, medium texture; 1st. rate.
 No timber.
 Undergrowth, greasewood and mesquite.

40.00 N. $0^{\circ} 03'$ W. on a random line bet. secs. 5 and 6.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect N. bdy. of Tp. 23 lks. W. of the cor. of secs.
 5, 6, 31 and 32, estab. by Jesse B. Wright, as described in
 book "A", Thence I run

39.96 S. $0^{\circ} 07'$ W. on a true line bet. secs. 5 and 6.
 Over level land, through dense brush.
 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S6 in W.
 S5 in E. and 1914 in S. half; dig pits 18 x 18 x 12 ins.
 N. and S. of post 3 ft. dist., and raise a mound of earth
 $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high, W. of cor.

79.96 The cor. of secs. 5, 6, 7 and 8.

Subdivision of Tp. 2 N. Rg. 9 W.

Chains.

Land, level.
Soil, sandy loam, dry, medium texture; 1st. rate.
No timber.
Undergrowth, greasewood and mesquite.

May 9, 1914.

GENERAL DESCRIPTION.

This township is level and covered with dense greasewood and scattering mesquite brush. The soil is generally a rich sandy loam, very fertile. There is no timber or water in the township, and no settlers.


John A. Hesse
U. S. Surveyor.

FOR FINAL OATH OF UNITED STATES SURVEYOR.
See Book "E"

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191 _____ }



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix Arizona *Aug 27*, 1915

The foregoing field notes of the survey of the _____
Subdivision lines of
Township 2 North Range 9 West of the
Gila and Salt River Base and Meridian
in the State of Arizona

executed by John F. Hesse U.S. Surveyor
under his special instructions dated October 21, 1913 for Group 32, ~~191~~, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank S. Ingalls
U. S. Surveyor General.
of Arizona.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.~~