

55
D

2812

SEP 11 1914

Book "V"

BOOK 2812

Subdivisions

FIELD NOTES

OF THE SURVEY OF THE

Subdivision of T. 3 N., R. 11 W.

2812

Of the Gila and Salt River Base and Meridian,

Arizona.

In the State of _____

EXECUTED BY

Jesse B. Wright,

In the capacity of U. S. Surveyor _____, under instructions dated Feb. 10, 1914.,

issued by the United States Surveyor General to govern surveys included in

Group No. 32, which were approved by the Commissioner of the General Land

Office, Feb. 20, 1914, pursuant to authority contained in the Act of

Congress dated June 23, 1913.

Survey commenced May 26, 1914

Survey completed May 31, 1914

52
1A

Book "V"

BOOK 2812

INDEX DIAGRAM.

Township 3 North, Range 11 West

| | | | | | | | | | | |
|----|----|----|----|----|----|----|---|----|---|----|
| 6 | 22 | 5 | 16 | 4 | 12 | 3 | 8 | 2 | 4 | 1 |
| 21 | | 21 | | 16 | | 12 | | 8 | | 4 |
| 7 | 21 | 8 | 15 | 9 | 11 | 10 | 7 | 11 | 3 | 12 |
| 20 | | 20 | | 15 | | 11 | | 7 | | 3 |
| 18 | 20 | 17 | 15 | 16 | 11 | 15 | 7 | 14 | 3 | 13 |
| 19 | | 19 | | 14 | | 10 | | 6 | | 2 |
| 19 | 19 | 20 | 14 | 21 | 10 | 22 | 6 | 23 | 2 | 24 |
| 18 | | 18 | | 14 | | 10 | | 6 | | 2 |
| 30 | 18 | 29 | 13 | 28 | 9 | 27 | 5 | 26 | 1 | 25 |
| 17 | | 17 | | 13 | | 9 | | 5 | | 1 |
| 31 | 17 | 32 | 13 | 33 | 9 | 34 | 5 | 35 | 1 | 36 |

6-151

Notes in Book "A" this Group

_____ " " " "B" " "

----- Unsurveyed

Chains.

Survey commenced May 26, 1914, and executed by Jesse B. Wright, U.S. Surveyor No. 7074, using a Young and Sons light mountain transit No. 7084, described in book "A"

Knowing also from recent and repeated tests made on a true meridian established at my camp from observation of Polaris that the instrument is in correct adjustment, I proceed as follows: -

At 8h a.m., l.m.t., at the cor. of secs. 1, 2, 35 & 36, on the S. bdy. of the Tp., established by me, and described in book "A",

I set off $21^{\circ}04'$ N. on the decl. arc, and $33^{\circ}33'$ N. on the lat. arc, and determine a meridian with the solar. Thence I run, as per instructions,

N. $0^{\circ}1'$ W. bet. secs. 35 & 36.

Var. $14^{\circ}30'$ E.

Over level plain, through dense greasewood, few cacti, good soil, drainage to SE.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 35 in W., and

S 36 in E. half; 1914 on S. rim;

No trees available, only small scrub scattering mesquites and few paloverdes too small for bearing trees along these lines.

Dig pits $18 \times 18 \times 12$ ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 25, 26, 35 & 36, marked on brass cap, 1914 on S. rim,

T-3 N R 11 W, in N. half,

S 26 in NW.,

S 25 in NE.,

S 36 in SE., and

S 35 in SW. quad.;

Dig pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth $\frac{1}{2}$ ft. base 2 ft. high W. of cor.

Land, level. Soil, 1st rate, loamy, sandy, loose, dry. Greasewood, sage brush, few cacti.

East, on a random line bet. secs. 25 & 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect E bdy. of Tp. $2\frac{1}{2}$ lks. N. of cor of secs. 25, 30, 31 & 36, established by me as described in book "A", whence I run

N $89^{\circ}59'$ W on a true line bet. secs. 25 & 36.

Over level land through dense greasewood.

39.99 Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 25 in N., and

S 36 in S. half; 1914 on S. rim.

Dig pits $18 \times 18 \times 12$ ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

79.98 To cor. of secs. 25, 26, 35, & 36.

Land, level.

Soil, loose dry sandy loam, medium texture. 1st rate.

Undergrowth, greasewood and scattered mesquite.

N $0^{\circ}01'$ W bet. secs. 25 & 26.

Over level land through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S. 26 in W, and

S 25 in E half; 1914 on S. rim.

Dig pits $18 \times 18 \times 12$ ins., N & S of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in dia., 24 ins. in the ground for cor. of secs. 23, 24, 25 & 26, marked on brass cap, 1914 on S. rim.

Subdivision of T 3 N., R 11 W.

Chains.

- T 3 N R 11 W, in N half;
 S 23 in NW,
 S 24 in NE,
 S 25 in SE and
 S 26 in SW quadrant.
 Dig pits 18 x 18 x 12 ins., in each sec., 5½ ft. dist.,
 and raise a mound of earth 4 ft. base, 2 ft. high, W
 of cor.
 Land, level.
 Soil, loose sandy dry loam, fine texture over 2 ft. deep.
 Undergrowth, greasewood and scattered mesquite. \ 1st rate.
-
- 40.00 S 89°59'E on a random line bet secs. 24 & 25.
 79.98 Set temp. ¼ sec. cor.
 Intersect E bdy. of Tp. at the cor. of secs. 19, 24, 25
 30, as established by me, as described in book "A", whence I run
 N 89°59'W on a true line bet. secs. 24 and 25.
 Over level land through dense brush.
 39.99 Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in
 the ground, for ¼ sec. cor., marked on brass cap,
 ¼ S 24 in N, and
 S 25 in S half; 1914 on S rim.
 Dig pits 18 x 18 x 12 ins. E and W of cor. 3 ft. dist.,
 and raise a mound of earth 3½ ft. base, 1½ ft. high,
 N of cor.
 79.98 To cor. of secs. 23, 24, 25 & 26.
 Land, level.
 Soil, loose dry sandy loam, fine texture, over 2 ft. deep.
 Undergrowth, greasewood. \ 1st rate.
 No timber.
-
- 40.00 N 0°01'W bet. secs. 23 & 24.
 Over level land through dense brush.
 Set an iron post 3ft. long, 1 in. in dia., 26 ins. in
 the ground, for ¼ sec. cor., marked on brass cap,
 ¼ S 23 in W and
 S 24 in E half; 1914 on S rim.
 Dig pits 18 x 18 x 12 ins., N & S of cor. 3 ft. dist.,
 and raise a mound of earth 3½ ft. base, 1½ ft. high, W
 of cor.
 80.00 Set an iron post 3ft. long, 2 ins. in dia., 24 ins. in
 the ground for cor. of secs. 13, 14, 23 & 24, marked on
 brass cap, 1914 on S rim.
 T 3 N R 11 W in N half;
 S 14 in NW,
 S 13 in NE,
 S 24 in SE and
 S 23 in SW quad.;
 Dig pits 18 x 18 x 12 ins., in each sec. 5½ ft. dist.,
 and raise a mound of earth 4 ft. base, 2 ft. high, W of
 cor.
 Land, level.
 Soil, dry loose sandy loam, fine texture, over 2 ft. deep.
 Undergrowth, greasewood. \ 1st rate.
-
- 40.00 S 89°59'E on a random line bet secs. 13 & 24 .
 80.00 Set temp. ¼ sec. cor.
 Intersect E. bdy. of Tp. 2 lks. S of the cor. of secs. 13,
 18, 19 & 24, as established by me, as described in book "A", whence I run
 West on a true line bet secs. 13 and 24.
 Over level land through dense brush.
 40.00 Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in
 the ground for ¼ sec. cor., marked on brass cap,
 ¼ S 13 in N and
 S 24 in S half; 1914 on S rim.
 Dig pits 18 x 18 x 12 ins., E and W of cor. 3 ft. dist.,
 and raise a mound of earth 3½ ft. base, 1½ ft. high, N
 of cor.

Chains.

- 80.00 To cor. of secs. 13, 14, 23 and 24.
Land, level.
Soil, dry loose sandy loam fine texture, 1st rate.
Undergrowth, greasewood.
- Note: At this cor. at noon, I set off $21^{\circ}05\frac{1}{2}'$ N on the decl. arc and observe the sun on the meridian.
The resulting lat. is $33^{\circ}35\frac{1}{2}'$ N.
-
- N $0^{\circ}01'$ W bet. secs. 13 and 14.
over level land through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap,
 $\frac{1}{4}$ S 14 in W and
S 13 in E half; 1914 on S rim.
Dig pits 18 x 18 x 12 ins., N and S of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. in dia., 24 ins. in the ground for cor. of secs. 11, 12, 13 and 14, marked on brass cap, 1914 on S rim.
T 3 N R 11 W in N half;
S 11 in NW,
S 12 in NE,
S 13 in SE and
S 14 in SW quad.;
Dig pits 18 x 18 x 12 ins., in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W of cor.
Land, level.
Soil, dry sandy loose loam, fine texture, 1st rate.
Undergrowth, greasewood.
-
- East on a random line bet secs. 12 & 13.
- 40.00 Set a temp. $\frac{1}{4}$ sec. cor.
- 80.00 Intersect the E bdy. of Tp. at the cor. of secs. 7, 12, 13 & 18, as established by me, as described in book "A", whence I run
West on a true line bet. secs. 12 & 13.
Over level land through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 12 in N and
S 13 in S half; 1914 on S rim.
Dig pits 18 x 18 x 12 ins., E and W of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N of cor.
- 56.50 Old wagon trail brs. NW & SE.
- 60.00 Cross wash 1 ch. wide course S.
- 80.00 To cor. of secs. 11, 12, 13, and 14.
Land, level.,
Soil, dry loose sandy loam fine texture, 1st rate.
Undergrowth, greasewood and few scattered mesquite.
-
- N $0^{\circ}01'$ W bet. secs. 11 & 12.
Over level land through dense brush.
- 18.00 Old wagon trail brs. NW & SE.
- 40.00 Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap.
 $\frac{1}{4}$ S 11 in W and
S 12 in E half; 1914 on S rim.
Dig pits 18 x 18 x 12 ins. N & S of cor. 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. in dia., 24 ins. in the ground, for cor. of secs., 1, 2, 11 & 12, marked on brass cap, 1914 on S rim.
T 3 N R 11 W in N half;
S 2 in NW,
S 1 in NE,
S 12 in SE and
S 11 in SW quad.

Chains.

- Dig pits 18x18x12 ins. in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor. Land, level.
Soil, 2nd rate, sandy, loamy, loose, dry, fine texture. Greasewood, sage brush, few cacti.
-
- East, on a random line bet. secs. 1 & 12.
40.00 Set temp. ¼ sec. cor.
79.98 Intersect E. bdy. of Tp. 5 lks. S. of cor. of secs. 1, 6, 7 & 12, as established by me, as described in book "A", whence I run S. 89°58' W. on a true line bet. secs. 1 & 12. Over level land, through dense brush.
39.99 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap, ¼ S 1 in N., and S 12 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.
79.98 To cor. of secs. 1, 2, 11 & 12. Land, level.
Soil, 2nd rate, loamy, sandy, dry. Greasewood, sage brush, few cacti.
-
- N. 0° 1' W. on a random line bet. secs. 1 & 2.
40.00 Set temp. ¼ sec. cor.
80.09 Intersect N. bdy. of Tp. 2 lks. E. of cor. of secs. 1, 2, 35 & 36, as established by me, as described in book "A", whence I run, S. 0° 2' E. on a true line bet. secs. 1 & 2. Over level land, through dense brush.
18.53 Road, Harrisburg to Phoenix, brs. WNW. & ESE.
40.09 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap, ¼ S 2 in W., and S 1 in E. half, 1914 on S. rim; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.
80.09 To cor. of secs. 1, 2, 11 & 12. Land, level.
Soil, 2nd rate, loamy, sandy, dry, fine texture. Greasewood, sage brush, few cacti.
May 26, 1914.

Chains.

May 27, 1914. At 8h.a.m., l.m.t., at cor. of secs. 2, 3, 34 & 35, on S. bdy. of Tpt., established by me as described in book "A". I set off 21°14' N. on the decl. arc, and 33°33' N. on the lat. arc, and determine a meridian with the solar. Thence I run, N. 0° 1' W. bet. secs. 34 & 35.
 Over level plain, through dense brush.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 34 in W., and S 35 in E. half, 1914 on S. rim; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 26, 27, 34 & 35, marked on brass cap, 1914 on S. rim, T 3 N R 11 W, in N. half, S 27 in NW., S 26 in NE., S 35 in SE., and S 34 in SW. quad.; dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high W. of cor. Land, level. Soil, 2nd rate, loamy, sandy, dry. Greasewood, sage brush, few cacti.

East, on a random line bet. secs. 26 & 35.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect cor. of secs. 25, 26, 35 & 36, hereinbefore described, whence I run, West, on a true line bet. secs. 26 & 35.
 Over level land, through dense brush.
 39.99 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 26 in N., and S 35 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
 79.98 To cor. of secs. 26, 27, 34 & 35. Land, level. Soil, 1st rate, loamy, fine texture. Greasewood, sage brush, few cacti.

N. 0° 1' W. bet. secs. 26 & 27.
 Over level land, through dense brush.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 27 in W., and S 26 in E. half, 1914 on S. rim; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise amount of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 22, 23, 26 & 27, marked on brass cap, 1914 on S. rim; T 3 N R 11 W, in N. half, S 22 in NW., S 23 in NE., S 26 in SE., and S 27 in SW. quad.; dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise amount of earth 4 ft. base 2 ft. high W. of cor. Land, level. Soil, 2nd rate, loamy, Greasewood, sage brush.

Chains.

- East, on a random line bet. secs. 23 & 26.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect N. & S. line $2\frac{1}{2}$ lks. N. of cor. of secs. 23, 24, 25 & 26, hereinbefore described, whence I run, N. $89^{\circ}59'$ W. on a true line bet. secs. 23 & 26.
 Over rolling or level plain, through dense brush.
 39.98 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 23 in N., and S 26 in S. half, 1914 on S. rim, dig pits $18 \times 18 \times 12$ ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
 79.96 To cor. of secs. 22, 23, 26 & 27.
 Land, level.
 Soil, 1st rate, loamy.
 Greasewood, sage brush, few cacti.
-
- N. $0^{\circ} 1'$ W. bet. secs. 22 & 23.
 Over level plain, through dense low, brush.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 22 in W., and S 23 in E. half, 1914 on S. rim; dig pits $18 \times 18 \times 12$ ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 14, 15, 22 & 23, marked on brass cap, 1914 on S. rim, T 3 N R 11 W, in N. half, S 15 in NW., S 14 in NE., S 23 in SE., and S 22 in SW. quad.; dig pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor.
 Land, level.
 Soil, 2nd rate, sandy, loamy, loose, dry.
 Greasewood, sage brush, few cacti.
-
- S. $89^{\circ}59'$ E. on a random line bet. secs. 14 & 23.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect N. & S. line $2\frac{1}{4}$ lks. N. of cor. of secs. 13, 14, 23 & 24, hereinbefore described, whence I run, N. $89^{\circ}58'$ W. on a true line bet. secs. 14 & 23.
 Over level land, through low, dense brush.
 39.98 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 14 in N., and S 23 in S. half, 1914 on S. rim; dig pits $18 \times 18 \times 12$ ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
 79.96 To cor. of secs. 14, 15, 22 & 23.
 Land, level.
 Soil, 1st rate, loamy, fine texture.
 Greasewood, sage brush, few cacti and scrub mesquite.

| Chains. | |
|---------|--|
| | N. 0° 1' W. bet. secs. 14 & 15. |
| | Over level land, through dense brush. |
| 40.00 | Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, |
| | $\frac{1}{4}$ S 15 in W., and |
| | S 14 in E. half, 1914 on S. rim; |
| 61.30 | dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and |
| 71.00 | raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor. |
| 80.00 | Old road, brs. NW. & SE. |
| | Draw, 8 chs. wide, course NE. |
| | Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 10, 11, 14 & 15, marked on brass cap, 1914 on S. rim; |
| | T 3 N R 11 W, in N. half, |
| | S 10 in NW., |
| | S 11 in NE., |
| | S 14 in SE., and |
| | S 15 in SW. quad.; |
| | dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and |
| | raise a mound of earth $\frac{3}{4}$ ft. base 2 ft. high W. of cor. |
| | Land, loamy, level. |
| | Soil, 1st rate, sandy, loamy, loose, dry. |
| | Greasewood, scrub mesquite, few cacti. |
| | Note At this cor., at noon, high gusts of wind render it impracticable to observe latitude. |
| | <hr/> |
| 40.00 | S. 89°58' E. on a random line bet. secs. 11 & 14. |
| 79.94 | Set temp. $\frac{1}{4}$ sec. cor. |
| | Intersect N. & S. line $2\frac{1}{4}$ lks. S. of cor. of secs. |
| | 11, 12, 13 & 14, hereinbefore described, whence I run, |
| | N. 89°59' W. on a true line bet. secs. 11 & 14. |
| | Over level land, through dense brush. |
| 39.97 | Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, |
| | $\frac{1}{4}$ S 11 in N., and |
| | S 14 in S. half, 1914 on S. rim; |
| | dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and |
| 79.94 | raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor. |
| | To cor. of secs. 10, 11, 14 & 15. |
| | Land, level. |
| | Soil, 1st rate, loamy, dry. |
| | Greasewood, scrub mesquite, few cacti, sparse grass. |
| | <hr/> |
| 40.00 | N. 0° 1' W. bet. secs. 10 & 11. |
| | Over level land, through dense brush. |
| | Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, |
| | $\frac{1}{4}$ S 10 in W., and |
| | S 11 in E. half, 1914 on S. rim; |
| 67.37 | dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and |
| 78.00 | raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor. |
| 80.00 | Wash, 50 lks. wide, course SSW. |
| | Old road, brs. NW. & SE. |
| | Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 2, 3, 10 & 11, marked on brass cap, 1914 on S. rim, |
| | T 3 N R 11 W, in N. half, |
| | S 3 in NW., |
| | S 2 in NE., |
| | S 11 in SE., and |
| | S 10 in SW. quad.; |
| | dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and |
| | raise a mound of earth 4 ft. base 2 ft. high W. of cor. |
| | Land level. |
| | Soil, 1st rate, loamy, gravelly, loose, dry. |
| | Greasewood, sage brush, few scrub paloverde and mesquite. |

- Chains.
- 40.00 S. 89°59' E. on a random line bet. secs. 2 & 11.
Set temp. $\frac{1}{4}$ sec. cor.
- 79.94 Intersect N. & S. line at cor. of secs. 1, 2, 11 & 12,
whence I run, ~~whence I run~~ hereinbefore described, whence I run,
N. 89°59' W. on a true line bet. secs. 2 & 11.
Over level land, through dense brush.
- 39.97 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 2 in N., and
S 11 in S. half, 1914 on S. rim;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 76.00 Wash, 50 lks. wide, course SSW.
- 79.94 To cor. of secs. 2, 3, 10 & 11.
Land, level,
Soil, 1st rate, gravelly, loamy, sandy, dry, fine texture.
Greasewood, few paloverde, scrub mesquite, cacti.
-
- 40.00 N. 0° 1' W. on a random line bet. secs. 2 & 3.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.05 Intersect N. bdy. of Tp. 5 lks. E. of cor. of secs.
2, 3, 34 & 35, as in map established by me, as
described in book "A", whence I run,
S. 0° 3' E. on a true line bet. secs. 2 & 3.
Over level land, through dense brush.
- 40.05 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 3 in W., and
S 2 in E. half, 1914 on S. rim;
dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
- 80.05 To cor. of secs. 2, 3, 10 & 11.
Land, level.
Soil, 1st rate, loamy, sandy, dry.
Greasewood, sage brush, few cacti.
- May 27, 1914.
-

Chains.

May 28, 1914.

At 7h a.m., l.m.t., at the cor. of secs. 3, 4, 33 & 34, on the S. bdy. of the Tp., as established by me, as described in book "A",

I set off 21°24' N. on the decl. arc, and 33°33' N. on the lat. arc, and determine a meridian with the solar. Thence I run,

N. 0° 2' W. bet. secs. 33 & 34.

Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap,

¼ S 33 in W., and

S 34 in E. half, 1914 on S. rim;

dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 27, 28, 33 & 34, marked on brass cap, 1914 on S. rim,

T 3 N R 11 W, in N. half,

S 28 in NW.,

S 27 in NE.,

S 34 in SE., and

S 33 in SW. quad.;

dig pits 18x18x12 ins. in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor.

Land, level.

Soil, 1st rate, loamy, sandy, loose, fine texture.

Greasewood, sage brush, few cacti.

East, on a random line bet. secs. 27 & 34.

40.00 Set temp. ¼ sec. cor.

80.00 Intersect N. & S. line 2¼ lks. N. of cor. of secs. 26, 27, 34 & 35, hereinbefore described, whence I run, N. 89°59' W. on a true line bet. secs. 27 & 34.

Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap,

¼ S 27 in N., and

S 34 in S. half, 1914 on S. rim;

dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.

80.00 To cor. of secs. 27, 28, 33 & 34.

Land, level.

Soil, 1st rate, loamy, sandy, fine texture.

Greasewood, sage brush. few cacti.

N. 0° 2' W. bet. secs. 27 & 28.

Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap,

¼ S 28 in W., and

S 27 in E. half, 1914 on S. rim;

dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 21, 22, 27 & 28, marked on brass cap, 1914 on S. rim;

T 3 N R 11 W, in N. half,

S 21 in NW.,

S 22 in NE.,

S 27 in SE., and

S 28 in SW. quad.;

dig pits 18x18x12 ins. in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor.

Land, level.

Soil, 1st rate, loamy.

Greasewood, sage brush, few cacti.

10

Subdivision of T. 3 N., R. 11 W.

| | |
|---------|--|
| Chains. | S. 89°59' E. on a random line bet. secs. 22 & 27. |
| 40.00 | Set temp. $\frac{1}{4}$ sec. cor. |
| 79.98 | Intersect N. & S. line $2\frac{1}{2}$ lks. N. of cor. of secs. 22, 23, 26 & 27, hereinbefore described, whence I run, N. 89°58' W. on a true line bet. secs. 22 & 27. Over level land, through dense brush. |
| 39.99 | Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 22 in N., and S 27 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor. |
| 79.98 | To cor. of secs. 21, 22, 27 & 28. Land, level. Soil, 1st rate, sandy, loamy. Greasewood, sage brush, few cacti. |
| <hr/> | |
| | N. 0° 2' W. bet. secs. 21 & 22. |
| | Over level land, through dense brush. |
| 40.00 | Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 21 in W., and S 22 in E. half, 1914 on S. rim; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor. |
| 80.00 | Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 15, 16, 21 & 22, marked on brass cap, 1914 on S. rim; T 3 N R 11 W, in N. half, S 16 in NW., S 15 in NE., S 22 in SE., and S 21 in SW. quad.; |
| | dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor. Land, level. Soil, 1st rate, loamy, sandy, loose. Greasewood, sage brush. |
| <hr/> | |
| | S. 89°58' E. on a random line bet. secs. 15 & 22. |
| 40.00 | Set temp. $\frac{1}{4}$ sec. cor. |
| 79.98 | Intersect N. & S. line $2\frac{1}{4}$ lks. S. of cor. of secs. 14, 15, 22 & 23, hereinbefore described, whence I run, N. 89°59' W. on a true line bet. secs. 15 & 22. Over level land, through dense brush. |
| 39.99 | Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 15 in N., and S 22 in S. half, 1914 on S. rim; |
| | dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor. |
| 79.98 | To cor. of secs. 15, 16, 21 & 22. Land, level. Soil, 1st rate, sandy, gravelly, loamy, loose, dry. Greasewood, sage brush, few cacti. |

Note: At the above described cor., at noon, I set off $21^{\circ}25\frac{1}{2}'$ N. on the decl. arc, and observe the sun on the meridian. The resulting lat. is $33^{\circ}36'$ N.

Subdivision of T. 3 N., R. 11 W.

Chains.

N. 0° 2' W. bet. secs. 15 & 16.
 Over level plain, through dense low brush.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 16 in W., and
 S 15 in E. half, ;1914 on S. rim;
 dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and
 raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for cor. of secs. 9, 10, 15 & 16, marked on
 brass cap, 1914 on S. rim,
 T 3 N E 11 W, in N. half,
 S 9 in NW.,
 S 10 in NE.,
 S 15 in SE., and
 S 16 in SW. quad.;
 dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and
 raise a mound of earth 4 ft. base 2 ft. high W. of cor.
 Land, level.
 Soil, 1st rate, loamy, sandy, loose, dry.
 Greasewood, sage brush, few scrub mesquites and paloverde.

S. 89°59' E. on a random line bet. secs. 10 & 15.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect N. & S. line $2\frac{1}{2}$ lks. N. of cor. of secs.
 10, 11, 14 & 15 hereinbefore described, whence I run,
 N. 89°58' W. on a true line bet. secs. 10 & 15.
 Over level land, through dense, low brush.
 17.77 Dim old road, brs. NW. & SE.
 40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 10 in N., and
 S 15 in S. half, 1914 on S. rim;
 dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
 raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
 80.02 To cor. of secs. 9, 10, 15 & 16.
 Land, level.
 Soil, 1st rate, loamy.
 Greasewood, sage brush, few scrub paloverde and mesquites.

N. 0° 2' W. bet. secs. 9 & 10.
 Over level land, through dense, low brush.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 9 in W., and
 S 10 in E. half, 1914 on S. rim;
 dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and
 raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for cor. of secs. 3, 4, 9 & 10, marked on
 brass cap, 1914 on S. rim;
 T 3 N R 11 W, in N. half,
 S 4 in NW.,
 S 3 in NE.,
 S 10 in SE., and
 S 9 in SW. quad.;
 dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and
 raise a mound of earth 4 ft. base 2 ft. high W. of cor.
 Land, level.
 Soil, 1st rate, loamy, sandy.
 Greasewood, sage brush.

| | |
|---------|--|
| Chains. | <p>S. $89^{\circ}58'$ E. on a random line bet. secs. 3 & 10. 40.00 Set temp. $\frac{1}{4}$ sec. cor. 80.02 Intersect N. & S. line 5 lks. S. of cor. of secs. 2, 3, 10 & 11 hereinbefore described, whence I run, West, on a true line bet. secs. 3 & 10. Over level plain, through dense, low brush. 9.80 Old road, brs. NW. & SE. 40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 3 in N., and S 10 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor. 80.02 To cor. of secs. 3, 4, 9 & 10. Land, level. Soil, 1st rate, sandy, loamy. Greasewood, sage brush. few cacti.</p> <hr/> <p>N. $0^{\circ} 2'$ W. on a random line bet. secs. 3 & 4. 40.00 Set temp. $\frac{1}{4}$ sec. cor. 80.04 Intersect N. bdy. of Tp. $2\frac{1}{2}$ lks. W. of cor. of secs. 3, 4, 33 & 34, as established by me as described in book "A", whence I run, S. $0^{\circ} 1'$ E. on a true line bet. secs. 3 & 4. Over level plain, through dense brush. 23.70 Old road, brs. NW. & SE. 40.04 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 4 in W., and S 3 in E. half, 1914 on S. rim; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor. 80.04 To cor. of secs. 3, 4, 9 & 10. Land, level. Soil, 1st rate, loamy, fine texture. Greasewood, sage brush, scrub mesquite, and paloverde. May 28, 1914.</p> <hr/> |
|---------|--|

Chains.

May 29, 1914.
 At 8h a.m., l.m.t., at the cor. of secs. 4, 5, 32 & 33;
 on the S. bdy. of the Tp., as established by
 me, as described in book "A",
 I set off 21°34' N. on the decl. arc, and 33°33' N. on
 the lat. arc, and determine a meridian with the solar.
 Thence I run,
 N. 0° 2' W. bet. secs. 32 & 33.
 Over level land, through dense brush.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for ¼ sec. cor., marked on brass cap,
 ¼ S 32 in W., and
 S 33 in E. half, 1914 on S. rim;
 dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and
 raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for cor. of secs. 28, 29, 32 & 33, marked on
 brass cap, 1914 on S. rim; T3NR11W in N. half,
 S 29 in NW.,
 S 28 in NE.,
 S 33 in SE., and
 S 32 in SW. quad.;
 dig pits 18x18x12 ins. in each sec. 5½ ft. dist., and
 raise a mound of earth 4 ft. base 2 ft. high W. of cor.
 Land, level, drains NW.
 Soil, 1st rate, loamy, fine texture.
 Greasewood, sage brush, few cacti and scrub mesquites.

East, on a random line bet. secs. 28 & 33.
 40.00 Set temp. ¼ sec. cor.
 80.02 Intersect N. & S. line at cor. of secs. 27, 28, 33 & 34,
 hereinbefore described, whence I run,
 West, on a true line bet. secs. 28 & 33.
 Over level land, through dense brush.
 40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for ¼ sec. cor., marked on brass cap,
 ¼ S 28 in N., and
 S 33 in S. half, 1914 on S. rim;
 dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
 raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.
 80.02 To cor. of secs. 28, 29, 32 & 33.
 Land, level, drains NW.
 Soil, 1st rate, loamy.
 Greasewood, sage brush, few scrub mesquites.

N. 0° 2' W. bet. secs. 28 & 29.
 Over level land, drains SE., through dense brush.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for ¼ sec. cor., marked on brass cap,
 ¼ S 29 in W., and
 S 28 in E. half, 1914 on S. rim;
 dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and
 raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.
 58.67 Dim wagon trail, brs. NW. & SE.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for cor. of secs. 20, 21, 28 & 29, marked on
 brass cap, 1914 on S. rim,
 T 3 N R 11 W, in N. half,
 S 20 in NW.,
 S 21 in NE.,
 S 28 in SE., and
 S 29 in SW. quad.;
 dig pits 18x18x12 ins. in each sec. 5½ ft. dist., and
 raise a mound of earth 4 ft. base 2 ft. high W. of cor.
 Land, level. Soil, 1st rate, loamy, fine texture.
 Greasewood, sage brush, scrub mesquite.

14

Subdivision of T. 3 N., R. 11 W.

- Chains.
- 40.00 East, on a random line bet. secs. 21 & 28.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.00 Intersect N. & S. line $2\frac{1}{2}$ lks. S. of cor. of secs.
21, 22, 27 & 28, hereinbefore described, whence I run,
S. $89^{\circ}59'$ W. on a true line bet. secs. 21 & 28.
Over level land, through dense brush.
- 4.50 Enter heavy mesquite, brs. NNW. & SSE.
- 7.00 Leave mesquite, brs. NNW. & SSE.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 21 in N., and
S 28 in S. half,; 1914 on S. rim,
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 80.00 To cor. of secs. 20, 21, 28 & 29.
Land, level, drains NW.
Soil, 1st rate, loamy, fine texture, fertile.
Greasewood, mesquite, sage brush.
-
- N. $0^{\circ}2'$ W. bet. secs. 20 & 21.
Over level land, through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 20 in W., and
S 21 in E. half, 1914 on S. rim;
dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
- 65.00 Enter mesquite timber, brs. NNW. & SSE.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
the ground for cor. of secs. 16, 17, 20 & 21, marked on
brass cap, 1914 on S. rim,
T 3 N R 11 W, in N. half,
S 17 in NW.,
S 16 in NE.,
S 21 in SE., and
S 20 in SW. quad.; from which,
A mesquite tree 10 ins. diam. brs. N. $9\frac{1}{2}^{\circ}$ W. 229 lks. dist.,
marked T 3 N R 11 W S 17 B T.
A mesquite tree 8 ins. diam. brs. N. 25° E. 566 lks. dist.,
marked T 3 N R 11 W S 16 B T.
A mesquite tree 9 ins. diam. brs. S. 12° E. 241 lks. dist.,
marked T 3 N R 11 W S 21 B T.
A mesquite tree 9 ins. diam. brs. S. $18\frac{1}{2}^{\circ}$ W. 162 lks. dist.,
marked T 3 N R 11 W S 20 B T.
Land, level. Soil, 1st rate, loamy, fine texture.
Greasewood, mesquite, sage brush, few cacti.
-
- N. $89^{\circ}59'$ E. on a random line bet. secs. 16 & 21.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.98 Intersect N. & S. line $2\frac{1}{2}$ lks. N. of cor. of secs.
15, 16, 21 & 22, hereinbefore described, whence I run,
West, on a true line bet. secs. 16 & 21.
Over level land, through dense brush.
- 39.99 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 16 in N., and
S 21 in S. half, 1914 on S. rim;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 79.98 To cor. of secs. 16, 17, 20 & 21.
Land, level.
Soil, 1st rate, loamy, fine texture.
Greasewood, sage brush, scattering mesquite.
- Note: At this cor., at noon, I set off $21^{\circ}35\frac{1}{2}'$ N. on the decl.
arc, and observe the sun on the meridian.
The resulting lat. is $33^{\circ}36'$ N.

Chains.

N. 0° 2' W. bet. secs. 16 & 17.
 Over level land, through dense brush.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 17 in W., and S 16 in E. half, 1914 on S. rim; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 8, 9, 16 & 17, marked on brass cap, 1914 on S. rim, T 3 N R 11 W, in N. half, S 8 in NW., S 9 in NE., S 16 in SE., and S 17 in SW. quad.; dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor.
 Land, level.
 Soil, 2nd rate, gravelly, loamy.
 Greasewood, sage brush, few cacti.

East, on a random line bet. secs. 9 & 16.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.94 Intersect N. & S. line at cor. of secs. 9, 10, 15 & 16, hereinbefore described, whence I run, West, on a true line bet. secs. 9 & 16.
 Over level land, through dense brush.
 39.97 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 9 in N., and S 16 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
 79.94 To cor. of secs. 9, 9, 16 & 17.
 Land, level.
 Soil, 1st rate, loamy.
 Greasewood, sage brush, few cacti.

N. 0° 2' W. bet. secs. 8 & 9.
 Over level land, through dense brush.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 8 in W., and S 9 in E. half, 1914 on S. rim; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high W. of cor.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 4, 5, 8 & 9, marked on brass cap, 1914 on S. rim; T 3 N R 11 W, in N. half, S 5 in NW., S 4 in NE., S 9 in SE., and S 8 in SW. quad.; from which,
 A mesquite tree 10 ins. diam. brs. N. 19° E. 78 lks. dist., marked T 3 N R 11 W S 4 B T.
 A mesquite tree 9 ins. diam. brs. N. 16° W. 159 lks. dist., marked T 3 N R 11 W S 5 B T.
 No other trees available.
 Dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor.
 Land, level.
 Soil, 1st rate, loamy, fertile, dry.
 Greasewood, sage brush, few mesquites and paloverde trees.

- Chains.
- 40.00 East, on a random line bet. secs. 4 & 9.
Set temp. $\frac{1}{4}$ sec. cor.
- 79.92 Intersect N. & S. line $2\frac{1}{4}$ lks. N. of cor. of secs.
3, 4, 9 & 10, hereinbefore described, whence I run,
N. $89^{\circ}59'$ W. on a true line bet. secs. 4 & 9.
Over level land, through dense brush.
- 39.96 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 4 in N., and
S 9 in S. half, 1914 on S. rim;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 79.92 To cor. of secs. 4, 5, 8 & 9.
Land, level.
Soil, 1st rate, sandy, loamy, gravelly, loose, dry.
Greasewood, sage brush, few cacti, and scrub mesquite.
-
- N. $0^{\circ}2'$ W. bet. secs. 4 & 5, on a random line.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.03 Intersect N. bdy. of Tp. $2\frac{1}{4}$ lks. E. of cor. of secs.
4, 5, 32 & 33, an old post established by me, as
described in book "A", whence I run,
S. $0^{\circ}3'$ E. on a true line bet. secs. 4 & 5.
Over level land, through dense brush.
- 13.07 Dim old road, brs. NW. & SE.
- 40.03 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 5 in W., and
S 4 in E. half, 1914 on S. rim; from which,
A mesquite tree 4 ins. diam. brs. S. 66° E. 74 lks. dist.,
marked $\frac{1}{4}$ S 4 B T.
A mesquite tree 8 ins. diam. brs. S. 37° W. 58 lks. dist.,
marked $\frac{1}{4}$ S 5 B T.
- 80.03 To cor. of secs. 4, 5, 8 & 9.
Land, level, drains SW.
Soil, 1st rate, gravelly, loose, dry.
Greasewood, sage brush, few scrub mesquites, cacti.
May 29, 1914.
-

Chains.

- May 30, 1914.
At 8h a.m., l.m.t., at the cor. of secs. 5, 6, 31 & 32,
on the S. bdy. of the Tp., as established by
me, as described in book "A";
I set off $21^{\circ}43\frac{1}{2}'$ N. on the decl. arc, and $33^{\circ}33'$ N. on
the lat. arc, and determine a meridian with the solar.
Thence I run,
N. $0^{\circ}3'$ W. bet. secs. 31 & 32.
Over level land, drains NW., through dense brush,
5.00 Enter draw, course ~~SE~~, dense mesquite, brs. NW. & SE.
20.00 Leave draw and mesquite, brs. NW. & SE.
40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 31 in W., and
S 32 in E. half, 1914 on S. rim;
dig pits $18 \times 18 \times 12$ ins. N. & S. of cor. 3 ft. dist., and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
79.90 Old road, brs. ~~WNW.~~ & ~~ESE.~~
80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
the ground for cor. of secs. 29, 30, 31 & 32, marked on
brass cap, 1914 on S. rim;
T 3 N R 11 W, in N. half,
S 30 in NW.,
S 29 in NE.,
S 32 in SE., and
S 31 in SW. quad.;
dig pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist., and
raise a mound of earth 4 ft. base 2 ft. high W. of cor.
Land, level.
Soil, 1st rate, loamy, dry, sandy.
Greasewood, sage brush, mesquite.
-
- East, on a random line bet. secs. 29 & 32.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.04 Intersect cor. of secs. 28, 29, 32 & 33, hereinbefore
described, whence I run,
West, on a true line bet. secs. 29 & 32.
Over level plain, through dense brush.
40.02 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 29 in N., and
S 32 in S. half, 1914 on S. rim;
dig pits $18 \times 18 \times 12$ ins. E. & W. of cor. 3 ft. dist., and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
80.04 To cor. of secs. 29, 30, 31 & 32.
Land, level. Soil, 1st rate, sandy, loamy, fertile.
Greasewood, sage brush, scrub mesquite.
-
- West, on a random line bet. secs. 30 & 31.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
78.91 Intersect W. bdy. of Tp. $2\frac{1}{4}$ lks. S. of cor. of secs.
25, 30, 31 & 36, as established by me, as
described in book "A", whence I run,
S. $89^{\circ}59'$ E. on a true line bet. secs. 30 & 31.
Over level land, through dense brush.
38.91 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 30 in N., and
S 31 in S. half, 1914 on S. rim;
dig pits $18 \times 18 \times 12$ ins. E. & W. of cor. 3 ft. dist., and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
78.60 Old road, brs. NW. & SE.
78.91 To cor. of secs. 29, 30, 31 & 32.
Land, level.
Soil, 1st rate, sandy, loamy, dry, loose.
Greasewood, sage brush, few paloverde, scrub mesquite and
cacti.

| Chains. | |
|---------|--|
| | N. 0° 3' W. bet. secs. 29 & 30. Over level land, through dense, low brush. |
| 40.00 | Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 30 in W., and S 29 in E. half, 1914 on S. rim; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor. |
| 80.00 | Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of sec. 19, 20, 29 & 30, marked on brass cap, 1914 on S. rim, T 3 N R 11 W, in N. half, S 19 in NW., S 20 in NE., S 29 in SE., and S 30 in SW. quad.; dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor. Land, level. Soil, 1st rate, loamy, sandy. Greasewood, sage brush, few cacti. |
| | East, on a random line bet. secs. 20 & 29. |
| 40.00 | Set temp. $\frac{1}{4}$ sec. cor. |
| 80.04 | Intersect N. & S. line $2\frac{1}{2}$ lks. N. of cor. of secs. 20, 21, 28 & 29, hereinbefore described, whence I run, N. 89°59' W. on a true line bet. secs. 20 & 29. Over level plain, through dense brush. |
| 40.02 | Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 20 in N., and S 29 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor. |
| 80.04 | To cor. of secs. 19, 20, 29 & 30. Land, level. Soil, 1st rate, loamy, sandy, dry. Greasewood, sage brush, few scrub mesquites. |
| | N. 89°59' W. on a random line bet. secs. 19 & 30. |
| 40.00 | Set temp. $\frac{1}{4}$ sec. cor. |
| 78.82 | Intersect W. bdy. of Tp. 5 lks. S. of cor. of secs. 19, 24, 25 & 30, as established by me, as described in book "A", whence I run, S. 89°57' E. on a true line bet. secs. 19 & 30. Over level land, drains NW., through dense brush. |
| 38.82 | Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 19 in N., and S 30 in S. half; 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor. |
| 66.60 | Old road, brs. NW. & SE. |
| 78.82 | To cor. of secs. 19, 20, 29 & 30. Land, level. Soil, 1st rate, loamy, sandy, loose, dry. Greasewood, sage brush, few cacti. |
| Note: | At this cor., at noon, I set off 21°44 $\frac{1}{2}$ ' N. on the decl. arc, and observe the sun on the meridian. The resulting lat. is 33°35' N. |

Subdivision of T. 3 N., R. 11 W.

Chains.

N. 0° 3' W. bet. secs. 19 & 20.
 Over level plain, drains NW., through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 19 in W., and S 20 in E. half; 1914 on S. rim; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins in diam. 24 ins. in the ground for cor. of secs. 17, 18, 19 & 20, marked on brass cap, 1914 on S. rim, T 3 N R 11 W, in N. half, S 18 in NW., S 17 in NE., S 20 in SE., and S 19 in SW. quad.; from which, A mesquite tree 8 ins. diam. brs. N. $7\frac{3}{4}$ ° E. 60 lks. dist., marked T 3 N R 11 W S 17 B T. A mesquite tree 12 ins. diam. brs. N. $0\frac{1}{2}$ ° W. 51 lks. dist., marked T 3 N R 11 W S 18 B T. No other trees available. Dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor. Land, level. Soil, 1st rate, loamy, dry. Greasewood, sage brush, few cacti.

S. 89°59' E. on a random line bet. secs. 17 & 20.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect N. & S. line $2\frac{1}{2}$ lks. S. of cor. of secs. 16, 17, 20 & 21, hereinbefore described, whence I run, West, on a true line bet. secs. 17 & 20. Over level plain, through dense brush.

15.00 Enter draw, course S.

36.00 Leave draw.

40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 17 in N., and S 20 in S. half; 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

80.02 To cor. of secs. 17, 18, 19 & 20. Land, level. Soil, 1st rate, loamy, fertile. Greasewood, sage brush, scrub mesquite.

N. 89°57' W. on a random line bet. secs. 18 & 19.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

78.71 Intersect W. bdy. of Tp. 7 lks. N. of cor. of secs. 13, 18, 19 & 24, established by me, as described in book "A", whence I run, East, on a true line bet. secs. 18 & 19. Over level land, through dense brush.

38.71 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 18 in N., and S 19 in S. half; 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

78.71 To cor. of secs. 17, 18, 19 & 20. Land, level. Soil, 1st rate, loamy, dry. Greasewood, sage brush, few cacti and scrub mesquites.

May 30, 1914.

Chains.

May 31, 1914.

At 8h a.m., l.m.t., at the cor. of secs. 17, 18, 19 & 20, hereinbefore described, I set off $22^{\circ}01'$ N. on the decl. arc, and $33^{\circ}35\frac{1}{2}'$ N. on the lat. arc, and determine a meridian with the solar. Thence I run,

N. $0^{\circ}3'$ W. bet. secs. 17 & 18.

Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 18 in W., and

S 17 in E. half, 1914 on S. rim;

dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 7, 8, 17 & 18, marked on brass cap, 1914 on S. rim,

T 3 N R 11 W, in N. half,

S 7 in NW.,

S 8 in NE.,

S 17 in SE., and

S 18 in SW. quad.; from which,

A mesquite tree 26 ins. diam. brs. N. $26\frac{1}{2}^{\circ}$ W. 84 lks. dist., marked T 3 N R 11 W S 7 B T.

A mesquite tree 26 ins. diam. brs. N. 78° E. 157 lks. dist., marked T 3 N R 11 W S 8 B T.

A mesquite tree 9 ins. diam. brs. S. $71\frac{1}{4}^{\circ}$ E. 277 lks. dist., marked T 3 N R 11 W S 17 B T.

A mesquite tree 10 ins. diam. brs. S. $67\frac{1}{4}^{\circ}$ W. 69 lks. dist., marked T 3 N R 11 W S 18 B T.

Land, level. Soil, 1st rate, loamy fertile.

Greasewood, sage brush, few cacti, mesquite, paloverde.

East, on a random line bet. secs. 8 & 17.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect N. & S. line 5 lks. N. of cor. of secs.

8, 9, 16 & 17, hereinbefore described, whence I run, N. $89^{\circ}58'$ W. on a true line bet. secs. 8 & 17.

Over level land, through dense brush.

40.02 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 8 in N., and

S 17 in S. half, 1914 on S. rim;

dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

80.04 To cor. of secs. 7, 8, 17 & 18.

Land, level.

Soil, 1st rate, loamy, sandy, fertile, dry, loose.

Greasewood, sage brush, scrub mesquite.

West, on a random line bet. secs. 7 & 18.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

78.60 Intersect W. bdy. of Tp. $2\frac{1}{2}$ lks. S. of cor. of secs.

7, 12, 13 & 18, as line first established by me, as described in book "A", whence I run,

S. $89^{\circ}59'$ E. on a true line bet. secs. 7 & 18.

Over level land, through dense brush.

38.60 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 7 in N., and

S 18 in S. half, 1914 on S. rim;

dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

78.60 To cor. of secs. 7, 8, 17 & 18.

Land, level.

Soil, 1st rate, loamy, loose, dry.

Greasewood, sage brush, few cacti.

Chains.

N. 0° 3' W. bet. secs. 7 & 8.
 Over level land, through dense brush.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 7 in W., and S 8 in E. half, 1914 on S. rim; dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 5, 6, 7 & 8, marked on brass cap, 1914 on S. rim, T 3 N R 11 W, in N. half, S 6 in NW., S 5 in NE., S 8 in SE., and S 7 in SW. quad.; dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor. Land, level. Soil, 1st rate, loamy, sandy, dry, loose. Greasewood, sage brush, few cacti and scrub mesquite.

✓ S. 89°58' E. on a random line bet. secs. 5 & 8.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect N. & S. line 5 lks. S. of cor. of secs. 4, 5, 8 & 9, hereinbefore described, whence I run, West, on a true line bet. secs. 5 & 8.

Over level land, through dense brush.

40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 5 in N., and S 8 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

80.02 To cor. of secs. 5, 6, 7 & 8. Land, level. Soil, 1st rate, loamy, dry, loose. Greasewood, sage brush, few cacti and scrub mesquite.

Note: At this cor., at noon, I set off 22°02' N. on the decl. arc, and observe the sun on the meridian. The resulting lat. is 33°37' N.

✓ N. 89°59' W. on a random line bet. secs. 6 & 7.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

78.56 Intersect W. bdy. of Tp. 2 $\frac{1}{4}$ lks. N. of cor. of secs. 1, 6, 7 & 12, established by me, as described in book "A", whence I run, East, on a true line bet. secs. 6 & 7.

Over level plain, through dense brush.

38.56 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 6 in N., and S 7 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

78.56 To cor. of secs. 5, 6, 7 & 8. Land, level. Soil, 1st rate, loamy, sandy, loose, dry, fertile. Greasewood, sage brush, few cacti and scrub mesquite.

- Chains.
- N. $0^{\circ} 3'$ W. on a random line bet. secs. 5 & 6.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.00 Intersect N. bdy. of Tp. at cor. of secs. 5, 6, 31 & 32,
 established by me, as described in
 book "A", whence I run,
 S. $0^{\circ} 3'$ E. on a true line bet. secs. 5 & 6.
 Over level land, through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 6 in W., and
 S 5 in E. half, 1914 on S. rim;
 dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and
 raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
- 80.00 To cor. of secs. 5, 6, 7 & 8.
 Land, level, drains SW.
 Soil, 1st rate, sandy, loamy, loose, dry.
 Greasewood, sage brush, few cacti, scrub mesquite.

General Description.

T. 3 N., R. 11 W. lies in a broad, open plain, draining to the S.E. in general, being NW. of the N. end of the Eagle Tail Mountains.

The soil is in general a rich sandy loam, fine texture, loose and porous in places, and would produce well if watered. There is no water in the Tp. The indications are that water lies at a depth of about 200 ft.

There are no settlers located in the Tp., nor any indications of settlement or occupation of the land.

There is some heavy mesquite in the larger draws, but the area is limited. There is some fair grass along the draws, but little grass elsewhere in the Tp., the land in general being covered with greasewood and sagebrush.

May 31, 1914.

Jesse B. Wright

U. S. Surveyor.


23

FOR FINAL OATH OF UNITED STATES SURVEYOR.
See Book "E"

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191 _____ }



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix Ariz. Aug 27, 1915

The foregoing field notes of the survey of *the*
Subdivision lines of
Township 3 North - Range 11 West
of the Gila and Salt River Base & Meridian
in the State of Arizona

executed by *Jesse B. Wright, U.S. Surveyor*
under his special instructions dated *Feb. 10, 1914 for Group 32*, ~~191~~, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank S. Ingalls
U. S. Surveyor General.
OF ARIZONA.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.~~