

2996

Book "C"

4-679

139

BOOK 2996

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 26 NORTH, RANGE 1 EAST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

W. H. Thorn,

In the capacity of U. S. Surveyor, under instructions dated March 6, 1915,
issued by the United States Surveyor General to govern surveys included in
Group No. 54, which were approved by the Commissioner of the General Land
Office, December 14, 1915.

Survey commenced June 30, 1916.

Survey completed August 10, 1916.

Executed under Assignment
Instructions dated May 6, 1916.

2996

2996

✓

1A

BOOK 2996

INDEX DIAGRAM.

Township 26 North, Range 1 East.											
Book "F"											
Book "E." Gila and Salt River Meridian (Resurveyed)	6	31	5	25	4	18	3	12	2	7	1
	30		30		23		18		12		6
	7	29	8	22	9	17	10	12	11	6	12
	29		29		22		17		11		5
	18	28	17	21	16	16	15	11	14	5	13
	28		27		21		16		10		4
	19	27	20	20	21	15	22	9	23	4	24
	26		26		20		15		9		3
	30	25	29	19	28	14	27	9	26	3	25
	25		24		19		14		8		3
81	24	32	18	33	13	34	7	35	2	36	
Book "B"											

Group 55

6-101

- Surveyed under this group--notes in this book.
- Surveyed under this group--notes in book "A".
- Accepted surveys or current groups.

T26N11E

DATE DIAGRAM

of

T. 26 N., R. 1 E.

8/4-16

	6 7/6-16	5 8/10-16	4 8/10-16	3 8/9-16	2 8/8-16	1 8/8-16
Meridian (Resurveyed)	7 6/30-16	8 7/1-16	9 7/6-16	10 8/9-16	11 8/7-16	12 8/7-16
Gila and Salt River	18 6/30-16	17 7/1-16	16 7/2-16	15 8/9-16	14 8/7-16	13 8/7-16
	19 6/30-16	20 7/1-16	21 7/2-16	22 7/3-16	23 8/7-16	24 8/7-16
	30 6/30-16	29 7/1-16	28 7/2-16	27 7/2-16	26 7/3-16	25 8/7-16
	31 6/30-16	32 7/1-16	33 7/2-16	34 7/3-16	35 8/7-16	36 8/7-16
	6/28-16			6/27-16		

Lines dated in red were executed by W. H. Thorn, U. S. Surveyor, on the dates shown on the above diagram.

2

Subdivision of T. 26 N., R. 1 E.

Chains.

Survey commenced June 25, 1916, and executed with Young and Sons' light mountain transit No. 8592, with Smith solar attachment. For description of instrument and certificate of approval, see Book "A".

I examine the adjustments of the transit, and correct the level and collimation errors. Then, to test the solar apparatus, by comparing its indications, resulting from observations made during a.m. and p.m. hours with a meridian determined by observations on Polaris, I proceed as follows:-

At our camp in sec. 17, T. 25 N., R. 1 E., near the cor. of secs. 7, 8, 17 and 18, in lat. $35^{\circ} 34' N.$, long. $112^{\circ} 18' W.$, using the meridian established by me, in accordance with the manual of instructions, from observations on Polaris at elongation, at 8 hrs. 15 m., a.m., l.m.t., I set off $35^{\circ} 34' N.$ on the lat. arc; $23^{\circ} 24\frac{1}{2}' N.$ on the decl. arc; and determine a meridian with the solar. The meridian thus determined coincides with the meridian determined by observations on Polaris at elongation.

At 4 hrs. 15 m., p.m., l.m.t., I set off $35^{\circ} 34' N.$ on the lat. arc; $23^{\circ} 24' N.$ on the decl. arc; and determine a meridian with the solar. The meridian thus determined coincides with the meridian determined by observations on Polaris at elongation.


The solar apparatus, by a.m. and p.m. observations, defines positions for meridians coincident with the meridian determined by observations on Polaris at elongation; therefore, I conclude that the instrument is in satisfactory adjustment.

June 25, 1916.

From the cor. of secs. 1, 2, 35 and 36, on the S. ~~bdy.~~ of the Tp., which is an iron post, described in Book "A", $N.0^{\circ} 1' W.$, bet. secs. 35 and 36.


Over gently rolling land, through scattering timber and undergrowth.

Asc. gradually to
 10.00 Top of low ridge, brs. NW. and SE. Desc. to
 39.00 Head of draw, course $N.40^{\circ} E.$
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.

Desc. gradually.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, for cor. of secs. 25, 26, 35 and 36, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and spread the dirt around the post.

Land, gently rolling.
 Soil, sandy clay, stony; limestone formation; 2nd and 3rd rate.
 Timber, scattering cedar.
 Undergrowth, algerita.

Subdivision of T. 26 N., R. 1 E.

Chains.

East on a random line, bet. secs. 25 and 36.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.91 Intersect E. bdy. of Tp., 3 lks. S. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in the field notes of current Group No. 55.
 Thence
 S. $89^{\circ} 59'$ W., on a true line, bet. secs. 25 and 36.
 Over gently rolling land, through scattering timber and undergrowth.
 19.90 Head of draw, course N. 50° W.
 39.95 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, in a mound of stone, 2 ft. base, 1 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S25
$\frac{1}{4}$	S36
1916	

From which
 A cedar, 10 ins. diam., brs. N. $71\frac{3}{4}^{\circ}$ W., 70 lks. dist., marked $\frac{1}{4}$ S25 BT.
 A cedar, 8 ins. diam., brs. S. $75\frac{1}{2}^{\circ}$ W., 120 lks. dist., marked $\frac{1}{4}$ S36 BT.
 47.90 Leave timber.
 54.90 Draw, course N.
 79.91 The cor. of secs. 25, 26, 35 and 36.
 Land, gently rolling.
 Soil, sandy clay, 12 ins. deep, rocky limestone formation; 2nd and 3rd rate.
 Timber, scattering cedar.
 Undergrowth, algerita and sagebrush.

N. $0^{\circ} 1'$ W., bet. secs. 25 and 26.
 Over gently rolling land, through scattering undergrowth.
 35.00 Enter scattering timber, brs. E. and W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S26	S25
1916		

From which
 A cedar, 10 ins. diam., brs. N. 85° E., 93 lks. dist., marked $\frac{1}{4}$ S25 BT.
 A cedar, 8 ins. diam., brs. N. 27° W., 151 lks. dist., marked $\frac{1}{4}$ S26 BT.
 50.80 Draw, course N. 50° W. Asc. gradually to
 80.00 Set an iron post, 3 ft. long, 2 ins diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap

T26N	R1E
S23	S24
S26	S25
1916	

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and spread the dirt around the post.
 Land, gently rolling.
 Soil, sandy clay; rocky limestone formation; 3rd rate.
 Timber, scattering cedar.
 Undergrowth, algerita and sagebrush.

East on a random line, bet. secs. 24 and 25.

4. Subdivision of T. 26 N., R. 1 E.

<p>Chains. 40.00 79.84</p>	<p>Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp., 1 lk. S. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, described in the field notes of current Group No. 55. Thence West on a true line, bet. secs. 24 and 25. Over gently rolling land, through scattering timber and undergrowth. Desc. gradually to Draw, course N.20° E. Thence along N. slope. Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of earth, 2 ft. base, 1 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$ S24 $\frac{1}{4}$ S25 1916 </p> <p>Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.</p>
<p>20.65 39.92</p>	<p>60.10 79.84</p> <p>Draw, course N.20° W. The cor. of secs. 23, 24, 25 and 26. Land, gently rolling. Soil, sandy clay; rocky; 2nd rate; limestone formation. Timber, scattering cedar. Undergrowth, sagebrush.</p>
<p>10.00 40.00</p>	<p>N.0° 1' W., bet. secs. 23 and 24. Over gently rolling land, through scattering timber and undergrowth. Desc. gradually. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$ S23 S24 1916 </p> <p>Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.</p>
<p>51.60 56.10 69.00 80.00</p>	<p>Road, brs. NE. and SW. Draw, course W. Asc. S. slope to Desc. gradual N. slope to Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high, for cor. of secs. 13, 14, 23 and 24, marked on brass cap</p> <p style="text-align: center;"> T26N R1E S14 S13 S23 S24 1916 </p> <p>And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy clay; shallow, stony, limestone formation; 2nd rate. Timber, scattering cedar. Undergrowth, algerita and sagebrush.</p>
<p>40.00 79.77</p>	<p>East on a random line, bet. secs. 13 and 24. Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp., 2 lks. N. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, described in the field notes of current Group No. 55.</p>

Subdivision of T. 26 N., R. 1 E.

5.

Chains.

Thence
 N.89° 59' W., on a true line, bet. secs. 13 and 24.
 Over gently rolling land, through scattering timber and
 undergrowth.
 Desc. gradually.
 39.88½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap

1	S13
4	S24
1916	

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.

68.00
79.77

Draw, course N.30° W.
 The cor. of secs. 13, 14, 23 and 24.
 Land, gently rolling.
 Soil, sandy clay; limestone formation; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, algerita and sagebrush.

N.0° 1' W., bet. secs. 13 and 14.
 Over gently rolling land, through scattering timber and
 undergrowth.

14.00
28.00
40.00

Desc. gradually.
 Draw, course N.40° W.
 Draw, course NW.
 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, 2 ft. base, 1½ ft. high,
 for ¼ sec. cor., marked on brass cap

1	S14	S13
1916		

And raise a mound of stone, 3 ft. base, 2 ft. high,
 W. of cor.

70.15
72.20
77.20
80.00

Desc. gradual NW. slope.
 Four wire fence, brs. N.70° E. and S.70° W.
 Head of ravine, 1 ch. wide, 25 ft. deep, course S.50° W.
 Stone dam brs. W. 1.50 chs. dist.
 Four wire fence, brs. N.50° E. and S.50° W.
 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the
 ground, in a mound of stone, 3 ft. base, 1½ ft. high,
 for cor. of secs. 11, 12, 13 and 14, marked on brass
 cap

T26N	R1E
S11	S12
S14	S13
1916	

From which
 A cedar, 10 ins. diam., brs. S.26° W., 196 lks. dist.,
 marked T26N R1E S14 BT.

No other trees within limits. Raise a mound of stone,
 2 ft. base, 1½ ft. high, W. of cor.

Land, gently rolling.
 Soil, sandy clay; stony; 3rd rate.
 Timber, scattering cedar.
 Undergrowth, algerita and sagebrush.

40.00
79.71

East on a random line, bet. secs. 12 and 13.
 Set temp. ¼ sec. cor.
 Intersect E. bdy. of Tp., 2 lks. N. of the cor. of secs.
 7, 12, 13 and 18, which is an iron post, described in

6.

Subdivision of T. 26 N., R. 1 E.

Chains.

the field notes of current Group No. 55.
 Thence
 N.89° 59' W., on a true line, bet. secs. 12 and 13.
 Over gently rolling land, through scattering timber and
 undergrowth.
 21.70 Draw, course N.30° W.
 39.85½ Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, 2 ft. base, 1½ ft. high,
 for ¼ sec. cor., marked on brass cap

¼ S12
 ¼ S13
 1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.
 Desc. gradually.
 69.70 Draw, course S.50° W. Asc. to
 79.71 The cor. of secs. 11, 12, 13 and 14.
 Land, gently rolling.
 Soil, sandy clay; shallow, stony; 3rd rate.
 Timber, scattering cedar.
 Undergrowth, algerita and sagebrush.

N.0° 1' W., bet. secs. 11 and 12.
 Over gently rolling land through scattering timber.
 Asc. NE. slope to
 10.00 Desc. gradual NW. slope to
 35.00 Thence along W. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
 ground, in a mound of stone, 2 ft. base, 1 ft. high,
 for ¼ sec. cor., marked on brass cap

¼
 S11 S12
 1916

And raise a mound of stone, 3 ft. base, 2 ft. high, W.
 of cor.
 58.20 Left bank of Canyon, N.20° E. and S.70° W. Desc. 60 ft.
 to
 60.00 Bottom of canyon, 2 chs. wide, course S.70° W. Comes from
 N.20° E. Asc. 60 ft. to
 69.20 Right bank of canyon, brs. N.20° E. and S.70° W. Asc.
 40 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
 stone, 4 ft. base, 2½ ft. high, for cor. of secs. 1, 2,
 11 and 12, marked on brass cap

T26N R1E
 S 2 S 1
 S11 S12
 1916

And raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 Land, gently rolling.
 Soil, sandy clay; stony; limestone formation; 3rd rate.
 Timber, scattering cedar.
 Undergrowth, sagebrush and algerita.

40.00 East on a random line, bet. secs. 1 and 12.
 Set temp. ¼ sec. cor.
 79.67 Intersect E. bdy. of Tp., 10 lks. S. of the cor. of secs.

Subdivision of T. 26 N., R. 1 E.

7.

Chains.

1, 6, 7 and 12, which is an iron post, described in the field notes of current Group No. 55.

Thence
S.89° 56' W., on a true line, bet. secs. 1 and 12.
Over gently rolling land, through scattering timber and undergrowth.

39.83½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

$$\frac{1}{4} \begin{array}{c} S 1 \\ S 12 \\ 1916 \end{array}$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.

64.85 Left bank of canyon, brs. N.30° E. and S.30° W. Desc. 65 ft. to

68.35 Bottom of canyon, 2 chs. wide, course S.30° W. Asc. 65 ft. to

70.85 Right bank of canyon, brs. N.30° E. and S.30° W. Thence along S. slope.

79.67 The cor. of secs. 1, 2, 11 and 12.
Land, gently rolling.
Soil, sandy clay; stony; limestone formation; 3rd rate.
Timber, scattering cedar.
Undergrowth, algerita and sagebrush.

N.0° 1' W., on a random line, bet. secs. 1 and 2.
Set temp. 1 sec. cor.

40.00
80.17 Intersect N. abdy. of Tp., 41 lks. E. of the cor. of secs. 1, and 2, T. 26 N., R. 1 E., which is an iron post, described in Book "A".

Thence
S.0° 18' E., on a true line, bet. secs. 1 and 2.
Over nearly level land, through scattering undergrowth.

2.47 Road, brs. E. and W.

40.17 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

$$\frac{1}{4} \begin{array}{c} S 2 \\ S 1 \\ 1916 \end{array}$$

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.

80.17 The cor. of secs. 1, 2, 11 and 12.
Land, nearly level.
Soil, sandy clay; stony; limestone formation; 2nd rate.
No timber.
Undergrowth, sagebrush.

From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 1' W., bet. secs. 34 and 35.
Over rolling land, through dense timber.
Asc. 30 ft. to

4.30 Desc. 155 ft.

18.45 Draw, 1 ch. wide, 40 ft. deep, course N.50° E. Continue descent.

21.90 Left bank of Cataract Canyon, brs. N.30° W. and S.30° E.

24.65 Creek bed, 60 lks. wide, 6 ft. deep, course N.30° W. Asc. 90 ft.

28.30 Right bank of Cataract Canyon, brs. N.30° W. and S.30° E.
Thence over rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the

8.

Subdivision of T. 26 N., R. 1 E.

Chains.

ground, in a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \hline S34 \quad S35 \end{array}$$

1916

From which

A cedar, 6 ins. diam., brs. S. $81\frac{1}{2}^\circ$ E., 16 lks. dist., marked $\frac{1}{4}$ S35 BT.

A cedar, 5 ins. diam., brs. N. 10° W., 22 lks. dist., marked $\frac{1}{4}$ S34 BT.

- 46.50 Thence along E. side of canyon. Desc. 40 ft. to
53.90 Ravine, 3 chs. wide, 75 ft. deep, course W. Asc. 210 ft.
59.10 Leave Cataract Canyon, course N. 40° W. Continue ascent.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, marked on brass cap

$$\begin{array}{c} T26N \quad R1E \\ \hline S27 \quad S26 \\ \hline S34 \quad S35 \\ \hline 1916 \end{array}$$

From which

A cedar, 28 ins. diam., brs. N. 59° E., 468 lks. dist., marked T26N R1E S26 BT.

A cedar, 5 ins. diam., brs. S. 20° W., 41 lks. dist., marked T26N R1E S34 BT.

No other trees within limits. Raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling and mountainous.

Soil, sandy clay; stony; 3rd rate.

Timber, cedar and pinion.

- 40.00 East on a random line, bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.
80.02 Intersect N. and S. line, at the cor. of secs. 25, 26, 35 and 36.
Thence
West on a true line, bet. secs. 26 and 35.
Over gently rolling land, through scattering undergrowth.
Desc. gradually to
20.00 Draw, course N. 50° W.
30.00 Enter scattering timber, brs. N. and S.
31.00 Draw, course N. Asc. NE. slope.
40.01 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \quad S26 \\ \hline S35 \\ \hline 1916 \end{array}$$

From which

A cedar, 10 ins. diam., brs. N. 60° W., 85 lks. dist., marked $\frac{1}{4}$ S26 BT.

A cedar, 8 ins. diam., brs. S. 60° W., 148 lks. dist., marked $\frac{1}{4}$ S35 BT.


- 45.00 Thence along N. slope.
60.00 Asc. 65. ft. to
73.00 Ridge, brs. N. 40° W. and S. 60° E. Desc. gradually.
80.02 The cor. of secs. 26, 27, 34 and 35.
Land, gently rolling.
Soil, sandy clay; stony; 3rd rate.
Timber, scattering cedar.
Undergrowth, sagebrush and algerita.

Chains.

N.0° 1' W., bet. secs. 26 and 27.
Over gently rolling land, through scattering timber and undergrowth.

11.25
40.00


Asc. 70 ft. to
Spur, slopes N.70° W. Desc. 115 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

71.00
80.00

Desc. gradually.
Dim road, brs. N.70° E and S.70° W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on brass cap



And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, gently rolling.
Soil, sandy clay; stony; limestone formation; 2nd rate.
Timber, scattering cedar and pinion.
Undergrowth, sagebrush.


40.00
80.00

East on a random line, bet. secs. 23 and 26.
Set temp. 1/4 sec. cor.
Intersect N. and S. line, 2 lks. S. of the cor. of secs. 23, 24, 25 and 26.

Thence
S. 89° 59' W., on a true line, bet. secs. 23 and 26.
Over gently rolling land, through scattering timber and undergrowth.

8.00
28.00
40.00

Desc. to
Head of Draw, course N.45° W. Thence along N. slope.
Desc. W. slope
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.

50.40
68.40
80.00

Draw, course N.10° E. Asc. E. slope
Dim road, brs. N.60° E and S.60° W.
The cor. of secs. 22, 23, 26 and 27.
Land, gently rolling.
Soil, sandy clay; stony; limestone formation; 2nd rate.
Timber, scattering cedar.
Undergrowth, sagebrush and algerita.

36.20
40.00

N.0° 1' W., bet. secs. 22 and 23.
Over rolling land, through dense timber.
Desc. gradually.
Ravine, 5 chs. wide, 70 ft. deep, course W.
Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 2 ft. base, 1 ft. high,

10. Subdivision of T. 26 N., R. 1 E.

Chains.

for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S22 | S23

1916

From which

A pinion, 12 ins diam., brs. S.12° E., 103 lks. dist., marked $\frac{1}{4}$ S23 BT.

A cedar, 6 ins. diam., brs. S.22° W., 66 lks. dist., marked $\frac{1}{4}$ S22 BT.

47.60
80.00

Desc. gradually.

Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, in a mound of stone, 4 ft. base, 2 ft. high, for cor. of secs. 14, 15, 22 and 23, marked on brass cap

T26N R1E
S15 | S14
S22 | S23
1916

From which

A cedar, 6 ins. diam., brs. N.60° E., 175 lks. dist., marked T26N R1E S14 BT.

A cedar, 8 ins. diam., brs. S.73° E., 159 lks. dist., marked T26N R1E S23 BT.

A pinion, 8 ins. diam., brs. S.10° W., 283 lks. dist., marked T26N R1E S22 BT.

A cedar, 8 ins. diam., brs. N.22 $\frac{1}{2}$ ° W., 243 lks. dist., marked T26N R2W S15 BT.

Land, rolling.

Soil, sandy clay; stony; limestone formation; 3rd rate.

Timber, cedar and pinion.

Undergrowth, algerita.

East on a random line, bet. secs. 14 and 23.

40.00
80.01

Set temp. $\frac{1}{4}$ sec. cor.

Intersect N $\frac{1}{4}$ and S' line, 2 lks. S. of the cor. of secs. 13, 14, 23 and 24.

Thence

S.89° 59' W., on a true line, bet. secs. 14 and 23.

Over gently rolling land, through scattering timber and undergrowth.

30.00
40.00 $\frac{1}{2}$

Desc. W. slope

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S14
S23
1916

From which

A cedar, 12 ins. diam., brs. N.65° W., 66 lks. dist., marked $\frac{1}{4}$ S14 BT.

A cedar, 24 ins. diam., brs. S.54° E., 28 lks. dist., marked $\frac{1}{4}$ S23 BT.

48.40
50.25
55.80
74.00
79.00
80.01

Right bank of canyon, course N.30° W.

Left bank of canyon, course N.30° W.

Draw, course NE.

Desc. gradual NW. slope.

Draw, course N.

The cor. of secs. 14, 15, 22 and 23.

Land, rolling and gently rolling.

Soil, sandy clay; stony; 3rd rate.

Timber, scattering cedar.

Undergrowth, algerita.


BOOK 2896

Subdivision of T. 26 N., R. 1 E.

11.


Chains.

N.0° 1' W., bet. secs. 14 and 15.
 Over rolling land, through dense timber.
 8.20 Left bank of canyon, brs. N.10° E. and S.10° W. Desc. 65 ft. to
 12.50 Bottom of canyon, 2.50 chs. wide, course S.10° W. Comes from N.10° W. Asc. 45 ft. to
 15.00 Thence along E. rim of canyon.
 22.00 Desc. 45 ft.
 23.50 Same canyon, course S.10° W. Comes from NE. Asc. 70 ft.
 28.50 Draw, course S.20° E. Continue ascent.
 40.00 Top of ascent; thence over gently rolling land.
 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 1½ ft. high, for ¼ sec. cor., marked on brass cap




From which
 A cedar, 12 ins. diam., brs. N.40° E., 244 lks. dist., marked ¼ S14 BT.
 A pinion, 12 ins. diam., brs. S.11° W., 283 lks. dist., marked ¼ S15 BT.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist., and spread the dirt around the post.
 Land, rolling.
 Soil, sandy clay; rocky; limestone formation; 3rd rate.
 Timber, cedar and pinion.
 Undergrowth, algerita and sagebrush.

40.00 East on a random line, bet. secs. 11 and 14.
 Set temp. ¼ sec. cor.
 79.94 Intersect N. and S. line, 10 lks. S. of the cor. of secs. 11, 12, 13 and 14.
 Thence
 S.89° 56' W., on a true line, bet. secs. 11 and 14.
 Over rolling land, through very scattering timber and undergrowth.
 27.90 Left bank of canyon, brs. NE. and SW. Desc. 40 ft. to
 32.80 Canyon, course SW. Asc. 25 ft.
 34.70 Right bank of canyon, brs. NE. and SW. Thence over gently rolling land.
 39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap



From which
 A cedar, 8 ins. diam., brs. N.50° E., 196 lks. dist., marked ¼ S11 BT.
 No other trees within limits. Dig pits, 18 X-18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.

65.00 Draw, course S.
 79.94 The cor. of secs. 10, 11, 14 and 15.
 Land, rolling and gently rolling.


12.

Subdivision of T. 26 N., R. 1 E.


chains.

Soil, sandy clay; stony; limestone formation; 3rd rate.
Timber, scattering cedar.
Undergrowth, algerita and sagebrush.

20.00 N.0° 1' W., bet. secs. 10 and 11.
Over gently rolling land, through scattering timber and
undergrowth.
40.00 Draw, course S.70° E.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., marked on brass cap




80.00 And raise a mound of stone, 3 ft. base, 2 ft. high, W.
of cor.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 2, 3, 10 and 11, marked on
brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.;
and spread the dirt around the post.
Land, gently rolling.
Soil, sandy clay; shallow, stony; limestone formation; 2nd
rate.
Very scattering cedar timber.
Undergrowth, sagebrush.

40.00 East on a random line, bet; secs. 2 and 11.
Set temp. 1/4 sec. cor.
80.00 Intersect N. and S. line, 3 lks. S. of the cor. of secs.
1, 2, 11 and 12.

Thence
S.89° 59' W., on a trueline, bet. secs. 2 and 11.
Over gently rolling land, through scattering timber and
undergrowth.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., marked on brass cap



45.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.; and spread the dirt around the post.
Desc. W. slope.
58.50 Draw, course S. Asc. E. slope
80.00 The cor. of secs. 2, 3, 10 and 11.
Land, gently rolling.
Soil, sandy clay; stony; limestone formation; 2nd rate.
Timber, very scattering cedar.
Undergrowth, sagebrush.

40.00 N.0° 1' W., on a random line, bet. secs. 2 and 3.
Set temp. 1/4 sec. cor.
80.17 Intersect N. bdy. of Tp., 38 lks. E. of the cor. of secs.

Subdivision of T. 26 N., R. 1 E.


Chains.

2, and 3, T. 26 N., R. 1 E., which is an iron post, described in Book "A".

Thence S.0° 17' E., on a true line, bet. secs. 2 and 3. Over gently rolling land, through scattering undergrowth. Desc. gradually.

40.17

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of earth, 3 ft. base, 1 ft. high, for 1/4 sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.

80.17


The cor. of secs. 2, 3, 10 and 11. Land, gently rolling. Soil, sandy clay; shallow; stony; limestone formation; 2nd rate. No timber. Undergrowth, sagebrush.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.08 2' W., bet. secs. 33 and 34.

Over gently rolling land, through scattering timber and undergrowth. Desc. gradually.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



From which A cedar, 10 ins. diam., brs. N.33° E., 198 lks. dist., marked 1/4 S34 BT.

A cedar, 8 ins. diam., brs. N.53° W., 147 lks. dist., marked 1/4 S33 BT.

46.00


Draw, course N.40° E. Thence along E. slope to

70.00

Desc. N. slope to

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap



From which A cedar, 6 ins. diam., brs. N.7° E., 132 lks. dist., marked T26N R1E S27 BT.

A cedar, 6 ins diam., brs. S.3 1/2° E., 227 lks. dist., marked T26N R1E S34 BT.

A cedar, 14 ins. diam., brs. S.54° W., 430 lks. dist., marked T26N R1E S33 BT.

A cedar, 8 ins. diam., brs. N.37 1/2° W., 220 lks. dist., marked T26 N.R1E S28 BT.

Land, gently rolling. Soil, sandy, gravelly and stony; 2nd rate; limestone formation. Timber, scattering cedar and pinion. Undergrowth, sagebrush.

14. Subdivision of T. 26 N., R. 1 E.

Chains.
 40.00 East on a random line, bet. secs. 27 and 34.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect N. and S. line, 2 lks. S. of the cor. of secs.
 26, 27, 34 and 35.
 Thence
 S. $89^{\circ} 59'$ W., on a true line, bet. secs. 27 and 34.
 Over rolling and mountainous land, through dense timber.
 Desc. 255 ft.
 20.90 Right bank of Cataract Canyon, brs. N. 40° W. and S. 40° E.
 Continue descent to
 25.90 Creek bed, course N. 40° W. Asc. 175 ft. to
 39.00 Left bank of Canyon, brs. N. 40° W. and S. 40° E.
 40.01 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, 3 ft. base, 2 ft. high,
 for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S27
 $\frac{1}{4}$ S34
 1916

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 41.00 Spur, slopes N. 30° E. Desc. 35 ft. to
 49.20 Ravine, 5 chs. wide, course N. 60° E. Asc. 105 ft. to
 72.00 Desc. NW. slope to
 80.02 The cor. of secs. 27, 28, 33 and 34.
 Land, rolling and mountainous.
 Soil, sandy clay; stony and rocky; 3rd rate.
 Timber, cedar and pinion.

N. $0^{\circ} 2'$ W., bet. secs. 27 and 28.
 Over gently rolling land, through scattering cedar.
 Desc. NW. slope 25 ft.
 9.20 Draw, course N. 45° E. Asc. 50 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S28 S27
 1916

From which
 A cedar, 4 ins. diam., brs. S. 43° E., 129 lks. dist.,
 marked $\frac{1}{4}$ S27 BT.
 A cedar, 5 ins. diam., brs. N. 76° W., 259 lks. dist.,
 marked $\frac{1}{4}$ S28 BT.
 Desc. N. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the
 ground, in a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high,
 for cor. of secs. 21, 22, 27 and 28, marked on brass
 cap

T26N R1E
 S21 S22
 S28 S27
 1916

From which
 A cedar, 8 ins. diam., brs. N. $85^{\circ} 40'$ W., 374 lks. dist.,
 marked T26N R1E S21 BT.
 No other trees within limits. Raise a mound of stone, 3
 ft. base, 2 ft. high, W. of cor;
 Land, gently rolling.
 Soil, sandy clay; stony; limestone formation; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, sagebrush.

Chains

40.00 East on a random line, bet. secs. 22 and 27.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.10 Intersect N. and S. line, 2 lks. S. of the cor. of secs.
 22, 23, 26 and 27.
 Thence
 S. $89^{\circ} 59'$ W., on a true line, bet secs. 22 and 27.
 Over rolling land, through scattering undergrowth and
 timber.
 16.50 Desc. 180 ft.
 18.80 Right bank of Cataract Canyon, brs. N. and S. Continue
 descent.
 23.40 Bottom of Cataract Canyon, 3 chs. wide, course N. Asc.
 196 ft.
 30.00 Left bank of Cataract Canyon, brs. N. and S. Continue
 ascent.
 40.05 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S22
 $\frac{1}{4}$ S27
 1916

From which
 * cedar 10 ins. diam., brs. N. 61° E., 70 lks. dist.,
 marked $\frac{1}{4}$ S22 BT.
 A cedar, 5 ins. diam., brs. S. 55° E., 36 lks. dist.,
 marked $\frac{1}{4}$ S27 BT.

80.10 The cor. of secs. 21, 22, 27 and 28.
 Land, rolling.
 Soil, sandy clay; stony; limestone formation; 3rd rate.
 Timber, scattering cedar and pinion.
 Undergrowth, sagebrush.

1.90 N. $0^{\circ} 2'$ W., bet. secs. 21 and 22.
 20.00 Over gently rolling land, through scattering timber.
 Draw, course N. 40° E. Asc. SW. slope
 Thence along E. slope.
 35.80 Draw, course E. Asc. S. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S21 | S22
 1916

50.00 And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 65.00 Top of ascent; thence along E. slope.
 Desc. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the
 ground, in a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high,
 for cor. of secs. 15, 16, 21 and 22, marked on brass
 cap

T26N | R1E
 S16 | S15
 S21 | S22
 1916

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, gently rolling.
 Soil, sandy clay; stony; limestone formation; 2nd rate.
 Timber, scattering cedar and pinion.

16.

Subdivision of T. 26 N., R. 1 E.

Chains.	East on a random line, bet. secs. 15 and 22.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.12	Intersect N. and S. line, at the cor. of secs. 14, 15, 22 and 23.
	Thence
	West on a true line, bet. secs. 15 and 22.
	Over rolling and mountainous land, through scattering timber and undergrowth.
	Desc. 105 ft.
12.40	Right bank of Cataract Canyon, brs. N. and S. Continue descent.
15.00	Bottom of Cataract Canyon, 3.40 chs. wide, course N. Creek bed, 90 lks. wide, 4 ft. deep, course N. Asc. 165 ft.
22.40	Left Bank of Cataract Canyon, brs. N. and S. Continue ascent.
40.06	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S15 <u> </u> S22 1916
	From which
	A pinion, 14 ins. diam., brs. N.70° W., 165 lks. dist., marked $\frac{1}{4}$ S15 BT.
	A pinion, 8 ins. diam., brs. S.85 $\frac{1}{2}$ ° W., 103 lks. dist., marked $\frac{1}{4}$ S22 BT.
45.00	Top of ascent; Desc. 60 ft. to
53.90	Ravine, 5 chs. wide, course N 30° E. Asc. 50 ft. to
63.90	Desc. 65 ft. to
67.80	Ravine, 4 chs. wide, course N.30° E. Asc. 110 ft. to
80.12	The cor. of secs. 15, 16, 21 and 22.
	Land, rolling and mountainous.
	Soil, sandy clay; shallow; stony; limestone formation; 3rd rate.
	Timber, scattering cedar and pinion.
	Undergrowth, algerita.
	N.0° 2' W., bet. secs. 15 and 16.
21.95	Over rolling land, through scattering timber and undergrowth. Draw, 3 chs. wide, 35 ft. deep, course N.30° E. Asc. slightly to
26.00	Desc. 110 ft.
30.70	Left Bank of Cataract Canyon, brs. N.45° W. and S.45° E.
35.90	Bottom of Cataract Canyon, 3 chs. wide, course N.45° W. Creek bed, 50 lks. wide, 5 ft. deep, course N.45° W. Asc. to
38.80	Right bank of Cataract Canyon, brs. N.45° W. and S.45° E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S16 S15 1916
	And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	Desc. to
41.80	Draw, 4 chs. wide, 40 ft. deep, course S.30° W. Asc. 155 ft. to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on brass cap

Subdivision of T. 26 N., R. 1 E.

Chains.

T26N	R1E
S 9	S10
S16	S15
1916	

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, rolling and mountainous.
 Soil, sandy clay; stony; 3rd rate; limestone formation.
 Timber, scattering cedar.
 Undergrowth, algerita and sagebrush.

40.00

East on a random line, bet. secs. 10 and 15.
Set temp. $\frac{1}{4}$ sec. cor.

80.08

Intersect N. and S. line, 14 lks. N. of the cor. of secs. 10, 11, 14 and 15.

Thence
N.89° 54' W., on a true line, bet. secs. 10 and 15.
Over gently rolling land, through scattering undergrowth.

40.04

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S10
	S15
1916	

80.08

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
 The cor. of secs. 9, 10, 15 and 16.
 Land, gently rolling.
 Soil, sandy clay; stony; limestone formation; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

23.80

N.0° 2' W., bet. secs. 9 and 10.
Over level land, through scattering undergrowth.

27.80

Enter canyon, course W.
Leave canyon, course W.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S 9	S10
1916		

80.00

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap

T26N	R1E
S 4	S 3
S 9	S10
1916	

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and spread the dirt around the post.
 Land, level.
 Soil, sandy clay; stony; limestone formation; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

18. Subdivision of T. 26 N., R. 1 E.

Chains. 40.00 80.00 40.00 80.00	<p>East on a random line, bet. secs. 3 and 10. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, at the cor. of secs. 2, 3, 10 and 11. Thence West on a true line, bet. secs. 3 and 10. Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> $\begin{array}{c} \frac{1}{4} \text{ S } 3 \\ \hline \text{S } 10 \\ 1916 \end{array}$ <p>Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post. The cor. of secs. 3, 4, 9 and 10. Land, gently rolling. Soil, sandy clay; stony; limestone formation; 2nd rate. No timber. Undergrowth, sagebrush.</p>
40.00 80.17 21.55 40.17 80.17	<p>N.0° 2' W., on a random line, bet. secs. 3 and 4. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. bdy. of Tp., 39 lks. E. of the cor. of secs. 3, and 4, T. 26 N., R. 1 E., which is an iron post, described in Book "A". Thence S.0° 19' E., on a true line, bet. secs. 3 and 4. Over nearly level land, through scattering undergrowth. Draw, course N.20° W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> $\begin{array}{c} \frac{1}{4} \\ \hline \text{S } 4 \text{ S } 3 \\ 1916 \end{array}$ <p>Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post. The cor. of secs. 3, 4, 9 and 10. Land, nearly level. Soil, sandy clay; stony; limestone formation; 2nd rate. No timber. Undergrowth, sagebrush.</p>
40.00 77.60	<p>From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 3' W., bet. secs. 32 and 33. Over gently rolling land, through scattering timber. Desc. gradually. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> $\begin{array}{c} \frac{1}{4} \\ \hline \text{S } 32 \text{ S } 33 \\ 1916 \end{array}$ <p>From which A cedar, 8 ins. diam., brs. S.70° E., 121 lks. dist., marked $\frac{1}{4}$ S33 BT. A cedar, 6 ins. diam., brs. N.66½° W., 260 lks. dist., marked $\frac{1}{4}$ S32 BT. Draw, course N.10° E.</p>

Subdivision of T. 26 N., R. 1 E.

19.

Chains

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on brass cap

T26N	R1E
S29	S28
S32	S33

1916

From which

A cedar, 7 ins. diam., brs. N.37½° E., 462 lks. dist., marked T26N R1E S28 BT.

No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, gently rolling.

Soil, sandy and gravelly; limestone formation; 2nd rate.

Timber, scattering cedar and pinion.

Undergrowth, sagebrush.

40.00

East on a random line, bet. secs. 28 and 33*

80.07

Set temp. ¼ sec. cor.

Intersect N. and S. line, 2 lks. S. of the cor. of secs. 27, 28, 33 and 34.

Thence

S.89° 59' W., on a true line, bet. secs. 28 and 33.

Over gently rolling land, through scattering timber and undergrowth.

Desc. to

9.40

Draw, course N.45° E. Asc. gradually.

40.03½

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼ S28
¼ S33

1916

And raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

55.00

Desc. 85 ft. to

77.00

Draw, course N.40° W.

80.07

The cor. of secs. 28, 29 32 and 33.

Land, gently rolling.

Soil, sandy, gravelly and stony; limestone formation; 2nd rate.

Timber, scattering cedar.

Undergrowth, sagebrush.

4.00

N.0° 3' W., bet. secs. 28 and 29.

40.00

Over gently rolling land, through scattering timber and undergrowth.

Draw, course N.40° W. Asc. 70 ft.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼ S29	S28
-------	-----

1916

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

A cedar, 6 ins. diam., brs. S.4° 45' E., 309 lks. dist., marked ¼ S28 BT.

20.

Subdivision of T. 26 N., R. 1 E.

Chains.

60.00

Desc. gradual N. slope.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, 2 ft. base, 1 ft. high, for cor. of secs. 20, 21, 28 and 29, marked on brass cap

T26N	R1E
S20	S21
S29	S28
1916	

Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Land, gently rolling.

Soil, sandy, gravelly and stony; 2nd rate; limestone formation.

Timber, very scattering cedar.

Undergrowth, sagebrush.

40.00

East on a random line, bet. secs. 21 and 28.

80.10

Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 2 lks. S. of the cor. of secs. 21, 22, 27 and 28.

Thence

S. $89^{\circ} 59'$ W., on a true line, bet. secs. 21 and 28.

Over gently rolling land, through scattering timber and undergrowth.

1.60

Draw, course N. 50° E. Asc. slightly to

25.00

Thence along gentle N. slope.

40.05

Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S21
$\frac{1}{4}$ S28
1916

And raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

68.60

Draw, course N.

80.10

The cor. of secs. 20, 21, 28 and 29.

Land, gently rolling.

Soil, sandy clay; stony; limestone formation; 2nd rate.

Timber, scattering cedar.

Undergrowth, sagebrush.

32.60

N. $0^{\circ} 3'$ W., bet. secs. 20 and 21.

Over gently rolling land, through scattering undergrowth.

Desc. gradual N. slope to

40.00

Draw, course W. Asc.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S20	S21
-------------------	-----

1916

From which

A cedar, 6 ins. diam., brs. N. 43° E., 277 lks. dist., marked $\frac{1}{4}$ S21 BT.

A cedar, 8 ins. diam., brs. N. $23\frac{1}{4}^{\circ}$ W., 300 lks. dist., marked $\frac{1}{4}$ S20 BT.

45.00

Top of ascent; desc. gradual N. slope.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap

Chains.

T26N	R1E
S17	S16
S20	S21
1916	

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, sandy, gravelly and stony; limestone formation; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

40.00 East on a random line, bet. secs. 16 and 21.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.14 Intersect N. and S. line, at the cor. of secs. 15, 16, 21 and 22.
 Thence
 West on a true line, bet. secs. 16 and 21.
 Over gently rolling land, through scattering timber and undergrowth.
 20.00 Draw, course N.30° W.
 40.07 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S16
	S21
1916	

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
 43.20 Draw, course N.40° E. Asc. gradually.
 60.00 Thence along N. slope.
 80.14 The cor. of secs. 16, 17, 20 and 21.
 Land, gently rolling.
 Soil, sandy clay; stony; limestone formation; 2nd rate.
 Timber, very scattering cedar.
 Undergrowth, sagebrush.

40.00 N.0° 3' W., bet. secs. 16 and 17.
 Over gently rolling land, through scattering undergrowth.
 Desc. gradually.
 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S17	S16
1916		

80.00 And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on brass cap

T26N	R1E
S 8	S 9
S17	S16
1916	

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.

22.

Subdivision of T. 26 N., R. 1 E.

Chains.

Soil, sandy, gravelly and stony; 2nd rate; limestone formation.
No timber.
Undergrowth, sagebrush.

40.00 East on a random line, bet. secs. 9 and 16.
Set temp. $\frac{1}{4}$ sec. cor.
80.20 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 9, 10, 15 and 16.
Thence
N.89° 59' W., on a true line, bet. secs. 9 and 16.
Over rolling and mountainous land, through scattering timber and undergrowth.
20.00 Desc. 185 ft.
33.20 Right edge of Cataract Canyon, brs. N.30° W. and S.30° E. Continue descent.
40.00 Center of Cataract Canyon Bottom, 3 chs. wide, course N.30° W.
40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 9
S 16
1916

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
40.50 Creek bed, 60 lks. wide, 5 ft. deep, course N.30° W. Asc. 100 ft.
43.60 Left edge of Cataract Canyon, brs. N.30° W. and S.30° E. Continue ascent to
48.40 Desc. 20 ft. to
51.30 Draw, 2 chs. wide, 40 ft. deep, course N. Asc. 185 ft. to
64.30 Desc. W. slope, 25 ft. to
73.00 Draw, course N.20° W. Asc. to
80.20 The cor. of secs. 8, 9, 16 and 17.
Land, rolling and mountainous.
Soil, sandy clay; stony; 2nd rate.
Timber, scattering cedar.
Undergrowth, sagebrush.

N.0° 3' W., bet. secs. 8 and 9.
Over rolling land, through scattering timber and undergrowth.
Desc. N. slope to
6.00 Draw, course N.20° E.
25.00 Draw, course NE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S 8 S 9
1916

From which
A cedar, 10 ins. diam., brs. S.23° E., 241 lks. dist., marked $\frac{1}{4}$ S9 BT.
A cedar, 4 ins diam., brs. N.13 $\frac{3}{4}$ ° W., 194 lks. dist., marked $\frac{1}{4}$ S8 BT.
Desc. 125 ft.
46.30 Left bank of Cataract Canyon, brs. N.30° W. and S.30° E. Continue descent.
50.00 Creek bed, 50 lks. wide, 5 ft. deep, course N.30° W.
51.60 Bottom of Cataract Canyon, 4 chs. wide, course N.30° W. Asc. 185 ft.

chains.

62.10

Right bank of Cataract Canyon, brs. N.30° W. and S.30° E. Continue ascent to.

79.00

Desc. N. slope.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, marked on brass cap

T26N R1E
S 5 S 4
S 8 S 9
1916

From which

A cedar, 10 ins. diam., brs. N.36° E., 74 lks. dist., marked T26N R1E S4 BT.

A cedar, 8 ins. diam., brs. S.15° E., 92 lks. dist., marked T26N R1E S9 BT.

A cedar, 12 ins. diam., brs. N.89½° W., 115 lks. dist., marked T26N R1E S5 BT.

No other trees within limits. Raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Land, rolling and mountainous.

Soil, sandy clay; shallow; stony; limestone formation; 3rd rate.

Timber, scattering cedar.

Undergrowth, algerita.

40.00

East on a random line, bet. secs. 4 and 9.

80.21

Set temp. ¼ sec. cor.

Intersect N. and S. line, 5 lks. N. of the cor. of secs. 3, 4, 9 and 10.

Thence

N.89° 58' W., on a true line, bet. secs. 4 and 9.

Over level land, through scattering timber and undergrowth.

35.20

Thence over gently rolling land, ascending gradually.

40.10½

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼ S 4
¼ S 9
1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.

60.20

Top of ascent; Desc. along S. edge of ravine, course W.

80.21

The cor. of secs. 4, 5, 8 and 9.

Land, gently rolling and level.

Soil, sandy clay; stony; limestone formation; 2nd rate.

Timber, scattering cedar.

Undergrowth, sagebrush.

40.00

N.0° 3' W., on a random line, bet. secs. 4 and 5.

80.16

Set temp. ¼ sec. cor.

Intersect N. bdy. of Tp., 28 lks. E. of the cor. of secs. 4, and 5, T. 26 N., R. 1 E., which is an iron post, described in Book "A".

Thence

S.0° 15' E., on a true line, bet. secs. 4 and 5.

Over nearly level land, through scattering undergrowth.

40.16

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼ S 5 S 4
1916

24.

Subdivision of T. 26 N., R. 1 E.

chains.

78.85 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
 80.16 Ravine, 5 chs. wide, 50 ft. deep, course S.70° W.
 The cor. of secs. 4, 5, 8 and 9.
 Land, nearly level.
 Soil, sandy clay; limestone formation; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

20.00 From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 3' W., bet. secs. 31 and 32.
 30.00 Over gently rolling land, through dense timber.
 39.10 Desc. gradually.
 40.00 Continue along W. slope of draw.
 Leave dense, enter scattering timber, brs. S.50° E. and W. Road, brs. N.20° W. and SE.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4
 S31 S32
 1916

80.00 And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 1 1/2 ft. high, for cor. of secs. 29, 30, 31 and 32, marked on brass cap

T26N R1E
 S30 S29
 S31 S32
 1916

From which
 A cedar, 12 ins. diam., brs. N.51° 50' E., 326 lks. dist., marked T26N R1E S29 BT.
 A cedar, 10 ins. diam., brs. S.89° E., 315 lks. dist., marked T26N R1E S32 BT.
 A cedar, 6 ins. diam., brs. S.50° W., 53 lks. dist., marked T26N R1E S31 BT.
 A cedar, 8 ins. diam., brs. N.85° W., 165 lks. dist., marked T26N R1E S30 BT.
 Land, gently rolling.
 Soil, sandy, gravelly and stony; 2nd rate; limestone formation.
 Timber, cedar and pinion.

40.00 East on a random line, bet. secs. 29 and 32.
 79.98 Set temp. 1/4 sec. cor.
 Intersect N. and S. line, 3 lks. N. of the cor. of secs. 28, 29, 32 and 33.

Thence
 N.89° 59' W., on a true line, bet. secs. 29 and 32.
 Over gently rolling land, through scattering timber and undergrowth.

39.99 Set an iron post, 3 ft. long, 1 in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S29
 S32
 1916

From which

Chains.

47.80 A cedar, 6 ins. diam., brs. N.68° W., 152 lks. dist.,
 marked $\frac{1}{4}$ S29 BT.
 73.00 A cedar, 6 ins. diam., brs. S.75° E., 162 lks. dist.,
 marked $\frac{1}{4}$ S32 BT.
 79.98 Draw, course N. Asc. E. slope to
 Desc. W. slope to
 The cor. of secs. 29, 30, 31 and 32.
 Land, gently rolling.
 Soil, sandy, gravelly and stony; limestone formation; 2nd
 rate.
 Timber, very scattering cedar.
 Undergrowth, sagebrush.

40.00 West on a random line, bet. secs. 30 and 31.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.60 Intersect Gila and Salt River Meridian, at the cor. of secs.
 25, 30, 31 and 36, which is an iron post, re-established
 as described in Book "A".
 Thence
 East on a true line, bet. secs. 30 and 31.
 Over gently rolling land, through scattering timber and
 undergrowth.
 2.60 Draw, course N.30° E.
 37.50 Draw, course N.
 38.60 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S30
 $\frac{1}{4}$ S31
 1916

65.00 From which
 A cedar, 10 ins. diam., brs. N.71° 35' E., 244 lks.
 dist., marked $\frac{1}{4}$ S30 BT.
 No other trees within limits. Raise a mound of stone,
 3 ft. base, 2 ft. high, N. of cor.
 69.00 Road, brs. N.30° W. and S.20° E.
 78.60 Draw, course N. Asc. to
 The cor. of secs. 29, 30, 31 and 32.
 Land, gently rolling.
 Soil, sandy and gravelly; limestone formation; 2nd rate.
 Timber, very scattering cedar.
 Undergrowth, sagebrush.

40.00 N.0° 3' W., bet. secs. 29 and 30.
 Over gently rolling land, through very scattering timber
 and undergrowth.
 Along W. slope of draw.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S30 S29
 1916

51.10 From which
 A cedar, 6 ins. diam., brs. S.11 $\frac{1}{4}$ ° W., 418 lks. dist.,
 marked $\frac{1}{4}$ S30 BT.
 No other trees within limits. Raise a mound of stone, 3
 ft. base, 2 ft. high, W. of cor.
 Desc. NW. slope.
 80.00 Draw, course N.20° E.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 19, 20, 29 and 30, marked on
 brass cap

26.

Subdivision of T. 26 N., R. 1 E.

Chains.

T26N	R1E
S19	S20
S30	S29
1916	

From which

A cedar, 12 ins. diam., brs. N.59 $\frac{1}{4}$ ° E., 221 lks. dist., marked T26N R1E S20 BT.

A cedar, 14 ins. diam., brs. N.57° 50' W., 80 lks. dist., marked T26N R1E S19 BT.

No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, gently rolling.

Soil, sandy clay, gravelly and stony; limestone formation; 2nd rate.

Timber, very scattering cedar.

Undergrowth, sagebrush.

40.00 East on a random line, bet. secs. 20 and 29,
Set temp. $\frac{1}{4}$ sec. cor.
79.94 Intersect N. and S. line, 2 lks. N. of the cor. of secs.
20, 21, 28 and 29.

Thence

N.89° 59' W., on a true line, bet. secs. 20 and 29.

Over gently rolling land, through very scattering timber and undergrowth.

Along N. slope.

33.50 Desc. W. slope 45 ft.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S20
$\frac{1}{4}$ S29
1916

From which

A cedar, 6 ins. diam., brs. N.84° E., 174 lks. dist., marked $\frac{1}{4}$ S20 BT.A cedar, 12 ins. diam., brs. S.84 $\frac{1}{4}$ ° E., 125 lks. dist., marked $\frac{1}{4}$ S29 BT.

47.90 Draw, course N.20° W. Asc. to.

55.00 Desc. to

73.00 Draw, course N.30° E.

79.94 The cor. of secs. 19, 20, 29 and 30.

Land, gently rolling.

Soil, sandy, gravelly and stony; limestone formation; 2nd rate.

Timber, very scattering cedar.

Undergrowth, sagebrush.

40.00 West on a random line, bet. secs. 19 and 30.
Set temp. $\frac{1}{4}$ sec. cor.
78.49 Intersect Gila and Salt River Meridian, at the cor. of secs.
19, 24, 25 and 30, which is an iron post, re-established
as described in Book "A".

Thence

East on a true line, bet. secs. 19 and 30.

Over gently rolling land, through very scattering timber and undergrowth.

8.50 Draw, course N.40° E.

33.90 Draw, course N.20° E.

37.00 Road, brs. N.20° W. and S.30° E.

38.49 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

Chains.

$$\begin{array}{r} \frac{1}{4} \text{ S19} \\ \text{S30} \\ \hline 1916 \end{array}$$

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 47.90 Draw, course N.
 78.49 The cor. of secs. 19, 20, 29 and 30.
 Land, gently rolling.
 Soil, sandy clay, stony; limestone formation; 2nd rate.
 Timber, very scattering cedar.
 Undergrowth, sagebrush.

20.00 N.0° 3' W., bet. secs. 19 and 20.
 40.00 Over gently rolling land, through scattering undergrowth.
 Desc.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \text{S19} \text{ S20} \\ \hline 1916 \end{array}$$

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 50.00 Draw, course N.10° E.
 68.00 Draw, course N.40° W.
 72.00 Asc. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on brass cap

$$\begin{array}{r} \text{T26N R1E} \\ \text{S18 S17} \\ \hline \text{S19 S20} \\ 1916 \end{array}$$

From which
 A cedar, 6 ins. diam., brs. S.17° E., 165 lks. dist., marked T26N R1E S20 BT.
 No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, gravelly; stony; limestone formation; 2nd rate.
 Timber, scattering cedar on SW. slopes.
 Undergrowth, sagebrush.


40.00 East on a random line, bet. secs. 17 and 20.
 79.88 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 5 lks. N. of the cor. of secs. 16, 17, 20 and 21.
 Thence
 N.89° 58' W., on a true line, bet. secs. 17 and 20.
 Over gently rolling land, through scattering undergrowth.
 Along gentle N. slope.
 39.94 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \text{ S17} \\ \text{S20} \\ \hline 1916 \end{array}$$

And raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
 45.00 Asc. to
 60.00 Desc. SW. slope to


Chains.
 71.90 Draw, course S.30° W.
 79.88 The cor. of secs. 17, 18, 19 and 20.
 Land, gently rolling.
 Soil, sandy, gravelly and stony; limestone formation; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

40.00 West on a random line, bet secs. 18 and 19.
 Set temp. 1/4 sec. cor.
 78.39 Intersect Gila and Salt River Meridian, 5 lks. N. of the cor. of secs. 13, 18, 19 and 24, which is an iron post re-established as described in Book "A".
 Thence
 N.89° 58' E.; on a true line, bet. secs. 18 and 19.
 Over gently rolling land, through scattering undergrowth.
 1.10 Draw, course N.
 11.80 Road, brs. N.20° W. and S.20° E.
 38.39 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap




And raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
 Desc. to
 43.00 Draw, course N.30° E.
 69.10 Draw, course N.40° W.
 78.39 The cor. of sec. 17, 18, 19 and 20.
 Land, gently rolling.
 Soil, sandy, gravelly and stony; 2nd rate; limestone formation.
 No timber,
 Undergrowth, sagebrush.

N.0° 3' W., bet secs. 17 and 18.
 Over gently rolling land, through scattering undergrowth.
 Asc. gradually to
 30.00 Desc. gradually.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, marked on brass cap



And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, sandy, gravelly and stony; limestone formation; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

chains.

40.00 East on a random line, bet. secs. 8 and 17.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.88 Intersect N. and S. line, 2 lks. N. of the cor. of secs.
 8, 9, 16 and 17.
 Thence
 N.89° 59' W., on a true line, bet. secs. 8 and 17.
 Over gently rolling land, through very scattering timber
 and undergrowth.
 9.00 Draw, course N.40° E.
 24.00 Draw, course N.20° W.
 39.94 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 8
 $\frac{1}{4}$ S 17
 1916

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 40.80 Draw, course N.20° E.
 55.00 Draw, course N.
 58.50 Draw, course N.20° W.
 78.40 Draw, course N
 79.88 The cor. of secs. 7, 8, 17 and 18.
 Land, gently rolling.
 Soil, sandy clay; stony; limestone formation; 2nd rate.
 Timber, very scattering cedar.
 Undergrowth, sagebrush.

40.00 West on a random line, bet. secs. 7 and 18.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.31 Intersect Gila and Salt River Meridian, 5 lks. N. of the
 cor. of secs. 7, 12, 13 and 18, which is an iron post,
 re-established as described in Book "A".
 Thence
 N.89° 58' E., on a true line, bet. secs. 7 and 18.
 Over gently rolling land, through scattering undergrowth.
 38.31 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of earth and stone, 3 ft. base, $1\frac{1}{2}$ ft.
 high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 7
 $\frac{1}{4}$ S 18
 1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.
 53.00 Draw, course N.20° E.
 78.31 The cor. of secs. 7, 8, 17 and 18.
 Land, gently rolling.
 Soil, gravelly and stony; limestone formation; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

N.0° 3' W., bet. secs. 7 and 8.
 Over gently rolling land, through scattering undergrowth.
 Desc. gradually.
 28.40 Draw, course N.10° W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

30.

Subdivision of T. 26 N., R. 1 E.

Chains.

$$\begin{array}{c} \frac{1}{4} \\ \hline S 7 | S 8 \\ \hline 1916 \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

- 49.00 Draw, course N.70° W. Asc. 25 ft. to
 54.30 Desc. 50 ft. to
 64.70 Draw, 4 chs. wide, course N.70° W. Asc. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap

$$\begin{array}{c} T26N | R1E \\ \hline S 6 | S 5 \\ \hline S 7 | S 8 \\ \hline 1916 \end{array}$$

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, gently rolling and broken.
 Soil, sandy clay; stony; limestone formation; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

- 40.00 East on a random line, bet. secs. 5 and 8.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.93 Intersect N. and S. line, at the cor. of secs. 4, 5, 8 and 9.
 Thence
 West on a true line, bet. secs. 5 and 8.
 Over broken land, through scattering timber and undergrowth.
 Desc. 45 ft. to
 6.80 Ravine, course S.70° W. Asc. 50 ft. to
 18.00 Desc. 85 ft. to
 21.30 Ravine, 3 chs. wide, course S.60° W. Asc. 70 ft. to
 28.70 Right bank of Cataract Canyon, brs. W. and S.60° E. Thence along N. wall of Canyon. Desc. 70 ft. to
 34.22 Asc. 30 ft. to
 39.91 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} S 5 \\ \hline \frac{1}{4} S 8 \\ \hline 1916 \end{array}$$

And raise a mound of stone, 4 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

- 47.50 Desc. 75 ft. to
 47.30 Bottom of Cataract Canyon, 3 chs. wide, course N.20° W.
 48.30 Creek bed, 50 lks. wide, 5 ft deep, course N.20° W. Asc. 165 ft. to
 50.00 Left bank of Cataract Canyon, brs. N.20° W. and S.20° E. Continue ascent.
 74.50 Desc. W. slope, 55 ft. to
 79.93 The cor. of secs. 5, 6, 7 and 8.
 Land, rolling and broken.
 Soil, sandy clay; shallow; stony; limestone formation; 3rd rate.
 Timber, scattering cedar.
 Undergrowth, algerita.

- 40.00 West on a random line, bet. secs. 6 and 7.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.07 Intersect Gila and Salt River Meridian, 10 lks. S. of the cor. of secs. 1, 6, 7 and 12, which is an iron post,

chains.

re-established as described in Book "A".
 Thence
 S.89° 56' E., on a true line, bet. secs. 6 and 7.
 Over rolling land, through scattering timber and under-
 growth.
 38.07 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \text{ S } 6 \\ \text{S } 7 \\ 1916 \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 47.15 Head of draw, course N.10° W. Asc. to
 53.05 Desc. to
 66.05 Draw, 3 chs. wide, course N.40° E. Asc. to
 70.55 Desc. 15 ft. to
 75.55 Ravine, 4 chs. wide, 60 ft. deep, course N.
 78.07 The cor. of secs. 5, 6, 7 and 8.
 Land, rolling.
 Soil, sandy clay; stony; 2nd rate; limestone formation.
 Timber, scattering cedar.
 Undergrowth, sagebrush.

N.0° 3' W., on a random line, bet. secs. 5 and 6.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.16 Intersect N. bdy. of Tp., 38 lks. E. of the cor. of secs.
 5, and 6, T. 26 N., R. 1 E., which is an iron post,
 described in Book "A".
 Thence
 S.0° 19' E., on a true line, bet. secs. 5 and 6.
 Over rolling and mountainous land, through scattering
 timber and undergrowth.
 Asc. gradually to
 15.15 Desc. gradually.
 40.16 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 6 \text{ S } 5 \\ 1916 \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 Desc. 180 ft.
 58.95 Right bank of Cataract Canyon, brs. N.60° W. and S.60° E.
 Continue descent.
 59.25 Bottom of Cataract Canyon, 3.50 chs. wide, course N.60° W.
 61.85 Creek bed, 50 lks. wide, 4 ft. deep, course N.60° W.
 Asc. 150 ft.
 66.75 Left bank of Cataract Canyon, brs. N.60° W. and S.60° E.
 Continue ascent to
 71.70 Desc. 60 ft. to
 80.16 The cor. of secs. 5, 6, 7 and 8.
 Land, rolling and mountainous.
 Soil, sandy clay; shallow, stony; 2nd and 3rd rate.
 Timber, scattering cedar.
 Undergrowth, sagebrush.

GENERAL DESCRIPTION.

This township consists of gently rolling land, covered
 in the southern part with a dense growth of cedar and

31A

pinion timber, and in the northern part with a scattering growth of timber, sagebrush and algerita, and a good growth of native grasses.
The soil is sandy clay, stony, limestone formation; 2nd rate. Limestone underlies the whole township.
Cataract Canyon enters the township near the cor. of secs. 34 and 35, and runs north westerly through the township.
There are dams in secs. 1, 14 and 15, to hold flood water for stock. There are no settlers.

FOR CERTIFICATES OF UNITED STATES SURVEYOR. AND UNITED STATES TRANSITMAN.

See Book "B" of Group 54.

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me } this _____ day of _____, 191 _____



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, August 2, 1917.

The foregoing field notes of the survey of the _____

Subdivision Lines of _____

TOWNSHIP 26 NORTH, RANGE 1 EAST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, executed by W. H. Thorn, U. S. Surveyor, under his special instructions dated March 6, 1915, for Group 54, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank D. Frost

U. S. Surveyor General. of Arizona.

I certify that the foregoing transcript of the field notes of the above described surveys in Book "C", of Group 54, has been correctly copied from the original notes on file in this office.