

3002

Book "I"
4-679

JAN 14 1918

BOOK 3002

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 26 NORTH, RANGE 2 WEST.

3002

3002

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

W. H. Thorn, U. S. Surveyor,

and

Heber P. Purington, U. S. Transitman,

~~In the capacity of U. S. Surveyor~~, under instructions dated March 6, 1915,
issued by the United States Surveyor General to govern surveys included in
Group No. 54, which were approved by the Commissioner of the General Land
Office, December 14, 1915.

Survey commenced September 1, 1916.

Survey completed September 7, 1916.


Executed under Assignment
Instructions dated May 6, Aug. 14, 1916.

✓

1A

BOOK 3002

INDEX DIAGRAM.



6-151

- Surveyed under this group--notes in this book.
- Surveyed under this group--notes in book "A".
- Accepted surveys or current groups.

T 26 N R 2 W.

BOOK 3002

DATE DIAGRAM

of

T. 26 N., R. 2 W.

9/25-16

6	5	4	3	2	1		
9/5-16	9/6-16	9/6-16	9/7-16	9/6-16	9/2-16	9/2-16	9/2-16
7	8	9	10	11	12		
9/5-16	9/5-16	9/5-16	9/6-16	9/6-16	9/2-16	9/2-16	9/2-16
18	17	16	15	14	13		
9/5-16	9/5-16	9/5-16	9/4-16	9/4-16	9/1-16	9/1-16	9/1-16
19	20	21	22	23	24		
9/5-16	9/5-16	9/5-16	9/4-16	9/4-16	9/1-16	9/1-16	9/1-16
30	29	28	27	26	25		
9/5-16	9/5-16	9/5-16	9/4-16	9/4-16	9/1-16	9/1-16	9/1-16
31	32	33	34	35	36		
9/5-16	9/5-16	9/4-16	9/4-16	9/4-16	9/1-16	9/1-16	9/1-16

9/1-16

Lines dated in red were executed by W. H. Thorn, U. S. Surveyor, on the dates shown above.

Lines dated in green were executed by Heber P. Purington, U. S. Transitman, on the dates shown above.

2.

Subdivision of T. 26 N., R. 2 W.

Chains.

Survey commenced Sept. 1, 1916, and executed with Buff and Buff solar transit No. 10125, and Young and Sons' light mountain transit No. 8533, with Smith solar attachments. For description of instrument No. 10125, certificate of approval and tests of adjustment, see Book "A". For description of instrument No. 8533, certificate of approval and test of adjustment, see Book "B".

From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., which is an iron post, established as described in Book "A".

N.0° 1' W., bet. secs. 35 and 36.

Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S35 | S36
1916

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap

T26N | R2W
S26 | S25
S35 | S36
1916

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and spread the dirt around the post.

Land, gently rolling.

Soil, sandy; gravelly surface; 2nd rate.

Timber, scattering cedar.

Undergrowth, sagebrush.

East on a random line, bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.10 Intersect E. bdy. of Tp., 8 lks. N. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in Book "A".

Thence

N.89° 57' W., on a true line, bet. secs. 25 and 36.

Over gently rolling land, through scattering timber and undergrowth.

2.95 Wash, 15 lks. wide, 1 ft. deep, course NE.

38.10 Head of draw, course SE.

40.05 Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground, in a mound of earth and stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S25
S36
1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.

77.60 Draw, 2 chs. wide, course NW.

80.10 The cor. of secs. 25, 26, 35 and 36.

Land, gently rolling.

Soil, gravelly; 2nd rate.

Timber, scattering cedar.

Undergrowth, sagebrush.

Subdivision of T. 26 N., R. 2 W.

3.

Chains.

N.0° 1' W., bet. secs. 25 and 26.
Over gently rolling land, through scattering timber and undergrowth.

40.00 Along bottom of draw.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S26 S25

1916

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.

Leave draw, course NE. Comes from S.

73.00 Draw, course SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground, in a mound of stone, for cor. of secs. 23, 24, 25 and 26, marked on brass cap

T26N R2W
S23 S24
S26 S25
1916

From which

A cedar, 5 ins. diam., brs. N.41 $\frac{1}{4}$ ° E., 33 lks. dist., marked T26N R2W S24 BT.

A cedar, 6 ins. diam., brs. S.63° W., 264 lks. dist., marked T26N R2W S26 BT.

A cedar, 10 ins. diam., brs. N.87° W., 222 lks. dist., marked T26N R2W S23 BT.

No other trees within limits. Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, gently rolling.

Soil, sandy loam; 1st rate.

Timber, scattering timber.

Undergrowth, algerita.

40.00 East on a random line, bet. secs. 24 and 25.

80.10 Set temp. $\frac{1}{4}$ sec. cor.

Intersect E. bdy. of Tp., 1 lk. N. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, described in Book "A".

Thence

West on a true line, bet. secs. 24 and 25.

Over gently rolling land, through scattering timber and undergrowth.

30.10 Draw, 3 chs. wide, course NW.

40.05 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S24
 $\frac{1}{4}$ S25
1916

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

65.10 Draw, 5 chs. wide, course NE.

80.10 The cor. of secs. 23, 24, 25 and 26.

Land, gently rolling.

Soil, gravelly; 2nd rate.

Timber, scattering cedar.

Undergrowth, algerita.

4. Subdivision of T. 26 N., R. 2 W.

<p>Chains.</p> <p>15.00</p> <p>40.00</p> <p>80.00</p>	<p>N.0° 1' W., bet. secs. 23 and 24. Over gently rolling land, through scattering timber and undergrowth. Draw, course SE. Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground, in a mound of earth, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$ S23 S24 1916 </p> <p>Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap</p> <p style="text-align: center;"> T26N R2W S14 S13 S23 S24 1916 </p> <p>Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and spread the dirt around the post. Land, gently rolling. Soil, gravelly; 2nd rate. Timber, scattering cedar. Undergrowth, algerita.</p>
<p>40.00</p> <p>80.00</p> <p>20.00</p> <p>37.00</p> <p>40.00</p>	<p>East on a random line, bet. secs. 13 and 24. Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp., at the cor. of secs. 13, 18, 19 and 24, which is an iron post, described in Book "A". Thence West on a true line, bet. secs. 13 and 24. Over gently rolling land, through scattering timber and undergrowth. Draw, course NE. Asc. gradually to Top of low ridge, brs. N. and S. Desc. gradually. Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$ S13 S24 1916 </p> <p>And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p>
<p>51.00</p> <p>80.00</p>	<p>Draw, course SE. The cor. of secs. 13, 14, 23 and 24. Land, gently rolling. Soil, rocky; 2nd rate. Timber, scattering cedar. Undergrowth, sagebrush. Some gramma grass.</p>
<p>29.00</p> <p>40.00</p>	<p>N.0° 1' W., bet. secs. 13 and 24. Over gently rolling land, through scattering timber and undergrowth. Asc. very gradually to Desc. slightly. Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>

Chains.

$\frac{1}{4}$
 S14 | S13
 1916

61.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
 80.00 Draw, course SE.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, marked on brass cap

T26N | R2W
 S11 | S12
 S14 | S13
 1916

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and spread the dirt around the post.
 Land, gently rolling.
 Soil, gravelly; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, algerita.
 Some gramma grass.

40.00 East on a random line, bet. secs. 12 and 13.
 80.03 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect E. bdy. of Tp., 4 lks. S. of the cor. of secs. 7, 12, 13 and 18, which is an iron post, described in Book "A".

Thence
 S. $89^{\circ} 58'$ W., on a true line, bet. secs. 12 and 13.
 Over gently rolling land, through scattering timber and undergrowth.

10.00 Desc. gradually to
 40.01 $\frac{1}{2}$ Draw, course SE. Asc. 80 ft.
 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ $\frac{S12}{S13}$
 1916

And raise a mound of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

41.00 Head of draw, course N.
 80.03 The cor. of secs. 11, 12, 13 and 14.
 Land, gently rolling.
 Soil, rocky; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, algerita.

40.00 N. $0^{\circ} 1'$ W., bet. secs. 11 and 12.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S11 | S12
 1916

80.00 And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap

6.

Subdivision of T. 26 N., R. 2 W.

Chains.

T26N	R2W
S 2	S 1
S11	S12
1916	

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.;
and spread the dirt around the post.

Land, gently rolling.

Soil, gravelly; 2nd rate.

No timber.

Undergrowth, sagebrush and algerita.

40.00 East on a random line, bet. secs. 1 and 12.
Set temp. ¼ sec. cor.
80.05 Intersect E. bdy. of Tp., at the cor. of secs. 1, 6, 7 and
12, which is an iron post, described in Book "A".
Thence
West on a true line, bet. secs. 1 and 12.
Over gently rolling land, through scattering undergrowth.
40.02½ Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the
ground, in a mound of stone, for ¼ sec. cor., marked on
brass cap

¼	S 1
¼	S12
1916	

74.20 Dig pits, 18 X 18 X 12 ins., E. end W. of post, 3 ft.
dist.; and spread the dirt around the post.
80.05 Wash, 8 lks. wide, 2 ft. deep, course NW.
The cor. of secs. 1, 2, 11 and 12.
Land, gently rolling.
Soil, gravelly and rocky; 2nd and 3rd rate.
No timber.
Undergrowth, sagebrush.

40.00 N.0° 1' W., on a random line, bet. secs. 1 and 2.
Set temp. ¼ sec. cor.
80.01 Intersect N. bdy. of Tp., 12 lks. W. of the cor. of secs.
1 and 2, T. 26 N., R. 2 W., which is an iron post,
described in Book "A".
Thence
S.0° 4' W., on a true line, bet. secs. 1 and 2.
Over gently rolling land, through scattering undergrowth.
40.01 Set an iron post, 3 ft long, 1 in. diam., 6 ins. in the
ground, in a mound of stone, for ¼ sec. cor., marked on
brass cap


¼	S 1
S 2	S 1
1916	

45.00 And raise a mound of stone, 2 ft. base, 1½ ft. high, W.
of cor.
Wash, 12 lks. wide, 1 ft. deep, in bottom of draw, course
W.
73.00 Wash, 10 lks. wide, 1½ ft. deep, in bottom of draw,
course NW.
80.01 The cor. of secs. 1, 2, 11 and 12.
Land, gently rolling.
Soil, 2nd rate.
No timber.
Undergrowth, sagebrush and algerita.


Chains.

From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 1' W., bet. secs. 34 and 35. Over rolling land, through scattering timber and undergrowth.

40.00 Desc. 105 ft. to Draw, 10 chs. wide, course NW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap




80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post. Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the ground, in a mound of stone, for cor. of secs. 26, 27, 34 and 35, marked on brass cap



And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy and gravelly; 2nd rate. Timber, scattering cedar. Undergrowth, sagebrush and algerita. Some gramma grass.

40.00 East on a random line, bet. secs. 26 and 35. Set temp. 1/2 sec. cor. 79.94 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 25, 26, 35 and 36. Thence S.89° 59' W., on a true line, bet. secs. 26 and 35. Over gently rolling land, through scattering undergrowth. Asc. gradually.

25.00 Low ridge, brs. N. and S. Desc. very gradually. 39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



79.94 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft dist.; and spread the dirt around the post. The cor. of secs. 26, 27, 34 and 35. Land, gently rolling. Soil, sandy and gravelly; 2nd rate. No timber. Undergrowth, algerita and sagebrush.

40.00 N.0° 1' W., bet. secs. 26 and 27. Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for 1/4 sec. cor., marked on brass cap

8.

Subdivision of T. 26 N., R. 2 W.

chains.	
	$\begin{array}{c} \frac{1}{4} \\ \hline S27 S26 \\ \hline 1916 \end{array}$ <p>And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p> <p>45.00 Draw, 3 chs. wide, course W.</p> <p>80.00 Draw, 3 chs. wide, course SW.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the ground, in a mound of stone, for cor. of secs. 22, 23, 26 and 27, marked on brass cap</p> $\begin{array}{c} T26N R2W \\ \hline S22 S23 \\ \hline S27 S26 \\ \hline 1916 \end{array}$ <p>And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>Land, gently rolling.</p> <p>Soil, shallow, sandy and gravelly; 2nd rate.</p> <p>No timber.</p> <p>Undergrowth, algeri and sagebrush.</p> <p>Some white gramma grass.</p>
40.00	East on a random line, bet. secs. 23 and 26.
79.92	Set temp. $\frac{1}{4}$ sec. cor.
	Intersect N. and S. line, 8 lks. S. of the cor. of secs. 23, 24, 25 and 26.
	Thence
	S. $89^{\circ} 57'$ W., on a trueline, bet. secs. 23 and 26.
	Over gently rolling land, through scattering undergrowth.
19.90	Draw, 10 chs. wide, course S.
39.96	Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground, in a mound of earth and stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} S23 \\ \hline \frac{1}{4} S26 \\ \hline 1916 \end{array}$
79.92	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
	The cor. of secs. 22, 23, 26 and 27.
	Land, gently rolling.
	Soil, shallow, sandy and gravelly; 2nd rate.
	No timber.
	Undergrowth, sagebrush and algerita.
40.00	N. $0^{\circ} 1'$ W., bet. secs. 22 and 23.
	Over gently rolling land, through scattering undergrowth.
	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} \\ \hline S22 S23 \\ \hline 1916 \end{array}$
80.00	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap

Chains.

T26N	R2W
S15	S14
S22	S23
1916	

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and spread the dirt around the post.
 Land, gently rolling.
 Soil, shallow, sandy and gravelly; 2nd rate.
 No timber.
 Undergrowth, sagebrush and algerita.
 Some white gramma grass.

40.00 East on a random line, bet. secs. 14 and 23.
 80.00 Set temp. ¼ sec. cor.
 80.00 Intersect N. and S. line, 12 lks. S. of the cor. of secs. 13, 14, 23 and 24.
 Thence
 S. 89° 55' W., on a true line, bet. secs. 14 and 23.
 40.00 Over gently rolling land, through scattering undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼	S14
¼	S23
1916	

80.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
 80.00 The cor. of secs. 14, 15, 22 and 23.
 Land, gently rolling.
 Soil, shallow, sandy and gravelly; 2nd rate.
 No timber.
 Undergrowth, sagebrush and algerita.
 White gramma grass.

40.00 N. 0° 1' W., bet. secs. 14 and 15.
 40.00 Over gently rolling land, through scattering undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼	S15	S14
1916		

45.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
 64.96 Draw, 3 chs. wide, course N. 70° W.
 80.00 Draw, 2 chs. wide, course SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap

T26N	R2W
S10	S11
S15	S14
1916	

- Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and spread the dirt around the post.
 Land, gently rolling.
 Soil, sandy 2nd rate.
 No timber.
 Undergrowth, sagebrush and algerita.
 Some white gramma grass.

10.

Subdivision of T. 26 N., R. 2 W.

Chains.	East on a random line, bet. secs. 11 and 14.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.01	Intersect N. and S. line, 6 lks. S. of the cor. of secs. 11, 12, 13 and 14.
	Thence
	S. $89^{\circ} 57'$ W., on a true line, bet. secs. 11 and 14.
	Over gently rolling land, through scattering undergrowth.
20.00	Draw, 5 chs. wide, course NW.
40.00 $\frac{1}{2}$	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of earth and stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4} \text{ S11} \\ \hline \text{S14} \\ 1916 \end{array}$
	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
80.01	The cor. of secs. 10, 11, 14 and 15.
	Land, gently rolling.
	Soil, sandy and gravelly; 2nd rate.
	No timber.
	Undergrowth, sagebrush and algerita.
	Some white gramma grass.
	N. $0^{\circ} 1'$ W., bet. secs. 10 and 11.
	Over gently rolling land, through scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4} \\ \hline \text{S10} \text{ S11} \\ 1916 \end{array}$
	And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
44.95	Draw, 3 chs. wide, course NE.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap
	$\begin{array}{r} \text{T26N} \text{ R2W} \\ \hline \text{S 3} \text{ S 2} \\ \hline \text{S10} \text{ S11} \\ 1916 \end{array}$
	And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, gently rolling.
	Soil, shallow; gravelly; 2nd rate.
	No timber.
	Undergrowth, sagebrush and algerita.
	Some white gramma grass.
	East on a random line, bet. secs. 2 and 11.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, 9 lks. S. of the cor. of secs. 1, 2, 11 and 12.
	Thence
	S. $89^{\circ} 56'$ W., on a true line, bet. secs. 2 and 11.
	Over gently rolling land, through scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4} \text{ S 2} \\ \hline \text{S11} \\ 1916 \end{array}$


Subdivision of T. 26 N., R. 2 W.

11.

Chains.


65.00 And raise a mound of stone, 3 ft. base, 2 ft. high, N.
 of cor.
 80.00 Draw, 5 chs. wide, course N.20° W.
 The cor. of secs. 2, 3, 10 and 11.
 Land, gently rolling.
 Soil, shallow, gravelly surface; 2nd rate.
 No timber.
 Undergrowth, sagebrush and algerita.
 Some white gramma grass.

40.00 N.0° 1' W., on a random line, bet. secs. 2 and 3.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.10 Intersect N. bdy. of Tp., 7 lks. W. of the cor. of secs.
 2 and 3, T. 26 N., R. 2 W., which is an iron post,
 described in Book "A".
 Thence
 S.0° 2' W., on a true line, bet. secs. 2 and 3.
 Over gently rolling land, through scattering undergrowth.
 23.75 Draw, 10 chs. wide, course NW.
 40.10 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



55.10 And raise a mound of stone, 3 ft. base, 2 ft. high, W.
 of cor.
 Desc. 45 ft. to
 80.10 Draw, 5 chs. wide, course NE. Asc. 30 ft. to
 The cor. of secs. 2, 3, 10 and 11.
 Land, gently rolling.
 Soil, shallow, sandy and gravelly surface; 2nd rate.
 No timber.
 Undergrowth, algerita and sagebrush.
 Some white gramma grass.

8.30 From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of
 the Tp., which is an iron post, described in Book "A",
 N.0° 2' W., bet. secs. 33 and 34.
 23.10 Over gently rolling land, through scattering timber and
 undergrowth.
 Desc. to
 Draw, course N.80° W.
 40.00 Draw, course N.60° W. Asc. 65 ft. to
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



42.40 And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W.
 of cor.
 Desc. to
 59.80 Draw, course W.
 Draw, course W.
 75.10 Enter draw, course E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the
 ground, in a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high,

12.

Subdivision of T. 26 N., R. 2 W.

Chains

for cor. of secs. 27, 28, 33 and 34, marked on brass cap

T26N	R2W
S28	S27
S33	S34
1916	

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, sandy clay; stony, limestone formation; 3 rd rate.
 Timber, scattering cedar.
 Undergrowth, algerita.

40.00
80.02

East on a random line, bet. secs. 27 and 34.
 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 4 lks. S. of the cor. of secs. 26, 27, 34 and 35.

Thence
 S. $89^{\circ} 58'$ W., on a true line, bet. secs. 27 and 34.
 Over rolling land, through scattering timber and undergrowth.

33.60
40.01

Desc. gradually to
 Enter draw, course N. 40° W.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S27
$\frac{1}{4}$	S34
1916	

47.50
57.40
65.50
70.50
80.02

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
 Leave draw, course N. 40° W. Asc. 75 ft.
 Low ridge, brs. N. 30° W. and S. 30° E. Desc. 75 ft. to
 Asc. 25 ft. to
 Desc. 70 ft. to
 The cor. of secs. 27, 28, 33 and 34.
 Land, rolling.
 Soil, E. 50 chs., 2nd rate; W. 30 chs., stony; 3rd rate.
 Timber, scattering cedar.
 Undergrowth, algerita and sagebrush.

6.00
12.00
20.00
24.00
40.00

N. $0^{\circ} 2'$ W., bet. secs. 27 and 28.
 Over nearly level land, through scattering undergrowth.
 Center of draw, 10 chs. wide, course N. 80° E. Asc. very gradually.
 Point of spur, slopes SE. Desc. gradually.
 Earth dam brs. E. 3 chs. dist.
 Draw, course N. 30° W.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S28	S27
1916		

52.10
74.00
80.00

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
 Draw, N. 50° W.
 Leave bottom land, asc. gradually, 45 ft. to
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on brass cap

Chains.

T26N	R2W
S21	S22
S28	S27
1916	

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, nearly level.
 Soil, sandy clay; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

40.00 East on a random line, bet. secs. 22 and 27.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line, 1 lk. N. of the cor. of secs. 22, 23, 26 and 27.
 Thence
 West on a true line, bet. secs. 22 and 27.
 Over gently rolling land, through scattering undergrowth.
 3.10 Draw, course S.40° W.
 18.20 Draw, course S.40° W. Asc. 25 ft. to
 30.00 Desc. 65 ft.
 40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S22
	S27
1916	

And raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
 50.10 Draw, course S.40° W. Thence along S. slope to
 80.08 The cor. of secs. 21, 22, 27 and 28.
 Land, gently rolling.
 Soil, sandy clay; gravelly and stony; limestone formation; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

N.0° 2' W., bet. secs. 21 and 22.
 Over gently rolling land, through scattering undergrowth.
 Asc. 60 ft. to
 15.00 Desc. 35 ft. to
 30.00 Draw, course N.80° W. Asc. gradually 95 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S21	S22
1916		

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 63.00 Top of ascent, brs. E. and W. Desc. 45 ft.
 67.10 Draw, course W. Asc. gradually.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for cor. of secs. 15, 16, 21 and 22, marked on brass cap

T26N	R2W
S16	S15
S21	S22
1916	

14. Subdivision of T. 26 N., R. 2 W.

Chains.

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, sandy clay; stony; limestone formation; 3rd rate.
 No timber.
 Undergrowth, algerita and sagebrush.

40.00 East on a random line, bet. secs. 15 and 22.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence
 N. 89° 59' W., on a true line, bet. secs. 15 and 22.
 Over gently rolling land, through scattering undergrowth.
 Desc. very gradually, 50 ft.
 40.04 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of earth and stone, 3 ft. base, 1 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S15
 $\frac{1}{4}$ S22
 1916

58.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
 60.00 Head of draw, course N. 30° W. Asc. gradually to
 Desc. 80 ft. to
 80.08 The cor. of secs. 15, 16, 21 and 22.
 Land, gently rolling.
 Soil, sandy clay; shallow, stony; limestone formation; 3rd rate.
 No timber.
 Undergrowth, sagebrush.

40.00 N. 0° 2' W., bet. secs. 15 and 16.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S16 S15
 1916

80.00 And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on brass cap

T26N R2W
 S 9 S10
 S16 S15
 1916

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and spread the dirt around the post.
 Land, gently rolling.
 Soil, sandy and gravelly; 2nd rate.
 No timber.
 Undergrowth, sagebrush and algerita.
 White gramma grass.

Subdivision of T. 26 N., R. 2 W.

Chains.
 40.00 East on a random line, bet. secs. 10 and 15.
 80.16 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 10 lks. S. of the cor. of secs.
 10, 11, 14 and 15.
 Thence
 S. $89^{\circ} 56'$ W., on a true line, bet. secs. 10 and 15.
 Over gently rolling land, through scattering undergrowth.
 35.00 Enter draw, 5 chs. wide, course W. Comes from SE.
 40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S10
 $\frac{1}{4}$ S15
 1916

75.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 80.16 dist.; and spread the dirt around the post.
 Leave draw, course NW. Comes from E.
 The cor. of secs. 9, 10, 15 and 16.
 Land, gently rolling.
 Soil, gravelly surface; 2nd rate.
 No timber.
 Undergrowth, sagebrush and algerita.
 Some gramma grass.

5.00 N. $0^{\circ} 2'$ W., bet. secs. 9 and 10.
 30.00 Over level land, through scattering undergrowth.
 40.00 Draw, course NW.
 Creek bed, 1 ch. wide, 2 ft. deep, course NE.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 9 S10
 1916

50.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 65.00 dist.; and spread the dirt around the post.
 80.00 Creek bed, 1 ch. wide, 2 ft. deep, course NW.
 Creek bed, 1 ch. wide, 2 ft. deep, course NE.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 3, 4, 9 and 10, marked on
 brass cap

T26N | R2W
 S 4 | S 3
 S 9 | S10
 1916

Dig pits, 18 X 18 X 12 ins., in each sec., 51 ft. dist.;
 and spread the dirt around the post.
 Land, level bottom.
 Soil, 2nd rate.
 No timber.
 Undergrowth, sagebrush.
 Some white gramma grass.

40.00 East on a random line, bet. secs. 3 and 10.
 80.06 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 3 lks. S. of the cor. of secs.
 2, 3, 10 and 11.
 Thence
 S. $89^{\circ} 59'$ W., on a true line, bet. secs. 3 and 10.
 Over rolling land, through scattering undergrowth.

16.

Subdivision of T. 26 N., R. 2 W.

Chains.	Desc. 35 ft. to Asc. 25 ft. to Desc. 115 ft. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
5.00	
25.05	
40.03	
	$\begin{array}{r} S\ 3 \\ \frac{1}{4} S10 \\ 1916 \end{array}$
	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
72.05	Creek bed, 1 ch. wide, 2 ft. deep, course NE.
80.06	The cor. of secs. 3, 4, 9 and 10. Land, rolling. Soil, shallow, gravelly surface; 2nd rate. No timber. Undergrowth, algerita and sagebrush. Some white gramma grass.
	N.0° 2' W., on a random line, bet. secs. 3 and 4. Set temp. $\frac{1}{4}$ sec. cor.
40.00	
80.12	Intersect N. bdy. of Tp., at the cor. of secs. 3 and 4, T. 26 N., R. 2 W., which is an iron post, described in Book "A". Thence S.0° 2' E., on a true line, bet. secs. 3 and 4. Over gently rolling land, through scattering undergrowth.
40.12	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4} \\ S\ 4 S\ 3 \\ 1916 \end{array}$
	And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
75.10	Corral brs. W. about 5 chs. dist.
80.12	The cor. of secs. 3, 4, 9 and 10. Land, gently rolling. Soil, sandy and gravelly; 2nd rate. No timber. Undergrowth, sagebrush and algerita. Some white gramma grass.
	From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 3' W., bet. secs. 32 and 33. Over gently rolling land, through scattering timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4} \\ S32 S33 \\ 1916 \end{array}$
	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 28, 29, 32 and 33, marked on brass cap

Chains.

T26N	R2W
S29	S28
S32	S33
1916	

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, gently rolling.
Soil, red; sandy and gravelly; 2nd rate.
Timber, scattering cedar.
Undergrowth, sagebrush and algerita.
Some white gramma grass.

40.00 East on a random line, bet. secs. 28 and 33.
79.98 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 9 lks. N. of the cor. of secs. 27, 28, 33 and 34.

Thence
N. 89° 56' W., on a true line, bet. secs. 28 and 33.
Over gently rolling land, through scattering timber and undergrowth.

20.00 Creek bed, 1 ch. wide, 2 ft. deep, course NE. Comes from S.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S28
	S33
1916	

79.98 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
The cor. of secs. 28, 29, 32 and 33.
Land, gently rolling.
Soil, red; sandy, 2nd rate.
Timber, scattering cedar.
Undergrowth, sagebrush and algerita.
Some white gramma grass.

15.00 N. 0° 3' W., bet. secs. 28 and 29.
20.00 Over gently rolling land, through scattering undergrowth and timber.

36.00 Head of draw, course SE. Asc. gradually, 30 ft. to

40.00 Thence over level land.

Set an iron post, 3 ft long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S29	S28
1916		

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

55.00 Asc. 60 ft. to
80.00 Desc. 125 ft.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, marked on brass cap

18.

Subdivision of T. 26 N., R. 2 W.

Chains.

T26N	R2W
S20	S21
S29	S28
1916	

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and spread the dirt around the post.
 Land, gently rolling and rolling.
 Soil, shallow, sandy; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, sagebrush and algerita.
 Some white gramma grass.

40.00
79.96

East on a random line, bet. secs. 21 and 28.
 Set temp. ¼ sec. cor.
 Intersect N. and S. line, at the cor. of secs. 21, 22, 27 and 28.

19.95
39.98

Thence
 West on a true line, bet. secs. 21 and 28.
 Over gently rolling land, through scattering undergrowth.
 Creek bed, 1 ch. wide, 2 ft. deep, course N.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼	S21
¼	S28
1916	

79.96

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
 The cor. of secs. 20, 21, 28 and 29.
 Land, gently rolling.
 Soil, shallow, red; sandy; 2nd rate.
 No timber.
 Undergrowth, sagebrush and algerita.
 Some white gramma grass.

40.00

N.0° 3' W., bet. secs. 20 and 21.
 Over gently rolling land, through scattering undergrowth.
 Asc. 50 ft. to
 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

¼	
S20	S21
1916	

80.00

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Desc. very gradually.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap

T26N	R2W
S17	S16
S20	S21
1916	

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and spread the dirt around the post.
 Land, gently rolling.
 Soil, shallow; gravelly surface; 2nd rate.
 No timber.
 Undergrowth, sagebrush.
 Some white gramma grass.

Subdivision of T. 26 N., R. 2 W.

19.

Chains.

40.00 East on a random line, bet. secs. 16 and 21.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect N. and S. line, at the cor. of secs. 15, 16, 21
 and 22.
 Thence
 West on a true line, bet. secs. 16 and 21.
 Over gently rolling land, through scattering undergrowth.
 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

	S16
$\frac{1}{4}$	S21
1916	

41.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.
 60.00 Creek bed, 1 ch. wide, 2 ft. deep, course N. Asc. 80 ft. to
 79.96 Desc. 55 ft. to
 The cor. of secs. 16, 17, 20 and 21.
 Land, gently rolling.
 Soil, red; sandy; 2nd rate.
 No timber.
 Undergrowth, sagebrush and algerita.
 Some white gramma grass.

20.00 N.0° 3' W., bet. secs. 16 and 17.
 Over gently rolling land, through scattering undergrowth.
 Draw, 10 chs. wide, course NE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

	$\frac{1}{4}$	S17	S16
1916			

80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and spread the dirt around the post.
 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the
 ground, for cor. of secs. 8, 9, 16 and 17, marked on
 brass cap

T26N	R2W
S 8	S 9
S17	S16
1916	

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W.
 of cor.
 Land, gently rolling.
 Soil, sandy; 2nd rate.
 No timber.
 Undergrowth, sagebrush and algerita.
 Some white gramma grass.

40.00 East on a random line, bet. secs. 9 and 16.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.95 Intersect N. and S. line, 2 lks. N. of the cor. of secs.
 9, 10, 15 and 16.
 Thence

N.89° 59' W., on a true line, bet. secs. 9 and 16.
 Over gently rolling land, through scattering undergrowth.
 26.30 Creek bed, 1 ch. wide, 2 ft. deep, course N.
 39.97 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

20.

Subdivision of T. 26 N., R. 2 W.

Chains.

$$\begin{array}{r} \frac{1}{4} \text{ S } 9 \\ \hline \text{S } 16 \\ 1916 \end{array}$$

79.95 And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
The cor. of secs. 8, 9, 16 and 17.
Land, gently rolling.
Soil, sandy; 2nd rate.
No timber.
Undergrowth, sagebrush and algerita

35.00 N.0° 3' W., bet. secs. 8 and 9.
Over gently rolling land, through scattering undergrowth.
Asc. gradually.
40.00 Top of ascent, brs. N.20° E. and S.30° W. Desc. gradually.
Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of earth, 3 ft. base, 1 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 8 \text{ S } 9 \\ 1916 \end{array}$$

80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of earth, 3 ft. base, 1 ft. high, for cor. of secs 4, 5, 8 and 9, marked on brass cap

$$\begin{array}{c} \text{T26N} \mid \text{R2W} \\ \text{S } 5 \mid \text{S } 4 \\ \text{S } 8 \mid \text{S } 9 \\ 1916 \end{array}$$

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and spread the dirt around the post.
Land, gently rolling,
Soil, sandy clay; stony; limestone formation; 3rd rate.
No timber.
Undergrowth, sagebrush.

40.00 East on a random line, bet. secs. 4 and 9.
79.76 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 15 lks. N. of the cor. of secs. 3, 4, 9 and 10.
Thence
39.88 N.89° 54' W., on a true line, bet. secs. 4 and 9.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap


$$\begin{array}{r} \frac{1}{4} \text{ S } 4 \\ \hline \text{S } 9 \\ 1916 \end{array}$$

65.00 And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
79.76 Desc. very gradually to
The cor. of secs. 4, 5, 8 and 9.
Land, gently rolling.
Soil, sandy clay; stony; 3rd rate.
No timber.
Undergrowth, sagebrush.

Subdivision of T. 26 N., R. 2 W.


Chains.

N.0° 3' W., on a random line, bet. secs. 4 and 5.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. bdy. of Tp., 23 lks. W. of the cor. of secs. 4 and 5, T. 26 N., R. 2 W., which is an iron post, described in Book "A".
 Thence
 S.0° 7' W., on a true line, bet. secs. 4 and 5.
 Over gently rolling land, through scattering undergrowth.
 Asc. 45 ft. to
 20.10 Top of ascent, brs. NW. and SE. Desc. gradually.
 35.30 Draw, course S.40° E.
 40.08 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 3 ft. base, 1 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap




And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 64.70 Draw, course N.40° E. Asc. gradually.
 80.08 The cor. of secs. 4, 5, 8 and 9.
 Land, gently rolling.
 Soil, sandy clay; stony; limestone formation; 3rd rate.
 No timber.
 Undergrowth, sagebrush.

From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 3' W., bet. secs. 31 and 32.
 Over gently rolling land, through scattering timber and undergrowth.
 Along gentle W. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
 55.00 Draw, course N.70° W.
 72.10 Draw, course N.70° W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap



From which
 A cedar, 8 ins. diam., brs. N.0° 40' E., 288 lks. dist., marked T26N R2W S29 BT.
 A cedar, 6 ins. diam., brs. N.22 $\frac{3}{4}$ ° W., 367 lks. dist., marked T26N R2W S30 BT.
 No other trees within limits. Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.; and spread the dirt around the post.
 Land, gently rolling.
 Soil, sandy clay; gravelly; 2nd rate.
 Timber, very scattering cedar.
 Undergrowth, sagebrush.

22.

Subdivision of T. 26 N., R. 2 W.

Chains.

East on a random line, bet. secs. 29 and 32.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.05 Intersect N. and S. line, at the cor. of secs. 28, 29, 32
 and 33.
 Thence
 West on a true line, bet. secs. 29 and 32.
 Over gently rolling land, through scattering timber and
 undergrowth.
 Desc. to
 1.65 Draw, course S.30° E. Asc. 75 ft. to
 22.05 Top of ascent, brs. NW. and SE. Desc. 160 ft.
 40.02 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
 ground, in a mound of stone, 3 ft. base, 1 ft. high,
 for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S29
 $\frac{1}{4}$ S32
 1916

From which
 A cedar, 6 ins. diam., brs. N.29 $\frac{1}{2}$ ° E., 82 lks. dist.,
 marked $\frac{1}{4}$ S29 BT.
 A cedar, 6 ins. diam., brs. S.47 $\frac{1}{2}$ ° W., 35 lks. dist.,
 marked $\frac{1}{4}$ S32 BT.
 80.05 Continue descent to
 The cor. of secs. 29, 30, 31 and 32.
 Land, gently rolling.
 Soil, sandy clay; limestone formation; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, algerita and sagebrush.

West on a random line, bet. secs. 30 and 31.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 56.96 Intersect W. bdy. of Tp., 2 lks. S. of the cor. of secs.
 30 and 31, T. 26 N., R. 2 W., which is an iron post,
 described in Book "A".
 Thence
 S.89° 59' E., on a true line, bet. secs. 30 and 31.
 Over gently rolling land, through scattering undergrowth.
 Asc. very gradually to
 9.95 Low spur, slopes S.15° E. Desc. slightly.
 16.96 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S30
 $\frac{1}{4}$ S31
 1916

20.75 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.
 25.15 Road, brs. N.20° E. and S.20° W.
 47.95 Draw, course N.40° E.
 56.96 Draw, course NW.
 The cor. of secs. 29, 30, 31 and 32.
 Land, gently rolling.
 Soil, sandy clay; 2nd rate.
 No timber.
 Undergrowth, sagebrush.


Sept. 5, 1916.

At the cor. of secs. 29, 30, 31 and 32, at 8 hrs. 48 m.,
 a.m., l.m.t., by my watch, which is set to correct
 local mean time, I observe Polaris at western elonga-
 tion, in accordance with the manual of instructions,
 lay off the azimuth of Polaris, 1° 24' to the east,


Subdivision of T. 26 N., R. 2 W.

Chains

and mark the line thus determined by a flag set 15 chs. N. of my station.
 At 8 hrs. 45 m., a.m., l.m.t., I set off 35° 36 $\frac{1}{2}$ ' N. on the lat. arc; 6° 46' N. on the decl. arc; and determine a meridian with the solar. The meridian thus determined coincides with the meridian determined by observations on Polaris at elongation.
 From the cor. of secs. 29, 30, 31 and 32, N.0° 3' W., bet. secs. 29 and 30.
 Over gently rolling land, through very scattering timber and scattering undergrowth.
 Along gentle W. slope.
 25.00 Earth dam brs. W., 15 chs. dist.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




And raise a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 65.00 Draw, course N.30° E.
 69.80 Dim road, brs. N.20° E. and S. 40° W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap



From which
 A cedar, 12 ins. diam., brs. N.42 $\frac{1}{2}$ ° W., 140 lks. dist. marked T26N R2W S19 BT.
 No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, sandy clay; shallow; stony; limestone formation; 3rd rate.
 Timber, very scattering cedar.
 Undergrowth, sagebrush.

40.00 East on a random line, bet. secs. 20 and 29.
 80.10 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 20, 21, 29 and 29.
 Thence
 S.89° 59' W., on a true line, bet. secs. 20 and 29.
 Over gently rolling land, through scattering timber and undergrowth.
 14.70 Draw, course N.40° E. Asc. gradually to
 35.10 Top of ascent, brs. S. and N.30° E. Desc. gradually.
 40.05 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of earth, 3 ft. base, 1 $\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
 46.60 Draw, course N.40° W. Asc. to
 66.10 Desc. to
 75.80 Draw, course N.10° W.
 77.00 Dim road, brs. N. and S.
 80.10 The cor. of secs. 19, 20, 29 and 30.

24.

Subdivision of T. 26 N., R. 2 W.

Chains.

Land, gently rolling.
Soil, sandy clay; shallow; stony; limestone formation;
3rd rate.
Timber, very scattering cedar.
Undergrowth, sagebrush.

40.00
56.83

West on a random line, bet. secs. 19 and 30
Set temp. $\frac{1}{4}$ sec. cor.
Intersect W. bdy. of Tp., 2 lks. S. of the cor. of secs.
19 and 30, T. 26 N., R. 2 W., which is an iron post,
described in Book "A".

Thence
S. 89° 59' E., on a true line, bet. secs. 19 and 30.
Over gently rolling land, through scattering timber and
undergrowth.

16.83

Desc. 185 ft.
Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
ground, in a mound of stone, 2 ft. base, 1 ft. high,
for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S19
S30
1916

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
of cor.

56.83

Continue descent to
The cor. of secs. 19, 20, 29 and 30.
Land, gently rolling.
Soil, sandy clay; gravelly and stony; 3rd rate.
Timber, scattering cedar.
Undergrowth, algerita and sagebrush.

8.00
27.00
40.00

N. 0° 3' W., bet. secs. 19 and 20.
Over gently rolling land, through scattering undergrowth.
Enter bottom land, brs. N10° W. and S. 10° E.
Leave bottom land, brs. N. 30° E. and S. 30° W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S19 S20
1916

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

70.00
80.00

Draw, 4 chs. wide, course E.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 17, 18, 19 and 20, marked on
brass cap

T26NR2W
S18 S17
S19 S20
1916

And raise a mound of stone, 3 ft. base, 2 ft. high, W.
of cor.

Land, gently rolling.
Soil, sandy clay; stony; 2nd rate; limestone formation.
No timber.
Undergrowth, sagebrush.

Subdivision of T. 26 N., R. 2 W.

25.

Chains

40.00 East on a random line, bet. secs. 17 and 20.
Set temp. $\frac{1}{4}$ sec. cor.

80.07 Intersect N. and S. line, at the cor. of secs. 16, 17, 20
and 21.
Thence

- West on a true line, bet. secs. 17 and 20.
Over level land, through scattering undergrowth.

34.05 Draw, course N.50° W.

40.03 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{\frac{1}{4} \text{ S17}}{\frac{1}{4} \text{ S20}} \\ 1916$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.; and spread the dirt around the post.

44.55 Road, brs. N.50° E. and S.50° W.

56.05 Leave bottom land, brs. N.60° E. and SW. Thence over
gently rolling land.

80.07 The cor. of secs. 17, 18, 19 and 20.
Land, gently rolling and level.
Soil, sandy clay; stony; 3rd rate; and 2nd rate.
No timber.
Undergrowth, sagebrush.
Some grass.

40.00 West on a random line, bet. secs. 18 and 19.
Set temp. $\frac{1}{4}$ sec. cor.

56.80 Intersect W. bdy. of Tp., 2 lks. N. of the cor. of secs.
18 and 19, T. 26 N., R. 2 W., which is an iron post,
described in Book "A".
Thence

N.89° 59' E., on a true line, bet. secs. 18 and 19.
Over gently rolling land, through scattering timber and
undergrowth.

16.80 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{\frac{1}{4} \text{ S18}}{\frac{1}{4} \text{ S19}} \\ 1916$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.; and spread the dirt around the post.

27.60 Draw, course S.70° E. Asc. gradually.

56.80 The cor. of secs. 17, 18, 19 and 20.
Land, gently rolling.
Soil, sandy clay; gravelly and stony; 3rd rate.
Timber, very scattering cedar.
Undergrowth, sagebrush.

N.0° 3' W., bet. secs. 17 and 18.
Over gently rolling land, through scattering undergrowth.
Asc. 25 ft. to

6.00 Thence along E. slope.

38.20 Draw, course S.50° E. Asc. 70 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
ground, in a mound of earth, 3 ft. base, 1 ft. high,
for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{\frac{1}{4} \text{ S18}}{\frac{1}{4} \text{ S17}} \\ 1916$$

Chains.

80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, marked on brass cap

T26N R2W
S 7 | S 8
S18 | S17
1916

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and spread the dirt around the post.
Land, gently rolling.
Soil, gravelly; 2nd rate.
No timber.
Undergrowth, sagebrush.

40.00 East on a random line, bet. secs. 8 and 17.
Set temp. ¼ sec. cor.
80.16 Intersect N. and S.-line, at the cor. of secs. 8, 9, 16 and 17.
Thence
West on a true line, bet. secs. 8 and 17.
Over gently rolling land, through scattering undergrowth.
10.55 Draw, course S.30° E.
35.15 Draw, course S.50° E.
40.08 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, 4 ft. base, 2½ ft. high, for ¼ sec. cor., marked on brass cap

¼ S 8
¼ S17
1916

80.16 And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
The cor. of secs. 7, 8, 17 and 18.
Land, gently rolling.
Soil, sandy clay; shallow; stony; limestone formation; 3rd rate.
No timber.
Undergrowth, sagebrush.

40.00 West on a random line, bet. secs. 7 and 18.
Set temp. ¼ sec. cor.
56.66 Intersect W. bdy. of Tp., at the cor. of secs. 7, and 18, T. 26 N., R. 2 W., which is an iron post, described in Book "A".
Thence
East on a true line, bet. secs. 7 and 18.
Over gently rolling land, through scattering timber and undergrowth.
Asc. gradually.
11.65 Thence along S. slope.
16.66 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, 4 ft. base, 2½ ft. high, for ¼ sec. cor., marked on brass cap

¼ S 7
¼ S18
1916

From which
A cedar, 3 ins. diam., brs. N.52½° E., 37 lks. dist., marked ¼S7 BT.
No other trees within limits. Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.


Subdivision of T. 26 N., R. 2 W.

Chains


56.66 The cor. of secs. 7, 8, 17 and 18.
 Land, gently rolling.
 Soil, sandy clay; stony; limestone formation; 3rd rate,
 Timber, very scattering cedar.
 Undergrowth, algerita and sagebrush.

20.00 N.0° 3' W., bet. secs. 7 and 8.
 Over gently rolling land, through scattering undergrowth.
 Asc. gradually to
 Top of ascent, brs. N.20° W. and S.10° E. Thence along E.
 slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and spread the dirt around the post.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 5, 6, 7 and 8, marked on
 brass cap




Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.;
 and spread the dirt around the post.
 Land, gently rolling.
 Soil, sandy clay; limestone formation; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

40.00 East on a random line, bet. secs. 5 and 8.
 Set temp. $\frac{1}{4}$ sec. cor.

80.24 Intersect N. and S. line, at the cor. of secs. 4, 5, 8 and
 9.

9.65 Thence
 West on a true line, bet. secs. 5 and 8.
 Over gently rolling land, through scattering undergrowth.
 Draw, course N.50° E.

40.12 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.24 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.
 The cor. of secs. 5, 6, 7 and 8.
 Land, gently rolling.
 Soil, sandy clay; gravelly and stony; limestone formation;
 3rd rate.
 No timber.
 Undergrowth, sagebrush.

40.00 West on a random line, bet. secs. 6 and 7.
 Set temp. $\frac{1}{4}$ sec. cor.

28.

Subdivision of T. 26 N., R. 2 W.

Chains.

56.64


Intersect W. bdy. of Tp., at the cor. of secs. 6 and 7, T. 26 N., R. 2 W., which is an iron post, described in Book "A".

Thence

East on a true line, bet. secs. 6 and 7. Over gently rolling land, through scattering undergrowth. Asc. gradually.

16.64

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.

44.65

Top of ascent, brs. N.40° E. and S.40° W. Desc. gradually.

56.64

The cor. of secs. 5, 6, 7 and 8.

Land, gently rolling. Soil, gravelly; 3rd rate. No timber. Undergrowth, sagebrush.

40.00

N.0° 3' W., on a random line, bet. secs. 5 and 6.

80.06

Set temp. 1/4 sec. cor. Intersect N. bdy. of Tp., 40 lks. W. of the cor. of secs. 5 and 6, T. 26 N., R. 2 W., which is an iron post, described in Book "A".

Thence


S.0° 14' W., on a true line, bet. secs. 5 and 6. Over gently rolling land, through scattering undergrowth. Desc. gradually to

25.75

Draw, course N.10° W. Asc. gradually.

40.06

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

69.05

Top of ascent, brs. N.30° E. and S.40° W. Desc. gradually, 35 ft. to

80.06

The cor. of secs. 5, 6, 7 and 8.

Land, gently rolling. Soil, sandy clay; shallow; stony; limestone formation; 3rd rate. No timber. Undergrowth, sagebrush.

GENERAL DESCRIPTION.

The surface of this township varies from level to rolling land. The soil is sandy clay, from 6 to 18 ins. deep, except in the draws, where it is of good depth. The ridges are gravelly and stony, mostly of limestone formation. The southern part and along the west boundary is covered with a growth of cedar and pinion timber. Sage brush and algerita, and a good growth of native grasses, comprise the vegetation.

There are no settlers. The only water in the township is found in earth dams built across the draws.

364
30

29

FOR CERTIFICATES OF UNITED STATES SURVEYOR.
AND UNITED STATES TRANSITMAN.

See Book "B" of Group, 54.

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191____



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, *August 3*, 1918.

The foregoing field notes of the survey of the _____
Subdivision Lines of _____

TOWNSHIP 26 NORTH, RANGE 2 WEST,

of the Gila and Salt River Base & Meridian, in the State of Arizona,

executed by W. H. Thorn, U. S. Surveyor, & Heber P. Purington, U. S. Transitman, under his special instructions dated March 6, 1915, for Group 54, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank P. Frost
U. S. Surveyor General.
of Arizona.

~~I certify that the foregoing transcript of the field notes of the above-described surveys in Book "I," for Group 54, has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General.
of Arizona.~~