

3003

Book "J"

4-679

BOOK 3003

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 25 NORTH, RANGE 2 WEST.

3003

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

W. H. Thorn, U. S. Surveyor,

and

Heber P. Purington, U.S. Transitman,

3003

~~In the capacity of U. S. Surveyor~~, under instructions dated March 6, 1915,
issued by the United States Surveyor General to govern surveys included in
Group No. 54, which were approved by the Commissioner of the General Land
Office, December 14, 1915

Survey commenced September 9, 1916.

Survey completed September 18, 1916.


Executed under Assignment
Instructions dated May 6 - Aug 14, 1916.

✓

1A

BOOK 3003

INDEX DIAGRAM.



- Lines surveyed under this group--notes in this book.
- Surveyed under this group--notes in book "A".
- Lines of accepted surveys or current groups.

DATE DIAGRAM

of

T. 25 N., R. 2 W.

BOOK 3008

				9/1-16		
	6 9/18-16	5 9/18-16	4 9/18-16	3 9/16-16	2 9/15-16	1 9/14-16
	7 9/16-16	8 9/17-16	9 9/18-16	10 9/16-16	11 9/15-16	12 9/15-16
9/7-16	18 9/16-16	17 9/16-16	16 9/16-16	15 9/13-16	14 9/13-16	13 9/15-16
	19 9/15-16	20 9/15-16	21 9/12-16	22 9/12-16	23 9/12-16	24 9/12-16
	30 9/14-16	29 9/15-16	28 9/12-16	27 9/11-16	26 9/11-16	25 9/11-16
	31 9/14-16	32 9/12-16	33 9/9-16	34 9/11-16	35 9/11-16	36 9/11-16
						9/20-16
						9/19-16

Red lines dated in red were executed by W. H. Thorn, U. S. Surveyor, on the dates shown on the above diagram. Green lines dated in green were executed by Heber P. Purington, U. S. Transitman, on the dates shown on the above diagram.

2.

Subdivision of T. 25 N., R. 2 W.

Chains.

Survey commenced Sept. 9, 1916, and executed with Young and Sons' light mountain transit No. 8533, and Buff and Buff solar transit No. 10125, with Smith solar attachments. For description of instruments, certificate of approval and tests of adjustments, see Books "A" and "B".
 I commence at the standard cor. of secs. 1, 2, 35 and 36, which is an iron post, re-established as described in the field notes of current Group No. 52,
 Thence
 N.0° 1' W., bet. secs. 35 and 36.
 Over level land, through scattering timber and undergrowth.
 Road, brs. E. and W.
 18.50
 30.00 Leave level, thence over rolling land. Asc.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S35 S36
 1916

from which
 A cedar, 18 ins. diam., brs. S.13° E., 202 lks. dist., marked $\frac{1}{4}$ S36 BT.
 A cedar, 20 ins. diam., brs. S.11° 41' W., 132 lks. dist., marked $\frac{1}{4}$ S35 BT.
 43.70 Road, brs. E. and W.
 58.00 Enter dense timber, brs. E. and W.
 60.00 Dam brs. W.
 67.00 Top of ascent; Thence over gently rolling land.
 75.30 Desc. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap

T25N R2W
 S26 S25
 S35 S36
 1916

From which
 A cedar, 30 ins. diam., brs. N.18° 35' E., 54 lks. dist., marked T25N R2W S25 BT.
 A cedar, 18 ins. diam., brs. S.66° 55' E., 80 lks. dist., marked T25N R2W S36 BT.
 A cedar, 20 ins. diam., brs. S.23° 35' W., 152 lks. dist., marked T25N R2W S35 BT.
 A cedar, 18 ins. diam., brs. N.48° 5' W., 132 lks. dist., marked T25N R2W S26 BT.
 Land, rolling, gently rolling and level.
 Soil, sandy loam; gravelly surface; 2nd rate.
 Timber, cedar.
 Undergrowth, algerita.
 Some grass.

East on a random line, bet. secs. 25 and 36.
 48.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect E. bdy. of Tp., 2 lks. S. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in Book "A".
 Thence
 S.29° 59' W., on a true line, bet. secs. 25 and 36.
 Over gently rolling land, through dense timber.
 30.00 Draw, course SW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S25
 S36
 1916

Subdivision of T. 25 N., R. 2 W.

3.

<p>Chains.</p> <p>80.00</p>	<p>From which A cedar, 30 ins. diam., brs. North 24 lks. dist., marked $\frac{1}{4}$S25 BT. A cedar, 15 ins. diam., brs. S.86° 35' W., 133 lks. dist., marked $\frac{1}{4}$S36 BT. The cor. of secs. 25, 26, 35 and 36. Land, gently rolling. Soil, sandy loam; gravelly surface; 2nd rate. Timber, dense cedar and pinion. Some grass.</p>
<p>30.00</p> <p>40.00</p>	<p>N.0° 1' W., bet. secs. 25 and 26. Over gently rolling land, through dense timber. Head of draw, course S.30° W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$ S26 S25 1916</p>
<p>80.00</p>	<p>From which A pinion, 15 ins. diam., brs. S.71° E., 26 lks. dist., marked $\frac{1}{4}$S25 BT. A cedar, 12 ins. diam., brs. S.78° 35' W., 66 lks. dist., marked $\frac{1}{4}$S26 BT. Thence over level land. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap</p> <p style="text-align: center;"> T25N R2W S23 S24 S26 S25 1916</p>
	<p>From which A cedar, 12 ins. diam., brs. N.43° 40' E., 72 lks. dist., marked T25N R2W S24 BT. A cedar, 15 ins. diam., brs. S.35$\frac{1}{4}$° E., 76 lks. dist., marked T25N R2W S25 BT. A cedar, 20 ins. diam., brs. S.17° 55' W., 13 lks. dist., marked T25N R2W S26 BT. A cedar, 15 ins. diam., brs. N.35° W., 53 lks. dist., marked T25N R2W S23 BT. Land, level and gently rolling. Soil, sandy loam; clay subsoil; 2nd rate. Timber, dense cedar and pinion. Some grass.</p>
<p>40.00</p> <p>80.04</p> <p>40.02</p>	<p>East on a random line, bet. secs. 24 and 25. Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp., 3 lks. N. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, described in Book "A". Thence N.89° 59' W., on a true line, bet. secs. 24 and 25. Over gently rolling land, through scattering timber. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$ S24 S25 1916</p> <p>From which</p>

4.

Subdivision of T. 25 N., R. 2 W.

Chains.

- A pinion, 18 ins. diam., brs. N.4° E., 332 lks. dist., marked $\frac{1}{4}$ S24 BT.
A cedar, 20 ins. diam., brs. S.21° 40' W., 43 lks. dist., marked $\frac{1}{4}$ S25 BT.
Thence through dense cedar.
- 80.04 The cor. of secs. 23, 24, 25 and 26.
Land, gently rolling.
Soil, sandy loam; clay subsoil; 2nd rate.
Timber, cedar and pinion.
Some grass.
-
- N.0° 1' W., bet. secs. 23 and 24.
Over gently rolling land, through dense timber.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 2 ft. base, 1 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap
- $\frac{1}{4}$ |
S23 | S24
1916.
- From which
A pinion, 15 ins. diam., brs. N.58 $\frac{1}{4}$ ° E., 57 lks. dist., marked $\frac{1}{4}$ S24 BT.
A cedar, 12 ins. diam., brs. S.68° W., 15 lks. dist., marked $\frac{1}{4}$ S23 BT.
- 51.00 Leave timber, brs. E. and W.
77.50 Enter dense timber, brs. NE. and SW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap
- T25N | R2W
S14 | S13
~~S23 | S24~~
1916
- From which
A cedar, 15 ins. diam., brs. N.16° 20' E., 34 lks. dist.; marked T25N R2W S13 BT.
A cedar, 12 ins. diam., brs. S.40° 5' E., 62 lks. dist., marked T25N R2W S24 BT.
A pinion, 12 ins. diam., brs. S.77° 5' W., 58 lks. dist., marked T25N R2W S23 BT.
A pinion, 10 ins. diam., brs. N.79 $\frac{1}{2}$ ° W., 100 lks. dist., marked T25N R2W S14 BT.
Land, gently rolling.
Soil, sandy loam; clay subsoil; 2nd rate.
Timber, cedar and pinion.
Some grass.
-
- 40.00 East on a random line, bet. secs. 13 and 24.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.31 Intersect E. bdy. of Tp., 2 lks. N. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, described in Book "A".
Thence
N.89° 59' W., on a true line, bet. secs. 13 and 24.
Over gently rolling land, through dense timber.
- 39.00 Leave dense timber, enter scattering timber, brs. NE. and SW.
- 40.15 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ | S13
~~1916~~

Subdivision of T. 25 N., R. 2 W.

Chains.

80.31 From which
 A cedar, 12 ins. diam., brs. N.67° 35' E., 85 lks. dist.,
 marked $\frac{1}{4}$ S13 BT.
 A cedar, 8 ins. diam., brs. S.51° 55' E., 32 lks. dist.,
 marked $\frac{1}{4}$ S24 BT.
 The cor. of secs. 13, 14, 23 and 24.
 Land, gently rolling.
 Soil, sandy loam; clay subsoil 2nd rate.
 Timber, cedar and pinion.
 Some grass.

12.00 N.0° 1' W., bet. secs. 13 and 14.
 Over gently rolling land, through dense timber.
 Enter scattering timber.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S14 | S13
 1916

48.90 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and spread the dirt around the post.
 Road, brs. E. and W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the
 ground, in a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high,
 for cor. of secs. 11, 12, 13 and 14, marked on brass cap

T25N | R2W
 S11 | S12
 S14 | S13
 1916

From which
 A cedar, 12 ins. diam., brs. N.52° 5' E., 128 lks.
 dist., marked T25N R2W S12 BT.
 A cedar, 18 ins. diam., brs. S.21° 20' W., 153 lks.
 dist., marked T25N R2W S14 BT.
 No other trees within limits. Raise a mound of stone,
 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Land, gently rolling.
 Soil, sandy loam; limestone formation; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, algerita.
 Some grass.

40.00 East on a random line, bet. secs. 12 and 13.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.14 Intersect E. bdy. of Tp., 11 lks. S. of the cor. of secs.
 7, 12, 13 and 18, which is an iron post, described in
 Book "A".

Thence
 S.89° 55' W., on a true line, bet. secs. 12 and 13.
 Over gently rolling land, through scattering undergrowth.
 10.15 Enter timber, brs. NW. and SE.
 29.15 Draw, course NE. Asc. 50 ft. to
 35.65 Thence over gently rolling land.
 40.07 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, 3 ft. base, 2 ft. high,
 for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S12
 S13
 1916

6. Subdivision of T. 25 N., R. 2 W.

Chains.

From which
 A cedar, 20 ins. diam., brs. N.33° 40' E., 81 lks. dist.,
 marked $\frac{1}{4}$ S12 BT.
 A cedar, 15 ins. diam., brs. S.22° 40' W., 33 lks. dist.,
 marked $\frac{1}{4}$ S13 BT.
 41.65 Desc. 55 ft. to
 50.15 Draw, course N.10° W. Asc. 30 ft. to
 60.15 Top of ascent; desc. 25 ft. to
 63.00 Foot of desc. Draw, course N. Asc. 60 ft. to
 69.15 Top of asc.; desc. 25 ft. to
 75.15 Draw, course NE.
 80.14 The cor. of secs. 11, 12, 13 and 14.
 Land, rolling and gently rolling.
 Soil, sandy and rocky; 3rd rate
 Timber, cedar.
 Undergrowth, algerita.
 Grass.

N.0° 1' W., bet. secs. 11 and 12.
 Over gently rolling land, through scattering timber and
 undergrowth.
 35.00 Draw, course E. Asc. gradually.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S11 S12

1916

From which
 A cedar, 30 ins. diam., brs. S.43° 20' E., 209 lks.
 dist., marked $\frac{1}{4}$ S12 BT.
 A cedar, 24 ins. diam., brs. N.48° 10' W., 109 lks. dist.,
 marked $\frac{1}{4}$ S11 BT.
 41.00 Draw, course E. Asc. gradually to
 49.00 Top of ascent; thence along E. slope.
 67.20 Right bank of ravine, 25 ft. deep, course E.
 69.70 Left bank of ravine, course E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 1, 2, 11 and 12, marked on
 brass cap

T25N R2W

S 2 S

S11 S12

1916

From which
 A pinion, 8 ins. diam., brs. N.69° 10' E., 26 lks. dist.,
 marked T25N R2W S1 BT.
 A cedar, 15 ins. diam., brs. S.62° 50' E., 25 lks. dist.,
 marked T25N R2W S12 BT.
 A cedar, 15 ins. diam., brs. S.33° 35' W., 75 lks. dist.,
 marked T25N R2W S11 BT.
 A cedar, 12 ins. diam., brs. N.59° 20' W., 93 lks. dist.,
 marked T25N R2W S2 BT.
 Land, gently rolling.
 Soil, sandy and rocky; 3rd rate.
 Timber, cedar and pinion.
 Undergrowth, algerita.
 Some grass.

Subdivision of T. 25 N., R. 2 W.

7.

Chains.

40.00 East on a random line, bet. secs. 1 and 12.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect E. bdy. of Tp., at the cor. of secs. 1, 6, 7 and
 12, which is an iron post, described in Book "A".
 Thence
 West on a true line, bet. secs. 1 and 12.
 Over gently rolling land, through scattering undergrowth.
 40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 1
 S 12
 1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.
 55.00 Enter timber.
 80.02 The cor. of secs. 1, 2, 11 and 12.
 Land, gently rolling.
 Soil, sandy; clay subsoil; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, algeritana.
 Some grass.

40.00 N.0° 1' W., on a random line, bet. secs. 1 and 2.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. bdy. of Tp., at the cor. of secs. 1, 2, 35
 and 36, which is an iron post, described in Book "A".
 Thence
 S.0° 1' E., on a true line, bet. secs. 1 and 2.
 Over gently rolling land, through scattering timber and
 undergrowth.
 40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 2 S 1
 1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and spread the dirt around the post.
 49.10 Draw, course NW. Asc. gradually.
 80.08 The cor. of secs. 1, 2, 11 and 12.
 Land, gently rolling.
 Soil, sandy loam; clay subsoil; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, algeritana.
 Some grass.

From the standard cor. of secs. 2, 3, 34 and 35, on the
 S. bdy. of the Tp., which is an iron post, re-establish-
 ed as described in the field notes of current Group No.
 52.
 N.0° 1' W., bet. secs. 34 and 35.
 Over gently rolling land, through scattering timber.
 Desc. gradually.
 17.90 Draw, course N.50° W. Asc. to
 25.00 Desc.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 34 S 35
 1916

8. Subdivision of T. 25 N., R. 2 W.

Chains.

From which
 A cedar, 8 ins. diam., brs. S.34° E., 291 lks. dist.,
 marked $\frac{1}{4}$ S35 BT.
 A cedar, 18 ins. diam., brs. S.13° W., 303 lks. dist.,
 marked $\frac{1}{4}$ S34 BT.
 42.90 Road, brs. N.70° E. and S.80° W.
 47.10 Draw, course S.60° W.
 60.00 Earth dam brs. E. 30 chs. dist.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 26, 27, 34 and 35, marked on
 brass cap

T25N	R2W
S27	S26
S34	S35
1916	

From which
 A cedar, 20 ins. diam., brs. N.31 $\frac{1}{2}$ ° E., 32 lks. dist.,
 marked T25N R2W S26 BT.
 A cedar, 4 ins diam., brs. S.59 $\frac{1}{4}$ ° E., 15 lks. dist.,
 marked T25N R2W S35 BT.
 A cedar, 8 ins. diam., brs. S.37° W., 73 lks. dist.,
 marked T25N R2W S34 BT.
 A cedar, 12ins. diam., brs. N.46 $\frac{1}{2}$ ° W., 42 lks. dist.,
 marked T25N R2W S27 BT.
 Land, gently rolling.
 Soil, sandy clay, gravelly surface; 2nd rate.
 Timber, cedar.

40.00 East on a random line, bet secs. 26 and 35.
 80.00 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 10 lks. N. of the cor. of secs.
 25, 26, 35 and 36.
 Thence
 N.89° 56' W., on a true line, bet. secs. 26 and 35.
 Over gently rolling land, through scattering timber.
 4.60 Draw, course S.60° W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S26
S35
1916

From which
 A cedar, 18 ins. diam., brs. N.59 $\frac{1}{2}$ ° E., 302 lks. dist.,
 marked $\frac{1}{4}$ S26 BT.
 A cedar, 10 ins. diam., brs. S.73° E., 324 lks. dist.,
 marked $\frac{1}{4}$ S35 BT.
 Desc. gradually to
 45.20 Draw, course S.10° E. Asc. to
 50.00 Desc. to
 61.90 Draw, course S.10° E. Asc. gradually to
 80.00 The cor. of secs. 26, 27, 34 and 35.
 Land, gently rolling.
 Soil, sandy clay; gravelly; 2nd rate.
 Timber, cedar.
 Some grass.

40.00 N.0° 1' W., bet. secs. 26 and 27.
 Over nearly level land, through dense timber.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

Subdivision of T. 25 N., R. 2 W.

Chains.

$\frac{1}{4}$ S27 S26
1916

80.00 From which
A cedar, 18 ins. diam., brs. N.75° 45' W., 17 lks. dist., marked $\frac{1}{4}$ S27 BT.
A cedar, 5 ins. diam., brs. S.89° E., 11 lks. dist., marked $\frac{1}{4}$ S26 BT.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on brass cap

T25N R2W
S22 S23
S27 S26
1916

From which
A cedar, 30 ins. diam., brs. N.59° E., 16 lks. dist., marked T25N R2W S23 BT.
A cedar, 18 ins. diam., brs. S.38½° E., 30 lks. dist., marked T25N R2W S26 BT.
A cedar, 24 ins. diam., brs. S.39½° W., 12 lks. dist., marked T25N R2W S27 BT.
A cedar, 24 ins diam., brs. N.30½° W., 22 lks. dist., marked T25N R2W S22 BT.
Land, nearly level.
Soil, sandy and gravelly; 2nd rate.
Timber, dense cedar.

40.00 East on a random line, bet. secs. 23 and 26.
80.12 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 5 lks. N. of the cor. of secs. 23, 24, 25 and 26.
Thence
N.89° 58' W., on a true line, bet. secs. 23 and 26.
Over gently rolling land, through dense timber.
40.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S23
 $\frac{1}{4}$ S26
1916

61.10 From which
A cedar, 8 ins. diam., brs. N.9° E., 69 lks. dist., marked $\frac{1}{4}$ S23 BT.
A cedar, 14 ins. diam., brs. S.67° E., 29 lks. dist., marked $\frac{1}{4}$ S26 BT.
80.12 Draw, course N. Asc. gradually to
The cor. of secs. 22, 23, 26 and 27.
Land, gently rolling.
Soil, sandy, gravelly and stony; limestone formation; 3rd
Timber, dense cedar.

10.00 N.0° 1' W., bet. secs. 22 and 23.
Over gently rolling land, through dense timber.
Asc. gradually to.
40.00 Top of ascent, brs. N.50° W. and S.80° E. Leave dense timber, brs. N.40° E. and S.40° W. Thence through scattering timber. Desc.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

10. Subdivision of T: 25 N., R. 2 W.

Chains.

$\frac{1}{4}$
S22 S23

1916

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

- 49.00 Draw, 5 chs. wide, course N.50° W.
- 62.10 Small draw, course W. Asc. gradually.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, for cor. of secs. 14, 15, 22 and 23, marked on brass cap

T25N | R2W
S15 | S14
S22 | S23
1916

From which

- A cedar, 12 ins. diam., brs. N52 $\frac{1}{4}$ ° E., 173 lks. dist., marked T25N R2W S14 BT.
- A cedar, 8 ins. diam., brs. S.73 $\frac{1}{2}$ ° E., 302 lks. dist., marked T25N R2W S23 BT.
- A dead cedar, 18 ins. diam., brs. S.11 W., 124 lks. dist., marked T25N R2W S22 BT.
- A cedar, 12 ins. diam., brs. N.62 $\frac{1}{2}$ ° W., 89 lks. dist., marked T25N R2W S15 BT.

Land, gently rolling.
Soil, sandy clay; gravelly and stony; limestone formation; 3rd rate.
Timber, cedar.
Undergrowth, algerita.

- 40.00 East on a random line, bet. secs. 14 and 23.
- 80.09 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 15 lks. S. of the cor. of secs. 13, 14, 23 and 24.

Thence

S.89° 54' W., on a true line, bet. secs. 14 and 23.
Over gently rolling land, through dense timber.
Desc. gradually, 70 ft.

- 35.10 Leave dense, enter scattering timber.
- 35.60 Head of draw, course S.60° W.
- 40.04 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S14
S23
1916

From which

- A cedar, 10 ins. diam., brs. N.61° E., 97 lks. dist., marked $\frac{1}{4}$ S14 BT.
- A cedar, 12 ins. diam., brs. S.57° W., 122 lks. dist., marked $\frac{1}{4}$ S23 BT.

- 80.09 Desc. gradually, 80 ft.
The cor. of secs. 14, 15, 22 and 23.
Land, gently rolling.
Soil, sandy clay; shallow; gravelly and stony; 3rd rate.
Timber, cedar.
Undergrowth, algerita.

N.0° 1' W., bet. secs. 14 and 15.
Over gently rolling land, through scattering timber and undergrowth.

Subdivision of T. 25 N., R. 2 W.,

<p>Chains. 40.00 40.15 80.00</p>	<p>Draw, course W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;">$\frac{1}{4}$ S15 S14 1916</p> <p>dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.</p> <p>Road, brs. E. and W. Leave timber, brs. E. and W.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap</p> <p style="text-align: center;">T25N R2W S10 S11 S15 S14 1916</p> <p>dig pits, 18 X 18 X 12 ins., in each sec., 5$\frac{1}{2}$ ft. dist., and spread the dirt around the post.</p> <p>Land, gently rolling. Soil, sandy and rocky; 3rd rate. Timber, scattering cedar. Undergrowth, algerita. Some grass.</p>
<p>40.00 80.20 40.10 46.90 50.20 80.20</p>	<p>East on a random line, bet. secs. 11 and 14. Set temp. $\frac{1}{4}$ sec. cor.</p> <p>Intersect N. and S. line, 9 lks. N. of the cor. of secs. 11, 12, 13 and 14.</p> <p>Thence N. 89° 56' W., on a true line, bet. secs. 11 and 14. Over gently rolling land, through dense timber.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;">$\frac{1}{4}$ S11 S14 1916</p> <p>From which A cedar, 8 ins. diam., brs. N. 44° 35' W., 38 lks. dist., marked $\frac{1}{4}$ S11 BT. A cedar, 10 ins. diam., brs. S. 13° W., 121 lks. dist., marked $\frac{1}{4}$ S14 BT.</p> <p>Wash, 20 lks. wide, 1 ft. deep, course N.</p> <p>Leave timber, brs. N. and S. Enter scattering undergrowth.</p> <p>The cor. of secs. 10, 11, 14 and 15. Land, gently rolling. Soil, sandy clay; rocky; 2nd and 3rd rate. Timber, cedar. Undergrowth, algerita.</p>
<p>5.40 16.00 38.50 40.00</p>	<p>N. 0° 1' W., bet. secs. 10 and 11. Over rolling land, through scattering undergrowth. Asc. 20 ft. to Desc. 70 ft. to Draw, course W. Asc. 90 ft. to Thence over gently rolling land.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>

12.

Subdivision of T. 25 N., R. 2 W.

chains.

$\frac{1}{4}$
S10 S11

1916

From which

A cedar, 10 ins. diam., brs. N.87° 20' E., 272 lks. dist., marked $\frac{1}{4}$ S11 BT.

A cedar, 12 ins. diam., brs. N.28° 25' W., 183 lks. dist., marked $\frac{1}{4}$ S10 BT.

42.50 Enter dense timber, brs. E. and W.

47.50 Desc. 95 ft.

63.00 Leave timber.

71.10 Draw, course NW. Asc. gradually.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap

T25N R2W
S 3 S 2
S10 S11
1916

From which

A cedar, 14 ins. diam., brs. N.29° 10' E., 300 lks. dist., marked T25N R2W S2 BT.

A cedar, 12 ins. diam., brs. N.43° W., 373 lks. dist., marked T25N R2W S3 BT.

No other trees within limits. Dig pits, 18 X 18 X 12 ins. in each section, 5 $\frac{1}{2}$ ft. dist.; and spread the dirt around the post.

Land, rolling and gently rolling.

Soil, sandy clay; rocky; 2nd and 3rd rate.

Timber, cedar.

Undergrowth, algerita.

Some grass.

40.00 East on a random line, bet. secs. 2 and 11.

80.26 Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, at the cor. of secs. 1, 2, 11, and 12.

Thence

West on a true line, bet. secs. 2 and 11.

Over gently rolling land, through dense timber.

40.13 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 2
S11
1916

From which

A cedar, 12 ins. diam., brs. N.32 $\frac{1}{2}$ ° W., 109 lks. dist., marked $\frac{1}{4}$ S2 BT.

A cedar, 18 ins. diam., brs. S.6° 55' W., 65 lks. dist., marked $\frac{1}{4}$ S11 BT.

45.25 Leave dense, enter scattering timber.

80.26 The cor. of secs. 2, 3, 10 and 11.

Land, gently rolling.

Soil, sandy clay, gravelly and rocky; 2nd and 3rd rate.

Timber, cedar.

Undergrowth, algerita.

Some grass.

Subdivision of T. 25 N., R. 2 W.

Chains.

40.00 N.0° 1' W., on a random line, bet. secs. 2 and 3.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.01 Intersect N. bdy. of Tp., 19 lks. W. of the cor. of secs.
 2, 3, 34 and 35, which is an iron post, described in
 Book "A".

Thence
 S.0° 7' W., on a true line, bet. secs. 2 and 3.
 Over rolling land, through scattering timber and undergrowth.

Asc. 45 ft. to
 19.00 Desc. 30 ft. to
 30.00 Asc. 45 ft. to
 36.00 Low ridge, slopes NW. Desc. 90 ft.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the
 ground, in a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high,
 for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 3 S 2
 1916

From which
 A cedar, 14 ins diam., brs. S.52° E., 323 lks. dist.,
 marked $\frac{1}{4}$ S2 BT.
 A pinion, 12 ins. diam., brs. N.69° 55' W., 197 lks.
 dist., marked $\frac{1}{4}$ S3 BT.

49.00 Foot of desc.; thence over gently rolling land.
 80.01 The cor. of secs. 2, 3, 10 and 11.

Land, rolling and gently rolling.
 Soil, sandy clay; rocky; 3rd rate.
 Timber, cedar and pinion.
 Undergrowth, algerita.
 Some grass.

From the standard cor. of secs. 3, 4, 33 and 34, on the
 S. bdy. of the Tp., which is an iron post, re-established
 as described in the field notes of Current Group No. 52,
 N.0° 2' W., bet. secs. 33 and 34.

Over gently rolling land, through scattering timber and
 undergrowth.

Desc. gradually.
 16.90 Road, brs. E. and W.
 18.90 Draw, course N.40° W.
 27.80 Road, brs. N.30° W. and S.30° E.
 30.70 Draw, course N.70° W. Asc. gradually.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S33 S34
 1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and spread the dirt around the post.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 27, 28, 33 and 34, marked on
 brass cap

T25N | R2W
 S28 | S27
 S33 | S34
 1916

From which
 A cedar, 30 ins. diam., brs. N.38 $\frac{1}{2}$ ° E., 186 lks. dist.,
 marked T25N R2W S27 BT.
 A cedar, 30 ins. diam., brs. S.3° E., 90 lks. dist.,
 marked T25N R2W S34 BT.
 A cedar, 24 ins. diam., brs. S.43 $\frac{1}{2}$ ° W., 134 lks. dist.,

14.

Subdivision of T. 25 N., R. 2 W.

Chains.

marked T25N R2W S33 BT.

A cedar, 48 ins. diam., brs. N.22 $\frac{1}{2}$ ° W., 161 lks. dist.,

marked T25N R2W S28 BT.

Land, gently rolling.

Soil, sandy clay; gravelly; 2nd rate.

Timber, cedar.

Undergrowth, sagebrush.

40.00

East on a random line, bet. secs. 27 and 34.

80.10

Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 5 lks. S. of the cor. of secs. 26, 27, 34 and 35.

Thence

S.89° 58' W., on a true line, bet. secs. 27 and 34.

Over gently rolling land, through scattering timber and undergrowth.

31.90

Desc. very gradual W. slope to

Draw, course S.40° W. Over nearly level land.

40.05

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
$$\begin{array}{r} \frac{1}{4} \text{ S27} \\ \frac{1}{4} \text{ S34} \\ \hline 1916 \end{array}$$

From which

A cedar, 8 ins. diam., brs. N.14° W., 114 lks. dist., marked $\frac{1}{4}$ S27 BT.A cedar, 20 ins. diam., brs. S.55° E., 86 lks. dist., marked $\frac{1}{4}$ S34 BT.

70.00

Desc. gradual W. slope to

80.10

The cor. of secs. 27, 28, 33 and 34.

Land, gently rolling.

Soil, clay; gravelly surface; 2nd rate.

Timber, scattering cedar and pinion.

Undergrowth, algeritata.

14.00

N.0° 2' W., bet. secs. 27 and 28.

Over gently rolling land, through dense timber.

Desc. gradually.

40.00

Draw, course S.50° W. Asc. slightly.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
$$\begin{array}{r} \frac{1}{4} \\ \text{S28} \text{ S27} \\ \hline 1916 \end{array}$$

From which

A cedar, 6 ins. diam., brs. S.1° E., 197 lks. dist., marked $\frac{1}{4}$ S27 BT.A cedar, 4 ins. diam., brs. S.87 $\frac{1}{2}$ ° W., 43 lks. dist., marked $\frac{1}{4}$ S28 BT.

50.00

Top of ascent. Thence over nearly level land.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on brass cap

$$\begin{array}{r} \text{T25N} \text{ R2W} \\ \text{S21} \text{ S22} \\ \hline \text{S28} \text{ S27} \\ \hline 1916 \end{array}$$

From which

A cedar, 30 ins. diam., brs. N.74° E., 58 lks. dist.,

Subdivision of T. 25 N., R. 2 W.

15.

Chains.

marked T25N R2W S22 BT.
 A cedar, 18 ins. diam., brs. S.37° E., 85 lks. dist.,
 marked T25N R2W S27 BT.
 A cedar, 6 ins. diam., brs. N.19° W., 240 lks. dist.,
 marked T25N R2W S21 BT.
 No other trees within limits. Raise a mound of stone,
 2 ft. base, 1½ ft. high, W. of cor.
 Land, gently rolling.
 Soil, sandy clay; gravelly; 2nd rate.
 Timber, cedar.
 Some grass.

40.00 East on a random line, bet. secs. 22 and 27.
 Set temp. ¼ sec. cor.
 80.06 Intersect N. and S. line, 18 lks. N. of the cor. of secs.
 22, 23, 26 and 27.
 Thence
 N.89° 52' W., on a true line, bet. secs. 22 and 27.
 Over nearly level land, through dense timber.
 40.03 Set an iron post, 3 ft. long, 1-in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap

¼	S22
¼	S27
1916	

From which
 A cedar, 8 ins. diam., brs. N.54.° E., 302 lks. dist.,
 marked ¼S22 BT.
 A cedar, 6 ins. diam., brs. S.63° E., 148 lks. dist.,
 marked ¼S27 BT.
 80.06 The cor. of secs. 21, 22, 26 and 27.
 Land, nearly level.
 Soil, sandy clay; gravelly; 2nd rate.
 Timber, cedar.

40.00 N.0° 1' W., bet. secs. 21 and 22.
 Over nearly level land, through scattering timber.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, in a mound of stone, 4 ft. base, 2 ft. high,
 for ¼ sec. cor., marked on brass cap

¼	S21	S22
1916		

From which
 A cedar, 12 ins. diam., brs. S.21½° E., 57 lks. dist.,
 marked ¼S22 BT.
 A dead cedar, 16 ins. diam., brs. N.65° 10' W., 167 lks.
 dist., marked ¼S21 BT.
 78.00 Draw, course N:30° W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 15, 16, 21 and 22, marked on
 brass cap

T25N	R2W
S16	S15
S21	S22
1916	

and raise a mound of stone, 3 ft. base, 2 ft. high, W.
 of cor.
 Land, nearly level.
 Soil, sandy clay; shallow; stony, limestone formation; 3rd
 rate.

16. Subdivision of T. 25 N., R. 2 W.

Chains.

Timber, scattering cedar.
Undergrowth, sagebrush.
Some grass.

40.00 East on a random line, bet. secs. 15 and 22.
Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line, 15 lks. N. of the cor. of secs.
14, 15, 22 and 23.

Thence
N.89° 54' W., on a true line, bet. secs. 15 and 22.
Over gently rolling land, through scattering timber and
undergrowth.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S15
 $\frac{1}{4}$ S22
1916

and raise a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high,
N. of cor.
60.00 Draw, 10 chs. wide, course N.60° W.
80.00 The cor. of secs. 15, 16, 21 and 22..
Land, gently rolling.
Soil, sandy clay; shallow; gravelly and stony; 3rd rate.
Timber, scattering cedar.
Undergrowth, algerita.

40.00 N.0° 2' W., bet. secs. 15 and 16.
Over gently rolling land, through scattering timber and
undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S16 | S15
1916

42.80 dig pits, 18 X 18 X 12 ins., N. and S. of post; 3 ft.
dist.; and spread the dirt around the post.
67.50 Road, brs. E. and NW.
Desc. gradually.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground, for cor. of secs. 9, 10, 15 and 16, marked
on brass cap

T25N | R2W
S 9 | S10
S16 | S15
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.;
and spread the dirt around the post.
Land, gently rolling.
Soil, sandy loam; 2nd rate.
Timber, cedar.
Undergrowth, sagebrush.
Some grass.

40.00 East on a random line, bet. secs. 10 and 15.
Set temp. $\frac{1}{4}$ sec. cor.
79.98 Intersect N. and S. line, 13 lks. N. of the cor. of secs.
10, 11, 14 and 15.

Chains.

Thence
N.89° 54' W., on a true line, bet. secs. 10 and 15.
Over gently rolling land, through scattering timber and undergrowth.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S10
S15
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.

79.98 The cor. of secs. 9, 10, 15 and 16.

Land, gently rolling.
Soil, sandy loam; 1st rate; and gravelly; 2nd rate.
Timber, cedar.
Undergrowth, sagebrush.
Some grass.

N.0° 2' W., bet. secs. 9 and 10.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

40.00

1/4 S 9 S10
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.

43.75 Wash, 15 lks. wide, 2 ft. deep, course W.

45.00 Enter scattering timber, brs. E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap

T25N | R2W
S 4 | S 3
S 9 | S10
1916

Dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.; and spread the dirt around the post.

Land, gently rolling.
Soil, sandy clay; 2nd rate.
Timber, scattering cedar.
Undergrowth, sagebrush.
Some grass.

East on a random line, bet. secs. 3 and 10.

40.00 Set temp. 1/4 sec. cor.

80.14 Intersect N. and S. line, 20 lks. N. of the cor. of secs. 2, 3, 10 and 11.

Thence
N.89° 51' W., on a true line, bet. secs. 3 and 10.
Over gently rolling land, through scattering timber and undergrowth.

40.07 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S 3
S10
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.

18.

Subdivision of T. 25 N., R. 2 W.

Chains.

80.14

The cor. of secs. 3, 4, 9 and 10.
Land, gently rolling.
Soil, sandy and rocky clay; 2nd and 3rd rate.
Timber, scattering cedar.
Undergrowth, algerita.
Some grass.

40.00

79.87

N.0° 2' W., on a random line, bet. secs. 3 and 4.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. bdy. of Tp., 34 lks. W. of the cor. of secs.
3, 4, 33 and 34, which is an iron post, described in
Book "A".

Thence

S.0° 13' W., on a true line, bet. secs. 3 and 4.
Over gently rolling land, through scattering timber and
undergrowth.

30.90

39.87

Desc. gradually, 30 ft. to
Draw, course NW. Asc. 45 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the
ground, in a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high,
for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{1}{4} \left| \begin{array}{c} S 4 \\ S 3 \end{array} \right.$$

1916

From which

A cedar, 10 ins. diam., brs. S.26° 40' E., 78 lks.
dist., marked $\frac{1}{4}$ S3 BT.

A cedar, 10 ins. diam., brs. S.29° 10' W., 73 lks. dist.,
marked $\frac{1}{4}$ S4 BT.

78.80

79.87

Wash, 12 lks. wide, 2 ft. deep, course W.

The cor. of secs. 3, 4, 9 and 10.

Land, gently rolling.

Soil, sandy clay; 2nd and 3rd rate.

Timber, cedar.

Undergrowth, sagebrush.

Some grass.

From the standard cor. of secs. 4, 5, 32 and 33, on the
S. bdy. of the Tp., which is an iron post, re-establish-
ed as described under the field notes of Current Group
No 52,

N.0° 3' W., bet. secs. 32 and 33.

Over gently rolling land, through dense timber.

Desc. gradually.

23.10

40.00

Draw, course N.35° E. Asc. gradually.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{1}{4} \left| \begin{array}{c} S 32 \\ S 33 \end{array} \right.$$

1916

From which

A cedar, 24 ins. diam., brs. N.1 $\frac{1}{2}$ ° E., 410 lks. dist.,
marked $\frac{1}{4}$ S33 BT.

A cedar, 30 ins. diam., brs. S.59° W., 246 lks. dist.,
marked $\frac{1}{4}$ S32 BT.

60.00

72.90

80.00

Top of ascent, brs. N.30° E. and S.30° W. Desc. gradually.

Head of draw, course N.40° E. Asc. to

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the
ground, in a mound of stone, for cor. of secs. 28, 29,
32 and 33, marked on brass cap

Subdivision of T. 25 N., R. 2 W.

BOOK 3003
19.

Chains.

T25N R2W
S29 S28
S32 S33
1916

From which

A cedar, 18 ins. diam., brs. N.32° E., 81 lks. dist., marked T25N R2W S28 BT.

A cedar, 24 ins. diam., brs. S.69° E., 160 lks. dist., marked T25N R2W S33 BT.

A cedar, 14 ins. diam., brs. S.47° W., 74 lks. dist., marked T25N R2W S32 BT.

A cedar, 24 ins. diam., brs. N.45½° W., 196 lks. dist., marked T25N R2S S29 BT.

Land, gently rolling.

Soil, sandy and gravelly clay; 2nd rate.

Timber, cedar.

Undergrowth, sagebrush.

40.00
79.92

East on a random line, bet. secs. 28 and 33.

Set temp. ¼ sec. cor.

Intersect N. and S. line, 16 lks. S. of the cor. of secs. 27, 28, 33 and 34,

Thence

S.89° 53' W., on a true line, bet. secs. 28 and 33.

Over gently rolling land, through scattering timber.

Desc. gradually to

11.70

Draw, course S.60° W.

29.90

Draw, course N.30° W.

35.10

Road, brs. N.20° W. and S.20° E.

37.70

Wash, 30 lks. wide, 2 ft. deep, course N.

39.20

Road, brs. N. and S.

39.96

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼ S28
S33
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.

57.90

Leave scattering, enter dense timber, brs. NW. and SE.

66.50

Draw, course N.50° E. Asc. 65 ft. to

79.92

The cor. of secs. 28, 29, 32 and 33.

Land, gently rolling.

Soil, sandy and gravelly clay; 2nd rate.

Timber, cedar.

20.00

N.0° 3' W., bet. secs. 28 and 29.

Over gently rolling land, through dense timber.

Desc. 80 ft.

24.00

Leave dense, enter scattering timber, brs. N.40° W. and S.40° E.

32.00

Draw, course N.40° E. Asc. to

40.00

Spur, slopes N.40° E. Desc. gradually, 40 ft.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼ S29 S28
1916

From which

A cedar, 10 ins. diam., brs. S.43° E., 289 lks. dist., marked ¼ S28 BT.

A cedar, 6 ins. diam., brs. N.55½° W., 254 lks. dist.

20.

Subdivision of T. 25 N., R. 2 W.

Chains.

46.00 marked $\frac{1}{4}$ S29 BT.
 54.00 Draw, course N.40° E. Asc. slightly to
 60.00 Spur, slopes N.40° E. Desc. 25 ft. to
 62.40 Enter bottom.
 70.40 Road, brs. N.30° W. and S.30° E.
 80.00 Draw, 80 lks. wide, 2 ft. deep, course N.40° W.
 Set an iron post, $\frac{3}{4}$ ft. long, 2 ins. diam., 2 4 ins. in the
 ground, for cor. of secs. 20, 21, 28 and 29, marked on
 brass cap

T25N	R2W
S20	S21
S29	S28
1916	

and raise a mound of stone, 3 ft. base, 2 ft. high, W.
 of cor.
 Land, gently rolling.
 Soil, sandy clay; gravelly and stony; 2nd rate.
 Timber, cedar.

40.00 East on a random line, bet. secs. 21 and 28.
 79.76 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 18 lks. S. of the cor. of secs.
 21, 22, 27 and 28,
 Thence
 S.89° 52' W., on a true line, bet. secs. 21 and 28.
 Over gently rolling land, through scattering timber and
 undergrowth.
 14.75 Desc. 75 ft.
 39.88 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S21
$\frac{1}{4}$ S28
1916

From which
 A cedar, 6 ins. diam., brs. N.15° E., 105 lks. dist.,
 marked $\frac{1}{4}$ S21 BT.
 A cedar, 8 ins. diam., brs. S.29° W., 126 lks. dist.,
 marked $\frac{1}{4}$ S28 BT.

40.75 Head of draw, course S.60° W. Asc. to
 54.75 Desc. 110 ft. to
 78.75 Enter bottom land.
 79.76 The cor. of secs. 20, 21, 28 and 29.
 Land, gently rolling.
 Soil, sandy and gravelly clay; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, algerita.

N.0° 3' W., bet. secs. 20 and 21.
 Over gently rolling land, through scattering timber.
 Across bottom.
 1.50 Leave bottom; asc. 65 ft. to
 15.00 Thence along W. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S20	S21
1916	

63.10 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and spread the dirt around the post.
 Draw, course W.

Subdivision of T. 25 N., R. 2 W.

21.

Chains.
80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap

T25N	R2W
S17	S16
S20	S21
1916	

From which
 A cedar, 12 ins. diam., brs. N.19 $\frac{1}{4}$ ° E., 482 lks. dist., marked T25N R2W S16 BT.
 No other trees within limits. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, sandy and gravelly clay; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, sagebrush.

40.00
79.85

East on a random line, bet. secs. 16 and 21.
 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 22 lks. S. of the cor. of secs. 15, 16, 21 and 22.

Thence
 S.89° 51' W., on a true line, bet. secs. 16 and 21.
 Over gently rolling land, through scattering timber and undergrowth.

3.25
24.85
39.92 $\frac{1}{2}$

Draw, course N.30° W. Asc. to
 Thence over gently rolling land.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S16
S21
1916

From which
 A cedar, 6 ins. diam., brs. N.86 $\frac{1}{2}$ ° W., 340 lks. dist., marked $\frac{1}{4}$ S16 BT.
 A cedar, 10 ins. diam., brs. S.7° E., 649 lks. dist., marked $\frac{1}{4}$ S21 BT.

54.85
79.85

Desc. gradually to
 The cor. of secs. 16, 17, 20 and 21.
 Land, gently rolling.
 Soil, sandy and gravelly clay; stony; 3rd rate.
 Timber, scattering cedar.
 Undergrowth, algerita.

14.80
20.00
33.00
39.50
40.00

N.0° 3' W., bet. secs. 16 and 17.
 Over gently rolling land, through scattering timber and undergrowth.
 Wash, 15 lks. wide, 3 ft. deep, course W., in draw, course W. Asc. to
 Desc. to
 Wash, 12 lks. wide, 2 ft. deep, course W. Asc. to
 Thence over gently rolling land.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap


$\frac{1}{4}$ S17	S16
1916	

From which
 A cedar, 15 ins diam., brs. N.35° E., 36 lks. dist., marked $\frac{1}{4}$ S16 BT.

<p>Chains.</p> <p>74.80</p> <p>80.00</p>	<p>A cedar, 12 ins. diam., brs. N.2$\frac{3}{4}$° W., 69 lks. dist., marked $\frac{1}{4}$S17 BT.</p> <p>Road, brs. E. and W.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on brass cap</p> <div style="text-align: center;"> <table border="1"> <tr><td>T25N</td><td>R2W</td></tr> <tr><td>S 8</td><td>S 9</td></tr> <tr><td>S17</td><td>S16</td></tr> <tr><td colspan="2">1916</td></tr> </table> </div> <p>Dig pits, 18 X 18 X 12 ins., in each sec., 5$\frac{1}{2}$ ft. dist.; and spread the dirt around the post.</p> <p>Land, gently rolling.</p> <p>Soil, sandy clay; 2nd rate.</p> <p>Timber, scattering cedar.</p> <p>Some grass.</p>	T25N	R2W	S 8	S 9	S17	S16	1916	
T25N	R2W								
S 8	S 9								
S17	S16								
1916									
<p>40.00</p> <p>79.80</p> <p>39.90</p>	<p>East on a random line, bet. secs. 9 and 16.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p> <p>Intersect N. and S. line, 15 lks. S. of the cor. of secs. 9, 10, 15 and 16.</p> <p>Thence</p> <p>S.89° 54' W., on a true line, bet. secs. 9 and 16.</p> <p>Over gently rolling land, through scattering undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <div style="text-align: center;"> <table border="1"> <tr><td>$\frac{1}{4}$</td><td>S 9</td></tr> <tr><td></td><td>S16</td></tr> <tr><td colspan="2">1916</td></tr> </table> </div> <p>dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.</p> <p>The cor. of secs. 8, 9, 16 and 17.</p> <p>Land, gently rolling.</p> <p>Soil, sandy clay; 1st and 2nd rate.</p> <p>Timber, scattering cedar.</p> <p>Undergrowth, sagebrush.</p> <p>Some grass.</p>	$\frac{1}{4}$	S 9		S16	1916			
$\frac{1}{4}$	S 9								
	S16								
1916									
<p>8.10</p> <p>25.00</p> <p>37.70</p> <p>40.00</p>	<p>N.0° 2' W., bet. secs. 8 and 9.</p> <p>Over gently rolling land, through scattering undergrowth.</p> <p>Wash, 15 lks.wwide, 2 ft. deep, course NW.</p> <p>Draw, course N.5° E.</p> <p>Line of fence posts, brs. N.85° W. and S.85° E.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <div style="text-align: center;"> <table border="1"> <tr><td>$\frac{1}{4}$</td><td>S 9</td></tr> <tr><td>S 8</td><td>S 9</td></tr> <tr><td colspan="2">1916</td></tr> </table> </div> <p>Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.</p> <p>Wash, 75 lks. wide, 3 ft. deep, course N.5° E.</p> <p>Road, brs. N.10° E. and S.10° W.</p> <p>West end of dam brs. E. 1 ch. dist.</p> <p>Line of fence posts, brs. E. and W.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the</p>	$\frac{1}{4}$	S 9	S 8	S 9	1916			
$\frac{1}{4}$	S 9								
S 8	S 9								
1916									
<p>55.70</p> <p>65.00</p> <p>72.30</p> <p>80.00</p>	<p>Wash, 75 lks. wide, 3 ft. deep, course N.5° E.</p> <p>Road, brs. N.10° E. and S.10° W.</p> <p>West end of dam brs. E. 1 ch. dist.</p> <p>Line of fence posts, brs. E. and W.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the</p>								

Chains.

ground, for cor. of secs. 4, 5, 8 and 9, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and spread the dirt around the post.
 Land, gently rolling.
 Soil, sandy loam; 1st rate.
 No timber.
 Undergrowth, sagebrush.


40.00
79.63

East on a random line, bet. secs. 4 and 9.
 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 3, 4, 9 and 10.

Thence
 S.89° 59' W., on a true line, bet. secs. 4 and 9.
 Over gently rolling land, through scattering timber and undergrowth.

39.81½

Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, in a mound of stone, 2½ ft. base, 1½ ft. high, for ¼ sec. cor., marked on brass cap



And raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.

43.25
66.05
76.65
78.65
79.63

Wash, 15 lks. wide, 2 ft. deep, course N.
 Wash, 12 lks. wide, 3 ft. deep, course NW.
 Road, brs. N. and S.
 Wash, 25 lks. wide, 2 ft. deep, course N.
 The cor. of secs. 4, 5, 8 and 9.
 Land, gently rolling.
 Soil, sandy clay; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, sagebrush.
 Some grass.


40.00
79.97

N.0° 3' W., on a random line, bet. secs. 4 and 5.
 Set temp. ¼ sec. cor.
 Intersect N. bdy. of Tp., 21 lks. E. of the cor. of secs. 4, 5, 32 and 33, which is an iron post, described in Book "A".

Thence
 S.0° 12' E., on a true line, bet. secs. 4 and 5
 Over gently rolling land, through scattering timber and undergrowth.

39.97

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.

68.55
76.35
79.97

Wash, 75 lks. wide, 3 ft. deep, course E.
 Wash, 75 lks. wide, 2 ft. deep, course N.20° W.
 The cor. of secs. 4, 5, 8 and 9.

Chains.

Land, gently rolling.
Soil, sandy loam; 1st rate for S. 40. chs.; N. 40. chs.,
rocky; 3rd rate.
Timber, scattering cedar.
Undergrowth, sagebrush.
Some grass.

40.00 From the standard cor. of secs. 5, 6, 31 and 32, on the
S. bdy. of the Tp., which is an iron post, re-establish-
ed as described in the field notes of current Group No.
52,
N.0° 3' W., bet. secs. 31 and 32.
Over gently rolling land, through dense timber.
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
ground, in a mound of stone, 3 ft. base, 2 ft. high,
for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S31 S32
1916

40.40 From which
A cedar, 24 ins. diam., brs. S.35 $\frac{1}{2}$ ° E., 20 lks. dist.,
marked $\frac{1}{4}$ S32 BT.
A cedar, 12 ins. diam., brs. S.33 $\frac{1}{2}$ ° W., 22 lks. dist.,
marked $\frac{1}{4}$ S31 BT.
Desc. gradually 125 ft.
56.30 Brush fence, brs. N.50° W. and S.50° E.
Road, brs. N.60° W. and S.60° E.
57.00 Draw, course N.60° W. Thence along W. slope.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the
ground, in a mound of stone, 4 ft. base, 2 ft. high,
for cor. of secs. 29, 30, 31 and 32, marked on brass
cap

T25N R2W
S30 S29
S31 S32
1916

From which
A cedar, 20 ins. diam., brs. N.36 $\frac{1}{2}$ ° E., 109 lks. dist.,
marked T25N R2W S29 BT.
A cedar, 18 ins. diam., brs. S.42 $\frac{1}{2}$ ° E., 230 lks. dist.,
marked T25N R2W S32 BT.
A cedar, 6 ins. diam., brs. S.34° W., 129 lks. dist.,
marked T25N R2W S31 BT.
A cedar, 14 ins. diam., brs. N.29 $\frac{1}{2}$ ° W., 82 lks. dist.,
marked T25N R2W S30 BT.
Land, gently rolling.
Soil, sandy and gravelly clay; 2nd rate.
Timber, cedar and pinion.

40.00 East on a random line, bet. secs. 29 and 32.
Set temp. $\frac{1}{4}$ sec. cor.
79.91 Intersect N. and S. line, 2 lks. S. of the cor. of secs.
28, 29, 32 and 33.
Thence
S.80° 59' W., on a true line, bet. secs. 29 and 32.
Over gently rolling land, through dense timber.
19.50 Head of draw, course N.20° E.
35.90 Draw, course N.
39.95 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S29
S32
1916

Subdivision of T. 25 N., R. 2 W.

25.

Chains.

From which
 A cedar, 14 ins. diam., brs. N.21 $\frac{1}{2}$ ° W., 57 lks. dist.,
 marked $\frac{1}{4}$ S29 BT.
 A cedar, 10 ins. diam., brs. S.38 $\frac{1}{4}$ ° W., 53 lks. dist.,
 marked $\frac{1}{4}$ S32 BT.
 Asc. 40 ft. to
 51.90 Top of ascent; desc. gradually, 60 ft.
 71.40 Road, brs. N.20° W. and S.20° E.
 79.91 The cor. of secs. 29, 30, 31 and 32.
 Land, gently rolling.
 Soil, sandy and gravelly clay; 2nd rate.
 Timber, cedar and pinion.

27.10 West on a true line, bet. secs.30 and 31.
 Over gently rolling land, through dense timber.
 40.00 Wash, 15 lks. wide, 1 ft. deep, course N.40° W.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S30
 S31
 1916

60.18 From which
 A cedar, 8 ins. diam., brs. N.68 $\frac{1}{2}$ ° W., 50 lks. dist.,
 marked $\frac{1}{4}$ S30 BT.
 A cedar, 10 ins. diam., brs. S.32 $\frac{1}{2}$ ° E., 21 lks. dist.,
 marked $\frac{1}{4}$ S31 BT.
 Intersect the W. bdy. of the Tp., at a point from which the
 cor. of secs. 25 and 36, T. 25 N., R. 3 W., which is
 a stone, re-established as described in Book "A", brs.
 N.1° 4' W., 12.23 chs. dist.
 At the point of intersection, set an iron post, 3 ft. long,
 2 ins. diam., 12 ins. in the ground, in a mound of stone,
 for closing cor. of secs. 30 and 31, marked on brass
 cap

T25N
 R2W
 S30
 C
 C
 S31
 1916

From which
 A cedar, 12 ins. diam., brs. N.26° E., 486 lks. dist.,
 marked T25N R2W S30 BT.
 A cedar, 16 ins. diam., brs. S.46° 40' E., 277 lks.
 dist., marked T25N R2W S31 BT.
 Land, gently rolling.
 Soil, sandy and gravelly clay; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth,

20.00 N.0° 3' W., bet. secs. 29 and 30.
 Over gently rolling land, through dense timber.
 40.00 Road, brs. N.10° W. and S.20° E.
 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, 7 ft. base, 2 ft. high,
 for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S30 S29
 1916

26.

Subdivision of T. 25 N., R. 2 W.

Chains.

53.20 From which
 80.00 A cedar, 30 ins. diam., brs. N.77 $\frac{1}{2}$ ° E., 78 lks. dist.,
 marked $\frac{1}{4}$ S29 BT.
 A cedar, 8 ins. diam., brs. N.12° W., 90 lks. dist.,
 marked $\frac{1}{4}$ S30 BT.
 Draw, course N.30° W.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 19, 20, 29 and 30, marked on
 brass cap

T25N	R2W
S19	S20
S30	S29
1916	

From which
 A cedar, 16 ins. diam., brs. N.28 $\frac{1}{4}$ ° E., 89 lks. dist.,
 marked T25N R2W S20 BT.
 A cedar, 24 ins. diam., brs S.48 $\frac{1}{2}$ ° E., 106 lks. dist.,
 marked T25N R2W S29 BT.
 A cedar, 10 ins. diam., brs. S.3 $\frac{1}{2}$ ° W., 209 lks. dist.,
 marked T25N R2W S30 BT.
 A cedar, 30 ins. diam., brs. N.78° W., 111 lks. dist.,
 marked T25N R2W S19 BT.
 Land, gently rolling.
 Soil, sandy and gravelly clay; 2nd rate.
 Timber, cedar and pinion.

40.00 East on a random line, bet. secs. 20 and 29.
 79.87 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 2 lks. S. of the cor. of secs.
 20, 21, 28 and 29.
 Thence
 S.89° 59' W., on a true line, bet. secs. 20 and 29.
 Over gently rolling land, through scattering undergrowth.
 10.05 Draw, course N.30° W. Creek bed, 60 lks. wide, 2 ft. deep,
 course N.30° W.
 13.95 Road, brs. NW. and SE.
 39.93 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S20
$\frac{1}{4}$ S29
1916

59.85 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.
 Enter timber, brs. N.80° W. and S.60° E. Asc. gradually
 to
 79.87 The cor. of secs. 19, 20, 29 and 30.
 Land, gently rolling.
 Soil, gravelly clay; 2nd rate.
 Timber, cedar.
 Undergrowth, sagebrush.

10.70 West on a true line, bet. secs. 19 and 30.
 27.00 Over gently rolling land, through scattering timber.
 Desc. gradually.
 40.00 Road, brs. N. and S.
 Draw, course N.20° E.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S19
$\frac{1}{4}$ S30
1916

Subdivision of T. 25 N., R. 2 W.

Chains.

From which
 A cedar, 4 ins. diam., brs. N.9° W., 151 lks. dist.,
 marked $\frac{1}{4}$ S19 BT.
 A cedar, 14 ins. diam., brs. S.40° W., 216 lks. dist.,
 marked $\frac{1}{4}$ S30 BT.

50.00
59.28

Desc. W. slope to
 Intersect the W. bdy. of the Tp., at a point from which
 the cor. of secs. 19 and 24, T. 25 N., R. 3 W., which
 is an iron post, re-established as described in Book
 "A", brs. N.0° 2' W., 11.65 chs. dist.
 At the point of intersection, set an iron post, 3 ft. long,
 2 ins diam., 24 ins. in the ground, for closing cor. of
 secs. 19 and 30, marked on brass cap

T25N
R2W
S19
C
C
S30

1916

From which
 A cedar, 6 ins. diam., brs. N.14° E., 190 lks. dist.,
 marked T25N R2W S19 BT.
 A cedar, 6 ins. diam., brs. S.3° E., 91 lks. dist.,
 marked T25N R2W S30 BT.

Land, gently rolling.
 Soil, sandy and gravelly clay; 2nd rate.
 Timber, scattering cedar.

N.0° 3' W., bet. secs. 19 and 20.
 Over gently rolling land, through scattering timber and
 undergrowth.

12.00
40.00

Desc. gradual N. slope.
 Leave timber, brs. W. and SE.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S19 S20

1916

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and spread the dirt around the post.

45.00
80.00

Draw, course N.10° E.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 17, 18, 19 and 20, marked on
 brass cap

T25N	R2W
S18	S17
S19	S20

1916

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.;;
 and spread the dirt around the post.

Land, gently rolling.
 Soil, sandy and gravelly clay; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, sagebrush.

40.00
79.91

East on a random line, bet. secs. 17 and 20.
 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 4 lks. S. of the cor. of secs.

Chains.

16, 17, 20 and 21.
 Thence
 S. 89° 58' W., on a true line, bet. secs. 17 and 20.
 Over gently rolling land, through scattering undergrowth.
 Desc. gradually to.
 20.50 Draw, course N. Asc. 60 ft. to
 32.90 Top of ascent, brs. N. and S. Desc. slightly.
 39.95½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap

¼ S17
 S20
 1916

65.60 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.
 66.00 Road, brs. N. 30° W. and S. 30° E.
 72.40 Draw, course N. 20° W.
 79.91 Draw, course N. 20° E.
 The cor. of secs. 17, 18, 19 and 20.
 Land, gently rolling.
 Soil, sandy loam; limestone formation; 2nd rate.
 No timber.
 Undergrowth, scattering sagebrush and algerita.

West on a true line, bet. secs. 18 and 19.
 Over gently rolling land, through scattering undergrowth.
 Asc. gradually.
 6.40 Road, brs. N. and S.
 35.00 Top of ascent; desc.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap

¼ S18
 S19
 1916

57.70 From which
 A cedar, 10 ins. diam., brs. N. 82½° W., 190 lks. dist.,
 marked ¼ S18 BT.
 A cedar, 5 ins. diam., brs. S. 32° W., 224 lks. dist.,
 marked ¼ S19 BT.
 Intersect the W. bdy. of the Tp., at a point from which
 the cor. of secs. 13 and 24, T. 25 N., R. 3 W., which
 is a stone, re-established as described in Book "A",
 brs. N. 0° 12' E., 11.61 chs. dist.
 At the point of intersection, set an iron post, 3 ft. long,
 2 ins. diam., 12 ins. in the ground, in a mound of stone,
 for closing cor. of secs. 18 and 19, marked on brass cap

T25N
 R2W
 S18
 C
 C
 S19
 1916

From which
 A cedar, 6 ins. diam., brs. N. 89° E., 110 lks. dist.,
 marked T25N R2W S18 BT.
 A cedar, 10 ins. diam., brs. S. 51½° E., 151 lks. dist.,
 marked T25N R2W S19 BT.
 Land, gently rolling.
 Soil, sandy and gravelly clay; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

Chains.

N.0° 3' W., bet. secs. 17 and 18.
 Over gently rolling land, through scattering undergrowth.
 22.20 Road, brs. N.40° W. and S. 40° E.
 39.00 Enter bottom land.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S18 | S17
 1916

41.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and spread the dirt around the post.
 Draw. Creek bed, 80 lks. wide, 2 ft. deep, course N.40°
 E. Comes from W.
 56.00 Road, brs. N.40° E. and S.40° W.
 60.00 Leave bottom land, asc. 55 ft.
 70.00 Enter scattering timber.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 7, 8, 17 and 18, marked on
 brass cap

T25N | R2W.
 S 7 | S 8
 S18 | S17
 1916

From which
 A cedar, 4 ins. diam., brs. S.89° E., 24 lks. dist.,
 marked T25N R2 W S17 BT.
 No other trees within limits. Dig pits, 18 X 18 X 12, ins.,
 in each section cor., $5\frac{1}{2}$ ft. dist.; and spread the
 dirt around the post.
 Land, gently rolling.
 Soil, sandy and gravelly clay; 2nd rate.
 Timber, scattering cedar.
 Undergrowth, sagebrush.

40.00 East on a random line, bet. secs. 8 and 17.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.87 Intersect N. and S. line, 8 lks. N. of the cor. of secs.
 8, 9, 16 and 17.
 Thence
 N.89° 57' W., on a true line, bet. secs. 8 and 17.
 Over gently rolling land, through scattering undergrowth.
 Desc. gradually to
 19.85 Enter bottom land.
 39.93 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 8
 S17
 1916

55.15 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.
 57.75 Creek bed, 40 lks. wide, 1 ft. deep, course N,50° W.
 58.05 Creek bed, 50 lks. wide, 2 ft. deep, course N.20° E.
 79.87 Leave bottom land Asc. gradually to
 The cor. of secs. 7, 8, 17 and 18.
 Land, gently rolling.
 Soil, sandy clay; stony; 3rd rate; clay; 1st rate.
 No timber.
 Undergrowth, sagebrush.
 Some grass.

chains.

West on a true line, bet. secs. 7 and 18.
 Over gently rolling land, through scattering undergrowth.
 Asc. gradually to
 10.00 Desc. to
 23.40 Draw, course S.10° W. Asc.
 36.30 Road, brs. N. and S. Desc.
 38.40 Draw, course S. Asc.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap

1/4 S 7
 S18
 1916

40.50 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and spread the dirt around the post.
 57.28 Road, brs. N.20° E. and S.20° W.
 Intersect the W. bdy. of the Tp., at a point from which
 the cor. of secs. 12 and 13, T. 25 N., R. 3 W., which is
 a stone, re-established as described in Book "A", brs.
 N.0° 20' E., 11.56 chs. dist.
 At the point of intersection, set an iron post, 3 ft. long,
 2 ins. diam., 24 ins. in the ground, for closing cor.
 of secs. 7 and 18, marked on brass cap

T25N
 R2W
 S 7
 C
 C
 S18

1916

And raise a mound of stone, 3 ft. base, 2 ft. high, E.
 of cor.
 Land, gently rolling.
 Soil, sandy clay; stony; 3rd rate.
 No timber.
 Undergrowth, sagebrush.

15.00 N.0° 3' W., bet. secs. 7 and 8.
 39.00 Over gently rolling land, through scattering undergrowth.
 40.00 Asc. gradually to
 Desc. to
 Draw, course S.70° E.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap

1/4
 S 7 S 8
 1916

55.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and spread the dirt around the post.
 80.00 Asc. gradually.
 Thence along gentle E. slope.
 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the
 ground, in a mound of stone, 2 ft. base, 1 ft. high,
 for cor. of secs. 5, 6, 7 and 8, marked on brass cap

T25N R2W
 S 6 S 5
 S 7 S 8
 1916

And raise a mound of stone, 3 ft. base, 2 ft. high, W.
 of cor.

Chains.

Land, gently rolling.
Soil, sandy and gravelly clay; stony; 3rd rate.
No timber.
Undergrowth, sagebrush.

40.00 East on a random line, bet. secs. 5 and 8.
79.86 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 8 lks. N. of the cor. of secs.
4, 5, 8 and 9.

Thence
N.89° 57' W., on a true line, bet. secs. 5 and 8.
Over gently rolling land, through scattering undergrowth.
Across bottom land:
17.05 Leave bottom land; asc.
39.93 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 5
 $\frac{1}{4}$ S 8
1916

And raise a mound of stone, 3 ft. base, 2 ft. high, N.
of cor.
46.75 Draw, course S.70° E.
79.86 The cor. of secs. 5, 6, 7 and 8.
Land, gently rolling.
Soil, sandy clay; stony; 2nd and 3rd rate.
No timber.
Undergrowth, sagebrush.

West on a true line, bet secs. 6 and 7.
Over gently rolling land, through scattering undergrowth
and timber.
Asc. gradually.
30.00 Top of ascent; desc.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 6
 $\frac{1}{4}$ S 7
1916

57.34 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.; and spread the dirt around the post.
Intersect the W. bdy. of the Tp., at a point from which
the cor. of secs. 1 and 12, T. 25 N., R. 3 W., which
is an iron post, re-established as described in Book
"A", brs. N.0° 15' E., 11.34 chs. dist.
At the point of intersection, set an iron post, 3 ft. long,
2 ins. diam., 24 ins. in the ground, for closing cor.
of secs. 6 and 7, marked on brass cap

T25N
R2W
S 6
C
C
S 7

1916

Dig pits, 24 X 18 X 12 ins., crosswise on each line,
N. and S., 3 ft., and E. of post, 7 ft. dist.; and
spread the dirt around the post.
Land, gently rolling.
Soil, sandy clay; gravelly surface; limestone formation;
2nd rate.

Chains.

Timber, cedar.
Undergrowth, sagebrush.

40.00 N.0° 3' W., on a random line, bet. secs. 5 and 6.
Set temp. $\frac{1}{4}$ sec. cor.
79.74 Intersect N.bdy. of Tp., 35 lks. E. of the cor. of secs.
5, 6, 31 and 32, which is an iron post, described in
Book "A".
Thence
S.0° 18' E., on a true line, bet. secs. 5 and 6.
Over gently rolling land, through scattering undergrowth.
Asc. very gradually.
29.75 Top of ascent, brs. N.30° E. and S.40° W. Thence over
nearly level land.
39.74 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
ground, in a mound of stone, 2 ft. base, 1 ft. high,
for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S 6 S 5
1916

And raise a mound of stone, 2 ft. base, 1 ft. high, W.
of cor.
53.64 Dim road, brs. NE and SW.
60.75 Small draw, course S.40° E.
75.35 Draw, course E.
79.74 The cor. of secs. 5, 6, 7 and 8.
Land, gently rolling.
Soil, sandy clay; shallow; stony, limestone formation; 3rd
rate.
No timber.
Undergrowth, sagebrush.

GENERAL DESCRIPTION.

The land in this township is rolling, draining north-
ward, covered with a dense growth of cedar and pinion
timber in the eastern and southern parts, which becomes
scattering in the north west part.
The soil is sandy clay, shallow, except in the draws.
The ridges are gravelly and stony, limestone and sand-
stone formation, changing into volcanic in the south west
part.
There is a good growth of native grass.
There is no water in the township except such as is
caught, during the rainy season, in dams built in the
draws.
There are no settlers.

CERTIFICATE OF ASSISTANTS.

We, the undersigned, hereby certify upon honor that we assisted, to the best of our skill and ability, _____, U. S. Surveyor, during the periods and in the capacities stated opposite our several signatures, in surveying all those parts or portions of _____

of the _____ Meridian, in the State of _____ which are represented in the foregoing field notes as having been executed by him, and under his direction; and that said survey has been, in all respects, to the best of our knowledge and belief, well and faithfully executed.

Table with 3 columns: NAME, PERIOD OF SERVICE (BEGUN, ENDED), and CAPACITY. The table contains multiple empty rows for data entry.

Subscribed and certified to before me on the dates of the final service as shown above.

FOR CERTIFICATES OF UNITED STATES SURVEYOR.
AND U. S. TRANSITMAN,

See Book "B." of this Group.

REC'D 2003

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____

_____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191 _____



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, *August 2*, 191*8*.

The foregoing field notes of the survey of _____ the _____ Subdivision Lines of _____

TOWNSHIP 25 NORTH, RANGE 2 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by W.H. Thorn, U.S. Surveyor, and Heber P. Purington, U.S. Transitman, under ~~his~~ special instructions dated March 6, 1915, for Group 54, Arizona, 191 _____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank P. Smith

U. S. Surveyor General.
of Arizona.

~~I certify that the foregoing transcript of the field notes of the above described surveys in Book "J," for Group 54, has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General.
of Arizona.~~