

3026

Book "K"

4-679

G.L.O. letter "E"
March 29, 1919

(1)

(Subdivisions) BOOK 3026

FIELD NOTES

OF THE SURVEY OF PART

of the

SUBDIVISIONAL LINES

of

TOWNSHIP 11 NORTH, RANGE 15 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Alexander T. Harris and John Harris,

U. S. Transitlemen,

~~In the capacity of U. S. Surveyor~~, under instructions dated February 13., 1915
issued by the United States Surveyor General to govern surveys included in
Group No. 48, which were approved by the Commissioner of the General Land
Office, February 26., 1915.

Survey commenced February 17., 1916

Survey completed April 17., 1916.

3026

3026

94
(1A)


BOOK 3026

Book "K"

Group 48 - - Arizona.

Township 11 North, Range 15 West.

INDEX DIAGRAM.



- Surveyed under this Group. Notes in this book.
- Surveyed under this Group. Notes in Book "A."
- Unsurveyed.
- Surveyed under this Group. Notes in Book "J."
- Surveyed under this Group. Notes in Book "N."
- Surveyed under this Group. Notes in Book "Q."
- Surveyed under this Group. Notes in Book "R."

13

Book "K"
 Group 48 - - Arizona.
 Township 11 North, Range 15 West.

	2-25-16	2-25-16	3-24-16	3-24-16	3-27-16	3-27-16	
7-16-16	6 2-26-16	5 2-26-16	4 4-17-16	3 4-17-16	2 4-17-16	1 4-17-16	4-11-16
2-16-16	7 2-26-16	8 2-26-16	9 4-17-16	10 4-17-16	11 4-17-16	12 4-17-16	4-11-16
2-16-16	18 2-18-16	17 2-22-16	16 4-15-16	15 4-14-16	14 4-14-16	13 4-13-16	4-11-16
2-16-16	19 2-18-16	20 2-22-16	21 4-12-16	22 4-12-16	23 4-12-16	24 4-12-16	4-11-16
2-16-16	30 2-17-16	29 2-18-16	28 4-12-16	27	26	25	
2-15-16	31 2-17-16	32 2-18-16	33 4-12-16	34	35	36	
	2-17-16	2-18-16	4-12-16				

Lines dated in red were surveyed by Alexander T. Harris,
 U. S. Transitman.

Lines dated in blue were surveyed by John Gonin, U. S.
 Transitman.

2. Partial Subdivision of T. 11 N., R. 15 W.

Chains.

Surveys hereinafter described were executed by Alexander T. Harris and John Gonin, U.S. Transitmen, on dates shown on page 1 hereof, using Young & Sons' light mountain transits Nos. 2611 & 8492, respectively, described with certificates of approval & tests in Books "A" & "B," respectively.


Apr. 16, '16

We examine the adjustments of our transits, and correct all errors; then to test the solars, by comparing their indications, resulting from solar observations made during a.m. and p.m. hours, with a meridian determined by observations on Polaris, we proceed as follows:-
At our camp at the 1/4 sec. cor. bet. secs. 11 and 12, T. 11 N., R. 15 W., lat. 34° 18 1/2' N., long 113° 47 1/2' W., at 5 hrs. 55 m., a.m., l.m.t., by our watches, which are set to correct local mean time, we observe Polaris at eastern elongation, in accordance with the Manual of Instructions, and mark a point in the line thus determined, on a hub, 10 chs. N. of our station.
At 8 hrs. 0 m., a.m., l.m.t., we lay off the azimuth of Polaris, 1° 22 1/2' to the west, and mark a point in the line thus determined, on a hub, firmly set in the ground, 10 chs. N. of our station.
At 8 hrs. 30 m., a.m., we set off 34° 18 1/2' N. on the lat. arcs; 10° 10 1/2' N. on the decl. arcs; and determine a meridian with each solar. The meridians thus determined depart less than 1' from the meridian determined by observations on Polaris at elongation.
At apparent noon, we set off 10° 13' N. on the decl. arcs; and observe the sun on the meridian with each solar; the resulting lat. in each case is 34° 18 1/2' N.
At 3 hrs. 30 m., p.m., l.m.t., we set off 34° 18 1/2' N. on the lat. arcs; 10° 16 1/2' N. on the decl. arcs; and determine a meridian with the solars. The meridian thus determined depart less than 1' from the meridian determined by observations on Polaris at elongation.
The solars, by a.m. and p.m. observations, define positions for meridians which depart less than 1' from the true meridian determined by observations on Polaris at elongation; therefore, since these instruments fulfill the conditions of our instructions, we conclude that their adjustments are satisfactory.
The magnetic bearing of the true meridian, at 8 hrs. a.m. is N. 15° W.; the mag. decl. is therefore N. 15° E.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., which is an iron post, described in Book "A," N. 0° 2' W., bet. secs. 33 and 34.

Over mountainous land, through scattering undergrowth. Desc. to

- 0.50 Wash, 50 lks. wide, 2 ft. deep, course SW. Asc. 85 ft. to
- 5.23 Spur, slopes SE. Desc. 95 ft. to
- 15.10 Asc. 105 ft. to
- 22.25 Thence over rolling land.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for 1/4 sec. cor., marked on brass cap




and raise a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of cor.

- 55.28 Asc. 45 ft. to
- 67.96 Low divide, brs. E. and W. Desc. 110 ft. to
- Center of wash, 1 ch. wide, 2 ft. deep, course W. Asc. 135 ft. to
- 79.63 Spur, slopes W. Desc. to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 27, 28, 33 and 34, marked on brass cap

Partial Subdivision of T. 11 N., R. 15 W.


3.

Chains.




and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
 Land, mountainous and rolling.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, sagebrush and cactus.
 Drainage, S. and SE.

N.0° 2' W., bet. secs. 27 and 28.
 Over rolling and mountainous land, through scattering undergrowth.
 Desc. 195 ft. to Gulch, course W. Asc. 75 ft. to
 12.71 Desc. 85 ft.
 20.00
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
 41.00 Center of wash, 1 ch. wide, 2 ft. deep, course S.70° W. Road in this wash, brs. E. and W. Asc. 15 ft. to
 56.90 Desc. 40 ft. to
 61.85 Enter Centennial Wash, 5 ft. bank, course SW. Road in this wash, brs. NE. and SW.
 71.85 Leave wash, 5 ft. bank, course SW. Asc. 125 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 21, 22, 27 and 28, marked on brass cap



and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
 Land, mountainous and rolling.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood, sagebrush and cactus.
 Drainage, SW.

AUXILIARY BASE.

From the cor. of secs. 21, 22, 27 and 28,
 East on a random line, setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs.; and at 239.82 chs., intersect the E. bdy. of the Tp., at the cor. of secs. 19, 24, 25 and 30, which is an iron post, described in Book "A." Therefore the true bearing of the line connecting the cor. of secs. 19, 24, 25 and 30. with the cor. of secs. 21, 22, 27 and 28, is West, and the length of the individual miles is 79.94 chs.

4. Partial Subdivision of T. 11 N., R. 15 W.

Chains.

Thence
West on a true line, bet. secs. 24 and 25.
Over mountainous land, through scattering undergrowth.
Desc. 140 ft.

4.83 Ravine, course S.15° W. Thence along S. slope.

11.96 Ravine, course SE. Asc. 250 ft. to

26.61 Spur, slopes S. Desc. 90 ft. to

31.42 Head of ravine, course S. Asc. 125 ft.

39.97 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S24

$\frac{1}{4}$

S25

1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

48.66 Spur, slopes S.; also spur, slopes W. Desc. on spur, 475 ft.

73.51 Leave spur, slopes SW. Continue descent to

79.94 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap

T11N	R15W
S23	S24

S26	S25
1916	

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, mountainous.

Soil, 4th rate.

No timber.

Undergrowth, greasewood, palo verde, cactus, ocotillo,
cat claw and ironwood.

West on a true line, bet. secs. 23 and 26.
Over mountainous land, through scattering undergrowth.
Desc. to

0.98 Ravine, course SW. Asc. 40 ft. to

6.20 Spur, slopes SW. Desc. 145 ft. to

33.10 Asc. 55 ft. to

39.97 Short spur, slopes N.

Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S23

$\frac{1}{4}$

S26

1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

Desc. 150 ft. to

79.94 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on brass cap

T11N	R15W
S22	S23


S27	S26
1916	

Partial Subdivision of T. 11 N., R. 15 W. 5.

Chains.


and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Land, mountainous.
Soil, 4th rate.
No timber.
Undergrowth, greasewood, palo verde, cactus, ocotillo and cat claw.

West on a true line, bet. secs. 22 and 27.
Over mountainous land, through scattering undergrowth.
Desc. to
5.00 Wash, 50 lks. wide, course SW. Asc. 40 ft. to
12.93 Spur, slopes SW. Desc. 70 ft. to
17.82 Head of ravine, course NW. Asc. 115 ft. to
30.14 Rocky hill, on end of spur, slopes NW. Also spur, slopes W. Desc. on spur, 115 ft. to
34.85 Asc. 35 ft. to
36.55 Desc. 180 ft.
39.97 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for 1/4 sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.
47.51 Ravine, course NW. Asc. 55 ft. to
49.83 Desc. 120 ft. to
64.44 Enter Centennial Wash, course SW. Road in wash, brs. NE. and S.20° W.
70.42 Leave wash, course SW. Asc. 120 ft. to
79.94 The cor. of secs. 21, 22, 27 and 28.
Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, greasewood, palo verde, cactus, ocotillo, cat claw and ironwood.

From the cor. of secs. 23, 24, 25 and 26, N.0° 1' W., bet. secs. 23 and 24.
Over mountainous and broken land, through scattering undergrowth.
Desc. to
0.98 Ravine, course SW. Asc. slightly to
8.50 Spur, slopes SW. Desc. 45 ft., along broken W. slope, to
13.45 Asc. 15 ft. to
15.10 Desc. 25 ft. to
20.10 Asc. 50 ft. to
28.85 Spur, slopes SW. Desc. 75 ft. to
33.85 Ravine, course S.70° W. Asc. 40 ft. to
35.00 Desc. to
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

6. Partial Subdivision of T. 11 N., R. 15 W.

Chains.	Asc. 55. ft. to Desc. 80 ft. to Ravine, course SW. Desc. 35 ft. to Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap
43.20	
64.58	
80.00	
	T11N R15W S14 S13
	S23 S24 1916
	and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Land, mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, greasewood, palo verde, cactus, ocotillo, cat claw and ironwood.
40.00	East on a random line, bet. secs. 13 and 24. Set temp. ¼ sec. cor.
80.04	Intersect E. bdy. of Tp., 11 lks. S. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, described in Book "A." Thence S.89° 55' W., on a true line, bet. secs. 13 and 24. Over mountainous land, through scattering undergrowth. Desc. 75 ft. to
15.08	Head of ravine, course S. Asc. 105 ft. to
19.83	Spur, slopes S.20° W. Desc. 260 ft. to
34.00	Ravine, course S.20° W. Asc. 105 ft.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for ¼ sec. cor., marked on brass cap
	S13
	¼ ----- S24 1916
	and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
44.00	Short spur, slopes SW. Desc. 105 ft. to
50.44	Asc. 40 ft. to
55.00	Desc. 85 ft. to
58.86	Ravine, course SW. Asc. 75 ft. to
63.71	Hill on spur, comes from N., and slopes SW. Desc. 95 ft. to
80.04	The cor. of secs. 13, 14, 23 and 24. Land, mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, palo verde, greasewood, cactus, ocotillo, cat claw and ironwood.
	N.0° 1' W., bet. secs. 13 and 14. Over broken land, through scattering undergrowth. Desc. 25 ft. to
9.00	Asc. 25 ft. to
14.00	Desc. 45 ft. to
20.07	Ravine, course SW. Asc. 80 ft. to
31.60	Desc. 85 ft. to

Partial Subdivision of T. 11 N., R. 15 W.

7.


Chains.

36.45

Center of Centennial Wash, 3.00 chs. wide, course SW.
Road in wash, brs. NE. and SW.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Asc. 50 ft. to

53.52



Hill on end of spur, slopes SW. Desc. 45 ft. to

72.80

Center of wash, 1 ch. wide, course SW. Asc. to

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 11, 12, 13 and 14, marked on
brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, broken.

Soil, 4th rate.

No timber.

Undergrowth, greasewood, palo verde, cactus, ocotillo,
cat claw and ironwood.

40.00

N.89° 55' E., on a random line, bet. secs. 12 and 13.

79.94

Set temp. $\frac{1}{4}$ sec. cor.

Intersect E. bdy. of Tp., 9 lks. S. of the cor. of secs.
7, 12, 13 and 18, which is an iron post, described in
Book "A."

Thence

S.89° 51' W., on a true line, bet. secs. 12 and 13.


Over gently rolling land, through scattering undergrowth.

10.00

Road, brs. N.70° E. and S.70° W.

39.97

Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
ground, in a mound of stone, 2 ft. base, 1 ft. high,
for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high,
N. of cor.

Asc. 50 ft. to

43.50

Desc. 80 ft. to

48.35

Asc. 115 ft. to

64.22

Spur, slopes SW. Desc 185 ft. to

79.94

The cor. of secs. 11, 12, 13 and 14.

Land, rolling and gently rolling.

Soil, decomposed granite; 4th rate.


No timber.

Undergrowth, palo verde, greasewood, sagebrush and cactus.
Drainage, SW.


8. Partial Subdivision of T. 11 N., R. 15 W.

Chains.

N.0° 1' W., bet. secs. 11 and 12.
 Over rolling land, through scattering undergrowth.
 Asc. 40 ft. to
 7.64 Top of ascent; slopes W. Desc. 40 ft. to
 17.80 Center of wash, 1 ch. wide, course SW. Thence over gently
 rolling land.
 28.00 Road, brs. NE. and SW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 41.50 Road, brs. E. and W.
 57.00 Same road, brs. NW. and SE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 1, 2, 11 and 12, marked on
 brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, rolling and gently rolling.
 Soil, 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, ocotillo,
 cat claw and ironwood.

40.00 N.89° 51' E., on a random line, bet. secs. 1 and 12.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect E. bdy. of Tp., 5 lks. N. of the cor. of secs.
 1, 6, 7 and 12, which is an iron post, described in
 Book "A."
 Thence
 S.89° 53' W., on a true line, bet. secs. 1 and 12.
 Over rolling land, through scattering undergrowth.
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 41.98 Center of wash, 2. chs. wide, course SW. Road in wash,
 brs. NE. and SW.
 79.98 The cor. of secs. 1, 2, 11 and 12.
 Land, rolling.
 Soil, 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, ocotillo,
 cat claw and ironwood.

Partial Subdivision of T. 11 N., R. 15 W. 9.

Chains.

N.0° 1' W., on a random line, bet. secs. 1 and 2.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.30 Intersect N. bdy. of Tp., 2 lks. E. of the cor. of secs. 1, 2, 35 and 36, which is an iron post, described in Book "A".
 Thence
 S.0° 2' E., on a true line, bet. secs. 1 and 2.
 Over rolling land, through scattering undergrowth.
 Desc. 20 ft. to
 7.85 Asc. 25 ft. to
 12.85 Desc. 15 ft. to
 18.66 Wash, 1 ch. wide, course SW. Asc. 25 ft. to
 25.65 Desc. 25 ft. to
 30.30 Asc. 25 ft. to
 40.30 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 2 | S 1
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Desc. 30 ft. to
 51.70 Ravine, course SW. Asc. 95 ft. to
 59.85 Hill on end of spur, slopes SW. Desc. 105 ft. to
 70.30 Wash, 50 lks. wide, course SW. Asc. slightly to
 80.30 The cor. of secs. 1, 2, 11 and 12.
 Land, rolling.
 Soil, 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, ocotillo, cat claw and ironwood.

From the cor. of secs. 22, 23, 26 and 27,
 N.0° 1' W., bet. secs. 22 and 23.
 Over rolling land, through scattering undergrowth.
 5.00 Wash, course SW.
 12.70 Asc. 115 ft. to
 30.55 Spur, slopes N. Desc. 155 ft. to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S22 | S23
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Asc. 15 ft. to
 71.10 Desc. 40 ft. to
 44.42 Center of Centennial Wash, 3 chs. wide, course SW. Road in wash, brs. NE. and SW. Asc. 55 ft. to
 58.23 Top of ascent, slopes W. Desc. 30 ft. to
 61.70 Center of wash, 4 chs. wide, course S.30° W. Road in wash, brs. N.30° E. and S.30° W. Asc. 150 ft.
 68.41 Spur, slopes S.20° W. Continue ascent along W. slope to
 76.35 Desc. 20 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap

T11N R15W
 S15 | S14
 S22 | S23
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.

10. Partial Subdivision of T. 11 N., R. 15 W.

Chains.

W. of cor.
Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, greasewood, palo verde, ocotillo, cactus, cat
claw and ironwood.

40.00 East on a random line, bet. secs. 14 and 23.
Set temp. $\frac{1}{4}$ sec. cor.
79.94 Intersect N. and S. line, 21 lks. S. of the cor. of secs.
13, 14, 23 and 24,
Thence
S. $89^{\circ} 51'$ W., on a true line, bet. secs. 14 and 23.
Over rolling land, through scattering undergrowth.
Desc. 90 ft.
39.97 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S14
 $\frac{1}{4}$ S23
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
of cor.
43.43 Center of Centennial Wash, 3 chs. wide, course SW. Road in
wash, brs. NE. and SW. Asc. 135 ft. to
51.78 Spur, slopes SW. Desc. 165 ft. to
67.23 Center of wash, 4 chs. wide, course S. 30° W. Asc. 40 ft.
to
72.19 Spur, slopes S. Desc. 95 ft. to
79.94 The cor. of secs. 14, 15, 22 and 23.
Land, rolling and mountainous.
Soil, 4th rate.
No timber.
Undergrowth, greasewood, palo verde, ocotillo, cat claw,
ironwood and cactus.

N.O $1'$ W., bet. secs. 14 and 15.
Over mountainous land, through scattering undergrowth.
Asc. 85 ft. to
3.78 Short spur, slopes SW. Desc. 60 ft. to
8.30 Ravine, course SW. Asc. 65 ft. to
20.02 Spur, slopes SW. Desc. 45 ft. to
29.56 Ravine, course SW. Asc. 55 ft.
40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S15 | S14
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
of cor.
42.14 Spur, slopes SW. Desc. 120 ft. to
58.26 Wash, course SW. Asc. 55 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 10, 11, 14 and 15, marked on
brass cap

T11N R15W
S10 | S11
S15 | S14
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
of cor.
Land, mountainous.

Partial Subdivision of T. 11 N., R. 15 W. 11.

Chains.	<p>Soil, rocky, 4th rate. No timber. Undergrowth, greasewood, palo verde, cactus, ocotillo, cat claw and ironwood.</p>
40.00 79.96	<p>N.89° 51' E., on a random line, bet. secs. 11 and 14. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 11 lks. N. of the cor. of secs. 11, 12, 13 and 14.</p>
10.00 18.10 33.10 39.98	<p>Thence S.89° 56' W., on a true line, bet. secs. 11 and 14. Over rolling land, through scattering undergrowth. Enter Centennial Wash, course S. Road, brs. N. and S. to Bill Williams River. Old road, brs. N. and S. Leave wash, 2 ft. bank, course S. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>
	$\begin{array}{r} \frac{1}{4} \text{ S11} \\ \frac{1}{4} \text{ S14} \\ \hline 1916 \end{array}$
	<p>and raise a mound of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high, N. of cor.</p>
71.06 79.96	<p>Center of wash, 1 ch. wide, 5 ft. deep, course SW. The cor. of secs. 10, 11, 14 and 15. Land, rolling. Soil, gravelly; 4th rate. No timber. Undergrowth, palo verde, ironwood, greasewood, sagebrush and cactus. Drainage, SW.</p>
7.45	<p>N.0° 1' W., bet. secs. 10 and 11. Over broken land, through scattering undergrowth. Desc. 30 ft. to Center of wash, 1 ch. wide, course SW. Thence over rolling land.</p>
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>
	$\begin{array}{r} \frac{1}{4} \\ \text{S10} \text{S11} \\ \hline 1916 \end{array}$
	<p>and raise a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high, W. of cor.</p>
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap</p>
	$\begin{array}{r} \text{T11N R15W} \\ \text{S 3 S 2} \\ \hline \text{S10 S11} \\ \hline 1916 \end{array}$
	<p>and raise a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high, W. of cor.</p>
	<p>Land, rolling and broken. Soil, 4th rate. No timber. Undergrowth, greasewood, palo verde, cactus, ocotillo, cat claw and ironwood.</p>

12. Partial Subdivision of T. 11 N., R. 15 W.

Chains.

40.00 N. 89° 56' E., on a random line, bet. secs. 2 and 11
 Set temp. $\frac{1}{4}$ sec. cor.
 79.94 Intersect N. and S. line, 11 lks. N. of the cor. of secs. 1, 2, 11 and 12.

Thence

N. 89° 59' W., on a true line, bet. secs. 2 and 11.
 Over rolling land, through scattering undergrowth.
 10.00 Wash. course SW.
 35.00 Road, brs. NW. and SE.
 39.97 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 2
 S 11
 1916

65.00 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 79.94 Wash, course SW.

The cor. of secs. 2, 3, 10 and 11.
 Land, rolling.
 Soil, 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, ocotillo, ironwood and cat claw.

40.00 N. 0° 1' W., on a random line, bet. secs. 2 and 3.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.27 Intersect N. bdy. of Tp., 2 lks. E. of the cor. of secs. 2, 3, 34 and 35, which is an iron post, described in Book "A".

Thence

S. 0° 2' E., on a true line, bet. secs. 2 and 3.
 Over rolling land, through scattering undergrowth.
 13.20 Road, brs. NW. and SE. to Bill Williams River.
 22.20 Wash, course SW.
 40.00 Wash, course SW.
 40.27 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 3 | S 2
 1916

45.27 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 80.27 Small wash, course SW.


The cor. of secs. 2, 3, 10 and 11.
 Land, rolling.
 Soil, 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, ocotillo, cat claw and ironwood.

From the cor. of secs. 21, 22, 27 and 28,
 N. 0° 2' W., bet. secs. 21 and 22.
 Over mountainous land, through scattering undergrowth.
 Asc. 185 ft.
 4.95 Top of ascent, slopes E. Thence along E. slope to
 7.48 Saddle in spur, slopes from N. to SW. Desc. 265 ft. to

Chains.

39.50
40.00


Ravine, course SW. Thence over broken W. slope.
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

57.50
64.83
71.75
80.00

Desc. 50 ft. to
Ravine, course SW. Asc. 65 ft. to
Desc. 45 ft. to
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.
Soil, 4th rate.
No timber.
Undergrowth, greasewood, palo verde, ocotillo, cactus, cat claw and ironwood.


40.00
79.88

East on a random line, bet. secs. 15 and 22.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 9 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence
N. $89^{\circ} 56'$ W, on a true line, bet. secs. 15 and 22.
Over mountainous land, through scattering undergrowth.
Desc. 40 ft. to

7.06
14.63
19.91
22.63
30.04
38.19
39.94

Ravine, course S. 20° E. Asc. 120 ft. to
Spur, slopes S. Desc. 170 ft. to
Ravine, course S. Asc. 45 ft. to
Short spur, slopes S. Desc. 75 ft. to
Ravine, course S. Asc. 90 ft. to
Spur, slopes S. Desc. 225 ft.
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.


79.88

Continue descent to
The cor. of secs. 15, 16, 21 and 22.
Land, mountainous.
Soil, 4th rate.
No timber.
Undergrowth, greasewood, palo verde, cactus, ocotillo, cat claw and ironwood.


14. Partial Subdivision of T. 11 N., R. 15 W.

Chains.

N.0° 2' W., bet. secs. 15 and 16.
 Over mountainous land, through scattering undergrowth.
 Asc. 35 ft. to
 Desc. to
 15.00
 17.95 Ravine, course SW. Asc. 25 ft. to
 22.95 Desc. slightly to
 32.60 Center of wash, 1 ch. wide, course SW. Asc. 45 ft. to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Desc. 65 ft. to
 64.00 Enter wash, course SW.
 74.00 Leave wash, course SW. Asc. 50 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 9, 10, 15 and 16, marked on
 brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, mountainous.
 Soil, 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, ocotillo,
 cat claw and ironwood.

40.00 S.89° 56' E., on a random line, bet. secs. 10 and 15.
 Set ~~amp.~~ $\frac{1}{4}$ sec. cor.
 79.86 Intersect N. and S. line, 7 lks. S. of the cor. of secs.
 10, 11, 14 and 15.
 Thence
 N.89° 59' W., on a true line, bet. secs. 10 and 15.
 Over broken land, through scattering undergrowth.
 Desc. 35 ft. to
 10.00 Center of wash, 1 ch. wide, 5 ft. deep, course SW. Asc.
 gradually, 55 ft. to
 36.60 Old road, brs. NW. and SE. Desc. 20 ft. to
 39.93 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, 2 ft. base, 1 ft. high,
 for $\frac{1}{4}$ sec. cor., marked on brass cap




and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high,
 N. of cor.
 Asc. 35 ft. to
 50.20 Desc. 170 ft. to
 69.28 Wash, 3 chs. wide, 5 ft. deep, course SW. Asc. 30 ft. to
 78.85 Desc. 25 ft. to
 79.86 The cor. of secs. 9, 10, 15 and 16.
 Land, rolling and broken.

Chains.

Soil, gravelly; 4th rate.
No timber.
Undergrowth, palo verde, ironwood, sagebrush and cactus.
Drainage, SW.

40.00

N.0° 2' W., bet. secs. 9 and 10.
Over rolling land, through scattering undergrowth.
Enter wash, course SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

50.00

Leave wash, course SW.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.

Soil, 4th rate.

No timber.

Undergrowth, greasewood, palo verde, cactus, ocotillo, ironwood and cat claw.

40.00

S.89° 59' E., on a random line, bet. secs. 3 and 10.

79.87

Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 5 lks. N. of the cor. of secs. 2, 3, 10 and 11.

Thence

N.89° 57' W., on a true line, bet. secs. 3 and 10.

Over broken land, through scattering undergrowth.

Asc. 30 ft. to

8.30

Desc. 65 ft. to

18.18


Center of wash, 1 ch. wide, course SW. Asc. 55 ft. to

28.10

Desc. 95 ft. to

39.93 $\frac{1}{2}$

Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

63.15

Center of wash, 3 chs. wide, course S.30° W. Asc. 120 ft. to

66.15

Thence over rolling land.

79.87

The cor. of secs. 3, 4, 9 and 10.

Land, rolling and broken.

Soil, 4th rate.


16.

Partial Subdivision of T. 11 N., R. 15 W.

Chains.

No timber.
Undergrowth, greasewood, palo verde, cactus, ocotillo, cat claw and ironwood.

40.00 N.0° 2' W., on a random line, bet. secs. 3 and 4.
Set temp. $\frac{1}{4}$ sec. cor.
80.22 Intersect N. bdy. of T. line, 9 lks. E. of the cor. of secs. 3, 4, 33 and 34, which is an iron post, described in Book "A."
Thence
S.0° 6' E., on a true line, bet. secs. 3 and 4.
Over rolling land, through scattering undergrowth.
Desc. 50 ft. to
6.22 Center of wash, 1 ch. wide, course SW. Asc. 55 ft. to
26.18 Spur, slopes SW. Desc. 85 ft. to
40.22 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Thence over gently rolling land,
58.25 Center of wash, 1 ch. wide, course SW.
80.22 The cor. of secs. 3, 4, 9 and 10.
Land, rolling and gently rolling.
Soil, 4th rate.

No timber.
Undergrowth, greasewood, palo verde, cactus, ocotillo, cat claw and ironwood.


From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., which is an iron post, described in Book "A."
N.0° 2' W., bet. secs. 32 and 33.
Over mountainous land, through scattering undergrowth.
Desc. to
1.97 Center of wash, 1 ch. wide, 2 ft. deep, course N.70° W.
Asc. slightly to
5.00 Desc. 30 ft. to
15.10 Asc. 125 ft. to
21.27 Spur, slopes W. Desc. 100 ft. to
26.00 Asc. 40 ft. to
29.45 Desc. 200 ft.
40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.


47.65 Center of wash, 1 ch. wide, 5 ft. deep, course W. Asc. 85 ft. to
56.15 Desc. 120 ft. to
70.52 Center of wash, 1 ch. wide, 10 ft. deep, course W. Asc. 35 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on brass cap

Chains.




and raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.
Land, mountainous.
Soil, decomposed granite; 4th rate.
No timber.
Undergrowth, palo verde, ironwood and sagebrush.
Drainage, W.

40.00 East on a random line, bet. secs. 28 and 33.
Set temp. ¼ sec. cor.
80.02 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 27, 28, 33 and 34.
Thence
S.89° 59' W., on a true line, bet. secs. 28 and 33.
Over mountainous land, through scattering undergrowth.
Desc. 230 ft. to
19.17 Center of wash, 1 ch. wide, 2 ft. deep, course NW. Asc. slightly to
20.00 Desc. gradually, 115 ft., over rolling land,
40.01 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for ¼ sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.
Continue gradual descent.
73.06 Center of wash, 1 ch. wide, 10 ft. deep, course S.70° W. Asc. to
75.36 Gravelly spur, slopes SW. Desc. 50 ft. to
80.02 The cor. of secs. 28, 29, 32 and 33.
Land, rolling and mountainous.
Soil, decomposed granite; 4th rate.
No timber.
Undergrowth, sagebrush, palo verde, greasewood and cactus.
Drainage, W. and SW.

4.95 N.0° 2' W., bet. secs. 28 and 29.
Over mountainous land, through scattering undergrowth.
Desc. 45 ft. to
18.33 Enter Centennial Wash, 2 ft. bank, course SW. Road in Wash, brs. NE. and SW. to Bill Williams River.
40.00 Leave wash, 3 ft. bank, course SW. Asc. 140 ft. to
Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for ¼ sec. cor., marked on brass cap




and raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.

18. Partial Subdivision of T. 11 N., R. 15 W.

Chains.

59.10 Desc. 35 ft. to
 80.00 Asc. 485 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 20, 21, 28 and 29, marked on brass cap




and raise a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of cor.
 Land, mountainous.
 Soil, malpais; 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, ironwood and sagebrush.

40.00 N. 89° 59' E., on a random line, bet. secs. 21 and 28.
 80.09 Set temp. 1/4 sec. cor.
 80.09 Intersect N. and S. line, 5 lks. N. of the cor. of secs. 21, 22, 27 and 28.

Thence
 N. 89° 59' W., on a true line, bet. secs. 21 and 28.
 Over mountainous land, through scattering undergrowth.

Asc. 140 ft. to
 6.41 Spur, slopes S. Desc. 205 ft. to
 21.25 Asc. 40 ft. to
 24.00 Desc. 130 ft. to
 40.04 1/2 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for 1/4 sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

Asc. 65 ft. to
 48.10 Desc. 210 ft. to
 63.02 Center of wash, 2 chs. wide, course S. 20° E. Asc. 535 ft. to
 80.09 The cor. of secs. 20, 21, 28 and 29.
 Land, mountainous.
 Soil, 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, ocotillo, cat claw and ironwood.


5.00 N. 0° 2' W., bet. secs. 20 and 21.
 25.00 Over mountainous land, through scattering undergrowth.
 40.00 Asc. 130 ft. to
 5.00 Top of ascent; mesa, brs. NE. and SW. Thence across level top of mesa.
 25.00 Mesa, brs. NW. and SE. Desc. 480 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for 1/4 sec. cor., marked on brass cap

Partial Subdivision of T. 11 N., R. 15 W.

Chains.




62.60 and raise a mound of stone, 3 ft. base, 2 1/2 ft. high,
 W. of cor.
 80.00 Foot of descent; thence over rolling land.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 16, 17, 20 and 21, marked on
 brass cap



and raise a mound of stone, 3 ft. base, 2 1/2 ft. high,
 W. of cor.
 Land, mountainous and rolling.
 Soil, malpais; 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood and sagebrush.
 Drainage, SE.

40.00 S. 89° 59' E., on a random line, bet. secs. 16 and 21.
 80.00 Set temp. 1/4 sec. cor.
 80.00 Intersect N. and S. line, 14 lks. N. of the cor. of secs.
 15, 16, 21 and 22.
 Thence
 N. 89° 53' W., on a true line, bet. secs. 16 and 21.
 Over rolling and broken land, through scattering under-
 growth.
 Asc. 25 ft. to
 5.00 Desc. 50 ft. to
 19.50 Thence over rolling land.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
 N. of cor.
 43.20 Desc. 35 ft. to
 51.17 Center of wash, 3 chs. wide, course S. Asc. 35 ft. to
 56.20 Desc. 30 ft. to
 63.20 Asc. 125 ft. to
 73.70 Desc. 30 ft. to
 80.00 The cor. of secs. 16, 17, 20 and 21.
 Land, rolling and broken.
 Soil, 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, ocotillo,
 cat claw and ironwood.

29.47 N. 0° 2' W., bet. secs. 16 and 17.
 Over rolling and broken land, through scattering under-
 growth.
 Asc. 120 ft. to
 Low divide, brs. NE. and SW. Desc. 40 ft. to

chains.

34.50
40.00

Asc. 35 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$

S17 S16

1916

and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high,
W. of cor.

44.15
58.55

Desc. 45 ft. to
Wash, 50 lks. wide, 2 ft. deep, course SW. Asc. 25 ft. to
Desc. 75 ft. to

62.40

Center of wash, 1 ch. wide, 5 ft. deep, course W. Asc.
40 ft. to

80.00

Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
stone, for cor. of secs. 8, 9, 16 and 17, marked on
brass cap

T11N R15W
S 8 S 9

S17 S16
1916

and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high,
W. of cor.

Land, rolling and broken.
Soil, gravelly; 3rd rate.
No timber.
Undergrowth, palo verde, greasewood, sagebrush and cactus.
Drainage, SW. and W.

40.00
79.98

S. $89^{\circ} 53'$ E., on a random line, bet. secs. 9 and 16.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 16 lks. S. of the cor. of secs.
9, 10, 15 and 16.

Thence
West on a true line, bet. secs. 9 and 16.
Over rolling land, through scattering undergrowth.

6.38

Desc. 45 ft. to
Center of wash, 3 chs. wide, 5 ft. deep, course S. Thence
over gently rolling land.

37.35

Wash, 50 lks. wide, 10 ft. deep, course S. Asc. 55 ft.

39.99

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S 9

$\frac{1}{4}$
S16
1916

and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high,
N. of cor.

42.50
62.35

Desc. 95 ft. to
Center of wash, 1 ch. wide, 10 ft. deep, course SW. Asc.
40 ft. to

79.98


The cor. of secs. 8, 9, 16 and 17.
Land, rolling.
Soil, gravelly; 4th rate.
No timber.
Undergrowth, palo verde, greasewood, sagebrush and cactus.
Drainage, S. and SW.

Chains.

N.0° 2' W., bet. secs. 8 and 9.
Over rolling and mountainous land, through scattering undergrowth.


19.46 Asc. 120 ft. to
29.45 Spur, slopes SW. Desc. 35 ft. to
40.00 Asc. 120 ft.

Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for 1/4 sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of cor.

43.65 Ridge, brs. E. and W. Desc. 210 ft. to
59.29 Enter wash, 2 ft. bank, course SW.
64.29 Leave wash, 1 ft. bank, course SW. Asc. 110 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, marked on brass cap




and raise a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of cor.
Land, rolling and mountainous.
Soil, gravelly; 4th rate.
No timber.
Undergrowth, greasewood, palo verde, sagebrush and cactus.
Drainage, SW.

40.00 East on a random line, bet. secs. 4 and 9.
Set temp. 1/4 sec. cor.
80.02 Intersect N. and S. line, 5 lks. N. of the cor. of secs. 3, 4, 9 and 10.

Thence N.89° 58' W., on a true line, bet. secs. 4 and 9.
Over broken land, through scattering undergrowth.
Desc. slightly to

25.00 Center of wash 5 chs. wide, 2 ft. deep, course SW. Thence over rolling land.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2 1/2 ft. high, N. of cor.

49.52 Desc. 25 ft. to
55.52 Enter wash, course SW.
59.52 Leave wash, 2 ft. bank, course SW. Asc. 90 ft. to
64.32 Desc. 70 ft. to
73.07 Asc. 70 ft. to
77.52 Desc. 20 ft. to
80.02 The cor. of secs. 4, 5, 8 and 9.

Land, broken.
Soil, gravelly; 4th rate.


22.

Partial Subdivision of T. 11 N., R. 15 W.

Chains.

No timber.
Undergrowth, palo verde, greasewood, sagebrush and cactus.
Drainage, SW.

40.00 N.0° 2' W., on a random line, bet. secs. 4 and 5.
Set temp. $\frac{1}{4}$ sec. cor.
80.26 Intersect N. bdy. of Tp., 14 lks. E. of the cor. of secs.
4, 5, 32 and 33, which is an iron post, described in
Book "A."
Thence
S.0° 8' E., on a true line, bet. secs. 4 and 5.
Over broken land, through scattering undergrowth.
10.40 Center of wash, 1 ch. wide, 2 ft. deep, course SW.
20.38 Center of wash, 1 ch. wide, 5 ft. deep, course SW. Asc.
95 ft. to
40.26 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high,
W. of cor.

48.75 Desc. 75 ft. to
Wash, 50 lks. wide, 5 ft. deep, course SW. Asc. 65 ft. to
53.04 Spur; slopes SW. Desc. 90 ft. to
80.26 The cor. of secs. 4, 5, 8 and 9.
Land, broken.
No timber.
Undergrowth, greasewood, palo verde, sagebrush and cactus.
Soil, gravelly; 3rd rate.
Drainage, SW.

From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of
the Tp., which is an iron post, described in Book "A,"
N.0° 3' W., bet. secs. 31 and 32.

Over rolling land, through scattering undergrowth.
22.70 Road, brs. E. and W.
25.80 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass
cap




and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor. (Point for $\frac{1}{4}$ sec. cor. is inaccessible.)

32.50 Left bank of Bill Williams River, brs. N.80° W. and S.80°
E. Thence across Bill Williams River, 14 ins. deep,
course N.80° W.
37.00 Base of unscalable cliff, 760 ft. high. I return to
25.00 I set a point ahead on the sec. line, and measure a base
S.89° 57' W., 30.00 chs., from the end of which the
point of top of the cliff brs. N.37° 56' E. The dist.
to the flag on the sec. line is therefore given by

$$\tan. 52^\circ 1' \times 30. = 1.28071 \times 30. = 38.42$$


chs., which added to 25.00 chs., makes 63.42 chs.

63.42 Contine ascent, 50 ft. to
76.12 Ridge, brs. NE. and W. Desc. to



Chains.
80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap



and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
Land, rolling and mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, cactus, greasewood, palo verde, ocotillo and mesquite.

40.00

East on a random line, bet. secs. 29 and 32.

80.04

Set temp. ¼ sec. cor.

Intersect N. and S. line, 5 lks. S. of the cor. of secs. 28, 29, 32 and 33.

Thence

S.89° 58' W., on a true line, bet. secs. 29 and 32.

Over mountainous land, through scattering undergrowth.

Desc. 50 ft. to

5.00

Enter Centennial Wash, course SW. Road in this wash, brs. NE. and SW. to Hill Williams River.

14.94

Leave wash, course SW. Asc. 130 ft. to

27.15


Desc. 35 ft. to

32.15

Asc. 535 ft.

40.02

Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for ¼ sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.

80.04

Continue ascent to the cor. of secs. 29, 30, 31 and 32.

Land, mountainous.

Soil, malpais; 4th rate.

No timber.

Undergrowth, palo verde, greasewood, sagebrush, and cactus. Drainage, S. and SE.


40.00

West on a random line, bet. secs. 30 and 31.

69.50

Set temp. ¼ sec. cor.

Top of cliff, Impossible to chain from here. From this point, a flag on the W. bdy. of the Tp., 5.17 chs. N. of the cor. of secs. 25, 30, 31 and 36, brs. N.60° 48' W., I line in a flagman at the cor. of secs. 25, 30, 31 and 36, and find that I fall .10 chs. S. of the cor., making the base used 5.17chs. + .10 chs. = 5.27 chs.



78.93

Distance triangulated is given by cot. 29° 12' X 5.27 = 1.78929 X 5.27 = 9.43 chs., which added to 69.50 chs., makes

Intersect W. bdy. of Tp., 10 lks. S. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in Book "A:"

24.

Partial Subdivision of T. 11 N., R. 15 W.

Chains.

Thence
 S.89° 56' E., on a true line, bet. secs. 30 and 31.
 Over mountainous land, through scattering undergrowth.
 Asc. to
 9.43 Cliff, 520 ft. high, brs. NW. and S. Asc. 355 ft.
 38.93 Set an iron post, 3 ft. long, 1 in. diam., in amount of
 stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S30

$\frac{1}{4}$

S31
1916

and raise a mound of stone, 2 ft. base, 2 $\frac{1}{2}$ ft. high,
N. of cor.

40.13 Top of ascent, slopes S. Desc. 130 ft. to
 49.53 Asc. 405 ft. to
 66.73 Divide, brs. N.70° W. and S.80° E. Desc. 130 ft. to
 78.93 The cor. of secs. 29, 30, 31 and 32.
 Land, mountainous.
 Soil, 4th rate.
 No timber.
 Undergrowth, cactus, greasewood, palo verde and ocotillo.

N.0° 3' W., bet. secs. 29 and 30.
 Over mountainous land, through scattering undergrowth.
 Desc. 295 ft. to
 31.57 Ravine, course NW. Asc. 120 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$

S30 | S29

1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

45.00 Top of ascent, slopes W. Desc. 205 ft. to
 67.93 Ravine, course W. Asc. 100 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 19, 20, 29 and 30, marked on
 brass cap

T11N R15W

S19 | S20

S30 | S29

1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, ocotillo and
 mesquite.

40.00 N.89° 58' E., on a random line, bet. secs. 20 and 29.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.84 Intersect N. and S. line, 28 lks. N. of the cor. of secs.
 20, 21, 28 and 29.

Thence
 N.89° 50' W., on a true line, bet. secs. 20 and 29.

Partial Subdivision of T. 11 N., R. 15 W. 25.

Chains.

Over mountainous land, through scattering undergrowth.
 Asc. 70 ft. to
 1.71 Rim of mesa, brs. N.10° E. and S.10° W. Thence over point
 of mesa.
 4.10 Leave mesa; desc. 280 ft.
 15.73 Head of draw, course S.20° E. Asc. 325 ft. to
 28.82 Rim of mesa, brs. N. and S. Desc. over mesa.
 39.00 Rim of mesa, brs. N. and S. Desc. 355 ft.
 39.92 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for 1/4 sec. cor., marked on brass cap

1/4 S20
 1/4 S29
 1916

and raise a mound of stone, 3 ft. base, 2 1/2 ft. high, N.
 of cor.

68.35 Draw, course NW. Asc. 20 ft. to
 71.64 Spur, slopes NW. Desc. to
 79.84 The cor. of secs. 19, 20, 29 and 30.
 Land, mountainous.
 Soil, malpais, 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood and sagebrush.
 Drainage, SE. and NW.

40.00 N.89° 56' W., on a random line, bet. secs. 19 and 30.
 Set temp. 1/4 sec. cor.
 78.85 Intersect W. bdy. of Tp., 9 lks. S. of the cor. of secs.
 19, 24, 25 and 30, which is an iron post, described in
 Book "A".

Thence
 S.89° 52' E., on a true line, bet. secs. 19 and 30.
 Over mountainous land, through scattering undergrowth.
 Asc. 175 ft. to

30.00 Top of ascent, slopes N. Desc. 125 ft. to
 37.20 Ravine, course NW. Asc. 145 ft.
 38.85 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for 1/4 sec. cor., marked on brass cap

1/4 S19
 1/4 S30
 1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N.
 of cor.

42.60 Top of ascent; desc. 110 ft. to
 45.50 Same ravine, course SW. Asc. 125 ft. to
 51.80 Top of ascent; desc. 70 ft. to
 57.11 Same ravine, course NW. Asc. 90 ft. to
 78.85 The cor. of secs. 19, 20, 29 and 30.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cactus, greasewood, palo verde and ocotillo.

N.0° 3' W., bet. secs. 19 and 20.
 Over mountainous land, through scattering undergrowth.
 Desc. 130 ft. to
 5.86 Ravine, course W. Asc. 190 ft. to
 34.25 Top of ascent, slopes W. Desc. 125 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for 1/4 sec. cor., marked on brass cap

26.

Partial Subdivision of T. 11 N., R. 15 W.

Chains.

$$\begin{array}{c} \frac{1}{4} \\ \hline S19 | S20 \\ \hline 1916 \end{array}$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

57.40 Ravine, course W. Asc. 90 ft. to
75.30 Top of ascent, slopes W. Desc. 95 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 17, 18, 19 and 20, marked on brass cap

$$\begin{array}{c} T11N R15W \\ \hline S18 | S17 \\ \hline S19 | S20 \\ \hline 1916 \end{array}$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous

Soil, 4th rate.

No timber.

Undergrowth, cactus, greasewood, ocotillo and palo verde.

40.00 S. $89^{\circ} 50'$ E., on a random line, bet. secs. 17 and 20.
Set temp. $\frac{1}{4}$ sec. cor.
79.96 Intersect N. and S. line, 11 lks. S. of the cor. of secs. 16, 17, 20 and 21.

Thence

20.00 N. $89^{\circ} 55'$ W., on a true line, bet. secs. 17 and 20.
Over rolling land, through scattering undergrowth.
Leave rolling, enter mountainous land, brs. NW. and SE.
Asc. 355 ft.

39.98 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} S17 \\ \hline \frac{1}{4} - S20 \\ \hline 1916 \end{array}$$

and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

44.35 Spur, slopes NW. Desc. 240 ft. to

71.75 Asc. 55 ft. to

76.70 Desc. 55 ft. to

79.96 The cor. of secs. 17, 18, 19 and 20.

Land, rolling and mountainous.

Soil, rocky, 4th rate.

No timber.

Undergrowth, palo verde, greasewood, sagebrush and cactus.

Drainage, NE. and NW.

40.00 N. $89^{\circ} 52'$ W., on a random line, bet. secs. 18 and 19.
Set temp. $\frac{1}{4}$ sec. cor.

78.89 Intersect W. bdy. of Tp., 7 lks. N. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, described in Book "A".

Thence

S. $89^{\circ} 55'$ E., on a true line, bet. secs. 18 and 19,
Over mountainous land, through scattering undergrowth.

Partial Subdivision of T. 11 N., R. 15 W. 27.

Chains.

11.65 Desc. 185 ft. to
 24.99 Wash, course SW. Asc. 220 ft. to
 28.89 Top of ascent, slopes N. Desc. 45 ft. to
 38.89 Thence along N. slope.
 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S18

$\frac{1}{4}$ ———

S19

1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

47.23 Ravine, course NW. Formed by ravines from NE. and SE.
 Asc. 115 ft. to

51.94 Thence along N. slope to

64.89 Enter ravine, course N.75° W. Asc. 125 ft., in ravine.

69.89 Leave ravine, course W. Comes from NE. Asc. to

78.89 The cor. of secs. 17, 18, 19 and 20.

Land, mountainous.

Soil, 4th rate.

No timber.

Undergrowth, greasewood, cactus, palo verde and ocotillo.

N.0° 3' W., bet. secs. 17 and 18.

Over mountainous land, through scattering undergrowth.

Desc. 30 ft. to

1.87 Ravine, course W. Asc. 90 ft. to

10.00 Top of ascent; thence along W. slope to

20.00 Desc. 300 ft. to

33.90 Ravine, course W. Asc. 255 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$

S18 S17

1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

45.00 Spur, slopes SW. Desc. 140 ft. to

77.20 Wash, course SW. Desc. slightly to

80.00 Set an iron post, 3 ft. long, 2 ins diam., 24 ins. in the
ground, for cor. of secs. 7, 8, 17 and 18, marked on
brass cap

T11N R15W

S 7 S 8

S18 S17

1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, mountainous.

Soil, 4th rate.

No timber.

Undergrowth, greasewood, palo verde, cactus, cat claw,
ironwood and ocotillo.


40.00 S.89° 55' E., on a random line, bet. secs. 8 and 17.
Set temp. $\frac{1}{4}$ sec. cor.

28.

Partial Subdivision of T. 11 N., R. 15 W.

Chains.	
80.04	Intersect N. and S. line, 11 lks. N. of the cor. of secs. 8, 9, 16 and 17. Thence N.89° 50' W., on a true line, bet. secs. 8 and 17. Over rolling land, through scattering undergrowth. Desc. 75 ft. to
24.92	Wash, 50 lks. wide, 5 ft. deep, course SW. Asc. 55 ft. to
34.90	Desc. 25 ft. to
40.02	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	S 8 $\frac{1}{4}$ — S17 1916
	and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor. Thence over gently rolling land.
65.00	Enter wash, 2 ft. bank, course SW.
75.00	Leave wash, course SW.
80.04	The cor. of secs. 7, 8, 17 and 18. Land, rolling and gently rolling. Soil, gravelly; 3rd rate. No timber. Undergrowth, palo verde, greasewood, sagebrush and cactus. Drainage, SW.
40.00	N.89° 55' W., on a random line, bet. secs. 7 and 18. Set temp. $\frac{1}{4}$ sec. cor.
78.85	Intersect W. bdy. of Tp., 7 lks. N. of the cor. of secs. 7, 12, 13 and 18, which is an iron post, described in Book "A!" Thence S.89° 58' E., on a true line, bet. secs. 7 and 18. Over rolling land, through scattering undergrowth. Asc. 90 ft. to
20.70	Desc. 110 ft. to
38.85	Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	S 7 $\frac{1}{4}$ — S18 1916
	and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor. Asc. 40 ft. to Desc. 50 ft. to
51.45	Thence over gently rolling land.
58.85	The cor. of secs. 7, 8, 17 and 18.
78.85	Land, rolling and gently rolling. Soil, 3rd rate. No timber. Undergrowth, greasewood, palo verde, cactus, ironwood, cat claw and ocotillo.
40.00	N.0° 3' W., bet. secs. 7 and 8. Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap


Chains.



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

52.35 Asc. 190 ft. to
 61.50 Desc. 45 ft. to
 80.00 Asc. 35 ft. to

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling and gently rolling.

Soil, 4th rate.

No timber.

Undergrowth, greasewood, palo verde, cactus, cat claw and ocotillo.

40.00 S. $89^{\circ} 50'$ E., on a random line, bet. secs. 5 and 8.
 80.12 Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 9 lks. S. of the cor. of secs. 4, 5, 8 and 9.

Thence


N. $89^{\circ} 54'$ W., on a true line, bet. secs. 5 and 8.

Over rolling and mountainous land, through scattering undergrowth.

14.95 Center of wash, 1 ch. wide, 2 ft. deep, course S. Asc.
 28.96 E. slope, 320 ft. to

Ridge, brs. N. and S. Desc. 360 ft.

40.06 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

58.03 Center of wash, 1 ch. wide, 5 ft. deep, course S. Asc.
 80.12 105 ft. to

The cor. of secs. 5, 6, 7 and 8.

Land, mountainous and rolling.

Soil, gravelly and rocky; 4th rate.

No timber.

Undergrowth, palo verde, greasewood, sagebrush and cactus. Drainage, SW.

40.00 N. $89^{\circ} 58'$ W., on a random line, bet. secs. 6 and 7.
 78.63 Set temp. $\frac{1}{4}$ sec. cor.

Intersect W. bay. of Tp., 2 lks. S. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, described in Book "A."

30.

Partial Subdivision of T. 11 N., R. 15 W.

Chains.

Thence
 S.89° 57' E., on a true line, bet. secs. 6 and 7.
 Over rolling land, through scattering undergrowth.
 Asc. 95 ft. to
 9.38 Desc. 85 ft. to
 21.43 Wash, course S. Asc. 35 ft. to
 31.43 Desc. 30 ft. to
 38.63 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S 6
 $\frac{1}{4}$ ———
 S 7
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 Asc. 65 ft. to
 44.00 Desc. 45 ft. to
 47.13 Asc. 50 ft. to
 57.08 Desc. 45 ft. to
 61.23 Asc. 55 ft. to
 78.63 The cor. of secs. 5, 6, 7 and 8.
 Land, rolling.
 Soil, 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, cat claw and
 ocotillo.

40.00 N.0° 3' W., on a random line, bet. secs. 5 and 6.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.01 Intersect N. bdy. of Tp., 9 lks. E. of the cor. of secs.
 5, 6, 31 and 32, which is an iron post, described in
 Book "A".

Thence
 S.0° 7' E., on a true line, bet. secs. 5 and 6.
 Over mountainous land, through scattering undergrowth.
 Desc. 320 ft. to
 30.01 Thence along W. slope
 40.01 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 |
 S 6 | S 5
 |
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Desc. 160 ft. to
 46.10 Wash, course W. Asc. 50 ft. to
 59.87 Desc. 100 ft. to
 63.06 Asc. 45 ft. to
 70.31 Desc. 50 ft. to
 75.26 The cor. of secs. 5, 6, 7 and 8.
 80.01 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cactus, cat claw,
 ironwood and ocotillo.

GENERAL DESCRIPTION.

The southern and eastern portions of this township are composed of rough and mountainous land, of volcanic origin. The northern and central portions consist of low spurs, of granite formation. Drainage is south-westerly to the Bill Williams River, which flows through secs. 31 and 32.

There is no timber. The vegetation is palo verde, ironwood, mesquite, greasewood, cactus, ocotillo and cat claw. There is a sparse growth of grass on the ridges.

The soil is fine, light clay, very rocky; 4th rate.

There are no settlers. Prospecting has been done in secs. 10 and 15.

The Bill Williams river at the time of the survey here-
inbefore described, was in an abnormal stage owing to recent heavy rains, and normally, is a stream of much less than 3 chs. in width, and is therefore, not a meanderable stream.

34 3026

For CERTIFICATE OF UNITED STATES TRANSITMEN,
See Book "B."

I, _____, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191____, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, MAY 17 1918, 191____

The foregoing field notes of the survey of part of the _____


Subdivision Lines of _____

TOWNSHIP 11 NORTH, RANGE 15 WEST, _____

of the Gila and Salt River Base and Meridian, in the State of Arizona, _____

executed by Alexander T. Harris, and John Gonin, U.S. Transitmen, _____

under his special instructions dated Feb. 13, 1915, for Group 48, Arizona 191____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.



U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____~~

~~_____ has been correctly copied from the original notes on file in this office.~~