

291
6

2014

Book "D."

4-679

01.01.1918

BOOK 3044

(Subdivisions)

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 2 NORTH, RANGE 19 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Woodbury Abbey, U.S. Surveyor

and

Roy J. Gill, U. S. Transitman,

~~In the capacity of U. S. Surveyor~~, under instructions dated December 12., 1914,
issued by the United States Surveyor General to govern surveys included in
Group No. 39, which were approved by the Commissioner of the General Land
Office, January 7., 1915.

Survey commenced January 14., 1915.

Survey completed January 23., 1915.

Executed under Assignment
Instructions dated Dec. 12, 1914

2014

(A)


Book "D."

(Subdivisions)

Group 39, Arizona.

BOOK 308

INDEX DIAGRAM.



———— Subdivision lines surveyed under this Group.

———— Township boundaries surveyed under this Group.
Notes in Book "B."

----- Unsurveyed lines.

Subdivision of T. 2 N., R. 19 W. (13)

Chains

Survey commenced Jan. 14, 1915, and executed jointly by Woodbury Abbey, U. S. Surveyor, and Roy J. Gill, U. S. Transitman, on the dates shown on the diagram on page 25 of this book.

A description of the instruments used, with record of approval by the assistant supervisor of surveys and field tests, appears in Book "B."

All lines were originated by deflection from the transit line run W. from the SE. to the SW. cor. of the Tp. during the survey of the S. bdy.; a record of which appears in Book "B."

The magnetic bearing of the true meridian, at 8h 00m, a.m., l.m.t., is N.14°30'W.; which gives for the mag. decl., 14°30' E.

From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of Tp., described in Book "B,"

N.0°01'W., bet. secs. 35 and 36,
over level land, through scattering timber and dense undergrowth.

20.00 Wash, 30 lks. wide, course W.

35.00 Draw, 25 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 35 in W., and
S 36 in E. half; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

59.00 Draw, 25 lks. wide, course NW.

76.00 Wash, 50 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap, marked

T 2 N S 26 in NW.,
R 19 W S 25 in NE.,
S 36 in SE., and
S 35 in SW. quadrant; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, level.

Soil, 3rd rate.

Timber, mesquite and catclaw.

Undergrowth, greasewood and cactus.

East, on a random line, bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect E. bdy. of Tp. 11 lks. S. of the cor. of secs. 25, 30, 31 and 36, described in Book "B."

Thence S.89°55'W., on a true line, bet. secs. 25 and 36,
over level land, through scattering timber and dense undergrowth.

.6-00 Wash, 100 lks. wide, course NW.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 25 in N., and
S 36 in S. half, and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

Chains

42.00	Draw, course NW.
63.50	Draw, course NW.
79.98	The cor. of secs. 25, 26, 35 and 36. Land, level. Soil, 3rd rate. Timber, ironwood, mesquite and catclaw. Undergrowth, greasewood and cactus.

	N.0°01'W., bet. secs. 25 and 26, over level land, through scattering timber and dense undergrowth.
25.00	Draw, course W.
38.00	Draw, course W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 25 in E., and S 26 in W. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
48.00	Wash, 15 lks. wide, course W.
75.00	Wash, 25 lks. wide, course NW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, with brass cap, marked T 2 N S 23 in NW., R 19 W S 24 in NE., S 25 in SE., and S 26 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Land, level. Soil, 3rd rate. Timber, ironwood, catclaw and paloverde. Undergrowth, greasewood, cactus and mesquite.

40.00	East, on a random line, bet. secs. 24 and 25. Set temp. $\frac{1}{4}$ sec. cor.
80.02	Intersect E. bay. of Tp. 16 lks. S. of the cor. of secs. 19, 24, 25 and 30, described in Book "B."
	Thence S.89°53'W., on a true line, bet. secs. 24 and 25, over level land, through scattering timber and dense undergrowth.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 24 in N.; and S 25 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
80.02	The cor. of secs. 23, 24, 25 and 26. Land, level. Soil, 3rd rate. Timber, ironwood. Undergrowth, greasewood, cactus and catclaw.

	N.0°01'W., bet. secs. 23 and 24, over level desert, through scattering timber and dense undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

Subdivision of T. 2 N., R. 19 W.

Chains

$\frac{1}{4}$ in N.,
 S 23 in W., and
 S 24 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 13, 14, 23 and 24, with brass
 cap, marked
 T 2 N S 14 in NW.,
 R 19 W S 13 in NE.,
 S 24 in SE., and
 S 23 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level.
 Soil, 2nd and 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.

East, on a random line, bet. secs. 13 and 24.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.12 Intersect N. bdy. of Tp. 3 lks. N. of the cor. of secs.
 13, 18, 19 and 24, described in Book "B."

Thence N. $89^{\circ}59'$ W., on a true line, bet. secs. 13 and 24,
 over level desert, through scattering timber and dense
 undergrowth.
 8.10 Wash, 100 lks. wide, course NW.
 40.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 13 in N., and
 S 24 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 80.12 The cor. of secs. 13, 14, 23 and 24.
 Land, level.
 Soil, 2nd and 3rd rate.
 Timber, paloverde, mesquite and catclaw.
 Undergrowth, greasewood, cactus and sage.

N. $0^{\circ}01'$ W., bet. secs. 13 and 14,
 over level desert, through scattering timber and dense
 undergrowth.
 39.40 Wash, 100 lks. wide, course W.
 40.00 Point for $\frac{1}{4}$ sec. cor., falls in wash, where it is imprac-
 ticable to set same. Therefore at
 40.50 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 ground, for witness cor. to $\frac{1}{4}$ sec. cor., with brass cap,
 marked

$\frac{1}{4}$ in N.,
 WC in S.,
 S 13 in E., and
 S 14 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 11, 12, 13, and 14, with brass
 cap, marked
 T 2 N S 11 in NW.,
 R 19 W S 12 in NE.,
 S 13 in SE., and
 S 14 in SW. quadrant; and
 1915 in S. rim;

Chains

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, level.

Soil, 2nd and 3rd rate.

Timber, paloverde, mesquite and catclaw.

Undergrowth, greasewood, cactus and sage.

East, on a random line, bet. secs. 12 and 13.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.08 Intersect E. bdy. of Tp. 7 lks. S. of the cor. of secs. 7,
12, 13 and 18, described in Book "B."

Thence S. $89^{\circ}57'W.$, on a true line, bet. secs. 12 and 13,
over level desert, through scattering timber and dense
undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 12 in N., and
S 13 in S. half; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

80.08 The cor. of secs. 11, 12, 13 and 14.

Land, level.

Soil, 2nd and 3rd rate.

Timber, paloverde, catclaw and mesquite.

Undergrowth, greasewood, sage and cactus.

N. $0^{\circ}01'W.$, bet. secs. 11 and 12,

over level desert, through scattering timber and dense
undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
S 11 in W., and
S 12 in E. half; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 1, 2, 11 and 12, with brass
cap, marked

T 2 N S 2 in NW.,
R 19 W S 1 in NE.,
S 12 in SE., and
S 11 in SW. quadrant; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, level.

Soil, 2nd rate.

Timber, paloverde and catclaw.

Undergrowth, greasewood, cactus and sage.

East, on a random line, bet. secs. 1 and 12.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.08 Intersect E. bdy. of Tp. 7 lks. N. of the cor. of secs.
1, 6, 7 and 12, described in Book "B."

Thence N. $89^{\circ}57'W.$, on a true line, bet. secs. 1 and 12,
over level land, through scattering timber and dense
undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

Subdivision of T. 2 N., R. 19 W.

Chains

80.08 $\frac{1}{4}$ S 1 in N., and
 S 12 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

The cor. of secs. 1, 2, 11 and 12.
 Land, level. Soil, 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, cac tus and sage.

40.00 N.0°01'W., on a random line, bet. secs. 1 and 2.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.00- Intersect N. bdy. of Tp. 2 lks. E. on the cor. of secs.
 1, 2, 35 and 36, described in Book "B."

Thence S.0°02'E., on a true line, bet. secs. 1 and 2,
 over level desert, through scattering timber and dense
 undergrowth.

1.00 Wash, 100 lks. wide, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
 S 1 in E., and
 S 2 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

65.00 Draw, 50 lks. wide, course NW.
 80.00 The cor. of secs. 1, 2, 11 and 12.

Land, level.
 Soil, 3rd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of
 Tp., described in Book "B,"

40.00 N.0°01'W., bet. secs. 34 and 35,
 over level desert, through scattering timber and dense
 undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ Sec. sec., with brass cap, marked

$\frac{1}{4}$ in N.,
 S 34 in W., and
 S 35 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 26, 27, 34 and 35, with brass
 cap, marked

T 2 N S 27 in NW.,,
 R 19 W S 26 in NE.,
 S 35 in SE., and
 S 34 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

Land, level.
 Soil, 1st and 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.

Chains

East, on a random line, bet. secs. 26 and 35.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.30 Intersect N. and S. line 5 lks. N. of the cor. of secs.
 25, 26, 35 and 36.

Thence N.89°58'W., on a true line, bet. secs. 26 and 35,
 over level desert, through scattering timber and dense
 undergrowth.

16.30 Wash, 50 lks. wide, course NW.
 40.15 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 26 in N., and
 S 35 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

80.30 The cor. of secs. 26, 27, 34 and 35.
 Land, level.
 Soil, 1st and 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, cactus and sage.

N.0°01'W., bet. secs. 26 and 27,
 over level land, through scattering timber and dense
 undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 26 in E., and
 S 27 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
 ground, for cor. of secs. 22, 23, 26 and 27, with brass
 cap, marked
 T 2 N S 22 in NW.,
 R 19 W S 23 in NE.,
 S 26 in SE., and
 S 27 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level. desert.
 Soil, 1st. and 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, cactus and sage.

East, on a random line, bet. secs. 23 and 26.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.26 Intersect N. and S. line 26 lks. S. of the cor. of secs.
 23, 24, 25 and 26.

Thence S.89°49'W., on a true line, bet. secs. 23 and 26,
 over level desert, through scattering timber and dense
 undergrowth.

40.13 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 23 in N., and
 S 26 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

64.25 Wash, 2 chs. wide, course NW.
 80.26 The cor. of secs. 22, 23, 26 and 27.

Subdivision of T. 2 N., R. 19 W.

Chains

Land, level.
Soil, 2nd and 3rd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.

N.0°01'W., bet. secs. 22 and 23,
over level desert, through scattering timber and dense
undergrowth.

8.00 Wash, 100 lks. wide, course W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 22 in W., and
S 23 in E. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 14, 15, 22 and 23, with brass
cap, marked
T 2 N S 15 in NW.,
R 19 W S 14 in NE.,
S 23 in SE., and
S 22 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

Land, level.
Soil, 1st and 2nd rate.
Timber, mesquite, catclaw and paloverde.
Undergrowth, greasewood, cactus and sage.

40.00 East, on a random line, bet. secs. 14 and 23.
Set temp. $\frac{1}{4}$ sec. cor.
80.28 Intersect N. and S. line, 9 lks. S. of the cor. of secs.
13, 14, 23 and 24.

Thence S.89°56'W., on a true line, bet. secs. 14 and 23,
over level land, through scattering timber and dense
undergrowth.
40.14 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 14 in N., and
S 23 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
N. of cor.

80.28 The cor. of secs. 14, 15, 22 and 23.
Land, level.
Soil, 1st. and 2nd rate.
Timber, mesquite.
Undergrowth, greasewood, sage and cactus.

N.0°01'W., bet. secs. 14 and 15,
over level desert, through dense undergrowth and scat-
tering timber.
28.40 Wash, 3 chs. wide, course W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 14 in E., and
S 15 in W. half; and
1915 in S. rim;

Chains

80.00 and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, with brass cap, marked
 T 2 N S 10 in NW.,
 R 19 W S 11 in NE.,
 S 14 in SE., and
 S 15 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, level.
 Soil, 1st and 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, cactus and sage.

40.00 East, on a random line, bet. secs. 11 and 14.
 Set temp. ¼ sec. cor.
 80.22 Intersect N. and S. line, 25 lks. S. of the cor. of secs. 11, 12, 13 and 14.

40.11 Thence S.89°49'W., on a true line, bet. secs. 11 and 14, over level desert, through scattering timber and dense undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked
 ¼ S 11 in N., and
 S 14 in S. half; and
 1915 in S. rim;

80.22 and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 The cor. of secs. 10, 11, 14 and 15.
 Land, level.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, cactus and sage.

25.00 N.0°01'W., bet. secs. 10 and 11,
 over level land, through scattering timber and dense undergrowth.

40.00 Draw, course NW.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked
 ¼ in N.,
 S 10 in W., and
 S 11 in E. half; and
 1915 in S. rim;

and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

47.50 Wash, 100 lks. wide, course W.

74.00 Draw, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap, marked
 T 2 N S 3 in NW.,
 R 19 W S 2 in NE.,
 S 11 in SE., and
 S 10 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, level.
 Soil, 2nd rate.
 Timber, ironwood and catclaw.
 Undergrowth, greasewood, cactus and sage.

Subdivision of T. 2 N., R. 19 W.

9

Chains

East, on a random line, bet. secs. 2 and 11.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.24 Intersect N. and S. line 6 lks. S. of the cor. of secs.
 1, 2, 11 and 12.

Thence S. $89^{\circ}57'W.$, on a true line, bet. secs. 2 and 11,
 over level desert, through scattering timber and dense
 undergrowth.

39.25 Draw, course NW.
 40.12 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 2 in N., and
 S 11 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

64.25 Draw, course NW.
 80.24 The cor. of secs. 1, 2, 11 and 12.
 Land, level.
 Soil, 3rd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

N. $0^{\circ}01'W.$, on a random line, bet. secs. 2 and 3.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.27 Intersect N. bdy. of Tp. 25 lks. W. of the cor. of secs.
 2, 3, 34 and 35, described in Book "B."

Thence S. $0^{\circ}10'W.$, on a true line, bet. secs. 2 and 3,
 over level desert, through scattering timber and dense
 undergrowth.

5.85 Draw, course NW.
 40.27 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 2 in E., and
 S 3 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

60.25 Wash, 100 lks. wide, course W.
 75.25 Draw, course W.
 80.27 The cor. of secs. 2, 3, 10 and 11.
 Land, level.
 Soil, 2nd rate.
 Timber, ironwood and catclaw.
 Undergrowth, greasewood, cactus and mesquite.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of Tp.,
 described in Book "B,"

N. $0^{\circ}02'W.$, bet. secs. 33 and 34,
 over level desert, thru. scattering timber & dense undergrowth.

15.30 Road brs. NW. and SE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 33 in W., and
 S 34 in E. half; and
 1915 in S. rim;
 dig pits, $18 \times 18 \times 2$ ins., N. and S. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the

Chains

ground, for cor. of secs. 27, 28, 33 and 34, with brass cap, marked
 T 2 N S 28 in NW.,
 R 19 W S 27 in NE.,
 S 34 in SE., and
 S 33 in SW. quadrant; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., in each sec., 5½ ft. dist.,
 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 Land, level desert.
 Soil, gravelly; 1st rate.
 Timber, mesquite and catclaw.
 Undergrowth, greasewood, sage and cactus.

40.00 East, on a random line, bet. secs. 27 and 34.
 79.86 Set temp. ¼ sec. cor.
 Intersect N. and S. line 2 lks. S. of the cor. of secs.
 26, 27, 34 and 35.

39.93 Thence S.89°59'W., on a true line, bet. secs. 27 and 34,
 over level desert, through scattering timber and dense
 undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., with brass cap, marked
 ¼ S 27 in N., and
 S 34 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, 3½ ft. base, 1½ ft. high,
 N. of cor.
 79.86 The cor. of secs. 27, 28, 33 and 34.
 Land, level.
 Soil, gravelly; 1st rate.
 Timber, mesquite and catclaw.
 Undergrowth, greasewood, sage and cactus.

40.00 N.0°02'W., bet. secs. 27 and 28,
 over level desert, through scattering timber and dense
 undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., with brass cap, marked
 ¼ in N.,
 S 27 in E., and
 S 28 in W. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
 and raise a mound of earth, 3½ ft. base, 1½ ft. high,
 W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 21, 22, 27 and 28, with brass
 cap, marked
 T 2 N S 21 in NW.,
 R 19 W S 22 in NE.,
 S 27 in SE., and
 S 28 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 Land, level.
 Soil, gravelly; 1st rate.
 Timber, mesquite and catclaw.
 Undergrowth, greasewood, cactus and sage.

Chains

- 40.00 East, on a random line, bet. secs. 22 and 27.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.00 Intersect N. and S. line at the cor. of secs. 22, 23, 26 and 27.
- Thence West, on a true line, bet. secs. 22 and 27, over level desert, through scattering timber and dense undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 22 in N., and
S 27 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 80.00 The cor. of secs. 21, 22, 27 and 28.
Land, level.
Soil, gravelly; 1st rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.
-
- N.0°02'W., bet. secs. 21 and 22, over level desert, through scattering timber and dense undergrowth.
- 14.70 Road bears NW. and SE.
- 28.50 Wash, 100 lks. wide, course W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 21 in W., and
S 22 in E. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 45.70 Road bears NE. and SW.
- 75.00 Wash, 100 lks. wide, course W.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, with brass cap, marked
T 2 N S 16 in NW.,
R 19 W S 15 in NE.,
S 22 in SE., and
S 21 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Land, level.
Soil, gravelly; 1st and 2nd rate.
Timber, paloverde, mesquite and catclaw.
Undergrowth, greasewood, cactus and sage.
-
- 40.00 East, on a random line, bet. secs. 15 and 22.
Set temp. $\frac{1}{4}$ sec. cor.
- 79.76 Intersect N. and S. line 2 lks. N. of the cor. of secs. 14, 15, 22 and 23.
- Thence N.89°59'W., on a true line, bet. secs. 15 and 22, over level desert, through scattering timber and dense undergrowth.
- 12.25 Road bears N.70°W. and S.70°E.
- 39.88 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 15 in N., and
S 22 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

Chains

- 79.76 The cor. of secs. 15, 16, 21 and 22.
Land, level.
Soil, gravelly; 1st and 2nd rate.
Timber, paloverde, mesquite and catclaw.
Undergrowth, greasewood, cactus and sage.
-
- N.0°02'W., bet. secs. 15 and 16,
over level desert, through scattering timber and dense undergrowth.
- 20.00 Wash, 50 lks, wide, course W.
26.75 Wash, 50 lks. wide, course NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 15 in E., and
S 16 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap, marked
T 2 N S 9 in NW.,
R 19 W S 10 in NE.,
S 15 in SE., and
S 16 in SW. quadrant; and
1915 in S. rim;
dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
Land, level.
Soil, 1st and 2nd rate.
Timber, ironwood, paloverde and mesquite.
Undergrowth, greasewood and cactus.
-
- East, on a random line, bet. secs. 10 and 15.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.03 Intersect N. and S. line at the cor. of secs. 10, 11, 14 and 15.
- Thence West, on a true line, bet. secs. 10 and 15,
over level desert, through scattering timber and dense undergrowth.
- 40.01 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 10 in N. and
S 15 in S. half, and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 80.03 The cor. of secs. 9, 10, 15 and 16.
Land, level.
Soil, 2nd rate.
Timber, ironwood, paloverde and mesquite.
Undergrowth, greasewood and cactus.
-
- N.0°02'W., bet. secs. 9 and 10,
over level desert, through scattering timber and dense undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 9 in W., and
S 10 in E. half; and

Subdivision of T. 2 N. R. 19 W.

Chains	
80.00	<p>1915 in S. rim; and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, with brass cap, marked T 2 N S 4 in NW., R 19 W S 3 in NE., S 10 in SE., and S 9 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Land, level. Soil, 1st and 2nd rate. Timber, paloverde, mesquite and catclaw. Undergrowth, greasewood, sage and cactus.</p>

40.00 79.86	<p>East, on a random line, bet. secs. 3 and 10. Set temp. ¼ sec. cor. Intersect N. and S. line 5 lks. N. of the cor. of secs. 2, 3, 10 and 11.</p>
39.93 79.86	<p>Thence N. 89° 58' W., on a true line, bet. secs. 3 and 10, over level desert, through scattering timber and dense undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked ¼ S 3 in N., and S 10 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor. The cor. of secs. 3, 4, 9 and 10. Land, level. Soil, 2nd rate. Timber, paloverde, mesquite and catclaw. Undergrowth, greasewood, cactus and sage.</p>

40.00 80.20	<p>N. 0° 02' W., on a random line, bet. secs. 3 and 4. Set temp. ¼ sec. cor. Intersect N. bdy. of Tp. 5 lks. W. of the cor. of secs. 3, 4, 33 and 34, described in Book "B."</p>
8.00 40.20	<p>Thence South, on a true line, bet. secs. 3 and 4, over level desert, through scattering timber and dense undergrowth. Wash, 50 lks. wide, course W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked ¼ in N., S 3 in E., and S 4 in W. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.</p>
42.00 80.20	<p>Wash, 75 lks. wide, course W. The cor. of secs. 3, 4, 9 and 10. Land, level. Soil, 1st and 2nd rate. Timber, paloverde, mesquite and catclaw. Undergrowth, greasewood, cactus and sage.</p>

14

Subdivision of T. 2 N., R. 19 W.

Chains

- From the cor. of secs. 4, 5, 32 and 33, on S. bdy. of Tp,
described in Book "B,"
- N.0°02'W., bet. secs. 32 and 33,
over level desert, through scattering timber and dense
undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 32 in W., and
S 33 in E. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 28, 29, 32 and 33, with brass
cap, marked
T 2 N S 29 in NW.,
R 19 W S 28 in NE.,
S 33 in SE., and
S 32 in SW. quadrant; and
1915 in S. rim;
dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist.,
and raise a mound of earth, 4 ft. base, 2 ft. high,
W. of cor.
Land, level.
Soil, gravelly; 1st rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.
-
- East, on a random line, bet. secs. 28 and 33.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 Intersect N. and S. line 12 lks. S. of the cor. of secs.
27, 28, 33 and 34.
- Thence S.89°55'W., on a true line, bet. secs. 28 and 33,
over level desert, through scattering timber and dense
undergrowth.
- 40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 28 in N., and
S 33 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 66.00 Road bears NW. and SE.
- 69.00 Road bears NW. and SE.
- 77.10 Road bears NW. and SE.
- 80.02 The cor. of secs. 28, 29, 32 and 33.
Land, level.
Soil, gravelly; 1st rate.
Timber, paloverde and mesquite.
Undergrowth, greasewood, cactus and sage.
-
- N.0°02'W., bet. secs. 28 and 29,
over level desert, through scattering timber and dense
undergrowth.
- 2.80 Road bears NW. and SE.
- 11.90 Road bears N.80°W., and S.80°E.
- 15.80 Road bears NW. and SE.
- 36.20 Road bears NW. and SE.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

Subdivision of T. 2 N., R. 19 W.

Chains

$\frac{1}{4}$ in N.,
 S 28 in E., and
 S 29 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 49.50 Road bears NE. and SW.
 56.50 Wash, 100 lks. wide, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 20, 21, 28 and 29, with brass
 cap, marked
 T 2 N S 20 in NW.,
 R 19 W S 21 in NE.,
 S 28 in SE., and
 S 29 in SW. quadrant; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and
 raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
 Land, level.
 Soil, 1st rate.
 Timber, paloverde and mesquite.
 Undergrowth, greasewood, sage and cactus.

 East, on a random line, bet. secs. 21 and 28.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.86 Intersect N. and S. line at the cor. of secs. 21, 22, 27
 and 28.

Thence West, on a true line, bet. secs. 21 and 28,
 over level desert, through scattering timber and dense
 undergrowth.
 39.93 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 21 in N., and
 S 28 in S. half, and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 79.86 The cor. of secs. 20, 21, 28 and 29.
 Land, level.
 Soil, gravelly; 1st rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, cactus and sage.

 N.0°02'W., bet. secs. 20 and 21,
 over level desert, through scattering timber and dense
 undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 20 in W., and
 S 21 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 64.50 Draw, course NW.
 78.50 Wash, 100 lks wide, course NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 16, 17, 20 and 21, with brass
 cap, marked
 T 2 N S 17 in NW.,
 R 19 W S 16 in NE.,
 S 21 in SE., and
 S 20 in SW. quadrant; and
 1915 in S. rim;

Chains

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, level.

Soil, 1st rate.

Timber, ironwood, mesquite and catclaw.

Undergrowth, greasewood and cactus.

40.00

East, on a random line, bet. secs. 16 and 21,

Set temp. $\frac{1}{4}$ sec. cor.

79.94

Intersect N. and S. line at the cor. of secs. 15, 16, 21
and 22.

Thence West, on a true line, bet. secs. 16 and 21,
over level desert, through scattering timber and dense
undergrowth.

28.95

Wash, 75 lks. wide, course NW.

39.97

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 16 in N., and

S 21 in S. half; and

1915 in S. rim;

dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

48.00

Wash, 100 lks. wide, course SW.

79.94

The cor. of secs. 16, 17, 20 and 21.

Land, level.

Soil, 1st and 2nd rate.

Timber, ironwood, paloverde and mesquite.

Undergrowth, greasewood and cactus.

N.0°02'W., bet. secs. 16 and 17,

over level desert land, through scattering timber and
dense undergrowth.

24.95

Old road bears S.70°E., and N.70°W.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,

S 16 in E., and

S 17 in W. half; and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

47.00

Wash, 100 lks. wide, course W.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 8, 9, 16 and 17, with brass
cap, marked

T 2 N S 8 in NW.,

R 19 W S 9 in NE.,

S 16 in SE., and

S 17 in SW. quadrant; and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, level.

Soil, 1st rate.

Timber, paloverde and catclaw.

Undergrowth, greasewood, sage and catclaw.

40.00

East, on a random line, bet. secs. 9 and 16.

Set temp. $\frac{1}{4}$ sec. cor.

79.96

Intersect N. and S. line 18 lks. N. of the cor. of secs.
9, 10, 15 and 16.

Subdivision of T. 2 N., R. 19 W.

Chains

Thence N.89°52'W., on a true line, bet. secs. 9 and 16, over level land, through scattering timber and dense undergrowth.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 9 in N., and S 16 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

77.85 Road bears NW. and SE.

79.96 The cor. of secs. 8, 9, 16 and 17.
Land, level desert.
Soil, 1st and 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, cactus and sage.

N.0°02'W., bet. secs. 8 and 9, over level desert, through scattering timber and dense undergrowth.

.75 Old road bears NW. and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 8 in W., and S 9 in E. half, and 1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

65.10 Old road bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, with brass cap, marked
T 2 N S 5 in NW.,
R 19 W S 4 in NE.,
S 9 in SE., and
S 8 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Land, level.
Soil, 1st and 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, cactus and sage.

East, on a random line, bet. secs. 4 and 9,

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line 2 lks. N. of the cor. of secs. 3, 4, 9 and 10.

Thence N.89°59'W., on a true line, bet. secs. 4 and 9, over level desert, through scattering timber and dense undergrowth.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 4 in N., and S 9 in S. half; and 1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

79.94 The cor. of secs. 4, 5, 8 and 9.
Land, level.
Soil, 1st and 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, cactus and sage.

Chains

- 40.00 N.0°02'W., on a random line, bet. secs. 4 and 5.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.15 Intersect N. bdy. of Tp. 9 lks. E. of the cor. of secs. 4, 5, 32 and 33, described in Book "B."
- Thence S.0°06'E., on a true line, bet. secs. 4 and 5, over level land, through scattering timber and dense undergrowth.
- 40.15 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 4 in E., and
S 5 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 80.15- The cor. of secs. 4, 5, 8 and 9.
Land, level.
Soil, 1st and 2nd rate.
Timber, paloverde, mesquite and catclaw.
Undergrowth, greasewood, sage and cactus.
-
- From the cor. of secs. 5, 6, 31 and 32, on S. bdy. of Tp., described in Book "B,"
- N.0°03'W., bet. secs. 31 and 32, over level desert, through scattering timber and dense undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 31 in W., and
S 32 in E. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap, marked
T 2 N S 30 in NW.,
R 19 W S 29 in NE.,
S 32 in SE., and
S 31 in SW. quadrant; and
1915 in S. rim;
dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
Land, level.
Soil, 1st rate.
Timber, mesquite.
Undergrowth, greasewood and cactus.
-
- 40.00 East, on a random line, bet. secs. 29 and 32,
Set temp. $\frac{1}{4}$ sec. cor.
- 79.86 Intersect N. and S. line 3 lks. S. of the cor. of secs. 28, 29, 32 and 33.
- Thence S.89°59'W., on a true line, bet. secs. 29 and 32, over level desert, through scattering timber and dense undergrowth.
- 23.30 Wagon road bears NW. and SE.
- 39.93 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

Subdivision of T. 2 N., R. 19 W.

Chains

$\frac{1}{4}$ S 29 in N., and
 S 32 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 79.96 The cor. of secs. 29, 30, 31 and 32.
 Land, level.
 Soil, 1st rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.

West, on a random line, bet. secs. 30 and 31.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.56 Intersect W. bdy. of Tp. 10 lks. N. of the cor. of secs.
 25, 30, 31 and 36, described in Book "B."

Thence N.89°56'E., on a true line, bet. secs. 30 and 31,
 over level land, through scattering timber and dense
 undergrowth.

30.55 Road bears NE., and SW.
 36.95 Wash, 75 lks. wide, course NE.
 37.80 Wash, course NW.
 39.56 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 30 in N., and
 S 31 in S. half, and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 79.56 The cor. of secs. 29, 30, 31 and 32.
 Land, level.
 Soil, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood and cactus.

N.0°03'W., bet. secs. 29 and 30,
 over level desert, through scattering timber and dense
 undergrowth.

2.50 Draw, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
 S 29 in E., and
 S 30 in W. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

54.25 Wash, 75 lks. wide, course NE.

69.20 Wash, 80 lks. wide, course NE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 19, 20, 29 and 30, with brass
 cap, marked
 T 2 N S 19 in NW.,
 R 19 W S 20 in NE.,
 S 29 in SE., and
 S 30 in SW. quadrant; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist.,
 and raise a mound of earth, 4 ft. base, 2 ft. high,
 W. of cor.
 Land, level.
 Soil, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood and cactus.

Chains	
	East, on a random line, bet. secs. 20 and 29.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	Intersect N. and S. line 14 lks. S. of the cor. of secs. 20, 21, 28 and 29.
	Thence S. $89^{\circ}54'$ W., on a true line, bet. secs. 20 and 29, over level desert, through scattering timber and dense undergrowth.
29.50	Road bears N. and S.
38.25	Wash, 100 lks. wide, course NW.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 20 in N., and S 29 in S. half, and 1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
75.00	Wash, 75 lks. wide, course N.
76.20	Wash, 80 lks. wide, course NE.
79.98	The cor. of secs. 19, 20, 29 and 30. Land, level. Soil, 1st rate. Timber, mesquite and catclaw. Undergrowth, greasewood and cactus.

	West, on a random line, bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.50	Intersect W. bdy. of Tp. 3 lks. N. of the cor. of secs. 19, 24, 25 and 30, described in Book "B."
	Thence N. $89^{\circ}59'$ E., on a true line, bet. secs. 19 and 30, over level desert, through scattering timber and dense undergrowth.
39.50	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 19 in N., and S 30 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
56.70	Road bears NE. and SW.
73.40	Road bears NE. and SW.
79.50	The cor. of secs. 19, 20, 29 and 30. Land, level. Soil, 2nd and 3rd rate. Timber, paloverde and catclaw. Undergrowth, greasewood, sage and cactus.

	N. $0^{\circ}03'$ W., bet. secs. 19 and 20, over level desert, through scattering timber and dense undergrowth.
13.80	Road bears NE. and SW.
17.20	Road bears NE. and SW.
23.50	Old road bears E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 19 in W., and S 20 in E. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ fth high, W. of cor.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, with brass cap, marked

Chains

- T 2 N S 18 in NW.,
R 19 W S 17 in NE.,
S 20 in SE., and
S 19 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, level.
Soil, 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.
-
- 40.00 East, on a random line, bet. secs. 17 and 20.
80.00 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line 5 lks. S. of the cor. of secs.
16, 17, 20 and 21.
- Thence S. $89^{\circ}58'$ W., on a true line, bet. secs. 17 and 20,
over level desert, through scattering timber and dense
undergrowth.
- 2.50 Wash, 100 lks. wide, course N. 80° W.
39.50 Road bears N. 10° W. and S. 10° E.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor. with brass cap, marked
 $\frac{1}{4}$ S 17 in N., and
S 20 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 52.20 Road bears NW. and SE.
58.00 Deep wash, 100 lks. wide, course N.
80.00 The cor. of secs. 17, 18, 19 and 20.
Land, level.
Soil, 1st and 2nd rate.
Timber, mesquite and catclaw.
Undergrowth, greasewood, cactus and sage.
-
- 40.00 West, on a random line, bet. secs. 18 and 19.
79.38 Set temp. $\frac{1}{4}$ sec. cor.
Intersect W. bdy. of Tp. 5 lks. N. of the cor. of secs.
13, 18, 19 and 24, described in Book "B."
- Thence N. $89^{\circ}58'$ E., on a true line, bet. secs. 18 and 19,
over mountainous land, through scattering timber, and
dense undergrowth.
- .60 Wash, course S.; asc. 240 ft. on W. slope to
10.40 Ridge bears N. and S.; desc. E. slope.
39.38 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 18 in N., and
S 19 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 47.40 Ft. of descent, 525 ft. below top of ridge.; thence over
level desert.
- 49.40 Wash, 100 lks. wide, course SE.
79.38 The cor. of secs. 17, 18, 19 and 20.
Land, mountainous for 47.40 chs. in W.; and level in E.
Soil, 2nd to 4th rate.
Timber, ironwood.
Undergrowth, greasewood and cactus.
-

Chains

- N.0°03'W., bet. secs. 17 and 18,
over level desert, through scattering timber and dense
undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 17 in E., and
S 18 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 7, 8, 17 and 18, with brass
cap, marked
T 2 N S 7 in NW.,
R 19 W S 8 in NE.,
S 17 in SE., and
S 18 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, level.
Soil, 1st and 2nd rate.
Timber, mesquite, catclaw and paloverde.
Undergrowth, greasewood, sage and cactus.
-
- East, on a random line, bet. secs. 8 and 17.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.06 Intersect N. and S. line at the cor. of secs. 8, 9, 16 and
17.
- Thence West, on a true line, bet. secs. 8 and 17,
over level desert, through scattering timber and dense
undergrowth.
- 19.05 Road bears NW. and SE.
- 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 8 in N., and
S 17 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 57.25 Road bears N. and S.
- 79.00 Wash, 100 lks. wide, course N.
- 80.06 The cor. of secs. 7, 8, 17 and 18.
Land, level.
Soil, 1st rate.
Timber, paloverde, mesquite and catclaw.
Undergrowth, greasewood, sage and cactus.
-
- West, on a random line, bet. secs. 7 and 18.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.26 Intersect W. bdy. of Tp. 26 lks. S. of cor. of secs. 7, 12,
13 and 18, described in Book "B."
- Thence S.89°49'E., on a true line, bet. secs. 7 and 18,
over level desert, through scattering timber and dense
undergrowth.
- .80 Draw, course NE.
- 39.26 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 7 in N., and
S 18 in S. half, and
1915 in S. rim;

Chains

dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ high, N. of cor.

79.26 The cor. of secs. 7, 8, 17 and 18.

Land, level.
Soil, 1st and 2nd rate.
Timber, ironwood and mesquite.
Undergrowth, greasewood and cactus.

N.0°03'W., bet. secs. 7 and 8, over level desert, through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked

¼ in N.,
S 7 in W., and
S 8 in E. half; and
1915 in S. rim;

dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.

75.80 Wash, 100 lks. wide, course N.5°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap, marked

T 2 N S 6 in NW.,
R 19 W S 5 in NE.,
S 8 in SE., and
S 7 in SW. quadrant; and
1915 in S. rim;

dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, level desert.
Soil, 1st rate.
Timber, paloverde, catclaw and mesquite.
Undergrowth, greasewood, cactus and sage.

East, on a random line, bet. secs. 5 and 8.

40.00 Set temp. ¼ sec. cor.

80.06 Intersect N. and S. line 6 lks. S. of the cor. of secs. 4, 5, 8 and 9.

Thence S.89°57'W., on a true line, bet. secs. 5 and 8, over level desert, through scattering timber and dense undergrowth.

40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked

¼ S 5 in N., and
S 8 in S. half, and
1915 in S. rim;

dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.

60.00 Main road bears N. and S.

80.06 The cor. of secs. 5, 6, 7 and 8.

Land, level.
Soil, 1st and 2nd rate.
Timber, paloverde, catclaw, and mesquite.
Undergrowth, greasewood, sage and cactus.

West, on a random line, bet. secs. 6 and 7.

40.00 Set temp. ¼ sec. cor.

79.32 Intersect W. bdy. of Tp. 36 lks. S. of the cor. of secs. 1, 6, 7 and 12, described in Book "B."

Chains

- Thence S.89°45'E., on a true line, bet. secs. 6 and 7,
over level desert, through scattering timber and dense
undergrowth.
- 9.00 Draw, course NE.
- 39.32 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 6 in N., and
S 7 in S. half. and
dig pits, 1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 78.30 Wash, 100 lks. wide, course N.
- 79.32 The cor. of secs. 5, 6, 7 and 8.
Land, level.
Soil, 1st rate.
Timber, mesquite.
Undergrowth, greasewood and cactus.
-
- N.0°03'W., on a random line, bet. secs. 5 and 6.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.20 Intersect N. bdy. of Tp. 10 lks. W. of the cor. of secs.
5, 6, 31 and 32, described in Book "B."
- Thence S.0°01'W., on a true line, bet. secs. 5 and 6,
over level desert, through scattering timber and dense
undergrowth.
- 1.20 Draw, course NW.
- 40.20 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 5 in E., and
S 6 in W. half; and
1915 in S. rim;
18x18x12 ins., N. and S. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 71.20 Enter wash, course N.
- 75.20 Leave same.
- 80.20 The cor. of secs. 5, 6, 7 and 8.
Land, level.
Soil, 1st rate.
Timber, mesquite.
Undergrowth, greasewood.
-

GENERAL DESCRIPTION.

This township lies in la Posa plain, and is practically level.
The soil is of good quality, but unsuited to agriculture on account of the entire lack of water for irrigation and small precipitation.
There is no permanent water and there are no settlers.

SUBDIVISIONS OF
TOWNSHIP 2 NORTH, RANGE 19 WEST

DATE DIAGRAM.

1-19-15	1-19-15	1-19-15	1-19-15	1-19-15	1-19-15	1-19-15
6	5	4	3	2	1	
1-23-15	1-21-15	1-21-15	1-22-15	1-21-15	1-20-15	
7	8	9	10	11	12	
1-23-15	1-21-15	1-21-15	1-21-15	1-20-15	1-16-15	
18	17	16	15	14	13	
1-23-15	1-21-15	1-20-15	1-20-15	1-16-15	1-15-15	
19	20	21	22	23	24	
1-21-15	1-20-15	1-20-15	1-16-15	1-15-15	1-14-15	
30	29	28	27	26	25	
1-20-15	1-20-15	1-16-15	1-16-15	1-15-15	1-17-15	
31	32	33	34	35	36	
1-20-15	1-16-15	1-16-15	1-15-15	1-14-15	1-13-15	
1-13-15	1-13-15	1-13-15	1-14-15	1-14-15	1-14-15	

Lines dated in black were surveyed by Woodbury Abbey,
U. S. Surveyor.
Lines dated in red were surveyed by R. J. Gill,
U.S. Transitman.

CERTIFICATES

28

For ~~FINAL OATH~~ OF UNITED STATES SURVEYOR.
AND UNITED STATES TRANSITMAN.

See Book "C"

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance
of special instructions received from the U. S. Surveyor General for _____
bearing date of the _____ day of _____, 191____, I have well, faithfully, and truly,
in my own proper person, and in strict conformity with said instructions, the Manual of Surveying
Instructions, and the laws of the United States, surveyed all those parts or portions of _____
_____ of the _____
_____ Meridian, in the State of _____, which are represented in
the foregoing field notes as having been executed by me, and under my direction; and I do further
solemnly swear that all the corners of said survey have been established and perpetuated in strict accord-
ance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor
General for _____ and in the specific manner described in the field notes, and that
the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191____ }



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,
Phoenix, Arizona, JUL 20 1918

The foregoing field notes of the survey of _____ the
_____ Subdivision Lines
of _____

TOWNSHIP 2 NORTH, RANGE 19 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by Woodbury Abbey, U.S. Surveyor & Roy J. Gill, U.S. Transitman,
under his special instructions dated December 12, 1914, for Group 39, Arizona, having been
critically examined, and the necessary corrections and explanations made, the said field notes, and the
surveys they describe, are hereby approved.

U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above-described surveys in _____
_____ has been correctly copied from the original notes on file in this office.~~