

103

3048

Book "H."

4-679

(Subdivisions) BOOK 3048

12.31.1918

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 3 NORTH, RANGE 19 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Woodbury Abbey, U.S. Surveyor,

and

Roy J. Gill, U.S. Transitman,

~~In the capacity of U. S. Surveyor~~, under instructions dated December 12, 1914,

issued by the United States Surveyor General to govern surveys included in

Group No. 39, which were approved by the Commissioner of the General Land

Office, January 7, 1915.

Survey commenced February 27, 1915.

Survey completed April 1, 1915.

3048

3048

BOOK 3048
 Book "H."
 (Subdivisions)
 Group 39 - Arizona.

INDEX DIAGRAM.

Township 3 North, Range 19 West.

6	25	5	18	4	14	3	10	2	5	1
24		24		18		14		9		5
7	23	8	17	9	13	10	9	11	4	12
23		23		17		13		9		4
18	22	17	17	16	12	15	8	14	4	13
22		22		16		12		8		3
19	21	20	16	21	12	22	7	23	3	24
21		20		16		11		7		3
30	20	29	15	28	11	27	7	26	2	25
20		19		15		11		6		2
31	19	32	14	33	10	34	6	35	1	36

————— Subdivision Lines surveyed under this Group.

----- Township boundaries surveyed under this Group.
 Notes in Book "B."

Unsurveyed Lines.

Subdivision of T. 3 N., R. 19 W.

(18)

Chains

Survey commenced Feb. 27, 1915, and executed jointly by Woodbury Abbey, U. S. Surveyor, and Roy J. Gill, U. S. Transitman, on dates shown on the diagram on page 27 of this book.

Description of the instruments used, with record of approval by the assistant supervisor of surveys and field tests, appears in Book "B."

All lines were originated by deflection from the transit line run from the SE. cor. W. to the SW. cor. of the Tp., during the survey of the S. bdy.; described in Book "B." and from solar observations, a record of which follows herein.

The magnetic bearing of the true meridian, at 8h 00m a.m., l.m.t., is N.14°30'W.; which gives for the mag. decl., 14°30' E.

SOLAR OBSERVATIONS.

Station	Date 1915	Hour	Lat.	Decl.	Remarks
<u>35</u> / <u>36</u> 2/1 on N.bdy.	Feb. 27	9h 00m a. m. l. m. t.	33°38'	8°33' S.	by Woodbury Abbey.
<u>25</u> / <u>30</u> <u>36</u> / <u>31</u> on E.bdy.	Mar. 3	8h 00m a. m. l. m. t.	33°34'	7°02½' S.	by Woodbury Abbey.
<u>33</u> / <u>34</u> 4/3 on S.bdy.	Mar. 3	8h 30m a. m. l. m. t.	33°33'	7°02½' S.	by Roy J. Gill.
<u>18</u> / <u>17</u> <u>19</u> / <u>20</u>	Apr. 1	9h 00m a. m. l. m. t.	33°35½'	4°19' N.	by Woodbury Abbey.

From the cor. of secs. 1, 2, 35 and 36, on S. bdy. of Tp., described in Book "B,"

N.0°01'W., bet. secs. 35 and 36, over slightly broken level desert, through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked ¼ in N., S 35 in W., and S 36 in E. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

67.50 Road bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap, marked

T 3 N S 26 in NW.,
R 19 W S 25 in NE.,
S 36 in SE., and
S 35 in SW. quadrant; and
1915 in S. rim;

Chains

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, slightly broken level desert.

Soil, 2nd and 3rd rate.

Timber, paloverde, mesquite and catclaw.

Undergrowth, greasewood, sage and cactus.

East, on a random line, bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect E. bdy. of Tp. 2 lks. N. of the cor. of secs.
25, 30, 31 and 36, described in Book "B."

Thence N. $89^{\circ}59'$ W., on a true line, bet. secs. 25 and 36,
over slightly broken level desert, through scattering
timber and dense undergrowth.

11.90 Road bears NW. and SE.

12.60 Road bears N. and S.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 25 in N., and
S 36 in S. half; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

80.02 The cor. of secs. 25, 26, 35 and 36.

Land, slightly broken level desert.

Soil, 2nd and 3rd rate.

Timber, paloverde and catclaw.

Undergrowth, greasewood, cactus and sage.

N. $0^{\circ}01'$ W., bet. secs. 25 and 26.

over slightly broken level desert, through scattering
timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
S 26 in W., and
S 25 in E. half; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

46.00 Wash, 2 chs. wide, course NW.

70.00 Wash, 3 chs. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 23, 24, 25 and 26, with brass
cap, marked

T 3 N S 23 in NW.,
R 19 W S 24 in NE.,
S 25 in SE., and
S 26 in SW. quadrant; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, slightly broken level desert.

Soil, gravelly; 2nd rate.

Timber, paloverde and catclaw.

Undergrowth, greasewood, sage and cactus.

East, on a random line, bet. secs. 24 and 25.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.08 Intersect E. bdy. of Tp. 14 lks. N. of the cor. of secs.
19, 24, 25 and 30, described in Book "B."

Subdivision of T. 3 N., R. 19 W.

Chains

Thence N.89°54'W., on a true line, bet. secs. 24 and 25, over level desert, through scattering timber and dense undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 24 in N., and $\frac{1}{4}$ S 25 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

60.00 Wash, 2 chs. wide, course NW.

64.00 Road bears NW. and SE.

80.08 The cor. of secs. 23, 24, 25 and 26.
Land, level.
Soil, gravelly; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, cactus and sage.



N.0°01'W., bet. secs. 23 and 24, over level desert, through scattering timber and dense undergrowth.

20.10 Road bears NW. and SE.

37.00 Wash, course NW.

40.00 Point for $\frac{1}{4}$ sec. cor., falls at a point where it is impracticable to establish same; therefore at

43.50 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 23 in W., S 24 in E., and WC in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

51.00 Wash, course W.

59.00 Road bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, with brass cap, marked T 3 N S 14 in NW., R 19 W S 13 in NE., S 24 in SE., and S 23 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
Land, level.
Soil, 2nd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood, cactus and sage.



East, on a random line, bet. secs. 13 and 24.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.96 Intersect E. bay. of Tp. 12 lks. S. of the cor. of secs. 13, 18, 19 and 24, described in Book "B."

Thence S.89°55'W., on a true line, bet. secs. 13 and 24, over level desert, through scattering timber and dense undergrowth.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 13 in N., and $\frac{1}{4}$ S 24 in S. half, and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

Chains

- 79.96 The cor. of secs. 13, 14, 23 and 24.
Land, level.
Soil, gravelly; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, cactus and sage.
-
- N.0°01'W., bet. secs. 13 and 14,
over level desert, through scattering timber and dense
undergrowth.
- 1.50 Wash, course W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 13 in E., and
S 14 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 44.50 Trail bears NW. and SE.
- 58.00 Wash, course NW.
- 70.00 Wash, course NW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 11, 12, 13 and 14, with brass
cap, marked
T 3 N S 11 in NW.,
R 19 W S 12 in NE.,
S 13 in SE., and
S 14 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- Land, level.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.
-
- 40.00 East, on a random line, bet. secs. 12 and 13.
Set temp. $\frac{1}{4}$ sec. cor.
- 79.92 Intersect E. bdy. of Tp. 8 lks. S. of the cor. of secs.
7, 12, 13 and 18, described in Book "B."
- Thence S.89°57'W., on a true line, bet. secs. 12 and 13,
over level desert, through scattering timber and dense
undergrowth.
- 15.00 Wash, course NW.
- 34.00 Wash, course NW.
- 39.96 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 12 in N., and
S 13 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 79.92 The cor. of secs. 11, 12, 13 and 14.
Land, level.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.
-
- N.0°01'W., bet. secs. 11 and 12,
over level desert, through scattering timber and dense
undergrowth.

Suydivision of T. 3 N., R. 19 W.

Chains

- 34.00 Wash, course NW.
- 40.00 Wash, course NW. Point for $\frac{1}{4}$ sec. cor. falls in same; there fore at
- 40.25 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., with brass cap, marked
 - $\frac{1}{4}$ in N.,
 - S 11 in W.,
 - S 12 in E., and
 - WC in S. half; and
 - 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 54.00 Wash, course NW.
- 68.40 Road bears NW. and SE.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, with brass cap, marked
 - T 3 N S 2 in NW.,
 - R 19 W S 1 in NE.,
 - S 12 in SE., and
 - S 11 in SW. quadrant; and
 - 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 - Land, level.
 - Soil, 4th rate.
 - Timber, ironwood and paloverde.
 - Undergrowth, greasewood and cactus.

- 40.00 East, on a random line, bet. secs. 1 and 12.
- 79.70 Set temp. $\frac{1}{4}$ sec. cor.
- Intersect E. bdy. of Tp. 9 lks. N. of the cor. of secs. 1, 6, 7 and 12, described in Book "B."
- Thence N.89°56'W., on a true line, bet. secs. 1 and 12, over slightly broken level desert, through fairly heavy timber and undergrowth.
- 24.00 Across a succession of washes, course NW.
- 39.85 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 - $\frac{1}{4}$ S 1 in N., and
 - S 12 in S. half; and
 - 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 45.00 Old road bears NW. and SE.
- 64.00 Wash, 50 lks. wide, course NW.
- 79.70 The cor. of secs. 1, 2, 11 and 12.
 - Land, slightly broken level desert.
 - Soil, gravelly, with boulders; 2nd rate.
 - Timber, paloverde and catclaw.
 - Undergrowth, greasewood, cactus and sage.

- 40.00 N.0°01'W., on a random line, bet. secs. 1 and 2.
- 80.08 Set temp. $\frac{1}{4}$ sec. cor.
- Intersect N. bdy. of Tp. 32 lks. E. of the cor. of secs. 1, 2, 35 and 36, described in Book "B."
- Thence S.0°15'E., on a true line, bet. secs. 1 and 2, over level desert, through scattering timber and dense undergrowth.
- 40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

Chains

- $\frac{1}{4}$ in N.,
 S 1 in E., and
 S 2 in W. half, and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
- 50.00 Old road bears NW. and SE.
 56.00 Wash, 50 lks. wide, course NW.
 80.08 The cor. of secs. 1, 2, 11 and 12.
 Land, level.
 Soil, gravelly; with boulders; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.
-
- From the cor. of secs. 2, 3, 34 and 35, on the S. bdy.
 of the Tp., described in Book "B,"
- N.0°01'W., bet. secs. 34 and 35,
 over level desert, through scattering timber and dense
 undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 34 in W., and
 S 35 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 26, 27, 34 and 35, with brass
 cap, marked
 T 3 N S 27 in NW.,
 R 19 W S 26 in NE.,
 S 35 in SE., and
 S 34 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
- Land, level desert, slightly broken with small washes.
 Soil, gravelly, with boulders; 2nd and 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.
-
- East, on a random line, bet. secs. 26 and 35.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line 12 lks. N. of the cor. of secs.
 25, 26, 35 and 36,
- Thence N.89°55'W., on a true line, bet. secs. 26 and 35,
 over level desert, through scattering timber and dense
 undergrowth.
- 18.55- Road bears NW. and SE.
 40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 26 in N., and
 S 35 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
- 80.08 The cor. of secs. 26, 27, 34 and 35.
 Land, level.
 Soil, gravelly; with boulders; 2nd and 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.
-

2007 2010

Subdivision of T. 3 N., R. 19 W.

Chains

N.0°01'W., bet. secs. 26 and 27,
over level desert, through scattering timber and dense
undergrowth.

7.00 Wash, course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 26 in E., and
S 27 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

54.00 Old road bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 22, 23, 26 and 27, with brass
cap, marked
T 3 N S 22 in NW.,
R 19 W S 23 in NE.,
S 26 in SE., and
S 27 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, level.
Soil, 3rd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.

40.00 East, on a random line, bet. secs. 23 and 26.

79.96 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line 8 lks. N. of the cor. of secs.
23, 24, 25 and 26.

Thence N.89°57'W., on a true line, bet. secs. 23 and 26,
over level desert, through scattering timber and dense
undergrowth.

8.00 Wash, course NW.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor. with brass cap, marked
 $\frac{1}{4}$ S 23 in N., and
S 26 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

64.00 Wash, course NW.

79.96 The cor. of secs. 22, 23, 26 and 27.
Land, level.
Soil, 3rd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.

N.0°01'W., bet. secs. 22 and 23,
over level desert, through fairly heavy timber and dense
undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 22 in W., and
S 23 in E. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

52.00 Shallow wash, 4 chs. wide, course NW.

61.00 Old road bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 14, 15, 22 and 23, with brass
cap, marked

Chains

- T 3 N S 15 in NW.,
R 19 W S 14 in NE.,
S 23 in SE., and
S 22 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, level.
Soil, gravelly; 2nd rate.
Timber, paloverde and catclaw; some mesquite.
Undergrowth, greasewood, sage and cactus.
-
- East, on a random line, bet. secs. 14 and 23.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.04 Intersect N. and S. line 12 lks. N. of the cor. of secs.
13, 14, 23 and 24.
- Thence N. $89^{\circ}55'$ W., on a true line, bet. secs. 14 and 23,
over slightly broken nearly level desert, through
fairly heavy timber and undergrowth.
28.00 A succession of washes, extending over an area 16 chs.
wide, course NW.
34.05 Old road bears NW. and SE.
35.45 Old road bears NW. and SE.
35.65 Main road bears NW. and SE.
40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 14 in N. and
S 23 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
80.04 The cor. of secs. 14, 15, 22 and 23.
Land, slightly broken nearly level desert.
Soil, gravelly, with boulders; 2nd and 3rd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.
-
- N. $0^{\circ}01'$ W., bet. secs. 14 and 15,
over nearly level desert, through scattering timber
and undergrowth.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 14 in E., and
S 15 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 10, 11, 14 and 15, with brass
cap, marked
T 3 N S 10 in NW.,
R 19 W S 11 in NE.,
S 14 in SE., and
S 15 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, nearly level desert.
Soil, gravelly, with small boulders; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.
-

BOOK 2140

Subdivision of T. 3 N., R. 19 W.

Chains

East, on a random line, bet. secs. 11 and 14.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.10 Intersect N. and S. line at the cor. of secs. 11, 12, 13 and 14.

Thence West, on a true line, bet. secs. 11 and 14, over nearly level land, through fairly heavy timber and undergrowth.

40.05 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 11 in N., and S 14 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

56.00 Across a succession of shallow washes, covering an area 8 chs. wide, course NW.

68.00 Road bears NW. and SE.

80.10 The cor. of secs. 10, 11, 14 and 15.
 Land, nearly level.
 Soil, gravelly, with small boulders, 2nd and 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, cactus and sage.

N.0°01'W., bet. secs. 10 and 11, over level desert, through heavy timber and undergrowth.

20.50 Road bears NW. and SE.

34.30 Wash, 100 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 10 in W., and S 11 in E. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap, marked

T 3 N S 3 in NW.,
 R 19 W S 2 in NE.,
 S 11 in SE., and
 S 10 in SW. quadrant; and
 1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, level.
 Soil, gravelly, with small boulders; 2nd and 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.

East, on a random line, bet. secs. 2 and 11.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line 13 lks. N. of the cor. of secs. 1, 2, 11 and 12.

Thence N.89°54'W., on a true line, bet. secs. 2 and 11, over nearly level desert, through scattering timber and undergrowth.

3.00 Wash, 40 lks. wide, course NW.

13.50 Old road bears NW. and SE.

27.00 Wash, 30 lks. wide, course NW.

39.95 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 2 in N., and S 11 in S. half; and 1915 in S. rim;

Chains

- and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 76.00 Wash, 100 lks. wide, course NW.
- 79.90 The cor. of secs. 2, 3, 10 and 11.
Land, nearly level desert.
Soil, gravelly; 2nd rate.
Timber, paloverde, mesquite and catclaw.
Undergrowth, greasewood, sage and cactus.
-
- N.0°01'W., on a random line, bet. secs. 2 and 3.
Set temp. $\frac{1}{4}$ sec. cor.
- 40.00 Intersect N. bdy. of Tp. 44 lks. E. of the cor. of secs.
80.07 2, 3, 34 and 35, described in Book "B."
- Thence S.0°20'E., on a true line, bet. secs. 2 and 3,
over nearly level desert, through patches of dense tim-
ber and undergrowth.
- 4.50 Wash, 20 lks. wide, course NW.
- 8.00 Old road bears E. and W.
- 19.00 Wash, 50 lks. wide, course NW.
- 40.07 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 2 in E., and
S 3 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 78.00 Wash, 50 lks. wide, course NW.
- 80.07 The cor. of secs. 2, 3, 10 and 11.
Land, nearly level desert.
Soil, gravelly; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.
-
- From the cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp.,
described in Book "B,"
- N.0°02'W., bet. secs. 33 and 34,
over level desert, through scattering timber and dense
undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 33 in W., and
S 34 in E. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground, for cor. of secs. 27, 28, 33 and 34, with
brass cap, marked
T 3 N S 28 in NW.,
R 19 W S 27 in NE.,
S 34 in SE., and
S 33 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, level.
Soil, 2nd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood, cactus and sage.
-

Subdivision of T. 3 N., R. 19 W.

Chains

40.00 East, on a random line, bet. secs. 27 and 34.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line 4 lks. N. of the cor. of secs. 26, 27, 34 and 35.

Thence N. $89^{\circ}58'W.$, on a true line, bet. secs. 27 and 34, over level land, through scattering timber and dense undergrowth.

.83 Wash, course NW.
 40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 27 in N., and S 34 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

56.60 Wash, course NW.
 80.08 The cor. of secs. 27, 28, 33 and 34.
 Land, level.
 Soil, 2nd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

40.00 N. $0^{\circ}02'W.$, bet. secs. 27 and 28, over level land, through scattering timber and dense undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 27 in E., and S 28 in W. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, with brass cap, marked
 T 3 N S 21 in NW.,
 R 19 W S 22 in NE.,
 S 27 in SE., and
 S 28 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, level desert.
 Soil, gravelly, with small boulders; 2nd rate.
 Timber, paloverde, mesquite and catclaw.
 Undergrowth, greasewood, sage and cactus.

40.00 East, on a random line, bet. secs. 22 and 27,
 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line at the cor. of secs. 22, 23, 26 and 27.

Thence West, on a true line, bet. secs. 22 and 27, over level land, through scattering timber and undergrowth.

28.00 Deep wash, 100 lks. wide, course NW.
 32.10 Old road bears NW. and SE.
 40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 22 in N., and S 27 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

Chains

- 80.08 The cor. of secs. 21, 22, 27 and 28.
Land, level.
Soil, gravelly, with boulders; 2nd and 3rd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.
-
- N.0°02'W., bet. secs. 21 and 22,
over level land, through scattering timber and dense
undergrowth.
- 31.55 Old road bears NW. and SE.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 21 in W., and
S 22 in E. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 15, 16, 21 and 22, with brass
cap, marked
T 3 N S 16 in NW.,
R 19 W S 15 in NE.,
S 22 in SE., and
S 21 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, level.
Soil, gravelly, with boulders; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, cactus and sage.
-
- East, on a random line, bet. secs. 15 and 22.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.00 Intersect N. and S. line 7 lks. N. of the cor. of secs.
14, 15, 22 and 23.
- Thence N.89°57'W., on a true line, bet. secs. 15 and 22,
over level desert, through scattering timber and under-
growth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 15 in N., and
S 22 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 80.00 The cor. of secs. 15, 16, 21 and 22.
Land, level.
Soil, gravelly, with small boulders; 2nd and 3rd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.
-
- N.0°02'W., bet. secs. 15 and 16,
over level land, through scattering timber and dense
undergrowth.
- 20.00 Draw, course NW.
- 26.00 Draw, course NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 15 in E., and

Subdivision of T. 3 N., R. 19 W.

Chains

S 16 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 46.50 Old road bears NW. and SE.
 75.00 Draw, course NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 9, 10, 15 and 16, with brass
 cap, marked
 T 3 N S 9 in NW.,
 R 19 W S 10 in NE.,
 S 15 in SE., and
 S 16 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 Land, level.
 Soil, 3rd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood, cactus and mesquite.

East, on a random line, bet. secs. 10 and 15.
 40.00 Set temp. ¼ sec. cor.
 80.20 Intersect N. and S. line 18 lks. N. of the cor. of secs.
 10, 11, 14 and 15.
 Thence N. 89° 52' W., on a true line, bet. secs. 10 and 15,
 over level land, through scattering timber and dense
 undergrowth.
 40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., with brass cap, marked
 ¼ S 10 in N., and
 S 15 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 N. of cor.
 51.20 Draw, course NW.
 62.20 Draw, course NW.
 80.20 The cor. of secs. 9, 10, 15 and 16.
 Land, level.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood, cactus and mesquite.

N. 0° 02' W., bet. secs. 9 and 10,
 over level land, through scattering timber and dense
 undergrowth.
 34.00 Wash, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., with brass cap, marked
 ¼ in N.,
 S 9 in W., and
 S 10 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 75.00 Draw, course NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 3, 4, 9 and 10, with brass
 cap, marked
 T 3 N S 4 in NW.,
 R 19 W S 3 in NE.,
 S 10 in SE., and
 S 9 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.

Chains

Land, level.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.

East, on a random line, bet. secs. 3 and 10.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.20 Intersect N. and S. line 13 lks. N. of the cor. of secs.
2, 3, 10 and 11.

Thence N. $89^{\circ}54'$ W., on a true line, bet. secs. 3 and 10,
over nearly level desert, through patches of dense
timber and undergrowth.
13.50 Wash, 70 lks. wide, course NW.
23.50 Main road bears NW. and SE.
40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor.; with brass cap, marked
 $\frac{1}{4}$ S 3 in N., and
S 10 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

41.00 Wash, 40 lks. wide, course NW.
80.20 The cor. of secs. 3, 4, 9 and 10.
Land, nearly level.
Soil, gravelly; 1st and 2nd rate.
Timber, paloverde and catclaw; some mesquite.
Undergrowth, greasewood and cactus.

N. $0^{\circ}02'$ W., on a random line, bet. secs. 3 and 4.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.10 Intersect N. bdy. of Tp. 20 lks. E. of the cor. of secs.
3, 4, 33 and 34, described in Book "B."

Thence S. $0^{\circ}11'$ E., on a true line, bet. secs. 3 and 4,
over level land, through scattering timber and dense
undergrowth.
21.10 Draw, course NW.
40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 3 in E., and
S 4 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

80.10 The cor. of secs. 3, 4, 9 and 10.
Land, level.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.

From the cor. of secs. 4, 5, 32 and 33, on S. bdy. of Tp.,
described in Book "B",

N. $0^{\circ}02'$ W., bet. secs. 32 and 33,
over slightly broken level desert, through fairly dense
timber and undergrowth.
8.00 Wash, 50 lks. wide, course NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

Subdivision of T. 3 N., R. 19 W.

Chains	
80.00	<p>$\frac{1}{4}$ in N., S 32 in W., and S 33 in E. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, with brass cap, marked</p> <p>T 3 N S 29 in NW., R 19 W S 28 in NE., S 33 in SE., and S 32 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, slightly broken level desert. Soil, gravelly, with small boulders; 2nd rate. Timber, Paloverde, mesquite and catclaw. Undergrowth, greasewood, sage and cactus.</p>

40.00 79.86	<p>East, on a random line, bet. secs. 28 and 33. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line 8 lks. N. of the cor. of secs. 27, 28, 33 and 34.</p>
39.93 79.86	<p>Thence N. $89^{\circ}57'$ W., on a true line, bet. secs. 28 and 33, over level desert, through scattering timber and dense undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked</p> <p>$\frac{1}{4}$ S 28 in N., and S 33 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p> <p>The cor. of secs. 28, 29, 33 and 32. Land, level; Soil, gravelly, with small boulders; 2nd rate. Timber, paloverde and catclaw. Undergrowth, greasewood, cactus and sage.</p>

40.00 80.00	<p>N. $0^{\circ}02'$ W., bet. secs. 28 and 29, over level desert, through scattering timber and under- growth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked</p> <p>$\frac{1}{4}$ in N., S 28 in E., and S 29 in W. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap, marked</p> <p>T 3 N S 20 in NW., R 19 W S 21 in NE., S 28 in SE., and S 29 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, level. Soil, gravelly; 1st and 2nd rate. Timber, paloverde, mesquite and catclaw. Undergrowth, greasewood, cactus and sage.</p>

Chains

- East, on a random line, bet. secs. 21 and 28.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect N. and S. line 4 lks. N. of the cor. of secs.
 21, 22, 27 and 28.
- Thence N. $89^{\circ}58'W.$, on a true line, bet. secs. 21 and 28,
 over level desert, through scattering timber and under-
 growth.
- 21.00 Wash, 40 lks. wide, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 21 in N., and
 S 28 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
- 80.00 The cor. of secs. 20, 21, 28 and 29.
 Land, level.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.
-
- N. $0^{\circ}02'W.$, bet. secs. 20 and 21,
 over level land, through scattering timber and dense
 undergrowth.
- 24.00 Draw, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 20 in W., and
 S 21 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
- 74.00 Draw, course NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 16, 17, 20 and 21, with brass
 cap, marked
 T 3 N S 17 in NW.,
 R 19 W S 16 in NE.,
 S 21 in SE., and
 S 20 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level.
 Soil, 3rd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.
-
- East, on a random line, bet. secs. 16 and 21.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.40 Intersect N. and S. line 6 lks. N. of the cor. of secs.
 15, 16, 21 and 22.
- Thence N. $89^{\circ}57'W.$, on a true line, bet. secs. 16 and 21,
 over level land, through scattering timber and dense
 undergrowth,
- 20.40 Draw, course NW.
 40.20 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 16 in N., and
 S 21 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

Subdivision of T. 3 N., R. 19 W.

Chains

49.40 Draw, course NW.
 80.40 The cor. of secs. 16, 17, 20 and 21.
 Land, level.
 Soil, 3rd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

N.0°01'W., bet. secs. 16 and 17,
 over level land, through scattering timber and dense
 undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 16 in E., and
 S 17 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

60.00 Wash, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 8, 9, 16 and 17, with brass
 cap, marked
 T 3 N S 8 in NW.,
 R 19 W S 9 in NE.,
 S 16 in SE., and
 S 17 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level.
 Soil, 1st rate.
 Timber, ironwood, mesquite and paloverde.
 Undergrowth, greasewood, mesquite and cactus.

40.00 East, on a random line, bet, secs. 9 and 16.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.46 Intersect N. and S. line 10 lks. S. of the cor. of secs.
 9, 10, 15 and 16.

Thence S.89°56'W., on a true line, bet. secs. 9 and 16,
 over level land, through scattering timber and dense
 undergrowth.

2.50 Draw, course NW.
 40.23 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 9 in N., and
 S 16 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

65.50 Wash, course NW.
 80.46 The cor. of secs. 8, 9, 16 and 17.
 Land, level.
 Soil, 1st and 2nd rate.
 Timber, ironwood and paloverde, and mesquite.
 Undergrowth, greasewood, mesquite and cactus.

N.0°02'W., bet. secs. 8 and 9,
 over level land, through scattering timber and dense
 undergrowth.

16.00 Wash, course W.
 21.00 Wash, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the

Chains

- ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 8 in W., and
 S 9 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
- 56.70 Road bears NE. and SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground, for cor. of secs. 4, 5, 8 and 9, with brass
 cap, marked
 T 3 N S 5 in NW.,
 R 19 W S 4 in NE.,
 S 9 in SE., and
 S 8 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level.
 Soil, 1st and 2nd rate.
 Timber, ironwood, paloverde and mesquite.
 Undergrowth, greasewood, cactus and mesquite.
-
- East, on a random line, bet. secs. 4 and 9.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.16 Intersect N. and S. line at the cor. of secs. 3, 4, 9 and
 10.
- Thence West, on a true line, bet. secs. 4 and 9,
 over level desert, through scrub timber and dense under-
 growth.
- 8.00 Wash, 50 lks. wide, course NW.
 40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 4 in N., and
 S 9 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft., high,
 N. of cor.
- 63.00 Wash, 30 lks. wide, course NW.
 73.00 Main road bears N.10°E. and S.10°W.
 80.16 The cor. of secs. 4, 5, 8 and 9.
 Land, level.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.
-
- N.0°02'W., on a random line, bet. secs. 4 and 5.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.06 Intersect N. bdy. of Tp. 21 lks. W. of the cor. of secs.
 4, 5, 32 and 33, described in Book "B."
- Thence S.0°07'W., on a true line, bet. secs. 4 and 5,
 over level land, through scattering timber and dense
 undergrowth.
- 24.00 Tyson Wash, course NE.
 27.00 Wash, course NE.
 40.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 4 in E., and
 S 5 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

Subdivision of T. 3 N., R. 19 W.

Chains

45.00 Draw, course NW.
 57.00 Draw, course NW.
 80.06 The cor. of secs. 4, 5, 8 and 9.
 Land, level.
 Soil, 1st and 2nd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood, cactus and mesquite.

 From the cor. of secs. 5, 6, 31 and 32, on S. bdy. of Tp. described in Book "B,"

N.0°03'W., bet. secs. 31 and 32,
 over level land, through scattering timber and dense undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 31 in W., and S 32 in E. half; and 1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

46.00 Wash, 20 lks. wide, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap, marked
 T 3 N S 30 in NW.,
 R 19 W S 29 in NE.,
 S 32 in SE., and
 S 31 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, level.
 Soil, gravelly loam; 1st and 2nd rate.
 Timber, mesquite.
 Undergrowth, greasewood.

 East, on a random line, bet. secs. 29 and 32.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.34 Intersect N. and S. line at the cor. of secs. 28, 29, 32 and 33.

Thence West, on a true line, bet. secs. 29 and 32, over level land, through scattering timber and dense undergrowth.
 40.17 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 29 in N., and S 32 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

55.85 Road bears N. and S.
 80.34 The cor. of secs. 29, 30, 31 and 32.
 Land, level.
 Soil, gravelly; 2nd rate.
 Timber, mesquite and catclaw.
 Undergrowth, greasewood, sage and cactus.

Chains

- West, on a random line, bet. secs. 30 and 31.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.02 Intersect W. bdy. of Tp. 4 lks. N. of the cor. of secs.
 25, 30, 31 and 36, described in Book "B:"
- Thence N.89°58'E., on a true line, bet. secs. 30 and 31,
 over level land, through scattering timber and dense
 undergrowth.
 3.00 Draw, course NE.
 33.00 Same draw, course SE.
 39.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 30 in N., and
 $\frac{1}{4}$ S 31 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 59.00 Wash, course NE.
 63.00 Tyson wash, 100 lks. wide, course N.
 79.02 The cor. of secs. 29, 30, 31 and 32.
 Land, level.
 Soil, 1st and 2nd rate.
 Timber, ironwood, mesquite and paloverde.
 Undergrowth, greasewood and cactus.
-
- N.0°03'W., bet. secs. 29 and 30,
 over level land, through scattering timber and dense
 undergrowth.
 21.00 Draw, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 29 in E., and
 S 30 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 56.00 Tyson wash, 150 lks. wide, course NE.
 61.00 Draw, course NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 19, 20, 29 and 30, with brass
 cap, marked
 T 3 N S 19 in NW.,
 R 19 W S 20 in NE.,
 S 29 in SE., and
 S 30 in SW. quadrant; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and
 raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
 Land, level.
 Soil, 1st rate.
 Timber, ironwood, mesquite and paloverde.
 Undergrowth, greasewood and cactus.
-
- East, on a random line, bet. secs. 20 and 29.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.26 Intersect N. and S. line 20 lks. S. of the cor. of secs.
 20, 21, 28 and 29.
- Thence S.89°51'W., on a true line, bet. secs. 20 and 29,
 over level land, through scattering timber and dense
 undergrowth.
 40.13 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

Chains

$\frac{1}{4}$ S 20 in N., and
 S 29 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 53.00 Road bears N. and S.
 73.00 Tyson Wash, 150 lks. wide, course N.
 80.26 The cor. of secs. 19, 20, 29 and 30.
 Land, level.
 Soil, 1st rate.
 Timber, ironwood, and paloverde.
 Undergrowth, greasewood and cactus.

 West, on a random line, bet. secs. 19 and 30.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.02 Intersect W. bdy. of Tp. 2 lks. S. of the cor. of secs.
 19, 24, 25 and 30, described in Book "B."
 Thence S. $89^{\circ}59'$ E., on a true line, bet. secs. 19 and 30,
 over level land, through scattering timber and dense
 undergrowth.
 9.70 Old road bears NW. and SE.
 39.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 19 in N., and
 S 30 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 79.02 The cor. of secs. 19, 20, 29 and 30.
 Land, level.
 Soil, 1st and 2nd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

 N. $0^{\circ}03'$ W., bet. secs. 19 and 20,
 over level land, through scattering timber and dense
 undergrowth.
 36.00 Windmill and tank 10 lks. W. of line.
 Pole corral bears E., 100 lks. dist.
 39.20 Road bears NE. and SW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 19 in W., and
 S 20 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 40.25 Draw, course E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 17, 18, 19 and 20, with brass
 cap, marked
 T 3 N S 18 in NW.,
 R 19 W S 17 in NE.,
 S 20 in SE., and
 S 19 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level.
 Soil, 1st rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

Chains

- East, on a random line, bet. secs. 17 and 20.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.20 Intersect N. and S, line 26 lks. S. of the cor. of secs. 16, 17, 20 and 21.
- Thence S. $89^{\circ}49'W.$, on a true line, bet. secs. 17 and 20, over level land, through scattering timber and dense undergrowth.
 5.20 Draw, course NW.
 40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 17 in N., and
 S 20 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 41.80 Road bears N. and S.
 57.20 Tyson Wash, 150 lks. eide, course N.
 64.20 Draw, course N.
 80.20 The cor. of secs. 17, 18, 19 and 20.
 Land, level.
 Soil, 1st rate.
 Timber, ironwood, paloverde and mesquite.
 Undergrowth, greasewood, mesquite and cactus.
-
- West, on a random line, bet. secs. 18 and 19.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 78.90 Intersect W. bdy. of Tp. at the cor. of secs. 13, 18, 19 and 24, described in Book "B."
- Thence East, on a true line, bet. secs. 18 and 19, over level desert, through scattering timber and dense undergrowth.
 38.90 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 18 in N., and
 S 19 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 78.90 The cor. of secs. 17, 18, 19 and 20.
 Land, level.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.
-
- N. $0^{\circ}03'W.$, bet. secs. 17 and 18, over level land, through scattering timber and dense undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 17 in E., and
 S 18 in W. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, with brass cap, marked
 T 3 N S 7 in NW.,
 R 19 W S 8 in NE.,
 S 17 in SE., and
 S 18 in SW. quadrant; and
 1915 in S. rim;

Chains

dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, level.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, sage and cactus.

East, on a random line, bet. secs. 8 and 17.
 40.00 Set temp. ¼ sec. cor.
 80.02 Intersect N. and S. line 9 lks. S. of the cor. of secs. 8, 9, 16 and 17.

Thence S.89°56'W., on a true line, bet. secs. 8 and 17, over level desert, through scattering timber and dense undergrowth.
 40.01 Point for ¼ sec. cor. falls in wash, 100 lks. wide, course N.; therefore at
 40.42 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness cor. to ¼ sec. cor., with brass cap, marked

¼ S 8 in N.,
 S 17 in S., and
 WC in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

46.00 Wash, 100 lks. wide, course N.
 80.02 The cor. of secs. 7, 8, 17 and 18.
 Land, level.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood, cactus and sage.

West, on a random line, bet. secs. 7 and 18.
 40.00 Set temp. ¼ sec. cor.
 78.76 Intersect W. bdy. of Tp. 5 lks. S. of the cor. of secs. 7, 12, 13 and 18, described in Book "B."

Thence S.89°58'E., on a true line, bet. secs. 7 and 18, over level desert, through scattering timber and dense undergrowth.
 38.76 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked
 ¼ S 7 in N., and
 S 18 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.

50.75 Old road bears NE. and SW.
 78.76 The cor. of secs. 7, 8, 17 and 18.
 Land, level.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.

N.0°03'W., bet. secs. 7 and 8,
 over nearly level desert, through scattering timber and dense undergrowth.
 10.00 Old road bears NE. and SW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked

Chains

$\frac{1}{4}$ in N.,
 S 7 in W., and
 S 8 in E. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 5, 6, 7 and 8, with brass cap,
 marked
 T 3 N S 6 in NW.,
 R 19 W S 5 in NE.,
 S 8 in SE., and
 S 7 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, slightly rolling.
 Soil, gravelly; 2nd and 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood and cactus.

 East, on a random line, bet. secs. 5 and 8,
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect N. and S. line 5 lks. S. of the cor. of secs.
 4, 5, 8 and 9.

Thence S. $89^{\circ}58'$ W., on a true line, bet. secs. 5 and 8,
 over level desert, through dense timber and undergrowth.
 24.00 Tyson Wash, 2 chs. wide, course N.
 26.10 Left channel of Tyson wash, 100 lks. wide, course N.
 40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 5 in N., and
 S 8 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 80.02 The cor. of secs. 5, 6, 7 and 8.
 Land, level desert.
 Soil, gravelly; 2nd and 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood and cactus.

 West, on a random line, bet. secs. 6 and 7,
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 78.67 Intersect W. bdy. of Tp. 6 lks. S. of the cor. of secs.
 1, 6, 7 and 12, described in Book "B."

Thence S. $89^{\circ}57'$ E., on a true line, bet. secs. 6 and 7,
 over slightly rolling desert, through scattering timber
 and undergrowth.
 38.67 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 6 in N., and
 S 7 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 78.67 The cor. of secs. 5, 6, 7 and 8.
 Land, slightly rolling.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood and cactus.

Chains

40.00 N.0°03'W., on a random line, bet. secs. 5 and 6.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.28 Intersect N. bdy. of Tp. 24 lks. W. of the cor. of secs.
 5, 6, 31 and 32, described in Book "B."

Thence S.0°07'W., on a true line, bet. secs. 5 and 6,
 over hilly land, through scattering timber and under-
 growth. Desc. 50 ft. to
 8.70 Draw, course E.; asc. 110 ft. to
 15.50 Ridge bears E. and W.
 36.75 Desc. 70 ft. to
 40.28 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{2}$ in N.,
 S 5 in E., and
 S 6 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Asc. 100 ft. to
 58.50 Summit.
 63.50 Spur extends SW.; desc. 135 ft. to
 72.00 Ft. of descent/
 80.28 The cor. of secs. 5, 6, 7 and 8.
 Land, rough and hilly.
 Soil, 3rd and 4th rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood and cactus.

GENERAL DESCRIPTION.

This township consists of practically level desert, and is
 a part of the La Posa Plain.
 The soil is for the most part of fair quality, but
 owing to lack of water, produces nothing but desert
 growth such as paloverde, mesquite, ironwood, greasewood,
 cactus and sage.

The only water is found at a tank in Sec. 19.

There are no settlers.

SUBDIVISIONS OF
TOWNSHIP 3 NORTH, RANGE 19 WEST.

DATE DIAGRAM.

3-29-15	3-29-15	3-29-15	3-29-15	2-26-15	2-26-15
6	5	4	3	2	1
4-1-15	4-1-15	3-31-15	3-31-15	3-31-15	2-27-15
7	8	9	10	11	12
4-1-15	4-1-15	3-31-15	3-30-15	3-6-15	3-3-15
18	17	16	15	14	13
4-1-15	3-31-15	3-30-15	3-6-15	3-6-15	2-27-15
19	20	21	22	23	24
3-31-15	3-30-15	3-30-15	3-6-15	3-3-15	3-3-15
30	29	28	27	26	25
3-30-15	3-30-15	3-6-15	3-3-15	3-3-15	3-3-15
31	32	33	34	35	36
3-30-15	3-6-15	3-3-15	3-3-15	3-3-15	3-3-15

1-16-15 1-16-15 1-16-15 1-16-15 1-16-15 1-15-15

Lines dated in black were surveyed by Woodbury Abbey,
U.S. Surveyor.

Lines dated in red were surveyed by Roy J. Gill,
U. S. Transitman.

30

For

CERTIFICATES

~~FINAL OATH~~ OF UNITED STATES SURVEYOR.
AND UNITED STATES TRANSITMAN,

See Book "C."

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____

BOOK 3048

_____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191 _____



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,
Phoenix, Arizona, JUL 20 1918

The foregoing field notes of the survey of the _____

Subdivision Lines
of

TOWNSHIP 3 NORTH, RANGE 19 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, executed by Woodbury Abbey, U.S. Surveyor & Roy J. Gill, U.S. Transitman, under his special instructions dated December 12, 1914, for Group 39, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.~~