

169
①

3050
Book "J."

4-679

BOOK 3050

DEC 20 1913

(Subdivisions)

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 4 NORTH. RANGE 19 WEST.

2050

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Woodbury Abbey, U. S. Surveyor,

and

Roy J. Gill, U.S. Transitman,

2050

~~In the capacity of U. S. Surveyor~~, under instructions dated December 12., 1914.

issued by the United States Surveyor General to govern surveys included in
Group No. 39, which were approved by the Commissioner of the General Land
Office, January 7., 1915.

Survey commenced March 25., 1915

Survey completed April 9., 1915.

170
 (1A)

BOOK 3050
 BOOK 3050

Book "J"
 (Subdivisions)
 Group 39-Arizona.
 Book No 3050

INDEX DIAGRAM.

31		Township 4 North.				Range 19 West.				32	
32		33		34		35		36		31	
		First		Standard		Parallel		North.			
6	26	8	19	4	14	8	9	2	5	1	
25		25		19		14		9		5	
7	24	8	18	9	13	10	9	11	4	12	
24		24		18		13		8		4	
18	23	17	17	16	12	15	8	14	3	13	
23		23		17		12		7		3	
19	22	20	16	21	12	22	7	23	3	24	
22		21		16		11		7		2	
30	21	29	15	28	11	27	6	26	2	25	
20		20		15		10		6		1	
31	19	32	14	33	10	34	5	35	1	36	

- Subdivision Lines surveyed under this Group.
- Township boundaries surveyed under this Group.
Notes in Book "B."
- Standard lines resurveyed under this Group.
Notes in Book "A."
- Accepted Surveys.
- Unsurveyed lines.

Subdivision of T. 4 N., R. 19 W.

Survey commenced Mar. 25, 1915, and executed jointly by Woodbury Abbey, U. S. Surveyor, and Roy J. Gill, U. S. Transitman, on dates shown on diagram on page 27 of this book.

The instruments used are described, with record of approval by the assistant supervisor of surveys and field tests, in Book "B."

All lines were originated by deflection from the transit line run from the SE cor. W. to the SW. cor. of the township during the survey of the S. bdy., and checked by comparison with the bearing of flags set on E., W., and N. boundaries, described in Books "A" and "B."

The magnetic bearing of the true meridian, at 8h 00m a. m., l. m. t., in N.14°30'W., which gives for the mag. decl., 14°30' E.

From the cor. of secs. 1, 2, 35 and 36, on S. bdy. of Tp., described in Book "B."

N.0°01'W., bet. secs. 35 and 36. over level land, through scattering timber and dense undergrowth.

.25
40.00

Draw, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 35 in W., and S 36 in E. half, and 1915 in S. rim; and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

62.00

Wash, course NW.

75.60

Plomosa-Quartzite road bears NW. and SE.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap, marked

T 4 N S 26 in NW.,
R 19 W S 25 in NE.,
S 36 in SE., and
S 35 in SW. quadrant; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, level.

Soil, 4th rate.

Timber, ironwood and paloverde.

Undergrowth, greasewood and cactus.

East, on a random line, bet. secs. 25 and 36.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

80.01

Intersect E. bdy. of Tp. 10 lks. S. of the cor. of secs. 25, 30, 31 and 36, described in Book "B."

Thence S.89°56'W., on a true line, bet. secs. 25 and 36, over level land, through scattering timber and dense undergrowth.

33.00

Wash, course NW.

40.00 $\frac{1}{2}$

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 25 in N., and
S 36 in S. half, and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

Chains

75.00 Draw, course NW.
 80.01 The cor. of secs. 25, 26, 35 and 36.
 Land, level.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.



N.0°01'W., bet. secs. 25 and 26,
 over level desert, through scattering timber and dense
 undergrowth.
 7.00 Draw, course W.
 33.00 Wash, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 25 in E., and
 S 26 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 40.50 Wash, course W.
 68.00 Wash, course W.
 74.00 Phoenix-California road bears E. and W.
 76.25 Draw, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 23, 24, 25 and 26, with brass
 cap, marked
 T 4 N S 23 in NW.,
 R 19 W S 24 in NE.,
 S 25 in SE., and
 S 26 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.



East, on a random line, bet. secs. 24 and 25.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.09 Intersect E. bdy. of Tp. 6 lks. N. of the cor. of secs.
 19, 24, 25 and 30, described in Book "B."

Thence N.89°57'W., on a true line, bet. secs. 24 and 25,
 over level land, through scattering timber and dense
 undergrowth.
 40.04 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 24 in N., and
 S 25 in S. half, and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 53.00 Phoenix-California road bears NE. and SW.
 74.00 Wash, course SW.
 80.09 The cor. of secs. 23, 24, 25 and 26.
 Land, level.
 Soil, 2nd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood, cactus and mesquite.



Subdivision of T. 4 N., R. 19 W.

Chains	
	N.0°01'W., bet. secs. 23 and 24, over level land, through scattering timber and dense undergrowth.
25.00	Wash, course NW.
32.00	Wash, course NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 23 in W., and S 24 in E. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
61.00	Wash, course W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, with brass cap, marked T 4 N S 14 in NW., R 19 W S 13 in NE., S 24 in SE., and S 23 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Land, level. Soil, 4th rate. Timber, ironwood and paloverde. Undergrowth, greasewood and cactus.

	East, on a random line, bet. secs. 13 and 24.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.94	Intersect E. bdy. of Tp. 32 lks. N. of the cor. of secs. 13, 18, 19 and 24, described in Book "B."
	Thence N.89°46'W., on a true line, bet. secs. 13 and 24, over level desert, through scattering timber and dense undergrowth.
39.97	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 13 in N., and S 24 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
79.94	The cor. of secs. 13, 14, 23 and 24. Land, level. Soil, gravelly, with boulders; 2nd and 3rd rate. Timber, paloverde and catclaw. Undergrowth, greasewood and cactus.

	N.0°01'W., bet. secs. 13 and 14, over level land, through scattering timber and dense undergrowth.
39.00	Wash, course W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 13 in E., and S 14 in W. half, and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
77.00	Wash, course W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, with brass cap, marked

4

Subdivision of T. 4 N., R. 19 W.

Chains

T 4 N S 11 in NW.,
 R 19 W S 12 in NE.,
 S 13 in SE., and
 S 14 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

East, on a random line, bet. secs. 12 and 13.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.84 Intersect E. bdy. of Tp. 38 lks. N. of the cor. of secs.
 7, 12, 13 and 18, described in Book "B."

Thence N. $89^{\circ}44'$ W., on a true line, bet. secs. 12 and 13,
 over level land, through scattering timber and under-
 growth.
 39.92 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 12 in N., and
 S 13 in S. half, and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

68.35 Wash, course NW.
 71.85 Same wash, course SW.
 79.84 The cor. of secs. 11, 12, 13 and 14.
 Land, level.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

N. $0^{\circ}01'$ W., bet. secs. 11 and 12,
 over level land, through scattering timber and dense
 undergrowth.

10.50 Wash, course W.
 23.00 Wash, course W.
 30.00 Bouse road bears NE. and SW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 11 in W., and
 S 12 in E. half, and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

62.00 Draw, course W.
 77.00 Wash, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 1, 2, 11 and 12, with brass
 cap, marked
 T 4 N S 2 in NW.,
 R 19 W S 1 in NE.,
 S 12 in SE., and
 S 11 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

Subdivision of T. 4 N., R. 19 W.

Chains	
40.00	East, on a random line, bet. secs. 1 and 12.
79.98	Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp. 38 lks. N. of the cor. of secs. 1, 6, 7 and 12, described in Book "B."
	Thence N.89°44'W., on a true line, bet. secs. 1 and 12, over level land, through scattering timber and undergrowth.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
	$\frac{1}{4}$ S 1 in N., and
	S 12 in S. half; and
	1915 in S. rim;
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
51.70	Bouse telephone line bears NE. and SW.
52.20	Bouse road bears NE. and SW.
79.98	The cor. of secs. 1, 2, 11 and 12.
	Land, level.
	Soil, gravelly; 2nd rate.
	Timber, paloverde and catclaw.
	Undergrowth, greasewood and cactus.

28.00	N.0°01'W., on a true line, bet. secs. 1 and 2, over level land, through scattering timber and undergrowth.
40.00	Wash, course W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
	$\frac{1}{4}$ in N.,
	S 1 in E., and
	S 2 in W. half; and
	1915 in S. rim;
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
55.00	Draw, course W.
71.87	Intersect 1st St. Par. N. 8.30 chs. W. of the reestablished standard cor. of Tps. 5 N., Rs, 18 and 19 W., described in Book "A."
	At point of intersection
	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 1 and 2, with brass cap, marked
	T 5 N R 19 W S 36 in N. half,
	CC in S. half,
	T 4 N S 2 in SW., and
	R 19 W S 1 in SE. quadrant; and
	1915 in S. rim;
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of cor.
	Land, level.
	Soil, 4th rate.
	Timber, ironwood and paloverde.
	Undergrowth, greasewood and cactus.

	From the cor. of secs. 2, 3, 34 and 35, on S. bdy. of Tp., described in Book "B,"
	N.0°01'W., bet. secs. 34 and 35, over level desert, through scattering timber and undergrowth.
2.00	Deep wash, 50 lks. wide, course NW.
32.20	Old road bears NW. and SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

Chains

	$\frac{1}{4}$ in N., S 34 in W., and S 35 in E. half, and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
46.00	Wash, 100 lks. wide, course NW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, with brass cap, marked
	T 4 N S 27 in NW., R 19 W S 26 in NE., S 35 in SE., and S 34 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	Land, level. Soil, gravelly; 2nd rate. Timber, paloverde and catclaw. Undergrowth, greasewood and sage.

40.00	East, on a random line, bet. secs. 26 and 35.
79.78	Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line 4 lks. S. of the cor. of secs. 25, 26, 35 and 36.
	Thence S. $89^{\circ}58'$ W., on a true line, bet. secs. 26 and 35, over level land, through scattering timber and undergrowth.
11.00	Plomosa-Quartzite road bears NW. and SE.
19.00	Draw, course NW.
39.89	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
	$\frac{1}{4}$ S 26 in N., and S 35 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
79.78	The cor. of secs. 26, 27, 34 and 35. Land, level. Soil, 4th rate. Timber, ironwood and paloverde. Undergrowth, greasewood and cactus.

	N. $0^{\circ}01'$ W., bet. secs. 26 and 27, over level land, through scattering timber and dense undergrowth.
31.00	Plomosa-Quartzite road bears NW. and SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
	$\frac{1}{4}$ in N., S 26 in E., and S 27 in W. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
45.00	Wash, course W.
72.00	Phoenix-California road bears E. and W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap, marked
	T 4 N S 22 in NW., R 19 W S 23 in NE., S 26 in SE., and S 27 in SW. quadrant; and 1915 in S. rim;

Subdivision of T. 4 N., R. 19 W.

Chains	
	<p>and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Land, level. Soil, 4th rate. Timber, ironwood and paloverde. Undergrowth, greasewood and cactus.</p> <hr/>
40.00	East, on a random line, bet. secs. 23 and 26.
79.84	Set temp. ¼ sec. cor. Intersect N. and S. line 18 lks. N. of the cor. of secs. 23, 24, 25 and 26.
	Thence N.89°52'W., on a true line, bet. secs. 23 and 26, over level land, through scattering timber and undergrowth.
5.25	Wash, course NW,
17.75	Wash, course SW.
39.92	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked ¼ S 23 in N., and S 26 in S. half; and 1915 in S. rim;
79.84	and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor. The cor. of secs. 22, 23, 26 and 27. Land, level. Soil, 1st rate. Timber, ironwood and paloverde. Undergrowth, greasewood, cactus and mesquite.
	<hr/> <p>N.0°01'W., bet. secs. 22 and 23, over level land, through scattering timber and dense undergrowth.</p>
34.00	Draw, course NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked ¼ in N., S 22 in W., and S 23 in E. half, and 1915 in S. rim;
70.00	and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
80.00	Wash, course W. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, with brass cap, marked T 4 N S 15 in NW., R 19 W S 14 in NE., S 23 in SE., and S 22 in SW. quadrant; and 1915 in S. rim;
	and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Land, level. Soil, 4th rate. Timber, ironwood and paloverde. Undergrowth, greasewood and cactus.
	<hr/> <p>East, on a random line, bet. secs. 14 and 23.</p>
40.00	Set temp. ¼ sec. cor.
79.80	Intersect N. and S. line 4 lks. S. of the cor. of secs. 13, 14, 23 and 24.

Chains

Thence S.89°58'W., on a true line, bet. secs. 14 and 23, over level desert, through scattering timber and undergrowth.

39.90 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 14 in N., and S 23 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

79.80 The cor. of secs. 14, 15, 22 and 23.
Land, level.
Soil, gravelly, with boulders; 2nd and 3rd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood and cactus.

N.0°01'W., bet. secs. 14 and 15, over level land, through scattering timber and undergrowth.

27.70 Telephone line from Bouse to Quartzsite bears NE. and SW.
28.45 Road from Bouse to Quartzsite bears NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 14 in E., and S 15 in W. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, with brass cap, marked T 4 N S 10 in NW., R 19 W S 11 in NE., S 14 in SE., and S 15 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Land, level.
Soil, gravelly; 2nd and 3rd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, cactus and sage.

East, on a random line, bet. secs. 11 and 14.

40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.70 Intersect N. and S. line 30 lks. S. of the cor. of secs. 11, 12, 13 and 14.

Thence S.89°47'W., on a true line, bet. secs. 11 and 14, over level land, through scattering timber and dense undergrowth.

9.00 Wash, course NW.
30.25 Bouse road bears NE. and SW.

39.85 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 11 in N., and S 14 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

79.70 The cor. of secs. 10, 11, 14 and 15.
Land, level.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.

Subdivision of T. 4 N., R. 19 W.

Chains

N.0°01'W., bet. secs. 10 and 11,
over level land, through scattering timber and dense
undergrowth.

39.00

Wash, course W.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
S 10 in W., and
S 11 in E. half, and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

46.50

Wash, course W.

60.00

Wash, course W.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 2, 3, 10 and 11, with brass
cap, marked

T 4 N S 3 in NW.,
R 19 W S 2 in NE.,
S 11 in SE., and
S 10 in SW. quadrant; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, level.

Soil, 4th rate.

Timber, ironwood and paloverde.

Undergrowth, greasewood and cactus.

East, on a random line, bet. secs. 2 and 11.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

79.74

Intersect N. and S. line 23 lks. S. of the cor. of secs.
1, 2, 11 and 12.

Thence S.89°50'W., on a true line, bet. secs. 2 and 11,
over level land, through scattering timber and under-
growth.

9.75

Wash, course SW.

25.75

Same wash, course NW.

39.87

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 2 in N., and
S 11 in S. half, and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

79.74

The cor. of secs. 2, 3, 10 and 11.

Land, level.

Soil, 4th rate.

Timber, ironwood and paloverde.

Undergrowth, greasewood and cactus.

N.0°01'W., on a true line, bet. secs. 2 and 3,
over level land, through scattering timber and under-
growth.

12.00

Draw, course W.

30.00

Draw, course W.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
S 2 in E., and
S 3 in W. half, and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

67.50

Wash, course W.

10

Subdivision of T. 4 N., R. 19 W.

Chains

72.16 Intersect 1st St. Par. N. 8.12 chs. W. of the reestablished standard cor. of secs. 35 and 36, described in Book "A."

At point of intersection

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 2 and 3, with brass cap, marked

T 5 N R 19 W S 35 in N. half,

CC in S. half,

T 4 N S 3 in SW., and

R 19 W S 2 in SE. quadrant; and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of cor.

Land, level.

Soil, 4th rate.

Timber, ironwood and paloverde.

Undergrowth, greasewood and cactus.

From the cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp., described in Book "B,"

N.0°02'W., bet. secs. 33 and 34,

over level desert, through fairly dense timber and undergrowth.

22.00 Wash, 60 lks. wide, course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,

S 33 in W., and

S 34 in E. half, and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

60.60 Road bears N.15°W. and S.15°W.

64.90 Road bears NW. and SE.

68.10 Old road bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, with brass cap, marked

T 4 N S 28 in NW.,

R 19 W S 27 in NE.,

S 34 in SE., and

S 33 in SW. quadrant; and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, level.

Soil, gravelly; 2nd rate.

Timber, paloverde and catclaw.

Undergrowth, greasewood, sage and cactus.

East, on a random line, bet. secs. 27 and 34.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.05 Intersect N. and S. line at the cor. of secs. 26, 27, 34 and 35.

Thence West, on a true line, bet. secs. 27 and 34,

over level desert, through scattering timber and undergrowth.

33.50 Old road bears NW. and SE.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 27 in N., and

S 34 in S. half, and

1915 in S. rim;

Subdivision of T. 4 N., R. 19 W.

Chains

and raise a mound of stone, 2 ft. base, 1½ ft. high,
N. of cor.

65.40 Wash, 100 lks. wide, course NW.

80.05 The cor. of secs. 27, 28, 33 and 34.
Land, level.
Soil, gravelly; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood and cactus.

N.0°02'W., bet. secs. 27 and 28,
over level desert, through scattering timber and dense
undergrowth.

20.10 Wash, 100 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., with brass cap, marked
¼ in N.,
S 27 in E., and
S 28 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, 1½ ft. high,
W. of cor.

44.00 Wash, 70 lks. wide, course NW.

49.00 Wash, 30 lks. wide, course NW.

63.60 Plomosa Telephone line bears NW. and SE.

64.40 Old road bears NW. and SE.

65.50 Plomosa road bears NW. and SE.

72.70 Vicksburg road bears E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 21, 22, 27 and 28, with brass
cap, marked
T 4 N S 21 in NW.,
R 19 W S 22 in NE.,
S 27 in SE., and
S 28 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, 1½ ft. high,
W. of cor.
Land, level.
Soil, gravelly; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.

East, on a random line, bet. secs. 22 and 27.

40.00 Set temp. ¼ sec. cor.

80.06 Intersect N. and S. line 11 lks. S. of the cor. of secs.
22, 23, 26 and 27.

Thence S.89°55'W., on a true line, bet. secs. 22 and 27,
over level land, through scattering timber and dense
undergrowth.

28.00 Wash, course NW.

31.00 Wash, course NW.

40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., with brass cap, marked
¼ S 22 in N., and
S 27 in S. half, and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, 1½ ft. high,
N. of cor.

80.06 The cor. of secs. 21, 22, 27 and 28.
Land, level.
Soil, 1st rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus and mesquite.

12

Subdivision of T. 4 N., R. 19 W.

Chains

- N.0°02'W., bet. secs. 21 and 22,
over level land, through scattering timber and dense
undergrowth.
- 23.70 Bouse road bears NE. and SW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 21 in W., and
S 22 in E. half, and
1915 in S. rim;
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 41.00 Wash, course W.
- 74.00 Wash, course NW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 15, 16, 21 and 22, with brass
cap, marked
T 4 N S 16 in NW.,
R 19 W S 15 in NE.,
S 22 in SE., and
S 21 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- Land, level.
Soil, 1st and 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.
-
- 40.00 East, on a random line, bet. secs. 15 and 22.
Set temp. $\frac{1}{4}$ sec. cor.
- 79.98 Intersect N. and S, line 16 lks. S. of the cor. of secs.
14, 15, 22 and 23.
- Thence S.89°53'W., on a true line, bet. secs. 15 and 22,
over level land, through scattering timber and dense
undergrowth.
- 25.00 Wash, course NW.
- 29.50 Bouse road bears NE. and SW.
- 39.00 Wash, course NW.
- 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 15 in N., and
S 22 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 79.98 The cor. of secs. 15, 16, 21 and 22.
Land, level.
Soil; 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.
-
- N.0°02'W., bet. secs. 15 and 16,
over level land, through scattering timber and dense
undergrowth.
- 21.00 Draw, course NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 15 in E., and
S 16 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Subdivision of T. 4 N., R. 19 W.

Chains

58.00 Wash, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap, marked
 T 4 N S 9 in NW.,
 R 19 W S 10 in NE.,
 S 15 in SE., and
 S 16 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, level.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

40.00 East, on a random line, bet. secs. 10 and 15.
 Set temp. ¼ sec. cor.
 80.04 Intersect N. and S. line 18 lks. N. of the cor. of secs. 10, 11, 14 and 15.

Thence N.89°52'W., on a true line, bet. secs. 10 and 15, over nearly level desert, through scattering timber and undergrowth.
 40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked
 ¼ S 10 in N., and
 S 15 in S. half, and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

80.04 The cor. of secs. 9, 10, 15 and 16.
 Land, nearly level.
 Soil, 2nd and 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood and cactus.

N.0°02'W., bet. secs. 9 and 10, over level land, through scattering timber and dense undergrowth.

4.00 Wash, course W.
 25.00 Wash, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked
 ¼ in N.,
 S 9 in W., and
 S 10 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, with brass cap, marked
 T 4 N S 4 in NW.,
 R 19 W S 3 in NE.,
 S 10 in SE., and
 S 9 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, level.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

Chains

40.00 East, on a random line, bet. secs. 3 and 10.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect N. and S. line 10 lks. N. of the cor. of secs.
 2, 3, 10 and 11.

Thence N. $89^{\circ}56'W.$, on a true line, bet. secs. 3 and 10,
 over level land, through scattering timber and dense
 undergrowth.
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 3 in N., and
 S 10 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

43.00 Draw, course NW.
 78.50 Draw, course NW.
 79.98 The cor. of secs. 3, 4, 9 and 10.
 Land, level.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

N. $0^{\circ}02'W.$, on a true line, bet. secs. 3 and 4,
 over level land, through scattering timber and dense
 undergrowth.
 3.00 Wash, course NW.
 38.00 Draw, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 3 in E., and
 S 4 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

43.20 Old road bears E. and W.
 70.00 Draw, course W.
 72.10 Intersect 1st St. Par, N. 8.00 chs. W. of the reestablished
 standard cor. of secs. 34 and 35, described in Book "A."

At point of intersection
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for closing cor. of secs. 3 and 4, with brass
 cap, marked
 T 5 N R 19 W S 34 in N. half,
 CC in S. half,
 T 4 N S 4 in SW., and
 R 19 W S 3 in SE. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 S. of cor.
 Land, level.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

From the cor. of secs. 4, 5, 32 and 33, on S. bdy. of Tp.,
 described in Book "B,"
 N. $0^{\circ}02'W.$, bet. secs. 32 and 33,
 over rolling land, through scattering timber and dense
 undergrowth.
 10.00 Draw, course E.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

Subdivision of T. 4 N., R. 19 W.

Chains

$\frac{1}{4}$ in N.,
 S 32 in W., and
 S 33 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 49.50 Monument on top of hill bears N.37°27'E.
 62.90 Same monument bears N.59°E.
 70.00 Draw, course E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 28, 29, 32 and 33, with brass
 cap, marked
 T 4 N S 29 in NW.,
 R 19 W S 28 in NE.,
 S 33 in SE., and
 S 32 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, rolling.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

East, on a random line, bet. secs. 28 and 33.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.20 Intersect N. and S. line 6 lks. N. of the cor. of secs.
 27, 28, 33 and 34.
 Thence N.89°57'W., on a true line, bet secs. 28 and 33,
 over level land, through scattering timber and dense
 undergrowth.
 15.20 Road bears NE. and SW.
 19.00 Road bears N. and S.
 31.20 Tyson Wash, 2 chs. wide, course N.
 40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 28 in N., and
 S 33 in S. half, and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 56.20 Stamp mill bears S., 2 chs. dist.
 59.45 Road bears NW. and SE.
 62.20 Low spur extends N.
 School house bears N.23°48'E., and
 Post Office bears N.11°27'E.
 Desc. NW. slope to
 75.00 Ft. of slope.
 80.20 The cor. of secs. 28, 29, 32 and 33.
 Land, level.
 Soil, 1st and 4th rate.
 Timber, ironwood, mesquite and paloverde.
 Undergrowth, greasewood and cactus.

N.0°02'W., bet. secs. 28 and 29,
 over level land, through scattering timber and dense
 undergrowth.
 23.40 Road bears E. and W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 28 in E., and
 S 29 in W. half; and
 1915 in S. rim;

Chains

	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
53.20	Phoenix-California road bears E. and W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap, marked T 4 N S 20 in NW., R 19 W S 21 in NE., S 28 in SE., and S 29 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Land, level. Soil, 2nd and 3rd rate. Timber, ironwood and paloverde. Undergrowth, greasewood and cactus.

40.00	East, on a random line, bet. secs. 21 and 28. Set temp. $\frac{1}{4}$ sec. cor.
80.12	Intersect N. and S. line 9 lks. N. of the cor. of secs. 21, 22, 27 and 28. Thence N. $89^{\circ}56'$ W., on a true line, bet. secs. 21 and 28, over level land, through scattering timber and dense undergrowth.
10.10	Stamp mill bears south, approximately 2 chs. dist.
14.10	Bouse road bears NE. and SW.
20.10	Tyson Wash, 2 chs. wide, course NW.
40.06	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 21 in N., and S 28 in S. half, and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
41.00	Wash, course NE.
45.60	Wire fence bears NE. and SW.
47.85	Wire fence bears N. and S.
48.50	Hans Doepel's house bears N., approximately 6 chs. dist.
57.60	Road bears N. and S.
60.00	Adobe house bears S., 2 chs. dist.
79.60	Old road bears NW. and SE.
80.12	The cor. of secs. 20, 21, 28 and 29. Land, level. Soil, 1st rate. Timber, ironwood and mesquite. Undergrowth, greasewood and mesquite.

	N. $0^{\circ}02'$ W., bet. secs. 20 and 21, over level land, through scattering timber and dense undergrowth.
.25	Road bears NW. and SE.
36.70	Road bears NE. and SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 20 in W., and S 21 in E. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
55.00	Wash, course NE.
62.00	Wash, course NE.
73.00	Wash, course NE.

Subdivision of T. 4 N., R. 19 W.

Chains	
80.00	<p>Set an iron post, 3 ft. long, 2 ins diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, with brass cap, marked</p> <p style="padding-left: 40px;">T 4 N S 17 in NW., R 19 W S 16 in NE., S 21 in SE., and S 20 in SW. quadrant; and 1915 in S. rim;</p> <p>and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Land, level. Soil, 3rd and 4th rate. Timber, ironwood and paloverde. Undergrowth, greasewood and cactus.</p> <hr style="border-top: 1px dashed black;"/>
40.00	<p>East, on a random line, bet. secs. 16 and 21.</p>
80.14	<p>Set temp. ¼ sec. cor. Intersect N. and S. line 4 lks. S. of the cor. of secs. 15, 16, 21 and 22.</p>
25.00	<p>Thence S.89°58'W., on a true line, bet. secs. 16 and 21, over level land, through scattering timber and dense undergrowth.</p>
32.00	<p>Wash, course N.</p>
40.07	<p>Tyson wash, 2 chs. wide, course N. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked</p> <p style="padding-left: 40px;">¼ S 16 in N., and S 21 in S. half; and 1915 in S. rim;</p> <p>and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.</p>
44.40	<p>Road bears N. and S.</p>
52.00	<p>Wash, course NE.</p>
60.00	<p>Wash, course NE.</p>
72.00	<p>Wash, course NE.</p>
80.14	<p>The cor. of secs. 16, 17, 20 and 21. Land, level. Soil, 1st and 4th rate. Timber, ironwood and paloverde. Undergrowth, greasewood and cactus.</p> <hr style="border-top: 1px dashed black;"/>
36.10	<p>N.0°02'W., bet. secs. 16 and 17, over level land, through scattering timber and dense undergrowth.</p>
40.00	<p>Windmill bears S.85°45'E. Windmill bears S.83°15'E. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked</p> <p style="padding-left: 40px;">¼ in N., S 16 in E., and S 17 in W. half; and 1915 in S. rim;</p> <p>and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.</p>
77.30	<p>Windmill bears S.26°30'E.</p>
80.00	<p>Windmill bears S.29°30'E. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, with brass cap, marked</p> <p style="padding-left: 40px;">T 4 N S 8 in NW., R 19 W S 9 in NE., S 16 in SE., and S 17 in SW. quadrant; and 1915 in S. rim;</p> <p>and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.</p>

Chains

Land, level.
Soil, gravelly; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.

40.00 East, on a random line, bet. secs. 9 and 16.
Set temp. $\frac{1}{4}$ sec. cor.
80.04 Intersect N. and S. line at the cor. of secs. 9, 10, 15
and 16.

Thence West, on a true line, bet. secs. 9 and 16,
over level land, through fairly dense timber and under-
growth.

20.00 Old road bears N. and S.
32.00 Tyson wash, 4 chs. wide, course N.
40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 9 in N., and
S 16 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

60.00 Road bears N.10°W. and S.10°E.
80.04 The cor. of secs. 8, 9, 16 and 17.
Land, level desert.
Soil, gravelly; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, sage and cactus.

N.0°02'W., bet. secs. 8 and 9,
over level land, through scattering timber and dense
undergrowth.

25.00 Draw, course NE.
34.75 Road bears NW. and SE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 8 in W., and
S 9 in E. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

45.50 Wash, course NW.
77.00 Wash, course NW.
80.00 Point for sec. cor. falls in wash, course W.; therefore at
79.60 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for witness cor. to the cor. of secs. 4, 5, 8
and 9, with brass cap, marked
WC in N1 half,
T 4 N S 5 in NW.,
R 19 W S 4 in NE.,
S 9 in SE., and
S 8 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, level.
Soil, 1st and 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.

Subdivision of T. 4 N., R. 19 W.

Chains

East, on a random line, bet. secs. 4 and 9,
 (from true pt. for cor. of secs. 4, 5, 8 and 9).
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.06 Intersect N. and S. line 16 lks. N. of the cor. of secs.
 3, 4, 9 and 10.

Thence N.89°53'W., on a true line, bet. secs. 4 and 9,
 over level land, through scattering timber and dense
 undergrowth.
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 4 in N., and
 S 9 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
 N. of cor.
 55.00 Wash, course NW.
 79.80 Enter Tyson Wash, 3 chs. wide, course NW.
 80.06 The true pt. for cor. of secs. 4, 5, 8 and 9.
 Land, level.
 Soil, 1st rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood, mesquite and cactus.

 N.0°02'W., on a true line, bet. secs. 4 and 5,
 (from true pt. for cor. of secs. 4, 5, 8 and 9),
 over level land, through scattering timber and dense
 undergrowth.
 Across Tyson Wash, course NW.
 .50 Leave Tyson Wash.
 23.00 Wash, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor. with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 4 in E., and
 S 5 in W. half, and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
 W. of cor.
 49.00 Wash, course W.
 72.04 Intersect 1st St. Par. N. 8.04 chs. W. of the reestablished
 standard cor. of secs. 33 and 34, described in Book "A."

At pt. of intersection
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for closing cor. of secs. 4 and 5, with brass
 cap, marked
 T 5 N R 19 W S 33 in N. half,
 CC in S. half,
 T 4 N S 5 in SW., and
 R 19 W S 4 in SE. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
 S. of cor.
 Land, level.
 Soil, 1st and 4th rate.
 Timber, ironwood, paloverde and mesquite.
 Undergrowth, greasewood, mesquite and cactus.

 From the cor. of secs. 5, 6, 31 and 32, on S. bdy. of Tp.,
 described in Book "B,"
 N.0°03'W., bet. secs. 31 and 32,
 over mountainous land, through scattering undergrowth.
 40.00 Point for $\frac{1}{4}$ sec. cor. falls in slide rock; therefore at

Chains	
48.20	<p>On ridge bearing E. and W., Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., with brass cap, marked</p> <p style="padding-left: 40px;">$\frac{1}{4}$ in N., WC in S., S 31 in W., and S 32 in E. half; and 1915 in S. rim;</p> <p>and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p>
71.00	<p>Desc. rocky broken NW. slope.</p>
74.00	<p>Spur extends NW.; descend.</p>
80.00	<p>ft. of descent.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 29, 30, 31 and 32, with brass cap, marked</p> <p style="padding-left: 40px;">T 4 N S 30 in NW., R 19 W S 29 in NE., S 32 in SE., and S 31 in SW. quadrant; and 1915 in S. rim;</p> <p>and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Impracticable to set cor. in the ground.</p>
	<p>Land, mountainous. Soil, rocky; 3rd and 4th rate. Timber, none. Undergrowth, greasewood.</p>
40.00	<p>East, on a random line, bet. secs. 29 and 32.</p>
80.24	<p>Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line at the cor. of secs. 28, 29, 32 and 33.</p>
	<p>Thence West, on a true line, bet. secs. 29 and 32, over broken desert, through scattering timber and under- growth.</p>
1.75	<p>From sec. cor., deep well bears N.28°30'E.</p>
17.25	<p>Old road bears NE. and SW.</p>
25.05	<p>Deep well bears N.55°E.</p>
40.12	<p>Wm. Kaiser's bungalow bears N.15°E.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked</p> <p style="padding-left: 40px;">$\frac{1}{4}$ S 29 in N., and S 32 in S. half; and 1915 in S. rim;</p> <p>and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p>
46.85	<p>Wm. Kaiser's bungalow bears N.38°45'E.</p>
80.24	<p>The cor. of secs. 29, 30, 31 and 32. Land, broken desert. Soil, gravelly, with boulders; 2nd and 3rd rate. Timber, paloverde and catclaw. Undergrowth, greasewood, sage and cactus.</p>
40.00	<p>West, on a random line, bet. secs. 30 and 31.</p>
78.75	<p>Set temp. $\frac{1}{4}$ sec. cor. Intersect W. bdy. of Tp. 30 lks. N. of the cor. of secs. 25, 30, 31 and 36, described in Book "B."</p>
	<p>Thence N.89°47'E., on a true line, bet. secs. 30 and 31, over mountainous land, through scattering timber and undergrowth.</p>
28.90	<p>Road in draw draining NE., bears NE. and SW.</p>

Subdivision of T. 4 N., R. 19 W.

Chains

38.75 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 30 in N., and S 31 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Impracticable to set cor. in the ground. Asc. NW. slope.

54.10 Rocky spur extends N. Unidentified monument of U. S. S. No. 37 bears N.74°45'W. Unidentified U. S. L. M., (not numbered) marked USLM on outcropping ledge 18x12x4 ins. above ground, with stake, 4 ins. diam., in mound of stone, 8 ft. base, 6 ft. high, alongside, bears S. 70 lks. dist.

55.30 Desc. NE. slope.

67.00 Ft. of descent.; thence over rolling N. slope.

78.75 The cor. of secs. 29, 30, 31 and 32. Land, mountainous. Soil, 3rd and 4th rate. Timber, ironwood and paloverde. Undergrowth, greasewood.

N.0°03'W., bet. secs. 29 and 30, over broken desert, through dense timber and undergrowth. Quartzsite-Ehrenburg road bears E. and W.

21.00 U. S. S. Monument, unidentified, bears N.82°15'W.

31.50 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 29 in E., and S 30 in W. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

40.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, with brass cap, marked T 4 N S 19 in NW., R 19 W S 20 in NE., S 29 in SE., and S 30 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Land, slightly broken desert. Timber, paloverde and catclaw. Undergrowth, greasewood and cactus. Soil, gravelly; 2nd and 3rd rate.

East, on a random line, bet. secs. 20 and 29.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.95 Intersect N. and S. line 5 lks. N. of the cor. of secs. 20, 21, 28 and 29.

Thence N.89°58'W., on a true line, bet. secs. 20 and 29, over rolling land, through scattering timber and dense undergrowth.

39.97 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 20 in N., and S 29 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

47.00 Road bears NE. and SW.

63.00 Wash, course NE.

Chains

79.95 The cor. of secs. 19, 20, 29 and 30.
Land, rolling.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.

40.00 West, on a random line, bet. secs. 19 and 30.
Set temp. $\frac{1}{4}$ sec. cor.

78.75 Intersect W. bdy. of Tp. 12 lks. N. of the cor. of secs.
19, 24, 25 and 30, described in Book "B."

Thence N. $89^{\circ}55'E.$, on a true line, bet. secs. 19 and 30,
over rolling land, through scattering timber and dense
undergrowth.

26.75 Draw, course NE.

38.75 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
ground, and 8 ins. in a mound of stone, for $\frac{1}{4}$ sec. cor.,
with brass cap, marked

$\frac{1}{4}$ S 19 in N., and
S 30 in S. half; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor. Impracticable to set cor. farther in the
ground.

43.75 Wash, course NE.

58.75 Wash, course NE.

68.50 Old road bears NE. and SW.

78.75 The cor. of secs. 19, 20, 29 and 30.

Land, rolling.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.

N. $0^{\circ}03'W.$, bet. secs. 19 and 20,
over nearly level desert, through dense timber and under-
growth.

32.00 Road bears N. $10^{\circ}W.$ and S. $10^{\circ}E.$

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
S 19 in W., and
S 20 in E. half; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

74.00 Wash, 3 chs. wide, course NE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 17, 18, 19 and 20, with brass
cap, marked

T 4 N S 18 in NW.,
R 19 W S 17 in NE.,
S 20 in SE., and
S 19 in SW. quadrant; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, nearly level desert.
Soil, gravelly; 2nd and 3rd rate.
Timber, paloverde, catclaw and mesquite.
Undergrowth, greasewood, sage and cactus.

Subdivision of T. 4 N., R. 19 W.

Chains

40.00 East, on a random line, bet. secs. 17 and 20,
 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect N. and S. line at the cor. of secs. 16, 17, 20
 and 21.

40.00 Thence West, on a true line, bet. secs. 17 and 20,
 over level desert, through dense timber and undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 17 in N., and
 $\frac{1}{4}$ S 20 in S. half, and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 75.00 Wash, 3 chs. wide, course NE.
 80.00 The cor. of secs. 17, 18, 19 and 20.
 Land, level.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood and cactus.

40.00 West, on a random line, bet. secs. 18 and 19.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.74 Intersect W. bdy. of Tp. 6 lks. N. of the cor. of secs.
 13, 18, 19 and 24, described in Book "B:"

Thence N. $89^{\circ}57'E.$, on a true line, bet. secs. 18 and 19,
 over rolling land, through scattering timber and dense
 undergrowth.
 5.00 Wash, course NE.
 31.00 Same wash, course SE.
 36.50 Road bears SE. and NW.
 38.74 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 18 in N., and
 $\frac{1}{4}$ S 19 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

58.70 Wash, course NE.
 78.74 The cor. of secs. 17, 18, 19 and 20.
 Land, rolling.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

N. $0^{\circ}03'W.$, bet. secs. 17 and 18,
 over rolling land, through scattering timber and dense
 undergrowth.
 7.00 Wash, course NW.
 20.00 Same wash, course NE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 $\frac{1}{4}$ S 17 in E., and
 $\frac{1}{4}$ S 18 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

61.00 Draw, course NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 7, 8, 17 and 18, with brass
 cap, marked
 T 4 N S 7 in NW.,
 R 19 W S 8 in NE.,
 S 17 in SE., and
 S 18 in SW. quadrant; and

Chains

- 1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, rolling.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.
-
- 40.00 East, on a random line, bet. secs. 8 and 17.
Set temp. $\frac{1}{4}$ sec. cor.
80.12 Intersect N. and S. line 4 lks. N. of the cor. of secs.
8, 9, 16 and 17.
- Thence N. $89^{\circ}58'$ W., on a true line, bet. secs. 8 and 16,
over level land, through scattering timber and under-
growth.
- 20.10 Draw, course NE.
40.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 8 in N., and
S 17 in S. half, and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 51.10 Wash, course N.
80.12 The cor. of secs. 7, 8, 17 and 18.
Land, level.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.
-
- 40.00 West, on a random line, bet. secs. 7 and 18.
Set temp. $\frac{1}{4}$ sec. cor.
78.56 Intersect W. bdy. of Tp. 14 lks. N. of the cor. of secs.
7, 12, 13 and 18, described in Book "B."
- Thence N. $89^{\circ}54'$ E., on a true line, bet. secs. 7 and 18,
over rolling land, through scattering timber and under-
growth.
- 38.56 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 7 in N., and
S 18 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 43.50 Draw, course NE.
64.50 Draw, course NE.
78.56 The cor. of secs. 7, 8, 17 and 18.
Land, rolling.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.
-
- 7.00 N. $0^{\circ}03'$ W., bet. secs. 7 and 8,
over rolling land, through scattering timber and dense
undergrowth.
32.00 Draw, course NE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 7 in W., and
S 8 in E. half; and

Subdivision of T. 4 N., R. 19 W.

Chains

1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 53.00 Draw, course NE.
 58.00 Draw, course NE.
 79.00 Draw, course NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 5, 6, 7 and 8, with brass cap,
 marked
 T 4 N S 6 in NW.,
 R 19 W S 5 in NE.,
 S 8 in SE., and
 S 7 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 Land, rolling.
 Soil, 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

40.00 East, on a random line, bet. secs. 5 and 8.
 Set temp. ¼ sec. cor.
 80.04 Intersect N. and S. line 16 lks. S. of the true pt. for
 cor. of secs. 4, 5, 8 and 9.

Thence S.89°53'W., on a true line, bet. secs. 5 and 8,
 over level land, through scattering timber and dense
 undergrowth.
 4.00 Wash, 2 chs. wide, course NW.
 38.00 Wash, course N.
 39.90 Road bears NW. and SE.
 40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., with brass cap, marked
 ¼ S 5 in N. land,
 S 8 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
 and raise a mound of earth, 3½ ft. base, 1½ ft. high,
 N. of cor.
 78.00 Draw, course NE.
 80.04 The cor. of secs. 5, 6, 7 and 8.
 Land, level.
 Soil, 1st and 4th rate.
 Timber, ironwood and paloverde.
 Undergrowth, mesquite, greasewood and cactus.

West, on a random line, bet. secs 6 and 7.
 40.00 Set temp. ¼ sec. cor.
 78.66 Intersect W. bdy. of Tp. 10 lks. N. of the cor. of secs.
 1, 6, 7 and 12, described in Book "B."

Thence N.89°56'E., on a true line, bet. secs. 6 and 7,
 over level land, through scattering timber and dense
 undergrowth.
 6.00 Wash, course N.
 36.00 Wash, course N.
 38.66 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., with brass cap, marked
 ¼ S 6 in N., and
 S 7 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 N. of cor.
 63.50 Wash, course NE.
 78.66 The cor. of secs. 5, 6, 7 and 8.

Chains

Land, level.
Soil, 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.

30.00
40.00

N.0°03'W., on a true line, bet. secs. 5 and 6,
over level land, through scattering timber and dense
undergrowth.

Wash, course NE.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
S 5 in E., and
S 6 in W., half; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

53.40
72.08

Road bears NW. and SE.

Intersect 1st St. Par. N. 8.30 chs. W. of the reestablished
standard cor. of secs. 32 and 33, described in Book "A."

At pt. of intersection

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for closing cor. of secs. 5 and 6, with brass cap,
marked

T 5 N R 19 W S 32 in N. half,
CC in S. half,
T 4 N S 6 in SW., and
R 19 W S 5 in SE. quadrant; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
S. of cor.

Land, level.
Soil, 1st and 4th rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood, mesquite and cactus.

GENERAL DESCRIPTION.

With the exception of a small portion of mountainous land
in the SE. cor. of the township, the land is practically
level desert. The soil is of fair quality in places,
but owing to lack of moisture produces nothing but such
growth as paloverde, mesquite, ironwood, greasewood, sage
and cactus.

Water is found in wells in sections 16 and 28.

Some mining has been done in the mountainous portion.

With the exception of Wm. Kaiser, who has a bungalow in
section 29, there are no settlers in the township.

SUBDIVISIONS OF
TOWNSHIP 4 NORTH, RANGE 19 WEST

DATE DIAGRAM

First Standard Parallel North Resurveyed

4-8-15	4-8-15	4-8-15	4-7-15	4-7-15	4-7-15	4-7-15
4-6-15	6	5	4	3	2	1
4-5-15	4-6-15	4-6-15	4-5-15	4-5-15	4-7-15	4-5-15
4-6-15	7	8	9	10	11	12
4-6-15	4-6-15	4-5-15	4-4-15	4-4-15	4-7-15	4-7-15
4-5-15	18	17	16	15	14	13
4-5-15	4-5-15	4-4-15	4-2-15	4-2-15	4-2-15	4-2-15
4-5-15	19	20	21	22	23	24
4-2-15	4-4-15	4-2-15	4-1-15	3-25-15	3-25-15	3-25-15
3-29-15	30	29	28	27	26	25
3-29-15	4-4-15	4-4-15	4-1-15	3-31-15	4-2-15	4-3-15
3-29-15	31	32	33	34	35	36
3-29-15	4-9-15	4-1-15	3-29-15	3-31-15	4-2-15	4-3-15
3-29-15	3-29-15	3-29-15	3-29-15	3-29-15	2-26-15	2-26-15

Lines dated in black were surveyed by Woodbury Abbey,

U. S. Surveyor.

Lines dated in red were surveyed by Roy J. Gill,

U. S. Transitman.

CERTIFICATES
For ~~FINAL~~ OF UNITED STATES SURVEYOR.
AND UNITED STATES TRANSITMAN,

30

See Book "C."

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____

BOOK 3050

_____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191 _____



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,
Phoenix, Arizona, JUL 20 _____, 191 8.

The foregoing field notes of the survey of the _____
Subdivision Lines
of
TOWNSHIP 4 NORTH, RANGE 19 WEST,

Gila and Salt River Base and Meridian, in the State of Arizona,

executed by Woodbury Abbey, U.S. Surveyor, & Roy J. Gill, U.S. Transitman, under his special instructions dated December 12, 1914, for Group 39, Arizona having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank D. Smith
U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____ has been correctly copied from the original notes on file in this office.~~