

3052

Book "L"

4-679

(Subdivisions)

31211918

Book 3052

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 2 NORTH, RANGE 5 WEST.

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Woodbury Abbey, U.S. Surveyor,

and

Roy J. Gill, U. S. Transitman,

~~In the capacity of U.S. Surveyor~~, under instructions dated December 12, 1914,

issued by the United States Surveyor General to govern surveys included in

Group No. 39, which were approved by the Commissioner of the General Land

Office, January 7, 1915.

Survey commenced April 23, 1915.

Survey completed May 4, 1915.

3052

3052

1A

ECCO 8052

Book "L"
(Subdivisions)
Group 39-Arizona.

INDEX DIAGRAM.

Township 2 North.										Range 5 West.	
6	21	5	18	4	14	3	10	2	5	1	West
24	24	24	18	14	9	5					
7	23	8	18	9	13	10	9	11	4	12	Meridian
23	23	23	17	13	9	4					
18	22	17	17	16	12	15	8	14	4	13	Guide
22	21	21	16	12	8	3					
19	21	20	16	21	12	22	7	23	3	24	First
21	20	20	16	11	7	2					
30	20	29	15	28	11	27	6	26	2	25	
19	19	19	15	11	6	2					
31	19	32	14	33	10	34	6	35	1	36	

- Subdivision Lines surveyed under this Group.
- Township boundaries under this Group.
Notes in Book "B."
- =====** (Township boundaries resurveyed under this Group.
Notes in Book "B.")
- (Standard Lines surveyed under this Group.
Notes in Book "A.")
- Standard lines resurveyed under this Group.
Notes in Book "A."
- Accepted surveys.
- Unsurveyed lines.

Chains

Survey commenced Apr. 23, 1915, and executed jointly by Woodbury Abbey, U. S. Surveyor, and Roy J. Gill, U. S. Transitman, on dates shown on diagram on page 27 of this book.

A description of the instruments used, with record of approval by the assistant supervisor of surveys, and field tests, appears in Book "B."

All lines were originated by deflection from the transit line run from the SE. cor. W. to the SW. cor. of the Tp., during the survey of the S. bdy., described in Book "B.," checked by comparison with transit lines on the E. and N. boundaries, described in Books "A" and "B." respectively, and with the meridian as determined by solar observation at the cors. of secs. 2, 3, 10 and 11 and 3, 4, 9 and 10, a record of which follows herein.

The magnetic bearing of the true meridian, at 8h 00m, a.m., l.m.t., is N.14°30' W.; which gives for the mag. decl., 14°30' E.

Solar Observations.

Station, -- cor. of secs. 2, 3, 10 and 11.

Date, May 3, 1915.
 Hour, 8h 00m, a.m., l.m.t.
 Lat., 33°32' N. (1)
 Long., 112°45' W.
 Decl., 15°29½' N.
 Observer, Woodbury Abbey.

Station, -- cor. of secs. 3, 4, 9 and 10.

Date, May 4, 1915.
 Hour, 8h 45m, a.m., l.m.t.
 Lat., 33°32' N. (2)
 Long., 112°46' W.
 Decl., 15°47½' N.
 Observer, Woodbury Abbey.

From the cor. of secs. 1, 2, 35 and 36, on S. bdy. of Tp., described in Book "B.,"

N.0°11' W., bet. secs. 35 and 36,
 (parallel to mean bearing of E. bdy. of Tp., resurveyed as described in Book "A.")
 over level land, through scattering timber and dense undergrowth.

- 21.00 Wash, course SE.
- 26.00 Same wash, course SW.
- 35.00 Same wash, course SE.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked
 ¼ in N.,
 S 35 in W., and
 S 36 in E. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap, marked
 T 2 N S 26 in NW.,
 R 5 W S 25 in NE.,
 S 36 in SE., and
 S 35 in SW. quadrant; and
 1915 in S. rim;

Chains

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, level.
Soil, 2nd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and sage.

40.00 East, on a random line, bet. secs. 25 and 36.
Set temp. $\frac{1}{4}$ sec. cor.
80.02 Intersect E. bdy. of Tp. at the reestablished cor. of secs.
25, 30, 31 and 36, on 1st G. M. W., described in Book "A".

Thence West, on a true line, bet. secs. 25 and 36,
over level land, through scattering timber and dense
undergrowth.

9.50 Wash, course S.

34.00 Wash, course S.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 25 in N., and
S 36 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

80.02 The cor. of secs. 25, 26, 35 and 36.

Land, level.

Soil, 1st rate.

Timber, ironwood and paloverde.

Undergrowth, greasewood and sage.

40.00 N. $0^{\circ}11'W.$, bet. secs. 25 and 26,
over level desert, through scattering timber and dense
undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,

S 25 in E., and

S 26 in W. half; and

1915 in S. rim;

dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

68.00 Wash, 40 lks. wide, course SW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 23, 24, 25 and 26, with brass
cap, marked

T 2 N S 23 in NW.,

R 5 W S 24 in NE.,

S 25 in SE., and

S 26 in SW. quadrant; and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, level.

Soil, gravelly; 2nd rate.

Timber, paloverde, mesquite and catclaw.

Undergrowth, greasewood and sage.

40.00 East, on a random line, bet. secs. 24 and 25.

Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect E. bdy. of Tp. at the reestablished cor. of secs.
19, 24, 25 and 30, on 1st G. M. W., described in Book "A".

Chains

- Thence West, on a true line, bet. secs. 24 and 25,
over level land, through scattering timber and dense
undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 24 in N., and
S 25 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 72.00 Wash, 100 lks. wide, course S.
- 80.00 The cor. of secs. 23, 24, 25 and 26.
Land, level.
Soil, 2nd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and sage.
-
- N.0°11'W., bet. secs. 23 and 24,
over level desert, through scattering timber and dense
undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 23 in W., and
S 24 in E. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 13, 14, 23 and 24, with brass
cap, marked
T 2 N S 14 in NW.,
R 5 W S 13 in NE.,
S 24 in SE., and
S 23 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, level.
Soil, gravelly; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood, cactus and sage.
-
- East, on a random line, bet. secs. 13 and 24.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.16 Intersect E. bdy. of Tp. 6 lks. S. of the reestablished cor.
of secs. 13, 18, 19 and 24, on 1st G. M. W., described
in Book "A."
- Thence S.89°57'W., on a true line, bet. secs. 13 and 24,
over level land, through scattering timber and dense
undergrowth.
- 13.00 Wash, course W.
- 40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 13 in N., and
S 24 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 50.00 Wash, course, SW.
- 80.16 The cor. of secs. 13, 14, 23 and 24.

Subdivision of T. 2 N., R. 5 W.

Chains

Land, level.
Soil, 2nd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and sage.

N.0°11'W., bet. secs. 13 and 14,
over rolling land, through scattering timber and dense
undergrowth.

32.00

Draw, course SW.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
S 13 in E., and
S 14 in W. half; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

68.00

Draw, course SW.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 11, 12, 13 and 14, with brass
cap, marked

T 2 N S 11 in NW.,
R 5 W S 12 in NE.,
S 13 in SE., and
S 14 in SW. quadrant; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, rolling.

Soil, 3rd rate.

Timber, ironwood and paloverde.

Undergrowth, greasewood and sage.

East, on a random line, bet. secs. 12 and 13.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

80.30

Intersect E. bdy. of TP. 12 lks. S. of the reestablished
cor. of secs. 7, 12, 13 and 18, on 1st G. M. W., des-
cribed in Book "A."

Thence S.89°55'W., on a true line, bet. secs. 12 and 13,
over rolling, land, through scattering timber and dense
undergrowth.

40.15

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 12 in N., and
S 13 in S. half; and
1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

44.30

Wash, course S.

70.30

Wash, course S.

80.30

The cor. of secs. 11, 12, 13 and 14.

Land, rolling.

Soil, 2nd rate.

Timber, ironwood and paloverde.

Undergrowth, greasewood, sage and cactus.

N.0°11'W., bet. secs. 11 and 12,
over hilly desert, through scattering timber and dense
undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
S 11 in W., and

Chains

- S 12 in E. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 1, 2, 11 and 12, with brass cap,
marked
- T 2 N S 2 in NW.,
R 5 W S 1 in NE.,
S 12 in SE., and
S 11 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- Land, hilly.
Soil, rocky; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood and catclaw.
-
- East, on a random line, bet. secs. 1 and 12.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.40 Intersect E. bdy. of Tp. 20 lks. S. of the reestablished
cor. of secs. 1, 6, 7 and 12, on 1st G. M. W., described
in Book "A."
- Thence S. $89^{\circ}51'$ W., on a true line, bet. secs. 1 and 12,
over hilly desert, through scattering timber and dense
undergrowth.
- 12.90 Wash, 15 lks. wide, course SW.
- 40.20 Set an iron post, 3 ft. long, 1 in. diam., 26 ins in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
- $\frac{1}{4}$ S 1 in N., and
S 12 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 80.40 The cor. of secs. 1, 2, 11 and 12.
Land, hilly.
Soil, coarse gravel and small boulders; 2nd and 3rd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood sage and cactus.
-
- N. $0^{\circ}11'$ W., on a random line, bet. secs. 1 and 2.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.28 Intersect N. bdy. of Tp. 43 lks. W. of the cor. of secs.
1, 2, 35 and 36, described in Book "B."
- Thence S. $0^{\circ}07'$ W., on a true line, bet. secs. 1 and 2,
over hilly desert, through scattering timber and dense
undergrowth.
- 40.28 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
- $\frac{1}{4}$ in N.,
S 1 in E., and
S 2 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.28 The cor. of secs. 1, 2, 11 and 12.
Land, hilly.
Soil, 2nd and 3rd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood and cactus.
-

Chains

- From the cor. of secs. 2, 3, 34 and 35, on S. bdy. of Tp., described in Book "B,"
- N.0°11'W., bet. secs. 34 and 35,
over rolling land, through scattering timber and dense undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 34 in W., and
S 35 in E. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 72.00 Wash, course W.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, with brass cap, marked
T 2 N S 27 in NW.,
R 5 W S 26 in NE.,
S 35 in SE., and
S 34 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Land, rolling.
Soil, 3rd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and sage.
-
- East, on a random line, bet. secs. 26 and 35.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.04 Intersect N. and S. line at the cor. of secs. 25, 26, 35 and 36.
- Thence West, on a true line, bet. secs. 26 and 35,
over slightly rolling desert, through scattering timber and dense undergrowth.
- 14.00 Wash, 40 lks. wide, course S.
- 37.05 Road bears N. and S.
- 40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 26 in N., and
S 35 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 80.04 The cor. of secs. 26, 27, 34 and 35.
Land, slightly rolling.
Soil, gravelly; 2nd rate.
Timber, paloverde, mesquite and catclaw.
Undergrowth, greasewood.
-
- N.0°11'W., bet. secs. 26 and 27,
over rolling land, through scattering timber and dense undergrowth.
- 4.00 Wash, course W.
- 23.00 Road bears NW. and SE.
- 25.00 Wash, course W.
- 35.00 Hassayampa River, --dry,-- 5 chs. wide, course SW.
- 40.00 Point for $\frac{1}{4}$ sec. cor., falls at edge of river bed; therefore at
- 41.50 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., with brass cap, marked

Subdivision of T. 2 N., R. 5 W.

Chains	
80.00	<p> $\frac{1}{4}$ in N., S 26 in E., S 27 in W., and WC in S. half; and 1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap, marked T 2 N S 22 in NW., R 5 W S 23 in NE., S 26 in SE., and S 27 in SW. quadrant; and 1915 in S. rim; dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, 1st and 3rd rate. Timber, paloverde and ironwood. Undergrowth, greasewood and sage. </p>
40.00 79.98	<p> East, on a random line, bet. secs. 23 and 26. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line at the cor. of secs. 23, 24, 25 and 26. </p>
6.00 39.99	<p> Thence West, on a true line, bet. secs. 23 and 26, over rolling land, through scattering timber and dense undergrowth. Draw, course SW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 23 in N., and S 26 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor. </p>
66.00 69.00 79.98	<p> Thence over level land, Hassayampa River, --dry,-- 3 chs. wide, course S. The cor. of secs. 22, 23, 26 and 27. Land, rolling for 66 chs. and level for balance of line. Soil, 1st and 3rd rate. Timber, paloverde and ironwood. Undergrowth, greasewood and sage. </p>
30.70 37.60 40.00	<p> N.0°11'W., bet. secs. 22 and 23, over level desert, through scattering timber and dense undergrowth. Wire fence bears NE. and SW. Wire fence bears E. and W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 22 in W., and S 23 in E. half; and 1915 in S. rim; </p>
80.00	<p> dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, with brass cap, marked T 2 N S 15 in NW., R 5 W S 14 in NE., S 23 in SE., and </p>

Chains

S 22 in SW. quadrant; and
1915 in S. rim;
dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist.,
and raise a mound of earth, 4 ft. base, 2 ft. high,
W. of cor.
Land, level.
Soil, sandy; 1st rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood and sage.

East, on a random line, bet. secs. 14 and 23.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line 4 lks. N. of the cor. of secs.
13, 14, 23 and 24.

40.00 Thence N. $89^{\circ}58'W.$, on a true line, bet. secs. 14 and 23,
over rolling desert, through dense timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 14 in N., and
S 23 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

53.50 Dry bed of Hassayampa River, 3 chs. wide, course S.
80.00 The cor. of secs. 14, 15, 22 and 23.
Land, rolling and broken.
Soil, rocky; 2nd and 3rd rate.
Timber, catclaw, mesquite and paloverde.
Undergrowth, greasewood, cactus and sage.

N. $0^{\circ}11'W.$, bet. secs. 14 and 15,
over level land, through scattering timber and dense
undergrowth.

27.00 Wash, SE.

31.00 Wash, SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 14 in E., and
S 15 in W. half; and
1915 in S. rim;

dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

52.00 Wash, course SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 10, 11, 14 and 15, with brass
cap, marked

T 2 N S 10 in NW.,

R 5 W S 11 in NE.,

S 14 in SE., and

S 15 in SW. quadrant; and

1915 in S. rim;

dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist.,
and raise a mound of earth, 4 ft. base, 2 ft. high,
W. of cor.

Land, level.

Soil, 1st. rate.

Timber, paloverde.

Undergrowth, greasewood.

Chains

40.00 East, on a random line, bet. secs. 11 and 14.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect N. and S. line, at the cor. of secs. 11, 12, 13
 and 14.

Thence West, on a true line, bet. secs. 11 and 14,
 over rolling land, through scattering timber and dense
 undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 11 in N., and
 S 14 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

45.00 Thence over level land,
 68.00 Hassayampa River, dry, 2 chs. wide, course SW.
 80.00 The cor. of secs. 10, 11, 14 and 15.
 Land, rolling for E. 45 chs. and level in W. part.
 Soil, 1st and 2nd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and sage.

 N.0°11'W., bet. secs. 10 and 11,
 over level land, through scattering timber and dense
 undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 10 in W., and
 S 11 in E. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 2, 3, 10 and 11, with brass cap,
 marked
 T 2 N S 3 in NW.,
 R 5 W S 2 in NE.,
 S 11 in SE., and
 S 10 in SW. quadrant; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., in each sec., $5\frac{1}{2}$ ft. dist., and
 raise a mound of earth, 4 ft. base, $1\frac{1}{2}$ ft. high, W. of
 cor.
 Land, level.
 Soil, sandy loam; 1st rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood.

 40.00 East, on a random line, bet. secs. 2 and 11.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.80 Intersect N. and S. line at the cor. of secs. 1, 2, 11 and
 12.

Thence West, on a true line, bet. secs. 2 and 11,
 over rolling desert, through scattering timber and dense
 undergrowth.
 39.90 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 2 in N., and
 S 11 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,

Chains

N. of cor.
 53.80 Dry bed of Hassayampa river, 2 chs. wide, course S. 20° E.
 79.80 The cor. of secs. 2, 3, 10 and 11.
 Land, rolling.
 Soil, rocky; 2nd and 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood.

N. 0° 11' W., on a random line, bet. secs. 2 and 3.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.28 Intersect N. bdy. of Tp. 25 lks. W. of the cor. of secs. 2, 3, 34 and 35, described in Book "B."

Thence South, on a true line, bet. secs. 2 and 3, over rolling desert, through scattering timber and dense undergrowth.

32.70 Road bears N. 20° E. and S. 20° W.
 40.28 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 2 in E., and
 S 3 in W. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

80.28 The cor. of secs. 2, 3, 10 and 11.
 Land, rolling.
 Soil, gravelly; 1st and 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood and cactus.

From the cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp., described in Book "B,"

N. 0° 12' W., bet. secs. 33 and 34, over slightly broken desert, through scattering timber and dense undergrowth.

18.00 Road bears NE. and SW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 33 in W., and
 S 34 in E. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, with brass cap, marked
 T 2 N S 28 in NW.,
 R 5 W S 27 in NE.,
 S 34 in SE., and
 S 33 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, slightly broken.
 Soil, rocky; 2nd and 3rd rate.
 Timber, paloverde, mesquite and catclaw.
 Undergrowth, greasewood and sage.

Chains

- East, on a random line, bet. secs. 27 and 34.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.20 Intersect N. and S. line 2 lks. S. of the cor. of secs. 26, 27, 34 and 35.
- Thence S. $89^{\circ}59'W.$, on a true line, bet. secs. 27 and 34, over rolling desert, through dense timber and undergrowth.
- 30.70 Dry bed of Hassayampa River, $2\frac{1}{2}$ chs. wide, course S.
40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 27 in N., and
S 34 in S. half; and
1915 in S. rim;
dig pits, $18 \times 18 \times 12$ ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 57.70 Road bears N. and S.
80.20 The cor. of secs. 27, 28, 33 and 34.
Land, rolling.
Soil, gravelly, with small boulders; 2nd and 3rd rate.
Timber, paloverde, mesquite and catclaw.
Undergrowth, greasewood.
-
- N. $0^{\circ}12'W.$, bet. secs. 27 and 28, over broken land, through scattering timber and dense undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 27 in E., and
S 28 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor; of secs. 21, 22, 27 and 28, with brass cap, marked
T 2 N S 21 in NW.,
R 5 W S 22 in NE.,
S 27 in SE., and
S 28 in SW. quadrant; and
1915 in S. rim;
dig pits, $18 \times 18 \times 12$ ins., in each sec., $5\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
Land, broken.
Soil, rocky; 2nd and 3rd rate.
Timber, paloverde, mesquite and catclaw.
Undergrowth, greasewood and sage.
-
- East, on a random line, bet. secs. 22 and 27.
- 40.00 Set temp. $\frac{1}{2}$ sec. cor.
80.16 Intersect N. and S. line 2 lks. N. of the cor. of secs. 22, 23, 26 and 27.
- Thence N. $89^{\circ}59'W.$, on a true line, bet. secs. 22 and 27, over level desert, through scattering timber and dense undergrowth.
- 7.73 Windmill bears N. $27^{\circ}50'W.$
Shack bears N. $30^{\circ}15'W.$
28.50 Road bears N. and S.
40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 22 in N., and
S 27 in S. half; and
1915 in S. rim;

Chains

- and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 80.16 The cor. of secs. 21, 22, 27, and 28.
Land, level.
Soil, 2nd and 3rd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood.
-
- N.0°12'W., bet. secs. 21 and 22,
over rolling desert, through scattering timber and dense
undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 21 in W., and
S 22 in E. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 15, 16, 21 and 22, with brass
cap, marked
T 2 N S 16 in NW.,
R 5 W S 15 in NE.,
S 22 in SE., and
S 21 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, rolling.
Soil, rocky; 2nd and 3rd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood and cactus.
-
- East, on a random line, bet. secs. 15 and 22.
- 40.00 Set temp. $\frac{1}{2}$ sec. cor.
- 80.05 Intersect N. and S. line 5 lks. N. of the cor. of secs.
14, 15, 22 and 23.
- Thence N.89°58'W., on a true line, bet. secs. 15 and 22,
over rolling desert, through scattering timber and
dense undergrowth.
- 15.05 Road bears N. and S.
Windmill bears S.22°45'W.
Shack bears S.23°45'W.
- 40.02 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 15 in N., and
S 22 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 78.55 Windmill bears S.47°E.
- 80.05 The cor. of secs. 15, 16, 21 and 22.
Land, rolling.
Soil, gravelly; 2nd rate.
Timber, catclaw, mesquite and paloverde.
Undergrowth, greasewood.
-
- N.0°12'W., bet. secs. 15 and 16,
over hilly desert, through scattering timber and dense
undergrowth.

Subdivision of T. 2 N., R. 5 W.

Chains

39.75 Top of small round knoll.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 15 in E., and S 16 in W. half; and 1915 in S. rim; and raise a mound of stone, 2 ff. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap, marked T 2 N S 9 in NW., R 5 W S 10 in NE., S 15 in SE., and S 16 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, hilly.
 Soil, rocky; 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood and cactus.

 East, on a random line, bet. secs. 10 and 15.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect N. and S. line at the cor. of secs. 10, 11, 14 and 15.

Thence West, on a true line, bet. secs. 10 and 15, over rolling and broken desert, through scattering timber and dense undergrowth.
 6.30 Road bears N.10°W. and S.10°E.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 10 in N., and S 15 in S. half; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

50.00 Wash, 100 lks. wide, course SE.
 80.00 The cor. of secs. 9, 10, 15 and 16.
 Land, broken and rolling desert.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood and cactus.

 N.0°12'W., bet. secs. 9 and 10, over hilly desert, through dense timber and undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 9 in W., and S 10 in E. half; and 1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, with brass cap, marked T 2 N S 4 in NW., R 5 W S 3 in NE., S 10 in SE., and S 9 in SW. quadrant; and 1915 in S. rim;

Chains

dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
 Land, hilly.
 Soil, rocky; 2nd and 3rd rate.
 Timber, paloverde, mesquite and catclaw.
 Undergrowth, greasewood and cactus.

40.00 East, on a random line, bet. secs. 3 and 10,
 Set temp. ¼ sec. cor.
 80.02 Intersect N. and S. line 2 lks. N. of the cor. of secs. 2, 3, 10 and 11.

Thence N.89°59'W., on a true line, bet. secs. 3 and 10, over hilly desert, through scattering timber and dense undergrowth.
 6.20 Road bears N. and S.
 40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked
 ¼ S 3 in N., and
 S 10 in S. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

75.00 Wash, 100 lks. wide, course S.
 80.02 The cor. of secs. 3, 4, 9 and 10.
 Land, hilly.
 Soil, rocky; 2nd and 3rd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood and cactus.

40.00 N.0°12'W., on a random line, bet. secs. 3 and 4.
 Set temp. ¼ sec. cor.
 80.30 Intersect N. bdy. of Tp. 30 lks. W. of the cor. of secs. 3, 4, 33 and 34, described in Book "B."

Thence S.0°01'W., on a true line, bet. secs. 3 and 4, over level desert, through dense timber and undergrowth.
 33.30 Wash, 50 lks. wide, course S.20°E.

40.30 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked
 ¼ in N.,
 S 3 in E., and
 S 4 in W. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3½ ft; base, 1½ ft. high, W. of cor.

80.30 The cor. of secs. 3, 4, 9 and 10.
 Land, level.
 Soil, gravelly; 2nd rate.
 Timber, paloverde, ironwood and mesquite.
 Undergrowth, greasewood, catclaw and sage.

From the cor. of secs. 4, 5, 32 and 33, on S. bdy. of Tp., described in Book "B,"

40.00 N.0°12'W., bet. secs. 32 and 33, over rolling desert, through scattering timber and dense undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked

Subdivision of T. 2 N., R. 5 W.

Chains

$\frac{1}{4}$ in N.,
 S 32 in W., and
 S 33 in E. half; and
 1915 in W. rim;
 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 28, 29, 32 and 33, with brass
 cap, marked
 T 2 N S 29 in NW.,
 R 5 W S 28 in NE.,
 S 33 in SE., and
 S 32 in SW. quadrant; and
 1915 in S. rim;
 dig pits, 18x18x12 ins. in each sec., $5\frac{1}{2}$ ft. dist., and
 raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
 Land, rolling.
 Soil, gravelly; 2nd rate.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood.

East, on a random line, bet. secs. 28 and 33.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.88 Intersect N. and S. line 7 lks. N. of the cor. of secs.
 27, 28, 33 and 34.
 Thence N. $89^{\circ}57'$ W., on a true line, bet. secs. 28 and 33,
 over rolling desert, through scattering timber and dense
 undergrowth,
 38.50 Wash, 20 lks. wide, course S.
 39.94 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 28 in N., and
 S 33 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 79.88 The cor. of secs. 28, 29, 32 and 33.
 Land, rolling.
 Soil, gravelly; 2nd rate.
 Timber, paloverde, catclaw and mesquite.
 Undergrowth, greasewood, cactus and sage.

N. $0^{\circ}12'$ W., bet. secs. 28 and 29,
 over rolling desert, through scattering timber and dense
 undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
 S 28 in E., and
 S 29 in W. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 20, 21, 28 and 29, with brass
 cap, marked
 T 2 N S 20 in NW.,
 R 5 W S 21 in NE.,
 S 28 in SE., and
 S 29 in SW. quadrant; and
 1915 in S. rim;

16

Subdivision of T. 2 N., R. 5 W.

Chains

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, rolling.

Soil, rocky; 2nd and 3rd rate.

Timber, paloverde and catclaw.

Undergrowth, greasewood.

40.00

East, on a random line, bet. secs. 21 and 28.

79.86

Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line 9 lks. N. of the cor. of secs.
21, 22, 27 and 28.

Thence N. $89^{\circ}56'$ W., on a true line, bet. secs. 21 and 28,
over level desert, through scattering timber and dense
undergrowth.

39.93

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 21 in N., and

S 28 in S. half; and

1915 in S. rim;

dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,

and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,

N. of cor.

79.86

The cor. of secs. 20, 21, 28 and 29.

Land, level.

Soil, rocky; 3rd rate.

Timber, paloverde and catclaw.

Undergrowth, greasewood, sage and cactus.

N. $0^{\circ}12'$ W., bet. secs. 20 and 21,
over rolling desert, through scattering timber and dense
undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,

S 20 in W., and

S 21 in E. half; and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,

W. of cor.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 16, 17, 20 and 21, with brass
cap, marked

T 2 N S 17 in NW.,

R 5 W S 16 in NE.,

S 21 in SE., and

S 20 in SW. quadrant; and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,

W. of cor.

Land, rolling.

Soil, 3rd rate; rocky.

Timber, paloverde and catclaw.

Undergrowth, greasewood, sage and cactus.

40.00

East, on a random line, bet. secs. 16 and 21,

Set temp. $\frac{1}{4}$ sec. cor.

79.91

Intersect N. and S. line 2 lks. S. of the cor. of secs.
15, 16, 21 and 22.

Thence S. $89^{\circ}59'$ W., on a true line, bet. secs. 16 and 21,
over rolling and broken desert, through scattering timber
and dense undergrowth.

Chains

39.95 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 16 in N., and
 S 21 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

65.40 Wash, 20 lks. wide, course S.

79.91 The cor. of secs. 16, 17, 20 and 21.

Land, rolling and broken.

Soil, rocky; 2nd and 3rd rate.

Timber, paloverde and catclaw.

Undergrowth, greasewood, cactus and sage.

 N.0°12'W., bet. secs. 16 and 17,

over slightly broken, fairly level desert, through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,

S 16 in E., and

S 17 in W. half; and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor,

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, with brass cap, marked

T 2 N S 8 in NW.,

R 5 W S 9 in NE.,

S 16 in SE., and

S 17 in SW. quadrant; and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, slightly broken, fairly level desert.

Soil, rocky; 2nd and 3rd rate.

Timber, paloverde and ironwood.

Undergrowth, greasewood and cactus.

 East, on a random line, bet. secs. 9 and 16.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect N. and S. line 7 lks. N. of the cor. of secs. 9, 10, 15 and 16.

Thence N.89°57'W., on a true line, bet. secs. 9 and 16, over broken hilly desert, through scattering timber and dense undergrowth.

37.00 Top of low ridge bears NE. and SW.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 9 in N., and

S 16 in S. half; and

1915 in S. rim;

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

68.00 Wash, 16 lks. wide, course S.

80.02 The cor. of secs. 8, 9, 16 and 17.

Land, broken hilly desert.

Soil, gravelly; 2nd and 3rd rate.

Timber, paloverde, catclaw and mesquite.

Undergrowth, greasewood and cactus.

Chains

- N.0°12'W., bet. secs. 8 and 9,
over hilly desert, through scattering timber and dense
undergrowth.
- 21.50 Wash, 20 lks. wide, course SE.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 8 in W., and
S 9 in E. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 4, 5, 8 and 9, with brass cap,
marked
T 2 N S 5 in NW.,
R 5 W S 4 in NE.,
S 9 in SE., and
S 8 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- Land, hilly.
Soil, gravelly; 2nd rate.
Timber, paloverde and catclaw.
Undergrowth, greasewood and cactus.
-
- East, on a random line, bet. secs. 4 and 9.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.14 Intersect N. and S. line 12 lks. S. of the cor. of secs.
3, 4, 9 and 10.
- Thence S.89°55'W., on a true line, bet. secs. 4 and 9,
over hilly desert, through scattering timber and dense
undergrowth.
- 40.07 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 4 in N., and
S 9 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 80.14 The cor. of secs. 4, 5, 8 and 9.
Land, hilly.
Soil, rocky; 3rd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and catclaw.
-
- N.0°12'W., on a random line, bet. secs. 4 and 5.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.40 Intersect N. bdy. of Tp. 44 lks. W. of the cor. of secs.
4, 5, 32 and 33, described in Book "B."
- Thence S.0°07'W., on a true line, bet. secs. 4 and 5,
over broken level desert, through scattering timber and
dense undergrowth.
- 40.40 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 4 in E., and
S 5 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.40 The cor. of secs. 4, 5, 8 and 9.

Chains

Land, broken level desert.
Soil, rocky; 2nd and 3rd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and cactus.

- N.0°13'W., bet. secs. 31 and 32,
from the cor. of secs. 5, 6, 31 and 32, on S. bdy. of Tp.,
described in Book "B."
over rolling land, through scattering timber and dense
undergrowth.
- 21.00 Wash, course SE.
36.00 Same wash, course SW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 31 in W., and
S 32 in E. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 50.00 Same wash, course SE.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 29, 30, 31 and 32, with brass
cap, marked
T 2 N S 30 in NW.,
R 5 W S 29 in NE.,
S 32 in SE., and
S 31 in SW. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- Land, rolling.
Soil, 3rd rate.
Timber, paloverde and ironwood.
Undergrowth, greasewood and sage.

- East, on a random line, bet. secs. 29 and 32.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.08 Intersect N. and S. line at the cor. of secs. 28, 29, 32
and 33.

- Thence West, on a true line, bet. secs. 29 and 32,
over level land, through scattering timber and dense
undergrowth.
- 40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 29 in N., and
S 32 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 80.08 The cor. of secs. 29, 30, 31 and 32.
Land, level.
Soil, 2nd rate.
Timber, paloverde and ironwood.
Undergrowth, greasewood and sage.

- West, on a random line, bet. secs. 30 and 31.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
77.55 Intersect W. bdy. of Tp. at the cor. of secs. 25, 30, 31
and 36, which is an iron post, 3 ins. diam., with brass
cap, marked, set and witnessed as described by the
surveyor general.

Chains

- Thence East, on a true line, bet. secs. 30 and 31,
Over rolling land, through scattering timber and dense
undergrowth.
- 32.55 Draw, course SW.
37.55 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 30 in N., and
S 31 in S. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 76.30 Wash, course S.
77.55 The cor. of secs. 29, 30, 31 and 32.
Land, rolling.
Soil, 3rd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and sage.
-
- N. $0^{\circ}13'W.$, bet. secs. 29 and 30,
over rolling land, through scattering timber and dense
undergrowth.
- 26.00 Draw, course SW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 29 in E., and
S 30 in W. half; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 19, 20, 29 and 30, with brass
cap, marked
T 2 N S 19 in NW.,
R 5 W S 20 in NE.,
S 29 in SE., and
S 30 in Sw. quadrant; and
1915 in S. rim;
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, rolling.
Soil, 3rd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood and sage.
-
- East, on a random line, bet. secs. 20 and 29.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.96 Intersect N. and S. line 7 lks. N. of the cor. of secs.
20, 21, 28 and 29.
- Thence N. $89^{\circ}57'W.$, on a true line, bet. secs. 20 and 29,
over rolling land, through scattering timber and dense
undergrowth.
- 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 20 in N., and
S 29 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
- 79.96 The cor. of secs. 19, 20, 29 and 30.
Land, rolling.
Soil, rocky; 2nd and 3rd rate.
Timber, paloverde, mesquite and catclaw.
Undergrowth, greasewood and cactus.
-

Chains

West, on a random line, bet. secs. 19 and 30.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 77.26 Intersect W. bdy. of Tp. 7 lks. S. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, 3 ins. diam., with brass cap, marked, set and witnessed as described by the surveyor general.

Thence S. $89^{\circ}57'E.$, on a true line, bet. secs. 19 and 30, over rolling land, through scattering timber and dense undergrowth.
 37.26 Point for $\frac{1}{4}$ sec. cor. falls in wash, course SE.; therefore at
 36.26 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 19 in N.,
 S 30 in S., and
 WC in E. half; and
 1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 42.25 Wash, course SW.
 77.26 The cor. of secs. 19, 20, 29 and 30.
 Land, rolling.
 Soil, 1st and 2nd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and sage.

N. $0^{\circ}13'W.$, bet. secs. 19 and 20, over level land, through scattering timber and dense undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
 S 19 in W., and
 S 20 in E. half; and
 1915 in S. rim;

dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 80.90 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, with brass cap, marked

T 2 N S 18 in NW.,
 R 5 W S 17 in NE.,
 S 20 in SE., and
 S 19 in SW. quadrant; and
 1915 in S. rim;

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, level.
 Soil, 1st and 2nd rate.
 Timber, paloverde and ironwood.
 Undergrowth, greasewood and sage.

East, on a random line, bet. secs. 17 and 20.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect N. and S. line 26 lks. N. of the cor. of secs. 16, 17, 20 and 21.

Thence N. $89^{\circ}49'W.$, on a true line, bet. secs. 17 and 20, over level land, through scattering timber and dense undergrowth.
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

Chains

$\frac{1}{4}$ S 17 in N., and
 $\frac{3}{4}$ S 20 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 79.98 The cor. of secs. 17, 18, 19 and 20.
 Land, level.
 Soil, 3rd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood, cactus and sage.

West, on a random line, bet. secs. 18 and 19.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 76.92 Intersect W. bdy. of Tp. 10 lks. S. of the cor. of secs.
 13, 18, 19 and 24, which is an iron post, 3 ins. diam.,
 with brass cap, marked, set and witnessed as described
 by the surveyor general.

Thence S.89°56'E., on a true line, bet. secs. 18 and 19,
 over level land, through scattering timber and dense
 undergrowth.

17.90 Draw, course SW.
 36.92 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 18 in N., and
 S 19 in S. half; and
 1915 in S. rim;
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,
 and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

71.40 Wash, course SW.
 76.92 The cor. of secs. 17, 18, 19 and 20.
 Land, level.
 Soil, 1st and 2nd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and sage.

N.0°13'W., bet. secs. 17 and 18,
 over level desert, through scattering timber and dense
 undergrowth.

29.00 Wash, 20 lks. wide, course S.10°W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ in N.,
 S 17 in E., and
 S 18 in W. half; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 7, 8, 17 and 18, with brass
 cap, marked

T 2 N S 7 in NW.,
 R 5 W S 8 in NE.,
 S 17 in SE., and
 S 18 in SW. quadrant; and
 1915 in S. rim;
 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level.
 Soil, gravelly; 2nd rate.
 Timber, ironwood and paloverde.
 Undergrowth, greasewood and cactus.

Chains

- 40.00 East, on a random line, bet. secs. 8 and 17.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 Intersect N. and S. line 32 lks. N. of the cor. of secs. 8, 9, 16 and 17.
- Thence N. $89^{\circ}46'W.$, on a true line, bet. secs. 8 and 17, over slightly rolling desert, through scattering timber and dense undergrowth.
- 40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 8 in N., and
S 17 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 68.80 Wash, 16 lks. wide, course S.
- 80.02 The cor. of secs. 7, 8, 17 and 18.
Land, slightly rolling.
Soil, gravelly; 2nd rate.
Undergrowth, greasewood and cactus.
Timber, paloverde, mesquite and catclaw.
-
- 40.00 West, on a random line, bet. secs. 7 and 18.
Set temp. $\frac{1}{4}$ sec. cor.
- 76.50 Intersect W. bdy. of Tp. 10 lks. S. of the cor. of secs. 7, 12, 13 and 18, which is an iron post, 3 in. diam., with brass cap, marked, set and witnessed as described by the surveyor general.
- Thence S. $89^{\circ}56'E.$, on a true line, bet. secs. 7 and 18, over level land, through scattering timber and dense undergrowth.
- 36.50 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ S 7 in N., and
S 18 in S. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 76.50 The cor. of secs. 7, 8, 17 and 18.
Land, level.
Soil, gravelly; 2nd rate.
Timber, ironwood and paloverde.
Undergrowth, greasewood.
-
- N. $0^{\circ}13'W.$, bet. secs. 7 and 8, over level desert, through scattering timber and dense undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked
 $\frac{1}{4}$ in N.,
S 7 in W., and
S 8 in E. half; and
1915 in S. rim;
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 43.00 Wash, 20 lks. wide, course SE.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap, marked
T 2 N S 6 in NW.,
R 5/W S 5 in NE.,
S 8 in SE., and

Chains

	<p>S 7 in SW. quadrant; and 1915 in S. rim; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Land, slightly broken. Timber, ironwood and paloverde. Undergrowth, greasewood. Soil, rocky; 3rd rate.</p>
40.00	East, on a random line, bet. secs. 5 and 8. Set temp. $\frac{1}{4}$ sec. cor.
79.80	Intersect N. and S. line 35 lks. N. of the cor. of secs. 4, 5, 8 and 9.
10.00	Thence N. $89^{\circ}45'$ W., on a true line, bet. secs. 5 and 8, over level desert, through scattering timber and dense undergrowth.
39.90	Wash, 12 lks. wide, course S. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 5 in N., and S 8 in S. half; and 1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
79.80	The cor. of secs. 5, 6, 7 and 8. Land, level. Soil, gravelly; 2nd rate. Timber, paloverde, catclaw and mesquite. Undergrowth, greasewood and cactus.
40.00	West, on a random line, bet. secs. 6 and 7. Set temp. $\frac{1}{4}$ sec. cor.
76.40	Intersect W. bdy. of Tp. 18 lks. S. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, 3 ins. diam., with brass cap, marked, set and witnessed as described by the surveyor general.
36.40	Thence S. $89^{\circ}52'$ E., on a true line, bet. secs. 6 and 7, over level desert, through scattering timber and dense undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ S 6 in N., and S 7 in S. half; and 1915 in S. rim; dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
60.20	Wash, 30 lks. wide, course S.
76.40	The cor. of secs. 5, 6, 7 and 8. Land, level. Soil, gravelly; 2nd rate. Timber, ironwood and paloverde and mesquite. Undergrowth, greasewood.
40.00	N. $0^{\circ}13'$ W., on a random line, bet. secs. 5 and 6. Set temp. $\frac{1}{4}$ sec. cor.
80.06	Intersect N. bdy. of Tp. 21 lks. W. of the cor. of secs. 5, 6, 31 and 32, described in Book "B."
	Thence S. $0^{\circ}04'$ E., on a true line, bet. secs. 5 and 6,

Chains

over level desert, through scattering timber and dense undergrowth.

40.06 Set an iron post, .3 ft. lone, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked $\frac{1}{4}$ in N., S 5 in E., and S 6 in W. half; and 1915 in S. rim; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.06 The cor. of secs. 5, 6, 7 and 8.
 Land, level.
 Soil, sandy; 1st rata.
 Timber, paloverde and catclaw.
 Undergrowth, greasewood.

GENERAL DESCRIPTION.

This township consists of practically level desert, with general southerly drainage. The Hassayampa River, normally dry, runs across the township from north to south.

The soil is of fair quality, but owing to lack of water, unproductive of anything but desert growth such as paloverde, ironwood, mesquite, greasewood, catclaw, sage and cactus.

With the exception of a shack and windmill in section 22, there is no evidence of water or settlers.

SUBDIVISIONS OF
TOWNSHIP 2 NORTH, RANGE 5 WEST.

DATE DIAGRAM.

Accepted survey.

5-1-15	5-1-15	5-1-15	5-1-15	4-29-15	4-29-15
6	5	4	3	2	1
5-4-15	5-4-15	5-3-15	5-3-15	4-29-15	4-29-15
7	8	9	10	11	12
5-3-15	5-3-15	5-3-15	4-27-15	4-26-15	4-26-15
18	17	16	15	14	13
4-27-15	4-27-15	4-26-15	4-26-15	4-26-15	4-26-15
19	20	21	22	23	24
4-27-15	4-27-15	4-26-15	4-26-15	4-26-15	4-26-15
30	29	28	27	26	25
4-27-15	4-27-15	4-27-15	4-26-15	4-26-15	4-23-15
31	32	33	34	35	36
4-27-15	4-27-15	4-23-15	4-26-15	4-23-15	4-22-15
4-21-15	4-21-15	4-21-15	4-21-15	4-20-15	4-20-15

First Meridian West
Resurveyed

Lines dated in black were surveyed by Woodbury Abbey,
U. S. Surveyor.

Lines dated in red were surveyed by Roy J. Gill,
U. S. Transitman.

30 For CERTIFICATES
~~FINAL~~ OF UNITED STATES SURVEYOR.
AND UNITED STATES TRANSITMAN,
See Book "C."

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____

_____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191 _____



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,
Phoenix, Arizona, JUL 20 1918

The foregoing field notes of the survey of the _____
Subdivision Lines
of
TOWNSHIP 2 NORTH, RANGE 5 WEST,

of the Gila & Salt River Base and Meridian, in the State of Arizona

executed by Woodbury Abbey, U.S. Surveyor & Roy J. Gill, U. S. Transitman, under his special instructions dated Dec. 12, 1914, for Group 39, Arizona, 191 _____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank O. Frost
U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.~~