

Book "N"

4-679

(SUBDIVISIONS)

BOOK 3054

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 3 NORTH, RANGE 4 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

ROY J. GILL and HANS D. VOIGT,

U. S. Transitmen,

~~In the capacity of U. S. Surveyor~~, under instructions dated December 12, 1914,
issued by the United States Surveyor General to govern surveys included in
Group No. 39, which were approved by the Commissioner of the General Land
Office, January 7, 1915.

Survey commenced December 10, 1915.

Survey completed December 17, 1915.

3054

3054








64
 (1A)

Book "N."
 (Subdivisions)
 Group 39 - Arizona.

BOOK 3054

INDEX DIAGRAM.

		Township 3 North.					Range 4 West.				
West	6	22	5	18	4	13	8	9	2	3	1
	23		22		18		14		9		3
Meridian	7	23	8	18	9	14	10	9	11	4	12
	24		23		19		15		10		4
Guide	18	24	17	19	16	15	15	10	14	5	13
	25		24		19		15		11		5
First	19	25	20	20	21	16	22	11	23	6	24
	26		26		20		16		12		7
	30	26	29	21	28	16	27	12	26	7	25
	27		27		21		17		13		8
	31	27	32	21	33	17	34	13	35	8	36

-  Subdivision lines surveyed under this Group.
-  Township boundaries surveyed under this Group.
Notes in Book "B."
-  Township boundaries resurveyed under this Group.
Notes in Book "B."
-  Standard lines surveyed under this Group.
Notes in Book "A."
-  Standard lines resurveyed under this group.
Notes in Book "A."
-  Accepted surveys.
-  Unsurveyed lines.

SUBDIVISIONS OF
TOWNSHIP 3 NORTH, RANGE 4 WEST.

DATE DIAGRAM.

First Guide Meridian West

5-11-15	12-8-15	12-8-15	12-8-15	12-8-15	12-8-15	12-8-15	12-8-15	12-8-15
6	5	4	3	2	1			
5-11-15	12-14-15	12-14-15	12-13-15	12-13-15	12-11-15	12-11-15	12-11-15	12-11-15
7	8	9	10	11	12			
5-11-15	12-16-15	12-14-15	12-14-15	12-13-15	12-13-15	12-13-15	12-13-15	12-10-15
18	17	16	15	14	13			
5-10-15	12-16-15	12-16-15	12-14-15	12-14-15	12-15-15	12-15-15	12-15-15	12-10-15
19	20	21	22	23	24			
5-10-15	12-17-15	12-16-15	12-16-15	12-15-15	12-15-15	12-15-15	12-15-15	12-9-15
30	29	28	27	26	25			
5-7-15	12-17-15	12-17-15	12-15-15	12-15-15	12-15-15	12-15-15	12-15-15	12-9-15
31	32	33	34	35	36			
	12-8-15	12-8-15	12-8-15	12-9-15	12-9-15	12-9-15	12-9-15	

Resurveyed.

Lines dated in red were surveyed by Roy J. Gill,
U. S. Transitman.

Lines dated in green were surveyed by Hans D. Voigt,
U. S. Transitman.

Lines dated in black were surveyed by Woodbury Abbey,
U.S. Surveyor.

Subdivision of T.3 N., R.4 W.

Chains

Survey executed by Roy J. Gill, U. S. Transitman, using a Young and Son's light mountain transit No. 8583, and Hans D. Voigt, U. S. Transitman, using a Young and Son's light mountain transit No. 8293, described in book "B."

From recent and repeated field tests of the transits and solar attachments, they are known to be in satisfactory adjustment.

From the cor. of secs. 1, 2, 35 and 36, N. bdy. of Tp. described in book "B,"

S. 0° 1' E. bet. secs. 1 and 2.

Over mountainous land, through scattering timber and undergrowth.

- 4.95 Asc. N. slope, 29 ft. to
 - 7.45 Top of spur slopes W., desc. S. slope 15 ft. to
 - 9.55 Head of draw, course, W., asc. N. slope, 25 ft. to
 - 13.58 Point of spur slopes W., desc. S. slope, 156 ft. to
 - 15.00 Head of draw, course, W., desc. 69 ft. to
 - 22.13 Asc. N. slope, 142 ft. to
 - 32.53 Point of spur slopes W., desc. S. slope, 141 ft. to
 - 40.00 Wash, 10 lks. wide, 4 ft. deep, course, W.
- Thence over rolling land.
- Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 2:S 1

1915

and raise a mound of stone, 2 ft. base, 1½ ft. high W. of cor.

- 73.80 Wash, 80 lks. wide, 5 ft. deep, course, W.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.

T 3 N R 4 W

S 2 :S 1

S 11:S 12

1915

and raise a mound of stone, 2 ft. base, 1½ ft. high W. of cor.

Land, hilly and rolling.
 Soil, rocky, 3rd and 4th rates.
 Timber, palo verde.
 Undergrowth, greasewood and cacti.

- 40.00 East on a random line bet. secs. 1 and 12.
- 79.87 Set temp. $\frac{1}{4}$ sec. cor.
- Intersect E. bdy. of Tp. 3 lks. N. of cor. of secs. 1, 6, 7 and 12, described in book "B."
- Thence N. 89° 59' W. on a true line bet. secs. 1 and 12.
- Over mountainous land, through scattering timber and undergrowth.
- Desc. 39 ft. to
- 3.87 Asc. 58 ft. to
- 8.87 Desc. 58 ft. to
- 15.87 Asc. 150 ft. to
- 20.57 Top of spur slopes, N. desc. W. slope, 318 ft. to
- 39.93½ Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 1

$\frac{1}{4}$ S 12

1915

and raise a mound of stone, 2 ft. base, 1½ ft. high N. of cor.

- 41.30 Desc. gradual W. slope to
- 42.80 Wash, 40 lks. wide, 30 ft. deep, course, N.
- Wash, 20 lks. wide, 30 ft. deep, course, N. 30° E.

Chains	
53.00	Asc. E. slope, 154 ft. to
69.90	Spur slopes N. desc. W. slope, 267 ft. to
72.77	Change to gently rolling land.
79.87	Wash, 4 ft. deep, course, NE. Cor. of secs. 1, 2, 11 and 12. Land, mountainous and rolling. Soil, rocky, 4th rate. Timber, scattering palo verde. Undergrowth, greasewood and cacti.
<hr/>	
	S. 0° 1' E. bet. secs. 11 and 12. Over mountainous land, through scattering timber and undergrowth.
14.90	Asc. N. slope of mountain, 274 ft. to
28.77	Crest of spur, slopes, N. 30° W. Thence over gradual slope, to
33.76	Asc. slope, 77 ft. to
36.52	Crest of mountain peak, thence along top to
38.92	Crest of mountain peak; desc. S. slope, of mountain, 45 ft. to
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ S 11:S 12 1915 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.
47.33	Desc. S. slope, 165 ft. to
54.27	Crest of spur slopes, W., desc. 53 ft. to
56.22	Asc. 30 ft. to Crest of spur slopes, N. 30° W. Desc. 94 ft. to
64.08	Over rolling land, to
69.08	Asc. 57 ft. to
74.00	Wash, 40 lks. wide, 7 ft. deep, course, W. Asc. 29 ft. to
75.44	Crest of spur slopes, W. Thence over rolling land, to
76.94	Desc. 25 ft. to
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 11, 12, 13 and 14, with brass cap mkd. T 3 N R 4 W S 11:S 12 S 14:S 13 1915 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high W. of cor. Land, mountainous. Soil, rocky, 4th rate. Timber, scrub palo verde. Undergrowth, greasewood and cacti.
<hr/>	
40.00	East on a random line bet. secs. 12 and 13. Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect E. bdy. of tp. 8 lks. N. of cor. of secs. 7, 12, 13 and 18, as described in book "B." Thence N. 89° 57' W. on a true line bet. secs. 12 and 13. Over mountainous land, through scattering timber and undergrowth. Asc. 42 ft. to
2.42	Crest of ridge bears N. and S., asc. E. slope of mountain 200 ft. to
10.97	Crest of mountain. Desc. broken NW. slope, 419 ft. to

Subdivision of T.3 N., R.4 W.

Chains	
33.08	Bottom of mountain.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 12 $\frac{1}{4}$ S 13 1915
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.
40.05	Draw, course, S.
	Asc. NE. slope, 146 ft. to
56.43	Crest of spur, slopes N., asc 50 ft. over broken slope, to
61.91	Crest of spur slopes, NW., desc. SW. slope, 188 ft. to
73.91	Asc. 23 ft. to
77.19	Crest of spur ridge, brs. NW. and SE., desc. 48 ft. to
80.00	Cor. of secs. 11, 12, 13 and 14.
	Land, mountainous. Soil, rocky, 4th rate. Timber, palo verde and cat claw. Undergrowth, greasewood and cacti.
<hr/>	
	S. $0^{\circ} 1'$ E. bet. secs. 13 and 14. Over rolling and mountainous land, through scattering timber and undergrowth.
3.60	Wash, 20 lks. wide, 10 ft. deep, course, W., asc. N. slope, 86 ft. to
9.28	Point of spur slopes W., desc. S. slope, 65 ft. to
19.18	Wash, 45 lks. wide, 10 ft. deep, course, W. Thence over rolling land, desc. 40 ft. to
32.04	Wash, 40 lks. wide, 6 ft. deep, course, W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 14:S 13 1915
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
44.50	Wash, 30 lks. wide, 6 ft. deep, course, W.
	Asc. 126 ft. to
60.00	Desc. 67 ft. to
65.00	Thence over rolling, land, to
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.
	T 3 N R 4 W <u>S 14:S 13</u> <u>S 23:S 24</u> 1915
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
	Land, mountainous. Soil, 4th rate. Timber, palo verde and cat claw. Undergrowth, greasewood, sagebrush and cacti.
<hr/>	
	East on a random line bet. secs. 13 and 24.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.12	Intersect E. bdy. of Tp. 2 lks. N. of cor. of secs. 13, 18, 19 and 24, as described in book "B."
	Thence N. $89^{\circ} 59'$ W. on a true line bet. secs. 13 and 24. Over rolling and mountainous land, through scattering timber and undergrowth.
	Desc. 285 ft. to
17.12	Wash, 30 lks. wide, 8 ft. deep, course, S.

6

Subdivision of T.3 N., R.4 W.

Chains	
	Asc. 52 ft. to
20.00	Desc. 109 ft. to
26.50	Wash, 30 lks. wide, 10 ft. deep, course, SW. Asc. gradual E. slope, to
31.50	Point of spur slopes, S., desc. W. slope, 23 ft. to
33.60	Wash, 30 lks. wide, 6 ft. deep, course, S. Asc. 80 ft. to
40.06	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ S 13 $\frac{1}{4}$ S 24
	1915 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor. Asc. 20 ft. to
43.00	Desc. gradual slope, to
45.00	Asc. gradual slope, to
46.87	Point of spur slopes S., desc. W. slope, 40 ft. to
50.03	Wash, 30 lks. wide, 6 ft. deep, course, S., asc. E. slope 50 ft. to
51.80	Point of spur slopes, S. desc. W. slope, 50 ft. to
54.20	Wash, 40 lks. wide, 3 ft. deep, course, S., asc. E. slope to
58.95	Point of spur slopes S., desc. W. slope, 157 ft. to
70.48	Wash, 10 lks. wide, 5 ft. deep, course, S., asc. E. slope 14 ft. to
72.75	Top of spur slopes S., desc. W. slope, 149 ft. to
80.12	Cor. of secs. 13, 14, 23 and 24. Land, mountainous. Soil, rocky, 4th rate. Timber, palo verde and cat claw. Undergrowth, greasewood and cacti.
	S. 0° 1' E. bet. secs. 23 and 24. Over rolling and hilly land, through scattering timber and undergrowth.
1.00	Wash, 45 lks. wide, 10 ft. deep, course, W. Asc. 54 ft. to
10.94	Top of ridge brs. N. and W., desc. 68 ft. to
14.80	Wash, 45 lks. wide, 15 ft. deep, course, S 30° W. Thence over rolling land.
27.80	Wash, 45 lks. wide, 7 ft. deep, course, S. 30° W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ S 23:S 24
	1915 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
51.00	Wash, 110 lks. wide, 20 ft. deep, course, S. 30° W.
68.00	Wash, 150 lks. wide, 15 ft. deep, course, W.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 23, 24, 25 and 26, with brass cap mkd. T 3 N R 4 W S 23:S 24 S 26:S 25 1915 and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor. Land, rolling and mountainous. Soil, 4th rate. Timber, palo verde and cat claw. Undergrowth, greasewood and cacti.

Chains	
40.00 80.17	<p>East on a random line bet. secs. 24 and 25. Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of tp. at cor. of secs. 19, 24, 25 and 30, described in book "B."</p> <p>Thence West on a true line bet. secs. 24 and 25. Over hilly and rolling land, through scattering timber and undergrowth.</p> <p>Asc. 115 ft. to Crest of spur, slopes S., desc. 90 ft. to Asc. 90 ft. to Crest of spur slopes S., desc. 20 ft. to Asc. 20 ft. to Crest. of ridge, brs. N. and S., desc. 31 ft. to Asc. 34 ft. to Crest of mountain; desc. 335 ft. to Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p>
7.23 11.20 12.70 16.20 18.40 21.05 24.00 40.08 $\frac{1}{2}$	<p style="text-align: center;"> $\frac{1}{4}$ S 24 $\frac{1}{4}$ S 25 1915 </p> <p>and raise a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high N. of cor. Desc. 23 ft. to Thence over rolling land, with gradual asc. Top of low ridge, brs. N. and S., desc. 81 ft. to Change to rolling land. Cor. of secs. 23, 24, 25 and 26. Land, mountainous and rolling. Soil, rocky, 4th rate. Timber, palo verde and cat claw. Undergrowth, greasewood and cacti.</p>
4.25 28.58 40.00	<p>S. 0° 1' E. bet. secs. 25 and 26. Over rolling land, through scattering timber and undergrowth. Wash, 80 lks. wide, 8 ft. deep, course, NW. Asc. rolling N. slope, 75 ft. to Point of spur slopes W., desc. over S. slope, 44 ft. to Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p>
80.00	<p style="text-align: center;"> $\frac{1}{4}$ S 26:S 25 1915 </p> <p>and raise a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high W. of cor. Thence over rolling land. Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.</p> <p style="text-align: center;"> T 3 N R 4 W S 26:S 25 S 35:S 36 1915 </p> <p>and raise a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high W. of cor. Land, rolling. Soil, 3rd rate. Timber, palo verde and cat claw. Undergrowth, greasewood sagebrush and cacti.</p>
40.00 79.36	<p>East on a random line bet. secs. 25 and 36. Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp. 4 lks. S. of cor. of secs. 25, 30, 31 and 36, described in book "B."</p>

Subdivision of T.3 N., R.4 W.

Chains

Thence
 S. 89° 58' W. on a true line bet. secs. 25 and 36.
 Over mountainous land, through scattering timber and under-
 growth.

Desc. W. slope, 96 ft. to
 5.80 Head of wash, course, S., asc. gradual E. slope, to
 8.50 Point of spur slopes, S., desc. W. slope, 99 ft. to
 13.20 Head of wash, course, SW., asc. E. slope, 94 ft. to
 18.40 Point of spur slopes, S., desc. W. slope, 100 ft. to
 23.25 Head of wash, course, S., asc. gradual E. slope, to
 26.35 Point of spur slopes S., desc. W. slope, 168 ft. to
 34.75 Wash, 20 lks. wide, 10 ft. deep, course, SW., asc. E.
 slope, 63 ft. to
 39.93 Top of spur slopes S.
 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 25
 $\frac{1}{4}$ S 36
 1915

and raise a mound of stone, 2 ft. base, 1½ ft. high N
 of cor.

Desc. W. slope, 160 ft. to
 44.86 Asc. 46 ft. to
 45.77 Wash, 45 lks. wide, 6 ft. deep, course, S.
 Asc. E. slope, 56 ft. to
 50.80 Point of spur slopes S., desc. W. slope, 64 ft. to
 58.40 Box canyon 60 lks. wide, 30 ft. deep, course, S.
 Asc. E. slope, 40 ft. to
 62.40 Top of spur slopes, S., desc. 31 ft. to
 79.86 Cor. of secs. 25, 26, 35 and 36.
 Land, mountainous and rolling.
 Soil, 4th rate.
 Timber, palo verde and cat claw.
 Undergrowth, greasewood and cacti.

40.00 S. 0° 1' E. on a random line bet. secs. 35 and 36.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.47 Intersect S. bdy. of Tp. 7 lks. E. of orig. cor. of secs. 2,
 2, 35 and 36, described in the notes of the resurvey
 of the S. bdy. of Tp. in Book "B."

Thence
 N. 0° 2' E. on a true line bet. secs. 35 and 36.
 Over rolling and hilly land, through scattering timber and
 undergrowth.

.43 Wash, 30 lks. wide, 5 ft. deep, course, W., asc. S. slope,
 112 ft. to
 8.54 Top of spur slopes, SW., desc. gradual slope to
 14.47 Asc. 23 ft. to
 19.28 Head of wash, 10 lks. wide, 4 ft. deep, course, SW.
 Asc. S. slope, 52 ft. to
 30.40 Top of spur ridge brs. NE. and SW., desc. 51 ft. to
 39.47 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
 S 35: S 36
 1915

and raise a mound of stone, 2 ft. base, 1½ ft. high
 W. of cor.

43.10 Wash, 20 lks. wide, 8 ft. deep, course, SW., asc. 27 ft.
 to
 48.00 Thence over rolling land.
 56.18 Head of wash, 10 lks. wide, 4 ft. deep, course, SW.
 Asc. gradual slope, 23 ft. to
 79.47 Cor. of secs. 25, 26, 35 and 36.
 Land, rolling and hilly.
 Soil, 3rd rate.
 Timber, scattering palo verde and cat claw.
 Undergrowth, greasewood, sagebrush, ocotillos and cacti.

Subdivision of T.3 N. R.4 W.

Chains	
	From the cor. of secs. 2, 3, 34 and 35 on N. bdy. of Tp., described in book "B."
	S. 0° 1' E. bet. secs. 2 and 3.
	Over level land, through scattering timber and undergrowth.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S\ 3:S\ 2 \end{array}$
	1915
	dig pits 18 X 18 X 12 ins. N. and S. of post, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
78.00	Wash, 75 lks. wide, 6 ft. deep, course, N. 45° W.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.
	$\begin{array}{r} T\ 3\ N\ R\ 4\ W \\ S\ 3 :S\ 2 \\ \hline S\ 10:S\ 11 \end{array}$
	1915
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
	Land, level and gently rolling.
	Soil, 4th rate.
	Timber, scattering palo verde and cat claw.
	Undergrowth, ocotillos and cacti.
<hr/>	
	East on a random line bet. secs. 2 and 11.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	Intersect N. and S. line, 27 lks. S of cor. of secs. 1, 2, 11 and 12.
	Thence
	S . 89° 48' W. on a true line bet. secs. 2 and 11.
	Over rolling land, through scattering timber and undergrowth.
40.02	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{r} S\ 2 \\ \frac{1}{4}S\ 11 \end{array}$
	1915
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.
40.10	Wash, 15 lks. wide, 4 ft. deep, course, SW.
56.00	Wagon trail brs. S. 60° W. and N. 30° E.
71.00	Wagon trail brs. NE. and SW.
75.00	Wash, 75 lks. wide, 6 ft. deep, course, NW.
80.04	Cor. of secs. 2, 3, 10 and 11.
	Land, rolling and level.
	Soil, 3rd and 4th rates.
	Timber, palo verde and cat claw.
	Undergrowth, greasewood, ocotillos and cacti.
<hr/>	
	S. 0° 1' E. bet. secs. 10 and 11.
	Over rolling land, through scattering timber and undergrowth.
11.65	Wash, 70 lks. wide, 5 ft. deep, course, W.
12.30	Road, brs. NE. and SW.
30.28	Road, brs. NW. and SE.
33.28	Prospect hole.
34.98	Cabin, 16 X 14 ft. brs. E. of line, 50 lks. dist.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S\ 10:S\ 11 \end{array}$
	1915
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high

Subdivision of T.3 N., R.4 W.

Chains

W. of cor.
55.80 Wash, 25 lks. wide, 6 ft. deep, course, N. 70° W.
59.50 Road, brs. NW. and SE.
75.63 Wash, 25 lks. wide, 6 ft. deep, course, SW.
77.40 Wash. 20 lks. wide, 6 ft. deep, course, W.
80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

T 3 N R 4 W
S 10: S 11
S 15: S 14
1915

and raise a mound of stone, 2 ft. base, 1½ ft. high
W. of cor.
Land, rolling.
Soil, 4th rate.
Timber, palo verde and cat claw.
Undergrowth, greasewood and cacti.

40.00 East on a random line bet. secs. 11 and 14.
Set temp. ¼ sec. cor.
80.04 Intersect N. and S. line, 35 lks. S. of cor. of secs. 11, 12, 13 and 14.
Thence
S. 89° 45' W. on a true line bet. secs. 11 and 14.
Over hilly land, through scattering timber and undergrowth.
Desc. 139 ft. to
21.55 Wash, 30 lks. wide, 6 ft. deep, course, NW.
Asc. 14 ft. to
33.13 Top of spur, slopes N., desc. 60 ft. to
40.02 Set an iron post 3 ft. long, 1 in. in diam., 13 ins. in the ground to solid rock, in a mound of stone, for ¼ sec. cor. with brass cap mkd.

S 11
¼ S 14
1915

and raise a mound of stone, 2 ft. base, 1½ ft. high
N. of cor.
41.55 Wash, 10 lks. wide, 5 ft. deep, course, NW.
Thence over gently rolling land.
56.15 Road, brs. NW. and SE.
69.75 Wash, 25 lks. wide, 6 ft. deep, course, NW.
80.04 Cor. of secs. 10, 11, 14 and 15.
Soil, 4th rate,
Timber, palo verde and cat claw.
Undergrowth, greasewood and cacti.

S. 0° 1' E. bet. secs. 14 and 15.
Over rolling land, through scattering timber and undergrowth.
5.00 Wash, 15 lks. wide, 4 ft. deep, course, W.
8.00 Wash, 15 lks. wide, 3 ft. deep, course, W.
23.00 Wash, 75 lks. wide, 6 ft. deep, course, W.
24.60 Wash, 45 lks. wide, 10 ft. deep, course, W.
39.50 Left bank of wash, 110 lks. wide, 8 ft. deep, course, W.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 15: S 14
1915

and raise a mound of stone, 2 ft. base, 1½ ft. high
W. of cor.
Asc. 47 ft. to
50.95 Crest of ridge brs. E. and W., desc. 15 ft. to
54.34 Over rolling land.
79.65 Wagon road, brs. NE. and SW.

Subdivision of T.3 N., R.4 W.

Chains 80.00	<p>Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.</p> <p style="text-align: center;">T 3 N R 4 W S 15:S 14 S 22:S 23 1915</p> <p>and raise a mound of stone, 2 ft. base, 1½ ft. high W. of cor.</p> <p>Land, rolling, Soil, 4th rate. Timber, palo verde and cat claw. Undergrowth, ocotillos and cacti.</p>
40.00 79.95	<p>East on a random line bet. secs. 14 and 23. Set temp. ¼ sec. cor. Intersect N. and S. line, 36 lks. S. of cor. of secs. 13, 14, 23 and 24.</p> <p>Thence S. 89° 45' W. on a true line bet. secs. 14 and 23. Over rolling and hilly land, through scattering timber and undergrowth. Asc. 34 ft. to</p> <p>10.00 Top of knoll; desc. 85 ft. to 19.00 Wash, 40 lks. wide, 6 ft. deep, course, S. 30° W. Asc. E, slope, 165 ft. to 30.25 Top of mountain peak; desc. 146 ft. to 39.97½ Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.</p> <p style="text-align: center;">S 14 ¼ S 23 1915</p> <p>and raise a mound of stone, 2 ft. base, 1½ ft. high N. of cor.</p>
50.00 79.00 79.95	<p>Desc. SW. slope, of mountain 181 ft. to Thence over gently rolling land. 79.00 Wash, 45 lks. wide, 5 ft. deep, course, S. 79.95 Cor. of secs. 14, 15, 22 and 23. Land, mountainous and rolling. Soil, 4th rate. Timber, palo verde and cat claw. Undergrowth, cacti.</p>
1.70 3.80 25.00 29.29 32.73 40.00	<p>S. 0° 1' E. bet. secs. 22 and 23. Over rolling and hilly land, through scattering timber and undergrowth.</p> <p>1.70 N. bank of wash, 14 ft. deep, course, SW. 3.80 S. bank of wash, course, SW. 25.00 Asc. N. slope, 69 ft. to 29.29 Top of spur slopes E., desc. S. slope, 41 ft. to 32.73 Head of wash, course, W., asc. N. slope, 16 ft. to 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.</p> <p style="text-align: center;">¼ S 22:S 23 1915</p> <p>and raise a mound of stone, 2 ft. base, 1½ ft. high W. of cor.</p>
45.00 46.49 58.86 70.46 75.46 80.00	<p>Asc. 23 ft. to 45.00 Prospect hole, 8 X 20 X 50 ft., 100 lks. E. of line. 46.49 Top of spur slopes E., desc. S. slope, 34 ft. to 58.86 Wash, 20 lks. wide, 10 ft. deep, course, W. 70.46 Wash, 45 lks. wide, 20 ft. deep, course, N. 70° W. 75.46 Road, brs. SE. and NW. 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 20 ins. in the ground to solid rock, in a mound of stone, 2 ft. for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.</p>

Chains

T 3 N R 4 W

S 22:S 23

S 27:S 26

1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high
W. of cor.

Land, mountainous and rolling.

Soil, 4th rate.

Timber, palo verde and cat claw.

Undergrowth, greasewood, sagebrush, and cacti.

East on a random line bet. secs. 23 and 26.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line, 13 lks. S. of cor. of secs.
23, 24, 25 and 26.

Thence

S. $89^{\circ} 54'$ W. on a true line bet. secs. 23 and 26.

Over gently rolling land, through scattering timber and
undergrowth.

22.60 Wash, 120 lks. wide, 10 ft. deep, course, N. 20° W.

22.00 Wash, 20 lks. wide, 6 ft. deep, course, NW.

39.95 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 23

S 26

1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high
N. of cor.

58.10 E. bank of wash, 8 ft. deep, course, NW.

59.40 W. bank of wash,

62.00 Road, brs. NE. and SW.

64.85 Road, brs. N. and S.

73.30 Road, brs. NW. and SE.

79.90 Cor. of secs. 22, 23, 26 and 27.

Land, gently rolling.

Soil, rocky, 4th rate.

Timber, palo verde and cat claw.

Undergrowth, greasewood, sagebrush and cacti.

S. $0^{\circ} 1'$ E. bet. secs. 26 and 27.

Over gently rolling land, through scattering timber and
undergrowth.

1.00 Wash, 150 lks. wide, 4 ft. deep, course, W.

20.00 Wash, 75 lks. wide, 6 ft. deep, course, W.

37.00 Wagon trail, brs. NE. and SW.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

 $\frac{1}{4}$

S 27:S 26

1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high
W. of cor.

55.00 Wash, 75 lks. wide, 10 ft. deep, course, W.

59.00 Wash, 75 lks. wide, 30 ft. deep, course, W.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
the ground for cor. of secs. 26, 27, 34 and 35, with
brass cap mkd.

T 3 N R 4 W

S 27:S 26

S 34:S 35

1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high
W. of cor.

Land, rolling.

Soil, 4th rate.

Timber, scattering cat claw and palo verde.

Undergrowth, greasewood and cacti.

Subdivision of T.3 N., R.4 W.

Chains	
40.00	East on a random line bet. secs. 26 and 35.
79.99	Set temp. $\frac{1}{4}$ sec. cor.
	Intersect N. and S. line 8 lks. S. of cor. of secs. 25, 26, 35 and 36.
	Thence
	S. $89^{\circ} 57'$ W. on a true line bet. secs. 26 and 35.
	Over gently rolling land, through scattering timber and undergrowth.
39.99 $\frac{1}{2}$	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} S 26 \\ \frac{1}{4} S 35 \\ \hline 1915 \end{array}$
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high
	N. of cor.
79.99	Desc. gradual slope, 124 ft. to
	Cor. of secs. 26, 27, 34 and 35.
	Land, rolling, and rocky.
	Soil, 4th rate.
	Timber, scattering palo verde and cat claw.
	Undergrowth, cacti.
40.00	S. $0^{\circ} 1'$ E. on a random line bet. secs. 34 and 35.
79.29	Set temp. $\frac{1}{4}$ sec. cor.
	Intersect S. bdy. of tp. 30 lks. E. of original cor. of secs. 2, 3, 34 and 35, as described in the notes of the resurvey of the S. bdy. of T. in Book "B."
	Thence
	N. $0^{\circ} 12'$ E. on a true line bet. secs. 34 and 35.
	Over rolling land, through scattering timber.
39.29	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S 34 : S 35 \\ \hline 1915 \end{array}$
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high
	W. of cor.
54.50	Wash, 3 chs. wide, 30 ft. deep, course, W.
69.35	S. bank of wash, course, W.
77.29	N. bank of wash, course, W.
79.29	Cor. of secs. 26, 27, 34 and 35.
	Land, rolling.
	Soil, 4th rate.
	Timber, palo verde and cat claw.
40.00	From the cor. of secs. 3, 4, 33 and 34, on N. bdy. of T., as described in book "B."
	S. $0^{\circ} 2'$ E. bet. secs. 3 and 4.
	Over gently rolling land, through scattering timber and undergrowth.
	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S 4 : S 3 \\ \hline 1915 \end{array}$
	and dig pits 18 X 18 X 12 ins. N. and S. of post, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 3, 4, 9 and 10, with brass cap mkd.
	$\begin{array}{r} T 3 N R 4 W \\ S 4 : S 3 \\ S 9 : S 10 \\ \hline 1915 \end{array}$
	and dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft.

Subdivision of T.3 N., R.4 W.

Chains

dist. and raise a mound of earth, 4 ft. base, 2 ft. high W. of cor.
 Land, gently rolling.
 Soil, 4th rate.
 Timber, palo verde and cat claw.
 Undergrowth, greasewood, sagebrush and cacti.

40.00 East on a random line bet. secs. 3 and 10.
 79.90 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 5 lks. N. of cor. of secs. 2, 3, 10 and 11.
 Thence
 N. 89° 58' W. on a true line bet. secs. 3 and 10.
 Over gently rolling land, through scattering timber and undergrowth.
 16.50 Road, brs. NW. and SE.
 32.00 Road, brs. N. and S.
 39.95 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 3
 $\frac{1}{4}$ S 10
 1915

dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
 79.90 Cor. of secs. 3, 4, 9 and 10.
 Land, gently rolling.
 Soil, rocky, 4th rate.
 Timber, palo verde and catclaw.
 Undergrowth, greasewood, sagebrush and cacti.

S. 0° 2' E. bet. secs. 9 and 10.
 Over gently rolling land, through scattering timber and undergrowth.
 30.00 Wash, 35 lks. wide, 3 ft. deep, course, W.
 35.00 Wash, 75 lks. wide, 4 ft. deep, course, W.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
 S 9 : S 10

1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
 Asc. gradual slope, 54 ft. to
 51.54 Crest of ridge brs. E. and W., desc. over rolling land, 16 ft. to
 55.00 Thence over nearly level land.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.

T 3 N R 4 W
S 9 : S 10
S 16 : S 15
 1915

dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth, 4 ft. base, 2 ft. high W. of cor.
 Land, gently rolling.
 Soil, 4th rate.
 Timber palo verde and cat claw.
 Undergrowth, cacti.

Subdivision of T.3 N., R.4 W.

34.15

Chains

40.00 East on a random line bet. secs. 10 and 15.
Set temp. $\frac{1}{4}$ sec. cor.

79.78 Intersect N. and S. line, 4 lks. S. of cor. of secs. 10, 11, 14 and 15.
Thence
S. $89^{\circ} 58'$ W. on a true line bet. secs. 10 and 15.
Over rolling land, through scattering timber.

39.89 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
 $\frac{1}{4} \frac{S 10}{S 15}$
1915
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.

79.78 Cor. of secs. 9, 10, 15 and 16.
Land, rolling.
Soil, rocky, 4th rate.
Timber, palo verde and cat claw.

S. $0^{\circ} 2'$ E. bet. secs. 15 and 16.
Over rolling land, through scattering timber and undergrowth.

5.97 Wash, 30 lks. wide, 8 ft. deep, course, W.
15.70 Wash, 25 lks. wide, 7 ft. deep, course, W.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
 $\frac{1}{4} \frac{S 16}{S 15}$
S 16:S 15
1915
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.

57.30 Wash, 20 lks. wide, 6 ft. deep, course, W.
80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.
T 3 N R 4 W
 $\frac{S 16:S 15}{S 21:S 22}$
1915
dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
Land, rolling.
Soil, rocky, 4th rate.
Timber, palo verde and cat claw.
Undergrowth, greasewood, sagebrush and cacti.

40.00 East on a random line bet. secs. 15 and 22.
Set temp. $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line, 4 lks. S. of cor. of secs. 14, 15, 22 and 23.
Thence
S. $89^{\circ} 58'$ W. on a true line bet. secs. 15 and 22.
Over rolling land, through scattering timber and undergrowth.

14 Road, brs. N. 30° E.
20.00 Point of low spur slopes, S.
Desc. gradual slope, to

39.97 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
 $\frac{1}{4} \frac{S 15}{S 22}$
1915
and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.

59.00 Wash, 15 lks. wide, 6 ft. deep, course, SW.
70.22 Wash, 20 lks. wide, 10 ft. deep, course, SW.
79.94 Cor. of secs. 15, 16, 21 and 22.

Chains	Land, rolling. Soil, 4th rate. Timber, palo verde and cat claw. Undergrowth, greasewood, sagebrush and cacti.
	S. 0° 2' E. bet. secs. 21 and 22. Over rolling land, through scattering timber and undergrowth.
3.00	Wash, 110 lks. wide, 10 ft. deep, course, W.
14.00	Wash, 75 lks. wide, 20 ft. deep, course, W.
16.00	Wash, 110 lks. wide, 8 ft. deep, course, W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ S 21:S 22
	1915 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
46.60	Asc. gradual slope, to Top of knoll; desc. 24 ft. to 50.00
50.98	Wash, 110 lks. wide, 6 ft. deep, course, W.
75.00	Wash, 75 lks. wide, 6 ft. deep, course, W.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 21, 22, 27 and 28, with brass cap mkd. T 3 N R 4 W S 21:S 22 S 28:S 27 1915 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
	Land, gently rolling. Soil, 4th rate. Timber, palo verde and cat claw. Undergrowth, greasewood..
	East on a random line bet. secs. 22 and 27.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.85	Intersect N. and S. line, 20 lks. S. of cor. of secs. 22, 23, 26 and 27. Thence S. 89° 51' W. on a true line bet. secs. 22 and 27. Over rolling land, through scattering timber.
39.92 $\frac{1}{2}$	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ S 22 $\frac{1}{4}$ S 27 1915 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.
79.85	Cor. of secs. 21, 22, 27, and 28. Land, rolling. Soil, 4th rate. Timber, palo verde and cat claw.
	S. 0° 2' E. bet. secs. 27 and 28. Over level land, through scattering timber.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ S 28:S 27
	1915 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.

Subdivision of T.3 N., R.4 W.

Chains 80.00	<p>Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.</p> <p style="text-align: center;">T 3 N R 4 W S 28:S 27 S 33:S 34 1915</p> <p>and raise a mound of stone, 2 ft. base, 1½ ft. high W. of cor.</p> <p>Land, level. Soil, 3rd rate. Timber, palo verde and cat claw.</p>
40.00 79.80	<p>East on a random line bet. secs. 27 and 34. Set temp. ¼ sec. cor. Intersect N. and S. line, 19 lks. S. of cor. of secs. 26, 27, 34 and 35.</p> <p>Thence S. 89° 52' W. on a true line bet. secs. 27 and 34. Over level land, through scattering timber.</p>
29.80 33.60 34.80	<p>Wash, 150 lks. wide, 15 ft. deep, course, S. Wagon trail brs. NE. and SW. Wagon trail brs. SE. and NW.</p>
36.80 39.90	<p>Wash, 150 lks. wide, 25 ft. deep, course, SW. Wagon trail brs. N. and S. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.</p> <p style="text-align: center;">S 27 S 34 1915</p>
40.00 59.80 64.80 79.80	<p>and raise a mound of stone, 2 ft. base, 1½ ft. high N. of cor.</p> <p>12 ft. bank of wash, 150 lks. wide, 25 ft. deep, course, S. Wash, 45 lks. wide, 6 ft. deep, course, S. 75° W. Wash, 45 lks. wide, 6 ft. deep, course, S 60° W. Cor. of secs. 27, 28, 33 and 34. Land, level. Soil, 3rd rate. Timber, scattering palo verde and cat claw.</p>
40.00 78.58	<p>S. 0° 2' E. on a random line bet. secs. 33 and 34. Set temp. ¼ sec. cor. Intersect S. bdy. of Tp., 36 lks. E. of cor. of secs. 3, 4, 33 and 34, reestablished as described in the notes of the resurvey of the S. bdy. of T. in Book "B." Thence,</p>
38.58	<p>N. 0° 13' E., on a true line, bet. secs. 33 and 34. Over rolling land, through scattering timber and undergrowth. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.</p> <p style="text-align: center;">S 33:S 34 1915</p>
63.30 71.50 78.58	<p>and raise a mound of stone 2 ft. base, 1½ ft. high W. of cor.</p> <p>Wash, 40 lks. wide, 20 ft. deep, course, W. Wash, 60 lks. wide, 14 ft. deep, course, SW. Cor. of secs. 27, 28, 33 and 34. Land, rolling. Soil, 3rd rate. Timber, palo verde and cat claw. Undergrowth, greasewood, sagebrush and cacti.</p>

Chains	
	From the cor. of secs. 4, 5, 32 and 33, as described in book "B": S. 0° 2' E. bet. secs. 4 and 5. Over level land, through scattering timber.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ S 5:S 4
	1915 dig pits 18 X 18 X 12 ins. N. and S. of post, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 4, 5, 8 and 9, with brass cap mkd. T 3 N R 4 W <u>S 5 :S 4</u> S 8 :S 9 1915 dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor. Land, level. Soil, 3rd rate. Timber, palo verde and cat claw.
	East on a random line bet. secs. 4 and 9.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.03	Intersect N. and S. line 2 lks. N. of cor. of secs. 3, 4, 9 and 10. Thence N. 89° 59' W. on a true line bet. secs. 4 and 9. Over level land, through scattering timber.
40.01 $\frac{1}{2}$	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ <u>S 4</u> S 9 1915 dig pits 18 X 18 X 12 ins. E. and W. of cpost, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
80.03	Cor. of secs. 4, 5, 8 and 9. Land, level. Soil, 3rd rate. Timber, scattering palo verde and cat claw. Undergrowth, greasewood.
	S. 0° 2' E. bet. secs. 8 and 9. Over rolling land, through scattering timber and undergrowth.
36.00	Wash, 30 lks. wide, 4 ft. deep, course, W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ S 8:S 9
	1915 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
60.00	Wash, 40 lks. wide, 4 ft. deep, course, W.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 8, 9, 16 and 17, with brass cap mkd. T 3 N R 4 W <u>S 8 :S 9</u> S 17:S 16 1915

Subdivision of T.3 N., R.4 W.

Chains

dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
 Land rolling.
 Soil, 4th rate.
 Timber, palo verde and cat claw.
 Undergrowth, greasewood and sagebrush.

40.00 East on a random line bet. secs. 9 and 16.
 80.12 Set temp. ¼ sec. cor.
 Intersect N. and S. line 12 lks. N. of cor. of secs. 9, 10, 15 and 16.

Thence
 N. 89° 55' W. on a true line bet. secs. 9 and 16.
 Over rolling land, through scattering timber and undergrowth.
 40.06 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 9
 ¼ S 16
 1915

dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.
 52.90 Wash, 20 lks. wide, 4 ft. deep, course, SW.
 80.12 Cor. of secs. 8, 9, 16 and 17.

Land, rolling.
 Soil, 4th rate.
 Timber, palo verde and cat claw.
 Undergrowth, grea sewood and sagebrush.

S. 0° 2' E. bet. secs. 16 and 17.
 Over gently rolling land, through scattering timber.
 6.00 Wash, 25 lks. wide, 5 ft. deep, course, W.
 9.50 Wash, 35 lks. wide, 7 ft. deep, course, W.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

¼
 S 17:S 16

1915

dig pits 18 X 18 X 12 ins. N. and S. of post, 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.
 50.00 Wash, 150 lks. wide, 7 ft. deep, course, W.
 71.00 Wash, 35 lks. wide, 5 ft. deep, course, W.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 16, 17, 20 and 21, with brass cap mkd.

T 3 N R 4 W
 S 17:S 16
 S 20:S 21
 1915

dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
 Land, level and rolling.
 Soil, 4th rate.
 Timber, scattering palo verde and cat claw.

40.00 East on a random line bet. secs. 16 and 21.
 80.09 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 6 lks. S. of cor. of secs. 15, 16, 21 and 22.

Subdivision of T.3 N., R.4 W.

Chains

Thence
 S. 89° 57' W. on a true line bet. secs. 16 and 21.
 Over rolling land, through scattering timber.
 10.10 Wash, 35 lks. wide, 6 ft. deep, course, S.
 40.04½ Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for ¼ sec. cor. with brass cap mkd.

1/4 S 16
 1/4 S 21
 1915

dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft.
 dist. and raise a mound of earth 3½ ft. base, 1½ ft.
 high N. of cor.

80.09 Cor. of secs. 16, 17, 20 and 21.
 Land, rolling.
 Soil, 4th rate.
 Timber, scattering palo verde and cat claw.

S. 0° 2' E. bet. secs. 20 and 21.
 Over level land, through scattering timber.
 16.60 Wagon trail brs. E. and W.
 18.60 Wash, 45 lks. wide, 7 ft. deep, course, W.
 21.00 Wash, 45 lks. wide, 10 ft. deep, course, W.
 35.00 Wash, 150 lks. wide, 10 ft. deep, course, W.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for ¼ sec. cor. with brass cap mkd.

1/4
 S 20:S 21

1915
 dig pits 18 X 18 X 12 ins. N. and S. of post, 3 ft.
 dist. and raise a mound of earth 3½ ft. base, 1½ ft.
 high W. of cor.

43.00 Wash, 75 lks. wide, 15 ft. deep, course, W.
 65.00 Wash, 45 lks. wide, 15 ft. deep, course, W.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for cor. of secs. 20, 21, 28 and 29, with
 brass cap mkd.

T 3 N R 4 W
 S 20:S 21
 S 29:S 28
 1915

dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist.
 and raise a mound of earth 4 ft. base, 2 ft. high
 W. of cor.

Land, rolling and level.
 Soil, 3rd rate.
 Timber, palo verde and cat claw.

East on a random line bet. secs. 21 and 28
 40.00 Set temp. ¼ sec. cor.
 80.20 Intersect N. and S. line, 7 lks. S. of cor. of secs.
 21, 22, 27 and 28.

Thence
 S. 89° 57' W. on a true line bet. secs. 21 and 28.
 Over level land, through scattering timber.

40.10 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for ¼ sec. cor. with brass cap mkd.

1/4 S 21
 1/4 S 28
 1915

and raise a mound of stone, 2 ft. base, 1½ ft. high
 N. of cor.

41.20 Wash, 45 lks. wide, 2 ft. deep, course, SW.
 80.20 Cor. of secs. 20, 21, 28 and 29.
 Land, level.
 Soil, 4th rate.

Subdivision of T.3 N.,R.4 W.

Chains

Timber, palo verde and cat claw.

S. 0° 2' E. bet. secs. 28 and 29.
 Over rolling land, through scattering timber and undergrowth.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
 $\frac{1}{4}$
 S 29:S 28

1915
 dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
 42.70 Wash, 15 lks. wide, 5 ft. deep, course, S. 70° W.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.

T 3 N R 4 W
 S 29:S 28
 S 32:S 33
 1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
 Land, rolling.
 Soil, 3rd rate.
 Timber, palo verde and cat claw.
 Undergrowth, greasewood, sagebrush and cacti.

40.00 East on a random line bet. secs. 28 and 33.
 80.10 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, at cor. of secs. 27, 28, 33 and 34.

Thence
 West on a true line bet. secs. 28 and 33.
 Over rolling land, through scattering timber and undergrowth.
 40.05 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 28
 $\frac{1}{4}$ S 33
 1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.
 67.30 Wash, 20 lks. wide, 10 ft. deep, course, SW.
 80.10 Cor. of secs. 28, 29, 32 and 33.
 Land, rolling.
 Soil, 4th rate.
 Timber, palo verde and cat claw.
 Undergrowth, greasewood, sagebrush and cacti.

S. 0° 2' E. on a random line bet. secs. 32 and 33.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.00 Intersect S. bdy. of Tp. 40 lks. E. of cor. of secs. 4, 5, 32 and 33, as reestablished as described in the notes of the resurvey of the S. bdy. of Tp. in The Book "B." Thence

N. 0° 15' E. on a true line bet. secs. 32 and 33.
 Over level land, through scattering timber.
 9.00 Wash, 30 lks. wide, 7 ft. deep, course, W.
 33.00 Wash, 45 lks. wide, 7 ft. deep, course, W.
 39.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

Subdivision of T.3 N., R.4 W.

Chains

$\frac{1}{4}$
S 32:S 33

1915

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

49.00 Wash, 35 lks. wide, 7 ft. deep, course, W.

64.00 Wash, 45 lks. wide, 6 ft. deep, course, W.

79.00 Cor. of secs. 28, 29, 32 and 33.

Land, level.

Soil, 3rd rate.

Timber, palo verde and cat claw.

From the cor. of secs. 5, 6, 31 and 32, on N. bdy. of Tp., as described in book "B.",

S. $0^{\circ} 3'$ E. bet. secs. 5 and 6.

Over rolling land, through scattering timber and undergrowth.

35.75 N. bank of wash, 5 ft. deep, course, S. 70° W.

37.30 S. bank of wash, 5 ft. deep, course, S. 70° W.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
S 6:S 5

1915

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.

T 3 N R 4 W
S 6 :S 5
S 7 :S 8

1915

dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, rolling.

Soil, 4th rate.

Timber, palo verde and cat claw.

Undergrowth, greasewood, sagebrush and cacti.

East on a random line bet. secs. 5 and 8.

4 0.00 Set temp. $\frac{1}{4}$ sec. cor.

80.03 Intersect N. and S. line, 5 lks. N. of cor. of secs. 4, 5, 8 and 9.

Thence

N. $89^{\circ} 58'$ W. on a true line bet. secs. 5 and 8.

Over rolling land, through scattering timber and undergrowth.

40.01 $\frac{1}{2}$ Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 5
 $\frac{1}{4}$ S 8

1915

dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist. and raise a mound of $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

80.03 Cor. of secs. 5, 6, 7 and 8.

Land, rolling.

Soil, 4th rate.

Timber, palo verde and cat claw.

Undergrowth, greasewood, sagebrush and cacti.

Subdivision of T.3 N., R.4 W.

Chains	
40.00 79.90	<p>West on a random line bet. secs. 6 and 7. Set temp. $\frac{1}{4}$ sec. cor. Intersect W. bdy. of Tp. (1st. Guide Mer. W.) at cor. of secs. 1, 6, 7 and 12, described in Book "A." Thence East on a true line bet. secs. 6 and 7. Over rolling land, through scattering timber and undergrowth.</p>
39.90	<p>Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p>
	<p style="text-align: center;">$\frac{1}{4}$ $\frac{S 6}{S 7}$ 1915</p>
	<p>and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.</p>
41.30	<p>Road, brs. NE. and SW:</p>
55.70	<p>W. bank of wash, 4 ft. deep, course, SW.</p>
59.30	<p>E. bank of wash.</p>
68.40	<p>Wash, 40 lks. wide, 4 ft. deep, course, SW.</p>
79.90	<p>Cor. of secs. 5, 6, 7 and 8.</p>
	<p>Land, rolling. Soil, 4th rate. Timber, palo verde and cat claw. Undergrowth, greasewood.</p>
	<p>S. $0^{\circ} 3'$ E, bet. secs. 7 and 8.</p>
40.00	<p>Over level land, through scattering timber. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p>
	<p style="text-align: center;">$\frac{1}{4}$ S 7 : S 8 1915</p>
80.00	<p>Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 7, 8, 17 and 18, with brass cap mkd.</p>
	<p style="text-align: center;">T 3 N R 4 W $\frac{1}{4}$ S 7 : S 8 S 18 : S 17 1915</p>
	<p>dig pits 18 X 18 X 12 ins. N. and S. of post, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Land, level. Soil, 4th rate. Timber, palo verde and cat claw. Undergrowth, greasewood.</p>
40.00 79.94	<p>East on a random line bet. secs. 8 and 17. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 4 lks. N. of cor. of secs. 8, 9, 16 and 17.</p>
39.97	<p>Thence N. $89^{\circ} 58'$ W. on a true line bet. secs. 8 and 17. Over level land, through scattering timber. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p>
	<p style="text-align: center;">$\frac{1}{4}$ $\frac{S 8}{S 17}$ 1915</p>
	<p>dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p>

Subdivision of T.3 N., R.4 W.

Chains 58.95 79.94	Wash, 40 lks. wide, 5 ft. deep, course, S. 30° W. Cor. of secs. 7, 8, 17 and 18. Land, level. Soil, 3rd rate Timber, palo verde and cat claw.
40.00 80.06	West on a random line bet. secs. 7 and 18. Set temp. $\frac{1}{4}$ sec. cor. Intersect W. bdy. of Tp. (1st Guide Mer. W.) 9 lks. S. of cor. of secs. 7, 12, 13 and 18, described in Book "A."
26.00 40.06	Thence S. 89° 56' E. on a true line bet. secs. 7 and 18. Over level land, through scattering timber. Wash, 75 lks. wide, 5 ft. deep, course, S. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
80.06	$\begin{array}{r} S\ 7 \\ \frac{1}{4} S\ 18 \\ 1915 \end{array}$ <p>and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor. Cor. of secs. 7, 8, 17 and 18. Land, level. Soil, 4th rate. Timber, palo verde and cat claw.</p>
40.00	S. 0° 3' E. bet. secs. 17 and 18. Over level land, through scattering timber. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\begin{array}{r} \frac{1}{4} \\ S\ 18:S\ 17 \end{array}$
60.00 75.00 80.00	$\begin{array}{r} 1915 \\ \text{dig pits } 18 \times 18 \times 12 \text{ ins. N. and S. of post, 3 ft. dist. and raise a mound of earth } 3\frac{1}{2} \text{ ft. base, } 1\frac{1}{2} \text{ ft. high, W. of cor.} \end{array}$ <p>Wash, 75 lks. wide, 3 ft. deep, course, W. Wash, 150 lks. wide, 6 ft. deep, course, W. Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 17, 18, 19 and 20, with brass cap mkd. $\begin{array}{r} T\ 3\ N\ R\ 4\ W \\ S\ 18:S\ 17 \\ S\ 19:S\ 20 \\ 1915 \end{array}$ <p>dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor. Land, level. Soil, 4th rate. Timber, palo verde and cat claw. Undergrowth, greasewood.</p> </p>
40.00 80.05	East on a random line bet. secs. 17 and 20. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, at cor. of secs. 16, 17, 20 and 21.
40.02 $\frac{1}{2}$	Thence West on a true line bet. secs. 17 and 20. Over level land, through scattering timber. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

Chains

$\frac{1}{4}$ S 17
 $\frac{1}{4}$ S 20
1915

dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
80.05 Cor. of secs. 17, 18, 19 and 20.
Land, level.
Soil, 4th rate.
Timber, palo verde and cat claw.

West on a random line bet. secs. 18 and 19.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.97 Intersect W. bdy. of Tp. (1st Guide Mer. W.) 13 lks. S of cor. of secs. 13, 18, 19 and 24, described in Book "A."
Thence
S. $89^{\circ} 54'$ E. on a true line bet. secs. 18 and 19.
Over rolling land, through scattering timber and undergrowth.
39.75 Wash, 10 lks. wide, 5 ft. deep, course, SW.
39.97 Set an iron post 3 ft $\frac{1}{2}$ long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 18
 $\frac{1}{4}$ S 19
1915

dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
77.50 Wash, 20 lks. wide, 6 ft. deep, course, N.
79.97 Cor. of secs. 17, 18, 19 and 20.
Land, rolling.
Soil, 3rd rate.
Timber, palo verde and cat claw.
Undergrowth, greasewood, sagebrush and cacti.

S. $0^{\circ} 3'$ E. bet. secs. 19 and 20.
Over rolling land, through scattering timber and undergrowth.
2.60 Wash, course, NW.
23.00 Road, brs. N. 70° E. and S. 70° W.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor, with brass cap mkd.

$\frac{1}{4}$
S 19:S 20

1915
dig pits 18 X 18 X 12 ins. N. and S. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
45.00 Wash, 10 lks. wide, 4 ft. deep, course, W.
80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 19, 20, 29 and 30, with brass cap mkd.

T 3 N R 4 W
S 19:S 20
S 30:S 29
1915

dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
Land, rolling.
Soil, 4th rate
Timber, palo verde and cat claw.
Undergrowth, greasewood, sagebrush, and cacti.

Chains	
	West on a random line bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	Intersect W. bdy. of Tp. (1st Guide Mer. W.) 14 lks. S. of cor. of secs. 19, 24, 25 and 30, described in Book "A."
	Thence
	S. 89° 54' E. on a true line bet. secs. 19 and 30.
	Over rolling land, through scattering timber and undergrowth.
40.08	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ $\frac{S}{S}$ $\frac{19}{30}$
	1915
	dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
80.08	Cor. of secs. 19, 20, 29 and 30.
	Land, rolling.
	Soil, 4th rate.
	Timber, palo verde and cat claw.
	Undergrowth, greasewood, sagebrush and cacti.
	East on a random line bet. secs. 20 and 29.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	Intersect N. and S. line, 2 lks. N. of cor. of secs. 20, 21, 28 and 29.
	Thence
	N. 89° 59' W. on a true line bet. secs. 20 and 29.
	Over rolling land, through scattering timber and undergrowth.
40.04	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ $\frac{S}{S}$ $\frac{20}{29}$
	1915
	dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
41.00	Wash, 20 lks. wide, 6 ft. deep, course, SW.
45.50	Wash, 20 lks. wide, 5 ft. deep, course, S.
80.08	Cor. of secs. 19, 20, 29 and 30.
	Land, rolling.
	Soil, 3rd rate.
	Timber, palo verde and cat claw.
	Undergrowth, greasewood, sagebrush and cacti.
	S. 0° 3' E. bet. secs. 29 and 30.
	over level land, through scattering timber.
25.50	Wash, 25 lks. wide, 3 ft. deep, course, W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$
	S 30:S 29
	1915
	dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth, 4 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.
	T 3 N R 4 W
	S 30:S 29
	S 31:S 32
	1915
	and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Chains	Land, level. Soil, 3rd rate. Timber, palo verde and cat claw.
40.00 80.04	East on a random line bet. secs. 29 and 32. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 8 lks. N. of cor. of secs. 28, 29, 32 and 33.
5.00 40.02	Thence N. 89° 57' W. on a true line bet. secs. 29 and 32. Over level land, through scattering timber. Wash, 45 lks. wide, 6 ft. deep, course, S. 70° W. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.,
	$\frac{1}{4} \frac{S \ 29}{S \ 32}$ 1915
60.00 80.04	dig pits 18 X 18 X 12 ins. E. and W. of post, 3ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor. Wash, 45 lks. wide, 6 ft. deep, course, S. 70° W. Cor. of secs. 29, 30, 31 and 32. Land, level. Soil, 3rd rate. Timber, scattering palo verde and cat claw.
40.00 80.25	West on a random line bet. secs. 30 and 31. Set temp. $\frac{1}{4}$ sec. cor. Intersect W. bdy. of Tp. (1st Guide Mer. W.) 36 lks. S. of cor. of secs. 25, 30, 31 & 36, described in book "A."
40.25	Thence S. 89° 45' E., on a true line bet. secs. 30 and 31. Over level land, through scattering timber. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4} \frac{S \ 30}{S \ 31}$ 1915
59.75 80.25	dig pits 18 X 18 X 12 ins. E. and W. of post, 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor. Wash, 45 lks. wide, 6 ft. deep, course, S. 45° W. Cor. of secs. 29, 30, 31 and 32. Land, level. Soil, 3rd rate. Timber, palo verde and cat claw.
40.00 79.49	S. 0° 3' E. on a true line bet. secs. 31 and 32. Set temp. $\frac{1}{4}$ sec. cor. Intersect S. bdy. of Tp. 30 lks. E. of reestablished cor. of secs. 5, 6, 31 & 32, described in notes of survey of the S. bdy. of Tp., in Book "B."
9.50 31.50	Thence N. 0° 10' E. on a true line bet. secs. 31 and 32. Over level land, through scattering timber. Wash, 110 lks. wide, 6 ft. deep, course, W. Wash, 45 lks. wide, 4 ft. deep, course, W.

Subdivision of T.3 N., R.4 W.

Chains

39.49

Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
S 31: S 32

1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.

54.50

Wash, 75 lks. wide, 6 ft. deep, course, S. 30° W.

79.49

Cor. of secs. 29, 30, 31 and 32.

Land, level.

Soil, 3rd rate.

Timber, palo verde and cat claw.

GENERAL DESCRIPTION

This township is mountainous along the East tier of secs., hilly along the next tier and changing to rolling and level land towards the west.

The general drainage is towards the south.

The soil varies from rocky, 4th rate, in the mountains on the east to rocky 3rd along the west boundary.

Timber consists of palo verde and cat claw.

The undergrowth, is mostly greasewood and cacti with scattering sagebrush.

A small cabin situated in sec. 11 near the $\frac{1}{4}$ sec. cor. bet. secs. 10 and 11 belongs to Burt Ford.

There are no settlers and no developed water.

-oo000oo-

94

30 FOR **CERTIFICATES**
~~FINAL OATH~~ OF UNITED STATES SURVEYOR.
 AND UNITED STATES TRANSITMAN,
 See Book "C."

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____

BOOK 3054

_____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

 U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
 this _____ day of _____, 191____



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, JUL 20 1918

The foregoing field notes of the survey of the
Subdivision Lines
 of
TOWNSHIP 3 NORTH, RANGE 4 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by Roy J. Gill and Hans D. Voigt, U. S. Transitmen,
 under ~~his~~ special instructions dated Dec. 12, 1914, for Group 39, Arizona, 191____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank C. Trost
 U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above-described surveys in _____, has been correctly copied from the original notes on file in this office.~~