

3002

Book "L"

Dec 31, 1917

4-679

BOOK 3082

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 11 SOUTH, RANGE 6 EAST.

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

W. H. Thorn

and

W. G. Shapcott

In the capacity of U. S. Surveyors, under instructions dated October 8,, 1915,
issued by the United States Surveyor General to govern surveys included in
Group No. 58, which were approved by the Commissioner of the General Land
Office, December 17,, 1915.

Survey commenced March 24,, 1916.

Survey completed March 29,, 1916.

~

2089

BOOK 3082

INDEX DIAGRAM.

Township 11 South, Range 6 East.

6	28	5	21	4	17	3	12	2	7	1
28	28		21		16		12		7	
7	27	8	21	9	16	10	11	11	6	12
27	26		20		16		11		6	
18	26	17	20	16	15	15	10	14	5	13
25	25		20		15		10		5	
19	25	20	19	21	14	22	9	23	4	24
24	24		19		14		9		4	
30	23	29	18	28	13	27	9	26	4	25
23	22		18		13		8		3	
31	22	32	17	33	12	34	8	35	3	36

- Surveyed under this group--notes in this book.
- Surveyed under this group--notes in book "A".
- Surveyed under group-No. 38.
- Unsurveyed.

Subdivision of T.11 S. R.6 E.

Chains

Survey commenced Mar. 25, 1916, and executed with Young and Son's light mountain transits Nos. 8592 and 8521, as described in book "A".

From recent and repeated field tests we know the transits and solar attachments to be in satisfactory adjustment.

At 9h., a.m., l.m.t., I set off $32^{\circ} 25'$ N. on the lat. arc; $1^{\circ} 53'$ N. on the decl. arc; and determine a mer. with the solar, at the cor. of secs. 1, 2, 35 and 36, S. bdy. of tp., as described in book "A".

Thence

N. $0^{\circ} 1'$ W. bet. secs. 35 and 36.

Over level land, through undergrowth.

23.40

Wash, 10 lks. wide, 1 ft. deep, course, N. 40° W.

31.30

Wash, 15 lks. wide, 1 ft. deep, course, N. 40° W.

36.00

Wash, 15 lks. wide, 1 ft. deep, course, N. 40° W.

40.00

Set an iron post 3 ft. long, 1 in. in diam., $\frac{3}{8}$ ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 35 $\frac{1}{4}$:S 36

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

79.10

Road, brs. N. 30° W. and S. 30° E.

80.00

Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.

T 11 S R 6 E

S 26:S 25

S 35:S 36

1916

dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level.

Soil, sandy adobe, 1st rate.

No timber.

Undergrowth, greasewood and mesquite.

East on a random line bet. secs. 25 and 36.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

79.99

Intersect E. bdy. of tp. 15 lks. S. of cor. of secs. 25, 30, 31 and 36, as described in book "A".

Thence

S. $89^{\circ} 54'$ W. on a true line bet. secs. 25 and 36.

Over level land, through scattering timber and undergrowth.

17.00

Wash, 15 lks. wide, 1 ft. deep, course, N. 40° W.

21.80

Wash, 10 lks. wide, 1 ft. deep, course, N. 40° W.

39.99 $\frac{1}{2}$

Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 25

$\frac{1}{4}$

S 36

1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

55.00

Leave timber, brs. N. and SE.

79.99

Cor. of secs. 25, 26, 35 and 36.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, scattering palo verde and iron wood.

Undergrowth, greasewood and mesquite.

Chains	N. 0° 1' W. bet. secs. 25 and 26. Over level land, through undergrowth.
25.40	Wash, 10 lks. wide, 1 ft. deep, course, N. 40° W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. S 26 $\frac{1}{4}$:S 25
	1916
	dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.
68120	Wash, 10 lks. wide, 1 ft. deep, course, N. 60° W.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 23, 24, 25, and 26, with brass cap mkd.
	T 11 S R 6 E
	S 23:S 24
	S 26:S 25
	1916
	dig pits 18 X 18 X 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
	Land, level.
	Soil, sandy adobe, 1st rate.
	No timber.
	Undergrowth, greasewood and mesquite.
	East on a random line bet. secs. 24 and 25.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	Intersect E. bdy. of tp. 15 lks. S. of cor. of secs. 19, 24, 25 and 30, as described in boom "A".
	Mar, 25, 1916, at this cor. I set off 1° 54' N. on the decl. arc; and at apparent noon observe the sun on the mer.; the resulting lat. is 32° 27' N.
	Thence
	S. 89° 54' W. on a true line bet. secs. 24 and 25.
	Over level land, through scattering timber and undergrowth.
30.60	Wash, 10 lks. wide, 1 ft. deep, course, N. 60° W.
39.95	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S 24
	S 25
	1916
	dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
41.90	Wash, 15 lks. wide, 1 ft. deep, course, N. 60° W.
79.90	Cor. of secs. 23, 24, 25 and 26.
	Land, level.
	Soil, sandy adobe, 1st rate.
	Timber, scattering palo verde.
	Undergrowth, greasewood and mesquite.
	N. 0° 1' W. bet. secs. 23 and 24.
	Over level land, through undergrowth.
20.80	Wash, 10 lks. wide, 1 ft. deep, course, N. 70° W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S 23 $\frac{1}{4}$:S 24
	1916

Subdivision of T.11 S..R.6 E.

Chains	
	<p>dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.</p>
50.00	Wash, 10 lks. wide, 1 ft. deep, course, N. 80° W.
54.70	Wash, 10 lks. wide, 1 ft. deep, course, W.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.
	<p>T 11 S R 6 E <u>S 14:S 13</u> S 23:S 24 1916</p>
	<p>dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.</p> <p>Land, level. Soil, sandy adobe, 1st rate. No timber. Undergrowth, greasewood and mesquite.</p>
	<p>East on a random line bet. secs. 13 and 24. Set temp. ¼ sec. cor.</p>
40.00	Intersect E. bdy. of tp. 12 lks. S. of true point for sec. cor., W.C. 25 lks. S. as described in book "A".
79.85	Thence S. 89° 55' W. on a true line bet. secs. 13 and 24. Over level land, through scattering timber and undergrowth,
15.15	Wash, 25 lks. wide, 1 ft. deep, course, N. 60° W.
39.92½	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.
	<p>S 13 <u>¼</u> S 24 1916</p>
	<p>dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.</p>
58.45	Wash, 10 lks. wide, 1 ft. deep, course, N. 60° W.
79.85	Cor. of secs. 13, 14, 23 and 24. Land, level. Soil, sandy loam, 1st rate. Timber, palo verde and iron wood. Undergrowth, greasewood and mesquite.
	<p>N. 0° 1' W. bet. secs. 13 and 14. Over level land, through scattering timber and undergrowth.</p>
4.40	Wash, 10 lks. wide, 1 ft. deep, course, N. 70° W.
25.00	Enter scattering timber, brs. NW. and SE.
31.90	Wash, 15 lks. wide, ½ ft. deep, course, N. 70° W.
37.20	Wash, 15 lks. wide, 1 ft. deep, course, N. 70° W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 28 ins. in the ground for ¼ sec. cor. with brass cap mkd.
	<p>S 14 ¼:S 13 1916</p>
	<p>dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.</p>
56.00	Wash, 15 lks. wide, 1 ft. deep, course, N. 60° W.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 11, 12, 13 and 14, with brass cap mkd.

Chains

T 11 S R 6 E

S 11:S 12

S 14:S 13

1916

dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, scattering palo verde and iron wood.

Undergrowth, greasewood.

Mar. 27, 1916, at 8h., a.m., l.m.t., I set off 32° 29' N. on the lat. arc; 2° 39' N. on the decl. arc; and determine a mer. with the solar, at the cor. of secs. 11, 12, 13 and 14.

Thence

East on a random line bet. secs. 12 and 13.

40.00 Set temp. ¼ sec. cor.

79.85 Intersect E. bdy. of tp. 10 lks. S. of cor. of secs. 7, 12, 13 and 18, as described in book "A".

Thence

S. 89° 56' W. on a true line bet. secs. 12 and 13, Over level land, through scattering timber and undergrowth.

39.92½ Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 12

¼

S 13

1916

from which,

An iron wood, 14 ins. in diam., brs. N. 75½° E. 52 lks. dist. mkd. ¼ S 12 B T.

An iron wood, 8 ins. in diam., brs. S. 48° E. 16 lks. dist. mkd. ¼ S 13 B T.

40.45 Wash, 15 lks. wide, 1 ft. deep, course, N. 70° W.

79.85 Cor. of secs. 11, 12, 13 and 14.

Land, level.

Soil, sandy clay, 1st rate.

Timber, iron wood and palo verde.

Undergrowth, greasewood, and cacti.

N. 0° 1' W. bet. secs. 11 and 12.

Over level land, through scattering timber and undergrowth.

8.60 Wash, 15 lks. wide, 1 ft. deep, course, W.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 11 ¼:S 12

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.

55.30 Wash, 15 lks. wide, 1 ft. deep, course, N. 70° W.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.

Subdivision of T.11 S., R.6 E.

Chains

T 11 S R 6 E
S 2 :S 1
S 11 :S 12
1916

dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise amount of earth 4 ft. base, 2 ft. high W. of cor.
Land, level.
Soil, sandy loam, 1st rate.
Timber, iron wood and palo verde.
Undergrowth, greasewood.

40.00
79.99

East on a random line bet. secs. 1 and 12.
Set temp. ¼ sec. cor.
Intersect E. bdy. of tp. 12 lks. S. of cor. of secs. 1, 6, 7 and 12, as described in book "A".

Thence
S. 89° 55' W. on a true line bet. secs. 1 and 12.
Over level land, through scattering timber and undergrowth.

39.99½

Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 1
¼
S 12
1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.

70.50
79.99

Wash, 15 lks. wide, 1 ft. deep, course, N. 60° W.
Cor. of secs. 1, 6, 7 and 12.
Land, level.
Soil, sandy gravelly, 2nd rate.
Timber, palo verde and iron wood.
Undergrowth, greasewood and cacti.

N. 0° 1' W. on a true line bet. secs. 1 and 2.
Over level land, through scattering timber and undergrowth.

6.80
13.40
32.60
40.00

Wash, 15 lks. wide, 1 ft. deep, course, N. 60° W.
Wash, 15 lks. wide, 1 ft. deep, course, W.
Wash, 10 lks. wide, 1 ft. deep, course, N. 80° W.
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 2 ¼ :S 1
1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.

51.90
53.50
77.10
80.21

Wash, 15 lks. wide, 1 ft. deep, course, N. 80° W.
Wash, 15 lks. wide, 1 ft. deep, course, W.
Wash, 15 lks. wide, 1 ft. deep, course, W.
Intersect 2nd standard parallel S., 13.62 chs. W. of cor. standard cor. of secs. 35 and 36, which is an iron post, 3 ins. in diam., properly set, mkd. and witness witnessed as described by the Surveyor General.

Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for C.C. of secs. 1 and 2, with brass cap mkd.

C:C
S 2:S 1
T 11 S R 6 E
1916

dig pits 24 X 24 X 12 ins. on each line, E. and W.

Chains

3 ft. and S. of cor. 7 ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high S. of cor.
 Land, level.
 Soil, sandy loam, 1st rate.
 Timber, palo verde and iron wood.
 Undergrowth, greasewood.

Mar. 28, 1916, at 9h., a.m., 1.m.t., I set off 32° 25' N. on the lat. arc; 3° 3' N. on the decl. arc; and determine a mer. with the solar, at the cor. of secs. 2, 3, 34 and 35, as described in book "A".

Thence

N. 0° 1' W. bet. secs. 34 and 35.

Over level land, through undergrowth.

9.10 Wash, 10 lks. wide, 1 ft. deep, course, N. 30° W.

13.80 Wash, 10 lks. wide, 1 ft. deep, course, N. 40° W.

29.20 Wash, 15 lks. wide, 1 ft. deep, course, N. 40° W.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 34 $\frac{1}{4}$:S 35

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

48.90 Wash, 10 lks. wide, 1 ft. deep, course, N. 30° W.

80.00 Set an iron post 3 ft. long, 3 ins. in diam., 24 ins. in the ground for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.

T 11 S R 6 E.

S 27:S 26

S 34:S 35

1916

dig pits 18 X 18 X 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level.

Soil, adobe, 1st rate.

No timber.

Undergrowth, greasewood, mesquite and cat claw.

East on a random line bet. secs. 26 and 35.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line 7 lks. S. of cor. of secs. 25, 26, 35 and 36.

Thence

S. 89° 57' W. on a true line bet. secs. 26 and 35.

Over level land, through undergrowth.

.25 Road, brs. N. 30° W. and S. 30° E.

40.02 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 26

+

S 35

1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.

51.60 Wash, 10 lks. wide, 1 ft. deep, course, N. 30° W.

80.04 Cor. of secs. 26; 27, 34 and 35.

Land, level.

Soil, adobe, 1st rate.

No timber.

Undergrowth, greasewood, cat claw and mesquite.

Subdivision of T.11 S..R.6 E.

Chains	
	N. 0° 1' W. bet. secs. 26 and 27. Over level land, through undergrowth.
35.40	Wash, 15 lks. wide, 1 ft. deep, course, N. 20° W.
39.20	Wash, 15 lks. wide, 1 ft. deep, course, N. 20° W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. S 27 $\frac{1}{4}$:S 26
	1916 dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.
68.90	Wash, 10 lks. wide, $\frac{1}{2}$ ft. deep, course, N. 30° W.
70.40	Road, brs. N. 30° W. and S. 30° E.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 22, 23, 26 and 27, with brass cap mkd. T 11 S.R 6 E S 22:S 23 S 27:S 26
	1916 dig pits 18 X 18 X 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor. Land, level. Soil, adobe, 1st rate. No timber. Undergrowth, greasewood, mesquite and cat claw. Mar. 28, 1916, at this cor. I set off 3° 6' N. on the decl. arc; and at apparent noon observe the sun on the mer.; the resulting lat. is 32° 27' N.
	East on a random line bet. secs. 23 and 26.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, 10 lks. S. of cor. of secs. 23, 24, 25 and 26. Thence S. 89° 56' W. on a true line bet. secs. 23 and 26.
14.40	Wash, 10 lks. wide, 1 ft. deep, course N. 30° W.
23.50	Wash, 15 lks. wide, 1 ft. deep, course, N. 30° W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. S 23 $\frac{1}{4}$ S 26
	1916 dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
46.80	Wash, 10 lks. wide, $\frac{1}{2}$ ft. deep, course, N. 40° W.
80.00	Cor. of secs. 22, 23, 26 and 27. Land, level. Soil, sandy adobe, 1st rate. No timber. Undergrowth, greasewood and mesquite.
	N. 0° 1' W. bet. secs. 22 and 23. Over level land, through undergrowth.
25.40	Wash, 15 lks. wide, 1 ft. deep, course, N. 30° W.
30.50	Wash, 10 lks. wide, 1 ft. deep, course, N. 40° W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. S 22 $\frac{1}{4}$:S 23
	1916

10

Subdivision of T.11 S., R.6 E.

Chains

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

54.10 Wash, 15 lks. wide, 1 ft. deep, course, N. 40° W.
80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.

T 11 S R 6 E

S 15:S 14

S 22:S 23

1916

dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level.

Soil, sandy adobe, 1st rate.

Undergrowth, greasewood and mesquite.

40.00 East on a random line bet. secs. 14 and 23.

80.03 Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 5 lks. S. of cor. of secs. 13, 14, 23 and 24.

Thence

S. $89^{\circ} 58'$ W. on a true line bet. secs. 14 and 23.

Over level land, through undergrowth.

40.01 $\frac{1}{2}$ Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 14

 $\frac{1}{4}$ S 23

1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

80.03 Cor., Secs. 14, 15, 22, & 23. Land level.

Soil, sandy adobe, 1st rate.

No timber.

Undergrowth, greasewood and mesquite.

Mar. 29, 1916, at 8h., a.m., l.m.t., I set off $32^{\circ} 28'$ N. on the lat. arc; $3^{\circ} 26'$ N. on the decl. arc; and determine a mer. with the solar at the cor. of secs. 14, 15, 22 and 23.

Thence

N. $0^{\circ} 1'$ W. bet. secs. 14 and 15.

Over level land, through undergrowth.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S $15\frac{1}{4}$:S 14

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

48.10 Wash, 10 lks. wide, 1 ft. deep, course, N. 40° W.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

T 11 S R 6 E

S 10:S 11

S 15:S 14

1916

Subdivision of T.11 S., R.6 E.

Chains

dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
 Land, level.
 Soil, sandy adobe, 1st rate.
 No timber.
 Undergrowth, greasewood and mesquite.

40.00 East on a random line bet. secs. 11 and 14.
 79.98 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 10 lks. S. of cor. of secs. 11, 12, 13 and 14.

Thence
 S. 89° 56' W. on a true line bet. secs. 11 and 14.
 Over level land, through undergrowth.
 39.99 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 11
 ¼
 S 14
 1916

48.90 dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.
 59.90 Wash, 15 lks. wide, 1 ft. deep, course, N. 40° W.
 79.98 Wash, 15 lks. wide, 1 ft. deep, course, N. 50° W.
 Cor. of secs. 10, 11, 14 and 15.

Land, level.
 Soil, sandy adobe, 1st rate.
 No timber.
 Undergrowth, greasewood and mesquite.
 Mar. 29, 1916, at this cor. I set off 3° 28' N. on the decl. arc; and at apparent noon, observe the sun on the mer.; the resulting lat. is 32° 29' N.

11.70 N. 0° 1' W. bet. secs. 10 and 11.
 40.00 Over level land, through undergrowth.
 Wash, 15 lks. wide, 1 ft. deep, course, N. 60° W.
 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 10 ¼ : S 11

80.00 1916
 dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.
 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.

T 11 S R 6 E
 S 3 : S 2
 S 10 : S 11
 1916

from which,
 An iron wood, 12 ins. in diam., brs. N. 62° 20' W. 64 lks. dist. mkd. T 11 S R 6 E S 3 B T.
 No other trees within limits.
 Dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
 Land, level.
 Soil, sandy, 1st rate.
 No timber.
 Undergrowth, greasewood and mesquite.

Chains

40.00 East on a random line bet. secs. 2 and 11.
Set temp. $\frac{1}{4}$ sec. cor.
79.87 Intersect N. and S. line, 5 lks..S. of cor. of secs.
1, 2, 11 and 12.
Thence
S. $89^{\circ} 58'$ W. on a true line bet. secs. 2 and 11.
Over level land, through scattering timber and under-
growth.
39.93 $\frac{1}{2}$ Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
S 2
 $\frac{1}{4}$
S 11
1916
dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft.
dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high N. of cor.
79.87 Cor. of secs. 2, 3, 10 and 11.
Land, level.
Soil, sandy loam, 1st rate.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood and mesquite.

N. $0^{\circ} 1'$ W. on a true line bet. secs. 2 and 3.
Over level land, through scattering timber and under-
growth.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
S $3\frac{1}{4}$:S 2
1916
dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft.
dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high W. of cor.
65.50 Wash, 15 lks. wide, 1 ft. deep, course, N. 40° W.
80.23 Intersect 2nd Standard Parallel S. 13.55 chs. W. of cor.
of secs, 34 and 35, which is an iron post 3 ins. in
diam., properly set, mkd. and witnessed as described
by the Surveyor General.
Set an iron post 3 ft. long, 2 ins. in diam.; 24 ins. in
the ground for C.C. of secs. 2 and 3, with brass cap
mkd.
C:C
S 3:S 2
T 11 S R 6 E
1916
dig pits 24 X 18 X 12 ins. crosswise on each line,
E. and W., 3 ft. and S. of cor. 7 ft. dist. and raise
a mound of earth 4 ft. base, 2 ft. high S. of cor.
Land, level.
Soil, sandy loam, 1st rate.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

Mar. 28, 1916, at 8h. 30m., a.m., l.m.t., I set off $32^{\circ} 25'$
N. on the lat. arc; $3^{\circ} 2'$ N. on the decl. arc; and
determine a mer. with the solar, at the cor. of secs.
3, 4, 33 and 34, as described in book "A".
Thence
N. $0^{\circ} 2'$ W. bet. secs. 33 and 34.
Over level land, through scattering timber and under-
growth.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

Subdivision of T.11 S., R.6 E.

Chains

S 33 1/4 : S 34

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high W. of cor.

55.60

Wash, 20 lks. wide, 1 ft. deep, course, NW.

80.00

Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 27, 28, 33 and 34, with brass cap mkd,

T 11 S R 6 E

S 28 : S 27

S 33 : S 34

1916

dig pits 18 X 18 X 12 ins. in each sec. 5 1/2 ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, mesquite.

Undergrowth, greasewood, 4 ft. to 10 ft. high.

East on a random line bet. secs. 27 and 34.

40.00

Set temp. 1/4 sec. cor.

79.94

Intersect N. and S. line 5 lks. S. of cor. of secs. 26, 27 34. and 35.

Thence

S. 89° 58' W. on a true line bet. secs. 27 and 34.

Over level land, through scattering timber and undergrowth.

30.25

Wash, 20 lks. wide, 1 ft. deep, course, N. 10° W.

39.97

Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor. with brass cap mkd.

S 27

1/4

S 34

1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high N. of cor.

43.15

Wash, 12 lks. wide, 1 ft. deep, course, N.

49.55

Wash, 15 lks. wide, 1 ft. deep, course, N.

67.45

Wash, 15 lks. wide, 1 ft. deep, course, N. 10° W.

79.94

Cor. of secs. 27, 28, 33 and 34.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, mesquite.

Undergrowth, greasewood 4 ft. to 10 ft. high.

N. 0° 2' W. bet. secs. 27 and 28.

Over level land, through scattering timber and undergrowth.

40.00

Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor. with brass cap mkd.

S 28 1/4 : S 27

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high W. of cor.

46.40

Wash, 15 lks. wide, 1 ft. deep, course, NW.

73.70

Wash, 20 lks. wide, 1 ft. deep, course, N. 20° W.

Chains	
80.00	<p>Set an iron post 3 ft. long, 2 ins. in diam., 2 ins. in the ground for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.</p> <p style="text-align: center;">T 11 S R 6 E <u>S 21:S 22</u> S 28:S 27 1916</p> <p>dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.</p> <p>Land, level. Soil, sandy adobe, 1st rate. Timber, mesquite. Undergrowth, greasewood, 4 ft. to 10 ft. high.</p>
40.00	<p>East on a random line bet. secs. 22 and 27. Set temp. ¼ sec. cor.</p>
80.09	<p>Intersect N. and S. line, at cor. of secs. 22, 23, 26 and 27. Thence West on a true line bet. secs. 22 and 27. Over level land, through scattering timber and undergrowth.</p>
3.80	Road, brs. N. 30° W. and S. 30° W.
6.30	Wash, 15 lks. wide, 1 ft. deep, course, N. 20° W.
40.04½	<p>Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.</p> <p style="text-align: center;">S 22 <u>¼</u> S 27 1916</p> <p>dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.</p>
44.30	Wash, 15 lks. wide, 1 ft. deep, course, N. 30° W.
51.40	Wash, 15 lks. wide, 1 ft. deep, course, N. 30° W.
78.20	Wash, 10 lks. wide, 1 ft. deep, course, N. 30° W.
80.09	<p>Cor. of secs. 21, 22, 27 and 28. Land, level. Soil, sandy adobe, 1st rate. Timber, mesquite. Undergrowth, greasewood.</p>
40.00	<p>N. 0° 2' W. bet. secs. 21 and 22. Over level land, through scattering timber and undergrowth.</p> <p>Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.</p> <p style="text-align: center;">S 21 ¼:S 22 1916</p> <p>dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.</p>
80.00	<p>Set an iron post 3 ft. long, 2 ins. in diam., 2 ins. in the ground for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.</p> <p style="text-align: center;">T 11 S R 6 E <u>S 16:S 15</u> S 21:S 22 1916</p> <p>dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.</p>

Subdivision of T.11 S., R.6 E.

Chains

Land, level.
 Soil, sandy adobe, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood 4 ft. to 10 ft. high.
 Mar. 28, 1916, at this cor. I set off 3° 5' N. on the decl. arc; and at apparent noon observe the sun on the mer.; the resulting lat. is 32° 28' N.

East on a random line bet. secs. 15 and 22.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line 5 lks. N. of cor. of secs. 14, 15, 22 and 23.
 Thence
 N. 89° 58' W. on a true line bet. secs. 15 and 22.
 Over level land, through undergrowth.
 12.50 Wash, 20 lks. wide, 1 ft. deep, course, N. 10° W.
 15.40 Wash, 15 lks. wide, 1 ft. deep, course, N. 10° W.
 31.90 Road, brs. NW. and SE.
 40.04 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 15
 $\frac{1}{4}$
 S 22
 1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.

51.10 Wash, 15 lks. wide, 1 ft. deep, course, N. 10° W.
 80.08 Cor. of secs. 15, 16, 21 and 22.

Land, level.
 Soil, adobe, sandy, 1st rate.
 No timber.
 Undergrowth, greasewood and mesquite.

N. 0° 2' W. bet. secs. 15 and 16.
 Over level land, through scattering timber and undergrowth.
 34.90 Wash, 10 lks. wide, 1 ft. deep, course, NW.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 16 $\frac{1}{4}$:S 15

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

62.50 Dim road, brs. NW. and SE.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.

T 11 S R 6 E
 S 9 :S 10
 S 16:S 15
 1916

dig pits 18 X 18 X 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level.
 Soil, sandy adobe, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood.

Chains

Mar. 29, 1916, at 8h., a.m., l.m.t., I set off $32^{\circ} 29'$ N. on the lat. arc; $3^{\circ} 26'$ N. on the decl. arc; and determine a mer. with the solar, at the cor. of secs. 9, 10, 15 and 16.

Thence

East on a random line bet. secs. 10 and 15.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

80.05

Intersect N. and S. line, 3 lks. N. of cor. of secs. 10, 11, 14 and 15.

Thence

N. $89^{\circ} 59'$ W. on a true line bet. secs. 10 and 15.

Over level land, through scattering timber and undergrowth.

37.95

Wash, 10 lks. wide, 2 ft. deep, course, NW.

40.02 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 10

 $\frac{1}{4}$

S 15

1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

80.05

Cor. of secs. 9, 10, 15 and 16.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, mesquite.

Undergrowth, greasewood and sagebrush.

N. $0^{\circ} 2'$ W. bet. secs. 9 and 10.

Over level land, through scattering timber and undergrowth.

40.00

Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.S $9\frac{1}{4}$:S 10

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

80.00

Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 3, 4, 9 and 10, with brass cap mkd.

T 11 S R 6 E

S 4 :S 3

S 9 :S 10

1916

dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, mesquite.

Undergrowth, greasewood and sagebrush.

40.00

East on a random line bet. secs. 3 and 10.

80.04

Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 2 lks. S. of cor. 2, 3, 10 and 11.

Thence

S. $89^{\circ} 59'$ W. on a true line bet. secs. 3 and 10.

Over level land, through scattering timber and undergrowth.

Subdivision of T.11 S..R.6 E.

Chains

13.05 Wash, 20 lks. wide, 1 ft. deep, course, N..15° W.
 39.45 Wash, 20 lks. wide, 1 ft. deep, course, N. 10° W.
 40.02 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 3
 $\frac{1}{4}$
 S 10
 1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft,
 dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 high N. of cor.

40.65 Wash, 10 lks. wide, 1 ft. deep, course, N.
 80.04 Cor. of secs. 3, 4, 9 and 10.

Land, level.
 Soil, sandy adobel, 1st rate.
 Timber, mesquite and iron wood.
 Undergrowth, greasewood.

N. 0° 2' W. on a true line bet. secs. 3 and 4.
 Over level land, through scattering timber and under-
 growth.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
 S 4 $\frac{1}{4}$:S 3

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft.
 dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 high W. of cor.

80.27 Intersect 2nd standard parallel S. 13.57 chs. W. of S.C.
 of secs. 33 and 34, which is an iron post 3 ins. in
 diam., properly set, mkd. and witnessed as described
 by the Surveyor General.

Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for C.C. of secs. 3 and 4, with brass cap
 mkd.

C:C
 S 4:S 3
 T 11 S R 6 E
 1916

dig pits 24 X 18 X 12 ins. crosswise on each line,
 E. and W., 3 ft. and S. of cor. 7 ft. dist. and raise
 a mound of earth 4 ft. base, 2 ft. high S. of cor.

Land, level.
 Soil, sandy adobe, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood and sagebrush.

Mar. 27, 1916, at 8n. 30m., a.m., l.m.t., I set off 32° 25'
 N. on the lat. arc; 2° 39' N. on the decl. arc; and
 determine a mer. with the solar, at the cor. of secs.
 4, 5, 32 and 33, as described in book "A".

Thence
 N. 0° 2' W. bet. secs. 32 and 33.
 Over level land, through scattering timber and under-
 growth.

6.40 Wash, 20 lks. wide, 1 ft. deep, course, N. 10° W.
 33.30 Wash, 15 lks. wide, 2 ft. deep, course, N. 10° E.
 34.60 Same wash, course, N. 10° W.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
 S 32 $\frac{1}{4}$:S 33

1916

18

Subdivision of T.11 S., R.6 E.

Chains

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

53.10 Same wash, course, N. 30° E.
 59.25 Same wash, course, NW.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.

T 11 S R 6 E.
 S 29:S 28
 S 32:S 33
 1916

from which,
 A mesquite, 8 ins. in diam., brs. S. 57° W.
 29 lks. dist, mkd. T 11 S R 6 E S 32 B T.
 No other trees within limits.
 Dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
 Land, level.
 Soil, sandy adobe, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood.

40.00 East on a random line bet. secs. 28 and 33.
 80.09 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, at cor. of secs. 27, 28, 33 and 34.
 Thence
 West on a true line bet. secs. 28 and 33.
 Over level land, through scattering timber and undergrowth.

15.80 Wash, 20 lks. wide, 1 ft. deep, course, NW.
 40.04 $\frac{1}{2}$ Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 28
 $\frac{1}{4}$
 S 33
 1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

73.60 Dim road, brs. NW. and SE.
 80.09 Cor. of secs. 28, 29, 32 and 33.
 Land, level.
 Soil, sandy adobe, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood, 4 ft. to 10 ft. high.

N. 0° 2' W. bet. secs. 28 and 29.
 Over level land, through scattering timber and undergrowth.

20.00 Dim road, brs. N. 5° W. and SE.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 29 $\frac{1}{4}$:S 28
 1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 20, 21, 28 and 29, with brass cap mkd.

Subdivision of T.11 S.,R.6 E.

Chains

T 11 S R 6 E

S 20:S 21

S 29:S 28

1916

dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, mesquite.

Undergrowth, greasewood 4 ft. to 10 ft. high.

East on a random line bet. secs. 21 and 28.

40.00 Set temp. ¼ sec. cor.

80.06 Intersect. N. and S. line, 2 lks. N. of cor. of secs. 21, 22, 27 and 28.

Thence

N. 89° 59' W. on a true line bet. secs. 21 and 28.

Over level land, through scattering timber and undergrowth.

.30 Wash, 20 lks. wide, 2 ft. deep, course, NW.

40.03 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 21

¼

S 28

1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.

57.00 Wash, 15 lks. wide, 1 ft. deep, course, N.

80.06 Cor. of secs. 20, 21, 28 and 29.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, mesquite.

Undergrowth, greasewood, 4 ft. to 10 ft. high.

N. 0° 2' W. bet. secs. 20 and 21.

Over level land, through scattering timber and undergrowth.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 20 ¼:S 21

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 16, 17, 20 and 21, with brass cap mkd.

T 11 S R 6 E

S 17:S 16

S 20:S 21

1916

dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, mesquite.

Undergrowth, greasewood, 4 ft. to 10 ft. high.

Mar. 27, 1916, at this cor. I set off 2° 42' N. on the decl. arc; and at apparent noon observe the sun on the mer.; the resulting lat. is 32° 27' N.

Chains	
	East on a random line bet. secs. 16 and 21.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.06	Intersect N. and S. line, 1 lk. N. of cor. of secs. 15, 16, 21 and 22.
	Thence
	West on a true line bet. secs. 16 and 21.
	Over level land, through scattering timber and undergrowth.
16.30	Wash, 15 lks. wide, 1 ft. deep, course, NW.
17.70	Wash, 15 lks wide , 1 ft. deep, course, NW.
40.03	Set an iron post 3 ft. long, 1 in. in diam., $\frac{3}{8}$ ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S 16 $\frac{1}{4}$ S 21 1916
	dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
80.06	Cor. of secs. 16, 17, 20 and 21.
	Land, level.
	Soil, sandy adobe, 1st rate.
	Timber, mesquite.
	Undergrowth, greasewood 4 ft. to 10 ft. high.
<hr/>	
	N. 0° 2' W. bet. secs. 16 and 17.
	Over level land, through scattering timber and undergrowth.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S 17 $\frac{1}{4}$:S 16 1916
	dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 8, 9, 16 and 17, with brass cap mkd.
	T 11 S R 6 E S 8 :S 9 S 17:S 16 1916
	dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
	Land, level.
	Soil, sandy adobe, 1st rate.
	Timber, mesquite.
	Undergrowth, greasewood, 4 ft. to 10 ft. high.
<hr/>	
	East on a random line bet. secs. 9 and 16.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.20	Intersect N. and S. line, 1 lk. N. of cor. of secs. 9, 10, 15 and 16.
	Thence
	West on a true line bet. secs. 9 and 16.
	Over level land, through scattering timber and undergrowth.
15.30	Dim road, brs. NW. and SE.
40.10	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S 9 $\frac{1}{4}$ S 16 1916

Subdivision of T.11 S., R.6 E.

Chains	
80.20	<p>dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth, 3½ ft. base, 1½ ft. high N. of cor.</p> <p>Cor. of secs. 8, 9, 16 and 17. Land, level. Soil, sandy adobe, 1st rate. Timber, mesquite. Undergrowth, greasewood 4 ft. to 10 ft. high.</p>
40.00	<p>N. 0° 2' W. bet. secs. 8 and 9. Over level land, through scattering timber and undergrowth.</p> <p>Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.</p> <p style="text-align: center;">S 8 ¼ : S 9 1916</p>
54.30	<p>dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth, 3½ ft. base, 1½ ft. high W. of cor.</p>
80.00	<p>Dim road, brs. NW. and SE.</p> <p>Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.</p>
	<p>T 11 S R 6 E</p> <p style="text-align: center;"><u>S 5 : S 4</u> S 8 : S 9 1916</p>
	<p>dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.</p> <p>Land, level. Soil, sandy adobe, 1st rate. Timber, mesquite. Undergrowth, greasewood and sagebrush.</p>
40.00	<p>East on a random line bet. secs. 4 and 9.</p>
80.20	<p>Set temp. ¼ sec. cor. Intersect N. and S. line, 4 lks. N. of cor. of secs. 3, 4, 9 and 10.</p>
	<p>Thence</p>
	<p>N. 89° 58' W. on a true line bet. secs. 4 and 9.</p>
	<p>Over level land, through scattering timber and undergrowth.</p>
40.10	<p>Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.</p>
	<p>S 4 ¼ <u> </u> S 0 1916</p>
	<p>dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.</p>
80.20	<p>Cor. of secs. 4, 5, 8 and 9. Land, level. Soil, sandy adobe, 1st rate. Timber, mesquite. Undergrowth, greasewood and sagebrush.</p>
	<p>N. 0° 2' W. on a true line bet. secs. 4 and 5.</p>
	<p>Over level land, through scattering timber and undergrowth.</p>
40.00	<p>Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.</p>

22

Subdivision of T.11 S. R.6 E.

Chains

S 5 $\frac{1}{4}$:S 4

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

80.18 Intersect 2nd standard parallel S., 13.75 chs. W. of S.C. of secs. 32 and 33, which is an iron post 3 ins. in diam., properly set, mkd. and witnessed as described by the Surveyor General.

Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for C.C. of secs. 4 and 5, with brass cap mkd.

C:C

S 5:S 4

T 11 S R 6 E

1916

dig pits 24 X 18 X 12 ins. crosswise on each line, E. and W., 3 ft. and S. of cor. 7 ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high S. of cor.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, mesquite.

Undergrowth, greasewood and sagebrush.

Mar. 24, 1916, at 10h., a.m., l.m.t., I set off 32° 25' N. on the lat. arc; 1° 30' N. on the deck. arc; and determine a mer. with the solar, at the cor. of secs. 5, 6, 31 and 32, as described in book "A".

Thence

N. 0° 3' W. bet. secs. 31 and 32.

Over level land, through scattering timber and undergrowth.

6.50 Wash, 10 lks. wide, 1 ft. deep, course, NE.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 31 $\frac{1}{4}$:S 32

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.

T 11 S R 6 E

S 30:S 29

S 31:S 32

1916

dig pits 18 X 18 X 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.

Land, level.

Soil, loose, sandy clay, 1st rate.

Timber, mesquite.

Undergrowth, greasewood, 4 ft. to 10 ft. high.

East on a random line bet. secs. 29 and 32.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.92 Intersect N. and S. line, 6 lks. N. of cor. of secs. 28, 29, 32 and 33, with

Thence

Subdivision of T.11 S., R.6 E.

Chains

N. 89° 57' W. on a true line bet. secs. 29 and 32.
 Over level land, through scattering timber and under-
 growth.

5.10 Wash, 30 lks. wide, 6 ft. deep, course, N. 20° W.
 7.20 Wash, 40 lks. wide, 8 ft. deep, course, N.
 39.96 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 29
 $\frac{1}{4}$
 S 32
 1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft.
 dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 high N. of cor.

79.92 Cor. of secs. 29, 30, 31 and 32.
 Land, level.
 Soil, sandy adobe, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood 4 ft. to 10 ft. high.

West on a random line bet. secs. 30 and 31.
 Set temp. $\frac{1}{4}$ sec. cor.

40.00 Intersect W. bdy. of tp. 4 lks. N. of cor. of secs. 25,
 78.14 30, 31 and 36, as described in book "A".
 Thence
 N. 89° 58' E. on a true line bet. secs. 30 and 31.
 Over level land, through scattering timber and under-
 growth.

1.34 Wash, 10 lks. wide, 1 ft. deep, course, N. 15° E.
 38.14 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 30
 $\frac{1}{4}$
 S 31
 1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft.
 dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 high N. of cor.

78.14 Cor. of secs. 29, 30, 31 and 32.
 Land, level.
 Soil, loose, sandy clay, 1st rate.
 Timber, mesquite and iron wood.
 Undergrowth, greasewood, 4 ft. to 10 ft. high.

N. 0° 3' W. bet. secs. 29 and 30.
 Over level land, through scattering timber and under-
 growth.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 30 $\frac{1}{4}$:S 29
 1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft.
 dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. h
 high W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for cor. of secs. 19, 20, 29 and 30, with
 brass cap mkd.

T 11 S R 6 E
S 19:S 20
 S 30:S 29
 1916

from which,
 A mesquite, 8 ins. in diam., brs. S. 33 $\frac{1}{2}$ ° E.
 175 lks. dist. mkd. T 11 S R 6 E S 29 B T.

Chains

No other trees within limits.
 Dig pits 18 X 18 X 12 ins. in each sec. 5½ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.
 Land, level.
 Soil, loose, sandy clay, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood, 4 ft. to 10 ft. high.
 Mar. 24, 1916, at this cor. I set off 1° 31' N. on the decl. arc; and at apparent noon, observe the sun on the mer.; the resulting lat. is 32° 27' N.

40.00 East on a random line bet. secs. 20 and 29.
 79.76 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 3 lks. S. of cor. of secs. 20, 21, 28 and 29.

Thence
 S. 89° 59' W. on a true line bet. secs. 20 and 29.
 Over level land, through scattering timber and undergrowth.

25.00 Dim road, brs. NW. and SE.
 39.88 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 20
 ¼
 S 29
 1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.

40.30 Wash, 40 lks. wide, 4 ft. deep, course, N. 5° W.
 79.76 Cor. of secs. 19, 20, 29 and 30.

Land, level.
 Soil, sandy adobe, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood 4 ft. to 10 ft. high.

40.00 West on a random line bet. secs. 19 and 30.
 78.21 Set temp. ¼ sec. cor.
 Intersect W. bdy. of tp. 12 lks. S. of cor. of secs. 19, 24, 25 and 30, as described in book "A".

Thence
 S. 89° 55' E. on a true line bet. secs. 19 and 30.
 Over level land, through scattering timber and undergrowth.

38.21 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. with brass cap mkd.

S 19
 ¼
 S 30
 1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.

62.40 Wash, 25 lks. wide, 1½ ft. deep, course, NW.
 78.21 Cor. of secs. 19, 20, 29 and 30.

Land, level.
 Soil, loose, sandy clay, 1st rate.
 Timber, mesquite.
 Undergrowth, greasewood, 4 ft. to 10 ft. high.

Subdivision of T.11 S. R.6 E.

Chains	
	<p>N. 0° 3' W. bet. secs. 19 and 20. Over level land, through scattering timber and undergrowth.</p>
40.00	<p>Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. S 19 $\frac{1}{4}$:S 20</p>
44.30	<p>1916 dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3$\frac{1}{2}$ ft. base, 1$\frac{1}{2}$ ft. high W. of cor.</p>
80.00	<p>Wash, 25 lks. wide, 3 ft. deep, course, NW.</p>
80.00	<p>Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 17, 18, 19 and 20, with brass cap mkd. T 11 S R6 E S 18:S 17 S 19:S 20 1916 dig pits 18 X 18 X 12 ins. in each sec. 5$\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor.</p>
	<p>Land, level. Soil, sandy adobe, 1st rate. Timber, mesquite. Undergrowth, greasewood, 4 ft. to 10 ft. high.</p>
40.00	<p>East on a random line bet. secs. 17 and 20.</p>
79.78	<p>Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 8 lks. S. of cor. of secs. 16, 17, 20 and 21.</p>
39.89	<p>Thence S. 89° 57' W. on a true line bet. secs. 17 and 20. Over level land, through scattering timber and undergrowth.</p>
	<p>Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. S 17</p>
52.00	<p>$\frac{1}{4}$ S 20 1916</p>
79.10	<p>dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3$\frac{1}{2}$ ft. base, 1$\frac{1}{2}$ ft. high N. of cor.</p>
79.78	<p>Dim road, brs. NW. and SE. Wash, 40 lks. wide, 5 ft. deep, course, NW. Cor. of secs. 17, 18, 19 and 20.</p>
	<p>Land, level. Soil, sandy adobe, 1st rate. Timber, mesquite. Undergrowth, greasewood, 4 ft. to 10 ft. high.</p>
40.00	<p>West on a random line bet. secs. 18 and 19.</p>
78.16	<p>Set temp. $\frac{1}{4}$ sec. cor. Intersect W. bdy. of tp. 6 lks. S. of cor. of secs. 13, 18, 19 and 24, as described in book "A".</p>
21.45	<p>Thence S. 89° 57' E. on a true line bet secs. 18 and 19. Over level land, through scattering timber and undergrowth.</p>
38.16	<p>Wash, 25 lks. wide, 1 ft. deep, course, NW. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. S 18</p>
	<p>$\frac{1}{4}$ S 19 1916</p>

Chains

	dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
57.35	Wash, 20 lks. wide, 2 ft. deep, course, NW.
78.16	Cor. of secs. 17, 18, 19 and 20. Land, level. Soil, sandy adobe, 1st rate. Timber, mesquite. Undergrowth, greasewood, 4 ft. to 10 ft. high.
	Mar. 25, 1916, at 8h., a.m., l.m.t., I set off $32^{\circ} 28'$ N. on the lat. arc; $1^{\circ} 50'$ N. on the decl. arc; and determine a mer. with the solar at the cor. of secs. 17, 18, 19 and 20. Thence N. $0^{\circ} 3'$ W. bet. secs. 17 and 18. Over level land, through scattering timber and undergrowth.
1.30	Wash, 40 lks. wide, 5 ft. deep, course, N.
2.20	Leave wash, course, NE.
4.20	Same wash, course, N. 60° W.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. S 18 $\frac{1}{4}$:S 17
	1916
	dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 7, 8, 17 and 18, with brass cap mkd. T 11 S R 6 E S 7 :S 8 S 18:S 17 1916
	dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high W. of cor. Land, level. Soil, sandy adobe, 1st rate. Timber, mesquite. Undergrowth, greasewood, 4 ft. to 10 ft. high.
	East on a random line bet. secs. 8 and 17.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.72	Intersect N. and S. line, 4 lks. S. of cor. of secs. 8, 9, 16 and 17. Thence S. $89^{\circ} 58'$ W. on a true line bet. secs. 8 and 17. Over level land, through scattering timber and undergrowth.
39.86	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. S 8 $\frac{1}{4}$ S 17 1916
	dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
69.50	Dim road, brs. N. 5° W. and S. 5° E.

Subdivision of T.11 S..R.6 E.

Chains

79.72

Cor. of secs. 7, 8, 17 and 18.
Land, level.
Soil, sandy adobe, 1st rate.
Timber, mesquite.
Undergrowth, greasewood and sagebrush.

40.00

78.10

West on a random line bet. secs. 7 and 18.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect W. bdy. of tp. 8 lks. S. of cof. of secs. 7,
12, 13 and 18, as described in book "A".

Thence
S. 89° 57' E. on a true line bet. secs. 7 and 18.
Over level land, through scattering timber and under-
growth.

15.20

38.10

Wash, 20 lks. wide, 1 ft. deep, course, N. 10° W.
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 7

$\frac{1}{4}$

S 18

1916

dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft.
dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high N. of cor.

61.00

78.10

Wash, 10 lks. wide, 1 ft. deep, course, N. 30° W.
Cor. of secs. 7, 8, 17 and 18.
Land, level.
Soil, sandy adobe, 1st rate.
Timber, mesquite.
Undergrowth, greasewood, 4 ft. to 10 ft. high.

N. 0° 3' W. bet. secs. 7 and 8.
Over level land, through scattering timber and under-
growth.

40.00

Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

S 7 $\frac{1}{4}$:S 8

1916

dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft.
dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high W. of cor.

59.50

80.00

Dim road, brs. NW. and SE.
Felix Kuvroy's well brs. N. 24° W.
Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
the ground for cor. of secs. 5, 6, 7 and 8, with
brass cap mkd.

T 11 S R 6 E

S 6 :S 5

S 7 :S 8

1916

dig pits 18 X 18 X 12 ins. in each sec. $5\frac{1}{2}$ ft. dist.
and raise a mound of earth, 4 ft. base, 2 ft. high,
W. of cor.

Land, level.
Soil, sandy adobe, 1st rate.
Timber, mesquite.
Undergrowth, greasewood and sagebrush.

Mar. 25, 1916, at this cor. I set off 1° 54' N. on the
decl. arc; and at apparent noon observe the sun on
the mer.; the resulting lat. is 32° 29' N.

28
28

Subdivision of T.11 S., R.6 E.

Chains	
40.00 79.85	East on a random line bet. secs. 5 and 8. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 7 lks. S. of cor. of secs. 4, 5, 8 and 9. Thence S. 89° 57' W. on a true line bet. secs. 5 and 8. Over level land, through scattering timber and under- growth.
22.10 39.92 $\frac{1}{2}$	Dim road, brs. NW. and SE. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\begin{array}{r} S\ 5 \\ \frac{1}{4} \\ \hline S\ 8 \\ 1916 \end{array}$ dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise amount of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
79.85	Cor. of secs. 5, 6, 7 and 8. Land, level. Soil, sandy adobe, 1st rate, Timber, mesquite. Undergrowth, greasewood and sagebrush.
40.00 77.94	West on a random line bet. secs. 6 and 7. Set temp. $\frac{1}{4}$ sec. cor. Intersect W. bdy. of tp. 10 lks. S. of cor. of secs. 1, 6, 7 and 12, as described in book "A". Thence S. 89° 56' E. on a true line bet. secs. 6 and 7. Over level land, through scattering timber and under- growth.
37.94	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\begin{array}{r} S\ 6 \\ \frac{1}{4} \\ \hline S\ 7 \\ 1916 \end{array}$ dig pits 18 X 18 X 12 ins. E. and W. of cor. 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
58.15 58.65 61.45 66.45 77.94	Dyke, brs. N. 5° E. and S. 5° W. Wash, 25 lks. wide, 2 ft. deep, course, N. 5° E. Dyke, brs. N. 10° E. and S. 10° W. Dim road, brs. N. 5° E. and S. 5° W. Cor. of secs. 5, 6, 7 and 8. Land, level. Soil, sandy adobe, 1st rate. Timber, mesquite. Undergrowth, greasewood 4 ft. to 10 ft. high, and sage- brush.
40.00	N. 0° 3' W. on a true line bet. secs. 5 and 6. Over level land, through scattering timber and under- growth. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd. $S\ 6\ \frac{1}{4} : S\ 5$ 1916 dig pits 18 X 18 X 12 ins. N. and S. of cor. 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

Subdivision of T.11 S., R.6 E.

29

Chains

44.55 Dyke, brs. N. 30° E. and S. 30° W.
 50.75 Dim road, brs. NW. and SE.
 55.10 Dyke, brs. N. 30° E. and S. 30° W.
 80.29 Intersect 2nd standard parallel S., 13.81 chs. W. of the
 S.C. of secs. 31 and 32, which is an iron post 3 ins.
 in diam., properly set, mkd. and witnessed as
 described by the Surveyor General.
 From this point, Felix Kuvroy's well brs. S. 88° 46' W.
 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for C.C. of secs. 5 and 6, with brass
 cap mkd.

C:C

S 6:S 5

T 11 S R 6 E

1916

dig pits 24 X 18 X 12 ins. crosswise on each line,
 E. and W., 3 ft. and S. of cor. 7 ft. dist. and raise
 a mound of earth 4 ft. base, 2 ft. high S. of cor.

Land, level.

Soil, sandy adobe, 1st rate.

Timber, mesquite.

Undergrowth, greasewood and sagebrush.

GENERAL DESCRIPTION

This township is all level land.
 The soil of the greater part of the township is a deep
 rich sandy adobe, capable of producing good crops with
 proper irrigation.
 The south half of the township is covered with a dense
 growth, of young mesquite. Some iron wood is found
 in the south west corner and along the E. boundary of
 the township The growth of palo verde is scattering.
 The undergrowth which consists mainly of greasewood grows
 very dense in the south half of the township. The
 north half is covered with greasewood and sagebrush.
 Felix Kuvroy has a cattle ranch in sec 6. His well is
 200 ft. deep, with only a fair quality of water.
 There are no settlers.

Subdivision of T.11 S..R.6 E.

DATE DIAGRAM

6 3/25-16 3/25-16	5 3/28-16 3/29-16	4 3/29-16 3/29-16	3 3/29-16 3/29-16	2 3/29-16 3/27-16	1 3/27-16
7 3/25-16 3/25-16	8 3/28-16 3/28-16	9 3/28-16 3/29-16	10 3/29-16 3/29-16	11 3/29-16 3/27-16	12 3/27-16
18 3/24-16 3/25-16	17 3/27-16 3/27-16	16 3/28-16 3/28-16	15 3/28-16 3/29-16	14 3/29-16 3/25-16	13 3/25-16
19 3/24-16 3/24-16	20 3/27-16 3/27-16	21 3/28-16 3/28-16	22 3/28-16 3/28-16	23 3/28-16 3/25-16	24 3/25-16
30 3/24-16 3/24-16	29 3/27-16 3/27-16	28 3/28-16 3/28-16	27 3/28-16 3/28-16	26 3/28-16 3/25-16	25 3/25-16
31 3/24-16	32 3/27-16	33 3/28-16	34 3/28-16	35 3/25-16	36

Lines dated in red were surveyed by W.H.Thorn, U.S. Surveyor.
Lines dated in green were surveyed by W.G.Shapcott, U.S.Surveyor.

CERTIFICATES OF UNITED STATES SURVEYORS.

We, W. H. Thorn and W.G.Shapcott, U.S.Surveyors, hereby certify on honor that, in pursuance of special instructions received from the U.S.Surveyor General for Arizona for Group No.58, Arizona, bearing date of the 8th day of October, 1915, we have well, faithfully, and truly, in our own proper persons, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the Subdivision lines of

TOWNSHIP 11 SOUTH, RANGE 6 EAST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes, and by the diagram on the reverse hereof, as having been executed by us, and under our direction; and we do further certify on honor that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U.S. Surveyor General of Arizona for Group 58, and in the specific manner described in our respective field notes, and that the foregoing are the original field notes of such surveys.

W. H. Thorn

U. S. Surveyor.

W. G. Shapcott,

U.S. Surveyor.

By *W. H. Thorn*

U. S. Surveyor.

Chief of Party.

A P P R O V A L .

Phoenix, Arizona, MAY 25 1918

The foregoing field notes of the survey of the Subdivision lines of

TOWNSHIP 11 SOUTH, RANGE 6 EAST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, executed by W. H. Thorn and W.G. Shapcott, U.S. Surveyors, under special instructions dated October 8, 1915, for Group 58, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Frank O. Frost

U.S. Surveyor General of Arizona.

~~I certify that the foregoing transcript of the field notes of the above described surveys in Book "L" of Group 58, has been correctly copied from the original notes on file in this office.~~

~~U.S. Surveyor General of Arizona.~~