

3100

Book "G"

4-679

BOOK 3100

JAN 5 1918

FEB 6 1918

FEB 13 1918

FIELD NOTES

OF THE SURVEY OF THE

Completion of the

EAST AND WEST BOUNDARIES.

and

Part of the

SUBDIVISION LINES

of

TOWNSHIP 27 NORTH, RANGE 2 EAST.

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Thomas B. Matthews, U. S. Surveyor,

and

Deane J. Wolff & Wm. L. Nash, U.S. Transitmen,

~~In the capacity of U. S. Surveyor~~, under instructions dated March 8, 1915,

issued by the United States Surveyor General to govern surveys included in Group No. 55, which were approved by the Commissioner of the General Land Office, December 14, 1915.

Survey commenced June 27, 1916.

Survey completed July 5, 1916.

6-151

Executed under Assignment
Instructions dated Apr. 13 & 22 & June 26, 1916.

3100

3100

45

1

46
1A


3100

Book "G"

Group 55 - - - Arizona.

BOOK 3100

INDEX DIAGRAM.



- Lines surveyed under this Group.
- Lines surveyed under current Group 54.
- Accepted surveys.
- Areas surveyed as per accepted plats on file.

2. Survey of Completion of West Boundary of T. 27 N., R. 2 E.

Chains.

Surveys hereinafter described, executed on dates shown on diagram on page 33 hereof, by Thomas B. Matthews, U.S. Surveyor, and Deane J. Wolff and William L. Wash, U.S. Transitmen, using Balf and Buff transit Nos. 10124, and Young and Sons' light mountain transits Nos. 8535 and 8535, respectively, as described in Book "A", p. 1, 6, 7 and 12, on the W. bdy. From the cor. of secs. 1, 6, 7 and 12, on W. bdy. of Tp., which is a limestone 10x14x6, ins. above ground, firmly set, marked and witnessed as described by the surveyor general,

South on a random line, along the W. bdy. of the Tp., setting temp. 1/2 sec. and sec. cors. at intervals of 40.00 chs.; and at 403.67 chs., intersect the N. bdy. of T. 26 N., R. 2 E., 10.74 chs. N. 89° 51' E. of the cor. of Ts. 26 N., Rs. 1 and 2 E., which is an iron post, described in Book "F".

At the point of intersection, set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of Ts. 27 N., Rs. 1 and 2 E., marked on brass cap

T27N
R1E | R2E
S36 | S31
S 76
T26N R2E
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

Thence

North on a true line, bet. secs. 31 and 36.

Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/2 sec. cor., marked on brass cap

1/2 S36 | S31
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

45.56 Telegraph line, brs. NW. and SE.

46.10 Grand Canyon Branch of A. T. and S. F. Ry., brs. N. 44 1/2° W. and S. 44 1/2° E.

47.65 Dim road, brs. NW. and SE.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, marked on brass cap

T27N
R1E | R2E
S25 | S30
S36 | S31
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling.

Soil, coarse texture, 26 ins. deep.

No timber.

Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.

Thin grass.

North on a true line, bet. secs. 25 and 30.

Over level land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/2 sec. cor., marked on brass cap

Survey of Completion of West Boundary of T. 27 N., R. 2 E.

3.

Chains.

1/4 S25 | S30
1916

80.00 From which
A cedar, 24 ins. diam., brs. S. 66 1/2° W., 145 lks. dist.,
marked 1/4 S25 BT.
No other trees within limits. Dig pits, 18 X 18 X 12 ins.,
N. and S. of post, 3 ft. dist.; and raise a mound of
earth, 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the
ground, for cor. of secs. 19, 24, 25 and 30, marked on
brass cap

T27N
R1E R2E
S24 | S19
S25 | S30
1916

And raise a mound of stone, 2 ft. base, 2 1/2 ft. high, W.
of cor.
Land, gently rolling and level.
Soil, coarse texture, 26 ins. deep.
Timber, a few scattering cedar and pinion trees.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1
ft. high.
Thin grass.

40.00 North on a true line, bet. secs. 19 and 24.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., marked on brass cap

1/4 S24 | S19
1916

80.00 And raise a mound of stone, 3 ft. base, 3 ft. high, W.
of cor.
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the
ground, for cor. of secs. 13, 18, 19 and 24, marked on
brass cap

T27N
R1E R2E
S13 | S18
S24 | S19
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
of cor.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed,
1 ft. high.
No timber.
Thin grass.

19.00 North on a true line, bet. secs. 13 and 18.
Over gently rolling land, through scattering timber and
undergrowth.
20.00 Wide draw, course W.
From this point, dry reservoir brs. N. 63 1/2° E., 20 chs.
dist.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., marked on brass cap

4. Survey of Completion of West Boundary of T. 27 N., R. 2 E.

Chains. 1/2 S13 | S18
1916

80.00. And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 12, 13, and 18, marked on brass cap

T27N
R1E R2E
S12 | S 7
S13 | S18
1916

From which
A cedar, 8 ins. diam., brs. N.15° E., 85 lks. dist., marked T27N R2E S7 BT.
A cedar, 8 ins. diam., brs. S.80° E., 145 lks. dist., marked T27N R2E S18 BT.
A pinion, 10 ins. diam., brs. S.5 1/2° W., 263 lks. dist., marked T27N R1E S13 BT.
No other trees within limits. Raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, scattering pinion and cedar.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
Fair grass.

23.00 North on a true line, bet. secs. 7 and 12.
40.00 Over gently rolling land, through scattering undergrowth.
Wide draw, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S12 | S 7
1916

60.80 And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
83.67 Road, brs. NW. and SE.
The cor. of secs. 1, 6, 7 and 12.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
No timber.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high,
Thin grass.

Survey of Completion of the East Boundary of T. 27 N., R. 2 E. 5.

chains.

Survey completed and executed with an "A" and "B" light mountain transit No. 10,124, with high gear attachment. For description of instrument and certificate of approval, see book "A". For most recent test of adjustment, see book "B".

From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., which is a limestone, 16 X 8 X 6 ins., firmly set, marked and witnessed as described by the Surveyor-General.

South on a random line, along the E. bdy. of the Tp., setting temp. 1/4 sec. and sec. cors. at intervals of 40.00 chs.; and at 402.09 chs., intersect the N. bdy. of T. 26 N., R. 3 E., 9.67 chs. S. 89° 59' E. of the cor. of Tps. 26 N., Rs. 2 and 3 E., which is an iron post, described in Book "F".

At the point of intersection, set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of Tps. 27 N., Rs. 2 and 3 E., marked on brass cap

T27N
R2E R3E
S36 | S31

S 6
T26N R3E
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

North on a true line, bet. secs. 31 and 36. Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S36 | S31

1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, marked on brass cap

T27N
R2E R3E
S25 | S30
S36 | S31

1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling.
Soil, loose, red, clayey loam, over sandstone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush.

North on a true line, bet. secs. 25 and 30. Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S25 | S30

1916

6. Completion of East Boundary of T. 27 N., R. 2 E.

Chains.

From which
 A juniper, 10 ins. diam., brs. S.71° E., 66 lks. dist.,
 marked $\frac{1}{4}$ S30 BT.
 A juniper, 10 ins. diam., brs. S.42° W., 64 lks. dist.,
 marked $\frac{1}{4}$ S25 BT.
 Road, brs. NE. and SW.
 51.70 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the
 80.00 ground, for cor. of secs. 19, 24, 25 and 30, marked on
 brass cap

T27N
 R2E R3E
 S24|S19
 S25|S30
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
 of cor.
 Land, gently rolling.
 Soil, loose, sandy, red clayey loam, over sandstone and
 limestone formation.
 Timber, juniper and pinion.
 Undergrowth, sagebrush.

North on a true line, bet. secs. 19 and 24.
 Over gently rolling land, through scattering timber and
 undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S24|S19
 1916

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 high, W. of cor.
 70.05 Road, brs. E. and W.
 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the
 ground, for cor. of secs. 13, 18, 19 and 24, marked on
 brass cap

T27N
 R2E R3E
 S13|S18
 S24|S19
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
 of cor.
 Land, gently rolling.
 Soil, loose, yellow, sandy clay and loam, over limestone
 and sandstone formations.
 Timber, pinion and juniper.
 Undergrowth, sagebrush and squawbrush.

North on a true line, bet. secs. 13 and 18.
 Over gently rolling land, through scattering timber and
 undergrowth.
 31.25 Road, brs. NW. and SE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S13|S18
 1916

Completion of East Boundary of T. 27 N., R. 2 E. 7.

Chains.

80.00

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, marked on brass cap

T27N
R2E R3E
S12 | S 7
S13 | S18
1916

From which
A pinion, 12 ins. diam., brs. N.30° E., 240 lks. dist., marked T27N R3E S7 BT.
A juniper, 7 ins. diam., brs. S.34° E., 82 lks. dist., marked T27N R3E S18 BT.
A pinion, 12 ins. diam., brs. S.33° W., 122 lks. dist., marked T27N R2E S13 BT.
A juniper, 7 ins. diam., brs. N.52° W., 230 lks. dist., marked T27N R2E S12 BT.
Land, gently rolling.
Soil, loose, yellow, sandy clay and loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush and squawbrush.

39.70
40.00

North on a true line, bet. secs. 7 and 12.
Over gently rolling land, through scattering timber and undergrowth.
Draw, 5 chs. wide, course SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S12 | S 7
1916

82.09

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
The cor. of secs. 1, 6, 7 and 12.
Land, gently rolling.
Soil, loose, dark, sandy clay and loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush and squawbrush.

Boundaries of that portion of T.27 N., R. 2 E. subdivided under this group.
 Latitudes, departures and closing errors.


Line designated.	True bearing.	Dist.	Latitudes.		Departures.	
			N.	S.	E.	W.
		chs.	chs.	chs.	chs.	chs.
South Boundary.	N.89°59'W.	9.67				9.67
	S.89°51'W.	472.65		1.24		472.65
West Boundary	North.	403.67	403.67			
Subdivisional Boundary. 10, 11 and 12.	N.89°58'E.	81.16	.05		81.16	
	N.89°56'E.	80.02	.09		80.02	
	East	79.98			79.98	
	N.89°59'E.	80.04	.02		80.04	
	N.89°58'E.	80.00	.05		80.00	
	N.89°57'E.	80.06	.07		80.06	
East Boundary.	South.	402.09		402.09		
Convergency.					.43	
Totals			403.95	403.33	481.69	482.32
			403.33			481.69
Error in latitude			0.62			
Error in departure					0.63	

Completion of Subdivision of T. 27 N., R. 2 E. 9.


Chains.

Survey conducted and executed with 200' and 100' steel tapes
and level No. 10, 12, and 14, and level No. 10, 12, and 14, each instrument being equip-
ped with full solar attachment. The completion of
the survey was approved by the Board of
Surveyors of the County of Lincoln, Nebraska.

From the cor. of secs. 35 and 36, on the S. bdy. of the
Tp., which is an iron post, described in Book "F",
N.0° 1' W., bet. secs. 35 and 36.
Over gently rolling land, through scattering undergrowth.
20.00 Enter scattering timber.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., marked on brass cap




80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft.
high, W. of cor.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 25, 26, 35 and 36, marked on
brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W.
of cor.
Land, gently rolling.
Soil, coarse texture, 16 to 26 ins. deep.
Timber, a few cedar trees.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed,
ft. high.
Fair grass.

40.00 N.89° 51' E. on a random line, bet. secs. 25 and 36.
Set temp. 1/4 sec. cor.
79.98 Intersect E. bdy. of Tp., at the cor. of secs. 25, 30, 31
and 36, which is an iron post, hereinbefore described.
Thence

35.00 S.89° 51' W., on a true line, bet. secs. 25 and 36.
Over gently rolling land, through scattering timber and
undergrowth.
39.99 Draw, course NE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., marked on brass cap



79.98 And raise a mound of stone, 3 ft. base, 3 ft. high, N.
of cor.
The cor. of secs. 25, 26, 35 and 36.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, a few scattering cedar trees.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1
ft. high.
Thin grass.

10.

Completion of Subdivision of T. 27 N., R. 2 E.

Chains.

N.0° 1' W., bet. secs. 25 and 26.
Over gently rolling land, through scattering undergrowth.
15.00 Enter scattering timber.
34.00 Road, brs. NW. and SE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{1}{4}S25 | S26$$

1916

And raise a mound of stone, 3 ft. base, 2 ft. high, W.
of cor.
79.00 Ditch, 15 lks. wide, 1 ft. deep, course NE.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 23, 24, 25 and 26, marked on
brass cap

T27N R2E

S23 | S24

S26 | S25

1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
of cor.
Land, gently rolling.
Soil, coarse texture, 20 ins. deep.
Timber, pinion and cedar.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed,
1 ft. high.
Thin grass.

40.00 N.89° 51' E., on a random line, bet. secs. 24 and 25.
Set temp. $\frac{1}{4}$ sec. cor.
79.92 Intersect E. bdy. of Tp., 6 lks. N. of the cor. of secs.
19, 24, 25 and 30, which is an iron post, hereinbefore
described.

Thence

S.89° 54' W., on a true line, bet. secs. 24 and 25.
Over gently rolling land, through scattering timber and
undergrowth.
15.90 Leave timber.
31.90 Enter timber.
39.96 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{1}{4}S24$$

S25


1916

From which
A pinion, 16 ins. diam., brs. N.41 $\frac{1}{2}$ ° W., 374 lks. dist.,
marked $\frac{1}{4}S24$ BT.
A pinion, 12 ins. diam., brs. S.50 $\frac{1}{2}$ ° E., 281 lks. dist.,
marked $\frac{1}{4}S25$ BT.
64.90 Leave timber.
70.60 Road, brs. NW. and SE.
71.05 Ditch, 20 lks. wide, 18 ins. deep, course NW.
77.70 Ditch, 15 lks. wide, 1 ft. deep, course NE.
79.92 The cor. of secs. 23, 24, 25 and 26.
Land, gently rolling.
Soil, coarse texture, 20 ins. deep.
Timber, scattering cedar and pinion.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed,
1 ft. high.
Fair grass.

Completion of Subdivision of T. 27 N., R. 2 E.


Chains.

N.0° 1' W., bet. secs. 23 and 24.
 Over gently rolling land, through scattering undergrowth.
 2.90 Ditch, 15 lks. wide, 1 ft. deep, course NW.
 17.00 Ditch, 10 lks. wide, 1 ft. deep, course NW.
 26.45 Road, brs. E. and W.
 27.32 Wire fence, brs. E. and W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

43.57 Dam, brs. NE. and SW.
 44.54 Wire fence, brs. NE. and SW.
 45.50 Road, brs. NE. and SW.
 49.50 Draw, course NW.
 55.00 Asc. 25 ft. to
 59.97 Thence over gently rolling land. Enter scattering timber.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, for cor. of secs. 13, 14, 23 and 24, marked on brass cap




From which
 A pinion, 14 ins. diam., brs. N.41° E., 68 lks. dist., marked T27N R2E S13 BT.
 A cedar, 9 ins. diam., brs. S.42 $\frac{1}{2}$ ° E., 191 lks. dist., marked T27N R2E S24 BT.
 A pinion, 16 ins. diam., brs. S.25 $\frac{1}{4}$ ° W., 231 lks. dist., marked T27N R2E S23 BT.
 A pinion, 12 ins. diam., brs. N.26 $\frac{1}{2}$ ° W., 61 lks. dist., marked T27N R2E S14 BT.

Land, gently rolling.
 Soil, coarse texture, 26 ins. deep.
 Timber, scattering cedar and pinion.
 Undergrowth, sagebrush and holly brush, 1 to 5 ft. high.
 Thin grass.

40.00 N.89° 54' E., on a random line, bet. secs. 13 and 24.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.97 Intersect E. bdy. of Tp., 5 lks. S. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, hereinbefore described.

Thence
 S.89° 52' W., on a true line, bet. secs. 13 and 24.
 Over gently rolling land, through scattering timber and undergrowth.
 39.98 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



From which
 A cedar, 8 ins. diam., brs. N.74 $\frac{1}{2}$ ° E., 103 lks. dist., marked $\frac{1}{4}$ S13 BT.
 A cedar, 8 ins. diam., brs. S.37 $\frac{3}{4}$ ° E., 153 lks. dist., marked $\frac{1}{4}$ S24 BT.

41.00 Draw, course SW.
 41.20 Road, brs. NE. and SW.
 63.80 Dim road, brs. NE. and SW.

12. Completion of Subdivision of T. 27 N., R. 2 E.

<p>Chains. 65.85 79.97</p>	<p>Wide draw, course SW. The cor. of secs. 13, 14, 23 and 24. Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, cedar and pinion. Undergrowth, sagebrush and holly brush, 1 to 6 ft. high, and broom weed, 1 ft. high. Thin grass.</p>
<p>16.66 40.00</p>	<p>N.0° 1' W., bet. secs. 13 and 14. Over gently rolling land, through scattering timber and undergrowth. Ditch, 5 lks. wide, 18 ins. deep, course NW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S14 S13 1916 </p> <p>From which A pinion, 12 ins. diam., brs. S.85$\frac{1}{2}$° E., 121 lks. dist., marked $\frac{1}{4}$S13 BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.</p>
<p>51.00 62.00 80.00</p>	<p>Draw, course W. Draw, course SW. Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground, in a mound of stone, for cor. of secs. 11, 12, 13 and 14, marked on brass cap</p> <p style="text-align: center;"> T27N R2E S11 S12 <u>S14 S13</u> 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor. Land, gently rolling. Soil, coarse texture, 26 ins deep. Timber, a few scattering cedar and pinion trees. Undergrowth, sagebrush 1 to 3 ft. high, and broom weed, 1 ft. high. Thin grass.</p>
<p>40.00 79.94</p>	<p>N.89° 52' E., on a random line, bet. secs. 12 and 13. Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp., 7 lks. S. of the cor. of secs. 7, 12, 13 and 18, which is an iron post, hereinbefore described.</p> <p>Thence S.89° 49' W., on a true line, bet. secs. 12 and 13. Over gently rolling land, through scattering timber and undergrowth.</p>
<p>14.95 39.97</p>	<p>Draw, course SW. Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S12 S13 1916 </p> <p>From which A cedar, 12 ins. diam., brs. N. 24$\frac{3}{4}$° W., 163 lks. dist., marked $\frac{1}{4}$S12 BT.</p>

Completion of Subdivision of T. 27 N., R. 2 E. 13.

Chains.	<p>A cedar, 12 ins. diam., brs. S.85$\frac{1}{2}$° E., 78 lks. dist., marked $\frac{1}{4}$S13 BT.</p> <p>42.95 Concrete reservoir, brs. N. 1.30 chs. dist.</p> <p>45.25 Excavations for reservoir on line.</p> <p>72.05 Road, brs. NW. and SE.</p> <p>79.94 The cor. of secs. 11, 12, 13 and 14. Land, gently rolling. Soil, coarse texture, 20 ins. deep. Timber, a few scattering cedar and pinion trees. Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high. Thin grass.</p>
40.00 82.10	<p>N.0° 1' W., on a random line, bet. secs. 11 and 12. Set temp. $\frac{1}{4}$ sec. cor.</p> <p>Intersect E. and W. line, 47 lks. E. of original cor. of secs. 1, 2, 11 and 12, which is a limestone, 15 X 15 X 6 ins. above ground, firmly set, marked and witnessed as described by the Surveyor-General.</p>
42.10	<p>Thence S.0° 21' E., bet. secs. 11 and 12. Over gently rolling land, through scattering timber and undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>
$\frac{1}{4}$ S11 S12 1916	<p>And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.</p>
74.00 75.90 82.10	<p>Draw, course SW.</p> <p>Road, brs. NW. and SE.</p> <p>The cor. of secs. 11, 12, 13 and 14. Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, a few scattering cedar and pinion trees. Undergrowth, sagebrush, 1 to 2 ft. high, and broom weed, 1 ft. high. Thin grass.</p>
40.00	<p>From the cor. of secs. 34 and 35, on the S. bdy. of the Twp., which is an iron post, described in Book "E", N.0° 1' W., bet. secs. 34 and 35. Over gently rolling land, through scattering timber and undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>
$\frac{1}{4}$ S34 S35 1916	<p>From which A pinion, 24 ins. diam., brs. S.15$\frac{1}{2}$° E., 207 lks. dist., marked $\frac{1}{4}$S35 BT. A juniper, 12 ins. diam., brs. S.27$\frac{1}{2}$° W., 200 lks. dist., marked $\frac{1}{4}$S34 BT.</p>
62.26 80.00	<p>Road, brs. NE. and SW.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, marked on brass cap</p>

14. Completion of Subdivision of T. 27 N., R. 2 E.

Chains.

$$\begin{array}{r} T27N R2E \\ S27 | S26 \\ \hline S34 | S35 \\ 1916 \end{array}$$

A juniper, 10 ins. diam., brs. N.14 $\frac{3}{4}$ ° E., 250 lks. dist., marked T27N R2E S26 BT.

A pinion, 16 ins. diam., brs. S.51 $\frac{1}{2}$ ° E., 115 lks. dist., marked T27N R2E S35 BT.

A juniper, 9 ins. diam., brs. S.39 $\frac{1}{2}$ ° W., 178 lks. dist., marked T27N R2E S34 BT.

A pinion, 8 ins. diam., brs. N.21° W., 376 lks. dist., marked T27N R2E S27 BT.

Land, gently rolling.

Soil, loose, red, sandy clay and loam, over sandstone and limestone formations.

Timber, pinion and juniper.

Undergrowth, sagebrush and squawbrush.

40.00 N.89° 51' E., on a random line, bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect the corner of secs. 25, 26, 35 and 36.

Thence

S.89° 51' W., on a true line, bet. secs. 26 and 35.

Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4}S26 \\ S35 \\ 1916 \end{array}$$

From which

A pinion, 5 ins. diam., brs. N.7 $\frac{1}{2}$ ° W., 51 lks. dist., marked $\frac{1}{4}$ S26 BT.

A juniper, 9 ins. diam., brs. S.57 $\frac{1}{2}$ ° E., 61 lks. dist., marked $\frac{1}{4}$ S35 BT.

68.00 Road, brs. NE. and SW.

70.30 Road, brs. NE. and SW.

80.00 The cor. of secs. 26, 27, 34 and 35.

Land, gently rolling.

Soil, loose, yellow, sandy clay and loam, over sandstone formation.

Timber, pinion and juniper.

Undergrowth, sagebrush.

N.0° 1' W., bet. secs. 26 and 27.

Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4}S27 | S26 \\ 1916 \end{array}$$

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on brass cap

Completion of Subdivision of T. 27 N., R. 2 E. 15.

Chains.

T27N R2E	
S22	S23
S27	S26
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Land, gently rolling.
 Soil, loose, yellow, loam, over limestone formation.
 Timber, pinion and juniper.
 Undergrowth, sagebrush and short weeds.

40.00
 79.98
 19.75
 39.99

N.89° 31' E., on a random line, bet. secs. 23 and 26.
 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 4 lks. S. of the cor. of secs. 23, 24, 25 and 26.
 Thence
 S.89° 49' W., on a true line, bet. secs. 23 and 26.
 Over gently rolling land, through scattering timber and undergrowth.
 Road, brs. NE. and SW.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S23
S26
1916

From which
 A juniper, 10 ins. diam., brs. S.11 $\frac{1}{2}$ ° W., 45 lks. dist., marked $\frac{1}{4}$ S26 BT.
 No other trees within limits. Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
 The cor. of secs. 22, 23, 26 and 27.
 Land, gently rolling.
 Soil, loose, yellow loam.
 Timber, pinion and juniper.
 Undergrowth, sagebrush.

79.98

40.00

N.0° 1' W., bet. secs. 22 and 23.
 Over gently rolling land, through scattering timber and undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S22	S23
1916	

From which
 A pinion, 16 ins. diam., brs. S.66° E., 55 lks. dist., marked $\frac{1}{4}$ S23 BT.
 A pinion, 8 ins. diam., brs. S.50 $\frac{3}{4}$ ° W., 93 lks. dist., marked $\frac{1}{4}$ S22 BT.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap

T27N R2E	
S15	S14
S22	S23
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Land, gently rolling.

16. Completion of Subdivision of T. 27 N., R. 2 E.

Chains

Soil, loose, yellow, loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush and squawbrush.

40.00 N.89° 49' E., on a random line, bet. secs. 14 and 23.
Set temp. $\frac{1}{4}$ sec. cor.,
80.04 Intersect N. and S. line, 5 lks. S. of the cor. of secs.
13, 14, 23 and 24.

Thence

S.89° 47' W., on a true line, bet. secs. 14 and 23.
Over gently rolling land, through scattering timber and
undergrowth.

5.00 Desc. 40 ft. to
7.00 Draw, 3 chs. wide, course N. Asc. 30 ft. to
15.00 Thence over gently rolling land.
40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S14
S23
1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, N. of cor.

80.04 The cor. of secs. 14, 15, 22 and 23.
Land, gently rolling.
Soil, loose, yellow, gravelly loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush and squawbrush.

N.0° 1' W., bet. secs. 14 and 15.
Over rolling land, through scattering timber and undergrowth.

25.00 Desc. 50 ft. to
29.00 Draw, 3 chs. wide, course W. Asc. to
35.00 Spur, slopes SW. Desc. to
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S15 | S14
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
of cor.

45.00 Asc. 55 ft. to
55.00 Desc. 35 ft. to
60.00 Draw, 1 ch. wide, course W. Asc. 25 ft. to
80.00 Thence over gently rolling land.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 10, 11, 14 and 15, marked on
brass cap

T27N R2E
S10 | S11
S15 | S14
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
of cor.

Land, rolling and gently rolling.
Soil, dark, loose, gravelly loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush.

Chains.	N. 89° 47' E., on a random line, bet. secs. 11 and 14.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, 17 lks. N. of the cor. of secs. 11, 12, 13 and 14.
	Thence
	S. 89° 54' W., on a true line, bet. secs. 11 and 14.
	Over gently rolling land, through scattering timber and undergrowth.
23.00	Draw, 1 ch. wide, course SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4}S11 \\ \hline S14 \\ 1916 \end{array}$
	And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
80.00	The cor. of secs. 10, 11, 14 and 15. Land, gently rolling. Soil, dark, gravelly, loam, over limestone formation. Timber, pinion and juniper. Undergrowth, sagebrush and squawbrush.
	N. 0° 1' W., on a true line, bet. secs. 10 and 11. Over gently rolling land, through scattering timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4}S10 \quad \quad S11 \\ \hline 1916 \end{array}$
	And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
61.00	Dim road, brs. NW. and SE.
73.00	Draw, 1 ch. wide, course SW.
73.10	Old road, brs. NE. and SW.
82.23	Intersect S. bdy. of sec. 2., 74 lks. N. 89° 58' E. of orig. cor. of secs. 2, 3, 10 and 11, which is a limestone, 6 X 4 X 6 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General. Now becomes cor. of secs. 2 and 3 only. At the point of intersection, set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 10 and 11, marked on brass cap
	$\begin{array}{r} T27N R2E \\ S \quad 2 \\ \hline S10 \quad \quad S11 \\ C \quad \quad C \\ 1916 \end{array}$
	And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, S. of cor.
	Land, gently rolling. Soil, dark, rocky loam, over limestone formation. Timber, pinion and juniper. Undergrowth, sagebrush.
	From the cor. of secs. 33 and 34, on the S. bdy of the Tn. which is an iron post, described in Book "E", N. 0° 2' W., bet. secs. 33 and 34.
40.00	Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the

18. Completion of Subdivision of T. 27 N., R. 2 E.

Chains.

ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S33	S34
1916	

And raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap

T27N R2E	
$\frac{1}{4}$ S28	S27
$\frac{1}{4}$ S33	S34
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
No timber.
Undergrowth, sagebrush and holly brush, 1 to 6 ft. high, and broom weed, 1 ft. high.
Thin grass.

40.00 N.89° 51' E., on a random line, bet. secs. 27 and 34.
Set temp. $\frac{1}{4}$ sec. cor.

79.96 Intersect N. and S. line, 3 lks. S. of the cor. of secs. 26, 27, 34 and 35.

Thence

S.89° 50' W., on a true line, bet. secs. 27 and 34.
Over gently rolling land, through scattering timber and undergrowth.

27.45 Leave scattering timber.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S27	
$\frac{1}{4}$ S34	
1916	

42.15 And raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

79.96 Road, brs. NE. and SW.
The cor. of secs. 27, 28, 33 and 34.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, scattering cedar and pinion.
Undergrowth, scattering sagebrush and holly brush, 1 to 6 ft. high, and broom weed, 1 ft. high.
Thin grass.

40.00 N.0° 2' W., bet. secs. 27 and 28.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec cor., marked on brass cap

$\frac{1}{4}$ S28	S27
1916	

75.50 And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00 Draw, 1 ch. wide, course NW.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on

Completion of Subdivison of T. 27 N., R. 2 E.

Chains.

brass cap

T27N	R2E
S21	S22
S28	S27
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high,
W. of cor.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
No timber.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed,
8 ins. high.
Thin grass.

40.00
79.83

N.89° 50' E., on a random line, bet. secs. 22 and 27.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 5 lks. S. of the cor. of secs.
22, 23, 26 and 27.

39.91 $\frac{1}{2}$

Thence
S.89° 48' W., on a true line, bet. secs. 22 and 27.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S22
S27
1916

45.05
79.83

And raise a mound of stone, 3 ft. base, 3 ft. high, N.
of cor.
Road, brs. N. and S.
The cor. of secs. 21, 22, 27 and 28.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Undergrowth, sagebrush, 1 to 2 ft. high, and broom weed, 1
ft. high.
Timber, none.
Thin grass.

40.00

N.0° 2' W., bet. secs. 21 and 22.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
brass cap

$\frac{1}{4}$ S21	S22
1916	

80.00

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft.
high, W. of cor.
Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the
ground, in a mound of stone, for cor. of secs. 15, 16,
21 and 22, marked on brass cap

T27N	R2E
S16	S15
S21	S22
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
of cor.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
No timber.

20.

Completion of Subdivision of T. 27 N., R. 2 E.

Chains.	<p>Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high. Thin grass.</p>
<p>40.00 79.70 39.85 46.70 56.35 79.70</p>	<p>N.89° 48' E., on a random line, bet. secs. 15 and 22. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 6 lks. N. of the cor. of secs. 14, 15, 22 and 23. Thence S.89° 51' W., on a true line, bet. secs. 15 and 22. Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S15 $\frac{1}{4}$S22 1916 </p> <p>And raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor. Road, brs. N. and S. Road, brs. NW. and SE. The cor. of secs. 15, 16, 21 and 22. Land, gently rolling. Soil, coarse texture, 26 ins. deep. No timber. Undergrowth, sagebrush, 1 to 2 ft. high, and broom weed, 6 to 12 ins. high.</p>
<p>26.20 39.35 40.00 55.10 69.00 71.10 76.37 78.75 80.00</p>	<p>N.0° 2' W., bet. secs. 15 and 16. Over gently rolling land, through scattering undergrowth. Road, brs. NW. and SE. Wire fence, brs. E. and W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S16 S15 1916 </p> <p>And raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor. Draw, course NE. Road, brs. E. and W. Draw, course W. Reservoir, brs. S.35$\frac{1}{2}$° W. Wire fence, brs. E. and W. Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, for cor. of secs. 9, 10, 15 and 16, marked on brass cap</p> <p style="text-align: center;"> T27N R2E S 9 S10 S16 S15 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor. Land, gently rolling and rolling. Soil, coarse texture, 12 to 26 ins. deep. No timber. Undergrowth, sagebrush, 1 to 3 ft. high. Thin grass.</p>

Completion of Subdivision of T. 27 N., R. 2 E.

Chains.

40.00 N. 89° 51' E., on a random line, bet. secs. 10 and 15.
Set temp. 1/4 sec. cor.
79.71 Intersect the corner of secs. 10, 11, 14 and 15.

Thence
S. 89° 51' W., on a true line, bet. secs. 10 and 15.
Over rolling land, through scattering timber and undergrowth.

17.00 Draw, 1 ch. wide, course SW.
33.00 Draw, 1 ch. wide, course NW.
39.85 1/2 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S 10
S 15
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

42.30 Draw, 1 ch. wide, course SW.
42.82 Road, brs. NE. and SW.
65.00 Draw, 1 ch. wide, course SW. Asc. 70 ft.
69.50 Four wire fence, brs. N. and S.
70.00 Thence over gently rolling land.
75.00 Four wire fence, brs. NE. and SW.
79.71 The cor. of secs. 9, 10, 15 and 16.

Land, rolling.
Soil, dark, rocky loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush.

40.00 N. 0° 2' W., on a true line, bet. secs. 9 and 10.
Over rolling land, through scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S 9 | S 10
1916

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

82.52 Intersect S. bdy. of sec. 3, 81 lks. N. 89° 59' E. of orig. cor. of secs. 3, 4, 9, & 10, which is a limestone, 10 x 14 x 20 ins., firmly set, marked and witnessed as described by the Surveyor-General. Now becomes cor. of secs. 3 and 4 only.
At the point of intersection, set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, in a mound of stone, for closing cor. of secs. 9 and 10, marked on brass cap

T27N R2E
S 3
S 9 | S 10
C C
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor.

Land, rolling.
Soil, dark, rocky loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush.

From the cor. of secs. 32 and 33, on the S. bdy. of the Tp., which is an iron post, described in Book "R",

40.00 N.0° 3' W., bet. secs. 32 and 33.
Over gently rolling land, through scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S32 | S33
1916

80.00 And raise a mound of stone, 2 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on brass cap

T27N R2E
S29 | S28
S32 | S33
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, a few scattering cedar and pinion trees.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
Thin grass.

40.00 N.89° 51' E., on a random line, bet. secs. 28 and 33.
Set temp. $\frac{1}{4}$ sec. cor.
80.20 Intersect $\frac{1}{4}$ sec. line, at the cor. of secs. 27, 28, 33 and 34.

Thence
S.89° 51' W., on a true line, bet. secs. 28 and 33.
Over gently rolling land, through scattering timber and undergrowth.

40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S28
S33
1916

72.40 And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
Road, brs. NW. to Grand Canyon and SE. to Williams.
80.20 The cor. of secs. 28, 29, 32 and 33.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, a few scattering cedar trees.
Undergrowth, sagebrush and holly brush, 1 to 5 ft. high, and broom weed, 1 ft. high.
Thin grass.

12.80 N.0° 3' W., bet. secs. 28 and 29.
Over gently rolling land, through scattering undergrowth.
16.30 Old road, brs. NW. to Grand Canyon and SE. to Williams.
Road, brs. NW. to Grand Canyon and SE. to Williams.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S29 | S28
1916

Completion of Subdivision of T. 27 N., R. 2 E.

Chains.

68.10 And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Road, brs. NE. and SW.
 79.10 Enter scattering timber, brs. E. and W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, marked on brass cap

T27N R2E
 S20 | S21

 S29 | S28
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Land, slightly rolling.
 Soil, coarse texture, 26 ins. deep.
 Timber, scattering cedar and pinion.
 Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
 Thin grass.

40.00 N.89° 51' E., on a random line, bet. secs. 21 and 28.
 Set temp. $\frac{1}{4}$ sec. cor.,
 80.30 Intersect N. and S. line, 4 lks. N. of the cor. of secs. 21, 22, 27 and 28.
 Thence
 S.89° 53' W., on a true line, bet. secs. 21 and 28.
 40.15 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S21

 S28
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
 65.30 Enter scattering timber.
 76.30 Road, brs. N. and S.
 80.30 The cor. of secs. 20, 21, 28 and 29.
 Land, gently rolling.
 Soil, coarse texture, 26 ins. deep.
 Timber, scattering pinion and cedar.
 Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
 Thin grass.

40.00 N 0° 3' W., bet. secs. 20 and 21.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S20 | S21

 1916

80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap

24.

Completion of Subdivision of T. 27 N., R. 2 E.

Chains.

T27N R2E
 S17|S16
 ————
 S20|S21
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Land, slightly rolling.
 Soil, coarse texture, 26 ins. deep.
 No timber.
 Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
 Thin grass.

40.00 N.89° 53' E., on a random line, bet. secs. 16 and 21.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.35 Intersect N. and S. line, 5 lks. S. of the cor. of secs. 15, 16, 21 and 22.
 Thence
 40.17 $\frac{1}{2}$ S.89° 51' W., on a true line, bet. secs. 16 and 21.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S16
 ————
 S21
 1916

57.70 And raise a mound of stone, 2 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
 64.55 Road, brs. NE. and SW.
 80.35 Draw, course N.
 The cor. of secs. 16, 17, 20 and 21.
 Land, gently rolling.
 Soil, coarse texture, 26 ins. deep.
 No timber.
 Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
 Thin grass.

30.00 N.0° 3' W., bet. secs. 16 and 17.
 35.00 Over rolling land, through scattering undergrowth and timber.
 40.00 Desc. 25 ft. to
 Draw, course NW. Asc. 30 ft. to
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S17 | S16
 1916

80.00 From which
 A cedar, 8 ins. diam., brs. N.20° E., 204 lks. dist., marked $\frac{1}{4}$ S16 BT.
 No other trees within limits. Raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, for cor. of secs. 8, 9, 16 and 17, marked on brass cap

Chains.

T27N	R2E
S 8	S 9
S17	S16
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Land, rolling.
 Soil, coarse texture, 26 ins. deep.
 Timber, a few scattering cedar and pinion trees.
 Undergrowth, sagebrush, 1 to 2 ft. high, and broom weed, 1 ft. high.
 Thin grass.

40.00
 80.34

 3.30
 10.40
 14.35
 19.25
 23.30
 25.10

 30.10
 40.17

N.89° 51' E., on a random line, bet. secs. 9 and 16.
 Set temp. $\frac{1}{2}$ sec. cor.
 Intersect the cor. of secs. 9, 10, 15 and 16.
 Thence
 S.89° 51' W., on a true line, bet. secs. 9 and 16.
 Over gently rolling land, through scattering undergrowth.
 Road, brs. NE. and SW.
 Desc. 40 ft. to
 Canyon, course SW. Asc. 20 ft. to
 Spur, slopes SW. Desc. 75 ft. to
 Canyon, course SW. Asc. 50 ft. to
 Rim of canyon, brs. NE. and SW. Thence over gently rolling land.
 Reservoir, brs. S.21° E.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{2}$ sec. cor., marked on brass cap

$\frac{1}{2}$ S 9
S16
1916

80.34

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
 The cor. of secs. 8, 9, 16 and 17.
 Land, rolling and gently rolling.
 Soil, coarse texture, 10 to 26 ins. deep.
 No timber.
 Undergrowth, sagebrush, 1 to 2 ft. high.
 Thin grass.

40.00
 82.64

 17.64
 42.64

N.0° 3' W., on a random line, bet. secs. 8 and 9.
 Set temp. $\frac{1}{2}$ sec. cor.
 Intersect E and W. line, 28 lks. E of orig. cor. of secs. 4, 5, 8 and 9, which is a limestone, 7 X 12 X 8 ins. above ground, firmly set, marked and witnessed as described by the Surveyor-General.
 Thence
 S.0° 15' E., on a true line, bet. secs. 8 and 9.
 Over gently rolling land, through scattering undergrowth.
 Draw, course SW.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{2}$ sec. cor., marked on brass cap

$\frac{1}{2}$ S 8	S 9
1916	

26. Completion of Subdivision of T. 27 N., R. 2 E.

Chains.

82.64 And raise a mound of stone, 2 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

The cor. of secs. 8, 9, 16 and 17.

Land, gently rolling.

Soil, coarse texture, 26 ins. deep.

Undergrowth, sagebrush, 1 to 2 ft. high, and broom weed, 6 to 10 ins. high.

No timber.

From the cor. of secs. 31 and 32, on the S. bdy. of the Tp., which is an iron post, described in Book "F", N. $0^{\circ} 3' W.$, bet. secs. 31 and 32.

Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}S31 | S32$

1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap

T27N R2E

S30 | S29

$\frac{1}{4}S31 | S32$

1916

From which

A pinion, 14 ins. diam., brs. S. $41\frac{3}{4}^{\circ} W.$, 135 lks. dist., marked T27N R2E S31 BT.

No other trees within limits. Raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling.

Soil, dark, yellow, rocky loam, over limestone formation.

Timber, pinion and juniper.

Undergrowth, sagebrush.

40.00 N. $89^{\circ} 51' E.$, on a random line, bet. secs. 29 and 32.

Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line, 4 lks. S. of the cor. of secs. 28, 29, 32 and 33.

Thence

S. $89^{\circ} 49' W.$, on a true line, bet. secs. 29 and 32.

Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam. 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}S29$

S32

1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

80.00 The cor. of secs. 29, 30, 31 and 32.

Land, gently rolling.

Soil, loose, dark, gravelly loam.

Timber, pinion and juniper.

Undergrowth, sagebrush.

Completion of Subdivision of T. 27 N., R. 2 E. 27.

Chains.

40.00 S.89° 51' W., on a random line, bet. secs. 30 and 31.
 Set temp. $\frac{1}{4}$ sec. cor.
 82.44 Intersect W. bdy. of Tp., 2 lks. N. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, hereinbefore described.

Thence
 N.89° 50' E., on a true line, bet. secs. 30 and 31.
 Over gently rolling land, through scattering undergrowth and timber.
 42.44 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S30
 S31
 1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 82.44 The cor. of secs. 29, 30, 31 and 32.
 Land, gently rolling.
 Soil, dark, gravelly loam.
 Timber, pinion and juniper.
 Undergrowth, sagebrush and short weeds.

N.0° 3' W., bet. secs. 29 and 30.
 Over gently rolling land, through scattering timber and undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S30 S29
 1916

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap

T27N | R2E
 S19 | S20
 S30 | S29
 1916

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft high, W. of cor.
 Land, gently rolling.
 Soil, dark, yellow, gravelly loam, over sandstone formation.
 Timber, pinion and juniper.
 Undergrowth, sagebrush, and weeds, 1 ft. high.

N.89° 49' E., on a random line, bet. secs. 20 and 29.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect the cor. of secs. 20, 21, 28 and 29.

Thence
 S.89° 49' W., on a true line, bet. secs. 20 and 29.
 Over gently rolling land, through scattering timber and undergrowth.
 27.95 Road, brs. NW. to Grand Canyon and SE. to Williams.
 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

28. Completion of Subdivision of T. 27 N., R. 2 E.

Chains.

1/4 S20
S29
1916

79.96

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.
The cor. of secs. 19, 20, 29 and 30.
Land, gently rolling.
Soil, loose, red, clay and loam.
Timber, pinion and juniper.
Undergrowth, sagebrush, squawbrush and loco weed.

40.00

S.89° 50' W., on a random line, bet. secs. 19 and 30.
Set temp. 1/4 sec. cor.

82.44

Intersect W. bdy. of Tp., 3 lks. N. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, hereinbefore described.

Thence

N.89° 49' E., on a true line, bet. secs. 19 and 30.

Over gently rolling land, through scattering timber and undergrowth.

42.44

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S19
S30
1916

82.44

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.
The cor. of secs. 19, 20, 29 and 30.
Land, gently rolling.
Soil, dark, loose, gravelly loam.
Timber, scattering pinion and juniper.
Undergrowth, sagebrush and weeds, 1 ft. high.

40.00

N.0° 3' W., bet. secs. 19 and 20.
Over gently rolling land, through scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S19 | S20
1916

80.00

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on brass cap

T27N R2E
S18 | S17
S19 | S20
1916

Dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
Land, gently rolling.
Soil, loose, yellow clay and loam.
Timber, pinion and juniper.
Undergrowth, sagebrush and broom weed, 1 ft. high.

Chains.

Fair grass.

40.00 N.89° 49' E., on a random line, bet. secs. 17 and 20.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.84 Intersect N. and S. line, 5 lks. N. of the cor. of secs.
 16, 17, 20 and 21.

Thence

S.89° 51' W., on a true line, bet. secs. 17 and 20.
 Over gently rolling land, through scattering timoer and
 undergrowth.
 39.92 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S17
 S20
 1916

From which

A pinion, 14 ins. diam., brs. N.13 $\frac{1}{4}$ ° W., 69 lks. dist.
 marked $\frac{1}{4}$ S17 BT.

A pinion, 9 ins. diam., brs. S.40° W., 113 lks. dist.
 marked $\frac{1}{4}$ S20 BT.

69.45 Road, brs. NW. to Grand Canyon and SE. to Williams.

79.84 The cor. of secs. 17, 18, 19 and 20.

Land, gently rolling.

Soil, loose, red, clay and loam, over sandstone formation.

Timber, pinion and juniper.

Undergrowth, sagebrush and squawbrush.

40.00 S.89° 49' W., on a random line, bet. secs. 18 and 19.
 Set temp. $\frac{1}{4}$ sec. cor.
 82.56 Intersect W. bdy. of Tp., 2 lks. S. of the cor. of secs.
 13, 18, 19 and 24, which is an iron post, hereinbefore
 described.

Thence

N.89° 50' E., on a true line, bet. secs. 18 and 19.

Over gently rolling land, through scattering timber and
 undergrowth.

42.56 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S18
 S19
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N.
 of cor.

82.56 The cor. of secs. 17, 18, 19 and 20.

Land, gently rolling.

Soil, loose, rellow, gravelly loam.

Timber, very scattering pinion and juniper.

Undergrowth, sagebrush and broom weed, 1 ft. high.

Fair grass.

N.0° 3' W., bet. secs. 17 and 18.

Over gently rolling land, through scattering timber.

22.80 Road, brs. NW. to Grand Canyon and SE. to Williams.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

30. Completion of Subdivision of T. 27 N., R. 2 E.

Chains.	
80.00	<p style="text-align: center;"> $\frac{1}{4}$S18 S17 1916 </p> <p>Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p> <p>Set an iron post, 3ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, for cor. of secs. 7, 8, 17 and 18, marked on brass cap</p> <p style="text-align: center;"> T27N R2E S 7 S 8 — S18 S17 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.</p> <p>Land, gently rolling. Soil, loose, rocky, yellow loam, over limestone formation. Timber, pinion and juniper. Undergrowth, sagebrush, squawbrush, and broom weed, 1 ft. high.</p>
40.00 79.76 39.88	<p>N. $89^{\circ} 51'$ E., on a random line, bet. secs. 8 and 17. Set temp. $\frac{1}{4}$ sec. cor.</p> <p>Intersect N. and S. line, 5 lks. S. of the cor. of secs. 8, 9, 16 and 17. Thence S. $89^{\circ} 49'$ W., on a true line, bet. secs. 8 and 17. Over rolling land, through scattering timber and undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S 8 — S17 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.</p> <p>Draw, 1 ch. wide, course SW. Draw, 2 chs. wide, course NW. The cor. of secs. 7, 8, 17 and 18. Land, rolling. Soil, loose, yellow, gravelly loam, over limestone formation. Timber, pinion and juniper. Undergrowth, sagebrush and broom weed.</p>
40.00 82.40 42.40	<p>S. $89^{\circ} 50'$ W., on a random line, bet. secs. 7 and 18. Set temp. $\frac{1}{4}$ sec. cor.</p> <p>Intersect W. bdy. of Tp., 4 lks. N. of the cor. of secs. 7, 12, 13 and 18, which is an iron post, hereinbefore described. Thence N. $89^{\circ} 48'$ E., on a true line, bet. secs. 7 and 18. Over rolling land, through scattering timber and undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S 7 — S18 1916 </p>

Completion of Subdivision of T. 27 N., R. 2 E. 31

Chains.

58.10 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 5 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

66.40 Road, brs. NW. to Grand Canyon and SE. to Williams.

77.40 Draw, 1 ch. wide, course S.

82.40 Draw, 2 chs. wide, course SW.

The cor. of secs. 7, 8, 17 and 18.

Land, rolling.

Soil, red, sandy clay and loam, over limestone and sandstone formations.

Timber, pinion and juniper.

Undergrowth, sagebrush, squawbrush, and broom weed, 1 ft. high.


4.00 N.0° 3' W., on a true line, bet. secs. 7 and 8.

30.00 Over rolling land, through scattering timber and undergrowth.

40.00 Draw, 2 chs. wide, course SW.

Draw, 1 ch. wide, course SW.


Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



83.14 And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Intersect S. bdy. of sec. 5, .98 lks. N.89° 56' E. of original cor. of secs. 5, 6, 7 and 8, which is a limestone, 9 X 12 X 14 ins. above ground, firmly set, marked and witnessed as described by the Surveyor General. Now becomes cor. of secs. 5 & 6 only.

At point of intersection, set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 7 and 8, marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor.

Land, rolling.

Soil, loose, yellow, gravelly loam, over limestone formation.

Timber, pinion and juniper.

Undergrowth, sagebrush and broom weed, 6 ins. high.

General Description.

This township consists of rolling and gently rolling land, covered with a scattering growth of sagebrush and squawbrush, and cedar, juniper and pinion timber. The soil is a loose, yellow clay and loam, varying from 10 to 26 ins. in depth, over limestone and sandstone subsoil.

The Grand Canyon Branch of the A. T. and S. F. Ry. runs through the south west cor. of sec. 31.

There are no settlers. Several dirt dams have been built in this township for impounding flood waters.

Diagram showing the respective surveys executed by Thomas B. Matthews, U.S.S. and Deane J. Wolff and William L. Nash, U.S. Transitmen, under instructions for Group No. 55, Arizona.

Book "G"

BOOK 3100

Township 27 North, Range 2 East.

	6	5	4	3	2	1
6-27-16	7 7-5-16	8 7-5-16	9 7-2-16	10 7-1-16	11 7-1-16	12 6-29-16
6-27-16	18 7-5-16	17 7-5-16	16 7-2-16	15 6-30-16	14 6-30-16	13 6-29-16
6-27-16	19 7-2-16	20 7-2-16	21 7-1-16	22 6-30-16	23 6-30-16	24 6-28-16
6-27-16	30 7-2-16	29 7-2-16	28 7-1-16	27 6-30-16	26 6-30-16	25 6-28-16
6-27-16	31 6-21-16	32 6-21-16	33 6-21-16	34 6-21-16	35 6-21-16	36 6-21-16

Blue lines indicate surveys by Thomas B. Matthews, U.S.S., on the various dates shown.

Red lines indicate surveys by Deane J. Wolff, U.S.T., on the various dates shown.

Green lines indicate surveys by William L. Nash, U.S.T. on the various dates shown.

CERTIFICATES OF U. S. SURVEYOR AND U. S. TRANSITMEN,

We, Thomas B. Matthews and Deane J. Wolff and William L. Nash, U. S. Surveyor and U.S. Transitmen, respectively, hereby certify on honor that, in pursuance of special instructions received from the U.S. Surveyor General of Arizona for Group No. 55, Arizona, bearing date of the 8th day of March, 1915, we have well, faithfully, and truly, in our own proper persons, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States surveyed all those parts or portions of the East and West boundaries, and the Subdivision lines of

TOWNSHIP 27 NORTH, RANGE 2 EAST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes, and by the diagram on the reverse hereof, as having been executed by us, and under our direction; and we do further certify on honor that all the corners of said survey have been established or perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U.S. Surveyor General of Arizona for Group No. 55, and in the specific manner described in our respective field notes, and that the foregoing are the original field notes of such surveys.

Thomas B. Matthews
U. S. Surveyor.

William L. Nash
U. S. Transitman.

Deane J. Wolff
U. S. Transitman.

A P P R O V A L .

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona,

SEP 28 1918

The foregoing field notes of the survey of the Completion of the East and West boundaries, and part of the Subdivision lines of

TOWNSHIP 27 NORTH, RANGE 2 EAST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, executed by Thomas B. Matthews, U. S. Surveyor, and Deane J. Wolff, and William L. Nash, U.S. Transitmen, under special instructions, dated March 8, 1915, for Group 55, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank R. Frost
U. S. Surveyor General of Arizona.

~~I certify that the foregoing transcript of the field notes of the above-described surveys, in Book "110" of Group 55, Arizona, has been correctly copied from the original notes on file in this office.~~

U.S. Surveyor General of Arizona.