

3150

33

(1)

4-679

BOOK 3150

Book "R."  
Subdivisions

NOV 19 1917

# FIELD NOTES

OF THE RESURVEY OF

EAST BOUNDARY

and SURVEY of

SUBDIVISION LINES

OF

TOWNSHIP 24 NORTH, RANGE 20 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Guy H. Richardson, U. S. Surveyor,

and

Hugo Price, U.S. Transitman,

*under instructions dated January 6, 1915,*  
*issued by the United States Surveyor General to govern surveys included in*  
*Group No 44, which were approved by the Commissioner of the General Land*  
*Office, January 26, 1915.*

Resurvey & Survey commenced March 1, 1916

Resurvey & Survey completed March 7, 1916

Executed under Assignment  
Instructions dated Nov. 29, 1915

3150

3150



Resurvey of the East Boundary of T. 24 N., R. 20 W.,  
and  
Survey of Subdivisional Lines of T. 24 N., R. 20 W.

15

Chains

Work commenced Mar. 1, 1916, and executed jointly by  
Guy H. Richardson, U. S. Surveyor, and Hugo Price,  
U. S. Transitman.

A description of the instruments used, with record of ap-  
proval by the assistant supervisor of surveys, and field  
tests, appears in Book A.

All measurements made with steel tapes and clinometers.  
Mag. decl. is 15° E.

The initials "G. H. R." and "H. P." are inserted in the  
following notes at the beginning and ending of those  
portions of the notes describing the surveys executed  
by Guy H. Richardson and Hugo Price, respectively.

G. H. R.  
H. P.

Resurvey of the East Boundary of T. 24 N., R. 20 W.

H. P.

Mar. 2, 1916.

At 9h 30m, a.m., l.m.t., I set off 35°25' on the lat. arc,  
7°07' S. on the decl. arc; and determine a meridian with  
the solar at the reestablished cor. of Ts. 23 and 24 N.,  
R. 20 W., described in Book "M."  
Thence I run, as per instructions,

North, on E. bdy. of sec. 36,  
over rolling prairie, through scattering undergrowth.

5.00

Wash, 15 lks. wide, course NW.

8.54

The closing cor. of Ts. 23 and 24 N., R. 19 W., described  
in Book "L."

27.90

Road from Chloride to Colorado River bears E. and W.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for reestablished ¼ sec. cor. pertaining to sec.  
36, with brass cap, marked

¼ S 36 in W. half, and  
1916 in S. rim;

dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth, 3½ ft. base, 1½ ft. high,  
W. of cor.

48.54

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for reestablished ¼ sec. cor. to sec. 31, with  
brass cap, marked

¼ S 31 in E. half, and  
1916 in S. rim;

dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth, 3½ ft. base, 1½ ft. high,  
W. of cor.

80.00

Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the  
ground, for reestablished cor. of secs. 25 and 36, with  
brass cap, marked

T 24 N S 25 in NW., and  
R 20 W S 36 in SW. quadrant; and  
1916 in S. rim;

dig pits, 24x24x12 ins., NW. & SW. of post, 6 ft. dist., and  
raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, rolling prairie.

Soil, sandy, with scattering rocks; 2nd and 3rd rate.

No timber.

Undergrowth, greasewood, spanish bayonet and cactus.

Heavy growth of grass.

Chains

- 8.54 North, on E. bdy. of sec. 25,  
over rolling prairie, through scattering undergrowth.  
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the  
ground, for reestablished cor. of secs. 30 and 31, with  
brass cap, marked  
T 24 N S 30 in NE., and  
R 19 W S 31 in SE. quadrant; and  
1916 in S. rim;  
dig pits, 24x24x12 ins., NE. and SE. of post, 6 ft. dist., and  
raise a mound of earth, 4 ft. base, 2 ft. high, E. of cor.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for reestablished  $\frac{1}{4}$  sec. cor. to sec. 25, with  
brass cap, marked  
 $\frac{1}{4}$  S 25 in W. half, and  
1916 in S. rim;  
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth, 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.
- 48.54 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for reestablished  $\frac{1}{4}$  sec. cor. to sec. 30, with  
brass cap, marked  
 $\frac{1}{4}$  S 30 in E. half, and  
1916 in S. rim;  
dig pits, 18x18x12 ins., N. and S. of post., 3 ft. dist.,  
and raise a mound of earth, 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the  
ground, for reestablished cor. of secs. 24 and 25, with  
brass cap, marked  
T 24 N S 24 in NW., and  
R 20 W S 25 in SW. quadrant; and  
1916 in S. rim;  
dig pits, 24x24x12 ins., NW. & SW. of post, 6 ft. dist., and  
raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
Land, rolling prairie.  
Soil, sandy, with scattering rocks; 2nd and 3rd rate.  
No timber.  
Undergrowth, cactus.  
Heavy growth of grass.

- 8.54 North, on E. bdy. of sec. 24,  
over rolling prairie, through scattering undergrowth.  
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the  
ground, for reestablished cor. of secs. 19 and 30, with  
brass cap, marked  
T 24 N S 19 in NE., and  
R 19 W S 30 in SE. quadrant; and  
1916 in S. rim;  
dig pits, 24x24x12 ins., NE. and SE. of post, 6 ft. dist., and  
raise a mound of earth, 4 ft. base, 2 ft. high, E. of cor.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for reestablished  $\frac{1}{4}$  sec. cor. to sec. 24, with  
brass cap, marked  
 $\frac{1}{4}$  S 24 in W. half, and  
1916 in S. rim;  
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth, 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.
- 48.54 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for reestablished  $\frac{1}{4}$  sec. cor. to sec. 19, with  
brass cap, marked  
 $\frac{1}{4}$  S 19 in E. half, and  
1916 in S. rim;  
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth, 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.
- 65.00 Wash, 50 lks. wide, course NW.
- 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the  
ground, for reestablished cor. of secs. 13 and 24, with  
brass cap, marked

Resurvey of East Boundary of T. 24 N., R. 20 W. 3

Chains

T 24 N S 13 in NW., and  
 R 20 W S 24 in SW. quadrant; and  
 1916 in S. rim;  
 dig pits, 24x24x12 ins., NW. & SW. of post, 6 ft. dist., and  
 raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
 Land, rolling prairie.  
 Soil, sandy, with scattering rocks; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, cactus.  
 Heavy growth of grass.

8.54 North, on E. bdy. of sec. 13,  
 over rolling prairie, through scattering undergrowth.  
 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the  
 ground, for reestablished cor. of secs. 18 and 19, with  
 brass cap, marked  
 T 24 N S 18 in NE., and  
 R 19 W S 19 in SE. quadrant; and  
 1916 in S. rim;  
 dig pits, 24x24x12 ins., NE. and SE. of post, 6 ft. dist. and  
 raise a mound of earth, 4 ft. base, 2 ft. high, E. of cor.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for reestablished  $\frac{1}{4}$  sec. cor. to sec. 13, with  
 brass cap, marked  
 $\frac{1}{4}$  S 13 in W. half, and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
 and raise a mound of earth, 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
 W. of cor.

48.54 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for reestablished  $\frac{1}{4}$  sec. cor to sec. 18, with  
 brass cap, marked  
 $\frac{1}{4}$  S 18 in E. half, and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
 and raise a mound of earth, 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
 W. of cor.

At this cor., at apparent noon, I set off 7°05' S. on the  
 decl. arc, and observe the sun on the meridian. The re-  
 sulting lat. is 35°28'.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the  
 ground, for reestablished cor. of secs. 12 and 13, with  
 brass cap, marked  
 T 24 N S 12 in NW.,  
 R 20 W S 13 in SW. quadrant; and  
 1916 in S. rim;  
 dig pits, 24x24x12 ins., NW. and SW. of post, 6 ft. dist., and  
 raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
 Land, rolling prairie.  
 Soil, sandy, with scattering rocks; 4th rate.  
 No timber.  
 Undergrowth, cactus.  
 Heavy growth of grass.

8.54 North, on E. bdy. of sec. 12,  
 over rolling prairie, through scattering undergrowth.  
 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the  
 ground, for reestablished cor. of secs. 7 and 12, with brass  
 cap, marked  
 T 24 N S 7 in NE., and  
 R 19 W S 12 in SE. quadrant; and  
 1916 in S. rim;  
 dig pits, 24x24x12 ins., NE. & SE. of post, 6 ft. dist., and  
 raise a mound of earth, 4 ft. base, 2 ft. high, E. of cor.

## Resurvey of East Boundary of T. 24 N., R. 20 W.

Chains

- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished  $\frac{1}{4}$  sec. cor. to sec. 12, with brass cap, marked  
 $\frac{1}{4}$  S 12 in W. half, and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 48.54 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished  $\frac{1}{4}$  sec. cor. to sec. 7, with brass cap, marked  
 $\frac{1}{4}$  S 7 in E. half, and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 1 and 12, with brass cap, marked  
 T 24 N S 1 in NW., and  
 R 20 W S 12 in SW. quadrant; and  
 1916 in S. rim;  
 dig pits, 24x24x12 ins., NW. & SW. of post 6 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, rolling prairie.

Soil, sandy, with scattering rocks; 2nd and 3rd rate.

No timber.

Undergrowth, cactus.

Heavy growth of grass.

- 8.54 North, on E. bay. of sec. 1,  
 over rolling prairie, through scattering undergrowth.  
 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 6 and 7, with brass cap, marked  
 T 24 N S 6 in NE., and  
 R 19 W S 7 in SE. quadrant; and  
 1916 in S. rim;  
 dig pits, 24x24x12 ins., NE. & SE. of post, 6 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, E. of cor.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished  $\frac{1}{4}$  sec. cor. to sec. 1, with brass cap, marked  
 $\frac{1}{4}$  S 1 in W. half, and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 48.54 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished  $\frac{1}{4}$  sec. cor. to sec. 6, with brass cap, marked  
 $\frac{1}{4}$  S 6 in E. half, and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 70.52 Intersect 6th St. Par. N. 12.68 chs. E. of the reestablished standard cor. of Ts. 25 N., Rs. 19, and 20 W., an iron post, 3 ins. diam., with brass cap, properly marked and witnessed, (reestablished under current Group 45.)

At point of intersection

Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for closing cor. of Ts. 24 N., Rs. 19 and 20 W., with brass cap, marked

T 25 N R 19 W S 31 in N. half,

CC T 24 N in S. half,

Resurvey of East Boundary of T. 24 N., R. 20 W.

Chains

S 1 R 20 W in SW., and  
S 6 R 19 W in SE. quadrant; and  
1916 in S. rim;  
dig pits, 30x24x12 ins., crosswise on each line, E. and  
W., 4 ft., and S. of post, 8 ft. dist., and raise a  
mound of earth, 5 ft. base, 2½ ft. high, S. of cor.

Land, rolling prairie.  
Soil, sandy, with scattering rocks; 2nd and 3rd rate.  
No timber.  
Undergrowth, cactus.  
Good grass.

No trace of old cors. found throughout this township. Mar. 2, 1916.  
H. P.

-----  
Subdivision of T. 24 N., R. 20 W.

G. H. R.  
Mar. 2, 1916.  
At 9h 30m a.m., l.m.t., I set off 35°25' on the lat arc,  
7°07' S. on the decl. arc; and determine a meridian with  
the solar at the cor. of secs. 1, 2, 35 and 36, on S.  
bdy. of Tp., described in Book "A."

Thence I run  
N.0°01'W., bet. secs. 35 and 36,  
over rolling land, through scattering undergrowth.  
25.00 Leave rolling land and enter level prairie; bears E. and W.  
28.00 Road from Chloride to Colorado River bears E. and W.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for ¼ sec. cor., with brass cap, marked

¼ in N.,  
S 35 in W., and  
S 36 in E. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth, 3½ ft. base, 1½ ft. high,  
W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 25, 26, 35 and 36, with brass  
cap, marked

T 24 N S 26 in NW.,  
R 20 W S 25 in NE.,  
S 36 in SE., and  
S 35 in SW. quadrant; and  
1916 in S. rim;

dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and  
raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, rolling for 25 chs. and level for balance.  
Soil, sandy and gravelly loam with scattering rocks;  
2nd and 3rd rate.  
No timber.  
Undergrowth, greasewood and cactus.  
Good grass.

-----  
40.00 East, on a random line, bet. secs. 25 and 36.  
80.02 Set temp. ¼ sec. cor.  
Intersect E. bdy. of Tp. 8 lks. S. of reestablished cor. of secs.  
25 and 36, hereinbefore described.

## Chains

- Thence I run  
S. 89° 57' W., on a true line, bet. secs. 25 and 36,  
over gently rolling land, through scattering undergrowth.
- 40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 25 in N., and  
S 36 in S. half, and  
1916 in S. rim;  
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.
- 80.02 The cor. of secs. 25, 26, 35 and 36.  
Land, gently rolling.  
Soil, sandy and gravelly loam, with scattering rocks;  
2nd and 3rd rate.  
No timber.  
Undergrowth, greasewood and cactus.  
Good grass.
- 
- N. 0° 01' W., bet. secs. 25 and 26,  
over gently rolling land, through scattering undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
S 25 in E., and  
S 26 in W. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.
- 72.30 Road from Chloride to Colorado River bears NW. and SE.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor of secs. 23, 24, 25 and 26, with brass  
cap, marked  
T 24 N S 23 in NW.,  
R 20 W S 24 in NE.,  
S 25 in SE., and  
S 26 in SW. quadrant; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.
- Land, rolling.  
Soil, sandy and gravelly loam.  
No timber.  
Undergrowth, greasewood.  
Good grass.
- 
- East, on a random line, bet. secs. 24 and 25.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 79.96 Intersect E. bdy. of Tp. 9 lks. S. of the reestablished  
cor. of secs. 24 and 25, hereinbefore described.
- Thence I run S. 89° 56' W., on a true line, bet. secs. 24 and 25,  
over level land, through scattering undergrowth.
- 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 24 in N., and  
S 25 in S. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.



Subdivision of T. 24 N., R. 20 W.

Chains

79.96 The cor. of secs. 23, 24, 25 and 26.  
 Land, nearly level prairie.  
 Soil, sandy loam, with scattering rocks; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, cactus.  
 Good grass.  
 Mar. 2, 1916,-- G. H. R.

H. P.-- Mar. 3, 1916.  
 N.0°01'W., bet. secs. 23 and 24,  
 over rolling land, through scattering undergrowth.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
 S 23 in W., and  
 S 24 in E. half; and  
 1916 in S. rim:  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
 and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground, for cor. of secs. 13, 14, 23 and 24, with brass  
 cap, marked  
 T 24 N S 14 in NW.,  
 R 20 W S 13 in NE.,  
 S 24 in SE., and  
 S 23 in SW. quadrant; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins. in each sec.,  $5\frac{1}{2}$  ft. dist., and  
 raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
 Land, rolling.  
 Soil, sandy, with scattering rocks; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, cactus.  
 Good grass.

East, on a random line, bet. secs. 13 and 24.  
 40.00 Set a temp.  $\frac{1}{4}$  sec. cor.  
 79.98 Intersect E. bdy. of Tp. at the reestablished cor. of secs.  
 13 and 24, hereinbefore described.

Thence I run  
 West, on a true line, bet. secs. 13 and 24,  
 over rolling land, through scattering undergrowth.  
 10.00 Wash, 8 lks. wide, 4 ft. deep, course NW.  
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
 S 13 in N., and  
 S 24 in S. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
 and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 N. of cor.

77.00 Wash, 8 lks. wide, course N.  
 79.98 The cor. of secs. 13, 14, 23 and 24.  
 Land, rolling.  
 Soil, sandy, with scattering rocks; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, cactus.  
 Good grass.

N.0°01'W., bet. secs. 13 and 14,  
 over rolling land.

## Chains

- 37.00 Wash, 7 lks. wide, 3 ft. deep, course NW.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
 S 13 in E., and  
 S 14 in W. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, with brass cap, marked  
 T 24 N S 11 in NW.,  
 R 20 W S 12 in NE.,  
 S 13 in SE., and  
 S 14 in SW. quadrant; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
- Land, rolling.  
 Soil, sandy, with scattering rocks; 2nd and 3rd rate.  
 No timber or undergrowth.  
 Good grass.
- 
- 40.00 East, on a random line, bet. secs. 12 and 13.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.04 Intersect E. bdy. of Tp. 4 lks. S. of the reestablished cor. of secs. 12 and 13, hereinbefore described.
- Thence I run  
 S.  $89^{\circ}58'$  W., on a true line, bet. secs. 12 and 13, over rolling land.
- 40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
 S 12 in N., and  
 S 13 in S. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 65.00 Wash, 5 lks. wide, 2 ft. deep, course NW.  
 80.04 The cor. of secs. 11, 12, 13 and 14.  
 Land, rolling.  
 Soil, sandy, with scattering rocks; 2nd and 3rd rate.  
 No timber or undergrowth.  
 Good grass.
- 
- N.  $0^{\circ}01'$  W., bet. secs. 11 and 12, over rolling land.
- 35.00 Small reservoir bears W., 2 chs. dist.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
 S 11 in W., and  
 S 12 in E. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, with brass cap, marked

## Subdivision of T. 24 N., R. 20 W.

9

Chains

T 24 N S 2 in NW.,  
 R 20 W S 1 in NE.,  
 S 12 in SE., and  
 S 11 in SW. quadrant; and  
 1916 in S. rim;

dig pits, 18x18x12 ins., in each sec.  $5\frac{1}{2}$  ft. dist., and  
 raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sandy, with scattering rocks; 2nd and 3rd rate.

No timber or undergrowth.

Good grass.

Mar. 3, 1916.

Mar. 2, 1916.

East, on a random line, bet. secs. 1 and 12.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.08 Intersect E. bdy. of Tp. 3 lks. S. of the reestablished cor.  
 of secs. 1 and 12, hereinbefore described.

Thence I run

S.  $89^{\circ}59'$  W., on a true line, bet. secs. 1 and 12,  
 over rolling land, through scattering undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked

$\frac{1}{4}$  in W.,

S 1 in N., and

S 12 in S. half; and

1916 in S. rim;

dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
 and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 N. of cor.

80.08 The cor. of secs. 1, 2, 11 and 12.

Land, rolling.

Soil, sandy, with scattering rocks; 2nd and 3rd rate.

No timber.

Undergrowth, cactus.

Good grass.

Mar. 2, 1916.

Mar. 4, 1916.

N.  $0^{\circ}01'$  W., on a true line, bet. secs. 1 and 2,  
 over rolling land,

17.90 Wash, 10 lks. wide, 5 ft. deep, course NE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked

$\frac{1}{4}$  in N.,

S 1 in E., and

S 2 in W. half; and

1916 in S. rim;

dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
 and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 W. of cor.

70.58 Intersect 6th St. Par. N. 12.68 chs. E. of the standard  
 cor. of secs. 35 and 36, reestablished under current  
 group No. 45; which is an iron post, 3 ins. diam., with  
 brass cap, properly marked, set and witnessed.

At point of intersection

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground, for closing cor. of secs. 1 and 2, with brass  
 cap, marked

T 25 N R 20 W S 36 in N. half,

CC in S. half,

S 2 T 24 N in SW., and

S 1 R 20 W in SE. quadrant; and

1916 in S. rim;

dig pits, 24x18x12 ins., crosswise on each line, E. and  
 W., 3 ft., and S. of post, 7 ft. dist., and raise a mound  
 of earth, 4 ft. base, 2 ft. high, S. of cor.

Chains

Land, rolling.  
Soil, sandy; 1st and 2nd rate.  
No timber or undergrowth.  
Good grass.

Mar. 4, 1916.  
H. P.

-----  
G. H. R.  
Mar. 3, 1916.

From the cor. of secs. 2, 3, 34 and 35, on S. bdy. of Tp.,  
described in Book "A," I run

40.00 N.0°01'W., bet. secs. 34 and 35,  
over gently rolling prairie, through scattering undergrowth.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked

$\frac{1}{4}$  in N.,  
S 34 in W., and  
S 35 in E. half; and  
1916 in S. rim;

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 26, 27, 34 and 35, with brass  
cap, marked

T 24 N S 27 in NW.,  
R 20 W S 26 in NE.,  
S 35 in SE., and  
S 34 in SW. quadrant; and  
1916 in S. rim;

dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist.,  
and raise a mound of earth, 4 ft. base, 2 ft. high,  
W. of cor.

Land, gently rolling.  
Soil, sandy and gravelly loam; 2nd and 3rd rate.  
No timber.  
Undergrowth, greasewood.  
Good grass.

-----  
Mar. 2, 1916.  
East, on a random line, bet. secs. 26 and 35.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line at the cor. of secs. 25, 26, 35  
and 36.

Thence West, on a true line, bet. secs. 26 and 35,  
over rolling land, through scattering undergrowth.  
Asc. E. slope 65 ft. to

7.40 Top of small butte; desc. 65 ft. to

15.00 Ft.; thence over gently rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked

$\frac{1}{4}$  in W.,  
S 26 in N., and  
S 35 in S. half; and  
1916 in S. rim;

dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

80.00 The cor. of secs. 26, 27, 34 and 35.

Land, rolling.  
Soil, sandy and rocky; 2nd and 3rd rate.  
No timber.  
Undergrowth, cactus and greasewood.  
Good grass.

At this cor., I set off  $37^{\circ}05'S$ . on the decl. arc, and at  
apparent noon observe the sun on the meridian. The re-  
sulting lat. is  $35^{\circ}26'$ .

Mar. 2, 1916.--G. H. R.

Subdivision of T. 24 N., R. 20 W.

| Chains |   |
|--------|---|
|        | <p>H. P.<br/>Mar. 3, 1916.</p>  |
|        | <p>N.0°01'W., bet. secs. 26 and 27,<br/>over rolling land, through scattering undergrowth.</p>  |
| 40.00  | <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., with brass cap, marked <math>\frac{1}{4}</math> in N., S 26 in E., and S 27 in W. half; and 1916 in S. rim;<br/>dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, <math>3\frac{1}{2}</math> ft. base, <math>1\frac{1}{2}</math> ft. high, W. of cor.</p>    |
| 80.00  | <p>Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap, marked<br/>T 24 N S 22 in NW.,<br/>R 20 W S 23 in NE.,<br/>S 26 in SE., and<br/>S 27 in SW. quadrant; and<br/>1916 in S. rim;<br/>dig pits, 18x18x12 ins., in each sec., <math>5\frac{1}{2}</math> ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.</p> |
|        | <p>Land, rolling.<br/>Soil, sandy, with scattering rocks; 2nd and 3rd rate.<br/>No timber.<br/>Undergrowth, greasewood, spanish dagger and cactus.<br/>Good grass.</p>  |
| 40.00  | <p>East, on a random line, bet. secs. 23 and 26.<br/>Set temp. <math>\frac{1}{4}</math> sec. cor.</p>   |
| 80.12  | <p>Intersect N. and S. line 11 lks. N. of the cor. of secs. 23, 24, 25 and 26.</p>  |
|        | <p>Thence I run<br/>N.89°55'W., on a true line, bet. secs. 23 and 26,<br/>over rolling land, through scattering undergrowth.</p>  |
| 33.60  | <p>Road from Chloride to Colorado River bears NW. and SE.</p>   |
| 40.06  | <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., with brass cap, marked <math>\frac{1}{4}</math> in W., S 23 in N., and S 26 in S. half; and 1916 in S. rim;<br/>dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, <math>3\frac{1}{2}</math> ft. base, <math>1\frac{1}{2}</math> ft. high, N. of cor.</p>    |
| 80.12  | <p>The cor. of secs. 22, 23, 26 and 27.<br/>Land, rolling.<br/>Soil, sandy, with scattering rocks; 2nd and 3rd rate.<br/>No timber.<br/>Undergrowth, greasewood and cactus.<br/>Thin growth of grass.</p>   |
|        | <p>Mar. 3, 1916<br/>H. P.</p>   |
| 40.00  | <p>G. H. R.<br/>Mar. 3, 1916.<br/>N.0°01'W., bet. secs. 22 and 23,<br/>over rolling land, through scattering undergrowth.<br/>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., with brass cap, marked <math>\frac{1}{4}</math> in N., S 22 in W., and S 23 in E. half, and 1916 in S. rim.</p>   |

12

Subdivision of T. 24 N., R. 20 W.

Chains

- and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.
- 46.80 Road from Chloride to Colorado River bears NW. and SE.  
75.00 Wash, 100 lks. wide, course N.20°E.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
ground, for cor. of secs. 14, 15, 22 and 23, with brass  
cap, marked  
T 24 N S 15 in NW.,  
R 20 W S 14 in NE.,  
S 23 in SE., and  
S 22 in SW. quadrant; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.
- Land, gently rolling prairie.  
Soil, gravelly and sandy loam; 2nd and 3rd rate.  
Timber, none.  
Undergrowth, greasewood, cactus and spanish dagger.  
Good grass.
- 
- East, on a random line, bet. secs. 14 and 23.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.20 Intersect N. and S. line 10 lks. N. of the cor. of secs.  
13, 14, 23 and 24.
- Thence I run  
N.89°56'W., on a true line, bet. secs. 14 and 23,  
over gently rolling land, through scattering undergrowth.  
15.20 Wash, 10 lks. wide, course N.  
40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 14 in N., and  
S 23 in S. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.
- 80.20 The cor. of secs. 14, 15, 22 and 23.  
Land, gently rolling prairie.  
Soil, gravelly and sandy loam; 2nd rate.  
No timber.  
Undergrowth, greasewood.  
Good grass.
- 
- N.0°01'W., bet. secs. 14 and 15,  
over rolling land, through scattering undergrowth.  
35.00 Wash, 70 lks. wide, course NE.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
S 14 in E., and  
S 15 in W. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 10, 11, 14 and 15, with brass  
cap, marked  
T 24 N S 10 in NW.,  
R 20 W S 11 in NE.,  
S 14 in SE., and  
S 15 in SW. quadrant; and  
1916 in S. rim;

Chains

dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, gently rolling.  
Soil, gravelly and sandy loam; 2nd rate.  
No timber.  
Undergrowth, greasewood.  
Good grass.

40.00 East, on a random line, bet. secs. 11 and 14.  
Set temp. ¼ sec. cor.  
80.12 Intersect N. and S. line 12 lks. N. of the cor. of secs. 11, 12, 13 and 14.

Thence I run  
N.89°55'W., on a true line, bet. secs. 11 and 14,  
over gently rolling land, through scattering undergrowth.  
5.10 Wash, 100 lks. wide, course N.10°W.  
40.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked  
¼ in W.,  
S 11 in N., and  
S 14 in S. half; and  
1916 in S. rim;

dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.  
80.12 The cor. of secs. 10, 11, 14 and 15.  
Land, gently rolling.  
Soil, gravelly loam; 2nd and 3rd rate.  
No timber.  
Undergrowth, greasewood.  
Good grass.

Mar. 3, 1916.  
G. H. R.

H. P.  
Mar. 4, 1916.  
At 2h 00m, p.m., l.m.t., I set off 6°17'S. on the decl. arc, 35°28½' on the lat. arc; and determine a meridian with the solar at the cor. of secs. 10, 11, 14 and 15.

Thence I run  
N.0°01'W., bet. secs. 10 and 11,  
over rolling land,  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked  
¼ in N.,  
S 10 in W., and  
S 11 in E. half; and  
1916 in S. rim;

dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap, marked

T 24 N S 3 in NW.,  
R 20 W S 2 in NE.,  
S 11 in SE., and  
S 10 in SW. quadrant; and  
1916 in S. rim;

dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.  
Soil, sandy and rocky; 2nd and 3rd rate.  
No timber or undergrowth.  
Good grass.

14

Subdivision of T. 24 N., R. 20 W.

Chains

- East, on a random line, bet. secs. 2 and 11.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.06 Intersect N. and S. line 7 lks. N. of the cor. of secs. 1, 2, 11 and 12.
- Thence I run  
 N.  $89^{\circ}57'$  W., on a true line, bet. secs. 2 and 11,  
 over rolling land, through scattering undergrowth.  
 12.35 Wash, 10 lks. wide, 5 ft. deep, course N.  
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
 S 2 in N., and  
 S 11 in S. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
 and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 N. of cor.  
 80.06 The cor. of secs. 2, 3, 10 and 11.  
 Land, rolling.  
 Soil, sandy, 2nd and 3rd rate.  
 No timber.  
 Undergrowth, greasewood.  
 Good grass.
- 
- N.  $0^{\circ}01'$  W., on a true line, bet. secs. 2 and 3,  
 over rolling land, through scattering undergrowth.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
 S 2 in E., and  
 S 3 in W. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
 and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 W. of cor.  
 50.00 Wash, 10 lks. wide, course NE.  
 70.57 Intersect 6th St. Par. N. 12.68 chs. E. of the standard  
 cor. of secs. 34 and 35, reestablished under current  
 group No. 45; which is an iron post, 3 ins. diam., with  
 brass cap, properly marked and witnessed.
- At point of intersection  
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground, for closing cor. of secs. 2 and 3, with brass  
 cap, marked  
 T 25 N R 20 W S 35 in N. half,  
 CC in S. half  
 S 3 T 24 N in SW., and  
 S 2 R 20 W in SE. quadrant; and  
 1916 in S. rim;  
 dig pits, 24x18x12 ins., crosswise on each line, E. and  
 W., 3 ft., and S. of post, 7 ft. dist., and raise a mound  
 of earth, 4 ft. base, 2 ft. high, S. of cor.
- Land, rolling.  
 Soil, sandy, with scattering rocks; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, greasewood, catclaw and cactus.  
 Mar. 4, 1916.
- 
- Mar. 3, 1916.  
 At the cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp.,  
 described in Book "A," at 9h 00m, a.m., l.m.t., I set  
 off  $35^{\circ}26'$  on the lat arc and  $6^{\circ}44\frac{1}{2}'$  S. on the decl. arc;  
 and determine a meridian with the solar.



Subdivision of T. 24 N., R. 20 W.

Chains

Thence I run  
 N.0°02'W., bet. secs. 33 and 34,  
 over rolling land, through scattering undergrowth.  
 6.10 Road from Chloride to Colorado River bears E. and W.  
 23.00 Wash, 10 lks. wide, course NE.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
 S 33 in W., and  
 S 34 in E. half; and  
 1916 in S. rim;  
 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high,  
 W. of cor.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground, for cor. of secs. 27, 28, 33 and 34, with brass  
 cap, marked  
 T 24 N S 28 in NW.,  
 R 20 W S 27 in NE.,  
 S 34 in SE., and  
 S 33 in SW. quadrant; and  
 1916 in S. rim;  
 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high,  
 W. of cor.  
 Land, rolling.  
 Soil, sandy and rocky; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, greasewood, cactus and spanish bayonet.  
 Good grass.

-----  
 East, on a random line, bet. secs. 27 and 34.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.98 Intersect N. and S. line 6 lks. N. of the cor. of secs.  
 26, 27, 34 and 35.

Thence I run  
 N.89°57'W., on a true line, bet. secs. 27 and 34,  
 over rolling land, through scattering undergrowth.  
 23.00 Wash, 10 lks. wide, course N.  
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
 S 27 in N., and  
 S 34 in S. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
 and raise a mound of earth, 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
 N. of cor.  
 57.00 Wash, 10 lks. wide, course NE.  
 79.99 The cor. of secs. 27, 28, 33 and 34.  
 98 Land, rolling.  
 Soil, sandy, with scattering rocks; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, greasewood, cactus and spanish dagger.  
 Good grass.

Mar. 3, 1916.  
H. P.

-----  
 G. H. R.  
 N.0°02'W., bet. secs. 27 and 28,  
 over gently rolling land, through scattering undergrowth.  
 15.00 Wash, 60 lks. wide, course NE.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
 S 27 in E., and  
 S 28 in W. half; and  
 1916 in S. rim;  
 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high,  
 W. of cor.

Chains

45.00 Wash, 15 lks. wide, course N.75°E.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, with brass cap, marked  
                   T 24 N S 21 in NW.,  
                   R 20 W S 22 in NE.,  
                   S 27 in SE., and  
                   S 28 in SW. quadrant; and  
                   1916 in S. rim;  
 dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.  
  
 Land, gently rolling.  
 Soil, gravelly and sandy loam; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, greasewood and spanish dagger.  
 Good grass.

-----  
 East, on a random line, bet. secs. 22 and 27.  
 40.00 Set temp. ¼ sec. cor.  
 80.00 Intersect N. and S. line 14 lks. N. of the cor. of secs. 22, 23, 26 and 27.

Thence I run  
 N.89°54'W., on a true line, bet. secs. 22 and 27, over gently rolling prairie, through scattering undergrowth.

15.00 Wash, 20 lks. wide, course NW.  
 35.00 Wash, 100 lks. wide, course N.  
 37.50 Wash, 50 lks. wide, course NE.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked  
                   ¼ in W.,  
                   S 22 in N., and  
                   S 27 in S. half; and  
                   1916 in S. rim;  
 and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

80.00 The cor. of secs. 21, 22, 27 and 28.  
 Land, gently rolling.  
 Soil, gravelly and sandy loam; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, greasewood.  
 Good grass.

Mar. 3, 1916.

-----  
 Mar. 4, 1916.  
 N.0°02'W., bet. secs. 21 and 22, over gently rolling land, through scattering undergrowth.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked  
                   ¼ in N.,  
                   S 21 in W., and  
                   S 22 in E. half; and  
                   1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, with brass cap, marked  
                   T 24 N S 16 in NW.,  
                   R 20 W S 15 in NE.,  
                   S 22 in SE., and  
                   S 21 in SW. quadrant; and  
                   1916 in S. rim;

Subdivision of T. 24 N., R. 20 W.

Chains

dig pits, 18x18x12 ins., in each sec., 5½ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, gently rolling.  
Soil, gravelly and sandy loam, with scattering rocks; 2nd and 3rd rate.  
No timber.  
Undergrowth, greasewood and spanish dagger.  
Good grass.

40.00 East, on a random line, bet. secs. 15 and 22.  
Set temp. ¼ sec. cor.  
79.90 Intersect N. and S. line 10 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence I run  
N.89°56'W., on a true line, bet. secs. 15 and 22, over gently rolling land, through scattering undergrowth.  
39.95 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked  
¼ in W.,  
\$ 15 in N., and  
S 22 in S. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.

41.90 Road bears N.25°W. and S.25°E. (Chloride to Colorado River).  
79.90 The cor. of secs. 15, 16, 21 and 22.  
Land, gently rolling.  
Soil, gravelly and sandy loam; 2nd and 3rd rate.  
Timber, none.  
Undergrowth, greasewood.  
Good grass.

30.60 N.0°02'W., bet. secs. 15 and 16,  
over rolling land, through scattering undergrowth.  
Road from Chloride to Colorado River bears NW. and SE.  
35.00 Wash, 70 lks. wide, course E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, and 8 ins. in a mound of stone, for ¼ sec. cor., with brass cap, marked  
¼ in N.,  
\$ 15 in E., and  
S 16 in W. half; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

80.00 Impracticable to dig pits or set cor. farther in ground.  
Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground and 12 ins. in a mound of stone, for cor. of secs. 9, 10, 15 and 16, with brass cap, marked  
T 24 N S 9 in NW.,  
R 20 W S 10 in NE.,  
S 15 in SE., and  
S 16 in SW. quadrant; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Impracticable to dig pits or set cor. farther in the ground.

Land, rolling.  
Soil, rocky; 4th rate.  
No timber.  
Undergrowth, greasewood.

Chains

40.00 East, on a random line, bet. secs. 10 and 15.  
Set temp.  $\frac{1}{4}$  sec. cor.  
79.98 Intersect N. and S. line at the cor. of secs. 10, 11, 14  
and 15.

Thence I run  
West, on a true line, bet. secs. 10 and 15,  
over level land, through scattering undergrowth.  
15.20 Leave level land; border bears N. and S.; asc. E. slope  
of butte.  
39.99 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the  
ground and 20 ins. in a mound of stone, for  $\frac{1}{4}$  sec. cor.,  
with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 10 in N., and  
S 15 in S. half; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor. Impracticable to dig pits or set cor. farther  
in the ground.  
40.90 Top of butte; desc. W. slope 125 ft. to  
55.00 Ft. of butte; thence over broken land.  
79.98 The cor. of secs. 9, 10, 15 and 16.  
Land, 15 chs. level, and balance roughly rolling and broken.  
Soil, rocky; 4th rate.  
No timber.  
Undergrowth, greasewood.

-----

40.00 N.0°02'W., bet. secs. 9 and 10,  
over rolling land, through scattering undergrowth.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
S 9 in W., and  
S 10 in E. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 3, 4, 9 and 10, with brass  
cap, marked  
T 24 N S 4 in NW.,  
R 20 W S 3 in NE.,  
S 10 in SE., and  
S 9 in SW. quadrant; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist.,  
and raise a mound of earth, 4 ft. base, 2 ft. high,  
W. of cor.

Land, rolling.  
Soil, rocky; 3rd and 4th rate.  
No timber.  
Undergrowth, greasewood and spanish dagger.

-----

40.00 East, on a random line, bet. secs. 3 and 10.  
Set temp.  $\frac{1}{4}$  sec. cor.  
79.98 Intersect N. and S. line 5 lks. N. of the cor. of secs.  
2, 3, 10 and 11.

Thence N.89°58'W., on a true line, bet. secs. 3 and 10,  
over gently rolling land, through scattering undergrowth.  
39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked

Subdivision of T. 24 N., R. 20 W.

Chains

79.98  $\frac{1}{4}$  in W.,  
 $\frac{3}{4}$  in N., and  
 S 10 in S. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
 and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 N. of cor.  
 The cor. of secs. 3, 4, 9 and 10.  
 Land, rolling.  
 Soil, gravelly and sandy loam; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, greasewood and spanish dagger.

25.00 N.0°02'W., on a true line, bet. secs. 3 and 4,  
 over rolling land, through scattering undergrowth.  
 Wash, 100 lks. wide, course E.

40.00 Leave rolling land; bears N. and S.; enter level prairie.  
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor.;, with brass cap, marked  
 $\frac{1}{4}$  in N.,  
 S 3 in E., and  
 S 4 in W. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
 and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 W. of cor.

70.74 Intersect 6th St. Par. N., 12.65 chs. E. of the standard  
 cor. of secs. 33 and 34, reestablished under current  
 group No. 45; which is an iron post, 3 ins. diam., with  
 brass cap, properly marked and witnessed.

At point of intersection  
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground, for closing cor. of secs. 3 and 4, with brass  
 cap, marked

T 25 N R 20 W S 34 in N. half,  
 CC in S. half,  
 S 4 T 24 N in SW., and  
 S 3 R 20 W in SE. quadrant; and  
 1916 in S. rim;

dig pits, 24x18x12 ins., E. and W., 3 ft., and S. of post,  
 7 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft.  
 high, S. of cor.

Land, rolling for 25 chs. and level for balance.  
 Soil, gravelly loam; 3rd rate.  
 No timber.  
 Undergrowth, greasewood.

Mar. 6, 1916.

Mar. 3, 1916.

At 9h 00m, a.m., l.m.t., I set off 35°25' on the lat. arc,  
 6°44 $\frac{1}{2}$ 'S. on the decl. arc; and determine a meridian with  
 the solar, at the cor. of secs. 4, 5, 32 and 33, on the  
 S. bdy. of Tp., described in Book "A."

Thence I run  
 N.0°03'W., bet. secs. 32 and 33,  
 over rolling land, through scattering undergrowth.  
 Asc. gradually of SW. slope.

4.70 Road from Chloride to Colorado River bears E. and W.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the  
 ground, and 14 ins. in a mound of stone, for  $\frac{1}{4}$  sec. cor.,  
 with brass cap, marked

$\frac{1}{4}$  in N.,  
 S 32 in W., and  
 S 33 in E. half; and

Chains

- 1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor. Impracticable to dig pits, or set cor. farther  
in the ground.
- 55.75 Spur, 325 ft. above sec. cor., extends SE.; desc. 140 ft.  
on NE. slope to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the  
ground, and 9 ins. in a mound of stone, for cor. of secs.  
28, 29, 32 and 33, with brass cap, marked  
T 24 N S 29 in NW.,  
R 20 W S 28 in NE.,  
S 33 in SE., and  
S 32 in SW. quadrant; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor. Impracticable to dig pits or set cor. farther  
in the ground.
- Land, rolling.  
Soil, rocky; 4th rate.  
No timber.  
Undergrowth, greasewood and cactus.
- 
- 40.00 East, on a random line, bet. secs. 28 and 33.  
Set temp.  $\frac{1}{4}$  sec. cor.
- 80.04 Intersect N. and S. line 12 lks. N. of the cor. of secs.  
27, 28, 33 and 34.
- Thence N.  $89^{\circ}55'W.$ , on a true line, bet. secs. 28 and 33,  
over slightly rolling land, through scattering undergrowth.
- 5.00 Wash, 50 lks. wide, course NE.
- 40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 28 in N., and  
S 33 in S. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.
- 65.00 Asc. 80 ft. over roughly rolling land to
- 80.04 The cor. of secs. 28, 29, 32 and 33.  
Land, gently rolling for 65 chs. and roughly rolling  
for balance.  
Soil, rocky and sandy loam; 2nd and 3rd rate.  
No timber.  
Undergrowth, greasewood, cactus and spanish dagger.  
Good grass .

Mar. 3, 1916.

Mar. 6, 1916.

At 8h 00m, a.m., l.m.t., I set off  $35^{\circ}26'$  on the lat. arc,  
 $5^{\circ}35\frac{1}{2}'S.$  on the decl. arc; and determine a meridian with  
the solar, at the cor. of secs. 28, 29, 32 and 33.

Thence I run  
N.  $0^{\circ}03'W.$ , bet. secs. 28 and 29,  
over rolling mountainous land, through scattering under-  
growth.

- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the  
ground, and 11 ins. in a mound of stone, for  $\frac{1}{4}$  sec. cor.,  
with brass cap, marked  
 $\frac{1}{4}$  in N.,  
S 28 in E., and  
S 29 in W. half; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.

Chains

Impracticable to dig pits or set cor. farther in the ground.

45.00 Asc. 290 ft. to  
 66.00 Spur extends SE.; desc. 150 ft. on NE. slope to  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, on solid rock, for cor. of secs. 20, 21, 28 and 29, with brass cap, marked  
     T 24 N S 20 in NW.,  
     R 20 W S 21 in NE.,  
     S 28 in SE., and  
     S 29 in SW. quadrant; and  
     1916 in S. rim;  
 and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Land, rolling mountainous.  
Soil, rocky; 4th rate.  
No timber.  
Undergrowth, greasewood.

Mar. 6, 1916.

Mar. 4 and 6, 1916.

East, on a random line, bet. secs. 21 and 28.  
 40.00 Set temp. ¼ sec. cor.  
 80.10 Intersect N. and S. line 12 lks. N. of the cor. of secs. 21, 22, 27 and 28.

Thence N. 89° 55' W., on a true line, bet. secs. 21 and 28, over gently rolling land, through scattering undergrowth.  
 40.05 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked  
     ¼ in W.,  
     S 21 in N., and  
     S 28 in S. half; and  
     1916 in S. rim;  
 and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

45.00 Leave gently rolling land, and asc. gradually, over roughly rolling land; border bears N. and S.  
 55.00 Ravine, course SE.; asc. NE. slope.  
 80.10 340 ft. above ft. of slope,  
 The cor. of secs. 20, 21, 28 and 29.

Land, gently rolling in E. 45 chs. and roughly rolling in W. portion.  
Soil, rocky; 4th rate.  
No timber.  
Undergrowth, greasewood.

Mar. 4 and 6, 1916.

Mar. 6, 1916.

N. 0° 03' W., bet. secs. 20 and 21, over roughly rolling land, through scattering undergrowth.  
 Desc. 100 ft. on NE. slope to  
 9.90 Head of ravine, course E.; asc. SE. slope 135 ft. to  
 16.36 Short spur extends E.  
 17.35 Desc. NE. slope.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked  
     ¼ in N.,  
     S 20 in W., and  
     S 21 in E. half; and  
     1916 in S. rim;  
 and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.  
 70.00 Ft. of slope, 250 ft. below 17.35 ch. pt.; thence over prairie land.

Chains

- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, with brass cap, marked  
 T 24 N S 17 in NW.,  
 R 20 W S 16 in NE.,  
 S 21 in SE., and  
 S 20 in SW. quadrant; and  
 1916 in S. rim;  
 and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.  
 Land, roughly rolling in S. 70 chs., and prairie land in N. portion.  
 Soil, rocky; 4th rate.  
 No timber.  
 Undergrowth, greasewood and cactus.
- 
- 40.00 East, on a random line, bet. secs. 16 and 21.  
 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.06 Intersect N. and S. line 7 lks. N. of the cor. of secs. 15, 16, 21 and 22.  
 Thence I run  
 N.  $89^{\circ}57'W.$ , on a true line, bet. secs. 16 and 21, over rolling land, through scattering undergrowth.
- 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
 S 16 in N., and  
 S 21 in S. half; and  
 1916 in S. rim;  
 and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 80.06 The cor. of secs. 16, 17, 20 and 21.  
 Land, gently rolling.  
 Soil, gravelly and sandy loam, with scattering rocks; 2nd and 3rd rate.  
 No timber.  
 Undergrowth, greasewood.
- 
- 15.00 N.  $0^{\circ}03'W.$ , bet. secs. 16 and 17,  
 over level prairie, through scattering undergrowth.  
 Leave prairie and enter rolling land; bears NE. and SW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
 S 16 in E., and  
 S 17 in W. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, with brass cap, marked  
 T 24 N S 8 in NW.,  
 R 20 W S 9 in NE.,  
 S 16 in SE., and  
 S 17 in SW. quadrant; and  
 1916 in S. rim;  
 and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.  
 Land, level prairie in S. 15 chs. and rolling for N. portion.  
 Soil, rocky and sandy loam; 2nd and 4th rate.



Chains

No timber.  
Undergrowth, greasewood.

At this cor., I set off  $5^{\circ}32\frac{1}{2}'S.$  on the decl. arc, and at apparent noon observe the sun on the meridian. The resulting lat. is  $35^{\circ}28\frac{1}{2}'$ .

Mar. 6, 1916.

40.00 East, on a random line, bet. secs. 9 and 16.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.08 Intersect N. and S. line 10 lks. N. of the cor. of secs. 9, 10, 15 and 16.

Thence I run  
N.  $89^{\circ}56'W.$ , on a true line, bet. secs. 9 and 16, over rolling land, through scattering undergrowth.  
40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 9 in N., and  
S 16 in S. half; and  
1916 in S. rim;

dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

74.80 Wash, 60 lks. wide, course SE.  
Road from Chloride to Colorado River bears NW. and SE.

80.08 The cor. of secs. 8, 9, 16 and 17.  
Land, rolling.  
Soil, gravelly loam; 3rd rate.  
No timber.  
Undergrowth, greasewood.

Mar. 6, 1916.

March 7, 1916.

N.  $0^{\circ}03'W.$ , bet. secs. 8 and 9.  
Ascend over rolling land, thru. scattering undergrowth.

5.39 Road, NW. and SE. Wash, course SE. Ascend.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked

$\frac{1}{4}$  in N.,  
S 8 in W., and  
S 9 in E. half; and  
1916 in S. rim;

60.00 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.  
Top of ascent, brs. NW.; descend.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, with brass cap, marked

T 24 N S 5 in NW.,  
R 20 W S 4 in NE.,  
S 9 in SE., and  
S 8 in SW. quadrant; and  
1916 in S. rim;

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

Land, rolling.  
Soil, rocky; 4th rate.  
No timber.  
Undergrowth, greasewood.

Mar. 7, 1916, --G. H. R.

## Chains

H. P.

Mar. 7, 1916.

At the cor. of secs. 4, 5, 8 and 9, I set off  $5^{\circ}09'S.$  on the decl. arc., and at apparent noon observe the sun on the meridian. The resulting lat. is  $35^{\circ}29\frac{1}{2}'$ .

Thence I run

East, on a random line, bet. secs. 4 and 9.

40.00 Set a temp.  $\frac{1}{4}$  sec. cor.

80.14 Intersect N. and S. line 4 lks. S. of the cor. of secs. 3, 4, 9 and 10.

Thence  $S.89^{\circ}58'W.$ , on a true line, bet. secs. 4 and 9, over rolling land, through scattering undergrowth.

40.07 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked $\frac{1}{4}$  in W.,

S 4 in N., and

S 9 in S. half; and

1916 in S. rim;

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

53.00 Wash, course NE.; width, 10 lks. Ascend.

80.14 The cor. of secs. 4, 5, 8 and 9.

Land, rolling.

Soil, sandy and rocky; 4th rate.

No timber.

Undergrowth, greasewood, catclaw, spanish bayonet and cactus.

Mar. 7, 1916.

H. P.

G. H. R.

Mar. 7, 1916.

$N.0^{\circ}03'W.$ , on a true line, bet. secs. 4 and 5, over rolling land, through scattering undergrowth.

15.00 Wash, 100 lks. wide, course  $N.75^{\circ}E.$ 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked $\frac{1}{4}$  in N.,

S 4 in E., and

S 5 in W. half; and

1916 in S. rim;

dig pits,  $18 \times 18 \times 12$  ins., N. and S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

70.82 Intersect 6th St. Par. N., 12.72 chs. E. of the standard cor. of secs. 32 and 33, reestablished under current group No. 45; which is an iron post, 3 ins. diam., with brass cap, properly marked, set and witnessed.

At point of intersection

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 4 and 5, with brass cap, marked

T 25 N R 20 W S 33 in N. half,

CC in S. half,

S 5 T 24 N in SW., and

S 4 R 20 W in SE. quadrant; and

1916 in S. rim;

dig pits,  $24 \times 18 \times 12$  ins., crosswise on each line, E. and W. of post, 3 ft., and S., 7 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, S. of cor.

Land, rolling.

Soil, gravelly loam; 3rd rate.

No timber.

Undergrowth, greasewood and spanish dagger.

Mar. 7, 1916.

G. H. R.

Subdivision of T. 24 N., R. 20 W.

Chains

H. P.  
Mar. 6, 1916.  
At 9h 00m, a.m., l.m.t., I set off 35°25' on the lat. arc, 5°35'S. on the decl. arc; and determine a meridian with the solar at the cor. of secs. 5, 6, 31 and 32, on S. bdy. of Tp., described in Book "A."

Thence I run  
N.0°03'W., bet. secs. 31 and 32,  
over rolling mountainous land, through scattering undergrowth,

7.00 Draw, course MW.  
20.00 Same draw, course NE.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
S 31 in W., and  
S 32 in E. half; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

45.00 Ravine, course E.  
67.20 Wash, 15 lks. wide, course E.  
68.20 Road from Chloride to Colorado River bears E. and W.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap, marked

T 24 N S 30 in NW.,  
R 20 W S 29 in NE.,  
S 32 in SE., and  
S 31 in SW. quadrant; and  
1916 in S. rim;

and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Land, rolling mountainous.  
Soil, rocky; 4th rate.  
No timber.  
Undergrowth, juniper, greasewood, spanish bayonet, cactus and catclaw.

-----  
40.00 East, on a random line, bet. secs. 29 and 32.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.22 Intersect N. and S. line 5 lks. S. of the cor. of secs. 28, 29, 32 and 33.

Thence I run  
S.89°58'W., on a true line, bet. secs. 29 and 32,  
over rolling mountainous land, through scattering undergrowth.

Asc. 210 ft. to  
9.60 Top of spur extends S.; desc. 200 ft. on W. slope to  
25.20 Wash, 10 lks. wide, course SW.  
34.55 Wash, 10 lks. wide, course S.

40.11 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground and 6 ins. in a mound of stone, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 29 in N., and  
S 32 in S. half; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor. Impracticable to dig pits or set cor. farther in the ground.

47.20 Wash, 10 lks. wide, course SE.  
80.22 The cor. of secs. 29, 30, 31 and 32.  
Land, rolling mountainous.  
Soil, rocky; 3rd rate.

Chains

No timber.  
Undergrowth, greasewood, spanish bayonet, cactus and juniper.

40.00  
77.77

West, on a random line, bet. secs. 30 and 31.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Intersect W. bdy. of Tp. 7 lks. S. of the cor. of secs. 25, 30, 31 and 36, described in Book A.

Thence I run  
S.  $89^{\circ}57'$  E., on a true line, bet. secs. 30 and 31, over rolling mountainous land, through scattering undergrowth.

3.75  
8.60  
13.45  
22.35  
35.15  
37.77

Asc. 80 ft. on W. slope to  
Top of spur extends S.; desc. 50 ft. on E. slope, to Ravine, course S.; asc. 85 ft. on W. slope to  
Top of spur extends S.; desc. 150 ft. on E. slope to Ravine, course S.; asc. 190 ft. on W. slope to  
Top of ridge bears NW. and SE.  
Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground and 12 ins. in a mound of stone, for  $\frac{1}{4}$  sec. cor., with brass cap, marked

$\frac{1}{4}$  in W.,  
S 30 in N., and  
S 31 in S. half; and  
1916 in S. rim;

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

45.25  
77.77

Desc. 35 ft. to  
Wash, 10 lks. wide, course SE.  
The cor. of secs. 29, 30, 31 and 32.  
Land, rolling mountainous.  
Soil, rocky; 4th rate.  
No timber.

Undergrowth, juniper, greasewood, spanish bayonet, catclaw and cactus.

At this cor. I set off  $5^{\circ}32\frac{1}{2}'$  S. on the decl. arc, and at apparent noon observe the sun on the meridian. The resulting lat. is  $35^{\circ}26'$ .

40.00

N.  $0^{\circ}03'$  W., bet. secs. 29 and 30, over rolling land, through scattering undergrowth.  
Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, and 12 ins. in a mound of stone, for  $\frac{1}{4}$  sec. cor., with brass cap, marked

$\frac{1}{4}$  in N.,  
S 29 in E., and  
S 30 in W. half; and  
1916 in S. rim;

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor. Impracticable to dig pits, or set cor. farther in the ground.

45.80  
76.80  
80.00

Wash, 10 lks. wide, course SE.  
Wash, 10 lks. wide, course SE.  
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, with brass cap, marked

T 24 N S 19 in NW.,  
R 20 W S 20 in NE.,  
S 29 in SE., and  
S 30 in SW. quadrant; and  
1916 in S. rim;

dig pits,  $18 \times 18 \times 12$  ins., in each sec.,  $5\frac{1}{2}$  ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Chains

Land, rolling.  
Soil, sandy and rocky; 4th rate.  
No timber.  
Undergrowth, juniper, greasewood, spanish bayonet, cat-claw and cactus.

40.00 East, on a random line, bet. secs. 20 and 29.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.18 Intersect N. and S. line 12 lks. S. of the cor. of secs. 20, 21, 28 and 29.

Thence I run  
S.  $89^{\circ}55'$  W., on a true line, bet. secs. 20 and 29, over mountainous land, through scattering undergrowth.  
Asc. 260 ft. on broken NE. slope to  
17.00 Top of spur extends SE.; desc. 190 ft, on SW slope to  
30.30 Ravine, course SE.; asc. 75 ft. on NE. slope to  
36.75 Top of spur extends SE.; desc.  
40.09 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground and 18 ins. in a mound of stone, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 20 in N., and  
S 29 in S. half; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor. Impracticable to dig pits or set cor. farther in the ground.  
40.70 Ft. of descent.  
50.50 Asc. 30 ft. to  
56.00 Top of spur extends SE.  
58.00 Desc. 220 ft. on W. slope to  
70.20 Ft.; leave mountainous land and enter rolling land.  
75.00 Wash, 8 lks. wide, course S.  
80.18 The cor. of secs. 19, 20, 29 and 30.

Land, mountainous in E. 70 chs., and rolling in W. part.  
Soil, rocky; 4th rate.  
No timber.  
Undergrowth, greasewood, juniper, spanish bayonet and cactus.

40.00 West, on a random line, bet. secs. 19 and 30.  
Set temp.  $\frac{1}{4}$  sec. cor.  
77.60 Intersect W. bdy. of Tp., 8 lks. S. of the cor. of secs. 19, 24, 25 and 30, described in Book A.

Thence I run  
S.  $89^{\circ}57'$  E., on a true line, bet. secs. 19 and 30, over rolling land, through scattering undergrowth.  
37.60 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground and 6 ins. in a mound of stone, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 19 in N., and  
S 30 in S. half; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
74.40 Wash, 10 lks. wide, course S.  
77.60 The cor. of secs. 19, 20, 29 and 30.

Land, rolling.  
Soil, sandy and rocky; 4th rate.  
No timber.  
Undergrowth, juniper, greasewood, spanish bayonet, cat-claw and cactus.

28

## Subdivision of T. 24 N., R. 20 W.

Chains

N.0°03'W., bet. secs. 19 and 20,  
over rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the  
ground and 18 ins. in a mound of stone, for  $\frac{1}{4}$  sec. cor.,  
with brass cap, marked  
 $\frac{1}{4}$  in N.,  
S 19 in W., and  
S 20 in E. half; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.

45.00 Low ridge bears NE. and SW.; thence along broken W. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of  
stone, for cor. of secs; 17, 18, 19 and 20, with brass  
cap, marked  
T 24 N S 18 in NW.,  
R 20 W S 17 in NE.,  
S 20 in SE., and  
S 19 in SW. quadrant; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.

Land, rolling and rolling mountainous.  
Soil, rocky; 4th rate.  
Timber, none.  
Undergrowth, greasewood, spanish bayonet, juniper, cat-  
claw and cactus.

H. P.--- Mar. 6, 1916.

-----

G. H. R.  
Mar. 7, 1916.  
East, on a random line, bet. secs. 17 and 20.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.14 Intersect N. and S. line 7 lks. S. of the cor. of secs.  
16, 17, 20 and 21.

At this cor., at 8h 00m, a.m., l.m.t., I set off 35°28'  
on the lat. arc, 5°12'S. on the decl. arc; and deter-  
mine a meridian with the solar.

Thence I run  
S.89°57'W., on a true line, bet. secs. 17 and 20,  
over rolling land, through scattering undergrowth.

10.00 Asc. NE. slope 250 ft. to

40.07 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the  
ground and 8 ins. in a mound of stone, for  $\frac{1}{4}$  sec. cor.,  
with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 17 in N., and  
S 20 in S. half; and  
1916 in S. rim;  
and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

42.50 Continue ascent 30 ft. to

59.90 Spur extends NW.; desc. W. slope 70 ft. to

74.60 Head of wash, course NE.; asc. NE. slope 180 ft. to

80.14 Spur extends N.; desc. NW. slope 35 ft. to  
The cor. of secs. 17, 18, 19 and 20.  
Land, rolling.  
Soil, rocky; 4th rate.  
No timber.  
Undergrowth, greasewood.

-----

West, on a random line, bet. secs. 18 and 19,

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

77.43 Intersect W. bdy. of Tp. 23 lks. S. of the cor. of secs.  
13, 18, 19 and 24, described in Book A.

Subdivision of T. 24 N., R. 20 W.

Chains

Thence I run  
 S.89°50'E., on a true line, bet. secs. 18 and 19,  
 over rolling land, through scattering undergrowth.  
 37.43 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
 S 18 in N., and  
 S 19 in S. half; and  
 1916 in S. rim;  
 and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
 N. of cor.  
 66.80 Wash, 50 lks. wide, course S.15°W.; asc. NW. slope 180 ft. to  
 77.43 The cor. of secs. 17, 18, 19 and 20.  
 Land, rolling.  
 Soil, rocky; 4th rate.  
 No timber.  
 Undergrowth, juniper, spanish dagger, greasewood and  
 cactus.  
 Mar. 7, 1916.  
 G. H. R.

H. P.  
 Mar. 6, 1916.  
 N.0°03'W., bet. secs. 17 and 18,  
 over mountainous land, through scattering undergrowth.  
 5.00 Desc. 200 ft. to  
 37.70 Wash, 15 lks. wide, course NE.; enter rolling land.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
 S 17 in E., and  
 S 18 in W. half; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
 and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 W. of cor.

Mar. 7, 1916.  
 At 8h 00m, a.m., l.m.t., I set off 35°28' on the lat.  
 arc, and 5°12' S. on the decl. arc; and determine a mer-  
 idian with the solar at this cor.  
 67.80 Wash, 10 lks. wide, course E.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground, for cor. of secs. 7, 8, 17 and 18, with brass  
 cap, marked  
 T 24 N S 7 in NW.,  
 R 20 W S 8 in NE.,  
 S 17 in SE., and  
 S 18 in SW. quadrant; and  
 1916 in S. rim;  
 dig pits, 18x18x12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raise a mound of earth, 4 ft. base, 2 ft. high,  
 W. of cor.  
 Land, rolling mountainous for 37.70 chs., and rolling  
 for balance.  
 Soil, sandy and rocky; 4th rate.  
 No timber.  
 Undergrowth, greasewood, spanish bayonet, catclaw and  
 cactus.  
 Mar. 7, 1916.  
 H. P.

G. H. R.  
 Mar. 7, 1916.  
 East, on a random line, bet. secs. 8 and 17.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.

Chains

- 79.96 Intersect N. and S. line 11 lks. S. of the cor. of secs. 8, 9, 16 and 17.  
Thence I run  
S. 89°55'W., on a true line, bet. secs. 8 and 17,  
over rolling land, through scattering undergrowth.  
5.00 Wash, 60 lks. wide, course NE.
- 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 8 in N., and  
S 17 in S. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
and raise a mound of earth, 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.
- 79.96 The cor. of secs. 7, 8, 17 and 18.  
Land, rolling.  
Soil, gravelly and rocky; 3rd and 4th rate.  
No timber.  
Undergrowth, greasewood, juniper and spanish dagger.

---

- 40.00 West, on a random line, bet. secs. 7 and 18.  
Set temp.  $\frac{1}{4}$  sec. cor.
- 77.34 Intersect W. bdy. of Tp., 6 lks. S. of the cor. of secs. 7, 12, 13 and 18, described in Book A.  
Thence I run  
S. 89°57'E., on a true line, bet. secs. 7 and 18.  
over rolling land, through scattering undergrowth.
- 37.34 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in W.,  
S 7 in N., and  
S 18 in S. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
and raise a mound of earth, 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.
- 77.34 The cor. of secs. 7, 8, 17 and 18.  
Land, rolling.  
Soil, gravelly, with scattering rocks; 3rd rate.  
No timber.  
Undergrowth, juniper, greasewood, cactus and spanish dagger.

Mar. 7, 1916.  
G. H. R.

---

- H. P.  
Mar. 7, 1916.
- 7.00 N. 0°03'W., bet. secs. 7 and 8,  
over rolling land, through scattering undergrowth.
- 40.00 Wash, 6 lks. wide, course NE.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
S 7 in W., and  
S 8 in E. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth, 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.
- 71.20 Road from Chloride to Colorado River bears NW. and SE.
- 74.00 Wash, 15 lks. wide, course E.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass



Chains

cap, marked

T 24 N S 6 in NW.,  
R 20 W S 5 in NE.,  
S 8 in SE., and  
S 7 in SW. quadrant; and  
1916 in S. rim;

dig pits, 18x18x12 ins., in each sec., 5 1/2 ft. dist., and  
raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor

Land, rolling.

Soil, sandy and rocky; 4th rate.

No timber.

Undergrowth, greasewood, spanish-bayonet, catclaw, cac-  
tus and juniper.

40.00  
79.86

East, on a random line, bet. secs. 5 and 8.

Set temp. 1/4 sec. cor.

Intersect N. and S. line 10 lks. S. of the cor. of secs.  
4, 5, 8 and 9.

Thence I run

S. 89°56' W., on a true line, bet. secs. 5 and 8,  
over roughly rolling hills, through scattering under-  
growth.

20.00

Leave hills and enter rolling land.

22.25

Wash, 30 lks. wide, course N.

25.35

Wash, 15 lks. wide, course NE.

39.93

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for 1/4 sec. cor., with brass cap, marked

1/4 in W.,  
S 5 in N., and  
S 8 in S. half; and  
1916 in S. rim;

dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

79.86

The cor. of secs. 5, 6, 7 and 8.

Land, rolling and hilly.

Soil, sandy and rocky; 4th rate.

No timber.

Undergrowth, greasewood, catclaw, spanish-bayonet and  
cactus.

40.00  
77.30

West, on a random line, bet. secs. 6 and 7.

Set temp. 1/4 sec. cor.

Intersect W. bdy. of Tp. 12 lks. S. of the cor. of secs.  
1, 6, 7 and 12, described in Book A.

Thence I run

S. 89°55' E., on a true line, bet. secs. 6 and 7,  
over rolling land, through scattering undergrowth.

37.30

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for 1/4 sec. cor., with brass cap, marked

1/4 in W.,  
S 6 in N., and  
S 7 in S. half; and  
1916 in S. rim;

dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.,  
and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

77.30

The cor. of secs. 5, 6, 7 and 8.

Land, rolling.--- Soil, sandy and rocky; 4th rate.

No timber.

Undergrowth, greasewood, spanish-bayonet, and catclaw.

## Chains

N.0°03'W., on a true line, bet. secs. 5 and 6,  
over rolling land, through scattering undergrowth.

7.60 Wash, 15 lks. wide, course NE.  
22.00 Wash, 30 lks. wide, course E.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked  
 $\frac{1}{4}$  in N.,  
S 5 in E., and  
S 6 in W. half; and  
1916 in S. rim;  
dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.,  
and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.

48.00 Wash, 15 lks. wide, course NE.  
71.04 Intersect 6th St. Paf. N., 13.02 chs. E. of the standard  
cor. of secs. 31 and 32, reestablished under current  
Group 45; which is an iron post, 3 ins. diam., with brass  
cap, marked, set and witnessed in proper manner.

At point of intersection  
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for closing cor. of secs. 5 and 6, with brass  
cap, marked  
T 25 N R 20 W S 32 in N. half,  
CC in S. half;  
S 6 T 24 N in SW., and  
S 5 R 20 W in SE. quadrant; and  
1916 in S. rim;  
dig pits, 24x18x12 ins., crosswise on each line, E. and  
W. 3 ft., and S. of post, 7 ft. dist., and raise a mound  
of earth, 4 ft. base, 2 ft. high, S. of cor.

Land, rolling.  
Soil, sandy and rocky; 4th rate.  
No timber.  
Undergrowth, greasewood, spanish-bayonet and cactus.

-----  
Mar. 7, 1916.  
-----

For table of Latitudes and Departures see Book A.  
-----

GENERAL DESCRIPTION.

With the exception of some rolling mountainous land in the southwest, and some rolling hills in the northwest, the township consists of rolling prairie. The general drainage is towards the north and northeast.

The soil is in some localities of fair quality, and furnishes abundance of grass. There is no timber. The undergrowth consists of cactus, catclaw, spanish-bayonet, greasewood, and scrub cedar and juniper.

The only water in the township is contained in a small artificial reservoir in the SE.  $\frac{1}{4}$  of section 11.

There are no evidences of mineral and no settlers.

A road from the Colorado River enters the township at the corner of sections 1, 6, 7 and 12, on the west boundary, and leaves it on the east bdy. of the SE.  $\frac{1}{4}$  of sec. 25, extending to Chloride, about 12 miles east.

FOR

CERTIFICATES OF UNITED STATES SURVEYOR.  
AND UNITED STATES TRANSITMAN

See Books "A" and "C"

I, \_\_\_\_\_, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for \_\_\_\_\_ bearing date of the \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of \_\_\_\_\_ of the \_\_\_\_\_ Meridian, in the State of \_\_\_\_\_, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for \_\_\_\_\_ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

\_\_\_\_\_  
U. S. Surveyor.

Subscribed by said \_\_\_\_\_, and sworn to before me }  
this \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, March 9, 1918.

The foregoing field notes of the survey of the \_\_\_\_\_  
Subdivision lines of  
TOWNSHIP 24 NORTH, RANGE 20 WEST,  
and the RESURVEY of the EAST BOUNDARY of TOWNSHIP 24 NORTH, RANGE  
20 WEST, of the Gila and Salt River Base and Meridian, in the State  
of Arizona.

executed by Guy H. Richardson, U. S. Surveyor, and Hugo Price, U. S. Transitman,  
under special instructions dated January 6, 1915, for Group 44, \_\_\_\_\_, having been  
critically examined, and the necessary corrections and explanations made, the said field notes, and the  
surveys they describe, are hereby approved.

U. S. Surveyor General.  
of Arizona.

I certify that the foregoing transcript of the field notes of the above described surveys in \_\_\_\_\_  
\_\_\_\_\_ has been correctly copied from the original notes on file in this office.