

3170

Book "I"

4-679

(1)

BOOK 3170

FIELD NOTES

OF THE SURVEY OF THE

West and North boundaries, and

subdivision lines of

TOWNSHIP 14 NORTH, RANGE 8 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Theo. O. Johnston,

In the capacity of U. S. Surveyor, under instructions dated October 5, 1915, issued by the United States Surveyor General to govern surveys included in Group No. 60, which were approved by the Commissioner of the General Land Office, October 25, 1915.

Survey commenced April 5, 1917

Survey completed April 23, 1917.

Executed under Assignment
Instructions dated Nov. 25, 1916.

3170

3170

(A)

3170


BOOK 3170

Book "I"

Group 60 - - - Arizona.

INDEX DIAGRAM.

FRAC. T. 14 1/2 N. R. 8 W.



———— Lines surveyed under this Group. Notes in this Book. 3170

———— Lines surveyed under this group. Notes in Book "D." 3165

———— Accepted surveys.

----- Unsurveyed.

//// Areas surveyed as per accepted plats on file.

Book "I"

Group 60 - - - Arizona.

Township 14 North, Range 8 West.

DATE DIAGRAM.

	4-23-17	4-23-17	4-22-17	4-22-17	4-20-17	4-20-17
4-10-17	6 4-24-17	5 4-24-17	4 4-24-17	3 4-22-17	2 4-19-17	1 4-19-17
4-10-17	7 4-24-17	8 4-24-17	9 4-21-17	10 4-21-17	11 4-19-17	12 4-13-17
4-10-17	18 4-12-17	17 4-12-17	16 4-21-17	15 4-14-17	14 4-14-17	13 4-13-17
4-10-17	19 4-11-17	20 4-11-17	21 4-9-17	22 4-7-17	23 4-6-17	24 4-5-17
4-10-17	30 4-11-17	29 4-9-17	28 4-7-17	27 4-7-17	26 4-5-17	25 4-5-17
4-3-17	31 4-9-17	32 4-4-17	33 4-7-17	34 4-6-17	35 4-5-17	36 4-5-17
	4-3-17	4-2-17	4-2-17	4-2-17	4-2-17	3-31-17

Surveys executed on dates as shown on diagram above,
by Theo. O. Johnston, U. S. Surveyor.

2. Survey of West Boundary of T. 14 N., R. 8 W.

Chains.

Surveys hereinafter described, executed by Theo. O. Johnston, U.S. Surveyor, on dates shown on diagram on page 1 hereof, using Buff & Buff solar transit No. 9939, with Smith solar attachment, described in Book "C."

March 31, 1917. At camp in sec. 34, T. 14 N., R. 8 W. lat. $34^{\circ} 31' N.$, long. $113^{\circ} 4\frac{1}{2}' W.$, at 6 hrs. 51 m., p. m., l.m.t., by watch, which is set to correct local mean time, observe Polaris at western elongation, in accordance with the manual of instructions, and mark a point in the line thus determined on a peg driven in the ground, 5 chs. N. of station.

April 1, 1917. At 7 hrs. 45 m., a.m., l.m.t., lay off the azimuth of Polaris, $1^{\circ} 22\frac{1}{2}'$ to the E., and mark a point in the line thus determined, on a peg driven in the ground, 5 chs. N. of station.

At 8 hrs. 0 m., a.m., l.m.t., set off $34^{\circ} 31' N.$ on the lat. arc; $4^{\circ} 30\frac{1}{2}' N.$ on the decl. arc; and determine a meridian with the solar. The line thus determined coincides with the meridian determined by observations on Polaris at elongation.

At apparent noon, set off $4^{\circ} 33\frac{1}{2}' N.$ on the decl. arc, and observe the sun on the meridian; the resulting lat. is $34^{\circ} 31' N.$

At 4 hrs. 0 m., p.m., l.m.t., set off $34^{\circ} 31' N.$ on the lat. arc; $4^{\circ} 38' N.$ on the decl. arc; and determine a meridian with the solar. The line thus determined coincides with the meridian determined by observations on Polaris at elongation.

The solar apparatus, by a.m. and p.m. observations, defines positions for meridians which coincide with the meridian determined by observations on Polaris at elongation; therefore conclude that the adjustments of the instrument are satisfactory.

From the cor. of Ts. 13 and 14 N., Rs. 8 and 9 W., which is an iron post, described in Book "D", North bet. secs. 31 and 36.

Over mountainous land, through scattering undergrowth. Desc. 270 ft., along W. slope of spur.

14.50 Spur, brs. NW. and SE. Desc. along E. slope.

22.50 Same spur, slopes $N. 5^{\circ} E.$ Continue descent.

28.60 Gulch, course NW. Thence over level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S36 | S31
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

60.00 Wash, course SW.

65.75 Road, brs. $N. 15^{\circ} E.$ and $S. 15^{\circ} W.$

70.00 Small wash, course $S. 10^{\circ} W.$

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, marked on brass cap

T14N
 R9W | R8W
 S25 | S30
 S36 | S31
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, level and mountainous.

Soil, rocky, 3rd and 4th rates.

No timber.

Survey of West Boundary of T. 14 N., R. 8 W.

3.

Chains.

Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and greasewood.

5.00 North bet. secs. 25 and 30.
 25.00 Over rolling land, through scattering undergrowth.
 27.30 Corral, brs. E. about 3.50 chs. dist.
 40.00 Wash, course S.85° E. Asc. 160 ft.
 Enter land covered with granite boulders.
 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap




And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Desc. 25 ft. to
 45.00 Asc. 100 ft.
 63.00 Rocky butte brs. W. about 2 chs. dist.
 79.00 Ridge, brs. NW. and SE. Desc. 35 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, rolling and mountainous.
 Soil, rocky, 3rd and 4th rates.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, mesquite and greasewood.

15.00 North bet. secs. 19 and 24.
 20.00 Over rolling land, through scattering undergrowth.
 26.00 Desc. 25 ft. to
 32.60 Asc. 40 ft. to
 35.30 Desc. 120 ft.
 36.15 Telephone line, brs. N.60° W. and S.60° E.
 40.00 Road, brs. N.65° W. and S.65° E.
 Gulch, course S.60° E. Asc. 160 ft.
 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 46.00 Ridge, brs. NW. and SE. Desc. 120 ft. to
 53.15 Ravine, course SE. Asc. 190 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, in a mound of stone, for cor. of secs. 13, 18, 19 and 24, marked on brass cap

4. Survey of West Boundary of T. 14 N., R. 8 W.

Chains.

T14N	
R9W	R8W
S13	S18
S24	S19
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Land, rolling and mountainous.

Soil, rocky, 4th rate.

No timber.

Undergrowth, cat claw, scrub oak, scrub mahogany, mesquite and palo verde.

North bet. secs. 13 and 18.

Over mountainous land, through scattering undergrowth.

Asc. 75 ft. to

5.00 Ridge, brs. N.5° W. and S.5° W. Desc. 160 ft., along E. slope.

21.00 Same ridge, brs. NE. and SW. Continue descent.

37.30 Gulch, course S.15° W. Thence along E. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

1	
S13	S18
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

41.76 Gulch, course SE. Asc. 130 ft. to

61.50 Spur, slopes SW. Desc. 60 ft. to

67.35 Gulch, course S.55° W. Asc. 120 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground, in a mound of stone, for cor. of secs. 7, 12, 13 and 18, marked on brass cap

T14N	
R9W	R8W
S12	S 7
S13	S18
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Land, mountainous.

Soil, rocky, 4th rate.

No timber.

Undergrowth, cat claw, scrub oak, scrubmahogany, palo verde and mesquite.

North bet. secs. 7 and 12.

Over rolling land, through scattering undergrowth.

Asc. 200 ft. to

20.00 Spur, slopes S.20° W. Continue ascent.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

1	
S12	S 7
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W.

Survey of West Boundary of T. 14 N., R. 8 W.

Chains.

of cor.
 60.00 Top of ascent; desc. 45 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, in a mound of stone, for cor. of secs. 1, 6, 7 and 12, marked on brass cap

T14N
 R9W | R8W
 S 1 | S 6
 S12 | S 7
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, rolling and mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, scrub oak, scrub mahogany, cat claw, palo verde and mesquite.

North bet. secs. 1 and 6.
 Over mountainous land, through scattering undergrowth.
 1.00 Gulch, course SW. Asc. 130 ft. to
 20.00 Spur, slopes S.30° W. Desc. 55 ft. to
 30.25 Ravine, course W. Asc. 25 ft. to
 34.70 Desc. to
 35.65 Gulch, course S.15° W. Asc. 65 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

S 1 | S 6
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 41.00 Spur, slopes S.80° W. Desc. 30 ft. to
 45.00 Gulch, course S.70° W. Asc. 575 ft. to
 78.60 Ridge, brs. NE. and SW. Desc. to
 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 12 ins. in the ground, in a mound of stone, for cor. of Ts. 14 and 14½ N., Rs. 8 and 9 W., marked on brass cap

T14½N
 R9W | R8W
 S36 | S31
 S 1 | S 6
 T14N
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and mesquite.

6. Survey of North Boundary of T. 14 N., R. 8 W.

Chains.

From the cor. of Ts. 14 and 14½ N., Rs. 7 and 8 W., which is an iron post, properly set, marked and witnessed as described by the Surveyor-General.

West, on a random line, along the N. bdy. of T. 14 N., R. 8 W., setting temp. ¼ sec. and sec. cors. at intervals of 40.00 chs.; and at 477.44 chs., intersect W. bdy. of T. 14½ N., R. 8 W., 28 lks. N. of the cor. of Ts. 14 and 14½ N., Rs. 8 and 9 W., which is an iron post, hereinbefore described. The falling answers to a correction of 0° 2', or 5 lks. S. per mile, counting from the NE. cor. of the Tp.; therefore

N. 89° 58' E., on a true line, bet. secs. 6 and 31.

Over mountainous land, through scattering timber and undergrowth.

Asc. 170 ft. to

3.45 Ridge, brs. N. 75° E. and S. 75° W. Desc. 655 ft.

9.45 Rocky butte brs. N. 1 ch. dist.

37.44 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for ¼ sec. cor., marked on brass cap

1/4 S31
S 6
1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

47.44 Foot of descent; thence over rolling land.

70.25 Ravine, course SE.

77.44 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, for cor. of secs. 5, 6, 31 and 32, marked on brass cap

T14½N R8W
S31 | S32
S 6 S 5
T14N
1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Land, mountainous and rolling.

Soil, rocky, 4th rate.

Timber, cottonwood and cedar.

Undergrowth; cat claw, scrub oak, scrub mahogany, palo verde and mesquite.

N. 89° 58' E., on a true line, bet. secs. 5 and 32.

Over rolling land, through scattering undergrowth and timber.

Desc. to

1.00 Ravine, course SE.

25.00 Asc. 85 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

1/4 S32
S 5
1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

48.00 Desc. 30 ft. to

50.15 Asc. 15 ft. to

Survey of North Boundary of T. 14 N., R. 8 W.

Chains.

53.35 Desc. 40 ft. to
 55.00 Thence over rolling land.
 76.90 Desc. 20 ft. to
 78.50 Small ravine, course S.85° E. Asc. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground, in a mound of stone, for cor. of secs. 4, 5, 32 and 33, marked on brass cap

T14	N	R8W
S32	S33	
S 5	S 4	
T14N		
1917		

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, rolling and mountainous.
 Soil, rocky, 4th rate.
 Timber, cottonwood.
 Undergrowth, scrub oak, palo verde, scrub mahogany, cat claw and mesquite.

3.50 N.89° 58' E., on a true line, bet. secs. 4 and 33.
 5.00 Over rolling mountainous land, through scattering timber and undergrowth.
 25.00 Asc. 15 ft. to
 39.00 Desc. 15 ft. to
 40.00 Asc. 50 ft. to
 Desc. 175 ft. to
 Ravine, 50 lks. wide, course SW. Asc. to
 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

S33
S 4
1917

45.00 And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 51.20 Asc. to
 51.90 Desc. 50 ft. to
 57.35 Ravine, course NE. Asc. to
 61.50 Desc. 35 ft. to
 64.00 Ravine, course S.35° E. Asc. 20 ft. to
 80.00 Desc. 20 ft. to
 Ravine, course SW. Asc. 145 ft. to
 Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground, in a mound of stone, for cor. of secs. 3, 4, 33 and 34, marked on brass cap

T14	N	R8W
S33	S34	
S 4	S 3	
T14N		
1917		

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, rolling mountainous.
 Soil, rocky, 4th rate.
 Timber, scattering cottonwood.
 Undergrowth, scrub oak, scrub mahogany, palo verde and mesquite.

N.89° 58' E., on a true line, bet. secs. 3 and 34.
 Over mountainous land, through scattering timber and under

8. Survey of North Boundary of T. 14 N., R. 8 W.

Chains.

growth.
 Desc. to
 3.50 Ravine, course NW. Asc. 90 ft. to
 8.00 Ridge, brs. N.25° E. and S.25° W. Desc. 70 ft.
 10.00 From this point, rocky butte brs. N. 2 chs. dist.
 15.25 Asc. 60 ft. to
 21.20 Thence along S. slope to
 30.75 Ridge, brs. N.70° W. and S.70° E. Desc. 430 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S34 \\ \hline S3 \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 49.60 Creek, course S.60° E. Asc. 370 ft. to
 74.80 Ridge, brs. N.10° W. and S.10° E. Desc. 125 ft. to
 79.00 Ravine, course S.20° E. Asc. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 2, 3, 34 and 35, marked on
 brass cap

$$\begin{array}{r|l} T14\frac{1}{2}N & R8W \\ \hline S34 & S35 \\ \hline S3 & S2 \\ T14N & \\ 1917 & \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, scattering cottonwood.
 Undergrowth, scrub oak, cat claw, palo verde, scrub mahog-
 any and greasewood.

N.89° 58' E., on a true line, bet. secs. 2 and 35.
 Over mountainous land, through scattering undergrowth.
 Asc. 110 ft. to
 4.40 Spur, slopes S. Desc. 100 ft. to
 8.65 Canyon, course S. Asc. 405 ft. to
 30.00 Spur, slopes S.80° W. Desc. 30 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S35 \\ \hline S2 \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 42.80 Ravine, course S. Asc. 60 ft. to
 53.80 Ridge, brs. N.10° W. and S.10° E. Desc. 110 ft. to
 66.00 Ravine, course SE. Thence along S. slope.
 72.70 Ravine, course S. Asc. 65 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the
 ground, in a mound of stone, for cor. of secs. 1, 2, 35
 and 36, marked on brass cap

$$\begin{array}{r|l} T14\frac{1}{2}N & R8W \\ \hline S35 & S36 \\ \hline S2 & S1 \\ T14N & \\ 1917 & \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.

Survey of North Boundary of T. 14 N., R. 8 W.

Chains.

Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, cat claw, scrub oak, palo verde, scrub mahogany and mesquite.

N.89° 58' E., on a true line, bet. secs. 1 and 36.
Over mountainous land, through scattering undergrowth.
Asc. 10 ft. to

- 1.80
- 12.75
- 17.40
- 23.50
- 40.00

Spur, slopes S.30° W. Desc. 95 ft. to
 Ravine, course S. Asc. 105 ft. to
 Spur, slopes S.35° W. Desc. to
 Ravine, course S.10° E. Asc. 355 ft.
 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{\frac{1}{4} S36}{S1} \\ 1917$$

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

- 56.75
- 63.30
- 78.40
- 80.00

Spur, slopes S. Desc. 110 ft. to
 Ravine, course S.10° E. Asc. 165 ft. to
 Ridge, brs. N.15° W. and S.15° E. Desc. to
 The cor. of Ts. 14 and 14 $\frac{1}{2}$ N., Rs. 7 and 8 W.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and mesquite.

Boundaries of T. 14 N., R. 8 W.

Latitudes, departures and closing errors.


Line designated.	True bearing.	Dist. chs.	Latitudes.		Departures.	
			N. chs.	S. chs.	E. chs.	W. chs.
South Boundary.	West.	477.89				477.89
West Boundary.	North.	480.00	480.00			
North Boundary.	N. 89° 58' E.	477.44	.28		477.44	
East Boundary.	South.	480.00		480.00		
Convergency.					.50	
Totals			480.28	480.00	477.94	477.89
			480.00		477.89	
Error in latitude			.28			
Error in departure					.05	

Survey of Subdivision of T. 14 N., R. 8 W.

Chains.


From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., which is an iron post, described in Book "D".

Thence
 N.0° 1' W., bet. secs. 35 and 36.
 Over mountainous land, through scattering undergrowth.
 Asc. 20 ft. to
 3.20 Top of ascent; thence over rolling mesa.
 11.20 Desc. 100 ft. to
 15.00 Ravine, course N.50° E. Asc. 115 ft. to
 24.20 Desc. 215 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.


50.30 Gulch, course N.35° E. Thence along E. slope.
 55.90 Gulch, course E. Asc. 245 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, for cor. of secs. 25, 26, 35 and 36, marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, greasewood, palo verde and mesquite.

40.00 East on a random line, bet. secs. 25 and 36.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.76 Intersect E. bdy. of Tp., 6 lks. N. of original cor. of secs. 25, 30, 31 and 36, which is an iron post, properly set, marked and witnessed as described by the Surveyor-General.
 Thence
 N.89° 57' W., on a true line, bet. secs. 25 and 36.
 Over rolling land, through scattering undergrowth.
 Desc. 55 ft. to
 10.00 Wash, course SW. Asc. 280 ft. to
 38.60 Top of ascent; thence over level mesa.
 39.88 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.


69.00 Desc. 125 ft. to
 74.70 Gulch, course S.5° E. Asc. 120 ft. to
 79.76 The cor. of secs. 25, 26, 35 and 36.
 Land, level, rolling and mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, scrub oak, scrub mahogany, cat claw, palo verde and mesquite.

12.


Subdivision of T. 14 N., R. 8 W.

Chains.

N.0° 1' W., bet. secs. 25 and 26.
 Over rolling land, through scattering undergrowth.
 Asc. 25 ft. to
 5.00 Mesa, brs. E. and W. Thence over level land.
 39.65 Desc. 100 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap




And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 47.35 Gulch, course NE. Asc. 80 ft. to
 58.20 Edge of mesa, brs. NE. and SW. Thence over level land.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 23, 24, 25 and 26, marked on
 brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 Land, level, rolling and mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, palo verde, mesquite and greasewood.

40.00 S.89° 57' E., on a random line, bet. secs. 24 and 25.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.70 Intersect E. bdy. of Tp., 6 lks. S. of original cor. of secs.
 19, 24, 25 and 30, which is an iron post, properly set,
 marked and witnessed as described by the Surveyor-
 General.

Thence
 West on a true line, bet. secs. 24 and 25.
 Over level mesa, through scattering undergrowth.
 21.10 Desc. 20 ft. to
 24.00 Gulch, course S.15° E. Asc. 175 ft. to
 38.75 Top of ascent; thence over level mesa.
 39.85 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap




And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 59.30 Edge of mesa, brs. N. and S. Desc. 85 ft. to
 64.85 Gulch, course S.5° E. Asc. 85 ft. to
 73.70 Top of ascent; thence over level mesa.
 79.70 The cor. of secs. 23, 24, 25 and 26.
 Land, level and mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, palo verde, scrub mahogany and
 greasewood.

N.0° 1' W., bet. secs. 23 and 24.
 Over level mesa, through scattering undergrowth.

Subdivision of T. 14 N., R. 8 W.


Chains.

30.00 Edge of mesa, brs. NE. and SW. Desc. 180 ft.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

67.20 Road, brs. NE. and SW.
71.00 Road, brs. N.60° E. and S.60° W.
72.00 Gulch, course N.70° E. Thence over level land.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap




And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling and level.
Soil, rocky, 4th rate.
No timber.
Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and greasewood.

40.00 East on a random line, bet. secs. 13 and 24.
Set temp. $\frac{1}{4}$ sec. cor.
79.60 Intersect E. bdy. of Tp. ~~original~~ cor. of secs. 13, 18, 19 and 24, which is an iron post, properly set, marked and witnessed as described by the Surveyor-General.

Thence West on a true line, bet. secs. 13 and 24.
Over rolling land, through scattering undergrowth.
Desc. 40 ft. to

5.00 Thence over level mesa.
25.00 Desc. 45 ft. to
31.90 Gulch, course SE. Asc. 10 ft. to
35.00 Desc. to
39.60 Creek, 1 lks. wide, course N.75° E. Thence over level mesa.
39.80 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

41.80 Road, brs. N.85° W. and S.85° E.
50.00 Same road, brs. N.80° E. and S.80° W.
50.60 Creek, course S.65° E.
60.00 Wash, course N.60° E. Asc. 30 ft. to
64.00 Thence over level land.
79.60 The cor. of secs. 13, 14, 23 and 24.
Land, level and rolling.
Soil, rocky, 4th rate.
Timber, scattering cottonwood.
Undergrowth, cat claw, scrub mahogany, scrub oak, mesquite and greasewood.

14.

Subdivision of T. 14 N., R. 8 W.

Chains.

N.0° 1' W., bet. secs. 13 and 14.
 Over rolling land, through scattering timber and undergrowth.
 Asc. 40 ft. to
 3.60 Spur, slopes S.85° E. Desc. 80 ft. to
 11.85 Gulch, course NE. Thence over level land.
 29.50 Gulch, course E. Asc. 55 ft. to
 36.50 Desc. 35 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

$$\begin{array}{c} \frac{1}{4} \\ \uparrow \\ S14 \quad | \quad S13 \\ \downarrow \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W
 of cor.
 46.10 Fence, brs. S.60° E. and N.60° W.
 50.00 Wash, course S.5° W. Asc. 80 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 11, 12, 13 and 14, marked on
 brass cap

$$\begin{array}{c} T14N \quad | \quad R8W \\ S11 \quad | \quad S12 \\ \hline S14 \quad | \quad S13 \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W.
 of cor.
 Land, rolling and level.
 Soil, rocky, 4th rate.
 Timber, cottonwood.
 Undergrowth, cat claw, scrub oak, scrub mahogany, mesquite
 and palo verde.

40.00 East on a random line, bet. secs. 12 and 13.
 79.60 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect E. bdy. of Tp., 8 lks. S. of original cor. of secs.
 7, 12, 13 and 18, which is an iron post, properly set,
 marked and witnessed as described by the Surveyor-General.

Thence
 S.89° 57' W., on a true line, bet. secs. 12 and 13.
 Over level mesa land, through scattering undergrowth.
 4.60 Leave mesa, brs. N. and S. Desc. 170 ft.
 20.40 Fence, brs. NE. and SW.
 20.80 Gulch, course S.15° E. Asc. 205 ft.
 39.80 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap


$$\begin{array}{c} \frac{1}{4} \quad S12 \\ \hline S13 \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N.
 of cor.
 40.10 Epint of high spur, slopes S. Desc. 185 ft. to
 51.55 Ravine, course S.15° W. Asc. 25 ft. to
 57.00 Ridge, brs. N.10° E. and S.10° W. Desc. 60 ft. to
 69.10 Wash, course S.15° W. Asc. 65 ft. to
 79.60 The cor. of secs. 11, 12, 13 and 14.
 Land, level and mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, mesquite
 and greasewood.


Subdivision of T. 14 N., R. 8 W.

Chains.

N.0° 1' W., bet. secs. 11 and 12.
 Over rolling land, through scattering undergrowth.
 Asc. to
 5.00 Spur, slopes S.15° W. Desc. 25 ft. to
 15.00 Asc. 55 ft. to
 30.00 Desc. 30 ft. to
 34.00 Ravine, course S.30° W. Asc. 95 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 43.00 Ridge, brs. S.65° W. Desc. 75 ft. to
 50.10 Gulch, course S.55° W. Asc. 170 ft.
 55.50 Fence, brs. N.85° E. and S.85° W.
 72.00 Spur, slopes S.30° W. Continue ascent, 80 ft., along
 broken W. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the
 ground, in a mound of stone, for cor. of secs. 1, 2, 11
 and 12, marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 Land, rolling and mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, palo verde and mesquite.

40.00 N.89° 57' E., on a random line, bet. secs. 1 and 12.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.68 Intersect E. bdy. of Tp., 16 lks. S. of original cor. of secs.
 1, 6, 7 and 12, which is an iron post, properly set,
 marked and witnessed as described by the Surveyor-Gen-
 eral.
 Thence
 S.89° 50' W., on a true line, bet. secs. 1 and 12.
 Over mountainous land, through scattering undergrowth.
 Asc. SE. slope, 70 ft.
 4.70 Asc. along N. slope.
 21.65 Top of ascent; rocky, butte brs. S. 2 chs. dist. Desc. 550
 ft.
 39.84 Set an iron post, 3 ft. long, 1 in. diam., 2 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 40.30 Canyon, course S.15° W. Asc. 135 ft. to
 47.50 Spur, slopes S. Desc. 315 ft. to
 69.70 Ravine, course S.10° W. Asc. 90 ft. to
 76.55 Ridge, brs. N.20° E. and S.20° W. Desc. 35 ft. to
 79.68 The cor. of secs. 1, 2, 11 and 12.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.

16.


Subdivision of T. 14 N., R. 8 W.

Chains.

Undergrowth, cat-claw, scrub oak, scrub mahogany, palo verde and mesquite.

40.00 N.0° 1' W., on a random line, bet. secs. 1 and 2.
Set temp. 1/4 sec. cor.
80.29 Intersect N. bdy. of Tp., 28 lks. E. of the cor. of secs. 1, 2, 35 and 36, which is an iron post, hereinbefore described.

Thence
20.55 S.0° 13' E., on a true line, bet. secs. 1 and 2.
Over mountainous land, through scattering undergrowth.
Desc. 190 ft. to
Ravine, course SW. Asc. 30 ft. to
25.00 Desc. 60 ft.
40.29 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, in a mound of stone, for 1/4 sec. cor., marked on brass cap




And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

40.90 Canyon, course SE. Asc. to
42.80 Point of spur, slopes E. Desc. to
43.80 Same canyon, course S.15° W. Asc. 85 ft. to
45.30 Short spur, slopes W. Desc. 435 ft. to
65.30 Ravine, course W. Asc. 30 ft. to
66.00 Desc. 95 ft. to
80.29 The cor. of secs. 1, 2, 11 and 12.
Land, mountainous.
Soil, rocky, 4th rate; huge granite boulders.
No timber.
Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and mesquite.


From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., which is an iron post, described in Book "D", N.0° 1' W., bet. secs. 34 and 35.
Over mountainous land, through scattering timber and undergrowth.

Desc. 135 ft. to
2.83 Yavapai Creek, course S.85° W. Asc. 60 ft. to
5.00 Desc. 40 to
6.80 Same creek, course S.5° E. Asc. 180 to
16.75 Desc. 115 ft. to
25.00 Gulch, course N.75° W. Asc. 260 ft.
25.75 Road, brs. NW. and SE.
Telephone line, brs.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for 1/4 sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

55.00 Thence along W. slope.
70.00 Desc. 25 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, for cor. of secs. 26, 27, 34 and 35, marked on brass cap



And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W.

Chains.

of cor.
 Land, mountainous;
 Soil, rocky, 4th rate.
 Timber, cottonwood along creek.
 Undergrowth, scrub oak, cat claw, scrub mahogany, palo verde and greasewood.

40.00 East on a random line, bet. secs. 26 and 35.
 79.70 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 25, 26, 35 and 36.
 Thence
 N.89° 59' W., on a true line, bet. secs. 26 and 35.
 Over mountainous land, through scattering undergrowth.
 Asc. 40 ft. to
 2.00 Edge of mesa, brs. N. and S. Thence over level land.
 39.85 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S26
 $\frac{1}{4}$ S35
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 57.80 Leave mesa, brs. N. and S. Desc. 305 ft. to
 79.70 The cor. of secs. 26, 27, 34 and 35.
 Land, level and mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, palo verde, mesquite and greasewood.

N.0° 1' W., bet. secs. 26 and 27.
 Over rolling land, along W. slope, through scattering undergrowth.
 1.20 Gulch, course SW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S27 | S26
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Desc. 25 ft.
 52.80 Road, brs. NE. and SW.
 56.00 Enter bed of Yavapai Creek, course SW. Stream of water, 3 lks. wide, course SW.
 57.70 Stream of water, 2 lks. wide, course S.40° W. Leave Yavapai Creek, course SW.
 65.50 Alkali Creek, 2 lks wide, course SE.
 72.40 Creek, 1 lk. wide, course SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on brass cap

T14N R8W
 S22 | S23
 S27 | S26
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, rolling.
 Soil, rocky, 4th rate.
 Timber, cottonwood along creeks.

18.

Subdivision of T. 14 N., R. 8 W.

Chains.

Undergrowth, cat claw, mesquite, greasewood and palo verde.

40.00
79.76

S.89° 59' E., on a random line, bet. secs. 23 and 26.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 4 lks. S. of the cor. of secs.
23, 24, 25 and 26.

9.75
24.50
27.85
39.88

Thence
S.89° 59' W., on a true line, bet. secs. 23 and 26.
Over level mesa, through scattering undergrowth.
Desc. 175 ft. to
Road, brs. N. and S. Asc. 40 ft. to
Desc. 95 ft.
Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
brass cap

$\frac{1}{4}$ S23
 $\frac{1}{4}$ S26
1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N.
of cor.

42.90
52.45
59.75
69.75
75.25
79.76

Yavapai Creek, course SW. Asc. 60 ft. to
Spur, slopes S.15° W. Desc. 65 ft. to
Asc. 20 ft. to
Spur, slopes S. Desc. 20 ft. to
Gulch, course S. Asc. to
The cor. of secs. 22, 23, 26 and 27.
Land, level and mountainous.
Soil, rocky, 4th rate.
Timber, cottonwood along creek.
Undergrowth, cat claw, scrub oak, scrub mahogany, palo
verde and greasewood.

17.50
20.00
40.00

N.0° 1' W., bet. secs. 22 and 23.
Over rolling land, covered with granite boulders, through
scattering undergrowth.
Asc. 45 ft. to
Desc. 15 ft. to
Asc. 330 ft.
Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
brass cap

$\frac{1}{4}$
S22 | S23
1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W.
of cor.

47.40
48.90
50.00
54.70
62.65
66.60
79.00
80.00

Schultz and Mullen's ranch house brs. N.62° E. Ridge, brs.
N.85° W. and S.85° E. Desc. 25 ft.
Fence, brs. E. and W.
Asc. 30 ft. to
Spur, slopes N.80° E. Desc. 140 ft. to
Ravine, course N.80° E. Asc. 30 ft. to
Spur, slopes E. Leave granite boulders. Desc. 65 ft. to
Gulch, course S.85° E. Asc. to
Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the
ground, in a mound of stone, for cor. of secs. 14, 15,
22 and 23, marked on brass cap

T14N | R8W
S15 | S14
S22 | S23
1917

Subdivision of T. 14 N., R. 8 W.

Chains.

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, rolling and mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and greasewood.

40.00 N.89° 59' E., on a random line, bet. secs. 14 and 23.
 79.80 Set temp. ¼ sec. cor.
 Intersect N. and E. line, at the cor. of secs. 13, 14, 23 and 24.

Thence
 27.70 S.89° 59' W., on a true line, bet. secs. 14 and 23.
 35.70 Over rolling land, through scattering undergrowth.
 39.90 Road, brs. N.35° E. and S.35° W.
 Schultz and Mullen's ranch house brs. S.42½° W.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

1/4 S14
 1/4 S23
 1917

41.50 And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 51.00 Fence, brs. N. and S.
 60.00 Gulch, course S.10° E.
 70.00 Yavapai Creek Wash, course S.15° E. Asc. 25 ft. to
 79.80 Desc. 25 ft. to
 The cor. of secs. 14, 15, 22 and 23.
 Land, rolling.
 Soil, rocky, 4th rate.
 Timber, cottonwood along water courses.
 Undergrowth, scrub oak, cat claw, palo verde, mesquite and greasewood.

3.00 N.0° 1' W., bet. secs. 14 and 15.
 10.00 Over rolling land, through scattering undergrowth.
 40.00 Asc. to
 Spur, slopes S.75° E. Desc. 55 ft. to
 Yavapai Creek Wash, course SE. Asc. 160 ft. to
 Point of spur, slopes SE.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

1/4 S15
 1/4 S14
 1917

45.00 And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 52.00 Desc. 50 ft. to
 Ravine, course SE. Asc. 95 ft. to
 57.75 Ridge, brs. N.35° W. and S.35° E. Thence along E. slope.
 60.00 Spur, slopes S.75° E. Desc. 35 ft. to
 62.10 Ravine, course S.50° E. Asc. 20 ft. to
 79.55 Ridge, brs. N.10° W. and S.10° E. Desc. 100 ft. to
 80.00 Ravine, course S.80° E. Asc. 55 ft. to
 Desc. 50 ft. to
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap

Chains.

T14N R8W	
S10	S11
S15	S14
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, rolling and mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and greasewood.

40.00 N.89° 59' E., on a random line, bet. secs.11 and 14.
 Set temp. ¼ sec. cor.
 79.80 Intersect N. and S. line, 5 lks. N. of the cor. of secs. 11, 12, 13 and 14.
 Thence
 N.89° 59' W., on a true line, bet. secs. 11 and 14.
 Over mountainous land, through scattering timber and undergrowth.
 Asc. 10 ft. to
 1.45 Spur, slopes S.10° W. Desc. 70 ft. to
 7.10 Ravine, course SW. Asc. 70 ft. to
 15.10 Spur, slopes S.15° W. Desc. 100 ft. to
 19.00 Enter creek bottom, brs. NW. and SE.
 30.80 Leave creek bottom, brs. NW. and SE. Asc. 330 ft.
 34.10 Fence, brs. N. and S.
 39.90 Set an iron post, 3 ft. long, 1 in. diam., 3 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

S11	
¼	S14
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 55.90 Ridge, brs. N.85° W. and S.85° E. Desc. 210 ft. to
 79.80 The cor. of secs. 10, 11, 14 and 15.
 Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, cottonwood along creek.
 Undergrowth, cat claw, scrub oak, mesquite and palo verde.

N.0° 1' W., bet. secs. 10 and 11.
 Over mountainous land, through scattering undergrowth.
 Asc. 245 ft. to
 10.80 Ridge, brs. N.80° W. and S.80° E. Desc. 170 ft.
 13.95 Fence, brs. N.85° W. and S.85° E.
 24.85 Creek, course S.65° E. Thence along E. slope
 33.50 Ravine, course SE. Asc. 165 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

¼	
S10	S11
1917.	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 46.25 Ridge, brs. N.85° W. and S.85° E. Desc. 40 ft. to
 50.00 Asc. 155 ft. to
 63.40 Desc. 230 ft. to
 79.95 Ravine, course NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the

Subdivision of T. 14 N., R. 8 W.

Chains.

ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap

T14N	R8W
S 3	S 2
S10	S11
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Land, mountainous.
Soil, rocky, 4th rate.
Timber, cottonwood in water courses.
Undergrowth, cat claw, palo verde, scrub oak, scrub mahogany, mesquite and greasewood.

40.00
79.84

S.89° 59' E., on a random line, bet. secs. 2 and 11.
Set temp. ¼ sec. cor.
Intersect N. and S. line, 5 lks. N. of the cor. of secs. 1, 2, 11 and 12.

Thence
N.89° 57' W., on a true line, bet. secs. 2 and 11.
Over mountainous land, through scattering timber and undergrowth.

5.30
13.85
35.00
39.92

Desc. 130 ft. to
Ravine, course SW. Asc. 250 ft. to
Ridge, brs. N.20° W. and S.20° E. Desc. 350 ft.
Spur, slopes S. Continue descent.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

1	S 2
4	S11
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

45.00
63.20
65.00
75.95
79.80
79.84

Creek, 40 lks. wide, course S. Asc. 145 ft. to
Desc. to
Gulch, course S.85° E. Asc. 80 ft. to
Desc. to
Ravine, course N.60° E. Asc. to
The cor. of secs. 2, 3, 10 and 11.

Land, mountainous.
Soil, rocky, 4th rate.
Timber, cottonwood along creek.
Undergrowth, cat claw, scrub oak, scrub mahogany and mesquite.

40.00
80.30


N.0° 1' W., on a random line, bet. secs. 2 and 3.
Set temp. ¼ sec. cor.
Intersect N. bdy. of Tp., 47 lks. E. of the cor. of secs. 2, 3, 34 and 35, which is an iron post, hereinbefore described.

Thence
S.0° 21' E., on a true line, bet. secs. 2 and 3.
Over mountainous land, through scattering timber and undergrowth.

14.50
16.00
24.20
30.20
35.00
40.30


Desc. 230 ft. to
Gulch, course S.20° E. Asc. 20 ft. to
Desc. 125 ft. to
Gulch, course S.20° W. Asc. 10 ft. to
Desc. 55 ft. to
Creek, course SE. Asc. 260 ft.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

Chains.




And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 50.05 Ridge, brs. E. and W. Desc. 190 ft. to
 60.75 Ravine, course NE. Asc. 145 ft. to
 69.30 Desc. 150 ft. to
 80.30 The cor. of secs. 2, 3, 10 and 11.
 Land, mountainous.
 Soil, rocky, 4th rate; large granite boulders.
 Timber, cottonwood.
 Undergrowth, cat claw, scrub oak, scrub mahogany, mesquite and palo verde.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., which is an iron post, described in Book "D", N.0° 2' W., bet. secs. 33 and 34.
 Over mountainous land, through scattering timber and undergrowth.
 Asc. 65 ft. to
 10.00 Ridge, brs. N.50° W. and S.50° E. Desc. 50 ft. to
 25.00 Asc. 20 ft. to
 31.85 Spur, slopes NE. Desc. 95 ft. to
 35.80 Gulch, course N.50° E. Asc. to
 39.50 Thence along E. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 41.10 Desc. 10 ft. to
 46.90 Gulch, course NE. Asc. 120 ft. to
 60.00 Desc. 25 ft. to
 63.55 Johnston Creek, course SE. Asc. 100 ft. to
 71.30 Ridge, brs. NW. and SE. Desc. 30 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 1 in the ground, in a mound of stone, for cor. of secs. 27, 28, 33 and 34, marked on brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, cottonwood along creek.
 Undergrowth, cat claw, mesquite, palo verde and greasewood.

40.00 East on a random line, bet. secs. 27 and 34.
 79.98 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 26, 27, 34 and 35.
 Thence
 N.89° 59' W., on a true line, bet. secs. 27 and 34.

Subdivision of T. 14 N., R. 8 W.

Chains.

Over mountainous land, through scattering undergrowth.
 Desc. 25 ft. to
 2.20 Gulch, course SW. Asc. 15 ft. to
 7.40 Desc. 25 ft. to
 11.35 Yavapai Creek, course S. Asc. 120 ft.
 14.45 Road, brs. N. and S.
 21.00 House brs. S. about 14 chs. dist.
 37.55 Spur, slopes SE. Desc. 45 ft.
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

$\frac{1}{4}$ S27
 $\frac{1}{4}$ S34
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 46.50 Gulch, course SE. Asc. 80 ft. to
 51.90 Spur, slopes S.70° E. Desc.
 60.50 Telephone line, brs. N.62° W. and S.62° E.
 64.00 Wash, course S.35° E.
 65.35 Road, brs. NW. and SE.
 68.40 Wash, course S.45° E. Asc. 100 ft. to
 79.98 The cor. of secs. 27, 28, 33 and 34.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, palo verde, mesquite, scrub oak and
 greasewood.

N.0° 2' W., bet. secs. 27 and 28.
 Over mountainous land, through scattering undergrowth.
 Desc. 70 ft. to
 7.95 Wash, course S.80° E. Asc. 140 ft.
 9.15 Road, brs. N.85° W. and S.85° E.
 10.50 Telephone line, brs. N.62° W. and S.62° E.
 25.00 Gulch, course SE. Asc. 140 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 3 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

$\frac{1}{4}$
 S28 | S27
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 46.65 Ridge, brs. NW. and SE. Desc. 20 ft. to
 55.40 Gulch, course S.10° E. Thence along W. slope.
 60.00 Gulch, course S.5° W. Asc. 240 ft. to
 80.00 Ridge, brs. N.30° E. and S.30° W.
 Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the
 ground, in a mound of stone, for cor. of secs. 21, 22,
 27 and 28, marked on brass cap

T14N R8W
 S21 | S22
 S28 | S27
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, palo verde and greasewood.

24.

Subdivision of T. 14 N., R. 8 W.

Chains.

S.89° 59' E., on a random line, bet. secs. 22 and 27.
 40.00 Set temp. sec. cor.
 80.00 Intersect N. and S. line, 5 lks. N. of the cor. of secs.
 22, 23, 26 and 27.
 Thence
 N.89° 57' W., on a true line, bet. secs. 22 and 27.
 Over mountainous land, through scattering undergrowth.
 Asc. 85 ft. to
 21.00 Spur, slopes S.10° E. Desc. 55 ft. to
 30.15 Gulch, course S.15° E. Spring up this gulch, about 30 chs.
 Thence along E. slope.
 35.00 Gulch, course S.30° E. Asc. 415 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 3 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

$\frac{1}{4}$ S22
 $\frac{1}{4}$ S27
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N
 of cor.
 55.00 Spur, slopes S.55° E. Continue ascent to
 70.10 Ridge, brs. N.20° E. and S.20° W. Desc. 45 ft. to
 73.65 Gulch, course S.30° W. Asc. 80 ft. to
 80.00 The cor. of secs. 21, 22, 27 and 28.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, palo verde, mesquite
 and greasewood.

N.0° 2' W., bet. secs. 21 and 22.
 Over mountainous land, through scattering undergrowth.
 Desc. 30 ft. to
 3.50 Ridge, brs. N. and SE. Desc. 50 ft. to
 11.00 Ravine, course SW. Asc. 170 ft. to
 25.00 Ridge, brs. N.80° W. and S.80° E. Desc. 65 ft. to
 39.00 Head of gulch, course SE. Asc. 75 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

$\frac{1}{4}$
 S21 | S22
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W
 of cor.
 43.55 Ridge, brs. NW. and SE. Desc. 130 ft. to
 53.70 Ravine, course SE. Asc. 270 ft. to
 63.10 Ridge, brs. E. and NW. Thence along E. slope, descending
 150 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 15, 16, 21 and 22, marked on
 brass cap

T14N | R8W
 S16 | S15
 $\frac{1}{4}$ S21 | S22
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W
 of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, palo verde and greasewood.

Subdivision of T. 14 N., R. 8 W.

Chains.

40.00
79.94

S.89° 57' E., on a random line, bet. secs. 15 and 22.
Set temp. 1/4 sec. cor.
Intersect N. and S. line, at the cor. of secs. 14, 15, 22 and 23.

0.95
9.95
20.45
39.97

Thence
N.89° 57' W., on a true line, bet. secs. 15 and 22.
Over mountainous land, through scattering undergrowth.
Desc. to
Ravine, course SE. Asc. 100 ft. to
Desc. to
Ravine, course N.80° E. Asc. 270 ft. to
Ridge, brs. N. and S.
Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, in a mound of stone, for 1/4 sec. cor., marked on brass cap

1/4 S15
1/4 S22
1917

52.80
54.95
60.15
69.80
79.94

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.
Desc. 25 ft.
Fence, brs. NW. and SE.
Asc. 45 ft. to
Spur, slopes S. Desc. 240 ft. to
Gulch, course S.15° E. Asc. 230 ft. to
The cor. of secs. 15, 16, 21 and 22.
Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, cat claw, scrub oak, palo verde, scrub mahogany, mesquite and greasewood.

3.80
10.00
15.00
30.00
35.60
40.00

N.0° 2' W., bet. secs. 15 and 16.
Over mountainous land, through scattering undergrowth.
Asc. 55 ft. to
Desc. 125 ft. to
Asc. 100 ft. to
Desc. 105 ft. to
Ravine, course SE. Asc. 220 ft. to
Ridge, brs. E. and W. Desc. 170 ft.
Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, in a mound of stone, for 1/4 sec. cor., marked on brass cap

1/4 S16
1/4 S15
1917

42.50
50.00
60.20
64.00
70.80
76.20
80.00

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Ravine, course S.80° E. Fence, brs. N.30° W. and SE. Asc. 115 ft. to
Spur, slopes S.55° W. Desc. 70 ft.
Fence, brs. NE. and SW.
Ravine, course SW. Asc. 100 ft. to
Desc. 45 ft. to
Ravine, course S.80° E. Asc. to
Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, for cor. of secs. 9, 10, 15 and 16, marked on brass cap

T14N R8W
S 9 | S10
S16 | S15
1917

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

26.

Subdivision of T. 14 N., R. 8 W.

Chains.	<p>Land, mountainous. Soil, rocky, 4th rate. No timber. Undergrowth, cat claw, palo verde, mesquite and scrub oak.</p>
<p>40.00 80.02</p>	<p>S.89° 57' E., on a random line, bet. secs. 10 and 15. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 5 lks. N. of the cor. of secs. 10, 11, 14 and 15.</p>
<p>0.50 15.00 20.60 31.70</p>	<p>Thence N.89° 55' W., on a true line, bet. secs. 10 and 15. Over mountainous land, through scattering undergrowth. Desc. to Ravine, course SE. Asc. 90 ft. to Ridge, brs. N.75° W. and S.75° E. Desc. 25 ft. to Ravine, course SE. Asc. 105 ft. to Ridge, brs. N.20° W. and S.20° E. Road on ridge, brs. N.20° W. and S.20° E. Desc. to</p>
<p>32.50</p>	<p>Ravine, course S.15° E. Spring up gulch, about 2 chs. dist. Asc. 65 ft.</p>
<p>40.01</p>	<p>Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>
<p style="text-align: center;">$\frac{1}{4}$ S10 $\frac{1}{4}$ S15 1917</p>	<p>And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p>
<p>43.50 47.85 51.60 71.15 80.02</p>	<p>Spur, slopes S. Desc. 65 ft. to Ravine, course S.10° E. Thence along N. slope. Bend in ravine, course NE. Comes from NW. Asc. 345 ft. Fence, brs. NE. and SW. The cor. of secs. 9, 10, 15 and 16.</p>
<p>Land, mountainous. Soil, rocky, 4th rate. No timber. Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and mesquite.</p>	<p>N.0° 2' W., bet. secs. 9 and 10. Over mountainous land, through scattering undergrowth. Asc. 30 ft. to</p>
<p>4.25 20.10 40.00</p>	<p>Ridge, brs. NE. Desc. 215 ft. to Ravine, course N.80° E. Asc. 405 ft. to Ridge, brs. E. and W.</p>
<p>Set an iron post, 3 ft. long, 1 in. diam., 23 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>	<p style="text-align: center;">$\frac{1}{4}$ S 9 S 10 1917</p>
<p>And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p>	<p>62.30 71.00 76.60 80.00</p>
<p>Desc. 200 ft. to Ravine, course S.55° E. Asc. 150 ft. to Spur, slopes SE. Desc. 30 ft. to Ravine, course S.40° E. Asc. to Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap</p>	

Subdivision of T. 14 N., R. 8 W.

Chains.

T14N R8W
 S 4 | S 3
 S 9 | S 10
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany and mesquite.

40.00 S.89° 55' E., on a random line, bet. secs. 3 and 10.
 Set temp. ¼ sec. cor.
 80.00 Intersect N. and S. line, 7 lks. S. of the cor. of secs. 2, 3, 10 and 11.
 Thence
 N.89° 58' W., on a true line, bet. secs. 3 and 10.
 Over mountainous land, through scattering undergrowth.
 Asc. 455 ft. to
 36.70 Ridge, brs. N.65° W. and S.65° E. Desc. 125 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

S 3
 ¼ S 10
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 51.30 Ravine, course SE. Asc. 130 ft. to
 59.70 Desc. 75 ft. to
 80.00 The cor. of secs. 3, 4, 9 and 10.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, mesquite and palo verde.

40.00 N.0° 2' W., on a random line, bet. secs. 3 and 4.
 Set temp. ¼ sec. cor.
 80.24 Intersect N. bdy. of Tp., 35 lks. E. of the cor. of secs. 3, 4, 33 and 34, which is an iron post, hereinbefore described.
 Thence
 S.0° 17' E., on a true line, bet. secs. 3 and 4.
 Over mountainous land, through scattering undergrowth.
 Asc, 100 ft. to
 11.25 Ridge, brs. E. and W. Desc. 465 ft. to
 27.85 Canyon, course E. Asc. 380 ft. to
 38.15 Spur, slopes N.85° E. Desc. 20 ft.
 40.24 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

S 4 | S 3
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 43.10 Ravine, course N.65° E. Asc. 65 ft. to
 48.75 Spur, slopes E. Desc. 305 ft. to
 57.75 Ravine, course SE. Asc. 230 ft. to
 70.95 Ridge, brs. NW. and SE. Desc. 55 ft. to

Chains.
80.24 The cor. of secs. 3, 4, 9 and 10.
Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and mesquite.

From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., which is an iron post, described in Book "D", N.0° 2' W., bet. secs. 32 and 33.
Over mountainous land, through scattering undergrowth.
Desc. 55 ft. to
3.30 Gulch, course NE. Asc. 60 ft. to
11.35 Ridge, brs. E. and W. Desc. 230 ft. to
35.90 Gulch, course E. Asc. 60 ft.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S32 | S33
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
52.00 Ridge, brs. E. and W. Desc. 285 ft. to
74.15 Gulch, course NE. Asc. 95 ft. to
79.00 Spur, slopes E. Desc. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on brass cap

T14N | R8W
 S29 | S28
 S32 | S33
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and mesquite.

40.00 East on a random line, bet. secs. 28 and 33.
Set temp. $\frac{1}{4}$ sec. cor.
80.06 Intersect N. and S. line, 5 lks. N. of the cor. of secs. 27, 28, 33 and 34.
Thence
N.89° 58' W., on a true line, bet. secs. 28 and 33.
Over mountainous land, through scattering timber and undergrowth.
Asc. 180 ft. to
16.85 Ridge, brs. NW. and SE. Desc. 120 ft. to
20.00 Asc. to top of ridge
27.90 Spur, slopes S. Desc. 95 ft.
40.03 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S28
 $\frac{1}{4}$ S33
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
41.00 Gulch, course SE. Asc. 155 ft. to


Subdivision of T. 14 N., R. 8 W.

29.


Chains.

51.45 Ridge, brs. N.30° W. and S.30° E. Desc. 65 ft. to
 58.75 Gulch, course S.5° E. Asc. 50 ft. to
 65.85 Desc. 70 ft. to
 69.50 Johnston Creek, course SE. Asc. 130 ft. to
 80.06 The cor. of secs. 28, 29, 32 and 33.
 Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, cottonwood along creek.
 Undergrowth, cat claw, palo verde, scrub oak, scrub mahog-
 any and greasewood.

N.0° 2' W., bet. secs. 28 and 29.
 Over mountainous land, through scattering timber and under-
 growth.
 Desc. 75 ft. to
 10.00 Johnston Creek, course S.15° E. Asc. 345 ft.
 19.75 Road, brs. NW. and S.70° E.
 24.40 Telephone line, brs. N.83½° W. and S.83½° E.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 3 ins. in the
 ground, in a mound of stone, for ¼ sec. cor., marked on
 brass cap




And raise a mound of stone, 2 ft. base, 1½ ft. high, W.
 of cor.
 52.25 Ridge, brs. NW. and SE. Desc. 35 ft. to
 55.00 Asc. 40 ft. to
 62.10 Spur, slopes E. Desc. 45 ft. to
 65.00 Gulch, course N.80° E. Asc. 180 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the
 ground, in a mound of stone, for cor. of secs. 20, 21,
 28 and 29, marked on brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, W.
 of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, juniper and cottonwood.
 Undergrowth, cat claw, mesquite, palo verde, scrub oak,
 scrub mahogany and greasewood.

40.00 S.89° 58' E., on a random line, bet. secs. 21 and 28.
 Set temp. ¼ sec. cor.
 80.08 Intersect N. and S. line, 7 lks. N. of the cor. of secs.
 21, 22, 27 and 28.
 Thence
 N.89° 55' W., on a true line, bet. secs. 21 and 28.
 Over mountainous land, through scattering undergrowth.
 Desc. 125 ft. to
 9.55 Gulch, course SE. Asc. 200 ft. to
 28.55 Ridge, brs. N.50° E. and S.50° W. Thence along S. slope.
 29.10 Spur, slopes S.20° W. Desc. 235 ft.
 40.04 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the
 ground, in a mound of stone, for ¼ sec. cor., marked on
 brass cap




30.

Subdivision of T. 14 N., R. 8 W.


Chains.

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 40.10 Gulch, course S.20° W. Thence along S. slope.
 49.10 Gulch, course S.
 54.60 Gulch, course SE. Asc. 125 ft. to
 55.90 Ridge, brs. N.20° W. and S.20° E. Desc. 35 ft. to
 66.50 Gulch, course S.10° E. Asc. 75 ft. to
 69.85 Spur, slopes S.10° E. Desc. 20 ft. to
 73.35 Gulch, course SE. Asc. 110 ft. to
 80.08 The cor. of secs. 20, 21, 28 and 29.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, palo verde and greasewood.

N.0° 2' W., bet. secs. 20 and 21.
 Over mountainous land, through scattering undergrowth.
 Asc. 100 ft. to
 15.00 Ridge, brs. N.15° W. and S.15° E. Desc. 65 ft. to
 31.80 Gulch, course S.20° E. Asc. 245 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 57.90 Ridge, brs. N.20° E. and S.20° W. Desc. 75 ft. to
 70.00 Gulch, course SW. Asc. 30 ft. to
 79.20 Enter boulder field.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, in a mound of stone, for cor. of secs. 16, 17, 20 and 21, marked on brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, palo verde, mesquite, scrub oak and greasewood.


40.00 S.89° 55' E., on a random line, bet. secs. 16 and 21.
 Set temp. ¼ sec. cor.
 80.12 Intersect N. and S. line, 9 lks. S. of the cor. of secs. 15, 16, 21 and 22.

Thence
 N.89° 59' W., on a true line, bet. secs. 16 and 21.
 Over mountainous land, through scattering undergrowth.
 Asc. 130 ft. to
 4.30 Spur, slopes N.20° E. Desc. 40 ft. to
 11.00 Ravine, course NE. Asc. 85 ft. to
 16.00 Ridge, brs. N.15° W. and S.15° E. Desc. 65 ft. to
 20.00 Head of ravine, course S.70° E. Asc. 125 ft. to
 30.00 Desc. to
 33.70 Ravine, course S.70° E. Asc. 95 ft. to
 35.60 Spur, slopes SE. Thence along S. slope.
 40.06 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the

Subdivision of T. 14 N., R. 8 W.

Chains.

ground, in a mound of stone, for 1/4 sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.


Cor. falls on ridge, brs. N.15° E. and S.15° W. Desc. 65 ft. to

- 45.00 Ravine, course S.20° W. Asc. 130 ft. to
- 49.90 Ridge, brs. N.25° E. and S.25° W. Desc. 125 ft. to
- 60.00 Leave boulder field and enter flat.
- 70.00 Leave flat, desc. 30 ft. to
- 80.12 The cor. of secs. 16, 17, 20 and 21.

Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and mesquite.


N.0° 2' W., bet. secs. 16 and 17.
Over mountainous land, through scattering undergrowth.
Asc. 685 ft.

- 29.30 Spur, slopes S.15° W. Continue ascent.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, in a mound of stone, for 1/4 sec. cor., marked on brass cap.



And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

- 42.35 Ridge, brs. NW. and SE. Weaver Peak brs. S.47° 42' E., 1 ch. dist. Desc. 410 ft. to
- 65.75 Ravine, course E. Asc. 155 ft. to
- 73.90 Ridge, brs. N.70° E. and S.70° W. Desc. 35 ft. to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground, in a mound of stone, for cor. of secs. 8, 9, 16 and 17, marked on brass cap



And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and mesquite.

- 40.00 S.89° 59' E., on a random line, bet. secs. 9 and 16. Set temp. 1/4 sec. cor.
- 80.10 Intersect N. and S. line, 14 lks. S. of the cor. of secs. 9, 10, 15 and 16.

Thence
S.89° 55' W., on a true line, bet. secs. 9 and 16.
Over mountainous land, through scattering timber and undergrowth.

- 11.10 Asc. 150 ft. to
Ridge, brs. NE. and SW. Desc. 245 ft.

32.

Subdivision of T. 14 N., R. 8 W.

Chains.
 27.40 Ridge, brs. NW. and SE. Continue descent.
 37.90 Ravine, course SE. Asc. 130 ft.
 40.05 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 9
~~S 16~~
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

44.90 Desc. 35 ft. to
 47.70 Ravine, course NE. Asc. 440 ft.
 70.10 Spur, brs. N.55° E. Continue ascent.
 80.10 The cor. of secs. 8, 9, 16 and 17.
 Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, juniper.
 Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and mesquite.

N.0° 2' W., bet. secs. 8 and 9.
 Over mountainous land, through scattering undergrowth.
 Desc. to
 0.50 Ravine, course N.65° E. Asc. 45 ft. to
 3.90 Desc. to
 6.00 Ravine, course N.20° E. Asc. 175 ft. to
 12.50 Ridge, brs. NW. and SE. Desc. 25 ft. to
 14.50 Asc. 15 ft. to
 18.00 Desc. 40 ft. to
 25.00 Asc. to
 26.60 Spur, slopes SE. Desc. 130 ft. to
 31.50 Ravine, course S.50° E. Thence along E. slope.
 36.60 Ravine, course NE. Asc. 70 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 8 | S 9
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

45.00 Spur, slopes S.70° E. Desc. 115 ft. to
 50.00 Ravine, course E. Asc. 70 ft. to
 54.50 Desc. 70 ft. to
 59.40 Asc. 60 ft. to
 62.00 Ridge, brs. E. and W. Desc. 35 ft. to
 66.35 Asc. 130 ft. to
 68.65 Desc. 70 ft. to
 77.50 Ravine, course NE. Asc. 140 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap


T14N R8W
~~S 5 | S 4~~
 S 8 | S 9
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, scrub oak, scrub mahogany, palo verde and cat claw.

Subdivision of T. 14 N. R. 8 W.


Chains.

40.00 N. 89° 55' E., on a random line, bet. secs. 4 and 9.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.20 Intersect N. and S. line, 5 lks. N. of the cor. of secs.
 3, 4, 9 and 10.
 Thence
 S. 89° 57' W., on a true line, bet. secs. 4 and 9.
 Over mountainous land, through scattering timber and under-
 growth.
 Desc. 25 ft. to
 5.20 Asc. 155 ft. to
 19.00 Spur, slopes S. 60° E. Desc. 70 ft. to
 26.35 Ravine, course S. 55° E. Asc. 300 ft. to
 38.75 Ridge, brs. NW. and SE. Desc. 375 ft.
 40.10 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 57.40 Ravine, course S. 10° W. Asc. 155 ft. to
 64.20 Ridge, brs. N. 35° W. and S. 35° E. Desc. 390 ft. to
 73.50 Ravine, course S. 25° E. Asc. 25 ft. to
 76.20 Desc. 45 ft. to
 80.20 The cor. of secs. 4, 5, 8 and 9.
 Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, a few scattering cottonwood and cedar.
 Undergrowth, cat claw, scrub oak, scrub mahogany, palo
 verde and mesquite.

40.00 N. 0° 2' W., on a random line, bet. secs. 4 and 5.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.30 Intersect N bdy. of Tp., 14 lks. N. of the cor. of secs.
 4, 5, 32 and 33, which is an iron post, hereinbefore
 described.
 Thence
 S. 0° 8' E., on a true line, bet. secs. 4 and 5.
 Over mountainous land, through scattering undergrowth.
 Desc. to
 0.20 Small ravine, course E. Thence along E. slope.
 5.10 Ravine, course E. Asc. 310 ft. to
 24.30 Ridge, brs. E. and W. Desc. 90 ft. to
 35.30 Head of ravine, course S. 75° E. Asc. 105 ft.
 40.30 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 49.70 Spur, slopes SE. Desc. 15 ft. to
 55.30 Asc. to
 59.80 Ridge, brs. NW. and SE. Desc. 385 ft. to
 80.30 The cor. of secs. 4, 5, 8 and 9.
 Land, mountainous;
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, palo
 verde and mesquite.

34.

Subdivision of T. 14 N. R. 8 W.

Chains

From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., which is an iron post, described in Book "D", N.0° 3' W., bet. secs. 31 and 32.
Over rolling land, through scattering timber and undergrowth.
Desc. gradually, 45 ft.
40.00 Set an iron post, 3 ft. long, 1 ins. diam., 2 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S31 | S32
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Asc. 30 ft. to
45.00 Desc. 300 ft.
57.40 Gulch, from SE., course N.5° E.
70.00 Enter gulch, from SE., course N.
79.00 Leave gulch, course N.5° W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground, in a mound of stone, for cor. of secs. 29, 30, 31 and 32, marked on brass cap

T14N | R8W
 S30 | S29
 S31 | S32
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Land, rolling and mountainous.
Soil, rocky, 4th rate.
Timber, juniper.
Undergrowth, cat claw, scrub oak, scrub mahogany, palo verde and greasewood.

40.00 East on a random line, bet. secs. 29 and 32.
Set temp. $\frac{1}{4}$ sec. cor.
80.10 Intersect N. and S. line, at the cor. of secs. 28, 29, 32 and 33.
Thence
West on a true line, bet. secs. 29 and 32.
Over mountainous land, through scattering timber and undergrowth.
Asc. 270 ft. to
10.10 Spur, slopes S.85° E. Continue ascent.
24.60 Ridge, brs. N.25° E. and S.25° W. Desc. 125 ft. to
40.05 Set an iron post, 3 ft. long, 1 in. diam., 3 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S29
 S32
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
Asc. to
42.10 Ridge, brs. N.30° W. and S.30° E. Desc. 195 ft. to
59.10 Ravine, course N.40° W. Asc. 45 ft. to
65.90 Spur, slopes N. Desc. 140 ft. to
80.10 The cor. of secs. 29, 30, 31 and 32.
Land, mountainous.
Soil, rocky, 4th rate.
Timber, juniper.
Undergrowth, cat claw, scrub oak, scrub mahogany, mesquite, and palo verde.

Subdivision of T. 14 N., R. 8 W.

Chains.

40.00 West on a random line, bet. secs. 30 and 31.
 Set temp. $\frac{1}{4}$ sec. cor.
 77.83 Intersect W. bdy. of Tp., 5 lks. S. of the cor. of secs.
 25, 30, 31 and 36, which is an iron post, hereinbefore
 described.
 Thence
 S.89° 58' E., on a true line, bet. secs. 30 and 31.
 Over level land, through scattering undergrowth.
 7.55 Wash, course S.25° W. Asc.
 8.30 Road, brs. NE. and SW.
 10.85 Divide, brs. N. and S. Desc. 65 ft. to
 28.85 Draw, from SW., course N.85° E. Asc.
 37.83 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

$\frac{1}{4}$ S30
 $\frac{1}{4}$ S31
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 47.85 Desc. 35 ft. to
 67.85 Gulch, course N.20° E. Asc. 45 ft. to
 74.05 Spur, slopes N.15° E. Desc. 30 ft. to
 77.75 Gulch, course N.10° E. Asc. to
 77.83 The cor. of secs. 29, 30, 31 and 32.
 Land, level and rolling.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, palo
 verde, mesquite and greasewood.

N.0° 3' W., bet. secs. 29 and 30.
 Over rolling land, through scattering timber and under-
 growth.
 0.10 Gulch, course N.10° E. Asc. 15 ft. to
 8.60 Desc. 50 ft. to
 14.00 Gulch, course NW.
 18.15 Wash, course E. Asc. 20 ft.
 18.25 Road, brs. NE. and N.80° W.
 22.80 Desc. 50 ft. to
 27.65 Gulch, course S.80° E. Thence over rolling land.
 28.00 Iron Springs brs. E. about 30 chs. dist.
 33.53 Telephone line, brs. N.83 $\frac{1}{2}$ ° W. and S.83 $\frac{1}{2}$ ° E.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

$\frac{1}{4}$
 S30 | S29
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 40.20 Draw, course S.25° E. Asc. 410 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 3 ins. in the
 ground, in a mound of stone, for cor. of secs. 19, 20,
 29 and 30, marked on brass cap

T14N R8W
 S19 | S20
 S30 | S29
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
 of cor.
 Land, mountainous and rolling.
 Soil, rocky, 4th rate.
 Timber, juniper.

36.


Subdivision of T. 14 N., R. 8 W.

Chains.	
	Undergrowth, cat claw, palo verde, scrub oak, mesquite and greasewood.
40.00	East on a random line, bet. secs. 20 and 29.
80.12	Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 5 lks. S. of the cor. of secs. 20, 21, 28 and 29.
	Thence
	S. $89^{\circ} 58'$ W., on a true line, bet. secs. 20 and 29.
	Over mountainous land, through scattering undergrowth.
	Asc. 25 ft. to
4.25	Desc. 50 ft. to
10.10	Gulch, course S. 15° E. Asc. 70 ft. to
14.10	Spur, slopes S. 40° E. Desc. 25 ft. to
20.10	Ravine, course SE. Asc. 50 ft. to
23.90	Ridge, brs. N. 15° W. and S. 15° E. Desc. 55 ft. to
29.45	Gulch, course SE. Asc. 65 ft. to
35.10	Ridge, brs. N. 35° E. and S. 35° W. Desc. 140 ft.
40.06	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4} \text{ S20}$ $\frac{1}{4} \text{ S29}$ 1917
	And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
41.80	Gulch, course S. 20° W. Asc. 100 ft. to
49.60	Spur, slopes S. Desc. 200 ft. to
60.65	Gulch, from N., course S. 10° W. Asc. 25 ft. to
62.20	Desc. 30 ft. to
67.00	Gulch, course S. 50° E. Asc. 285 ft. to
80.12	The cor. of secs. 19, 20, 29 and 30.
	Land, mountainous.
	Soil, rocky, 4th rate.
	No timber.
	Undergrowth, cat claw, palo verde, scrub oak, scrub mahogany and mesquite.
40.00	N. $89^{\circ} 58'$ W., on a random line, bet. secs. 19 and 30.
77.76	Set temp. $\frac{1}{4}$ sec. cor. Intersect W. bdy. of Tp., 7 lks. N. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, hereinbefore described.
	Thence
	N. $89^{\circ} 59'$ E., on a true line, bet. secs. 19 and 30.
	Over mountainous land, through scattering undergrowth.
	Desc. 185 ft.
26.05	Telephone line, brs. N. $41\frac{1}{2}^{\circ}$ W. and S. $41\frac{1}{2}^{\circ}$ E.
28.55	Gulch, course S. 50° E. Asc. 25 ft.
30.25	Road, brs. NW. and SE.
37.76	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4} \text{ S19}$ $\frac{1}{4} \text{ S30}$ 1917
	And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
39.75	Desc. 25 ft. to
46.75	Gulch, course SW. Asc. 355 ft. to
74.50	Ridge, brs. N. and S. Desc. 35 ft. to
77.76	The cor. of secs. 19, 20, 29 and 30.
	Land, mountainous.
	Soil, rocky, 4th rate.


Chains.

No timber.
Undergrowth, cat claw, scrub oak, palo verde, mesquite.
and greasewood.

22.10 N.0° 3' W., bet. secs. 19 and 20.
Over mountainous land, through scattering undergrowth.
Desc. 200 ft. to
35.50 Gulch, course S.25° E. Asc. 170 ft.
40.00 Desc. 30 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
brass cap




And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
of cor.
50.00 Desc. 40 ft. to
52.90 Gulch, course SW. Asc. 70 ft. to
63.00 Desc. 25 ft. to
65.00 Asc. 150 ft.
69.00 Spring on line, flows SE.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the
ground, in a mound of stone, for cor. of secs. 17, 18,
19 and 20, marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
of cor.
Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, cat claw, scrub oak, scrub mahogany, mesquite,
palo verde and greasewood.

40.00 N.89° 58' E., on a random line, bet. secs. 17 and 20.
Set temp. $\frac{1}{4}$ sec. cor.
80.08 Intersect N. and S. lines, at the cor. of secs. 16, 17, 20
and 21.

Thence
S.89° 58' W., on a true line, bet. secs. 17 and 20.
Over mountainous land, through scattering undergrowth.
Asc. 35 ft. to
2.60 Desc. 30 ft. to
5.00 Asc. 25 ft. to
10.00 Desc. 25 ft. to
12.00 Draw, course S.20° W. Thence along S. slope.
28.40 Ravine, course S.5° W. Asc. 120 ft.
40.04 Set an iron post, 3 ft. long, 1 in. diam., 3 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
of cor.
43.10 Ridge, brs. N. and S. Desc. 255 ft. to
67.15 Gulch, course S.30° W. Asc. 35 ft. to
75.00 Desc. to

Chains.
 76.00 Draw, course S.5° E. Asc. 30 ft. to
 80.08 The cor. of secs. 17, 18, 19 and 20.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, mesquite
 and palo verde.

40.00 S.89° 59' W., on a random line, bet. secs. 18 and 19.
 Set temp. $\frac{1}{4}$ sec. cor.
 77.65 Intersect W. bdy. of Tp., 2 lks. S. of the cor. of secs.
 13, 18, 19 and 24, which is an iron post, hereinbefore
 described.
 Thence
 East on a true line, bet. secs. 18 and 19.
 Over mountainous land, through scattering undergrowth.
 Desc. 95 ft. to
 7.65 Gulch, course S.15° W. Thence along S. slope.
 12.05 Gulch, course S.70° W. Asc. 200 ft. to
 27.65 Ridge, brs. N.20° E. and S.20° W. Desc. 95 ft.
 37.65 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

$\frac{1}{4}$ S18
 $\frac{1}{4}$ S19
 1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N.
 of cor.
 37.70 Gulch, course S. Asc. 100 ft. to
 49.50 Ridge, brs. N.20° W. and S.20° E. Desc. 45 ft. to
 67.65 Head of gulch, course S. Asc. 45 ft. to
 69.00 Spur, slopes S.25° E. Desc. 90 ft. to
 77.65 The cor. of secs. 17, 18, 19 and 20.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, palo
 verde and greasewood.

N.0° 3' W., bet. secs. 17 and 18.
 Over mountainous land, through scattering undergrowth.
 Desc. 25 ft. to
 5.00 Ravine, course E. Asc. 105 ft. to
 11.90 Desc. 40 ft. to
 20.00 Asc. 165 ft. to
 34.75 Spur, slopes S.60° E. Desc. 50 ft. to
 39.50 Gulch, course E. Asc. 135 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

$\frac{1}{4}$
 S18 | S17
 1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W.
 of cor.
 52.50 Ridge, brs. N.30° E. and S.30° W. Desc. 135 ft. to
 64.65 Asc. 30 ft. to
 79.00 Ridge, brs. E. and W. Desc. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the
 ground, in a mound of stone, for cor. of secs. 7, 8, 17
 and 18, marked on brass cap

Subdivision of T. 14 N., R. 8 W.

Chains.

T14N R8W
 S 7 | S 8

 S18 | S17
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, palo verde and mesquite.

40.00
 80.00

N.89° 58' E., on a random line, bet. secs. 8 and 17.
 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 9 lks. N. of the cor. of secs. 8, 9, 16 and 17.

2.90
 15.00
 24.50
 40.00

Thence
 N.89° 58' W., on a true line, bet. secs. 8 and 17.
 Over mountainous land, through scattering undergrowth.
 Asc. 15 ft. to
 Ridge, brs. N.30° E. and S.30° W. Desc. 25 ft. to
 Ravine, course NE. Asc. 195 ft. to
 Ridge, brs. N.25° W. and S.25° E. Desc. 320 ft.
 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

¼ S 8

 S17
 1917

42.80
 45.00
 50.00
 66.60
 78.70
 80.00

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 Ravine, course SW. Asc. to
 Desc. 50 ft. to
 Ravine, course S.20° W. Asc. 155 ft. to
 Ridge, brs. N.10° E. and S.10° W. Desc. 35 ft. to
 Head of ravine, course NW. Asc. 60 ft. to
 The cor. of secs. 7, 8, 17 and 18.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany and palo verde.

40.00
 77.60

West on a random line, bet. secs. 7 and 18.
 Set temp. ¼ sec. cor.
 Intersect W. bdy. of Tp., at the cor. of secs. 7, 12, 13 and 18, which is an iron post, hereinbefore described.

6.55
 16.90
 25.60
 35.60
 37.60

Thence
 East on a true line, bet. secs. 7 and 18.
 Over mountainous land, through scattering undergrowth.
 Desc. 35 ft. to
 Ravine, course S.30° W. Asc. 100 ft. to
 Ridge, brs. N.15° E. and S.15° W. Desc. to
 Ravine, course SW. Asc. 25 ft. to
 Ridge, brs. N.15° E. and S.15° W. Desc. 130 ft.
 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

¼ S 7


 S18
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.


Chains.

50.60 Ravine, course S. Thence along S. slope.
 53.30 Ravine, course S.70° W. Asc. 180 ft. to
 70.80 Desc. 25 ft. to
 77.60 The cor. of secs. 7, 8, 17 and 18.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, mesquite
 and palo verde.

N.0° 3' W., bet. secs. 7 and 8.
 Over mountainous land, through scattering undergrowth.
 Desc. 65 ft. to
 5.00 Ravine, course N.60° W. Asc. 50 ft. to
 7.90 Point of spur, slopes W. Desc. 45 ft. to
 11.80 Ravine, course S.60° W. Desc. 45 ft. to
 18.60 Spur, slopes S.60° W. Desc. 45 ft. to
 20.50 Ravine, course W. Asc. 125 ft. to
 27.30 Spur, slopes S.80° W. Desc. 90 ft. to
 32.60 Gulch, course SW. Asc. 340 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, W.
 of cor.
 51.50 Ridge, brs. NE. and SW. Desc. 105 ft.
 64.40 Spur, slopes W. Continue descent.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the
 ground, in a mound of stone, for cor. of secs. 5, 6, 7
 and 8, marked on brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, W.
 of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, scrub oak, scrub mahogany, palo
 verde and mesquite.

40.00 S.89° 58' E., on a random line, bet. secs. 5 and 8.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.04 Intersect N. and S. line, at the cor. of secs. 4, 5, 8 and
 9.
 Thence
 N.89° 58' W., on a true line, bet. secs. 5 and 8.
 Over mountainous land, through scattering undergrowth and
 timber.
 Desc. to
 0.95 Ravine, course S.65° E. Asc. 275 ft. to
 13.50 Desc. 20 ft. to
 15.50 Asc. 90 ft. to
 24.50 Desc. 30 ft. to
 25.25 Asc. 245 ft.
 40.02 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 bra

Subdivision of T. 14 N., R. 8 W.

41.

Chains.

brass cap

$\frac{1}{4} \frac{S}{S} \frac{5}{8}$
1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

- 47.05 Desc. to
- 48.05 Ravine, course NE. Asc. 105 ft. to
- 56.55 Ridge, brs. N. and S. Desc. 180 ft. to
- 68.05 Ravine, course SW. Asc. 45 ft. to
- 78.05 Desc. 35 ft. to
- 80.04 The cor. of secs. 5, 6, 7 and 8.

Land, mountainous.
Soil, rocky, 4th rate.
Timber, cottonwood and cedar.
Undergrowth, scrub oak, scrub mahogany, palo verde, cat claw and mesquite.

- 40.00 West on a random line, bet. secs. 6 and 7.
- Set temp. ¼ sec. cor.
- 77.54 Intersect W. bdy. of Tp., 7 lks. S. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, hereinbefore described.

Thence
S.89° 57' E., on a true line, bet. secs. 6 and 7.
Over mountainous land, through scattering undergrowth.

- Asc. 75 ft. to
- 10.00 Ridge, brs. N. and S. Thence along S. slope.
- 19.00 Spur, slopes SE. Desc. 110 ft. to
- 30.00 Ravine, course S.10° E. Asc. 70 ft. to
- 34.85 Spur, slopes S. Desc. 30 ft.
- 37.54 Set an iron post, 3 ft long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

$\frac{1}{4} \frac{S}{S} \frac{6}{7}$
1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

- 47.50 Ravine, course S..10° W. Asc. 280 ft. to
 - 77.54 The cor. of secs. 5, 6, 7 and 8.
- Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, cat claw, scrub oak, scrub mahogany, mesquite and palo verde.

- 40.00 N.0° 3' W., on a random line, bet. secs. 5 and 6.
- Set temp. ¼ sec. cor.
- 80.20 Intersect N. bdy. of Tp., 7 lks. E. of the cor. of secs. 5, 6, 31 and 32, which is an iron post, hereinbefore described.

Thence
S.0° 6' E., on a true line, bet. secs. 5 and 6.
Over mountainous land, through scattering undergrowth and timber.

- Desc. to
- 2.90 Ravine, course S.20° E. Thence along E. slope.
- 11.00 Ravine, course S.70° E. Asc. 150 ft. to
- 24.00 Desc. 65 ft. to
- 30.20 Asc. 125 ft.
- 40.20 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

Chains.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 6 \frac{1}{4} \text{ S } 5 \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

45.20 Ridge, brs. N.25° W. and S.25° E. Desc. 185 ft. to
 61.00 Asc. 55 ft. to
 63.00 Spur, slopes N.70° W.. Desc. 165 ft. to
 70.40 Asc. 35 ft. to
 76.15 Desc. 75 ft. to
 80.20 The cor. of secs. 5, 6, 7 and 8.
 Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, cottonwood and cedar.
 Undergrowth, scrub oak, cat claw, scrub mahogany and palo verde.

General Description.

This township consists of rolling and mountainous land with a considerable area of level mesa land in the eastern and southern parts. Cat claw, greasewood, mesquite, palo verde, scrub oak and scrub mahogany, comprise the undergrowth, while cottonwood timber is found along the water courses.

The soil in this township is rocky, 4th rate, not adapted to agricultural purposes, supporting a sparse growth of grass.

Iron springs is located in the southwestern quarter of sec. 29. There are two springs in sec. 10, and one each in secs. 22 and 27.

Schultz and Mullen's ranch is in the northwestern quarter of sec. 23.

CERTIFICATE OF UNITED STATES SURVEYOR.

(See Book "C.")

I, _____, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, *November 8*, 1918.

The foregoing field notes of the survey of _____ the _____ West and North boundaries, and _____ subdivision lines of

TOWNSHIP 14 NORTH, RANGE 8 WEST.

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by Theo. O. Johnston, U. S. Surveyor, under ~~his~~ special instructions dated October 5, 1915, for Group 60, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank D. Frost
U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.~~