

3183

153

①

Book "L."

4-879

BOOK 3183

48

11.00

FIELD NOTES

OF THE SURVEY OF THE

SOUTH, EAST, AND NORTH BOUNDARIES, and

SUBDIVISION LINES,

of

FRAC. TOWNSHIP 2 NORTH, RANGE 22 WEST,

and

MEANDERS OF THE LEFT BANK OF THE COLORADO

RIVER, WITHIN FRAC. TOWNSHIP 2 NORTH, RANGE 22 W.,

and

EAST BOUNDARY

of

FRAC. TOWNSHIP 2 NORTH, RANGE 23 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

William B. Kimmel,

In the capacity of U. S. Surveyor..., under instructions dated February 5., 1915,
issued by the United States Surveyor General to govern surveys included in
Group No. 47..., which were approved by the Commissioner of the General Land
Office, February 23., 1915.

Survey commenced May 15., 1916

Survey completed February 16., 1917.

Executed under Assignment
Instructions dated Feb. 27, 1915 & Dec. 9, 1915.

3183

3183


154
19

3183
Book "L."

GROUP 47, ----ARIZONA.

BOOK 3183

INDEX DIAGRAM.



- Surveyed under this Group. Notes in this Book. 3183
- Surveyed under this Group. Notes in Book "I." 3180
- Surveyed under this Group. Notes in Book "M." 3184
- Retraced under this Group. Notes in Book "M." 3184
- Surveyed under this Group. Notes in Book "N." 3185
- Accepted surveys. Unsurveyed.

Survey of Sbdy. of T. 2 N., R. 22 W.

Chains

Surveys hereinafter described were executed by William B. Kimmel, U.S. Surveyor, on dates shown on diagram on page 51 of this book, using a Young & Son's light mountain transit No. 8523, with solar attachment desc. in Book "A," From recent and repeated field tests, made during a. m. and p.m. hours on a meridian established by observations on Polaris, the transit and solar attachment are known to be in satisfactory adjustment.

10.00 From the cor. of T. 1 and 2 N., R. 21 W. T. 1 N. R. 22 W., and
40.00 fracl. T. 2 N., R. 22 W., described in Book "I,"
West bet. secs. 1 and 36.
Over rolling mesa draining NW., through scattering timber and undergrowth.
Asc. 43 ft. to
Top of small butte brs. NE. and SW. Desc. 57 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 36
1/4
S 1
1916

53.20 and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
71.80 N. of cor.
Wash, 25 lks. wide, 6 ft. deep, course NW.
Wash, 30 lks. wide, 2 ft. deep, course NW.
Enter dense undergrowth brs. NW. and SE.
80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, mkd. on brass cap

T2N
S35 | S36
S 2 | S 1 R22W
T1N
1916

from which,
An iron wood, 6 ins. diam., brs. N. 45° W.
103 lks. dist. mkd. T 2 N R 22 W S 35 B T.
No other trees within limits.
Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Land, rolling.
Soil, gravelly, granite formation, 2nd rate.
Timber, palo verde and iron wood.
Undergrowth, greasewood and cat claw.

22.90 West bet. secs. 2 and 35.
31.70 Over rolling land, draining NW., through scattering
40.00 timber and dense undergrowth.
Shallow wash, 2 chs. wide, course NW.
Wash, 45 lks. wide, 2 ft. deep, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 35
1/4
S 2
1916

from which,
An iron wood, 5 ins. diam., brs. S. 85° E.
60 lks. dist. mkd. 1/4 S 2 B T.
No other trees within limits.
Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

2 South bdy. of fractional T. 2 N., R. 22 W.

- Chains
- 40.20 Small wash, course NW. Leave dense undergrowth, brs. NW. and SE.
- 41.40 Road brs. SW. to Cibola and NE. to Ehrenberg.
- 60.00 Road brs. NW. and SE.
- 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs, 2, 3, 34 and 35, mkd. on brass cap

T2N
 S34 | S35
 S 3 | S 2 R22W
 T1N
 1916

from which,
 An iron wood, 10 ins. diam., brs. N. 7° E.
 233 lks. dist. mkd. T 2 N R 22 W S 35 B T.
 No other trees within limits.
 Raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, rolling.
 Soil, gravelly, granite formation, 2nd rate.
 Timber, palo verde and iron wood.
 Undergrowth, greasewood and cat claw.

West bet. secs. 3 and 34.
 Over rolling land, through scattering timber and undergrowth.

- 1.40 Enter draw, course NW.
- 15.70 Shallow wash, 60 lks. wide, course NW.
- 31.90 Shallow wash, 3 chs. wide, course NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., mkd. on brass cap

S 34
 ¼
 S 3
 1916

from which,
 An iron wood, 8 ins. diam., brs. N. 51¼° E.
 158 lks. dist. mkd. ¼ S. 34 B T.
 No other trees within limits.
 Raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

- 42.00 Enter rolling mesa brs. NW. and SE.
- 68.00 Shallow wash, 45 lks. wide, course NW.
- 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 33 and 34, mkd. on brass cap

T2N
 S33 | S34
 S 4 | S 3 R22W
 T1N
 1916

from which,
 An iron wood, 10 ins. diam., brs. S. 40° W.
 163 lks. dist. mkd. T 2 N R 22 W S 4 B T.
 No other trees within limits.
 Raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, rolling.
 Soil, gravelly, granite formation, 2nd rate.
 Timber, palo verde and iron wood.
 Undergrowth, greasewood and cat claw.

Chains

West bet. secs. 4 and 33.
 Over rolling land, sloping NW., through scattering timber and undergrowth.
 4.00 Small wash, course NW.
 14.75 Old road brs. N. and S.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, to solid rock, in a mound of stone, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 33
 $\frac{1}{4}$
 S 4
 1916

from which,
 An iron wood, 7 ins. diam., brs. S. 20° W.
 160 lks. dist. mkd. $\frac{1}{4}$ S 4 B T.

No other trees within limits.
 Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
 42.80 Wash, 45 lks. wide, 4 ft. deep, course N.
 50.40 Shallow wash, 1 ch. wide, course NW.
 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs, 4, 5, 32 and 33, mkd. on brass cap

T2N
 S32 | S33 R22W
 S 5 | S 4
 T1N
 1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.
 Soil, gravelly, granite formation, 2nd rate.
 Timber, palo verde and iron wood.
 Undergrowth, greasewood.

West bet. secs. 5 and 32.
 Over rolling land, draining NW., through scattering timber and undergrowth. Desc. 27 ft. to
 9.90 Ravine, course NW. Asc. gradual slope to
 15.00 Spur slopes NW. Desc. 34 ft. to
 24.35 Wash, 15 lks. wide, 2 ft. deep, course NW.
 29.90 Same wash, course SW.
 34.40 Same wash, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 32
 $\frac{1}{4}$
 S 5
 1916

from which,
 An iron wood, 12 ins. diam., brs. N. 28° E.
 178 lks. dist. mkd. $\frac{1}{4}$ S 32 B T.

No other trees within limits.
 Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
 55.80 Enter draw, course NE.
 61.80 Shallow wash, 1 ch. wide, course SW.
 64.80 Leave draw, course NE.
 76.10 Enter draw, course NW.
 79.00 Wash, 45 lks. wide, 2 ft. deep, course NW.
 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs, 5, 6, 31 and 32, mkd. on brass cap

4 South bdy. of fractional T. 2 N., R. 22 W.

Chains

T2N
S31 | S32
S 6 | S 5 R22W
T1N
1916

from which,
An iron wood, 6 ins. diam., brs. N. $66\frac{1}{2}^\circ$ E.
28 lks. dist. mkd. T2 N R 22 W S 32 B T.
No other trees within limits.
Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Land, rolling.
Soil, gravelly, granite formation, 2nd rate.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

West bet. secs. 6 and 31.
Over rolling land, through scattering timber and undergrowth.

- 5.95 Leave draw, course NW.
- 5.70 Enter rolling mesa, brs. NW. and SE.
- 24.70 Ravine, 4 ft. deep, course NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 31
 $\frac{1}{4}$
S 6
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

- 53.40 Rocky ravine, 8 ft. deep, course NW.
- 57.10 Same ravine, course SW.
- 61.20 Same ravine, course NW.
- 76.10 Small ravine, course NE.
- 83.00 Enter mesa brs. NW. and SE.
- 101.50 Trail brs. NE. to Ehrenberg and SW. to Cibola.
- 116.90 Ravine, 7 ft. deep, course NW.
- 118.49 Fall 7.90 chs. N. of the cor. of fract. T. 1 and 2 N., R. 23 W., which is a stone, 10 X 8 X 8 ins. above ground mkd., and witnessed as described by the Surveyor General. At point of intersection,
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for closing cor. of T. 1 N. R. 22 W. & fract. T. 2 N., R. 22 W., marked on brass cap.

T 2N R22W
S31
S36 | C
C
S 1 | S 6
R23W T 1N
1916

from which,
An iron wood, 6 ins. diam., brs. S. 88° E.
149 lks. dist. mkd. T 1 N R 22 W S 6 B T.
No other trees within limits.
And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, E. of cor.
Land, rolling.
Soil, 2nd and 3rd rates.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

E. bdy. of
Survey of fractional T. 2 N., R. 23 W.

Chains

fracl.
From the cor. of T. 1 and 2 N., R. 23 W., which is a stone 10 X 8 X 8 ins. above ground, mkd. and witnessed as described by the Surveyor General, North along E. bdy. of sec. 36.

Over rolling land, through scattering timber and undergrowth.

1.00 Gulch, course W.

2.50 Enter rolling mesa brs. E. and W.

7.90 The closing cor. of T. 1 N., R. 22 W., and fracl. T. 2 N., R. 22 W., hereinbefore described.

9.20 Rocky gulch, course NW.

13.50 Ravine, 19 ft. deep, course NW.

28.70 Enter wash, valley brs. NW. and SE.

30.35 Shallow wash, 60 lks. wide, course W.

32.10 Leave wash valley brs. NW. and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. to sec. 36, marked on brass cap,

S36 $\frac{1}{4}$
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

47.90 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., to sec. 31, T. 2 N., R. 22 W., mkd. on brass cap

$\frac{1}{4}$ S31
1916

from which,

An iron wood, 7 ins. diam., brs. N. 17° E.

119 lks. dist. mkd. $\frac{1}{4}$ S 31 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, E. of cor.

48.80 Wash, 45 lks. wide, course NW.

54.00 Enter rolling mesa brs. E. and W.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of sec. 36, and fracl. sec. 25 marked on brass cap,

T2N
S25
R23W S36
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.

Soil, rocky, 3rd rate and sandy 2nd rate.

Timber, scattering palo verde and iron wood.

Undergrowth, greasewood.

North along E. bdy. of fracl. sec. 25.

Over rolling land, through scattering timber and undergrowth.

Leave mesa and desc. N. slope, 80 ft. to

6.75 Shallow wash, 1 ch. wide, course NW.

7.90 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of sec. 31, and fracl. sec. 30, fracl. T. 2 N., R. 22 W., marked on brass cap,

T2N
S30
S31 R22W
1916


from which,

6 East bdy. of fractional T. 2 N., R. 23 W.

Chains

An iron wood, 30 ins. diam., brs. S. 3° E.
118 lks. dist. mkd. T 2 N R 22 W S 31 B T.
No other trees within limits.
Raise a mound of stone, 2 ft. base, 1½ ft. high, E. of cor.


- 11.60 Enter gently rolling land, brs. NE. and SW.
- 16.00 Over rolling SW. slope.
- 24.65 Sharp spur slopes NW. Desc. along steep NE. slope.
- 33.30 Foot of cliff brs. E. and W.
- 34.00 Edge of cut bank, 12 ft. above Colorado River.
- 33.30 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for Meander cor. of fracl. Secs. 25 and 30, mkd. on brass cap



and raise a mound of stone, 2 ft. base, 1½ ft. high, S. of post. The true points for the ¼ sec. cor. of fracl. sec. 25, the ¼ sec. cor. of fracl. sec. 30, T. 2 N., R. 22 W. and the cor. of fracl. sec. 24 and 25, fall in this bend of the Colorado river, as hereinafter determined.

Land, rolling.
Soil, 2nd rate.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.


To establish the cor. of sec. 19 & fracl. sec. 30, fracl. T. 2 N. R. 22 W. I proceed as follows.
From the cor. of sec. 31, & fracl. sec. 30, fracl. T. 2 N. R. 22 W., hereinbefore described,
I offset on the subdivisional lines hereinafter described.
N. 89° 56' E. 118.59 chs. thence
N. 0° 3' W. 80.00 chs.
S. 89° 56' W. 118.50 chs. to W. bdy. of township, at which point,
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of sec. 19, & fracl. sec. 30, T. 2 N., R. 22 W., mkd. on brass cap



from which,
A willow, 5 ins. diam., brs. N. 57½° E.
15 lks. dist. mkd. T 2 N R 22 W S 19 B T.
A willow, 6 ins. diam., brs. S. 16¼° E.
5 lks. dist. mkd. T 2 N R 22 W S 30 B T.

South along fractional W. bdy. of fracl. sec. 30. (bet. fracl. sec. 24 and 30.)

- 4.30 Over river bottom land, through scattering timber and dense undergrowth.
- Set an iron post, 1 in. diam., 26 ins. in the ground, for meander cor. of fracl. sec. 24 and 30, mkd. on brass cap



East bdy. of fractional T. 2 N., R. 23 W.

Chains Meander cor. as 3.60 chs. N. of true pt. for cor. of fracl. sec. 24 and 25. Land, level river bottom. Soil, 2nd rate. Timber, scattering willow, and cottonwood. Undergrowth, dense arrow weed.

7.90 North, along east bdy. of fracl. sec. 24, measuring from true point for cor. of fracl. secs. 24 and 25. Over level river bottom land, through scattering timber and dense undergrowth.

40.00 The cor. of secs. 19, and 30, T. 2 N., R. 22 W. here- in before described. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor. to fracl. sec. 24.

1/4 S24 1917

47.90 from which, A willow, 5 ins. diam., brs. N. 21° W. 15 lks. dist. mkd. 1/4 S 24 B T. A willow, 12 ins. diam., brs. S. 82 1/2° W. 23 lks. dist. mkd. 1/4 S 24 B T. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., of sec. 19, T. 2 N., R. 22 W., mkd. on brass cap

1/4 S19 1917

80.00 from which, A willow, 10 ins. diam., brs. N. 53° E. 17 lks. dist. mkd. 1/4 S 19 B T. A willow, 9 ins. diam., brs. S. 68° E. 29 lks. dist. mkd. 1/4 S 19 B T. Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of fracl. secs. 13 and 24, marked on brass cap,

T2N S 13 S 24 R23W 1917

from which, A willow, 6 ins. diam., brs. N. 71° W. 12 lks. dist. mkd. T 2 N R 23 W S 13 B T. A cottonwood, 10 ins. diam., brs. S. 67° W. 27 lks. dist. mkd. T 2 N R 23 W S 24 B T. Land, level river bottom. Soil, 2nd rate. Timber, scattering willow and cottonwood. Undergrowth, dense arrow weed.

7.90 North along the E. bdy. of fracl. sec. 13. Over level river bottom land, through scattering timber and dense undergrowth. Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of fracl. secs. 13 and 19, marked on brass cap,

T2N S18 S19 R22W 1917

8

East bdy. of fracl. T. 2 N., R. 23 W.

Chains

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. to fracl. sec. 13, marked on brass cap,

$\frac{1}{4}$ S13|
1917

from which,

A cottonwood, 6 ins. diam., brs. N. $17\frac{1}{4}^\circ$ W.
39 lks. dist. mkd. $\frac{1}{4}$ S 13 B T.

A cottonwood, 7 ins. diam., brs. S. $78\frac{3}{4}^\circ$ W.
27 lks. dist. mkd. $\frac{1}{4}$ S 13 B T.

47.90 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of fracl. sec. 18, fracl. T. 2 N., R. 22 W., mkd. on brass cap

| $\frac{1}{4}$ S18
1917

from which,

A willow, 5 ins. diam., brs. N. 67° E.
21 lks. dist. mkd. $\frac{1}{4}$ S 18 B T.

A cottonwood, 8 ins. diam., brs. S. $15\frac{3}{4}^\circ$ E.
19 lks. dist. mkd. $\frac{1}{4}$ S 18 B T.

52.90 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for meander cor. of fracl. secs. 13 and 18, mkd. on brass cap

M.C.
S13|S18
R23W|R22W
T2N
1917

from which,

A willow, 7 ins. diam., brs. S. $17\frac{3}{4}^\circ$ E.

24 lks. dist. mkd. T 2 N R 22 W S 18 M C B T.

A cottonwood, 6 ins. diam., brs. S. 84° W.

15 lks. dist. mkd. T 2 N R 23 W S 13 M C B T.

Land, level river bottom.

Soil, 2nd rate.

Timber, willow and cottonwood.

Undergrowth, dense arrow weed.

Survey of East bdy. of fracl. T. 2 N. R. 22 W.

Chains

From the cor. of Ts. 1&2 N. R. 21 W., T. 1 N. R. 22 W. & fracl. T. 2 N. R. 22 W. described in book "I"

North bet. secs. 31 and 36.

Over rolling mesa draining NW., through patches of dense undergrowth.

3.30 Enter rolling land, through dense undergrowth, bearing NW. and SE.

4.70 Shallow wash, 45 lks. wide, course NW.

17.00 Shallow wash, 75 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S36 1/4 | S31
1916

from which,

An iron wood, 8 ins. diam., brs. N. 64° E.

302 lks. dist. mkd. 1/4 S 31 B T.

An iron wood, 7 ins. diam., brs. S. 67 1/2° W.

90 lks. dist. mkd. 1/4 S 36 B T.

48.00 Enter series of shallow washes, course NW.

59.60 Leave washes, course NW.

71.50 Wash, 75 lks. wide, 3 ft. deep, course NW.

72.30 Enter rolling mesa, through scattering undergrowth, brs. NW. and SE.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs, 25, 30, 31 and 36, mkd. on brass cap

T2N
R22W R21W
S25 | S30
S36 | S31
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Land, rolling.

Soil, granite formation, 2nd and 3rd rates.

Timber, scattering palo verde and iron wood.

Undergrowth, greasewood.

North bet. secs. 25 and 30.

Over rolling mesa draining NW., through scattering undergrowth.

27.80 Wash, 90 lks. wide, 4 ft. deep, course NW.

34.50 Enter rolling hills bear NW. and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S25 1/4 | S30
1916

from which,

An iron wood, 8 ins. diam., brs. S. 32 1/2° W.

266 lks. dist. mkd. 1/4 S 25 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Asc. 55 ft. to

48.50 Spur slopes W. Desc. 48 ft. to

52.30 Wash, 30 lks. wide, course NW.

67.60 Wash, 30 lks. wide, course NW. Asc. 40 ft. to

74.30 Spur slopes NW.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs, 19, 24, 25 and 30, mkd. on brass cap

10 East bdy. of fract. T 2 N R 22 W

Chains

T2N
R22W R21W
S24|S19
S25|S30
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
W. of cor.
Land, rolling.
Soil, gravelly, 3rd rate.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

North bet. secs. 19 and 24.
Over rolling hills sloping NW., through scattering timber
and undergrowth.

.50
6.80
11.30
18.75
32.30
35.00
40.00

Asc. gradual slope to
Spur slopes NW.
Low spur slopes NW. Desc. 46 ft. to
Ravine, course NW.
Small ravine, course W. Asc. gradual slope to
Spur slopes W. Desc. 23 ft. to
Sandy draw, course W. Asc. 24 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
ground, to solid rock, in a mound of stone, for 1/4
sec. cor., mkd. on brass cap

S24 1/4 | S19
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
W. of cor..

42.70
49.20
62.30
73.00
78.80
80.00

Asc. to
Spur slopes NW. Desc. 56 ft. to
Wash, 10 lks. wide, course NW. Asc. rolling slope to
Spur slopes W. Desc. to
Enter series of shallow rocky washes course NW.
Dense undergrowth, brs. NW. and SE.
Wash, 1 ch. wide, 2 ft. deep, course NW.
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in
the ground, for cor. of secs. 13, 18, 19 and 24, mkd.
on brass cap

T2N
R22W R21W
S13|S18
S24|S19
1916

from which,
An iron wood, 8 ins. diam., brs. N. 74° W.
118 lks. dist. mkd. T 2 N R 22 W S 13 B T.

No other trees within limits.
Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Land, rolling and hilly.
Soil, granite formation, 2nd and 3rd rates.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

North bet. secs. 13 and 18.
Over rolling land, through scattering timber and under
growth.

Series of shallow washes, course NW.
2.00 Rocky wash, 75 lks. wide, 2 ft. deep, course NW.
5.00 Wash, 1 ch. wide, 2 ft. deep, course NW.

East bdy. of frac. T. 2 N. R. 22 W.

11

Chains

- 22.50 Old road brs. NW. and SE.
 23.50 Enter rolling mesa brs. NW. and SE.
 28.00 Old road brs. NW. and SE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} S13\frac{1}{4} | S18 \\ \hline 1916 \end{array}$$

from which,

An iron wood, 6 ins. diam., brs. S. 16° W.
 160 lks. dist. mkd. $\frac{1}{4}$ S 13 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of
 cor.

- 40.90 Dim road brs. NW. and SE.
 53.00 Rocky wash, 25 lks. wide, course NW.
 76.80 Small sandy wash, course NW. Asc. SW. slope,
 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in
 the ground, for cor. of secs, 7, 12, 13 and 18, mkd.
 on brass cap

$$\begin{array}{r} T2N \\ R22W R21W \\ \hline S12 | S 7 \\ \hline S13 | S18 \\ \hline 1916 \end{array}$$

from which,

An iron wood, 16 ins. diam., brs. S. $69\frac{1}{2}^\circ$ W.
 192 lks. dist. mkd. T 2 N R 22 W S 13 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, rolling.

Soil, granite formation, 2nd and 3rd rates.

Timber, palo verde and iron wood.

Undergrowth, greasewood.

North bet. secs. 7 and 12.

Over rolling land, through scattering timber and under-
 growth. Asc. SW. slope.

- 1.90 Small spur slopes NW.
 30.40 Enter rolling hills bear NW. and SE. Asc. gradual slope
 to
 36.00 Spur slopes NW. Desc. to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} S12\frac{1}{4} | S 7 \\ \hline 1916 \end{array}$$

from which,

An iron wood, 5 ins. diam., brs. S. $86\frac{1}{2}^\circ$ E.
 184 lks. dist. mkd. $\frac{1}{4}$ S 7 B T.

An iron wood, 20 ins. diam., brs. N. 8° W.
 116 lks. dist. mkd. $\frac{1}{4}$ S 12 B T.

- 41.10 Small ravine, course W.
 49.70 Road brs. NW. and SE.
 53.20 Enter rolling land, brs. NW. and SE.
 70.00 Wash, 1 ch. wide, 3 ft. deep, course NW.
 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in
 the ground, for cor. of secs, 1, 6, 7 and 12, mkd.
 on brass cap

$$\begin{array}{r} T2N \\ R22W R21W \\ \hline S 1 | S 6 \\ \hline S12 | S 7 \\ \hline 1916 \end{array}$$

12 East bdy. of fractional T. 2 N., R. 22 W.

Chains

Land from which,

1. An iron wood, limb, 8 ins. diam., brs. N. 69 1/2° W.
141 lks. dist. mkd. T 2 N R 22 W S 1 B T.

2. An iron wood, 10 ins. diam., brs. S. 53 3/4° W.
86 lks. dist. mkd. T 2 N R 22 W S 12 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Land, rolling.

Soil, granite formation, 2nd and 3rd rates.

Timber, scattering palo verde and iron wood.

Undergrowth, greasewood.

North bet. secs. 1 and 6.

Over rolling land, through scattering timber and undergrowth.

5.00 Enter rolling mesa brs. NW. and SE.

29.170 Rocky wash, 75 lks. wide, 2 ft. deep, course NW.

34.00 Wash, 60 lks. wide, 2 ft. deep, course NW.

36.90 Top of bank, 30 ft. high, brs. NW. and SE.

39.80 Ravine, 12 ft. deep, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for 1/4 sec. cor., mkd. on brass cap

S 1 1/2 | S 6
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
W. of cor.

54.15 Wash, 8 lks. wide, 2 ft. deep, course NW.

67.00 Sandy wash, 30 lks. wide, 7 ft. deep, course NW.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the
ground, for cor. of T. 2 & 3 N., R. 21 W., and fract. T. 2
& 3 N., R. 22 W., marked on brass cap,

T3N
S36 | S31
R22WS 1 | S 6 R21W
T2N
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
S. of cor.

The variation of the needle at this cor., is 14° 50' E.
Land, rolling.

Soil, gravelly, granite formation, 2nd and 3rd rates.

Timber, scattering palo verde and iron wood.

Undergrowth, greasewood.

Survey of North bdy. of fract. T. 2 N., R. 22 W.

Chains

From the cor. of Ts. 2 and 3 N., R. 21 W. & fract. Ts. 2 and 3 N., R. 22 W. heretofore described,
West bet. secs. 1 and 36.

Over rolling mesa draining NW.
24.90 Ravine, course NW.
29.80 Wash, 30 lks. wide, 2 ft. deep, course NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 36
 $\frac{1}{4}$
S 1
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft high, N. of cor.

47.80 Ravine, 6 ft. deep, course NW.
55.30 Desc. along SW. slope.
60.70 Enter wash, valley, brs. NW. and SE. Thence through dense undergrowth.
68.60 Wash, 150 lks. wide, 2 ft. deep, course NW.
74.90 Enter mesa brs. NW. and SE.
77.70 Ravine, 30 ft. deep, course NW.
80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, mkd. on brass cap

T 3 N
S 35 | S 36
S 2 | S 1 R 22 W
T 2 N
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.
Soil, granite formation, rocky and gravelly, 2nd and 3rd rates.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

West bet. secs. 2 and 35.
Over rolling land, through scattering timber and undergrowth.

Over rolling mesa draining NW.
6.00 Enter wash valley brs. NW. and SE. through dense undergrowth.
9.00 Shallow wash, 100 lks. wide, course NW.
15.50 Wash, 100 lks. wide, 1 ft. deep, course NW.
34.60 Leave wash valley, brs. N. and S. Asc. along rolling NE. slope.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 35
 $\frac{1}{4}$
S 2
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

60.00 Sandy draw course NW.
71.85 Enter mesa brs. NW. and SE.
75.10 Road brs. NW. to Ehrenberg and SE. to Cibola.
80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 35 and fract. sec. 34, marked on brass cap,

14

North bdv. of fracl. T. 2 N., R. 22 W.

Chains

T3N
 S34 | S35
 R22W | S 3 | S 2 R22W
 T2N
 1916

and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 Land, rolling.
 Soil, gravelly and sandy 2nd and 3rd rates.
 Timber, palo verde and iron wood.
 Undergrowth, greasewood.

West bet. sec. 3, and fracl. sec. 34.
 Over rolling mesa, through scattering timber and under-
 growth.

- 15.50 Desc. SW. slope.
- 20.30 Enter sandy wash valley, brs. NW. and SE.
- 29.00 Sandy wash, 45 lks. wide, 1 ft. deep, course NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for ¼ sec. cor., mkd. on brass cap

S 34
 ¼
 S 3
 1916

and dig pits, 18 X 18 X 12 ins., E. and W. of post,
 3 ft. dist.; and raise a mound of earth, 3½ ft. base,
 1½ ft. high, N. of cor.

- 40.60 Trail brs. N. to Ehrenberg and S. to Cibola.
- 60.30 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for witness point, mkd. on brass cap

S 34
 WP60.30c's
 S 3
 1916

and raise a mound of stone, 2 ft. base, 1½ ft. high,
 E. of cor.

- 60.40 Top of sand bank 40 ft. above river bottom land, brs.
 NE. and SW.
- 61.50 Desc. 50 ft. bluff to
 Foot of bluff brs. N. and S. Enter land of Colorado
 River bottom, through dense timber and undergrowth.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground, for cor. of sec. 3, and fracl. secs. 4, 33 and
 34, marked on brass cap,

T3N
 S33 | S34
 S 4 | S 3 R22W
 T2N
 1917

from which,
 A willow 10 ins. diam., brs. N. 78½° E.
 13 lks. dist. mkd. T 3 N R 22 W S 34 B T.
 A willow 6 ins. diam., brs. S. 61¼° E.
 18 lks. dist. mkd. T 2 N R 22 W S 3 B T.
 A willow, 4 ins. diam., brs. S. 57° W.
 21 lks. dist. mkd. T 2 N R 22 W S 4 B T.
 A willow, 8 ins. diam., brs. N. 46° W.
 10 lks. dist. mkd. T 3 N R 22 W S 33 B T.

Land, rolling and level.
 Soil, 2nd and 3rd rates.
 Timber, scattering palo verde and iron wood.
 Undergrowth, greasewood.

Chains

West bet. fracl. secs. 4 and 33.
Over level river bottom land, through timber and dense undergrowth..

2.70 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for meander cor. of fracl. secs. 4 and 33, mkd. on brass cap

T3N
C/S33R22W
M/S4
T2N
1917

from which,

A willow, 8 ins. diam., brs. N. $86\frac{1}{2}^\circ$ E.
153 lks. dist. mkd. T 3 N R 22 W S 33 M C B T.

A willow, 6 ins. diam., brs. S. $19\frac{1}{4}^\circ$ W.
48 lks. dist. mkd. T 2 N R 22 W S 4 M C B T.

Land, level river bottom.

Soil, 2nd rate.

Timber, cotton wood and willow.

Undergrowth, arrow weed.

Note: Diagrams of cor. markings of the corners herein described, are in accordance with Surveyor Kimmel's verbal and diagramatic instructions. MA

16

Subdivision of fract. T. 2 N. R. 22 W.

Chains

From the cor. of secs. 1, 2, 35 and 36, on S. bdy. of Tp.,
hereinbefore described,
N. 0° 1' W. bet. secs. 35 and 36.

Over rolling land, through scattering timber and under-
growth.

.30 Wash, 30 lks. wide, 2 ft. deep, course NW.

Thence over rolling mesa draining NW., through patches of
dense undergrowth.

12.70 Wash, 25 lks. wide, 2 ft. deep, course NW

24.60 Ravine, 6 ft. deep, course NW.

27.00 West end of small butte.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for 1/4 sec. cor., mkd. on brass cap.

S35 1/2 | S36
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
W. of cor.

44.00 Wash, 30 lks. wide, 5 ft. deep, course NW.

65.80 Ravine, 8 ft. deep, course NW.

79.30 Small ravine, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 25, 26, 35 and 36, mkd. on
brass cap

T 2N R22W
S26 | S25
S35 | S36
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
W. of cor.

Land, rolling.

Soil, gravelly, 3rd rate.

Timber, palo verde and iron wood.

Undergrowth, greasewood.

East on a random line bet. secs. 25 and 36.

40.00 Set temp. 1/4 sec. cor.

80.15 Intersect E. bdy. of Tp., 10 lks. S. of cor. of secs.
25, 30, 31 and 36, hereinbefore described.

Thence

S. 89° 56' W. on a true line bet. secs. 25 and 36.

Over rolling land, through scattering timber and under-
growth.

6.55 Wash, 2 chs. wide, 2 ft. deep, course NW.

8.45 Wash, 30 lks. wide, 2 ft. deep, course N.

25.05 Ravine, 9 ft. deep, course NW.

40.07 1/2 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap

S 25
1/4
S 36
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
N. of cor.

48.55 Ravine, 8 ft. deep, course NW.

57.65 Wash, 60 lks. wide, 2 ft. deep, course NW.

64.15 Shallow wash, 45 lks. wide, course NW.

80.15 The cor. of secs. 25, 26, 35 and 36,

Land, rolling.

Soil, gravelly, 3rd rate.

Timber, scattering palo verde and iron wood.

Undergrowth, greasewood.

Subdivision of fract. T. 2 N. R. 22 W.

Chains	<p>N. 0° 1' W. bet. secs. 25 and 26. Over rolling mesa draining NW., through scattering timber and undergrowth.</p> <p>24.00 Enter rolling wash land, through dense undergrowth bearing NW. and SE.</p> <p>28.70 Shallow wash, 30 lks. wide, course NW.</p> <p>35.80 Wash, 45 lks. wide, 2 ft. deep, course NW.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap</p> <p style="text-align: center;">S26$\frac{1}{4}$ S25 .1916</p> <p>from which, An iron wood, 10 ins. diam., brs. N. 76° W. 237 lks. dist. mkd. $\frac{1}{4}$ S 26 B-T.</p> <p>No other trees within limits Raise a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high, W. of cor.</p> <p>48.40 Wash, 45 lks. wide, 2 ft. deep, course NW.</p> <p>51.80 Wash, 30 lks. wide, 2 ft. deep, course NW.</p> <p>56.30 Wash, 45 lks. wide, 2 ft. deep, course NW. Asc. gradual slope to</p> <p>71.25 Low spur slopes NW. Desc. to</p> <p>74.80 Wash, 30 lks. wide, 2 ft. deep, course NW.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs, 23, 24, 25 and 26, mkd. on brass cap</p> <p style="text-align: center;">T 2 NR22W S23 S24 S26 S25 1916</p> <p>from which, An iron wood limb, 8 ins. diam., brs. N. 41° W. 223 lks. dist. mkd. T 2 N R 22 W S 23 B T.</p> <p>No other trees within limits. Raise a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high, W. of cor Land, rolling. Soil, gravelly, 3rd rate. Timber, palo verde and iron wood. Undergrowth, greasewood.</p> <hr/> <p>East on a random line bet. secs. 24 and 25.</p> <p>40.00 Set temp. $\frac{1}{4}$ sec. cor.</p> <p>80.30 Intersect E. bdy. of Tp., 32 lks. S. of cor. of secs. 19, 24, 25 and 30, hereinbefore described.</p> <p>Thence S. 89° 46' W. on a true line bet. secs. 24 and 25. Over rolling land, through scattering timber and undergrowth.</p> <p>12.15 Asc. 40 ft. to</p> <p>29.05 Spur slopes NW. Desc. 57 ft. to</p> <p>40.15 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap</p> <p style="text-align: center;">S 24 $\frac{1}{4}$ S 25 1916</p> <p>and raise a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high, N. of cor.</p> <p>62.90 Wash, 45 lks. wide, 3 ft. deep, course NW.</p> <p>68.30 Shallow wash, 45 lks. wide, course NW.</p> <p>77.00 Wash, 60 lks. wide, 4 ft. deep, course NW.</p> <p>80.30 The cor. of secs. 23, 24, 25 and 26.</p>
--------	---

18

Subdivision of Fracl. T. 2 N., R. 22 W.

Chains

Land, rolling.
Soil, rocky, 3rd rate.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

N. 0° 1' W. bet. secs. 23 and 24.
Over rolling land, through scattering timber and undergrowth.

.90 Wash, 60 lks. wide, 4 ft. deep, course NW.
5.80 Wash, 30 lks. wide, 2 ft. deep, course NW.
11.30 Wash, 45 lks. wide, 2 ft. deep, course NW.
20.00 Leave washes and undergrowth, bearing NW. and SW.
25.70 Road brs. NE. to Ehrenberg and SW. to Cibloa.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S23 $\frac{1}{4}$ |S24
1916

from which,

An iron wood, 12 ins. diam., brs. N. 46° E.
54 lks. dist. mkd. $\frac{1}{4}$ S 24 B T.
An iron wood, 8 ins. diam., brs. S 14° W.
85 lks. dist. mkd. $\frac{1}{4}$ S 23 B T.
41.40 Shallow wash, 30 lks. wide, course NW. Enter rolling hills bear NE. and SW. Asc. 46 ft. to
49.00 Spur slopes W. Desc. 63 ft. to
53.80 Wash, 45 lks. wide, 2 ft. deep, course W. Asc. 23 ft. to
59.00 Enter rolling mesa brs. NE. and SW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, mkd. on brass cap

T 2N R22W
S14|S13
~~S23|S24~~
1916

and raise amound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.
Soil, rocky, 3rd rate.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

40.00 East on a random line bet. secs. 13 and 24.
Set temp. $\frac{1}{4}$ sec. cor.
80.19 Intersect E. bdy. of Tp., 24 lks. S of cor. of secs. 13, 18, 19 and 24, hereinbefore described.
Thence
S. 89° 49' W. on a true line bet. secs. 13 and 24.
Over rolling mesa land, through scattering timber and undergrowth.
1.50 Rocky wash, 2 chs. wide, 2 ft. deep, course NW.
7.40 Rocky wash, 45 lks. wide, 2 ft. deep, course NW.
10.70 Top of bank, 15 ft. high, brs. NW. and SE.
35.80 Road brs. NE. to Ehrenberg and SW. to Cibloa.
40.09 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 13
 $\frac{1}{4}$
S 24
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

Subdivision of Tract. T. 2 N., R. 22 W. 19

Chains
80.19

The cor. of secs. 13, 14, 23 and 24.
Land, rolling.
Soil, granite formation, gravelly and sandy, 2nd and 3rd rates.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

23.75
24.50
38.20
40.00

N. 0° 1' W. bet. secs. 13 and 14.
Over rolling land, through scattering timber and undergrowth.
Enter wash, valley, brs. NW. and SE.
Wash, 60 lks. wide, 1 ft. deep, course NW.
Wash, 2 chs. wide, 2 ft. deep, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S14 $\frac{1}{4}$ |S13
1916

from which,
An iron wood, 14 ins. diam., brs. S. 21° E.
121 lks. dist. mkd. $\frac{1}{4}$ S 13 B T.
An iron wood, 5 ins. diam., brs. S. 20 $\frac{1}{2}$ ° W.
105 lks, dist. mkd. $\frac{1}{4}$ S 14 B T.

60.00
65.50
75.30
80.00

Leave wash valley brs. NW. and SE. Asc. sandy SW. slope.
Enter rolling mesa drains NW.
Shallow wash, 30 lks. wide, course NW.
Ravine, 10 ft. deep, course NW.

80.30

True point for cor. of secs, 11, 12, 13 and 14, falls in ravine, therefore continue N.0°1'W., and at
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for witness cor. to cor. of secs. 11, 12, 13 and 14, mkd. on brass cap

T 2N R22W
S11|S12
W C
S14|S13
1916

from which,
An iron wood, 8 ins. diam., brs. S. 2 $\frac{1}{4}$ ° E.
45 lks. dist. mkd. W C T 2 N R 22 W S 13 B T.

No other trees within limits.
Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor
Land, rolling.
Soil, granite formation, gravelly and sandy, 2nd and 3rd rates.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

40.00
80.29

From the true point for cor. of secs. 11, 12, 13 and 14, East on a random line bet. secs. 12 and 13.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect E. bdy. of Tp., 37 lks. S. of cor. of secs. 7, 12, 13 and 18, hereinbefore described.

2.20
14.40
37.70
40.14 $\frac{1}{2}$

Thence
S. 89° 44' W. on a true line bet. secs. 12 and 13.
Over rolling land, through scattering timber and undergrowth.
Small ravine, course NW.
Road brs. NW. to Ehrenberg and SE. to Cibola.
Wash, 45 lks. wide, 2 ft. deep, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

20

Subdivision of Fracl. T. 2 N., R. 22 W.

Chains

S 12
 $\frac{1}{4}$
~~S 13~~
1916

from which,

An iron wood, 10 ins. diam., brs. N. $11\frac{1}{2}^\circ$ E.
94 lks. dist. mkd. $\frac{1}{4}$ S 12 B T.

An iron wood, 20 ins. diam., brs. S. $63\frac{1}{2}^\circ$ W.
154 lks. dist. mkd. $\frac{1}{4}$ S 13 B T.

- 41.70 Same wash, course SW.
 - 44.00 Same wash, course NW.
 - 53.30 Wash, 25 lks. wide, course NW.
 - 61.20 Ravine, 15 ft. deep, course NW.
 - 80.29 True point for cor. of secs. 11, 12, 13 and 14. (W.C. brs. N. $0^\circ 1'$ W. 30 lks. dist.)
- Land, rolling.
Soil, gravelly, 2nd and 3rd rates.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

From the true point for cor. of secs, 11, 12, 13 and 14,
N. $0^\circ 1'$ W. bet. secs. 11 and 12.

Over rolling land, through scattering timber & undergrowth.

- 0.30 Witness cor. to cor. of secs. 11, 12, 13 and 14, hereinbefore described.
- 4.80 Ravine, 15 ft. deep, course NW.
- 17.30 Small wash, course NW.
- 21.40 Wash, 40 lks. wide, 2 ft. deep, course NW.
- 38.80 Sandy wash, 45 lks. wide, 4 ft. deep, course SW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S11 $\frac{1}{4}$ |S12
1916

from which,

An iron wood, 12 ins. diam., brs. S. 33° W.
135 lks. dist. mkd. $\frac{1}{4}$ S 11 B T.

No other trees within limits.

- 64.90 Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 71.00 Wash, 15 lks. wide, 5 ft. deep, course NW.
- 72.60 Top of bank, 6 ft. high, brs. NW. and SE. Enter sandy wash valley course NW.
- 77.90 Shallow wash, 1 ch. wide, course NW.
- 80.00 Enter mesa brs. NW. and SE.
- Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, mkd. on brass cap

T 2N R22W
S 2 | S 1
~~S11 | S12~~
1916

from which,

An iron wood, 5 ins. diam., brs. S. 15° W.
161 lks. dist. mkd. T. 2 N R 22 W S 11 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Land, rolling.

Soil, granite formation, gravelly and sandy, 2nd and 3rd rates.

Timber, palo verde and iron wood.
Undergrowth, greasewood.

East on a random line bet. secs. 1 and 12.

Chains
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.20 Intersect E. bdy. of Tp., 31 lks. S. of cor. of secs. 1, 6, 7 and 12, hereinbefore described.
Thence
S. $89^{\circ} 46'$ W. on a true line bet. secs. 1 and 12.
Over rolling land, through scattering timber and undergrowth.
1.20 Wash, 100 lks. wide, 1 ft. deep, course NW.
7.20 Wash, 60 lks. wide, 1 ft. deep, course NW.
10.80 Leave wash, valley, brs. NW. and SE.
40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 1
 $\frac{1}{4}$
S 12
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
41.30 Ravine, course NW.
48.60 Ravine, 15 ft. deep, course NW.
57.60 Road brs. NW. to Ehrenberg and SE. to Cibola.
75.00 Desc. along SW. slope to
80.20 The cor. of secs. 1, 2, 11 and 12.
Land, rolling.
Soil, gravelly, 2nd and 3rd rates, granite formation.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

40.00 N. $0^{\circ} 1'$ W. on a random line bet. secs. 1 and 2.
Set temp. $\frac{1}{4}$ sec. cor.
80.31 Intersect N. bdy. of Tp. 14 lks. W. of cor. of secs 1, 2, 35 and 36, hereinbefore described.
Thence
S. $0^{\circ} 5'$ W. on a true line bet. secs. 1 and 2.
Over rolling land, through scattering timber and undergrowth.
Across rolling mesa to
4.50 Leave mesa brs. NW. and SE. Wash valley brs. NW. and SE.
14.80 Wash, 75 lks. wide, 2 ft. deep, course NW.
37.50 Leave wash valley.
40.31 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S $2\frac{1}{4}$ | S 1
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
53.60 Road brs. NW. to Ehrenberg and SE. to Cibola.
67.30 Ravine, 7 ft. deep, course NW.
80.31 The cor. of secs, 1, 2, 11 and 12.
Land, rolling.
Soil, gravelly, granite formation, 2nd and 3rd rates.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

From the cor. of secs. 2, 3, 34 and 35, on S. bdy. of Tp., hereinbefore described,
N. $0^{\circ} 1'$ W. bet. secs. 34 and 35.
Over rolling land, through scattering timber and undergrowth.
2.10 Wash, 25 lks. wide, 1 ft. deep, course W.
4.00 Enter rolling mesa brs. NE. and SW.
9.30 Road brs, NW. and SE.

22

Subdivision of Tract. T. 2 N. R. 22 W.

Chains

16.90 Wash, 45 lks. wide, 2 ft. deep, course NW.
 22.30 Wash, 30 lks. wide, 2 ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S34 $\frac{1}{2}$ |S35
 1916

from which,

An iron wood, 7 ins. diam., brs. N. 2° E.
 176 lks. dist. mkd. $\frac{1}{4}$ S 35 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

41.70 Ravine, 6 ft. deep, course NW.

62.10 Ravine, 6 ft. deep, course W.

71.60 Wash, 15 lks. wide, 5 ft. deep, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, mkd. on brass cap

T 2N R22W
 S27|S26
 S34|S35
 1916

from which,

An iron wood, 8 ins. diam., brs. S. 88 $\frac{1}{2}$ ° W.
 209 lks. dist. mkd. T 2 N R 22 W S 34 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.

Soil, rocky, granite formation, 3rd rates

Timber, palo verde and iron wood.

Undergrowth, greasewood.

40.00 East on a random line bet. secs. 26 and 35.

79.97 Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 1 lk. S. of cor. of secs. 25, 26, 35 and 36.

Thence

West on a true line bet. secs. 26 and 35.

Over rolling land, through scattering timber and undergrowth.

.40 Small ravine, course NW.

10.20 Road brs. NE. to Ehrenberg and SW. to Cibola.

19.10 Wash, 30 lks. wide, 2 ft. deep, course N.

39.98 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 26
 $\frac{1}{4}$
 S 35
 1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

66.60 Wash, 25 lks. wide, 3 ft. deep, course NW.

77.70 Ravine, 5 ft. deep, course NW.

79.97 The cor. of secs. 26, 27, 34 and 35.

Land, rolling.

Soil, rocky and gravelly, granite formation, 3rd rate.

Timber, palo verde and iron wood.

Undergrowth, greasewood.

Chains

N. 0° 1' W. bet. secs. 26 and 27.
Over rolling mesa draining NW., through patches of dense undergrowth.

- 2.10 Ravine, 5 ft. deep, course NW.
- 14.40 Wash, 25 lks. wide, 3 ft. deep, course NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap.

S27 $\frac{1}{4}$ |S26
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

- 43.80 Wash, 40 lks. wide, 2 ft. deep, course NW.
- 47.40 Wash, 30 lks. wide, 2 ft. deep, course W.
- 55.80 Wash, 25 lks. wide, 2 ft. deep, course SW.
- 72.30 Enter wash, 3 ft. deep, course from SE. to N.
- 74.80 Leave wash, course NE. from S.
- 77.60 Enter same wash, course N. from SE.
- 79.00 Leave same wash, course NE. from S.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, mkd. on brass cap

T 2 NR22W
S22|S23
S27|S26
1916

from which,
An iron wood, 10 ins. diam., brs. S. 3 $\frac{1}{2}$ ° W.
97 lks. dist. mkd. $\frac{1}{4}$ 2 N R 22 W S 27 B T.
No other trees within limits.
Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
Land, rolling.
Soil, rocky and gravelly, granite formation, 3rd rate.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

- 40.00 East on a random line bet. secs. 23 and 26.
- 79.86 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 6 lks. N. of cor. of secs. 23, 24, 25 and 26.

Thence
N. 89° 57' W. on a true line bet. secs. 23 and 26.
Over rolling land, through scattering timber and undergrowth.

- 9.50 Wash, 60 lks. wide, 2 ft. deep, course NW.
Road in wash brs. NE. to Ehrenberg and SW. to Cibola.
- 14.85 Shallow wash, 1 ch. wide, course NW.
- 30.85 Leave wash, valley brs. NW. and SE.
- 39.93 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 23
 $\frac{1}{4}$
S 26
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

- 48.25 Shallow wash, 30 lks. wide, course NW.
- 65.05 Small wash, course NW.
- 75.85 Ravine, 10 ft. deep, course NW.
- 78.85 Wash, 45 lks. wide, 3 ft. deep, course N.
- 79.86 The cor. of secs. 22, 23, 26 and 27.
Land, rolling.
Soil, gravelly, granite formation, 2nd and 3rd rates.

24

Subdivision of Tract. T. 2 N. R. 22 W.

Chains

Timber, palo verde and iron wood.
Undergrowth, greasewood.

N. 0° 1' W. bet. secs. 22 and 23.
Over rolling mesa draining NW., through patches of dense undergrowth.

- 11.00 Wash, 60 lks. wide, 3 ft. deep, course W.
- 21.25 Ravine, course NW.
- 39.70 Shallow wash, 25 lks. wide, course NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., .26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S22 $\frac{1}{2}$ |S23
1916

from which,

- An iron wood, 14 ins. diam., brs. S. 54 $\frac{1}{2}$ ° E. 124 lks. dist. mkd. $\frac{1}{4}$ S 23 B T.
- An iron wood, 8 ins. diam., brs. N. 57 $\frac{1}{2}$ ° W. 73 lks. dist. mkd. $\frac{1}{4}$ S 22 B T.
- 54.00 Enter wash valley brs. NE. and SW.
- 69.80 Wash, 45 lks. wide, 2 ft. deep, course NW.
- 75.60 Wash, 1 ch. wide, 1 ft. deep, course NW.
- 79.80 Wash, 30 lks. wide, 1 ft. deep, course NW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, mkd. on brass cap

T. 2N R22WW
S15|S14
S22 $\frac{1}{2}$ |S23
1916

from which,

- An iron wood, 5 ins. diam., brs. N. 65 $\frac{1}{2}$ ° E. 46 lks. dist. mkd. T 2 N R 22 W S 14 B T.
- An iron wood, 10 ins. diam., brs. S. 46° E. 180 lks. dist. mkd. T 2 N R 22 W S 23 B T.
- An iron wood, 8 ins. diam., brs. S. 13° W. 153 lks. dist. mkd. T 2 N R 22 W S 22 B T.
- An iron wood, 12 ins. diam., brs. N. 12° W. 46 lks. dist. mkd. T. 2 N R 22 W S 15 B T.
- Land, rolling.
- Soil, granite formation, 2nd and 3rd rates.
- Timber, palo verde and iron wood.
- Undergrowth, greasewood and cat claw.

- 40.00 East on a random line bet. secs. 14 and 23.
- 79.97 Set temp. $\frac{1}{4}$ sec. cor.
- Intersect N. and S. line, at the cor. of secs. 13, 14, 23 and 24.

Thence

- West on a true line bet. secs. 14 and 23.
- Over rolling mesa draining NW., through scattering undergrowth.
- 39.60 Wash, 25 lks. wide, 5 ft. deep, course NW.
- 39.98 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 14.
 $\frac{1}{4}$
S 23
1916

Chains

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor. (Impracticable to raise mound N. of cor.)

42.40 Same wash, course SW.
43.80 Same wash, course N.
55.40 Same wash, course SW.
68.30 Desc. rolling SW. slope, 52 ft. to
73.25 Enter wash valley, through dense undergrowth, brs. NW. and
SE.
76.00 Shallow wash, 45 lks. wide, course NW.
79.97 The cor. of secs. 14, 15, 22 and 23
Land, rolling.
Soil, granite formation, 2nd and 3rd rates.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

N. $0^{\circ} 1'$ W. bet. secs. 14 and 15.
Over bottom of wash valley, through dense undergrowth.
3.10 Shallow wash, 30 lks. wide, course NW.
4.70 Top of bank, 60 ft. high, brs. NW. and SE.
8.00 Draw, course W.
14.40 Enter rolling mesa brs. NW. and SE.
23.30 Wash, 30 lks. wide, 6 ft. deep, course SW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S15 $\frac{1}{2}$ | S14
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

62.50 Desc. NE. slope 64 ft. to
65.00 Enter wash valley brs. NW. and SE.
66.50 Shallow wash, 1 ch. wide, course NW.
71.50 Shallow wash, 2 chs. wide, course NW.
78.70 Shallow wash, 60 lks. wide, course NW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground, for cor. of secs, 10, 11, 14 and 15, mkd.
on brass cap

T 2N R22W
S10 | S11
S15 | S14
1916

from which,
An iron wood, 10 ins. diam., brs. S. $22\frac{1}{2}^{\circ}$ W.
111 lks. dist. mkd. T 2 N R 22 W S 15 B T.
No other trees within limits.
Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Land, rolling.
Soil, granite formation, gravelly, 2nd and 3rd rates.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

40.00 East on a random line bet. secs. 11 and 14.
Set temp. $\frac{1}{4}$ sec. cor.
79.98 Intersect N. and S. line, 11 lks. N. of true point for
cor. of secs. 11, 12, 13 and 14. (Witness cor. brs.
N. $0^{\circ} 1'$ W. 30 lks. dist.)
Thence
1 N. $89^{\circ} 55'$ W. from true point for cor. of secs. 11, 12,
13 and 14, on a true line bet. secs. 11 and 14.
Over rolling mesa draining NW., through scattering timber
and undergrowth.
10.15 Shallow wash, 30 lks. wide, course NW.

26

Subdivision of Fracl. T. 2 N., R. 22 W.

Chains

39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 11
~~S 14~~
S 14
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

61.80 Desc. rolling SW. slope, 52 ft. to

66.00 Enter wash valley, through dense undergrowth brs. NE. and SW.

69.10 Wash, 25 lks. wide, 2 ft. deep, course SW.

79.98 The cor. of secs. 10, 11, 14 and 15.
Land, rolling.
Soil, gravelly, granite formation, 2nd and 3rd rates.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

4.20 N. 0° 1' W. bet. secs. 10 and 11.
Over rolling land, through timber and undergrowth.
Leave wash valley brs. NW. and SE. Asc. SW. slope, 65 ft. to

14.30 Enter rolling mesa brs. NW. and SE.

19.40 Shallow wash, 25 lks. wide, course NW.

24.00 Shallow wash, 25 lks. wide, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S10 $\frac{1}{2}$ |S11
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

50.50 Enter wash valley, through dense undergrowth, brs. NW. and SE.

54.60 Shallow wash, 45 lks. wide, course NW.

65.00 Enter rolling mesa brs. E. and W.

70.00 Sandy draw course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs, 2, 3, 10 and 11, mkd. on brass cap

T 2N R22W

S 3|S 2

S10 $\frac{1}{2}$ |S11

1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.
Soil, gravelly, granite formation, 2nd and 3rd rates.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

40.00 East on a random line bet. secs. 2 and 11.
Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect N. and S. line, 19 lks. S. of cor. of secs. 1, 2, 11 and 12.
Thence
S. 89° 52' W. on a true line bet. secs. 2 and 11.
Over rolling land, through scattering timber and undergrowth.

12.50 Wash. 60 lks. wide, course NW.

21.10 Same wash, course SW.

Subdivision of Fracl. T. 2 N., R. 22 W.

Chains
25.40
40.01

Same wash, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 2
1/4
S 11
1916

from which,
An iron wood, 10 ins. diam., brs. N. 41 1/2° E. 39 lks. dist. mkd. 1/4 S 2 B T.

No other trees within limits.
Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

61.50 Leave wash valley brs. NW. and SE.
Thence over rolling mesa to
80.02 The cor. of secs. 2, 3, 10 and 11.
Land, rolling.
Soil, gravelly and sandy, granite formation, 2nd and 3rd rates.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

40.00 N. 0° 1' W. on a random line bet. secs. 2 and 3.
Set temp. 1/4 sec. cor.
80.48 Intersect N. bdy. of Tp., 23 lks. W. of cor. of secs. 2, 3, 35, and fracl. sec 34 hereinbefore described.

Thence
S. 0° 9' W. on a true line bet. secs. 2 and 3.
Over rolling land, through scattering timber and undergrowth.

7.18 Ravine, course W.
18.68 Sandy draw course NW.
36.68 Shallow sandy wash, 30 lks. wide, course SW.
40.48 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 3 1/4 | S 2
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

67.48 Wash, 45 lks. wide, 1 ft. deep, course W.
72.18 Leave sandy wash valley, brs. NW. and SE. Thence over rolling mesa draining NW.
80.48 The cor. of secs. 2, 3, 10 and 11.
Land, rolling.
Soil, granite formation, gravelly and sandy, 2nd and 3rd rates.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

From the cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp., hereinbefore described,
N. 0° 2' W. bet. secs. 33 and 34.

Over rolling land, through scattering timber and undergrowth.
Asc. 19 ft. to

1.30 Spur slopes NW. Desc. 63 ft. to
6.10 Over rolling land to
11.40 Enter wash valley brs. NW. and SE.
21.40 Shallow wash, 25 lks. wide, course NW.
35.60 Shallow wash, 1 ch. wide, course NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in

28

Subdivision of Fracl. T. 2 N., R. 22 W.

Chains

the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap
$$\begin{array}{c} S33\frac{1}{4}|S34 \\ 1916 \end{array}$$

from which,

An iron wood, 8 ins. diam., brs. S. 62° E.

228 lks. dist. mkd. $\frac{1}{4}$ S 34 B T.

An iron wood, 7 ins. diam., brs. S. 63° W.

168 lks. dist. mkd. $\frac{1}{4}$ S 33 B T.

47.90

Shallow wash, 75 lks. wide, course NW.

48.30

Enter rolling mesa brs. NW. and SE.

58.05

Wash, 25 lks. wide, course W. Asc. gradual slope to

67.00

Spur slopes NW. Desc. to

71.90

Ravine, 7 ft. deep, course NW.

77.70

Road brs. NW. and SE.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, mkd. on brass cap

T 2N R22W

S28|S27

S33|S34

1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.

Soil, granite formation, gravelly, 2nd and 3rd rates.

Timber, palo verde and iron wood.

Undergrowth, greasewood, and cat claw.

40.00

East on a random line bet. secs. 27 and 34.

80.02

Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 5 lks. S. of cor. of secs. 26, 27, 34 and 35.

Thence

S. 89° 58' W. on a true line bet. secs. 27 and 34.

Over rolling land, through scattering timber and undergrowth.

4.65

Wash, 30 lks. wide, 3 ft. deep, course NW.

7.00

Same wash, course SW.

8.80

Same wash, course N.

17.70

Ravine, 8 ft deep, course NW.

39.20

Ravine, 6 ft. deep, course NW.

40.01

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 27

 $\frac{1}{4}$

S 34

1916

from which,

An iron wood, 6 ins. diam., brs. N. 10 $\frac{1}{4}$ ° W.112 lks. dist. mkd. $\frac{1}{4}$ S 27 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

52.90

Shallow wash, 1 ch. wide, course NW.

80.02

The cor. of secs. 27, 28, 33 and 34.

Land, rolling.

Soil, gravelly, 3rd rate.

Timber, patches of dense palo verde and iron wood.

Undergrowth, greasewood.

Chains

N. 0° 2' W. bet. secs. 27 and 28.
Over rolling mesa, draining NW., through patches of dense undergrowth.

16.20
40.00

Ravine, 6 ft. deep, course SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S28 $\frac{1}{4}$ |S27
1916

from which,

An iron wood, 6 ins. in diam., brs. S. 65 $\frac{1}{2}$ ° E.
160 lks. dist. mkd. $\frac{1}{4}$ S 27 B T.
An iron wood, 8 ins. diam., brs. N. 88 $\frac{1}{2}$ ° W.
234 lks. dist. mkd. $\frac{1}{4}$ S 28 B T.

41.85
55.60
80.00

Wash, 45 lks. wide, 2 ft. deep, course NW.
Shallow wash, 30 lks. wide, course NW.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs, 21, 22, 27 and 28, mkd. on brass cap

T 2N R22W
S21|S22
S28|S27
1916

from which,

An iron wood, 12 ins. diam., brs. S. 82° E.
214 lks. dist. mkd. T 2 N R 22 W S 27 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.

Soil, gravelly, 3rd rate.

Timber, patches of dense palo verde and iron wood.

Undergrowth, greasewood.

40.00
80.08

East on a random line, bet. secs. 22 and 27.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, at the cor. of secs. 22, 23, 26 and 27.

Thence

West on a true line bet. secs. 22 and 27.
Over rolling land, draining NW., through patches of dense undergrowth.

11.85
21.60
23.85
40.04

Ravine, 12 ft. deep, course NE.
Shallow wash, 45 lks. wide, course NW.
Top of bank, 35 ft. high, brs. N. and S.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 22
 $\frac{1}{4}$
S 27
1916

from which,

An iron wood, 4 ins. diam., brs. N. 44° W.
134 lks. dist. mkd. $\frac{1}{4}$ S 22 B T.
An iron wood, 7 ins. diam., brs. S. 19 $\frac{1}{2}$ ° W.
42 lks. dist. mkd. $\frac{1}{4}$ S 27 B T.

59.50
69.95
80.08

Wash, 25 lks. wide, 4 ft. deep, course NW.
Ravine, 5 ft. deep, course NW.
The cor. of secs. 21, 22, 27 and 28.
Land, rolling.
Soil, gravelly, 3rd rate.
Timber, patches of dense palo verde and iron wood.
Undergrowth, greasewood.

30

Subdivision of Fract. T. 2 N. R. 22 W.

Chains

N. 0° 2' W. bet. secs. 21 and 22.
Over rolling mesa draining NW., through scattering under growth.

10.90 Ravine, 6 ft. deep, course NW.

25.70 Wash, 30 lks. wide, 4 ft. deep, course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S21 1/4 | S22
1916

from which,

An iron wood, 8 ins. diam., brs. S. 55° W.
158 lks. dist. mkd. 1/4 S 21 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

54.10 Ravine, 8 ft. deep, course NW.

63.10 Wash, 25 lks. wide, 3 ft. deep, course W.

70.60 Wash, 45 lks. wide, 4 ft. deep, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, mkd. on brass cap

T 2N R22W
S16 | S15
S21 | S22
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Land, rolling.

Soil, gravelly, 3rd rate.

Timber, patches of dense palo verde and iron wood.

Undergrowth, greasewood.

40.00 East on a random line bet. secs. 15 and 22.

80.10 Set temp. 1/4 sec. cor.

Intersect N. and S. line, 4 lks. N. of cor. of secs. 14, 15, 22 and 23.

Thence

N. 89° 58' W. on a true line bet. secs. 15 and 22.

Over rolling land, through scattering timber and undergrowth.

5.80 Shallow wash, 1 ch. wide, course NW.

22.50 Shallow wash, 45 lks. wide, course NW.

35.80 Shallow wash, 75 lks. wide, course NW.

40.05 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 15
1/4
S 22
1916

from which,

An iron wood, 6 ins. diam., brs. N. 8 1/2° W.
167 lks. dist. mkd. 1/4 S 15 B T.

No other trees within limits.

Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

55.80 Shallow wash, 45 lks. wide, course N.

57.10 Leave wash valley brs. N. and S.

70.95 Small wash, course NW. Asc. along NE. slope 56 ft. to

73.20 Over rolling mesa draining SW. to

80.10 The cor. of secs. 15, 16, 21 and 22.

Land, rolling.

Soil, gravelly, granite formation, 2nd and 3rd rates.

Timber, palo verde and iron wood. Undergrowth, greasewood.

Chains

N. 0° 2' W. bet. secs. 15 and 16.
Over rolling mesa, through scattering timber and undergrowth.

13.00 Enter wash valley brs. NW. and SE. through dense undergrowth.

18.40 Shallow wash, 1 ch. wide, course NW.

28.00 Shallow wash, 100 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S16 $\frac{1}{2}$ |S15
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

42.90 Leave wash valley brs. NW. and SE. Asc. rolling SW. slope.

61.70 Enter rolling mesa brs. E. and W.

78.50 Ravine, 12 ft. deep, course NE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 15, 16, and fracl. sec. 9, marked on brass cap,

T 2N R22W
S 9|S10
S16|S15
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.

Soil, granite formation gravelly, 2nd and 3rd rates.

Timber, patches of dense palo verde and iron wood.

Undergrowth, greasewood.

40.00 East on a random line bet. secs. 10 and 15.

80.08 Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 6 lks. N. of cor. of secs. 10, 11, 14 and 15.

Thence

N. 89° 57' W. on a true line bet. secs. 10 and 15.

Over bottom of wash valley, through dense undergrowth.

2.80 Shallow wash, 60 lks. wide, course NW.

12.80 Shallow wash, 75 lks. wide, course NW.

19.30 Shallow wash, 1 ch. wide, course NW.

23.60 Enter rolling mesa draining NW.

31.40 Draw, course NW.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 10
 $\frac{1}{4}$
S 15
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

52.20 Wash, 30 lks. wide, 4 ft. deep, course NW.

73.80 Wash, 15 lks. wide, 2 ft. deep, course NE.

80.08 The cor. of secs. 10, 15, 16, & fracl. sec. 9,

Land, rolling.

Soil, granite formation, gravelly, 3rd rate.

Timber, patches of dense palo verde and iron wood.

Undergrowth, greasewood.

32 Subdivision of Tract W. 2 N., R. 22 W.

Chains

N. 0° 2' W. bet. sec. 10, and frac. sec. 9;
Over rolling mesa draining NW., through scattering timber
and undergrowth.

9.20 Shallow wash, 30 lks. wide, course NW.

17.00 Enter wash valley brs. NW. and SE. Thence through dense
undergrowth.

18.35 Shallow wash, 30 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor.; mkd. on brass cap

S 9 $\frac{1}{4}$ | S 10
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

53.60 Shallow wash, 2 chs. wide, course NW.

65.00 Leave wash, valley brs. NW. and SE. Asc. rolling SW. slope,
72 ft. to

71.20 Enter rolling mesa draining SW.

80.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
ground, for cor. of secs. 3 and 10, and frac. secs. 4
and 9, marked on brass cap,

T 2N R22W
S 4 | S 3
S 9 | S 10
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

Land, rolling.

Soil, granite formation, gravelly, 3rd rate.

Timber palo verde and iron wood.

Undergrowth, greasewood.

40.00 East on a random line bet. secs. 3 and 10.

Set temp. $\frac{1}{4}$ sec. cor.

80.10 Intersect N. and S. line, 7 lks. N. of cor. of secs. 2,
3, 10 and 11.

Thence

N. 89° 57' W. on a true line bet. secs. 3 and 10.

Over rolling N. slope, through scattering timber and
undergrowth.

13.60 Enter sandy wash valley brs. NW. and SE.

33.30 Shallow wash, 45 lks. wide, course NW.

40.05 Set an iron post, 3 ft long, 1 in. diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 3
 $\frac{1}{4}$
S 10
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft.
high, N. of cor.

55.00 Leave wash valley brs. NW. and SE. Asc. NE. slope, 51
ft. to

59.00 Desc. 46 ft. to

63.00 Wash, 30 lks. wide, 2 ft. deep; course NW. Asc. 46 ft.
to

69.00 Over rolling land to

80.10 The cor. of secs. 3, 10, and frac. secs. 4 and 9.

Land, rolling and hilly.

Soil, granite, gravelly, 3rd rate.

Timber, scattering palo verde and iron wood.

Undergrowth, greasewood.

Chains

40.00 N. 0° 2' W. on a random line bet. sec. 3 and fracl. sec. 4.
 Set temp. 1/4 sec. cor.
 80.28 Intersect N. bdy. of Tp. 15 lks. W. of cor. of sec. 3, and sec. 4, 33 & 34, hereinbefore described.
 Thence
 S. 0° 4' W. on a true line bet. sec. 3 and fracl. sec. 4.
 Over level river bottom land, through scattering timber and dense undergrowth.
 31.88 N. side of tule swamp. brs. NE. and SW.
 Thence across swamp to
 40.23 S. edge of tule swamp brs. NE. and SW.
 40.28 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 4 1/4 | S 3
1916

from which,
 A willow, 8 ins. diam., brs. N. 64 3/4° E.
 64 lks. dist. mkd. 1/4 S 3 B T.
 A willow 8 ins. diam., brs. S. 54 3/4° W.
 53 lks. dist. mkd. 1/4 S 4 B T.

As 1/4 sec. cor. is set on land subject to overflow and is liable to become buried with silt or washed out in case of extreme high water, at
 42.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness point, mkd. on brass cap

W P
 S 4 1/4 | S 3
 1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, W. of point.

Note: this cor. is set in mouth of wash valley, near remains of old corral, 20 ft. from edge of brush, bearing NE. and SW.

46.90 Draw 5 chs. wide, course NW.
 52.60 Rail brs. NE. to Ehrenberg and SW. to Cibola.
 61.90 Wash, 30 lks. wide, 2 ft. deep, course NW.
 67.30 Leave wash, valley brs. NW. and SE.
 80.28 The cor. of secs. 3, 10, and fracl. secs. 4 and 9.
 Land, rolling and level river bottom.
 Soil, 2nd and 3rd rates.
 Timber, palo verde, iron wood scattering willow and cottonwood.
 Undergrowth, greasewood and arrow weed.

From the cor. of secs. 4, 5, 32 and 33, on S. bdy. of Tp., hereinbefore described,
 N. 0° 2' W. bet. secs. 32 and 33:
 Over rolling mesa draining W. through scattering timber.
 17.60 Wash, 25 lks. wide, 3 ft. deep, course NW.
 25.80 Small draw course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 32 1/4 | S 33
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

51.90 Shallow wash, 15 lks. wide, course NW. Asc. 46 ft. to
 61.60 Spur slopes W.
 66.90 Top of bluff, 100 ft. high, brs. NW. and SE. Enter wash valley brs. NW. and SE. Desc. 100 ft. to

34

Subdivision of Fracl. T. 2 N., R. 22 W.

Chains

72.00

80.00

Shallow wash, 3 chs. wide, course NW.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, mkd. on brass cap

T 2N R22W
S29|S28
S32|S33
1916

from which,
An iron wood, 8 ins. diam., brs. S. 76° W.
246 lks. dist. mkd. T 2 N R 22 W S 32 B T.
No other trees within limits.
Raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
Land, rolling.
Soil, gravelly, 3rd rate.
Timber, palo verde and iron wood.
Undergrowth, greasewood.

40.00

79.96

East on a random line bet. secs. 28 and 33.
Set temp. ¼ sec. cor.
Intersect N. and S. line, 1 lk. N. of cor. of secs. 27, 28, 33 and 34.

Thence
West on a true line bet. secs. 28 and 33.
Over rolling land, draining NW., through scattering undergrowth.

3.56

4.56

24.06

33.06

39.98

Road brs. NW. and SE.
Wash, 25 lks. wide, 6 ft. deep, course NW.
Ravine, 10 ft. deep, course NW.
Enter gently rolling land brs. NW. and SE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., mkd. on brass cap

S 28
¼
S 33
1916

79.96

and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
The cor. of secs. 28, 29, 32 and 33.
Land, rolling.
Soil, gravelly, granite formation, 3rd rate, and sandy 2nd rate.
Timber, palo verde and iron wood,
Undergrowth, greasewood.

34.50

35.90

40.00

N. 0° 2' W. bet. secs. 28 and 29.
Over rolling land, draining NW., through scattering undergrowth.
Enter mesa brs. NW. and SE.
Road brs. NW. and SE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., mkd. on brass cap

S29¼|S28
1916

from which,
An iron wood, 5 ins. diam., brs. S. 7° E.
265 lks. dist. mkd. ¼ S 28 B T.
An iron wood, 8 ins. diam., brs. west
215 lks. dist. mkd. ¼ S 29 B T.

Chains

45.50 Wash, 30 lks. wide, 2 ft. deep, course NW.
 59.30 Shallow wash, 75 lks. wide, course NW.
 77.30 Small wash, course NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs, 20, 21, 28 and 29, mkd. on brass cap

T 2N R22W
 S20|S21
 S29|S28
 1916

from which,
 An iron wood, 10 ins. diam., brs. S. 70 $\frac{1}{2}$ ° W.
 140 lks. dist. mkd. T 2 N R 22 W S 29 B T.
 No other trees within limits.
 Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Land, rolling.
 Soil, gravelly, granite formation 2nd and 3rd rates.
 Timber, palo verde and iron wood.
 Undergrowth, greasewood.

40.00 East on a random line bet. secs. 21 and 28.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.97 Intersect N. and S. line, 7 lks. S. of cor. of secs. 21, 22, 27 and 28.

Thence
 S. 89° 57' W. on a true line bet. secs. 21 and 28.
 Over rolling land, through scattering timber and undergrowth. Across rolling mesa.

25.65 Ravine, 8 ft. deep, course NW.
 34.30 Leave mesa brs. NW. and SE.
 37.10 Wash, 30 lks. wide, course NW.
 39.98 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 21
 $\frac{1}{4}$
 S 28
 1916

from which,
 An iron wood, 6 ins. diam., brs. N. 58 $\frac{1}{2}$ ° E.
 51 lks. dist. mkd. $\frac{1}{4}$ S 21 B T.
 An iron wood, 18 ins. diam., brs. S. 52 $\frac{1}{2}$ ° W.
 164 lks. dist. mkd. $\frac{1}{4}$ S 28 B T.

40.30 Same wash, course SW.
 57.20 Same wash, course NW.
 68.70 Leave wash valley brs. NW. and SE.
 79.97 The cor. of secs. 20, 21, 28 and 29.
 Land, rolling.
 Soil, gravelly, 3rd rate.
 Timber, patches of dense palo verde and iron wood.
 Undergrowth, greasewood.

N. 0° 2' W. bet. secs. 20 and 21.
 Over rolling mesa draining NW., through patches of dense undergrowth.

8.30 Wash, 45 lks. wide, 4 ft. deep, course NW.
 36.50 Ravine, 12 ft. deep, course SW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

36

Subdivision of Fracl. T. 2 N., R. 22 W.

Chains

S20 $\frac{1}{4}$ |S21
1916and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

54.30 Wash, 30 lks. wide, 1 ft. deep, course NW.

60.00 Ravine, course NW.

68.40 Shallow wash, 15 lks. wide, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground, for cor. of secs. 16, 20 and 21, and fracl.
sec. 17, marked on brass cap,T 2N R22W
S17|S16
S20|S21
1916and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

Land, rolling.

Soil, gravelly, 2nd and 3rd rates.

Timber, scattering palo verde and iron wood.

Undergrowth, greasewood.

East on a random line bet. secs. 16 and 21.

40.00 Set temp. $\frac{1}{4}$ sec. cor.80.04 Intersect N. and S. line, 12 lks. S. of cor. of secs.
15, 16, 21 and 22.

Thence

S. 89° 55' W. on a true line bet. secs. 16 and 21.

Over rolling land, through scattering timber and under-
growth.

5.85 Ravine, 15 ft. deep, course, NW.

14.15 Wash, 30 lks. wide, course NW.

20.35 Wash, 1 ch. wide, course NW.

30.65 Shallow wash, 25 lks. wide, course NW.

35.85 Ravine, 18 ft. deep, course NW.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass capS 16
 $\frac{1}{4}$
S 21
1916and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
N. of cor.

43.35 Small wash, course NW.

53.95 Wash, 25 lks. wide, course NW.

65.26 Enter series of small washes course NW. Thence through
dense undergrowth, brs. NW. and SE.

69.35 Leave washes.

80.04 The cor. of secs. 16, 20, 21 and fracl. sec. 17.

Land, rolling.

Soil, gravelly, 3rd rate.

Timber, scattering palo verde and iron wood.

Undergrowth, greasewood.

N. 0° 2' W. bet. sec. 16, and fracl. sec. 17.

Over rolling land, through scattering timber and under-
growth.

3.40 Enter wash valley brs. E. and W.

10.60 Shallow wash, 30 lks. wide, course W.

14.20 Top of bank, 30 ft. high, brs. E. and W.

Enter rolling mesa draining NW.

20.70

Subdivision of Fract. T. 2 N. R. 22 W.

Chains

20.70 Ravine, 25 ft. deep, course NW.
37.10 Enter wash valley brs. NW. and SE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S17 $\frac{1}{4}$ |S16
1916

from which,

An iron wood, 14 ins. diam., brs. S. 41° E.
50 lks. dist. mkd. $\frac{1}{4}$ S 16 B T.
An iron wood, 16 ins. diam., brs. N. 4 $\frac{1}{2}$ ° W.
210 lks. dist. mkd. $\frac{1}{4}$ S 17 B T.

41.00 Shallow wash, 75 lks. wide, course NW.
50.30 Enter rolling mesa brs. NW. and SE.
62.70 Desc. NW. slope 69 ft. to
73.00 Sand bank brs. NW. and SE. Enter wash valley, through dense undergrowth.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of sec. 16, and fract. secs. 8, 9, & 17, mkd. on brass cap

T 2N R22W
S 8|S 9
S17|S16
1916

from which,

An iron wood, 8 ins. diam., brs. S. 63 $\frac{1}{4}$ ° E.
123 lks. dist. mkd. T 2 N R 22 W S 16 B T.
No other trees within limits.
Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
From this cor. a vacant cabin brs. N. 23° W. about 20 chs. dist.
Land, rolling.
Soil, gravelly, granite formation, 2nd and 3rd rates.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

40.00 East on a random line bet. sec. 16, and fract. sec. 9,
80.08 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 17 lks. N. of cor. of secs. 10, 15, 16, and fract. sec. 9.

Thence

N. 89° 53' W. on a true line bet. 16, and fract. sec. 9.
Over rolling land, through scattering timber and undergrowth.

17.80 Small draw, course NW.
23.90 Desc. rolling SW. slope.
38.50 Top of bank, 12 ft. high, brs. NW. and SE. Enter wash valley brs. NW. and SE.
40.04 True point for $\frac{1}{4}$ sec. cor., falls in small wash, course NW., therefore at
38.34 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., mkd. on brass cap

WC $\frac{1}{4}$ S 9
S 16
1916

from which,

An iron wood, 8 ins. diam., brs. S. 20 $\frac{1}{2}$ ° E.
200 lks. dist. mkd. W C $\frac{1}{4}$ S 16 B T.
No other trees within limits.
Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

38 Subdivision of fracl. T. 2 N. R. 22 W.

Chains
 49.50 Shallow wash, 150 lks. wide, course NW.
 75.10 Bank, 6 ft. high brs. NW. and SE. Thence over wash valley to
 80.08 The cor. of sec. 16, and fracl. secs. 8, 9, and 17.
 Land, rolling.
 Soil, gravelly, granite formation, 2nd and 3rd rates.
 Timber, scattering palo verde and iron wood.
 Undergrowth, greasewood.

West on a true line bet. fracl. secs. 8 and 17.
 Over river bottom land, through dense timber and undergrowth.
 6.00 Enter land subject to overflow, brs. N. and S.
 Trail brs. N. and S.
 9.75 Pole fence brs. N. and S.
 23.30 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for meander cor. of fracl. secs. 8 and 17, mkd. on brass cap

T2NR22W
 C/S 8
 S 17
 1916

from which,
 A willow, 7 ins. diam., brs. N. 87° E.
 45 lks. dist. mkd. T 2 N R 22 W S 8 M C B T.
 A willow, 8 ins. diam., brs. S. 80° E.
 40 lks. dist. mkd. T 2 N R 22 W S 17 M C B T.
 From this cor. head of canal 30 ft. wide, course S. brs. S. 40° W. about 3 chs. dist.
 Land, level.
 Soil, 2nd rate.
 Timber, palo verde, mesquite and cat claw.
 Undergrowth, greasewood and arrow weed.

From cor. of sec. 16, and fracl. secs. 8, 9, and 17.
 N. 0° 2' W. bet. fracl. secs. 8 and 9.
 Over level land, through dense timber and undergrowth.
 16.60 Trail brs. E. and W. Enter land, subject to overflow, brs. NE. and SW.
 18.00 Corral brs. W. about 3 chs. dist.
 36.00 Dry slough 3 chs. wide, course SW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 8 1/4 S 9
 1916

from which,
 A willow, 8 ins. diam., brs. N. 14 1/2° E.
 166 lks. dist. mkd. 1/4 S 9 B T.
 A willow, 10 ins. diam., brs. S. 17° W.
 86 lks. dist. mkd. 1/4 S 8 B T.
 44.50 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for meander cor. of fracl. secs. 8 and 9, mkd. on brass cap

T2NR22W
 M C
 S 8 1/4 S 9
 1916

Subdivision of fracl. Township 2 North, Range 22 West.

Chains.

from which,

A willow, 5 ins. diam., brs. S. 61 $\frac{1}{2}$ ° E., 20 lks. dist.,
marked T 2 N R 22 W S 9 M C B T.

A willow, 4 ins. diam., brs. S. 17° W., 25 lks. dist.,
marked T 2 N R 22 W S 8 M C B T.

To establish the cor. of fracl. secs. 4, 5, 8 and 9, I proceed
as follows:

From the cor. of secs. 16, and fracl. secs. 8, 9, and 17, offset on
sec. lines, as follows:

S. 89° 53' E., 80.08 chs. to the cor. of secs. 10, 15, 16 and
fracl. sec. 9; thence,

N. 0° 2' W., 80.00 chs. to the cor. of secs. 3, 10, and fracl. secs.
4 and 9. Thence,

N. 89° 53' W., 80.00 chs., and

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the
ground, for cor. of ^{fracl. sec.}secs. 4, 5, 8 and 9, marked on brass cap,

T2N R22W
S 5 | S 4
S 8 | S 9
1916

from which,

A willow, 6 ins. in diam., brs. N. 53 $\frac{1}{2}$ ° E., 44 lks.
dist., marked T 2 N R 22 W S 4 B T.

A willow, 6 ins. in diam., brs. S. 54 $\frac{1}{2}$ ° E., 46 lks.
dist., marked T 2 N R 22 W S 9 B T.

A willow, 7 ins. in diam., brs. S. 37° W., 7 lks.
dist., marked T 2 N R 22 W S 8 B T.

A willow, 7 ins. in diam., brs. N. 25° W., 10 lks. dist.,
marked T 2 N R 22 W S 5 B T.

Land, level river bottom.

Soil, 2nd rate.

Timber, willow and cottonwood.

Undergrowth, mesquite brush and arrow weed.

From the cor. of secs. 3, 10, and fracl. secs. 4 and 9,
N. 89° 53' W., on a true line, bet. fracl. secs. 4 and 9.

Over level land, through timber and undergrowth.

16.00 Enter wash valley, brs. NW. and SE.

28.30 ^{Trail} rail, brs. NE. to Ehrenberg and SW. to Cibola.

36.40 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the
ground, for witness point, marked on brass cap,

S 4
36.40 | S
S 9
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N.
of point.

37.00 Edge of brush brs. NE. and SW.

Bank 15 ft. above river bottom, brs. NE. and SW.

Thence over land subject to overflow, brs. N. and S.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

S 4
 $\frac{1}{4}$ |
S 9
1916

from which,

A willow, 10 ins. in diam., brs. N. 76 $\frac{1}{2}$ ° W., 149 lks.
dist., marked $\frac{1}{4}$ S 4 B T.

A willow, 10 ins. in diam., brs. S. 75 $\frac{1}{2}$ ° W., 373 lks.
dist., marked $\frac{1}{4}$ S 9 B T.

Note: In time of extreme high water, this cor. is liable to
become buried by silt, or washed out.

59.50 Slough, 30 lks. wide, course S.

40. Subdivision of fracl. Township 2 North, Range 22 West.

Chains.

80.00 The cor. of fracl. secs. 4, 5, 8 and 9, hereinbefore described.
Land, gently rolling and level river bottom.
Soil, 2nd and 3rd rate.
Timber, palo verde, ironwood, cottonwood and willow.
Undergrowth, greasewood and arrow weed.

.60 West, bet. fracl. secs. 5 and 8.
Over level river bottom, thru. dense undergrowth & timber.
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in ground,
for meander cor. of fracl. secs. 5 and 8, marked on brass
cap,

T2NR22W

$$\begin{array}{r} \text{S } 5 \\ \hline \text{M } \text{S } 8 \end{array}$$

1917

from which,

A willow, 7 ins. diam., brs. N. 12° E., 33 lks. dist.,
marked T 2 N R 22 W S 5 M C B T.

A cottonwood, 7 ins. diam., brs. S. 47½° E., 32 lks.
dist., marked T 2 N R 22 W S 8 M C B T.

Land, level river bottom. Soil, 2nd rate.
Timber, cottonwood and willow.
Undergrowth, arrow weed.

2.80 From the cor. of fracl. secs. 4, 5, 8 and 9,
S. 0° 2' E., bet. fracl. secs. 8 and 9.
Over level river bottom, thru. dense undergrowth and timber.
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the
ground, for meander cor. of fracl. secs. 8 and 9, marked
on brass cap,

T2NR22W

S 8 | S 9

~~M C~~

1917

from which,

A willow, 8 ins. in diam., brs. N. 4° W., 40 lks. dist.,
marked T 2 N R 22 W S 8 M C B T.

A willow, 8 ins. in diam., brs. N. 16° E., 16 lks.
dist., marked T 2 N R 22 W S 9 M C B T.

Land, level, river bottom. Soil, 2nd rate.
Timber, cottonwood and willow.
Undergrowth, arrow weed.

40.00 From cor. of fracl. secs. 4, 5, 8 and 9,
N. 0° 4' E., bet. fracl. secs. 4 and 5.
Over land, subject to overflow, through dense undergrowth
and timber.
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap,

S 5½ | S 4

1917

from which,

A cottonwood, 12 ins. in diam., brs. S. 48° E., 72 lks.
dist., marked ¼ S 4 B T.

A cottonwood, 12 ins. diam., brs. S. 61° W., 81 lks.
dist., marked ¼ S 5 B T.

45.80 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the
ground, for meander cor. of fracl. secs. 4 and 5, marked
on brass cap,

T2NR22W

~~M C~~

S 5 | S 4

1917

from which,

A willow, 6 ins. diam., brs. S. 87° E., 11 lks. dist. mkd.
T 2 N R 22 W S 4 M C B T.


A willow, 9 ins. in diam., brs. S. 1½° W., 136 lks. dist.,
marked T 2 N R 22 W S 5 M C B T.

Land, level river bottom.
Soil, 2nd rate. Timber, dense willow and scattering cottonwood.
Undergrowth, dense arrowweed.


Subdivision of Fracl. T. 2 N., R. 22 W.

Chains

From the cor. of secs. 5, 6, 31 and 32, on S. bdy. of Tp.,
 hereinbefore described,
 N. 0° 3' W. bet. secs. 31 and 32.
 Over rolling land, through scattering timber and undergrowth.
 1.25 Wash, 50 lks. wide, 2 ft. deep, course NW.
 5.30 Wash, 30 lks. wide, 2 ft. deep, course NW.
 12.00 Enter rolling mesa brs. NW. and SE.
 19.60 Ravine, 15 ft. deep, course NW.
 37.00 Wash, 25 lks. wide, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap




and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
 W. of cor.
 42.00 Ravine, 12 ft. deep, course SW.
 57.70 Desc. NE. slope, 96 ft. to
 64.10 Enter sandy wash valley brs. NW. and SE.
 67.10 Shallow wash, 25 lks. wide, course NW.
 72.30 Leave wash valley brs. NW. and SE. Thence along rolling
 W. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground, for cor. of secs, 29, 31, 32, and fracl. sec. 30
 marked on brass cap,



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
 W. of cor.
 Land, rolling.
 Soil, gravelly, 2nd and 3rd rates.
 Timber, scattering palo verde and iron wood.
 Undergrowth, greasewood.

40.00 East on a random line bet. secs. 29 and 32.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect N. and S. line, at the cor. of secs. 28, 29,
 32 and 33.
 Thence
 West on a true line bet. secs. 29 and 32.
 Over rolling land, through scattering timber, across wash
 9.20 Shallow wash, 1 ch. wide, course NW. (valley.
 10.60 Top of bank brs. NW. and SE. Leave wash valley.
 Thence over rolling land to
 26.70 Asc. 57 ft. to
 31.60 Spur slopes N. Desc. 56 ft. to
 40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in.
 the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
 N. of cor.
 56.20 Shallow wash, 45 lks. wide, course NW.
 73.00 Enter rolling sandy land, sloping NW.
 80.02 The cor. of secs. 29, 31, 32, and fracl. sec. 30.
 Land, rolling.
 Soil, gravelly, granite formation, 2nd and 3rd rates.
 Timber, scattering palo verde and iron wood.
 No undergrowth.

42 Subdivision of frac. sec. 31 and frac. sec. 30 T 2 N R 22 W

Chains	
	West on a random line bet. sec. 31 and frac. sec. 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
118.59	Intersect W. bdy. of Tp., 15 lks. N. of the cor. of sec. 31, and frac. sec. 30. hereinbefore described.
	Thence
	N. $89^{\circ} 56'$ E. on a true line bet. sec. 31, and frac. sec. 30.
	Over rolling land, through scattering timber and undergrowth.
	Asc. SW. slope, 77 ft. to
3.15	Spur slopes SW. Desc. gradual slope to
8.40	Asc. to
10.50	Spur slopes NW. Desc. NE. slope, 44 ft. to
23.00	Enter wash valley brs. NW. and SE.
30.30	Shallow wash, 1 ch. wide, course NW.
32.40	Shallow wash, 60 lks. wide, course NW.
37.75	Shallow wash, 1 ch. wide, course NW.
41.70	Trail, brs. NE. to Ehrenberg and SW. to Cibola.
49.30	Leave wash valley brs. NW. and SE. Asc. along SW. slope to
67.00	Ridge brs. N. and S. Desc. along broken rolling NE. slope to.
78.59	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap
	S 30 $\frac{1}{4}$ S 31 1916
	from which,
	An iron wood, 12 ins. diam., brs. N. 23° W 155 lks. dist. mkd. $\frac{1}{4}$ S 30 B T.
	No other trees within limits.
	Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
81.20	Shallow wash, 30 lks. wide, course NW.
	Asc. gradual slope to
87.20	Spur slopes NW. Desc. to
96.70	Over rolling land to
108.20	Shallow wash, 45 lks. wide, course NW. Thence over wash valley to
117.20	Leave wash valley brs. NE. and SW.
118.59	The cor. of secs. 29, 31, 32, and frac. sec. 30.
	Land, rolling.
	Soil, gravelly, granite formation, 2nd and 3rd rates.
	Timber, scattering palo verde and iron wood.
	Undergrowth, greasewood.
	N. $0^{\circ} 3'$ W. bet. sec. 29, and frac. sec. 30.
	Over rolling land, through scattering timber and undergrowth.
	Desc. sandy NW. slope; 69 ft. to
5.00	Enter wash valley brs. E. and W.
25.50	Shallow wash, 75 lks. wide, course NW.
30.70	Shallow wash, 60 lks. wide, course W.
39.70	Leave wash valley brs. NW. and SE. Asc. rolling SW. slope
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap
	S $30\frac{1}{2}$ S 29 1916
	from which,
	An iron wood, () ins. diam., brs. S. 5° W. 240 lks. dist. mkd. $\frac{1}{4}$ S 30 B T.
	No other trees within limits.
	Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
61.50	Enter wash valley brs. E. and W.

Chains
 66.25 Shallow wash, 30 lks. wide, course SW.
 66.85 Road brs. E. and W.
 68.35 Leave wash valley brs. E. and W. Asc. gradual SW. slope.
 73.80 Enter rolling mesa draining NW., brs. E. and W.
 77.60 Ravine, course NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, to solid rock, in a mound of stone, for cor. of secs. 19, 20, 29, and fracl. sec. 30, marked on brass cap

T 2N R22W
 S19|S20
 S30|S29
 1916

and raise a mound of stone, ft. base, 1 1/2 ft. high, W. of cor.
 Land, rolling.
 Soil, gravelly, granite formation, 2nd and 3rd rates.
 Timber, scattering palo verde and iron wood.
 Undergrowth, greasewood.

40.00 East on a random line bet. secs. 20 and 29.
 80.08 Set temp. 1/4 sec. cor.
 Intersect N. and S. line, 3 lks. S. of cor. of secs, 20, 21, 28 and 29.

Thence
 S. 89° 59' W. on a true line bet. secs. 20 and 29.
 Over rolling land, through scattering timber and undergrowth.

1.68 Across wash valley brs. NW. and SE.
 10.38 Wash, 25 lks. wide, 3 ft. deep, course NW.
 20.70 Shallow wash, 45 lks. wide, course N.
 Leave wash valley brs. NW. and SE.
 Shallow wash, 60 lks. wide, course NW.
 26.00 Ravine, course NW.
 37.00 Shallow wash, 15 lks. wide, course NW.
 40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 20
 1/4
 S 29
 1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

58.90 Wash, 25 lks. wide, 2 ft deep, course NW.
 80.08 The cor. of secs. 19, 20, 29 and fracl. sec. 30.

Land, rolling.
 Soil, gravelly, granite formation, 2nd and 3rd rates.
 Timber, scattering palo verde and iron wood.
 Undergrowth, greasewood.

5.60 S. 89° 56' W. (parallel to S. bdy. of sec.) on a true line bet. sec. 19, and fracl. sec. 30.

Over rolling land, through scattering timber and undergrowth.

9.60 Ravine, course NW. Asc. to
 20.80 Spur slopes NW. Thence over rolling slope to
 25.60 Desc. along SW. slope, 63 ft. to
 28.20 Asc. 43 ft. to
 40.00 Spur slopes S. Desc. rolling slope to
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

44

Subdivision of Fract. T. 2 N., R. 22 W.

Chains

S 19.
1/4
S 30
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

46.00
63.80
66.50

Enter wash valley brs. NW. and SE.
Trail brs. NE. to Ehrenberg and SW. to Cibola.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness point, mkd. on brass cap

S 19
WP66.50C's
S 30
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of post, on W. bdy. of Tp. hereinbefore described.

67.00
67.50
77.60
118.50

Enter dense undergrowth, brs. N. and S.
Enter land, subject to overflow, brs. NE. and SW.
Slough 60 lks. wide, course SW.
The cor. of sec. 19, and fract. sec. 30, on W. bdy. of Tp. hereinbefore described.
Land, rolling and level river bottom.
Soil, gravelly granite formation, 3rd rate and sandy. 2nd rate.
Timber, scattering palo verde, iron wood, willow and cottonwood.
Undergrowth, greasewood and arrow weed.

From the cor. of secs. 19, 20, 29 & fract. sec. 30, N. 0° 3' W. bet. secs. 19 and 20.
Over rolling mesa draining NW., through scattering timber and undergrowth.

11.70
24.70
40.00

Wash, 30 lks. wide, 2 ft. deep, course NW.
Ravine, 15 ft. deep, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S19 1/4 | S20
1916

from which,
An iron wood, 6 ins. diam., brs. N. 44° W.
75 lks. dist. mkd. 1/4 S. 19 B T.

No other trees within limits.
Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

43.90
51.60
58.20

Shallow wash, 30 lks. wide, course NW.
Desc. along NE. slope.
Enter wash valley brs. NW. and SE. Through dense undergrowth.

59.00
62.50
79.10
80.00

Shallow wash, 60 lks. wide, course NW.
Trail brs. NE. to Ehrenberg and SW. to Cibola.
Wash, 60 lks. wide, 3 ft. deep, course NW.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, & fract. secs. 17 and 18, marked on brass cap,

T 2N R22W
S18 | S17
S19 | S20
1916

from which,
An iron post, 10 ins. diam., brs. S. 45 1/2° E.
95 lks. dist. mkd. T 2 N R 22 W S 20 B T.

Subdivision of Fract. T. 2 N., R. 22 W. 45

Chains

No other trees within limits.
Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Land, rolling.
Soil, gravelly, granite formation, 2nd and 3rd rates.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

40.00 East on a random line bet. sec. 20 & fract. sec. 17.
Set temp. 1/4 sec. cor.
80.09 Intersect N. and S. line, 10 lks. S. of cor. of secs. 16, 20, 21 & fract. sec. 17.
Thence
S. 89° 56' W. on a true line bet, sec. 20, and fract. sec. 17.
Over rolling land, through scattering timber and undergrowth.
6.80 Shallow wash, 25 lks. wide, course NW.
10.90 Shallow wash, 60 lks. wide, course NW.
40.04 1/2 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 17
1/4
S 20
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.
56.50 Over gently rolling land across wash valley.
66.30 Trail brs. NE. to Ehrenberg and SW. to Cibola.
80.09 The cor. of secs, 19, 20, and fract. secs. 17 and 18.
Land, rolling.
Soil gravelly, granite formation, 2nd and 3rd rates.
Timber, scattering palo verde and iron wood.
Undergrowth, greasewood.

40.00 West on a random line bet. sec. 19, and fract. sec. 18.
Set temp. 1/4 sec. cor.
118.54 Intersect W. bdy. of Tp. 4 lks. N. of cor. of sec. 19, and fract. sec. 18, hereinbefore described.
Thence
N. 89° 59' E. on a true line bet. sec. 19, and fract. sec. 18.
Over wash valley bottom, through scattering timber and undergrowth.
78.54 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 18
1/4
S 19
1917

from which,
A willow, 7 ins. diam., brs. N. 63 1/2° E.
57 lks. dist. mkd. 1/4 S 18 B T.
A willow, 8 ins. diam., brs. S. 31° W.
13 lks. dist. mkd. 1/4 S 19 B T.
89.25 Slough 30 lks. wide, course S.
98.55 Leave land, subject to overflow, brs. NE. and SW.
98.64 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness point, mkd. on brass cap

S 18
WP 19.90 C'S
S 19
1917

Chains

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, E. of cor. (Impracticable to raise mound N. of point.) Note: this point is on sandy NW. slope near trail, 6 ft. above brush and water.

- 100.25 Thence over rolling land.
- 104.45 Asc. NW. slope, 58 ft. to Sandy spur slopes N. Desc. NE. slope, 41 ft. to
- 109.45 Enter wash valley.
- 117.55 Enter wash, course NW. from E. Leave wash, course W. from SE.
- 118.54 Top of bank 5 ft. high brs. NW. and SE. The cor. of secs. 19, 20 & fracl. secs. 17 and 18. Land, rolling and level. Soil, gravelly, 3rd rate and sandy 2nd rate. Timber, scattering palo verde and iron wood. Undergrowth, greasewood and arrow weed.

N. 0° 3' W. bet. fracl. secs. 17 and 18. Over wash valley bottom, through scattering timber and undergrowth.

- 7.20 Enter low rolling hills bear NW. and SE.
- 14.20 Shallow wash, 1 ch. wide, course W.
- 25.60 Wash, 15 lks. wide, 4 ft. deep, course W.
- 23.70 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness point, mkd. on brass cap

W
P
S18 | S17
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, S. of point.

- 33.70 Note: this point is set on sandy NW. slope, 8 ft. above brush and water.
- 34.00 Desc. 10 ft. to river bottom.
- 40.00 Over land subject to overflow, brs. E. and W., through dense undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S18 | S17
1916

from which,

- A willow, 10 ins. diam., brs. N. 3° E. 46 lks. dist. mkd. 1/4 S 17 B T.
- A willow 10 ins. diam., brs. N. 40° W. 2 lks. dist. mkd. 1/4 S 18 B T.
- 53.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for meander cor. of fracl. secs. 17 and 18, mkd. on brass cap

T2NR22W
MC
S18 | S17
1917

from which,

- A willow 4 ins. diam.; brs. S. 2 1/4° E. 57 lks. dist. mkd. T 2 N R 22 W S 17 M C B T.
- A willow 4 ins. diam., brs. S; 30° W. 83 lks. dist. mkd. T 2 N R 22 W S 18 M C B T.
- Land, rolling and level river bottom. Soil, gravelly, 3rd rate and sandy 2nd rate. Timber, palo verde, iron wood, cottonwood and willow. Undergrowth, greasewood and arrow weed.

Meanders of the left bank of Colorado River, down stream.

I. commence at the meander cor. of fracl. secs. 4 and 33,
on the N. bdy. of the Tp., hereinbefore described.

Thence with meanders in fracl. sec. 4

Through scattering timber and dense undergrowth.

- S. 67° W. 2.60 chs. Over land, subject to overflow.
- S. 68 1/4° W. 14.00 "
- S. 78 1/4° W. 21.00 "
- N. 86 3/4° W. 19.00 "
- N. 81 1/4° W. 111.00 "
- S. 70° W. 1.00 "
- S. 7° W. 10.00 "
- S. 30° W. 19.00 "

To the meander cor. of fracl. secs.
4 and 5.

Land, river bottom.

Soil, 2nd rate.

Timber, scattering willow and cottonwood.

Undergrowth, dense arrow weed.

Thence in fracl. sec. 5.

Through scattering timber and dense undergrowth.

- S. 30° W. 1.00 chs. Over land subject to overflow.
- S. 17 1/4° W. 27.00 "
- S. 37 1/2° E. 5.20 "
- S. 12 1/4° E. 5.00 "
- S. 27° E. 5.00 "
- S. 16° E. 6.00 "

To the meander cor. of fracl. secs.
5 and 8.

Land, river bottom.

Soil, 2nd rate.

Timber, scattering willow and cottonwood.

Undergrowth, dense arrow weed.

Thence in fracl. sec. 8. (North portion).

Through scattering timber and dense undergrowth.

- S. 12 1/4° E. 2.86 chs. To the meander cor. of fracl. secs.
8 and 9.

Land, level river bottom.

Soil, 2nd rate.

Timber, scattering willow and cottonwood.

Undergrowth, dense arrow weed.

Thence in fracl. sec. 9.

Through scattering timber and dense undergrowth.

- S. 10 1/4° E. 11.00 chs. Over land subject to overflow.
- S. 8° E. 7.40 "
- S. 5 1/2° W. 6.95 "
- S. 17° W. 8.00 "

To the meander cor. of fracl. secs.
8 and 9.

Land, level river bottom.

Soil, 2nd rate.

Timber, scattering willow and cottonwood.

Undergrowth, dense arrow weed.

Thence in fracl. sec. 8. (South portion).

Through scattering timber and dense undergrowth.

- S. 13 3/4° W. 5.40 chs. Over land subject to overflow.
- S. 10 1/4° W. 9.40 " At 2.00 chs. mouth of slough, 3 chs.
wide, course from NE.

48. Meanders of left bank of Colo. River, within fracl. T. 2 N. R. 22 W.

Meanders of the left bank of Colorado River, within fracl. sec.

S. $20\frac{1}{4}^\circ$ W. 9.50 chs. From this station, W. H. Hill's cabin brs. S. 45° E. about 3 chs. dist.

S. 27° W. 12.00 "

S. 54° W. 13.00 "

S. 21° W. 3.00 "

To the meander cor. of fracl. secs. 8 and 17.

Land, level river bottom.

Soil, 2nd rate.

Timber, scattering willow and cottonwood.

Undergrowth, dense arrow weed.

Thence in fracl. sec. 17.

Through scattering timber and dense undergrowth.

S. 45° W. 15.00 chs. Over land subject to overflow.

At 3.00 chs. head of ditch, 45 lks. wide, course S.

S. 61° W. 14.00 "

S. 81° W. 23.00 "

S. 68° W. 3.50 "

S. $59\frac{1}{4}^\circ$ W. 9.40 "

To the meander cor. of fracl. secs. 17 and 18.

Land, level river bottom.

Soil, 2nd rate.

Timber, scattering willow and cottonwood.

Undergrowth, dense arrow weed.

Thence in fracl. sec. 18.

Through scattering timber and dense undergrowth.

S. $65\frac{1}{2}^\circ$ W. 52.00 chs. Over land subject to overflow.

S. $77\frac{1}{4}^\circ$ W. 14.00 "

S. $89\frac{1}{2}^\circ$ W. 12.00 "

N. $83\frac{1}{4}^\circ$ W. 23.00 "

N. 70° W. 7.00 "

N. $57\frac{1}{2}^\circ$ W. 16.00 "

N. 44° W. 3.50 "

To the meander cor. of fracl. secs. 13 and 18, on the W. bdy. of Tp. hereinbefore described.

Land, level river bottom.

Soil 2nd rate.

Timber, scattering willow and cottonwood.

Undergrowth, dense arrow weed.

From the meander cor. of fracl. secs. 24 and 30, on W. bdy. of Tp., hereinbefore described,

Thence in fracl. sec. 30.

Through scattering timber and dense undergrowth.

S. $65\frac{1}{4}^\circ$ E. 13.00 chs. Over land subject to overflow.

S. $54\frac{1}{4}^\circ$ E. 11.00 " At 50 lks. slough 50 lks. wide, course from NE.

S. $28\frac{3}{4}^\circ$ E. 8.60 To a point on side of bluff which bears NE. and SW.

S. $17\frac{1}{2}^\circ$ W. 11.00 chs. Along bluff, 20 to 80 ft. high.

S. $30\frac{3}{4}^\circ$ W. 11.00 " " " " " " "

S. 14° W. 8.70 " " " " " " "

S. 65° W. 9.50 " " " 15 to 30 ft. high.

At 4.00 chs. wash, 1 ch. wide, course from SE.

N. $74\frac{1}{4}^\circ$ W. 5.10 " Along bluff 20 ft. high.

To meander cor. of fracl. secs. 25 & 30, on W. bdy. of Tp. hereinbefore described.

Land, river bottom. Soil, 2nd rate. Timber, willow and cottonwood. Undergrowth, dense arrow weed.

x/11.00

Fractional Township 2 North, Range 22 West.

GENERAL DESCRIPTION.

This township, rendered fractional by the Colorado river, is situated in Yuma county, Arizona, about 12 miles NE. of Cibola, and 4 miles S. of Ehrenberg. The surface is mostly rolling with a general NW. slope. A small strip of level river bottom land extends NE. and SW. between the foot of the rolling land and the river. The soil on the rolling land is a gravelly, granite formation, 2nd and 3rd rate, and that on the level river bottom is sandy, 2nd rate. The timber consists of palo verde and ironwood over the rolling land, and a scattering growth of cottonwood and willows over the level land along the river. The palo verde and ironwood timber is mostly a scattering growth, although numerous dense patches of same occur. Undergrowth consists of scattering greasewood over the rolling land, and dense arrowweed and some mesquite brush in the river bottom. There is no permanent running water in the township, Many washes, with a general NW. course drain the entire township into the Colorado river. One settler located in fractional section 8, has made several improvements, but with this exception, there are no settlers or improvements. No present indications of mineral can be found. The old road from Yuma to Ehrenberg, via Cibola, bearing NE. and SW. passes thru. the township along near the edge of the river bottom. A later road, general course N. and S., from Yuma to Parker, via Cibola and Ehrenberg, passes thru. the eastern part of the township.

Boundaries of fracl. Township 2 North, Range 22 West.
Latitudes, departures and closing errors.

Line designated, Course.	Dist.	Latitudes.		Departures.	
		N.	S.	E.	W.
South boundary, West,	518.49				518.49
West boundary, North,	105.40	105.40			
Meanders Left					
Bank Colo. river	Various	Various,	50.63	1.38	24.55 23.25
West boundary, North,	129.30	129.30			
Meanders Left					
Bank Colo. river	Various,	Various	214.71	18.93	287.76 12.34
North boundary, East,	242.70			242.70	
East boundary, South,	480.00		480.00		
Convergency,				.43	
Totals,		500.04	500.31	555.44	554.08
Error in latitude,		0.27			
Error in departure,				1.36	

N.
x 50.63
W.
x 23.25
N.
x 500.04
W.
554.08