

3225

209

Book "C"  
4-679

NOV 22 1914  
JAN - 7 1915  
APR 5 1915

(Subdivisions) BOOK 3225

# FIELD NOTES

OF THE SURVEY OF THE

Subdivision Lines

of

Township 9 North, Range 8 West,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

L. E. Wilkes, U. S. Surveyor,

and

H. N. Bradstreet, U.S. Transitman,

~~In the capacity of U. S. Surveyor~~, under instructions dated July 23, 1914,  
issued by the United States Surveyor General to govern surveys included in  
Group No. 36, which were approved by the Commissioner of the General Land  
Office, August 15, 1914.

Survey commenced November 12, 1914.

Survey completed November 21, 1914.

Executed under Assignment  
Instructions dated

3225

3225

1A  
210


BOOK 3225

3225

Book "C"

Group 36 - - - Arizona.

INDEX DIAGRAM.



6-151

- Subdivision lines surveyed under this group.
- Township boundaries surveyed under this group.  
Notes in book "A" 3223
- Accepted surveys.
- Unsurveyed.

Chains.

Surveys hereinafter described were executed by L.E. Wilkes, U.S. Surveyor, and H.N. Bradstreet, U.S. Transitman, on dates shown on diagram on page 28 hereof, using Young and Son's light mountain transits Nos. 8541 and 7084, respectively.

Description, tests and approval of these instruments in Book "A" of this group.

In the following notes, the initials "L.E.W." and "H.N.B." are inserted at the beginning and end of those portions of the notes describing the surveys executed by L.E. Wilkes, U.S. Surveyor, and H.N. Bradstreet, U.S. Transitman, respectively.


L.E.W.

From the original standard cor. of secs. 35 and 36 on S. bdy. of Tp. (2nd. Std. Parl. N.), an iron post with brass cap, firmly set, marked and witnessed as described by the surveyor general,

N. 0° 1' W., bet. secs. 35 and 36.


Over slightly undulating land, through scattering undergrowth.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,



dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap,



dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, undulating, nearly level.

Soil, light volcanic ash with firm subsoil; 1st rate.

Undergrowth, cactus, mesquite and scattering Joshua trees. No timber.

East, on a random line, bet. secs. 25 and 36.

40.00 Set temp. 1/4 sec. cor.


80.10 Intersect E. bdy. of Tp., 5 lks. S. of the cor. of secs. 25, 30, 31 and 36, described in Book "A."

Thence,

S. 89° 58' W., on a true line, bet. secs. 25 and 36.

Over rolling land, through medium undergrowth.

40.05 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.10 The cor. of secs. 25, 26, 35 and 36.

Land, gently undulating.

Soil, light loam, with firm subsoil; 1st rate.

## BOOK 3225

## 2 Subdivision of Township 9 North, Range 8 West.

Chains.

Undergrowth, cactus and greasewood with mesquite in the depressions.  
No timber.

L.E.W.

H.N.B.

N.0° 1'W., bet. secs. 25 and 26.

Over gently rolling land, through medium undergrowth.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

S26	S25
-----	-----

1914

dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

79.65 Wash, 1 ft. deep, 6 lks. wide, course SW.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked on brass cap,

T9NR8W	
S23	S24
S26	S25

1914

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sandy loam, with firm subsoil, 1st rate.

Undergrowth, mesquite, catclaw, greasewood and cactus.

No timber.

40.00 N.89°58' E., on a random line, bet. secs. 24 and 25.  
Set temp.  $\frac{1}{4}$  sec. cor.

79.98 Intersect E. bdy. of Tp., 2 lks. S. of the cor. of secs. 19, 24, 25 and 30, described in Book "A."

Thence,

S.89°57' W. on a true line, bet. secs. 24 and 25.

Over rolling land, thru. medium undergrowth.

39.99 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$ S 24	
--------------------	--

S 25	
------	--

1914

Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

55.90 Wash, 1 ft. deep, 10 lks. wide, course SW.

79.95 Wash, 1 ft. deep, 6 lks. wide, course SW.

79.98 The cor. of secs. 23, 24, 25 and 26.

Land, rolling.

Soil, light loam with firm subsoil; 1st rate.

Undergrowth, greasewood, mesquite and cactus.

No timber.

N.0° 1'W., bet. secs. 23 and 24.

Over rolling land, through medium undergrowth.

2.85 Wash, 3 ft. deep, 20 lks. wide, course SW.


11.20 Wash, 6 lks. wide, course SW.

Subdivision of Township 9 North, Range 8 West.

3.

Chains.



- 32.48 Wash, 1 1/2 ft. deep, 5 lks. wide, course SW.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,



1914

dig pits 18x18x12 ins. N. and S. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.


- 56.10 Wash, course SE. 8 lks. wide.
- 59.00 Wash, 10 lks. wide, course SW.
- 67.55 Wagon road, brs. NE. and SW.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 13, 14, 23 and 24, marked on brass cap,



1914

dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, light loam and sandy, 1st and 2nd rate. Undergrowth, greasewood, mesquite, catclaw and cactus. No timber.

- 40.00 N. 89° 57' E., on a random line, bet. secs. 13 and 24. Set temp. 1/4 sec. cor.
- 80.00 Intersect E. bdy. of Tp., 4 lks. N. of the cor. of secs. 13, 18, 19 and 24, described in Book "A." Thence, S. 89° 59' W. on a true line, bet. secs. 13 and 24. Over rolling land, thru. scattering undergrowth.
- 32.85 Wash, 6 lks. wide, course SW.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,




1914

from which,

- A mesquite, 5 ins. diam., brs. N. 32 1/4° E., 112 lks. dist., marked 1/4 S 13 B T.
- A mesquite, 5 ins. in diam., brs. S. 55 1/2° E., 52 lks. dist., marked 1/4 S 24 B T.

- 73.10 Wash, 1 1/2 ft. deep, 12 lks. wide, course SW.
- 75.95 Wash, 1 ft. deep, 10 lks. wide, course SW.
- 80.00 The cor. of secs. 13, 14, 23 and 24. Land, rolling. Soil, light adobe with firm subsoil; 1st rate. Undergrowth, greasewood, cactus and mesquite. No timber.

- 40.00 N. 0° 1' W., bet. secs. 13 and 14. Over rolling land, through scattering undergrowth. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,



1914

## 4. Subdivision of Township 9 North, Range 8 West.

Chains.

Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 11, 12, 13 and 14, marked on brass cap,

T9NR8W  
S11 | S12  
-----  
S14 | S13  
-----  
1914

dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling.  
Soil, light, volcanic ash and sandy with clay subsoil, 1st rate.  
Undergrowth, greasewood, mesquite and cactus.  
No timber.

N.  $89^{\circ}59'$  E., on a random line, bet. secs. 12 and 13.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.04 Intersect E. bdy. of Tp., 9 lks. S. of the cor. of secs. 7, 12, 13 and 18, described in Book "A."

Thence,  
S.  $89^{\circ}55'$  W., on a true line, bet. secs. 12 and 13.  
Over rolling land, through scattering undergrowth.  
25.45 Wash, 1 ft. deep, 4 lks. wide, course SW.  
40.02 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 12

-----  
S 13

-----  
1914

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
43.55 Wash, 2 ft. deep, 5 lks. wide, course SW.  
80.04 The cor. of secs. 11, 12, 13 and 14.  
Land, rolling.  
Soil, sandy loam, with firm subsoil, 1st rate.  
Undergrowth, greasewood and cactus.  
No timber.

N.  $0^{\circ}1'$  W., bet. secs. 11 and 12.  
Over rolling land, through scattering undergrowth.  
8.20 Wash, 1 ft. deep, 4 lks. wide, course SW.  
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S11 | S12

-----  
1914

Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.  
74.00 Wash, 1 ft. deep, 6 lks. wide, course SW.  
80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, marked on

Chains.

brass cap,

T9NR8W	
S 2	S 1
S 11	S 12
1914	

Dig pits 18x18x12 ins., in each sec. 5 $\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, sandy loam, with gypsum subsoil; 1st rate. Undergrowth, greasewood, cactus and mesquite. No timber.

40.00 N. 89° 55' E., on a random line, bet. secs. 1 and 12. Set temp.  $\frac{1}{4}$  sec. cor.  
 79.96 Intersect E. bdy. of Tp.; 16 lks. N. of the cor. of secs. 1, 6, 7 and 12; described in Book "A."  
 Thence,  
 N. 89° 58' W., on a true line, bet. secs. 1 and 12.  
 39.98 Over rolling land, through medium undergrowth. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{2}$  S 1

S 12

1914

77.50 Dig pits 18x18x12 ins. E. and W. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor. Wash, 1 $\frac{1}{2}$  ft. deep, 6 lks. wide, course SW.  
 79.96 The cor. of secs. 1, 2, 11 and 12.  
 Land, rolling.  
 Soil, sandy loam, with gypsum subsoil, 1st rate.  
 Undergrowth, greasewood, cactus and mesquite, with scattering Joshua trees.  
 No timber.

40.00 N. 0° 1' W., on a random line, bet. secs. 1 and 2. Set temp.  $\frac{1}{4}$  sec. cor.  
 80.03 Intersect N. bdy. of Tp. at the cor. of secs. 1, 2, 35 and 36, described in Book "A."  
 Thence,  
 S. 0° 1' E., on a true line, bet. secs. 1 and 2.  
 40.03 Over rolling land, thru. scattering undergrowth. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 2 | S 1

1914

80.03 Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor. The cor. of secs. 1, 2, 11 and 12.  
 Land, rolling.  
 Soil, sandy loam, with gypsum subsoil, 1st rate.  
 Undergrowth, greasewood, cactus and mesquite.  
 No timber.

H. N. B.

## 6 Subdivision of Township 9 North, Range 8 West.

Chains.

L.E.W.

From the original standard cor. of secs. 34 and 35 on S. bdy. of Tp. (2nd. Std. Par. N.) an iron post with brass cap, marked and witnessed as described by the surveyor general,

N.0° 1'W., bet. secs. 34 and 35.

Over rolling land, through scattering undergrowth.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$ S34	S35
-------------------	-----

1914

Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

63.00 Wash, 20 lks. wide, course west.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 26, 27, 34 and 35, marked on brass cap,

T9N R8W S27	S26
----------------	-----

S34	S35
-----	-----

1914

Dig pits 18x18x12 ins., in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling.

Soil, light loam, with firm subsoil, 1st rate.

Undergrowth, greasewood and cactus.

No timber.

East, on a random line, bet. secs. 26 and 35.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.06 Intersect the cor. of secs. 25, 26, 35 and 36.

Thence,

West, on a true line, bet. secs. 26 and 35.

Over rolling land, through scattering undergrowth.

40.03 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 26.

S 35

1914

Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

45.00 Wash, 20 lks. wide, course S.30°W.

57.50 Center of wash, 5.00 chs. wide, course S.

80.06 The cor. of secs. 26, 27, 34 and 35.

Land, gently rolling.

Soil, light loam with firm subsoil, 1st rate.

Undergrowth, greasewood and cactus, with mesquite in the washes.

No timber.

N.0° 1'W., bet. secs. 26 and 27.

Over rolling land, thru. scattering undergrowth.

18.50 Wash, course SW.


40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in



Subdivision of Township 9 North, Range 8 West. 7.

Chains.

the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,





1914

Dig pits 18x18x12 ins., N.and S.of cor., 3 ft. dist.,and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W.of cor.

58.00 Wash, course SW.

80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground for cor.of secs.22,23,26 and 27, marked on brass cap,

T9N R8W



1914

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft.base, 2 ft.high,W.of cor. Land, rolling.

Soil, light loam, with firm subsoil, 1st rate. Undergrowth, greasewood and cactus. No timber.

East, on a random line, bet. secs.23 and 26.

40.00 Set temp. $\frac{1}{4}$  sec.cor.

80.06 Intersect the cor.of secs.23,24,25 and 26. Thence,

West, on a true line, bet. secs.23 and 26.


Over rolling land, through scattering undergrowth.

3.00 Wash, course SW.

9.00 Wash, course SW.

14.00 Wash, course S.30°W.

40:03 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,



1914

Dig pits 18x18x12 ins., E.and W.of cor. 3 ft. dist.,and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.high,N.of cor.

76.50 Wash, course SW.

80.06 The cor.of secs.22,23,26 and 27.

Land, rolling, nearly level.

Soil, light loam, with some gravel, 2nd rate.


Undergrowth, greasewood and cactus.

No timber.

N.0°1'W., bet. secs.22 and 23.

Over rolling land, thru. scattering undergrowth and Joshua trees.

40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,




1914

dig pits 18x18x12 ins.,N.and S. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$ ft.base, $1\frac{1}{2}$  ft.high,W.of cor.

8. Subdivision of Township 9 North, Range 8 West.

Chains.

45.00 Old road brs. N. 60° E. and S. 60° W.  
 80.00 Set an iron post 3 1/2 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 14, 15, 22 and 23, marked on brass cap,



1914


Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling.  
 Soil, light loam and gravelly, 2nd rate.  
 Undergrowth, greasewood, cactus and occasional Joshua trees.  
 No timber.

East, on a random line, bet. secs. 14 and 23.

40.00 Set temp. 1/4 sec. cor.  
 80.02 Intersect N. and S. line, 9 lks. N. of the cor. of secs. 13, 14, 23 and 24.

Thence, N. 89° 56' W., on a true line, bet. secs. 14 and 23. Over rolling land, thru. scattering undergrowth.

15.40 Wash, course S.  
 40.01 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,




Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.02 The cor. of secs. 14, 15, 22 and 23.  
 Land, rolling.  
 Soil, volcanic ash and adobe; 1st to 2nd rate.  
 Undergrowth, greasewood.  
 No timber.


N. 0° 1' W., bet. secs. 14 and 15.  
 Over rolling land, through scattering undergrowth.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 10, 11, 14 and 15, marked on brass cap,




Subdivision of Township 9 North, Range 8 West, 9

Chains.

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, volcanic ash, with some gravel, 1st rate. Undergrowth, greasewood and cactus. No timber.


40.00 S. 89° 56' E., on a random line, bet. secs. 11 and 14. Set temp. 1/4 sec. cor.  
80.04 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 11, 12, 13 and 14.

Thence, N. 89° 57' W. on a true line, bet. secs. 11 and 14. Over rolling land, through scattering undergrowth.  
40.02 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,




Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor. From the corner, A Joshua tree, 10 ins. in diam., brs. N. 70° E., 9 lks. dist., marked 1/4 S 11 B T.  
80.04 The cor. of secs. 10, 11, 14 and 15. Land, rolling. Soil, light loam, 1st rate. Undergrowth, greasewood and cactus. No timber.

40.00 N. 0° 1' W., bet. secs. 10 and 11. Over rolling land, thru. scattering undergrowth. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,



80.00 Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor. Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 2, 3, 10 and 11, marked on brass cap,



Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, light loam, with some gravel, 1st to 2nd rate. Undergrowth, greasewood and cactus. No timber.

## BOOK 3225

10 Subdivision of Township 9 North, Range 8 West.

Chains.

- S.89°57'E., on a random line, bet. secs.2 and 11.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 80.10 Intersect N.and S. line, 4 lks.S.of the cor.of secs.1,2,  
 11 and 12..

Thence

- N.89°59'W. on a true line, bet. secs.2 and 11.  
 Over rolling land, through scattering undergrowth.  
 40.05 Set an iron post  $\frac{3}{4}$  ft.long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

 $\frac{1}{4}$  S 2

S 11

1914

- Dig pits 18x18x12 ins., E.and W.of cor. 3 ft. dist.,and  
 raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,N.of  
 cor.  
 80.10 The cor.of secs.2,3,10 and 11.  
 Land, rolling.  
 Soil, light loam, with some sand and gravel; 1st rate.  
 Undergrowth, greasewood and cactus.  
 No timber.

- N.0°1'W., on a random line, bet. secs.2 and 3.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 80.00 Intersect N. bdy. of Tp. 11 lks.E.of the cor.of secs.2,3,  
 34 and 35, described in Book "A."

Thence,

- S.0°6'E., on a true line, bet. secs.2 and 3.  
 Over rolling land, through scattering undergrowth.  
 40.00 Set an iron post  $\frac{3}{4}$  ft.long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

 $\frac{1}{4}$  S 3 | S 2

1914

- Dig pits 18x18x12 ins., N.and S.of cor. 3 ft. dist., and  
 raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,W.of  
 cor.  
 80.00 The cor.of secs.2,3,10 and 11.  
 Land, rolling.  
 Soil, light loam and sandy, 2nd rate.  
 Undergrowth, greasewood and cactus.  
 No timber.

-L.E.W.

H.N.B.

- From the original standard cor.of secs. 33 and 34 on S.  
 bdy. of Tp. (2nd.Std.Par.N.), which is an iron post,  
 with brass cap, firmly set, marked and witnessed as de-  
 scribed by the surveyor general,  
 N.0°2'W., bet. secs.33 and 34.  
 Over nearly level land, thru. scattering undergrowth.  
 40.00 Set an iron post  $\frac{3}{4}$  ft.long, 1 in. in diam., 26 ins.in the  
 ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

 $\frac{1}{4}$  S 33 | S 34


1914

dig pits 18x18x12 ins., N.and S. of cor., 3 ft.dist.,  
 and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 W.of cor.

Subdivision of Township 9 North, Range 8 West, 11

Chains.

75.25 Wash, 2 ft. deep, 10 lks. wide, course SW.  
 80.00 Set an iron post 2 ins. in diam., 3 ft. long, 24 ins. in the ground for cor. of secs. 27, 28, 33 and 34, marked on brass cap,




1914

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling.  
 Soil, volcanic ash with firm subsoil, 1st rate.  
 Undergrowth, greasewood, cactus and mesquite.  
 No timber.

40.00 East, on a random line, bet, secs. 27 and 34.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.10 Intersect N. and S. line, 9 lks. S. of the cor. of secs. 26, 27, 34 and 35.


Thence, S.  $89^{\circ}56'$  W., on a true line, bet. secs. 27 and 34. Over gently rolling land, through scattering undergrowth.

3.50 Wash, 5 lks. wide, course S.  
 38.40 Wash, 6 lks. wide, course S.  $30^{\circ}$  W.  
 40.05 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,




76.80 Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
 Wash, 5 lks. wide, course S.  $30^{\circ}$  W.  
 80.10 The cor. of secs. 27, 28, 33 and 34.  
 Land, rolling.  
 Soil, volcanic ash, with firm subsoil; 1st rate.  
 Undergrowth, greasewood, cactus and mesquite.  
 No timber.

N.  $0^{\circ}2'$  W., bet. secs. 27 and 28.  
 Over rolling land, through scattering undergrowth.  
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,



80.00 dig pits 18x18x12 ins., N. and S. of corner 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.  
 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 21, 22, 27 and 28, marked on brass cap,



## BOOK 3225

12. Subdivision of Township 9 North, Range 8 West.

Chains.

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling, nearly level. Soil, light loam and sandy; 1st and 2nd rate. Undergrowth, greasewood and cactus. No timber.

- 40.00 N.  $89^{\circ} 56'$  E., on a random line, bet. secs. 22 and 27.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.24 Intersect N. and S. line, 11 lks. N. of the cor. of secs. 22, 23, 26 and 27.  
Thence,  
N.  $89^{\circ} 59'$  W., on a true line, bet. secs. 22 and 27.  
Over rolling land, through scattering undergrowth.  
11.10 Wash, 10 lks. wide, course SW.  
13.25 Wash, 15 lks. wide, course SW.  
17.25 Wash, 6 lks. wide, course SW.  
40.12 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$$\frac{1}{4} \text{ S } 22$$


---

 S 27

1914

- 80.24 Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
The cor. of secs. 21, 22, 27 and 28.  
Land, rolling, nearly level.  
Soil, sandy loam, 12 to 18 ins. deep, with firm subsoil; 1st rate.  
Undergrowth, greasewood and cactus.  
No timber.

- 11.55 N.  $0^{\circ} 2'$  W., bet. secs. 21 and 22.  
Over rolling land, through scattering undergrowth.  
Wagon road brs. SW. and NE.  
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$$\frac{1}{4} \text{ S } 21 \mid \text{ S } 22$$

1914

- 52.00 Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.  
Wash, 7 lks. wide, course SW.  
62.00 Wash, 8 lks. wide, course SW.  
80.00 Set an iron post 3 ft. long 2 ins. in diam., 24 ins. in the ground for cor. of secs. 15, 16, 21 and 22, marked on brass cap,

$$\begin{array}{c} \text{T9N R8W} \\ \text{S16} \mid \text{S15} \end{array}$$


---


$$\text{S21} \mid \text{S22}$$

1914

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, light loam and sandy, 1st rate.

Subdivision of Township 9 North, Range 8 West 13

Chains

Undergrowth, greasewood and cactus.  
No timber.

S.89° 59' E., on a random line, bet. secs.15 and 22.  
40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
80.20 Intersect N.and S. line, 4 lks.N. of the cor.of secs.14,15,  
22 and 23.

Thence,  
N.89°57' W., on a true line, bet. secs.15 and 22.  
Over rolling land, through scattering undergrowth.  
40,10 Set an iron post 3 ft.long, 1 in. in diam., 26 ins.in  
the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

$\frac{1}{4}$  S 15

S 22

1914

dig pits 18x18x12 ins. E. and W.of cor. 3 ft. dist.,  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.high,N.  
of cor.

59.90 Wash, 1 ft. deep, 7 lks.wide, course SW.  
63.20 Wash,  $1\frac{1}{2}$  ft. deep, 8 lks.wide, course SW.  
76.20 Wash, 1 ft. deep, 5 lks.wide, course SW.  
80.20 The cor.of secs.15,16,21 and 22.

Land, rolling.  
Soil, light loam and sandy, 1st rate.  
Undergrowth, greasewood, cactus and mesquite.  
No timber.

N.0° '2' W., bet. secs.15 and 16.  
Over rolling land, through scattering undergrowth.  
29.50 Wash, 2 ft.deep,10 lks.wide, course SW.  
40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

$\frac{1}{4}$ S16 | S15

1914

Dig pits 18x18x12 ins., N.and S.of cor. 3 ft. dist.,and  
raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,W.of  
cor.

80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins.in  
the ground for cor.of secs.9,10,15 and 16, marked on  
brass cap,

T9N R8W  
S9 | S10

S16 | S15

1914

Dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$  ft. dist.,and raise  
a mound of earth 4 ft.base, 2 ft.high,W.of cor.

Land, rolling.  
Soil, sandy loam, with firm subsoil, 1st rate.  
Undergrowth, greasewood and cactus,with Joshua trees.  
No timber.

S.89° 57' E., on a random line, bet. secs.10 and 15.  
40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
80.22 Intersect N.and S.line, 2 lks.N.of the cor. of secs.10,11,  
14 and 15.

Thence,

BOOK 3225

14. Subdivision of Township 9 North, Range 8 West.

Chains.

N. 89° 56' W. on a true line, bet. secs. 10 and 15.

Over rolling land, thru. scattering undergrowth.

40.11 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 10

S 15

1914

Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

80.22 The cor. of secs. 9, 10, 15 and 16.

Land, rolling.

Soil, sandy loam with firm subsoil, 1st rate.

Undergrowth, greasewood and cactus.

No timber.

N. 0° 2' W., bet. secs. 9 and 10.

Over rolling land, through scattering undergrowth.

19.00 Wash, 8 lks. wide, course SW.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 9 | S 10.

1914

Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

64.00 Wash, 1 ft. deep, 5 lks. wide, course SW.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 3, 4, 9 and 10, marked on brass cap,

T9N R8W

S 4 | S 3

S 9 | S 10

1914

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sandy loam, with firm subsoil; 1st rate.

Undergrowth, greasewood and cactus.

No timber.

H. N. B.

L. E. W.

S. 89° 56' E., on a random line, bet. secs. 3 and 10.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.24 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 2, 3, 10 and 11.

Thence

N. 89° 57' W., on a true line, bet. secs. 3 and 10.

Over rolling land, through scattering undergrowth.

40.12 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 3

S 10

1914



Chains

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

80.24 The cor. of secs. 3, 4, 9 and 10.  
Land, rolling.  
Soil, sandy loam, 1st and 2nd rate.  
Undergrowth, greasewood and cactus.  
No timber.

N.  $0^{\circ} 7' W.$ , on a random line, bet. secs. 3 and 4.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.04 Intersect N. bdy. of Tp., 47 lks. W. of the cor. of secs. 3, 4, 33 and 34, described in Book "A."  
Thence,  
S.  $0^{\circ} 13' W.$ , on a true line, bet. secs. 3 and 4.  
Over rolling land, through scattering undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

S 4 | S 3

1914

Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth 3 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

63.00 Wash, 8 lks. wide, course SW.  
65.00 Wagon road brs. NE. and SW.  
80.04 The cor. of secs. 3, 4, 9 and 10.  
Land, rolling.  
Soil, sandy loam, 1st and 2nd rate.  
Undergrowth, greasewood and cactus.  
No timber.

L. E. W.

H.N.B.  
From the original standard cor. of secs. 32 and 33, on S. bdy. of Tp. (2nd. Standard Parallel N.) an iron post with brass cap, firmly set, marked and witnessed as described by the surveyor general, ~~Iran~~,  
N.  $0^{\circ} 2' W.$ , bet. secs. 32 and 33.  
Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 32 | S 33

1914

dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 28, 29, 32 and 33, marked on brass cap,

T9N R8W  
S 29 | S 28

S 32 | S 33

1914

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.  
Land, rolling.  
Soil, sandy loam, about 1 ft. deep, with firm subsoil, 1st rate.  
Undergrowth, greasewood, mesquite and cactus.  
No timber.

H.N.B.

## BOOK 3225

16 Subdivision of Township 9 North, Range 8 West.

Chains.

- L.E.W.  
East, on a random line, bet. secs. 28 and 33.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.16 Intersect N. and S. line, 7 lks. S. of the cor. of secs. 27, 28, 33 and 34.  
Thence,  
S.  $89^{\circ} 57'$  W., on a true line, bet. secs. 28 and 33.  
Over rolling land, through scattering undergrowth.  
40.08 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

 $\frac{1}{4}$ S 28

S 33

1914

- 80.16 Dig pits 18x18x12 ins., E. and W. of cor. 3 ft., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.  
The cor. of secs. 28, 29, 32 and 33.  
Land, gently rolling.  
Soil, light with loam subsoil, 1st rate.  
Undergrowth, greasewood and cactus.  
No timber.

D. E. W.

- H.N.B.  
N.  $0^{\circ} 2'$  W., bet. secs. 28 and 29.  
Over gently rolling land, through scattering undergrowth.  
10.60 Wash,  $1\frac{1}{2}$  ft. deep, 10 lks. wide, course SW.  
21.25 Wash, 1 ft. deep, 8 lks. wide, course SW.  
22.50 Wash, 1 ft. deep, 6 lks. wide, course SW.  
38.30 Wash, 2 ft. deep, 10 lks. wide, course SW.  
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

 $\frac{1}{4}$ S29 | S28

1914

- Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.  
57.25 Wagon road brs. NE. and SW.  
72.90 Wash,  $1\frac{1}{2}$  ft. deep, 10 lks. wide, course SW.  
80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 20, 21, 28 and 29, marked on brass cap,

T9N R8W  
S20 | S21

S29 | S28

1914

- Dig pits 18x18x12 ins., in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.  
Land, gently rolling.  
Soil, light, sandy loam, with firm subsoil; 1st rate.  
Undergrowth, greasewood, cactus and mesquite.  
No timber.

- N.  $89^{\circ} 57'$  E., on a random line, bet. secs. 21 and 28.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.32 Intersect N. and S. line, 9 lks. N. of the cor. of secs. 21, 22, 27 and 28.  
Thence,

Subdivision of Township 9 North, Range 8 West. 17.

Chains

- N.89°59'W., on a true line, bet. secs.21 and 28.  
Over rolling land, through scattering undergrowth.
- 19.75 Wash, 1½ ft. deep, 10 lks.wide, course SW.
- 26.80 Wagon road, brs.NE. and SW.
- 40.16 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for ¼ sec.cor., marked on brass cap,

¼ S 21  
-----  
S 28  
1914

from which,

- A mesquite, 5 ins. in diam., brs.S.68°E., 14 lks. dist., marked ¼ S 28 B T.
- A mesquite, 5 ins. in diam., brs.N.9°30'E., 108 lks. dist., marked ¼ S 21 B T.
- 40.72 Wash, 1 ft. deep, 8 lks.wide, course SW.
- 60.30 Wash, 1 ft. deep, 12 lks.wide, course SW.
- 72.80 Wash, 1 ft. deep, 6 lks.wide, course SW.
- 80.32 The cor.of secs. 20,21, 28 and 29.  
Land, rolling.  
Undergrowth, greasewood and mesquite.  
Soil, light, sandy loam, with firm subsoil; 1st rate.  
No timber.

- 
- N.0°2' W., bet. secs:20 and 21.  
Over rolling land, thru. scattering undergrowth.
  - 40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for ¼ sec.cor., marked on brass cap,

¼ S20 | S21  
1914

- Dig pits 18x18x12 ins., N.and S.of cor. 3 ft. dist.,and raise a mound of earth 3½ ft. base, 1½ ft. high,W.of cor.
- 45.40 Wash, 1 ft. deep, 5 lks.wide, course SW.
- 56.60 Wash, 1 ft. deep, 10 lks.wide, course SW.
- 58.00 Wash, 1 ft. deep, 10 lks.wide, course SW.
- 80.00 Set an iron post, 3 ft.long, 2 ins. in diam.,24 ins. in the ground for cor.of secs. 16,17,20 and 21, marked on brass cap,

T9N R8W  
S17 | S16  
-----  
S20 | S21  
1914

- Dig pits 18x18x12 ins., in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base, 2 ft.high, W.of cor.
- Land, gently rolling.  
Soil, light loam, and sandy; 1st and 2nd rate.  
Undergrowth, greasewood and mesquite.  
No timber.

- 
- S.89° 59' E., on a random line, bet. secs.16 and 21,  
40.00 Set temp. ¼ sec.cor.
  - 80.20 Intersect N.and S. line, 2 lks.N.of the cor.of secs.15,16, 21 and 22.  
Thence,  
N.89°58'W., on a true line, bet. secs.16 and 21.

## 18. Subdivision of Township 9 North, Range 8 West.

Chains.

- Over rolling land; through scattering undergrowth.  
 31.70 Wash, 1 ft. deep, 6 lks.wide, course SW.  
 40.10 Set an iron post 3 ft.long, 1 in in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

$$\begin{array}{r} \frac{1}{4} S 16 \\ \hline S 21 \end{array}$$

1914

from which,

- A mesquite, 5 ins.diam., brs.N.58°E., 137 lks.  
 dist., marked  $\frac{1}{4}$  S 16 B T.  
 A mesquite, 5 ins. in diam., brs.S.38 $\frac{1}{2}$ °E., 217  
 lks.dist., marked  $\frac{1}{4}$  S'21 B T.  
 50.70 Wash, 1 ft. deep, 5 lks.wide, course SW.  
 76.40 Wash, 1 ft. deep, 10 lks.wide, course SW.  
 80.20 The cor.of secs.16,17,20 and 21.  
 Land, gently rolling.  
 Soil, light, sandy loam, 1st and 2nd rate.  
 Undergrowth, greasewood, cactus and mesquite.  
 No timber.

N.0° 2'W., bet. secs.16 and 17.

- Over gently rolling land, thru. scattering undergrowth.  
 1.40 Wash, 1 ft. deep, 5 lks.wide, course SW.  
 6.20 Wash, 1 $\frac{1}{2}$  ft. deep, 6 lks.wide, course SW.  
 27.60 Wash, 1 ft. deep, 8 lks.wide, course SW.  
 30.00 Wash, 1 ft. deep, 8 lks.wide, course SW.  
 40.00 Set an iron post, 3 ft. long, 1 in in diam., 26 ins. in the ground  
 for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$$\begin{array}{r} \frac{1}{4} S 17 | S 16 \end{array}$$

1914

Dig pits 18x18x12 ins., N.and S.of cor. 3 ft. dist., and  
 raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W.of  
 cor.

- 73.65 Wagon road brs.NE. and SW.  
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in  
 the ground for cor.of secs.8,9,16 and 17, marked on  
 brass cap,

$$\begin{array}{r} T9N R8W \\ S 8 | S 9 \end{array}$$

$$\hline S 17 | S 16$$

1914

Dig pits 18x18x12 ins.in each sec. 5 $\frac{1}{2}$  ft. dist., and  
 raise a mound of earth 4 ft.base, 2 ft.high,W.of cor.  
 Land, gently rolling.

Soil, light loam and sandy, 1st and 2nd rate.  
 Undergrowth, greasewood, cactus and mesquite.  
 No timber.

S.89°58'E., on a random line, bet. secs.9 and 16.

- 40.00 Set temp. $\frac{1}{4}$  sec.cor.  
 80.06 Intersect N. and S.line, 5 lks.S.of the cor.of secs.9,10,  
 15 and 16.

Thence,

West, on a true line, bet. secs.9 and 16.

Over rolling land, thru. scattering undergrowth and  
 Joshua trees.

- 16.05 Wash, 1 ft. deep, 5 lks.wide, course SW.  
 18.25 Wash, 2 ft. deep, 8 lks.wide, course SW.  
 40.03 Set an iron post 3 ft.long, 1 in. in diam., 26 ins.in

Subdivision of Township 9 North, Range 8 West. 19.

Chains.

the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

$\frac{1}{4}$  S 9

S 16

1914

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

74.33 Old wagon road, brs.NE. and SW.

80.06 The cor.of secs.8,9,16 and 17.

Land, gently rolling.

Soil, light loam, and sandy; 2nd rate.

Undergrowth, greasewood, mesquite and cactus, with scattering Joshua trees.

No timber.

H. N. B.

L.E.W.

N.0°2'W., bet. secs.8 and 9.

Over rolling land, through scattering undergrowth and Joshua trees.

40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

$\frac{1}{4}$ s8 | s9

1914

Dig pits 18x18x12 ins., N.and S.of cor., 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W.of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor.of secs. 4,5, 8 and 9, marked on brass cap,

T9N R8W

S 5 | S 4

S 8 | S 9

1914

Dig pits 18x18x12 ins., in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, gently rolling.

Soil, light loam and sandy, 2nd rate.

Undergrowth, low greasewood, cactus, mesquite and Joshua trees.

No timber.

L.E.W.

H.N.B.

East, on a random line, bet. secs.4 and 9.

40.00 Set temp.  $\frac{1}{4}$  sec.cor.

79.90 Intersect N.and S. line, 12 lks.N.of the cor.of secs.3,4, 9 and 10.

Thence,

N.89°55'W., on a true line, bet. secs.4 and 9.

Over gently rolling land, through scattering undergrowth and Joshua trees.

11.95 Wagon road, brs.NE and SW.

14.00 Wash, 8 lks.wide, course SW.

39.95 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

BOOK 3225

20. Subdivision of Township 9 North, Range 8 West.

Chains

$\frac{1}{4}$  S 4

S 9

1914

Dig pits 18x18x12 ins. E. and W. of cor., 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

53.75 Wash,  $1\frac{1}{2}$  ft. deep, 8 lks. wide, course SW.

79.90 The cor. of secs. 4, 5, 8 and 9.

Land, gently rolling.

Soil, light, sandy loam, 2nd rate.

Undergrowth, low greasewood and cactus, and Joshua trees. No timber.

H. N. B.

L.E.W.

N.  $0^{\circ}12'$  E., on a random line, bet. secs. 4 and 5.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.16 Intersect N. bdy. of Tp., 28 lks. E. of the cor. of secs. 4, 5, 32 and 33, described in Book "A."

Thence,

South, on a true line, bet. secs. 4 and 5.

Over gently rolling land, thru. scattering undergrowth.

40.16 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 5 | S 4

1914

Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

80.16 The cor. of secs. 4, 5, 8 and 9.

Land, rolling.

Soil, sandy loam, 2nd rate.

Undergrowth, low greasewood, and cactus, and Joshua trees. No timber.

From the original standard cor. of secs. 31 and 32 on S. bdy. of Tp. (2nd. Standard Parallel North), an iron post with brass cap, firmly set, marked and witnessed, as described by the surveyor general,

N.  $0^{\circ}3'$  W., bet. secs. 31 and 32.

Descending gradually on N. slope, thru. scattering undergrowth.

25.30 Creek bed, 2 ft. deep, 15 lks. wide, course W. (Main channel of Bullard Wash).

31.00 Water reservoir, about 2 acres in area, brs. S.  $80^{\circ}$  W., 15 chs. dist.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 31 | S 32

1914


Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

62.50 Road brs. S.  $15^{\circ}$  W. and N.  $15^{\circ}$  E.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 29, 30, 31 and 32; marked on brass cap,

Subdivision of Township 9 North, Range 8 West. 21.


Chains.



1914


Dig pits 18x18x12 ins., in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling.  
 Soil, south of Bullard Wash, rocky and shallow, 3rd rate; northern part, light sandy loam, 1st rate.  
 Undergrowth, low scattering greasewood, with scattering palo verde, Joshua and cactus, and mesquite along the creek.

40.00 East, on a random line, bet. secs. 29 and 32.  
 Set temp. ¼ sec. cor.  
 79.92 Intersect N. and S. line at the cor. of secs. 28, 29, 32 and 33.  
 Thence,  
 West, on a true line, bet. secs. 29 and 32.  
 Over nearly level land, thru. scattering undergrowth.  
 25.00 Wash, 10 lks. wide, course SW.  
 39.96 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor., marked on brass cap,



Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.  
 70.00 Road brs. N. 15° E. and S. 15° W.  
 79.92 The cor. of secs. 29, 30, 31 and 32.  
 Land, very gently undulating.  
 Soil, light sandy loam, with firm subsoil; 1st rate.  
 Undergrowth, greasewood, mesquite and cactus.  
 No timber.

40.00 West, on a random line, bet. secs. 30 and 31.  
 Set temp. ¼ sec. cor.  
 80.15 Intersect W. bdy. of Tp., 7 lks. N. of the cor. of secs. 25, 30, 31 and 36, described in Book "A."  
 Thence,  
 N. 89° 57' E., on a true line, bet. secs. 30 and 31.  
 Over gently undulating land, through scattering undergrowth.  
 15.00 Wash, course SW.  
 40.15 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor., marked on brass cap,



Dig pits 18x18x12 ins. E. and W. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.  
 80.15 The cor. of secs. 29, 30, 31 and 32.

BOOK 3225

22. Subdivision of Township 9 North, Range 8 West.

Chains.

Land, gently undulating.  
Soil, light loam, with firm subsoil, 1st rate.  
Undergrowth, greasewood, mesquite and cactus.  
No timber.

N.0°3'W., bet. secs.29 and 30.  
Over gently undulating land, through medium undergrowth.

24.70 Old road in wash, course SW.

31.70 Wash, 10 lks.wide, course SW.

40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

$\frac{1}{4}$ S30 | S29

1914

Dig pits 18x18x12 ins., N.and S.of cor., 3 ft. dist.,and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,W.of cor.

80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground, for cor.of secs.19,20,29 and 30,marked on brass cap,

T9N R8W  
S19 | S20

S30 | S29

1914

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft.base, 2 ft.high,W.of cor.  
Land, undulating.  
Soil, light,sandy loam,with firm subsoil, 1st rate.  
Undergrowth, greasewood, mesquite and cactus.  
No timber.

40.00 East, on a random line, bet. secs.20 and 29.

Set temp. $\frac{1}{4}$  sec.cor.

L.E.W.

H.N.B.

79.72 Intersect the cor.of secs.20,21, 28 and 29.

Thence,

West, on a true line, bet. secs.20 and 29.

Over gently undulating land, through medium undergrowth.

39.86 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

$\frac{1}{4}$  S 20

S 29

1914

Dig pits 18x18x12 ins., E.and W.of cor. 3 ft. dist.,and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,N.of cor.

H.N.B.

L.E.W.

66.20 Wash, course SW.

79.72 The cor.of secs.19,20, 29 and 30.

Land, gently undulating.

Soil, light loam, with firm subsoil; 1st rate.

Undergrowth, greasewood, mesquite and cactus.

No timber.



Subdivision of Township 9 North, Range 8 West.

Chains.

- S. 89° 57' W., on a random line, bet. secs. 19 and 30.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.13 Intersect W. bdy. of Tp., 4 lks. N. of the cor. of secs. 19, 24, 25 and 30, described in Book "A."
- Thence,
- N. 89° 55' E., on a true line, bet. secs. 19 and 30.
- Over nearly level land, draining S., through scattering undergrowth.
- 40.13 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 19

S 30

1914

- Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 50.38 Old road brs. S. 20° W., and N. 20° E.
- 73.00 Wash. course S. 30° W.
- 80.13 To the cor. of secs. 19, 20, 29 and 30.
- Land, nearly level.
- Soil, sandy loam, with firm subsoil, 1st rate.
- Undergrowth, greasewood and mesquite.
- No timber.

- 
- N. 0° 3' W., bet. secs. 19 and 20.
  - Over nearly level land, thru medium undergrowth.
  - 11.40 Wash. course S. 30° W. and, thru medium undergrowth.
  - 36.00 Wash. 1 $\frac{1}{2}$  ft. deep, 12 lks. wide, course S. 30° W.
  - 39.00 Old road, brs. S. 30° W., and N. 30° E.
  - 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S19 | S20

1914

- Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 17, 18, 19 and 20, marked on brass cap,

T9N R8W.  
S18 | S17

S19 | S20

1914

- Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.
- Land, nearly level.
- Soil, sandy loam, with firm subsoil, 1st rate.
- Undergrowth, greasewood and mesquite.
- No timber.

- 
- East, on a random line, bet. secs. 17 and 20.
  - 40.00 Set temp.  $\frac{1}{4}$  sec. cor. L.E.W.
  - H.N.B.
  - 79.70 Intersect N. and S. line, 7 lks. N. of the cor. of secs. 16, 17, 20 and 21.
  - Thence,
  - N. 89° 57' W., on a true line, bet. secs. 17 and 20.

## BOOK 3225

24. Subdivision of Township 9 North, Range 8 West.

Chains.

Over gently undulating land, thru medium undergrowth.  
 0.75 Wash, 6 lks.wide, course SW.  
 11.90 Wash, 15 lks.wide, course SW.  
 39.85 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

 $\frac{1}{4}$  S 17

S 20

1914

Dig pits 18x18x12 ins., E.and W.of cor., 3 ft. dist.,and  
 raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,N.of  
 cor.

H. N. B.

L.E.W.

58.30 Wash, 15 lks.wide, course S.30°W. Road in same.

79.70 The cor.of secs. 17,18,19 and 20.

Land, gently undulating.

Soil, sandy loam, with firm subsoil, 1st or 2nd rate.

Undergrowth, greasewood, mesquite and cactus, with scat-  
 tering Joshua trees.

No timber.

40.00 S.89°55' W.on a random line, bet. secs. 18 and 19.

Set temp. $\frac{1}{4}$  sec.cor.80.13 Intersect W. bdy, of Tp.17 lks.S.of the cor.of secs.13,18,  
 19 and 24, described in Book "A."

Thence,

S.89°58' E., on a true line, bet. secs.18 and 19.

Over nearly level land, drains S., thru. medium undergrowth  
 and scattering Joshua trees.40.13 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap, $\frac{1}{4}$  S 18

S 19

1914

Dig pits 18x18x12 ins., E.and W.of cor., 3 ft. dist.,and  
 raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,N.of  
 cor.

80.13 The cor.of secs.17,18,19 and 20,

Land, undulating.

Soil, sandy loam, with firm subsoil, 2nd rate.

Undergrowth, greasewood, mesquite and Joshua trees.

No timber.

N.0° 3' W., bet. secs.17 and 18.

Over rolling land, thru. medium undergrowth and scattering  
 Joshua trees.40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec.cor., marked on brass cap, $\frac{1}{4}$  S 18 | S 17

1914


Dig pits 18x18x12 ins., N.and S. of cor., 3 ft. dist.,  
 and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,W.  
 of cor.

80.00 Set an iron post 3 ft.long, 2 ins.in diam., 24 ins. in

Subdivision of Township 9 North, Range 8 West. 25.

Chains.


the ground for cor. of secs. 7, 8, 17 and 18, marked on brass cap,



Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, nearly level.  
 Soil, sandy loam, with firm subsoil, 1st and 2nd rate. Undergrowth, greasewood, 6 ft. to 9 ft. high, cactus, mesquite and Joshua trees.  
 No timber.

40.00 S. 89° 57' E., on a random line, bet. secs. 8 and 17.  
 Set temp. 1/4 sec. cor.  
 79.78 Intersect N. and S. line, 14 lks. S. of the cor. of secs. 8, 9, 16 and 17.

Thence,  
 S. 89° 57' W., on a true line, bet. secs. 8 and 17.  
 Over rolling land, through scattering undergrowth.  
 39.89 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,




Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

43.50 Wash, course S. 15° W.  
 79.78 The cor. of secs. 7, 8, 17 and 18.  
 Land, gently rolling.  
 Soil, sandy loam, 24 ins. deep, with firm subsoil, 1st rate.  
 Undergrowth, greasewood, cactus, mesquite and Joshua trees.  
 No timber.

40.00 N. 89° 58' W., on a random line, bet. secs. 7 and 18.  
 Set temp. 1/4 sec. cor.  
 80.04 Intersect W. bdy. of Tp. at the cor. of secs. 7, 12, 13 and 18, described in Book "A."

Thence,  
 S. 89° 58' E., on a true line, bet. secs. 7 and 18.  
 Over gently rolling land, thru. scattering undergrowth and Joshua trees.  
 40.04 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,



Dig pits 18x18x12 ins. E. and W. of cor. 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.04 The cor. of secs. 7, 8, 17 and 18.

BOOK 3225

26. Subdivision of Township 9 North, Range 8 West.

Chains

Land, rolling.  
Soil, sandy loam with firm subsoil, 1st rate.  
Undergrowth, greasewood, cactus and Joshua trees.  
No timber.

N. 0° 3' W. bet. secs. 7 and 8.  
Over rolling land, thru. scattering undergrowth and Joshua trees.

38.00 Wash, course S. 30° W.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

S 7	S 8
-----	-----

1914

Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 5, 6, 7 and 8, marked on brass cap,

T9N R8W	
S 6	S 5

S 7	S 8
-----	-----

1914

Dig pits 18x18x12 ins., in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.  
Land, gently rolling.  
Soil, sandy loam, with firm subsoil; 1st to 2nd rate.  
Undergrowth, greasewood, cactus and Joshua trees.  
No timber.

N. 89° 57' E., on a random line, bet. secs. 5 and 8.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.88 Intersect N. and S. line, 14 lks. N. of the cor. of secs. 4, 5, 8 and 9.

Thence,

N. 89° 57' W., on a true line, bet. secs. 5 and 8.

Over gently rolling land, thru. scattering undergrowth and Joshua trees.

27.00 Wash, course S. 15° W.

39.94 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$ S 5	
-------------------	--

S 8	
-----	--

1914

Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

79.88 The cor. of secs. 5, 6, 7 and 8.

Land, gently rolling.

Soil, sandy loam, 2nd rate.

Undergrowth, greasewood, cactus and scattering Joshua trees.

No timber.

Subdivision of Township 9 North, Range 8 West. 27.

Chains N. 89° 58' W., on a random line bet. secs. 6 and 7.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.00 Intersect the W. bdy. of Tp., 4 lks. S. of the cor. of  
 secs. 1, 6, 7, and 12, as described in Book "A".  
 Thence,  
 S. 89° 56' E., on a true line bet. secs. 6 and 7.  
 21.50 Wash, course S. 35° W.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S6  
 S7  
 1914

dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist.,  
 and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high.  
 N. of the cor.

80.00 The cor. of secs. 5, 6, 7, and 8.  
 Land, rolling.  
 Soil, snady loam, with firm sub soil, 1st to 2nd rate.  
 Undergrowth, greasewood, cactus, mesquite, and Joshua  
 trees.  
 No timber.

N. 0° 1' W., on a random line bet. secs. 5 and 6.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.14 Intersect N. bdy. of Tp., 2 lks. W. of the cor. of secs. 5,  
 6, 31, and 32, as described in Book "A".  
 Thence,  
 South, on a true line bet. secs. 5 and 6.  
 Over gently rolling land, thru scattering undergrowth and  
 Joshua trees.  
 40.14 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S6 | S5  
 1914

dig pits 18x18x12 ins., N. and S. of the cor. 3ft. dist.,  
 and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 W. of the cor.

80.14 The cor. of secs. 5, 6, 7, and 8.  
 Land, rolling.  
 Soil, sandy loam, 1st to 2 nd rate.  
 Undergrowth, greasewood, cactus, and Joshua trees.  
 No timber. L.E. W.

GENERAL DESCRIPTION

This township is generally nearly level land.  
 Bullard Wash, which drains all but the extreme south-  
 eastern part of the township, enters near the middle  
 of the east boundary, and leaves the Tp., near the  
 middle of the west boundary of sec. 31. No other water  
 course in the township.  
 The soil, consists of light volcanic ash, from 12 ins. to  
 18 ins. in depth, with a firm subsoil; the higher  
 parts of the Tp. (northern and northwestern parts) are  
 more sandy, but all of good quality and readily sus-  
 ceptible to irrigation. No permanent flow of water in the Tp.  
 Vegetation consists of low, scattering greasewood, from  
 4 ft. to 9 ft. high, cactus of various kinds and heights,  
 mesquite brush along the water courses, and Joshua  
 trees, which are scattering over the whole township,

BOOK 3225

28. Subdivision of Township 9 North, Range 8 West.

Chains.

but are more abundant in the northwestern part.  
 A coarse grass is found along the sides of the lower of  
 the water courses.  
 The only improvements in the township are two reservoirs  
 in sec. 31, made by making dams across Bullard Wash,  
 These are inclosed by a wire fence.

DATE DIAGRAM

Book "C", Group 36, Arizona.

Township 9 N., R. 8 W.

	11-17-14	11-17-14	11-17-14	11-17-14	11-17-14	11-17-14
11-13-14	6 11-21-14	5 11-21-14	4 11-19-14	3 11-19-14	2 11-18-14	1 11-18-14
11-13-14	7 11-20-14	8 11-20-14	9 11-19-14	10 11-18-14	11 11-18-14	12 11-18-14
11-13-14	18 11-20-14	17 11-20-14	16 11-19-14	15 11-18-14	14 11-18-14	13 11-17-14
11-13-14	19 11-20-14	20 11-20-14	21 11-19-14	22 11-18-14	23 11-17-14	24 11-17-14
11-13-14	30 11-20-14	29 11-20-14	28 11-19-14	27 11-18-14	26 11-17-14	25 11-14-14
11-13-14	31 11-20-14	32 11-19-14	33 11-19-14	34 11-18-14	35 11-14-14	36 11-14-14

2nd Standard Parallel North

Lines dated in black were executed by L.E. Wilkes, U.S. Surveyor.


Lines dated in red were executed by H.N. Bradstreet, U.S. Transit-  
man.

For list of field assistants see Book 'A'.

DIAGRAM

SHOWING THE RESPECTIVE SURVEYS OF SUBDIVISION LINES EXECUTED BY EACH SURVEYOR AND TRANSITMAN UNDER INSTRUCTIONS FOR GROUP 36, ARIZONA.

Surveyed by L. E. WILKES, U.S. Surveyor } Surveyed by H. N. Bradstreet, U.S. Transitman. } Surveyed by John G. Collins, U.S. Transitman. } Surveyed by Hugo Price, U.S. Transitman.



R. 13 W. R. 12 W. R. 11 W. R. 10 W. R. 9 W. R. 8 W. R. 7 W.  
3rd Standard Parallel North  
2nd Standard Parallel North

## FINAL CERTIFICATE OF U. S. SURVEYOR AND U.S. TRANSITMAN.

We, the undersigned, hereby certify on honor that, in pursuance of special instructions received from the U.S. Surveyor General for Arizona, bearing date of July 23, 1914, we have well, faithfully and truly, in our own proper persons, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

GROUP No. 36, Arizona

which are represented on the diagram on the reverse hereof as having severally been executed by us, and under our direction; and we do further certify on honor that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U.S. Surveyor General for Arizona, and in the specific manner described in our respective field notes.

L. E. Wilkes  
U.S. Surveyor.

John G. Collins  
U.S. Transitman.

H. N. Bradstreet  
U.S. Transitman.

Hugo Price  
U. S. Transitman.

## A P P R O V A L,

Office of the United States Surveyor General,  
Phoenix, Arizona,

Jan. 20, 1919.

The foregoing field notes of the survey of the  
Subdivision lines of

TOWNSHIP 9 NORTH, RANGE 8 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, executed by L.E. Wilkes, U.S. Surveyor, and H.N. Bradstreet, U.S. Transitman, under special instructions dated July 23, 1914, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank A. Frost  
U. S. Surveyor General.