

3229

Book "G"

4-679

JAN-1-1919

(Subdivisions)

BOOK 3229

FIELD NOTES

OF THE SURVEY OF THE

Subdivision Lines

of

Township 9 North, Range 12 West,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona,

EXECUTED BY

L. E. Wilkes, U. S. Surveyor,

and

H. N. Bradstreet, U. S. Transitman,

~~In the capacity of U. S. Surveyor~~, under instructions dated July 23, 1914, issued by the United States Surveyor General to govern surveys included in Group No. 36, which were approved by the Commissioner of the General Land Office, August 15, 1914.

Survey commenced December 28, 1914.

Survey completed January 8, 1915.

Executed under Assignment
Instructions dated

3229

3229

42
1A


3229
Book "G"

Group 36 - - - Arizona

Township 9 North, Range 12 West.

BOOK 3229

INDEX DIAGRAM.



2nd. Standard Parallel North.
Resurvey.

- Subdivision lines surveyed under this group.
- Township boundaries surveyed under this group.
Notes in Book "A." 3223
- Standard lines resurveyed under this group.
Notes in Book "B." 3224
- Accepted surveys.
- Unsurveyed.

Subdivision of Township 9 North, Range 12 West.

1. B

Chains.

Survey commenced Dec.28, 1914, and executed on the respective dates shown on diagram on page 33 hereof, by L.E.Wilkes, U. S. Surveyor, and H. N. Bradstreet, U.S. Transitman, the former using a Young and Son's light mountain transit No.8541, and the latter using a Young and Son's light mountain transit No.7084.

Description, tests and approval of these instruments in Book "A" of this group.

As a further test of the instruments used, on Dec.30,1914, at 8h. a.m.,l.m.t., at camp, near the center of sec.27 (as later determined), I set off 23°8'S.on the decl. arc; 34° 5½' on the lat.arc, and determine a meridian with each instrument, and note that they disagree about 0° 0½', and note the intersection of the meridian thus determined, with the horizon, north about 20 miles, and south about 6 miles dist.

At noon on this date, I note the sun's passage of the meridian, which was established by solar observation at 9 h. a.m., hereinafter recorded, and set my watch to agree with local mean time.

Dec. 30.. At 5hrs. 14m. p.m., l.m.t., I observe Polaris, and note that the star's position is 0° 36' E. of the meridian, set out by transit No.8541 and 0° 36½' E.of the meridian set out by transit No.7084.

By reference to Table on page14 of Solar Ephemeris for 1914, I find the true azimuth of Polaris to be 0°35.7' E. of N.

Both instruments have been tested almost every day of use in this group, by both a.m. and p.m. observations taken at various hours of the working day on lines which have been prolonged by reference to objects, several miles dist., and the results having been found to be practically constant, and substantially agreeing with the Polaris observations; I conclude that the adjustments are satisfactory.

Measurements were made with steel tapes each 5.00 chs.in length, which were duly tested by comparison with a standard tape on Nov.12, 1914, and adjusted to the true length.

Over uneven ground the clinometer method was used to obtain the necessary correction to be applied.

In the following notes the initials "L.E.W." and "H.N.B." are inserted at the beginning and end of these portions of the notes, describing the surveys executed by L.E. Wilkes, U.S.Surveyor, and H.N. Bradstreet, U. S. Transitman, respectively.

H.N.B.

Dec.28, 1914. At 9h.a.m.,l.m.t., I set off 23°16'S.on the decl.arc; 34° 4' on the lat.arc, and determine a meridian with the solar at the original standard cor. of secs.35 and 36 on S.bdy. pf Tp.(2nd.Std.Par.N.) an iron post, firmly set with brass cap, marked and witnessed, as described by the surveyor general.

Thence,

N.0°1'W., bet. secs. 35 and 36.

Over rolling land, thru. scattering undergrowth.

- 20.40 Miner's cabin, brs.S.78½°E., and another brs.S.81°E., each about 8.00 chs.dist., located beside prospect holes.
- 20.80 Wash, 160 lks.wide, 5 ft. deep, course NW.
- 25.30 Road brs.NW. and SE.
- 31.70 Wash, 2 ft. deep, 35 lks.wide, course NW.
- 40.00 Set an iron post 3 ft.long, 1 in. in diam., 22 ins. in the ground in a mound of stone, for 1-sec.cor., marked on brass cap,

335 | 336

1914

and raise a mound of stone 3 ft.base, 2 ft.high, W.of

2. Subdivision of Township 9 North, Range 12 West.

Chains

- cor. Bits impracticable.
- 47.70 Wash, 10 lks.wide, 1 ft. deep, course NW.
- 56.70 Wash, 3 ft.deep, 25 lks.wide, course NW.
- 66.60 Wash, 8 lks.wide, 1 ft. deep, course NW.
- 72.00 Wash, 2 ft. deep, 20 lks.wide, course NW.
- 79.73 Road brs.NE. and SW.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor.of secs.25,26, 35 and 36, marked on brass cap,

T9N	R12W
S26	S25

S35	S36
-----	-----

1914

and raise a mound of stone 3 ft. base, 2 ft. high,W.of cor.
Land, rolling.
Soil, rocky and gravelly, 3rd and 4th rate.
Undergrowth, scattering greasewood, palo verde, ocotillo and cattlaw.
No timber.

- East, on a random line, bet. secs.25 and 36.
- 40.00 Set temp. $\frac{1}{4}$ sec.cor.
- 80.30 Intersect E' bdy. of Tp., 5 lks.N.of the cor.of secs.25, 30, 31 and 36, described in Book "A."
- Thence,
- N.89° 58' W., on a true line, bet. secs. 25 and 36.
- Over rolling land, thru. scattering brush.
- 7.50 Wash, 1 ft. deep, 25 lks.wide, course NW.
- 30.50 Wash, 12 lks.wide, 1 ft. deep, course NW.
- 40.15 Set an iron post 3 ft.long, 1 in. in diam., 10 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec.cor.,marked on brass cap,

$\frac{1}{4}$ S 25

S 36

1914

- and raise a mound of stone 3 ft.base, 2 ft. high,N. of cor.
- 48.60 Wash, 2 ft. deep, 20 lks.wide, course NW.
- 71.10 Wash, 5 lks.wide, course NW.
- 79.95 Road brs.NE. and SW.
- 80.30 The cor.of secs. 25,26, 35 and 36.
- Land, rolling.
- Soil, rocky and gravelly, 3rd and 4th rate.
- Undergrowth, scattering greasewood. catclaw, ocotillo and palo verde.
- No timber.

- N.0° 1' W., bet. secs.25 and 26.
- Over rolling land, through scattering brush.
- 9.30 Road brs. NE.to Alamo and SW. to Wenden.
- 16.20 Wash, 2 ft. deep, 20 lks.wide, course NW.
- 19.50 Wash, 2 ft. deep, 25 lks.wide, course NW.
- 20.80 Wash, 2 ft. deep, 50 lks.wide, course NW.
- 31.50 Wash, 6 lks.wide, 1 ft. deep, course NW.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S26	S25
-------------------	-----

1914

Subdivision of Township 9 North, Range 12 West. 3.

Chains Dig pits 18x18x12 ins. N. and S. of cor., 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

47.80 Wash, 12 lks. wide, 1 ft. deep; course NW.

62.40 Wash, 2 ft. deep, 25 lks. wide, course NW:

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked on brass cap,

T9N R12W
S23 | S24

S26 | S25
1914

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, rocky, 10 to 18 ins. deep, with conglomerate subsoil, 3rd rate. Undergrowth, scattering greasewood, catclaw, paloverde and ocotillo. No timber.

S. $89^{\circ}58'$ E., on a random line, bet. secs. 24 and 25.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.30 Intersect Eth bdy. of Tp., 4 lks. S. of the cor. of secs. 19, 24, 25 and 30, described in Book "A."

Thence,
West, on a true line, bet. secs. 24 and 25.
Over rolling land, thru scattering brush.

16.30 Ravine, 12 ft. deep, 140 lks. wide, course NW. Road in same brs. NW. to Alamo and SE. to Wenden.

20.80 Wash, 10 lks. wide, course N.

31.40 Wash, 2 ft. deep, 15 lks. wide, course NE.

40.15 Set in iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

S 24

S 25
1914

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

44.70 Wash, 8 lks. wide, 1 ft. deep, course NW.

49.15 Wash, 1 ft. deep, 20 lks. wide, course NW.

62.60 Wash, 2 ft. deep, 20 lks. wide, course NW.

80.30 The cor. of secs. 23, 24, 25 and 26.
Land, rolling. Soil, rocky and gravelly, 3rd and 4th rate. Undergrowth, scattering greasewood, catclaw, palo verde and ocotillo. No timber.

N. $0^{\circ}1'$ W., bet. secs. 23 and 24.
Over rolling land, thru scattering brush.

1.70 Wash, 1 ft. deep, 6 lks. wide, course NE.

17.20 Wash, 2 ft. deep, 10 lks. wide, course NW.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

S23 | S24

1914

Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

42.20 Wash, 10 lks. wide, 1 ft. deep, course NW.

46.80 Wash, 2 ft. deep, 12 lks. wide, course NW.

52.40 Wash, 2 ft. deep, 20 lks. wide, course SE.

61.70 Wash, 1 ft. deep, 15 lks. wide, course SE.

66.00 Gulch, 20 lks. wide, course SE. Ascend 20 ft.

72.80 Top of spur, slopes SE. Descend 30 ft.

76.30 Gulch, 25 lks. wide, course SE. Ascend 25 ft.

78.00 Top of spur, slopes SE. Descend NE. slope, 15 ft. to

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap,

T 9N R12W
S14 | S13

S23 | S24
1914


and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, rocky and gravelly, 3rd and 4th rate. Undergrowth, scattering greasewood, catclaw, palo verde and ocotillo. No timber.

4. Subdivision of Township 9 North, Range 12 West.

Chains East, on a random line, bet. secs. 13 and 24.
 40.00 Set temp. sec. cor.
 80.26 Intersect E bdy. of Tp., 2 lks. S. of the cor. of secs. 13, 18, 19 and 24, described in Book "A."
 Thence,
 S. 89° 59' W., on a true line, bet. secs. 13 and 24.
 Over rolling land, thru scattering brush.
 4.25 Gulch, 10 lks. wide, course NW. Ascend 35 ft.
 8.75 Ridge, brs. SE. and NW. Descend 52 ft. to
 19.50 Gulch, 20 lks. wide, course NW.
 27.00 Enter bed of wash, course W. from SE.
 Road in wash, brs. NW. to Alamo and SE. to Wenden.
 30.07 Leave wash, course NW.
 40.13 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for sec. cor., marked on brass cap,
 S 13
 S 24
 1914
 and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.
 42.00 Wash, 2 ft. deep, 8 lks. wide, course N.
 50.57 Enter wash, 2 ft. deep, course W from SE.
 52.87 Leave wash, course NW.
 56.30 Wash, 3 ft. deep, 40 lks. wide, course NE.
 65.20 Wash, 2 ft. deep, 12 lks. wide, course NE. Ascend to
 75.20 Top of low spur, slopes SE. Descend to
 80.26 The cor. of secs. 13, 14, 23 and 24.
 Land, heavily rolling. Soil, rocky, 4th rate.
 Undergrowth, scattering greasewood, palo verde, catclaw and ocotillo.
 No timber.

N. 0° 1' W., bet. secs. 13 and 14.
 Over mountainous land, thru scattering brush and cacti.
 Ascend 40 ft.
 4.40 Top of spur, slopes SE. Descend 30 ft. over NE. slope,
 8.00 Gulch, 6 lks. wide, course SE. Ascend 35 ft. over S. slope.
 10.40 Top of ridge, brs. E. and W. Descend 65 ft. over NE. slope.
 16.50 Wash, 20 lks. wide, course SE. Asc. 60 ft. over SE. slope.
 23.00 Top of spur, slopes SE. Descend 35 ft. over NE. slope.
 27.00 Gulch 1 lk. wide, course SE.
 Ascend 36 ft. over S. slope.
 30.00 Top of spur, slopes E. Descend 15 ft. over NE. slope,
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in the ground, on solid bedrock, in mound of stone and earth 3 ft. base, 1 1/2 ft. high, for sec. cor., marked on brass cap,
 S14 | S13
 1914

and raise a mound of stone 3 ft. base, 1 1/2 ft. high W. of cor.
 41.00 Gulch, 12 lks. wide, course SE.
 Ascend 75 ft. over S. slope.
 46.50 Top of ridge, brs. NW. and SE. Continue along E. slope.
 53.60 Top of ridge, brs. E. and W. Descend, 190 ft. over N. slope.
 64.50 Gulch, course NW. Descend 40 ft. to
 69.50 Gulch, 8 lks. wide, course NW. Ascend to
 74.50 Low spur, slopes W. Descend.
 76.30 Gulch, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, marked on brass cap,



Subdivision of Township 9 North, Range 12 West. 5.

Chains

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky with scanty loam, 4th rate.
 Undergrowth, scattering greasewood, palo verde, ocotillo and cacti.
 No timber.

-
- N. 89° 59' E., on a random line, bet. secs. 12 and 13.
 - 40.00 Set temp. $\frac{1}{4}$ sec. for.
 - 80.34 Intersect E. bdy. of Tp., 20 lks. N. of the cor. of secs. 7, 12.13 and 18, described in Book "A."
 - Thence,
 - N. 89° 52' W., on a true line, bet. secs. 12 and 13.
 - Over mountainous land, thru. scattering brush.
 - 0.90 Gulch, 10 lks. wide, course NW.
 - 3.80 Road brs. SW. to Wenden, and NE to Alamo.
 - 4.50 Wash, 3 ft. deep, course NE. Ascend 114 ft.
 - 15.00 Top of spur, slopes NE. Descend 35 ft. to
 - 20.80 Gulch, 10 lks. wide, course NE. Ascend to
 - 22.35 Point of spur, slopes S. Descend to
 - 25.30 Same gulch, 12 lks. wide, course SE. Ascend to
 - 30.85 Spur, slopes SE. Descend to
 - 33.30 Gulch, course S. Ascend SE. slope, 54 ft. to
 - 39.30 Top of ridge, brs. NE. and SW. Descend.
 - 40.17 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 12

S 13
1914

- and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.
 Descend 105 ft. to
- 52.64 Gulch, 10 lks. wide, course NW. Ascend 60 ft. to
 - 64.84 Top of spur, slopes N. Descend.
 - 67.84 Gulch, 15 lks. wide, course NW. Ascend 25 ft. to
 - 70.35 Low spur, slopes NW. Descend to
 - 80.34 The cor. of secs. 11, 12, 13 and 14.
- Land, mountainous, not very rough.
 Soil, rocky with scanty loam and conglomerate subsoil; 4th rate.
 Undergrowth, scattering greasewood, palo verde and cacti.
 No timber.

-
- N. 0° 1' W., bet. secs. 11 and 12.
 - Over rolling land, thru. scattering brush. Descend 50 ft. over NW. slope.
 - 5.50 Wash, 6 lks. wide, course NE.
 - 10.30 Same wash, 2 ft. deep, 15 lks. wide, course NW. Ascend gradually on rolling W. slope.
 - 14.80 Wash, 30 lks. wide, course W.
 - 18.90 Gulch, 8 lks. wide, course NW. Ascend SW. slope, 30 ft. to
 - 24.40 Top of spur, slopes NW. Descend 57 ft. to
 - 31.40 Gulch, 8 lks. wide, course W.
 - 34.60 Wash, 6 lks. wide, course W.
 - 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 11 | S 12

1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of

6. Subdivision of Township 9 North, Range 12 West.

Chains.

- cor.
 45.60 Wash, 6 lks.wide, course W.
 53.00 Wash, 8 lks.wide, course NE.
 77.50 Wash, 8 lks.wide, course NE.
 78.20 Same wash, course NW.
 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24ins. in the ground for cor.of secs. 1,2,11 and 12, marked on brass cap,

T9N R12W
 S 2 | S 1
 ————
 S11 | S12
 1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, heavily rolling.
 Soil, rocky, with scanty loam, with conglomerate subsoil; 4th rate.
 Undergrowth, greasewood, palo verde, catclaw, ocotillo.
 No timber.

- S.89°52'E., on a random line, bet. secs.1 and 12.
 40.00 Set temp. $\frac{1}{4}$ sec.cor.
 80.24 Intersect E. bdy. of Tp., 7 lks.S. of the cor.of secs.1,6, 7 and 12; described in Book "A."
 Thence,
 N.89°55'W., on a true line, bet. secs.1 and 12.
 Over broken land, thru scattering brush.
 6.00 Descend over bluff, 20 ft. high, bearing NW. and SE., and enter wash, course NW.
 9.75 Road in wash, brs.NW. to Alamo and SE. to Wenden.
 17.00 Leave wash, enter broken land bearing N. and S. Ascend 20 ft. to
 17.75 Descend 10 ft. to
 22.20 Gulch, 5 lks.wide, course NW. Ascend 20 ft. to
 25.25 Point of spur, slopes SE. Descend 30 ft. to
 30.00 Gulch, 6 lks.wide, course NW. Ascend 20 ft. to
 33.05 Low ridge, brs.NW. and SE. Descend/
 40.12 Set an iron post, 3 ft.long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 1


S 12
 1915

- and raise a mound of stone 3 ft. base, 2 ft.high, N. of cor.
 43.60 Gulch, 5 lks.wide, course NW. Ascend 25 ft.
 46.25 Low ridge, brs.NW. and SE. Descend 25.ft.
 51.20 Gulch, 15 lks.wide, course NW. Ascend 25 ft.
 55.25 Spur, slopes NW. Descend 30 ft.
 63.40 Gulch, 10 lks. wide, course NW.. Ascend 15 ft.
 66.65 Spur, slopes NW. Descend 15 ft. to
 70.24 Gulch, 4 lks. wide, course NW.
 78.00 Wash, 3 ft. deep, 125 lks. wide. course NW.
 80.24 The cor.of secs. 1,2,11 and 12.
 Land, heavily rolling.
 Soil, rocky with conglomerate subsoil; 4th rate.
 Undergrowth, scattering, greasewood, palo verde and ocotillo.
 No timber.
-

Subdivision of Township 9 North, Range 10 West, 7.

Chains.

- N.0° 1' W., on a random line, bet. secs.1 and 2.
- 40.00 Set temp. $\frac{1}{4}$ sec.cor.
- 79.87 Intersect N. bdy.of Tp., 23 lks.W. of the cor.of secs.1, 2, 35 and 36, described in Book "A."
- Thence,
- S.0° 9' W., on a true line, bet. secs.1 and 2.
- Over heavily rolling land, thru scattering brush.
- 14.17 Enter wash, 40 lks.wide, course NW., and follow up same to
- 15.60 Leave same from SW. Ascend.
- 19.00 Low point, slopes W. Descend.
- 23.00 Same wash, course NW.
- 27.40 Old road, brs. NE. and SW.
- 35.17 Wash, 5 lks.wide, course NW.
- 39.87 Set an iron post, 3 ft.long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec.cor., marked on brass cap,




and raise a mound of stone, 3 ft.base, 2 ft.high,W.of cor.

- Descend 55 ft.over SW.slope.
- 50.40 Wash, 20 lks.wide, course NW.
- 65.50 Wash, 2 ft. deep, 10 lks.wide, course NW.
- 77.27 Wash, 2 ft. deep, 130 lks.,course NW.
- 79.87 The cor.of secs.1,2,11 and 12.
- Land, heavily rolling.
- Soil, rocky and gravelly, 4th rate.
- Undergrowth, scattering greasewood, palo verde,catclaw and ocotillo.
- No timber.

H.N.B.


L.E.W.
 From reestablished standard cor.of secs. 34 and 35 on S. bdy.of Tp., (2nd.Std.Par.N.) described in Book "B," N.0° 1' W.; bet. secs. 34 and 35.

- Over nearly level land, thru scattering brush.
- 12.00 Wash, in draw, 12 ft. deep, 200 lks.wide, course N.30°W.
- 23.00 Wash, in draw, 15 ft. deep, 150 lks.wide, course NW.
- 27.00 Dim road, brs. E. and W.
- 36.80 Wash, course N.75° W.
- 40.00 Set an iron post, 3 ft.long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec.cor., marked on brass cap,



Dig pits 18x18x12 ins., N.and S. of cor.3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,W.of cor.

- 49.60 Wash, course N. 60° W.
- 56.00 Road, brs.E. and W.
- 78.00 Wash, course N.60°W.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground for cor.of secs.26,27, 34 and 35. marked on brass cap,



Dig pits 18x18x12 ins., in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft.base, 2 ft.high,W.of cor.
 Land, rolling.
 Soil, sandy loam, with cemented subsoil; 2nd rate.

8. Subdivision of Township 9 North, Range 12 West.

Chains.

Scattering greasewood and palo verde.
No timber.

East, on a random line, bet. secs. 26 and 35.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.94 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 25, 26, 35 and 36.
thence,
S. $89^{\circ}59'$ W., on a true line, bet. secs. 26 and 35.
Over rolling land, through scattering brush.
5.15 Wash, course N. 15° W.
30.00 Wash, 4 ft. deep, 100 lks. wide, course N. 60° W.
A road crosses wash, general course N. 75° E., and S. 75° W.
38.80 Wash, course N.
39.97 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, form $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 26
S 35

1914

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
55.00 Wash, course N. 30° W.
79.94 The cor. of secs. 26, 27, 34 and 35.
Land, gently rolling.
Soil, sandy loam, with gravelly subsoil; 2nd rate.
Undergrowth, scattering greasewood and ocotillo.
No timber.

N. $0^{\circ} 1'$ W., bet. secs. 26 and 27.
Over rolling land, thru scattering brush.
36.50 Wash, in draw, 6 ft. deep, 150 lks. wide, course W.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S27 | S26

1914

Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
74.70 Wash, course W.
80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 22, 23, 26 and 27, marked on brass cap,

T 9N R12W
S22 | S23

S27 | S26


1914

Dig pits 18x18x12 ins., in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.
Land, gently rolling.
Soil, sandy loam, with gravelly subsoil, 2nd rate.
Undergrowth, scattering greasewood, alo verde and ocotillo.
No timber.

N. $89^{\circ}59'$ E. on a random line, bet. secs. 23 and 26.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.88 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 23, 24,


Subdivision of Township 9 North Range 12 West 9

Chains.
 25 and 26.
 Thence,
 S.89°58'W., on a true line, bet. secs.23 and 26.
 Over gently rolling land, thru. scattering brush.
 11.45 Wash, course N.20° W.
 39.80 Wash, course N.10° E.
 39.94 Set an iron post 3 ft.long, 1 in.in diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec.cor. marked on brass cap,




Dig pits 18x18x12 ins., E.and W. of cor., 3 ft. dist., and
 raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N.of
 cor.
 70.00 Wash, course S. 70°W.
 79.88 The cor.of secs.22, 23, 26 and 27.
 Land, gently rolling.
 Soil, sandy loam, 2nd rate.
 Scattering greasewood. palo verde and ocotillo.
 No timber.

N.0°1' W.bet. secs.22 and 23.
 Ascending gradually on S. slope, thru.scattering brush
 and cacti.
 Ascend 100 ft.to
 40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec.cor., marked on brass cap,



Dig pits 18x18x12 ins., N.and S.of cor., 3 ft. dist., and
 raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W.of
 cor.
 Ascend 150 ft.to
 66.00 Foot of steeper SE.slope, brs.NE. and SW.
 Ascend 150 ft.to
 77.90 Top of ridge, brs.W. and N. 75°E.
 Descend 40 ft.on N.slope to
 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins.in the
 ground for cor.of secs.14,15,22 and 23, marked on brass
 cap,



from which,
 A cross (x) on a granite boulder 6x4x3 ft.above
 ground, brs.S 58°E., 18 lks.dist., marked B O
 23 beside the cross, and raise a mound of
 stone 3 ft.base, 2 ft. high, W.of cor.
 Land, rolling and mountainous.
 Soil, sandy loam and rocky, 2nd and 3rd rate.
 Undergrowth, scattering greasewood, palo verde, ocotillo,
 suhara and other cacti.
 No timber.

N.89°58'E., on a random line, bet. secs.14 and 23.
 40.00 Set temp. $\frac{1}{4}$ sec.cor.
 79.96 Intersect N.and S line, 2 lks.N.of the cor.of secs.13,14,
 23 and 24.

10 Subdivision of Township 9 North, Range 12 West.

Chains.

Thence,
S.89°59'W., on a true line, bet. secs.14 and 23.
Over mountainous land, not very rough, through scattering
brush.

Ascending gradually over SE. slope.

- 23.50 Wash, in draw, 20 ft. deep, course S. Ascend.
39.50 Top of ridge, brs. SE. and NW. Descend 4 ft. to
39.98 Set an iron post 3 ft. long, 1 in. in diam., 12 ins. in
the ground, on bed-rock, in a mound of stone, 4 ft.
base, 1½ ft. high, for ¼ sec. cor., marked on brass cap,

— S 14

— S 23

1914

and raise a mound of stone 3 ft. base, 2 ft. high, N. of
cor.

Ascend 60 ft. to

- 50.00 Top of ridge, brs. N. and S. Descend 25 ft.
53.50 Draw, course S. 15° E. Ascend 175 ft.
64.70 Top of ridge, brs. N. and S. Descend 50 ft.
69.10 Draw, drains S. Ascend 50 ft.
73.50 Top of ridge, brs. N. 70° E. and S. 70° W. Descend gradually
on N. slope to
79.96 The cor. of secs. 14, 15, 22 and 23.
Land, mountainous.
Soil, rocky with scanty loam, of no apparent value.
Undergrowth, scattering greasewood, palo verde and cacti.
No timber.

N. 0° 1' W., bet. secs. 14 and 15.
Over mountainous land, thru. scattering brush.
Descend 150 ft. over N. slope.

- 5.10 Gulch, course NE. turning to N. 15° E., 150 lks. E. of line;
continue along broken E. slope.
Descend 90 ft. to ¼ sec. cor.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for ¼ sec. cor., marked on brass cap,

— S15 | S14

1915

and raise a mound of stone, 3½ ft. base, 1½ ft. high,
W. of cor.

- 56.00 Wash, 15 lks. wide, course N. 60° W.
Leave mountainous, enter heavily rolling land, brs. NW.
and SE.
80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
the ground for cor. of secs. 10, 11, 14 and 15, marked on
brass cap,

T 9N R12W

S10 | S11

— S15 | S14

1915


and raise a mound of stone 3 ft. base, 2 ft. high, W. of
cor.

Land, mountainous and rolling.
Soil, rocky with scanty loam over cemented subsoil of no
apparent value.
Undergrowth, scattering greasewood, palo verde, ocotillo
and several varieties of cacti.
No timber.

Subdivision of Township 9 North, Range 12 West, 11

Chains.


N.89°59'E., on a random line, bet. secs.11 and 14.
 40.00 Set temp. $\frac{1}{2}$ sec.cor.
 80.00 Intersect N. and S^e line, 2 lks.S. of the cor. of secs.11,12,
 13 and 14.
 Thence,
 S.89° 58' W., on a true line, bet. secs.11 and 14.
 Over rolling land, through scattering brush.
 3.00 Wash, 10 lks.wide, course N.10° E.
 15.50 Wash, course N.
 20.60 Wash, 10 lks.wide, course N. 10°E^e
 30.00 Wash, 10 lks.wide, course N.
 40.00 Set an iron post $\frac{3}{4}$ ft.long, 1 in. in diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,



and raise a mound of stone 2 ft.base, 1 $\frac{1}{2}$ ft. high,N. of cor.


49.00 Wash, 10 lks.wide, course N. 15° E.
 79.80 Wash, course N. 30°W.
 80.00 The cor. of secs. 10,11,14 and 15.
 Land, rolling and broken N. slope.
 Soil, rocky with scanty loam, 3rd rate.
 Undergrowth, low greasewood, scattering palo verde and su-
 haras.
 No timber.

N.0°1'W., bet. secs.10 and 11.
 Over rolling land, thru. scattering brush and cacti/
 0.50 Wash, 20 lks.wide, course N. 20° W.
 34.50 Wash, 25 lks.wide, course N. 40° E.
 40.00 Set an iron post, $\frac{3}{4}$ ft.long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec.cor., marked on brass cap,



and dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,W. of cor.

51.00 Wash, course N.60°E.
 76.00 Wash, course N.20°W.
 80.00 Falls on N. edge of wash, 50 lks.wide, course N. 40°W.
 Set an iron post $\frac{3}{4}$ ft.long, 2 ins. in diam., 24 ins. in
 the ground, for cor. of secs.2,3,10 and 11, marked on
 brass cap,



from which,
 A palo verde, 10 ins. in diam., brs.S.44 $\frac{3}{4}$ °E., 261
 lks.dist., marked T 9 N R 12 W S 11 B T.
 A catclaw. 5 ins. in diam., brs.S.76 $\frac{1}{2}$ °W/, 12 lks.
 dist., marked T 9 N R 12 W S 10 B T.;
 and raise a mound of stone 3 ft. base, 2 ft. high, 10
 lks.N. of cor.

Pits impracticable and mound of stone W. of cor. would be very insecure.

Land, rolling.
Soil, scanty loam, with cemented subsoil, 4th rate.

12. Subdivision of Township 9 North, Range 12 West.

Chains.

Undergrowth, scattering greasewood, palo verde, ocotillo and suharas.
No timber.

40.00 N. 89° 58' E., on a random line, bet. secs. 2 and 11.
Set temp. 1/4 sec. cor.

H.N.B.

79.96 Intersect N. and S. line, 16 lks. N. of the cor. of secs. 1, 2, 11 and 12.

Thence,

N. 89° 55' W., on a true line, bet. secs. 2 and 11.

Over rolling land, thru. scattering brush.

0.90 Wash, 2 ft. deep, 10 lks. wide, course N.

11.70 Gulch, 5 lks. wide, course NW.

25.30 Wash, 2 ft. deep, 45 lks. wide, course NW.

27.60 Wash, 2 ft. deep, 25 lks. wide, course NE.

39.70 Wash, 2 ft. deep, 12 lks. wide, course NW.

H.N.B.

L.E.W.

39.98 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 2

S 11

1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

57.45 Wash, 2 ft. deep, 10 lks. wide, course N.

65.40 Wash, 2 ft. deep, course N.

79.96 The cor. of secs. 2, 3, 10 and 11.

Land, rolling, general N. slope.

Soil, rocky loam, over cemented subsoil, 4th rate.

Undergrowth, scattering greasewood, palo verde and ocotillo and occasional suharas.

No timber.

40.00 N. 0° 9' E. on a random line, bet. secs. 2 and 3.
Set temp. 1/4 sec. cor.

79.73 Intersect N. bdy. of Tp., 7 lks. E. of the cor. of secs. 2, 3, 34 and 35, described in Book "A."

Thence,

S. 0° 6' W., on a true line, bet. secs. 2 and 3.

Over rolling land, thru. medium brush.

2.50 Wash, 75 lks. wide, course NE.

10.50 Road, brs. N. 75° E. to Alamo and S. 75° W. to Wenden.

15.00 Wash, 50 lks. wide, course N. 50° E.

39.73 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 3 | S 2

1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

40.90 Wash, 2 ft. deep, 40 lks. wide, course NE.

79.73 The cor. of secs. 2, 3, 10 and 11.

Land, rolling.

Soil, sandy loam, with cemented subsoil, 4th rate.

Undergrowth, scattering greasewood, palo verde, ocotillo, mesquite and cactus.

No timber.

Subdivision of Township 9 North, Range 12 West, 13.

Chains.

From reestablished standard cor. of secs. 33 and 34 on S. bdy. of Tp. (2nd. Std. Par. N.), described in Book "B," N. 0° 2' W., bet. secs. 33 and 34.

11.40
30.50
37.60
40.00

Over gently rolling land, thru. scattering brush.
Wash, course N. 35° W.
Wash, course N. 65° W.
Road brs. E. and W.
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S33 S34

1914

and raise a mound of stone 2 ft. base, 1 1/2 ft. high, W. of cor.

66.00
80.00

Wash, course N. 60° W.
Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap,

T29N R12W
S28 | S27

S33 | S34

1914

Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, sandy loam about 15 ins. deep, with cemented subsoil, 3rd rate. Too coarse for agriculture. Undergrowth, low scattering greasewood. No timber.

40.00
80.08

East on a random line, bet. secs. 27 and 34.
Set temp. 1/4 sec. cor.
Intersect N. and S. line, 16 lks. S. of the cor. of secs. 26, 27, 34 and 35.

Thence, S. 89° 53' W. on a true line, bet. secs. 27 and 34. Over level land, thru. medium undergrowth, about 6 ft. high.

40.04

Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 27

S 34
1914

59.00
80.08

dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

Wash, course NW.
The cor. of secs. 27, 28, 33 and 34.
Land, level.
Soil, sandy and gravelly; 3rd rate.
Undergrowth, low scattering greasewood.
No timber.

37.10
40.00

N. 0° 2' W., bet. secs. 27 and 28.
Over gently rolling land, thru. scattering brush.
Wash, course S. 75° W.
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S28 | S27

1914

14. Subdivision of Township 9 North, Range 12 West.

Chains.

Dig pits 18x18x12 ins. N. and S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

70.00 Foot of ascent brs. E. and W. Ascend 135 ft. to

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 21, 22, 27 and 28, marked on brass cap,

T 9N R12W	
S21	S22

S28	S27
1914	

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling and mountainous.

Soil, south 70 chs. sandy loam and gravelly; north, 10 chs. rocky, 3rd and 4th rate.

Undergrowth, low greasewood and cacti.

No timber.

40.00 N. $89^{\circ} 53'$ E., on a random line, bet. secs. 22 and 27.

Set temp. sec. cor.

80.06 Intersect N. and S. line, 9 lks. N. of the cor. of secs. 22, 23, 26 and 27.

Thence,

S. $89^{\circ} 57'$ W., on a true line, bet. secs. 22 and 27.

Over nearly level land, thru. low scattering brush.

40.03 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

S 22

S 27
1914

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

49.00 Wash, course S.

72.50 Leave level, enter mountainous land, bearing N. 15° E. and S. 15° W. A wash 15 lks. wide, course S. 15° W. Ascend 120 ft. to

80.06 The cor. of secs. 21, 22, 27 and 28.

Land, gently rolling and mountainous.

Soil, sandy and rocky, 2nd and 3rd rate.

Undergrowth, low greasewood and scattering suharas.

No timber.

N. $0^{\circ} 2'$ W., bet. secs. 21 and 22.

Over mountainous land, thru. scattering brush.

Ascend 70 ft.

2.00 Top of spur, slopes SE. Descend NE. slope, 130 ft. to

10.00 Wash, course SE. Ascend 200 ft. over S. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

S21	S22

1914	

from which,


A cross (x) on a bluff 25 ft. high, bearing NE. and S. 60° W. brs. N. 75° W., 11 lks. dist., marked B O beside the cross, and

raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Ascend 35 ft.

Subdivision of Township 9 North, Range 12 West. 15.

Chains

- 40.60 Top of ridge, brs. N.20° E., and S.20° W. Descend 270 ft.
- 51.20 Wash, course N.30°W. Ascend 85 ft. along W. slope.
- 59.50 Top of spur, slopes N.35°W. Descend 240 ft. on N.slope.
- 71.20 Wash, course N. 35° W. Ascend 80 ft. on SW.slope.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground for cor.of secs.15,16,21 and 22, marked on brass cap,




from which,

A cross (x) on a rock, 2x4x3 ft. above ground brs. N.1°E. 53 lks. dist., with B O 15 marked beside the cross.

Raise a mound of stone 3 ft. base, 2 ft. high, W. of cor. Land, mountainous. Soil, rocky, with scanty loam, 4th rate. Undergrowth, low scattering greasewood and several varieties of cacti. No timber.

- N.89°57' E., on a random line, bet. secs.15 and 22.
- 40.00 Set temp. 1/4 sec. cor.
- 80.24 Intersect N. and S. line, 7 lks. N. of the cor. of secs. 14, 15, 22 and 23.
- Thence,
- West, on true line, bet. secs.15 and 22.
- Over mountainous land, thru. scattering brush.
- 6.00 Wash, course N. Ascend 100 ft.
- 9.60 Spur, slopes N.10°W. Descend 215 ft.
- 21.00 Wash, course N. Ascend E.slope, 190 ft. to
- 40.12 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/2 sec. cor., marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

- Ascend 35 ft.
- 41.50 Top of ridge, brs. N.10°W. and S.10°E. Descend 325 ft.
- 62.00 Wash, course N. Ascend 210 ft.
- 71.60 Top of spur, slopes N. Descend 160 ft. to
- 80.24 The cor. of secs. 15, 16, 21 and 22.
- Land, mountainous.
- Soil, scanty loam and rocky of no apparent value.
- Undergrowth, low scattering greasewood, palo verde and cacti.
- No timber.

- N.0° 2' W., bet. secs. 15 and 16.
- Over broken, mountainous land, thru. scattering brush.
- Ascend 30 ft.
- 1.40 Top of ridge, descends N. 65° W. Descend 200 ft.
- 19.40 Wash, course NW. Ascend 45 ft.
- 22.50 Top of ridge, brs. NW. and SE. Leave mountainous, enter rolling land, bearing NW. and SE. Descend gradually.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/2 sec. cor., marked on brass cap,

16. Subdivision of Township 9 North, Range 12 West.

Chains.

1/4 S 16 | S 15
1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

- 66.30 Wash, 20 lks. wide, course N. 55° E.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on brass cap,

T 9N R12W
S 9 | S 10
S 16 | S 15
1915

Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, mountainous and rolling. Soil, sandy loam and rocky, 3rd rate. Undergrowth, low scattering greasewood, palo verde and cacti. No timber.

East, on a random line, bet. secs. 10 and 15.

- 40.00 Set temp. 1/4 sec. cor.
- 80.02 Intersect N. and S. line, 7 lks. S. of the cor. of secs. 10, 11, 14 and 15. S. 89° 57' W., on a true line, bet. secs. 10 and 15. Over broken N. slope, thru. scattering brush and cacti.
- 11.10 Wash, course N.
- 34.00 Wash, 15 lks. wide, course NE.
- 40.01 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 10
S 15
1915

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

- 49.20 Wash, course N. 15° E.
- 71.40 Wash, course N. 35° E.
- 80.02 The cor. of secs. 9, 10, 15 and 16. Land, broken or heavily rolling. Soil, sandy and rocky, 3rd rate. Undergrowth, scattering greasewood and palo verde, with scattering suharas and ocotillo. No timber.

N. 0° 2' W., bet. secs. 9 and 10.

Over rolling, broken land, thru. scattering brush and cacti.

- 7.50 Wash, 15 lks. wide, course N. 10° W.
- 27.00 Same wash, course N. 10° E.
- 29.50 Same wash, course N. 10° W.
- 40.00 In edge of same wash, course N. 30° E. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 9 | S 10
1915

Subdivision of Township 9 North, Range 12 West, 17.


Chains.

from which,

A palo verde, 12 ins. in diam., brs. S. 86° E., 17 lks. dist., marked $\frac{1}{2}$ S 10 B T.


A palo verde, 10 ins. in diam., brs. S. 35 $\frac{1}{2}$ ° W., 41 lks. dist., marked $\frac{1}{2}$ S 9 B T.

- 71.50 Road brs. N. 70° E. to Alamo and S. 70° W. to Wenden.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap,



Dig pits 18x18x12 ins., in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling and broken.
Soil, scanty, with gravelly and cemented subsoil; 3rd rate.
Undergrowth, scattering greasewood, palo verde and cacti. No timber.

- 40.00 N. 89° 57' E., on a random line, bet. secs. 3 and 10. Set temp. $\frac{1}{4}$ sec. cor.
- 79.94 Intersect N. and S. line, 7 lks. N. of the cor. of secs. 2, 3, 10 and 11.
Thence,
West, on a true line, bet. secs. 3 and 10.
Over rolling land, thru. medium undergrowth.
- 3.00 Wash, course N. 50 lks. wide.
- 12.50 Wash, course N. 15° E., 25 lks. wide.
- 39.97 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{2}$ sec. cor., marked on brass cap,



- Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
- 52.50 Wash, course N.
- 66.20 Road, brs. N. 75° E. to Alamo and S. 75° W. to Wenden.
- 79.94 The cor. of secs. 3, 4, 9 and 10.
Land, gently rolling.
Soil, sandy and gravelly, with little loam, 4th rate.
Undergrowth, medium growth of greasewood, mesquite, palo verde, ocotillo and suharas.
No timber.

- 40.00 N. 0° 5' E., on a random line, bet. secs. 3 and 4. Set temp. $\frac{1}{4}$ sec. cor.
- 79.76 Intersect N. body of Tp. 9 lks. E. of the cor. of secs. 3, 4, 33 and 34, described in Book "A."
Thence,
S. 0° 1' W., on a true line, bet. secs. 3 and 4.
Over rolling land, thru. scattering brush.
- 9.75 Wash, course S 50° E.
- 14.00 Wash, 12 lks. wide, course SE.
- 38.00 Wash, course S. 40° E.
- 39.76 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{2}$ sec. cor., marked on brass cap,



18. Subdivision of Township 9 North, Range 12 West.

Chains.

1/4 S 4 | S 3

1915

Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

31.40 Wash, 20 lks. wide, in draw, 6 ft. deep, course SE.

65.60 Wash, course SE.

79.60 Wash, course N. 65° E.

79.76 The cor. of secs. 3, 4, 9 and 10.

Land, rolling.

Soil, rocky, with cemented subsoil of no apparent value.

Undergrowth, scattering greasewood, palo verde and suharas.

No timber.

From reestablished std. cor. of secs. 32 and 33 on S. bdy. of Tp., (2nd. Std. Par. N.), described in Book "B," N. 0° 2' W., bet. secs. 32 and 33.

Over rolling land, thru scattering brush.

6.00 Wash, course N. 70° W.

23.60 Road brs. E. and W.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 32 | S 33

1915

Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

64.70 Wash, course NW

76.10 Wash, 10 lks. wide, course W.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on brass cap,

T 9N R12W

S 29 | S 28

S 32 | S 33

1915

and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

64.70 Land, rolling.

76.10 Soil, gravelly and sandy, 3rd rate.

80.00 Undergrowth, scattering low greasewood, mesquite and palo verde. Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 28, 29, 32 and 33, marked on brass cap, No timber.

East, on a random line, bet. secs. 28 and 33.

40.00 Set temp. 1/4 sec. cor.

80.00 Intersect the cor. of secs. 27, 28, 33 and 34.

Thence,

West, on a true line, bet. secs. 28 and 33.

Over rolling land, nearly level, thru. low scattering brush.

13.50 Wash, course N. 60° W.

30.00 Wash, course N. 30° W.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 28

S 33

1915

Subdivision of Township 9 North, Range 12 West. 19


Chains.

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

- 58.00 Wash, course N. 70° W.
- 80.00 The cor. of secs. 28, 29, 32 and 33.
Land, rolling, nearly level.
Soil, sandy and gravelly, 3rd rate.
Low, scattering greasewood, mesquite and palo verde.
No timber.


N. 0° 2' W., bet. secs. 28 and 29.
Over rolling land, thru scattering brush.

- 5.00 Wash, course N. 80° W.
- 9.00 Wash, 2 ft. deep, 100 lks. wide, course S. 80° W.
- 21.50 Leave rolling land, bearing E. and W., and ascend over mountainous, S slope, not very rough.
Ascend 310 ft. to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft. high, W of cor.

- Ascend 75 ft.
- 54.50 Top of ridge, brs. N. 10° W. and S. 10° E. Descend 60 ft.
- 65.00 Draw, drains SE. Ascend 210 ft.
- 75.00 Top of ridge, brs. N. 75° E. and S. 75° W.
Descend on N. slope, 110 ft. to
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 20, 21, 28 and 29, marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, rolling and mountainous.
Soil, rocky and sandy; 4th rate.
Undergrowth, scattering greasewood, cactus, and palo verde.
No timber.

East, on a random line, bet. secs. 21 and 28.

- 40.00 Set temp. 1/4 sec. cor.
- 80.00 Intersect N. and S. line, 7 lks. S. of the cor. of secs. 21, 22, 27 and 28.
Thence,
S. 89° 57' W., on a true line, bet. secs. 21 and 28.
Over mountainous land, thru scattering low brush and cacti.
Ascend 75 ft.
- 9.80 Top of ridge brs. N. and S. Descend 115 ft.
- 23.10 Wash, course S. 10° E. Ascend 65 ft. to
- 26.70 Top of spur, slopes S. 10° E. Descend gradually on SW. slope.
to
- 30.40 Wash, course S. 10° E. Ascend 10 ft.
- 33.50 Spur, slopes S. 20° W. Descend on W. slope, 120 ft. to
- 39.00 Wash, course S. 20° W.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

20. Subdivision of Township 9 North, Range 12 West.

Chains

1/4 S. 21

S 28
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

- 46.00 Wash, course S.
- 59.70 Wash, course S. Ascend 220 ft.
- 69.70 Top of spur, slopes S. 20° E. for about 40.00 chs.
Cross a draw 60 ft. deep, course S., to
- 76.20 Top of ridge, bearing N. 70° E., and S. 75° W.
Descend 90 ft. to
- 80.00 The cor. of secs. 20, 21, 28 and 29.
Land, mountainous.
Soil, rocky, 4th rate.
Undergrowth, low scattering greasewood, palo verde, ocotillo and cacti.
No timber.

N. 0° 2' W., bet. secs. 20 and 21.
Over mountainous land, thru scattering brush and cacti.
Descend 140 ft.

- 14.30 Wash, course N. 85° W. Ascend S. slope, 155 ft. to
- 23.20 Top of ridge brs. N. 60° E. and S. 80° W.
Descend gradually along W. slope, 40 ft. to
- 27.00 Top of spur, slopes NW. Descend NE. slope, 60 ft. to
- 32.00 Draw, drains NE. Ascend.
- 33.00 Top of spur, slopes N. 30° E. Descend 144 ft. to
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S20 | S21

1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

- 40.20 Wash, course NW.; ascend SW. slope, 40 ft. to
- 50.50 Spur, slopes NW. Leave mountainous, enter rolling land, bearing NW. and SE.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 16, 17, 20 and 21, marked on brass cap,

T 9N R12W
S17 | S16

S20 | S21

1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, mountainous and rolling.
Soil, rocky with scanty loam, 4th rate.
Scattering greasewood, palo verde and cacti.

- 40.00 N. 89° 57' E., on a random line, bet. secs. 16 and 21.
Set temp. 1/4 sec. cor.
- 79.98 Intersect N. and S. line, 16 lks. S. of the cor. of secs. 15, 16, 21 and 22.
Thence,
S. 89° 50' W., on a true line, bet. secs. 16 and 21.
Over mountainous land, thru scattering brush and cacti.
Descend 105 ft. to
- 13.00 Wash, 10 lks. wide, course NW.

Subdivision of Township 9 North, Range 12 West. 21.

Chains.

Continue over broken land.
39.99 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 16

S 21
1914

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

Ascend.
66.60 Top of low spur, slopes N. Descend 80 ft.
77.30 Wash, course N. 10° E. Ascend 50 ft. to

79.98 The cor. of secs. 16, 17, 20 and 21.

Land, mountainous.
Soil, rocky with scanty loam, 3rd rate.
Undergrowth, low scattering greasewood, palo verde and cacti.
No timber.

N. 0° 2' W., bet. secs. 16 and 17.
Over rolling land, thru. scattering brush and cactus.
Descend 75 ft.

70.00 Foot of descent, brs. NE and SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 17 | S 16

1915

and raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

70.40 Wash, 15 lks. wide, course NE.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on brass cap,

T9N R12W
S8 | S9

S 17 | S 16

1915

Dig pits 18x18x12 ins. in each sec. $\frac{5}{8}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.
Land, rolling.

Soil, rocky, with scanty loam, 4th rate.
Undergrowth, scattering greasewood, palo verde and suharas.
No timber.

N. 89° 50' E., on a random line, bet. secs. 9 and 16.
40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line, 11 lks. N. of the cor. of secs. 9, 10, 15 and 16.

Thence,
S. 89° 55' W., on a true line, bet. secs. 9 and 16.
Over rolling land, thru. scattering brush.

6.40 Wash, 10 lks. wide, course N. 30° E.

35.40 Wash, 10 lks. wide, course N. 20° E.

40.02 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

22. Subdivision of Township 9 North, Range 12 West.

Chains.

 $\frac{1}{2}$ S 9S 16
1915

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

56.00 Wash, 10 lks. wide, course NE.

71.40 Wash, course N. 20° E.

74.50 Wash, course N.

80.04 The cor. of secs. 8, 9, 16 and 17.

Land, rolling, gradual N. slope.

Soil, rocky, with scanty loam; 3rd rate.

Undergrowth, scattering greasewood, palo verde and cacti.

No timber.

N. 0° 2' W., bet. secs. 8 and 9.

Over rolling land, thru scattering brush and suharas.

8.40 Road brs. NE. to Alamo and SW. to Wenden.

9.20 A branch of same road, brs. E. and W.

23.00 Draw, drains SE.

36.50 Wash, 40 lks. wide, course S. 60° E.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 8 | S 9

1915

Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

42.60 Wash, 200 lks. wide, course N. 30° E.

55.10 Wash, course SE.

68.20 Wash, course S. 30° E.

75.00 Wash, course S. 60° E.

79.20 Wash, course E.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, marked on brass cap,

T 9N R12W

S 5 | S 4

S 8 | S 9

1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.

Soil, rocky, with scanty loam, 3rd rate.

Undergrowth, scattering greasewood, palo verde, ocotillo, and suharas.

No timber.

N. 89° 55' E., on a random line, bet. secs. 4 and 9.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line, 7 lks. N. of the cor. of secs. 3, 4, 9 and 10.

Thence,

S. 89° 58' W., on a true line, bet. secs. 4 and 9.

Over rolling land, thru scattering brush and suharas.

0.30 Wash, 100 lks. wide, course N. 65° E.

24.00 Wash, 6 ft. deep, 20 lks. wide, course SE.

39.97 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in

Subdivision of Township 9 North, Range 12 West. 23.

Chains.

the ground for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 4

S 9
1915

and raise a mound of stone 2 ft.base, $1\frac{1}{2}$ ft. high,N.
of cor.

- 51.40 Wash, course SE.
- 62.50 Wash, course S.15° E.
- 70.00 Wash, course S. 20° E.
- 79.50 Wash, course SE.
- 79.94 The cor.of secs.4,5, 8 and 9.
Land, rolling.
Soil, sandy and rocky; 4th rate.
Undergrowth, scattering greasewood, palo verde and suharas.
No timber.

North, on a random line, bet. secs.4 and 5.

- 40.00 Set temp. $\frac{1}{4}$ sec.cor.
- 80.15 Intersect N. bdy. of Tp., 16 lks.W. of the cor.of secs.4,
5, 32 and 33, described in Book "A."

Thence,
S.0° 7'W., on a true line, bet. secs.4 and 5.
Over mountainous land, thru. scattering brush.
Descend 75 ft. over steep S. slope.

- 3.75 Wash, 5 lks.wide, course S.30° E.
Ascend 15 ft.
- 9.00 Top of spur, slopes S.40° E. Descend 90 ft.
- 17.50 Wash, course S.75° E. Ascend 170 ft.
- 28.80 Top of spur, slopes S.40° E. Descend 200 ft.
- 39.40 Draw, course S. 35° E.
- 40.15 Set an iron post, 3 ft.long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 5 | S 4

1915

and raise a mound of stone, 3 ft. base, 2 ft. high,W.
of cor.

- Ascend 40 ft.
- 47.30 Top of spur, slopes S.15° E. Descend 140 ft. to sec.cor.
- 67.50 Draw, course S. 60° E.
- 78.30 Wash; course S. 15° E.
- 80.15 The cor.of secs.4,5,8 and 9.
Land, mountainous.
Soil, rocky, 4th rate.
Scattering greasewood and cacti.
No timber.

From reestablished std.cor. of secs. 31 and 32. on S.bdy.
of Tp.(2nd:Std.Par.N.), described in Book "B,"

- N.0° 3' W., bet. secs. 31 and 32.
Over rolling land, thru. scattering brush.
- 26.80 Wash, course NW.
- 40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S31 | S32

1915

Dig pits 18x18x12 ins., N.and S.of cor., 3 ft. dist.,and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W.
of cor.
From the $\frac{1}{4}$ sec.cor., a rocky butte, 250 ft. high, covering

24. Subdivision of Township 9 North, Range 12 West.

Chains.

- about 160 acres, brs.S. $78\frac{1}{2}^{\circ}$ W., about 40 chs.dist.
 71.40 Wash, 4 ft. deep, 50 lks.wide, course N. 70° W.
 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in
 the ground, for cor.of secs. 29,30,31 and 32, marked
 on brass cap,

T 9N R12W	
S30	S29

S31	S32
1915	

Dig pits 18x18x12 ins., in each sec. $5\frac{1}{2}$ ft. dist., and raise
 a mound of earth 4 ft.base, 2 ft.high, W.of cor.
 Land, rolling, nearly level.
 Soil, sandy and gravelly, 3rd rate.
 Undergrowth, scattering greasewood, palo verde, ocotillo,
 and mesquite.
 No timber.

- East, on a random line, bet. secs. 29 and 32.
 40.00 Set temp. $\frac{1}{4}$ sec.cor.
 79.96 Intersect N.and S. line, 4 lks.S. of the cor. of secs.28,
 29, 32 and 33/
 Thence,
 S. $89^{\circ}58'$ W., on a true line, bet. secs.29 and 32.
 Over nearly level land, through scattering brush.
 11.00 Wash, course S. 70° W.
 22.00 Wash, course S. 80° W.
 39.98 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{2}$ sec.cor., marked on brass cap,

S 29

S 32
1915

- Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and
 raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N.of
 cor.
 50.00 Foot of hill, brs.W. and N. 60° E.
 79.96 The cor.of secs.29,30, 31 and 32.
 Land, nearly level.
 Soil, sandy and gravelly, 3rd rate.
 Undergrowth, scattering greasewood, ocotillo, and cactus,
 and mesquite.
 No timber.

- West, on a random line, bet. secs. 30 and 31.
 40.00 Set temp. $\frac{1}{4}$ sec.cor.
 81.56 Intersect W bdy. of Tp. (3rd.Guide Mer.W.), 16 lks.S.of the
 the original cor. of secs. 25,30,31 and 36, which is
 an iron post, 3 ins, diam., 12 ins. above ground, firmly
 set,marked and witnessed, as described by the surveyor
 general.
 Thence,
 S. $89^{\circ}53'$ E., on a true line, bet. secs. 30 and 31.
 Over nearly level land, thru. scattering brush.
 20.70 Road brs.N. 30° E. to Alamo and S. 20° W. to Wenden.
 36.10 Wash, 50 lks.wide, 2 ft. deep, course NW.
 41.56 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{2}$ sec.cor., marked on brass cap,

S 30


S 31
1915

Subdivision of Township 9 North, Range 12 West. 25.


Chains.

and raise a mound of stone 2 ft. base, 1½ ft. high, N. of cor.
 Top of rocky butte, 250 ft. high, about 160 acres in area, brs. S. 10° W., about 50 chs. dist.
 81.56 The cor. of secs. 29, 30, 31 and 32.
 Land, nearly level.
 Soil, sandy and gravelly, 3rd rate.
 Undergrowth, scattering greasewood, mesquite, catclaw, palo verde and cacti.
 No timber.

N. 0° 3' W., bet. secs. 29 and 30.
 Enter mountainous land at cor., bearing N. 60° W., and N. 80° E., thru. scattering low brush.
 Ascend 225 ft.
 14.00 Spur slopes W. Descend N. slope, 200 ft.
 29.00 Draw, course W., and continue over rolling land.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap,




and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.
 41.00 Ascend S. slope, 100 ft. to
 48.00 Top of ascent, brs. E. and W. Descend 70 ft. to
 52.40 Wash, course N. 75° W.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, mountainous and heavily rolling.
 Soil, rocky with scanty loam; 3rd rate.
 Undergrowth, scattering greasewood, palo verde, catclaw and cacti.
 No timber.

N. 89° 58' E., on a random line, bet. secs. 20 and 29.
 40.00 Set temp. ¼ sec. cor.
 80.04 Intersect N. and S. line, 4 lks. N. of the cor. of secs. 20, 21, 28 and 29.
 Thence,
 West, on a true line, bet. secs. 20 and 29.
 Over mountainous land, through scattering brush.
 Descend over irregular land, 200 ft. to
 40.02 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor., marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

26. Subdivision of Township 9 North, Range 12 West.

Chains.

Descend 140 ft. to
 60.75 Wash, course NW.
 80.04 The cor. of secs. 19, 20, 29 and 30.
 Land, mountainous, not very rough.
 Soil, rocky, with scanty loam, 4th rate.
 Undergrowth, scattering greasewood, cacti, ocotillo and
 palo verde.
 No timber.

N. 89° 53' W. on a random line, bet. secs. 19 and 30.
 40.00 Set temp. $\frac{1}{4}$ sec. cor. reestab.
 81.57 Intersect 3rd. Guide Meridian West. at the cor. of secs.
 19, 24, 25 and 30, described in Book "B."

Thence
 S. 89° 53' E., on a true line line, bet. secs. 19 and 30.
 Over rolling land, thru. medium brush.

2.00 Wash, course NW.
 19.60 Road, brs. N. 30° E. to Alamo and S. 30° W. to Wenden.
 41.57 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

S 19

S 30
1915

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist.,
 and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of
 cor.

45.40 Branch of same road, brs. N. 50° E. and S. 35° W.
 61.57 Wash, 20 lks. wide, course NW.
 80.80 Same wash, course S. 65° W.
 81.57 The cor. of secs. 19, 20, 29 and 30.
 Land, rolling.
 Soil, sandy and rocky, 3rd rate.
 Undergrowth, scattering greasewood, palo verde and cacti.
 No timber.

N. 0° 3' W., bet. secs. 19 and 20.
 Over mountainous land, thru. scattering brush and cacti.
 3.00 Wash, 15 lks. wide, 2 ft. deep, course S. 10° W.
 Ascend 120 ft.
 15.50 Top of ridge, brs. S. 80° W. and N. 80° E. Descend 90 ft. to
 21.00 Enter rolling land, bearing E. and W.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

S 19 | S 20
1915

and raise a mound of stone 3 ft. base, $1\frac{1}{2}$ ft. high, W. of
 cor.

45.40 Wash, course S. 30° W.
 75.00 Wash, course NW.
 79.85 Road brs. N. 40° E. to Alamo, and S. 40° W. to Wenden.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for cor. of secs. 17, 18, 19 and 20, marked on
 brass cap,

T 9N R12W
S18 | S17
S19 | S20
1915

Subdivision of Township 9 North, Range 12 West. 27.

Chains.

Dig pits 18x18x12 ins., on each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling and mountainous. Soil, rocky, 4th rate. Undergrowth, scattering greasewood, palo verde, and cacti. No timber.

40.00 East, on a random line, bet. secs. 17 and 20. Set temp. 1/4 sec. cor.
80.02 Intersect N. and S line, 10 lks. N. of the cor. of secs. 16, 17, 20, and 21. Thence, N. 89° 56' W., on a true line, bet. secs. 17 and 20. Over rolling land, thru scattering brush. Descend 110 ft. to
40.01 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 17
S 20
1915

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.
51.00 Wash, course N. 30° W.
79.85 Road brs. N. 20° E. to Alamo and S. 20° W. to Wenden.
80.02 The cor. of secs. 17, 18, 19 and 20. Land, rolling. Soil, rocky, with scanty loam, 3rd rate. Undergrowth, scattering greasewood, palo verde and cacti. No timber.

40.00 N. 89° 53' W., on a random line, bet. secs. 18 and 19. Set temp. 1/4 sec. cor.
81.55 Intersect W. bdy. of Tp. (3rd. Guide Mer. W.) 4 lks. N. of the reestablished cor. of secs. 13, 18, 19 and 24, described in Book "B." Thence, S. 89° 55' E., on a true line, bet. secs. 18 and 19. Over rolling land, thru scattering brush and cacti.
1.65 Wash, 3 ft. deep, 20 lks. wide, course SE.
30.15 Wash, course SW.
39.00 Road, brs. NE. to Alamo and SW. to Wenden.
41.55 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,


1/4 S 18
S 19
1915

Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth 3 ft. base, 1 1/2 ft. high, N. of cor.
76.50 Wash, course NW.
81.55 The cor. of secs. 17, 18, 19 and 20. Land, heavily rolling. Soil, rocky with scanty loam, 3rd rate. Undergrowth, scattering greasewood, palo verde, ocotillo and cacti. No timber.


28. Subdivision of Township 9 North, Range 12 West.

Chains.

- N.0° 3' W., bet. secs. 17 and 18.
- Over rolling land, thru scattering brush and cacti.
- 27.00 Wash, 25 lks. wide, course N.60° W.
- 36.20 Road brs. N.70° E. to Alamo and S.70° W. to Wenden.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,




- Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
- 41.10 Wash, 50 lks. wide, course S.70° W.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 7, 8, 17 and 18, marked on brass cap,



Dig pits 18x18x12 ins., in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, rocky and sandy; 3rd rate. Undergrowth, low scattering greasewood, palo verde and cacti. No timber.

- S.89°56'E., on a random line, bet. secs. 8 and 17.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.06 Intersect N. and S. line, 11 lks. N. of the cor. of secs. 8, 9, 16 and 17.
- Thence,
- N.89°51'W. on a true line, bet. secs. 8 and 17.
- Over rolling land, thru scattering brush and cacti.
- 2.05 Road brs. NE. to Alamo and S.20°W. to Wenden.
- 15.15 Wash, course NE.
- 19.20 Wash, course N.70° E.
- 23.50 Branch of same road, brs. N.75° E. and S.75° W.
- 40.03 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,




- Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 64.50 Wash, course S.
- 80.06 The cor. of secs. 7, 8, 17 and 18.
- Land, rolling.
- Soil, rocky and sandy, 3rd rate.
- Undergrowth, scattering greasewood, palo verde, ocotillo, and cacti.
- No timber.

- N.89° 55' W., on a random line, bet. secs. 7 and 18.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 81.54 Intersect the reestablished cor. of secs. 7, 12, 13 and 18 on W. bdy. of Tp. (3rd. Guide Mer. W.) described in Book "B."

Subdivision of Township 9 North, Range 12 West. 29.


Chains.

Thence,
 S. 89° 55' E., on a true line, bet. secs. 7 and 18.
 Over heavily rolling land, thru scattering brush.
 19.40 Draw, drains S.
 28.50 Wash, course S. 15° E.
 31.70 Wash, course S. 15° E.
 41.54 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,




Dig pits 18x18x12 ins., E. and W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 61.20 Wash, course S.
 69.00 Wash, course S.
 81.54 The cor. of secs. 7, 8, 17 and 18.
 Land, heavily rolling.
 Soil, rocky, 3rd rate.
 Undergrowth, scattering greasewood, palo verde, ocotillo and cacti.
 No timber.

N. 0° 3' W., bet. secs. 7 and 8.
 Over heavily rolling land, thru scattering brush.
 36.00 Wash, in draw, 100 lks. wide, 8 ft. deep, course S. 75° W.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.
 47.80 Same wash, course S. 15° E. from N.
 58.00 Leave wash from N. 10° E.
 75.40 Same wash, course S. 15° E.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 5, 6, 7 and 8, marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.
 Land, heavily rolling.
 Soil, rocky and shallow, 4th rate.
 Undergrowth, scattering greasewood, palo verde and cactus.
 No timber.

S 89° 51' E., on a random line, bet. secs. 5 and 8.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line, 11 lks. S. of the cor. of secs. 4, 5, 8 and 9.
 Thence,
 N. 89° 56' W., on a true line, bet. secs. 5 and 8.
 Over mountainous land, not very rough, thru scattering brush.
 25.00 Wash, in draw, 50 ft. deep, course S. 30° E.

30. Subdivision of Township 9 North, Range 12 West.

Chains.

40.04 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

1s 5

s 8
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

49.50 Wash, course S. 20° E.

80.08 The cor. of secs. 5, 6, 7 and 8.

Land, mountainous, along broken S. slope.

Soil, rocky of no apparent value.

Undergrowth, scattering greasewood, palo verde, ocotillo, and cacti.

No timber.

N. 89° 55' W., on a random line, bet. secs. 6 and 7.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

81.59 Intersect W. bdy. of Tp. (3rd. Guide Mer. W.) 7 lks. S. of the original cor. of secs. 1, 6, 7 and 12, a 3 in. iron post, with brass cap, mkd. & witnessed as desc. by sur. gen'l. Thence

S. 89° 52' E. on a true line, bet. secs. 6 and 7.

Over mountainous land, thru, low scattering brush.

Descend 60 ft.

2.10 Gulch, course SE. Ascend 75 ft.

10.80 Top of spur, slopes S. 10° E. Descend 150 ft.

24.60 Draw, course S. Ascend 125 ft.

29.50 Top of ascent, brs. N. and S. Descend along broken SE. slope, 175 ft. to

41.59 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

1s 6

s 7
1915

and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

Descend 100 ft. to

54.00 Wash, course S. 20° E. Enter heavily rolling land, bearing N. and S.

72.60 Wash, course S. Ascend 50 ft. to

81.59 The cor. of secs. 5, 6, 7 and 8.

Land, mountainous and rolling.

Soil, rocky with scanty loam, 4th rate.

Undergrowth, scattering greasewood, palo verde, ocotillo and cacti.

No timber.

N. 0° 6' E., on a random line, bet. secs. 5 and 6.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.92 Intersect N. bdy. of Tp., 18 lks. W. of the cor. of secs. 5, 6, 31 and 32, described in Book "A."

Thence,

S. 0° 14' W., on a true line, bet. secs. 5 and 6.

Over mountainous land, thru scattering brush.

5.70 Wash, 20 lks. wide, in gulch, 25 ft. deep, course N. 40° E. Ascend.

25.60 Top of ridge, brs. S. 80° W. and N. 80° E., 230 ft. above sec. cor. Descend 230 ft. to

37.80 Wash, course S. 35° E.

39.92 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

Subdivision of Township 9 North, Range 12 West, 31.

Chains.

1/2 S 6 | S 5
1915

79.92

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
Continue over irregular hilly land, to the cor. of secs. 5, 6, 7 and 8.
Land, mountainous and hilly.
Soil, rocky, 4th rate.
Scattering greasewood, palo verde, ~~corn~~ and cacti.
No timber. L. E. W.

GENERAL DESCRIPTION.

This township is generally rolling, broken and mountainous. The only land which is nearly enough level to be available for irrigation being in the southern part, and of this, a large share is sandy and gravelly, and of little value. The balance of the land has no apparent value for agriculture, and produces but very little grass or forage of any kind.
All the township is covered with low greasewood, and the higher lands have palo verde and several varieties of cacti.
There are no settlements and no permanent water in the township.

BOOK 3229

Book "G"

Township 9 North, Range 12 West.
Group 36 - Arizona.

~ DATE DIAGRAM ~

		NAMES.			DATES.		
WEST MERIDIAN GUIDE 3RD	RESURVEYED	12-28-14	12-28-14	12-28-14	12-28-14	12-28-14	12-24-14
		6	5	4	3	2	1
		1-8-15	1-8-15	1-6-15	1-8-15	1-5-15	2-2-15
		7	8	9	10	11	12
		1-4-15	1-6-15	1-6-15	1-6-15	1-5-15	12-29-14
		18	17	16	15	14	13
		1-4-15	1-4-15	1-1-15	12-31-14	12-30-14	12-29-14
	19	20	21	22	23	24	
	1-2-15	1-2-15	1-1-15	12-31-14	12-30-14	12-28-14	
	30	29	28	27	26	25	
	1-2-15	1-2-15	1-1-15	12-31-14	12-30-14	12-28-14	
	31	32	33	34	35	36	
	1-2-15	1-1-15	12-31-14	12-30-14	12-28-14	12-7-14	
	12-29-14	12-29-14	12-29-14	12-29-14	12-29-14		

2nd. Standard Parallel North.
Resurveyed.

Lines dated in black were executed by L.E. Wilkes,
U.S. Surveyor.

Lines dated in red were executed by H.N. Bradstreet,
U.S. Transitman.

For list of field assistants see Book 'A'.

76
BOOK 3229 33

For **CERTIFICATE OF UNITED STATES SURVEYOR. AND**
See Book "C." **UNITED STATES TRANSITMAN.**

I, _____, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191____, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,


Phoenix, Arizona, Jan 20, 1918

The foregoing field notes of the survey of _____ the _____ Subdivision Lines of _____

TOWNSHIP 9 NORTH, RANGE 12 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by L. E. Wilkes, U.S. Surveyor, and H.N. Bradstreet, U.S. Transitman, under his special instructions dated July, 23, 1914, for Group 36, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.


U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.~~