

3231

Book "I"

4-679

(Subdivisions)

BOOK 3231

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 10 NORTH, RANGE 10 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

H. N. Bradstreet,

U.S. Transitman

~~In the capacity of U.S. Surveyor~~, under instructions dated July 23, 1914,
issued by the United States Surveyor General to govern surveys included in
Group No. 36, which were approved by the Commissioner of the General Land
Office, August 15, 1914.

Survey commenced December 2, 1914.

Survey completed February 7, 1915.

Executed under Assignment
Instructions dated

3231

3231

111
1

1A
112


3231

Book "I"

Group 36 - - Arizona.

BOOK 3231

INDEX DIAGRAM.



————— Subdivision lines surveyed under this group.

————— Township boundaries surveyed under this group.
Notes in Book "A." 3223

----- Unsurveyed.

2. Subdivision of Township 10 North, Range 10 West.

Chains.


Surveys hereinafter described were executed by H.N. Bradstreet, U.S. Transitman, on dates shown on diagram on page 33 hereof, using a Young and Son's transit, No. 7084, with Smith's solar attachment, described with record of approval, and tests in Book "A."

From the cor. of secs. 1, 2, 35 and 36, on S. bdy. of Tp., described in Book "A."

N. 0° 1' W., bet. secs. 35 and 36.

Over broken N. slope, thru scattering brush. Ascend 10 ft.


- 1.00 Top of spur, slopes NW. Desc. 120 ft. to Date Creek.
- 7.00 Descend gradually.
- 20.00 Enter dense undergrowth, brs. E. and W.
- 20.60 Main channel of Date Creek, 3 ft. deep, 100 lks. wide, course NW. (dry).
- 22.70 Wash, 2 ft. deep, 15 lks. wide, course NW. Ascend gradually over gravelly bottom land.
- 39.00 Leave dense undergrowth and Date Creek wash. Ascend SW. slope to
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Ascend 120 ft.

- 51.00 Point of spur, slopes NW. Descend 30 ft. to
- 53.00 Foot of descent, brs. NW. and SE. Ascend SW. slope, 70 ft.
- 61.30 Top of sandy point, slopes W. Descend 60 ft. over NW. slope.
- 70.00 Gulch, course SW. Ascend 25 ft. to
- 74.00 Top of sandy point, slopes SW. Continue along W. slope, to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap,



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Land, broken, and rolling bottom.

Soil, sandy and gravelly, 2nd and 3rd rate.

Undergrowth, scattering and medium dense greasewood, mesquite, catclaw, cacti and Joshua trees.

No timber.

S. 89° 59' E., on a random line, bet. secs. 25 and 36.


- 40.00 Set temp. 1/4 sec. cor.
- 79.94 Intersect E. bdy. of Tp., 2 lks. N. of the cor. of secs. 25, 30, 31 and 36, described in Book "A."

Thence,

N. 89° 58' W., on a true line, bet. secs. 25 and 36.

Over rolling land, thru scattering brush.

- 39.97 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,




Subdivision of Township 10 North Range 10 West.


Chains.

Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 Ascend gradually on S. slope.
 50.00 Descend 30 ft.
 52.00 Gulch, course S. Ascend 20 ft.
 66.00 Top of spur, slopes SW. Descend 55 ft. to
 72.00 Gulch, course S. Ascend 20 ft. to
 78.00 Top of sandy ridge, brs. NE. and SW. Descend 45 ft. to
 79.94 The cor. of secs. 25, 26, 35 and 36,
 Land, heavily rolling and broken,
 Soil, sandy and gravelly, 3rd and 4th rate.
 Undergrowth, scattering greasewood, mesquite and catclaw.
 No timber.

N. $0^{\circ}1'W.$, bet. secs. 25 and 26.
 Over heavily rolling land, thru scattering brush.
 Descend 25 ft. along W. slope.
 6.00 Wash, course SW.
 Ascend 90 ft.
 24.00 Top of ridge, brs. NW. and SE. Descend.
 26.40 Leave broken land adjacent to Date Creek wash. Thence over gently rolling land, bearing E. and W.
 35.60 Wash, 10 lks. wide, course SW.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 16 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 40.55 Wash, 5 lks. wide, 1 ft. deep, course SW.
 46.80 Wash, 2 ft. deep, 8 lks. wide, course SW.
 60.55 Wash, 2 ft. deep, 20 lks. wide, course SW.
 70.00 Wash, 8 lks. wide, 1 ft. deep, course SW.
 79.00 Wash, 10 lks. wide, 1 ft. deep, course SW.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, heavily and gently rolling.
 Soil on heavily rolling land, gravelly and sandy, 4th rate; in gently rolling land, sandy loam, 3rd rate.
 Undergrowth, scattering mesquite, catclaw, greasewood and cacti.
 No timber.

S. $89^{\circ}58'E.$, on a random line, bet. secs. 24 and 25.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.04 Intersect E. bdy. of Tp., 2 lks. N. of the cor. of secs. 19, 24, 25 and 30, described in Book "A."
 Thence,
 N. $89^{\circ}57'W.$, on a true line, bet. secs. 24 and 25.
 Over gently rolling land, thru scattering brush.
 11.90 Wash, 1 ft. deep, 12 lks. wide, course SW.
 40.02 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

4. Subdivision of Township 10 North, Range 10 West.

Chains.

1/4 S 24

S 25
1915

Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

40.50 Wash, 20 lks. wide, 1 ft. deep, course SW.

45.50 Wash, 12 lks. wide, 2 ft. deep, course SW.

65.80 Wash, 5 lks. wide, 1 ft. deep, course NW.

77.50 Wash, 15 lks. wide, 1 ft. deep, course SW.

80.04 The cor. of secs. 23, 24, 25 and 26.

Land, rolling.

Soil, sandy loam, 12 to 24 ins. deep, with hard subsoil, 2nd rate.

Undergrowth, scattering greasewood, catclaw, and Joshua trees.

No timber,

N. 0° 1' W., bet. secs. 23 and 24.

Over rolling land, thru scattering brush.

7.00 Wash, 10 lks. wide, 1 ft. deep, course SW.

15.70 Wash, 5 lks. wide, 1 ft. deep, course SW.

28.80 Wash, 5 lks. wide, 1 ft. deep, course SW.

38.00 Wash, 5 lks. wide, 1 ft. deep, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 23		S 24

1915		

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

58.50 Wash, 4 lks. wide, 1 ft. deep, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap,

T10N R10W
S14 S13

S23 S24
1915

Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sandy and gravelly; 3rd rate.

Undergrowth, scattering greasewood, catclaw, ocotillo, and Joshua trees.

No timber.

S. 89° 57' E., on a random line, bet. secs. 13 and 24.

40.00 Set temp. 1/4 sec. cor.

79.90 Intersect E. bdy. of Tp., 23 lks. S. of the cor. of secs. 13, 18, 19, and 24, described in Book "A."

Thence,

S. 89° 53' W., on a true line, bet. secs. 13 and 24.

Over gently rolling land, thru scattering brush.

39.95 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. for., marked on brass cap,

1/4 S 13

S 24
1915

Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

79.90 The cor. of secs. 13, 14, 23 and 24.
Land, rolling.
Soil, sandy loam, 12 to 24 ins. deep, with cemented subsoil, 2nd rate.
Undergrowth, scattering greasewood, Joshua trees and cacti.
No timber.

N. 0° 1' W., bet. secs. 13 and 14.

Over gently rolling land, thru scattering undergrowth.
18.00 Wash, 5 lks. wide, 1 ft. deep, course NW.
29.20 Wash, 2 ft. deep, 15 lks. wide, course NW.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap.

1/4 S14 | S13
1915

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

47.70 Wash, 12 lks. wide, 1 ft. deep, course NW.
73.30 Wash, 8 lks. wide, 1 ft. deep, course NW.
80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, marked on brass cap.

T10N R10W
S11 | S12
S14 | S13
1915

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.
Soil, sandy, 10 to 18 ins. deep, with cemented subsoil, 2nd rate.
Undergrowth, scattering greasewood, catclaw and Joshua trees.
No timber.

N. 89° 53' E., on a random line, bet. secs. 12 and 13.
40.00 Set temp. 1/4 sec. cor.
79.88 Intersect E. bdy. of Tp., 4 lks. S. of the cor. of secs. 7, 12, 13 and 18, described in Book "A."

Thence,
S. 89° 51' W., on a true line, bet. secs. 12 and 13.

Over rolling land, thru scattering brush.
37.80 Wash, 8 lks. wide, 2 ft. deep, course NW.
39.94 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap.


1/4 S 12
S 13
1915

6. Subdivision of Township 10 North, Range 10 West.


Chains

74.10 Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.
 Wash, 8 lks. wide, 1 ft. deep, course NW.
 79.88 The cor. of secs. 11, 12, 13 and 14.
 Land, rolling.
 Soil, sandy loam, 2nd rate.
 Undergrowth, scattering greasewood, catclaw, and Joshua trees.
 No timber.

N. 0° 1' W., bet. secs. 11 and 12.
 Over rolling land, through scattering brush.
 1.15 Wash, 12 lks. wide, 1 ft. deep, course NW.
 13.50 Wash, 5 lks. wide, 1 ft. deep, course NW.
 21.60 Wash, 5 lks. wide, 1 ft. deep, course W.
 29.60 Wash, 2 ft. deep, 30 lks wide, course W.
 37.00 Wash, 5 lks. wide, course SW.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap,




and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 59.50 Wash, 2 ft. deep, 5 lks. wide, course W.
 68.70 Wash, 2 ft. deep, 15 lks. wide, course NW.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap,



Dig pits 18x18x12 ins., in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.
 Land, rolling.
 Soil, sandy loam, 3rd rate.
 Undergrowth, scattering greasewood, catclaw and Joshua trees.
 No timber.

N. 89° 51' E., on a random line, bet. secs. 1 and 12.
 40.00 Set temp. ¼ sec. cor.
 79.90 Intersect E. bdy. of Tp., 4 lks. S of the cor. of secs. 1, 6, 7 and 12, described in Book "A."
 Thence,
 S. 89° 49' W., on a true line, bet. secs. 1 and 12.
 Over rolling land, thru. scattering brush.
 29.50 Wash, 10 lks. wide, course NW.
 36.40 Wash, 8 lks. wide, course NW.
 39.95 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor., marked on brass cap,



Subdivision of Township 10 North, Range 10 West. 7.

Chains

79.90 Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 The cor. of secs. 1, 2, 11 and 12.
 Land, rolling.
 Soil, sandy loam, 3rd rate.
 Undergrowth, scattering greasewood, catclaw and Joshua trees.
 No timber.

40.00 N. $0^{\circ}1'$ W., on a random line, bet. secs. 1 and 2.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.33 Intersect N. bdy. of Tp., 14 lks. E. of the cor. of secs. 1, 2, 35 and 36, described in Book "A."
 Thence,
 S. $0^{\circ}7'$ E., on a true line, bet. secs. 1 and 2.
 Over rolling land, thru scattering brush.
 9.70 Wash, 2 ft. deep, 25 lks. wide, course W.
 40.33 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 2 | S 1
 1915

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 69.63 Wash, 25 lks. wide, 1 ft. deep, course SW.
 71.70 Wash, 20 lks. wide, 2 ft. deep, course SW.
 72.70 Wash, 20 lks. wide, 1 ft. deep, course W.
 80.33 The cor. of secs. 1, 2, 11 and 12.
 Land, rolling.
 Soil, sandy loam, 10 to 15 ins. deep, with cemented sub-soil; 3rd rate.
 Undergrowth, scattering greasewood, catclaw and Joshua trees.
 No timber.

From the cor. of secs. 2, 3, 34 and 35 on S. bdy. of Tp., described in Book "A,"
 N. $0^{\circ}1'$ W., bet. secs. 34 and 35.
 Over rolling land, thru scattering brush.
 14.00 Road brs. NW. to Alamo and SE. to Congress Junction.
 31.50 Wash, 2 ft. deep, 6 lks. wide, course NW.
 38.00 Leave rolling, and descend over broken land, bearing NW. and SE. Descend 170 ft. to Date Creek.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 34 | S 35
 1914

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 69.60 Main channel of Date Creek, 3 ft. deep, 145 lks. wide, course NW. (dry).
 74.00 Center of wash 200 lks. wide, 2 ft. deep, course SW.
 Ascend gradually over bottom land.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, marked on brass cap,

8. Subdivision of Township 10 North, Range 10 West.

Chains.

T10N R10W
 S27 | S26

 S34 | S35
 1914

Dig pits 18x18x12 ins., in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, rolling and broken and level.
 Soil, sandy loam, on southern 38.00 chs., on northern 42.00 chs. sandy and gravelly, 3rd rate.
 Undergrowth, scattering greasewood, mesquite, catclaw, and Joshua trees.
 No timber.

40.00 S. $89^{\circ} 59' E.$, on a random line, bet. secs. 26 and 35.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.94 Intersect N. and S. line, 4 lks. N. of the cor. of secs. 25, 26, 35 and 36.
 Thence,
 N. $89^{\circ} 57' W.$, on a true line, bet. secs. 26 and 35.
 Over broken land, thru. scattering brush.
 Descend on W. slope, 50 ft. to
 4.00 Foot of W. slope; descend gradually across Date Creek, bottom.
 39.97 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 26

S 35
 1914

Dig pits 18x18x12 ins. E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 70.00 Wash, 200 lks. wide, course SW.
 79.94 The cor. of secs. 26, 27, 34 and 35.
 Land, rolling, broken and level.
 Soil, sandy and gravelly, 3rd rate.
 Undergrowth, scattering greasewood, palo verde, mesquite and Joshua trees.
 No timber.

N. $0^{\circ} 1' W.$, bet. secs. 26 and 27.
 Across Date Creek bottom, thru. scattering brush.
 20.00 Leave bottom land, enter broken land, bearing NW. and SE.
 Ascend 160 ft.
 31.70 Top of spur, slopes SW. Descend 30 ft.
 33.00 Gulch, course SW. Ascend 35 ft.
 37.60 Top of spur, slopes SW. Descend 30 ft. to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S27 | S26


1914

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Descend 12 ft.
 41.50 Gulch, course SW. Ascend 20 ft.
 46.00 Top of sandy ridge, brs. NE. and SW. Descend 30 ft.
 69.50 Gulch, course SW. Ascend 60 ft.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on

Subdivisions of Township 10 North, Range 10 West. 9

Chains.


brass cap,



and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, rolling and broken.
Soil, sandy and gravelly, 2nd and 3rd rate.
Undergrowth, scattering greasewood, catclaw and mesquite.
No timber.


- 40.00 S. 89° 57' E., on a random line, bet. secs. 23 and 26.
- Set temp. 1/4 sec. cor.
- 79.97 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 23, 24, 25 and 26.
- Thence,
- N. 89° 56' W., on a true line, bet. secs. 23 and 26.
- Over rolling land, thru. scattering brush.
- 21.40 Wash, 1 1/2 ft. deep, 15 lks. wide, course SW.
- 32.40 Wash, 20 lks. wide, 1 ft. deep, course SW.
- 39.97 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

- 45.00 Gulch, course SW.
- 62.40 Wash, 10 lks. wide, 1 ft. deep, course SW.
- 79.97 The cor. of secs. 22, 23, 26 and 27.
- Land, rolling, general SW. slope.
- Soil, sandy and rocky, 3rd rate.
- Undergrowth, scattering mesquite, catclaw, greasewood and Joshua trees.
- No timber.

- N. 0° 1' W., bet. secs. 22 and 23.
- Over rolling land, thru. scattering brush.
- 9.50 Wash, 15 lks. wide, course W.
- 14.00 Wash, 10 lks. wide, course SW.
- 18.20 Wash, 5 lks. wide, course SW.
- 25.10 Wash, 10 lks. wide, course W.
- 35.50 Wash, 5 lks. wide, course W.
- 39.90 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for witness cor. to 1/4 sec. cor., marked on brass cap,



and raise a mound of stone 3 ft. base, 1 1/2 ft. high, W. of cor.

- 40.00 True point for 1/4 sec. cor. in wash, 2 ft. deep, 8 lks. wide, course W.
- 52.00 Wash, 10 lks. wide, course W.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap,

10. Subdivision of Township 10 North, Range 10 West.

Chains

T10N R10W	
S15	S14

S22	S23
1915	

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sandy loam, 3rd rate.

Undergrowth, scattering greasewood, palo verde, catclaw and Joshua trees.

No timber.

40.00 S.89°56'E., on a random line, bet. secs.14 and 23.
Set temp. $\frac{1}{4}$ sec. cor.
79.90 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 13, 14, 23 and 24.

Thence,

N.89°57'W., on a true line, bet. secs.14 and 23.

Over gently rolling land, thru. scattering brush.

39.95 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 14	

S 23	
1915	

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

70.00 Wash, 4 lks. wide, 1 ft. deep, course NW.

79.90 The cor. of secs. 14, 15, 22 and 23.

Land, rolling.

Soil, sandy loam, 2nd rate.

Undergrowth, scattering greasewood, catclaw and Joshua trees.

No timber.

N.0° 1'W., bet. secs.14 and 15.

Over gently rolling land, thru. scattering brush.

2.00 Wash, 5 lks. wide, 1 ft. deep, course W.

11.30 Wash, 5 lks. wide, 1 ft. deep, course SW.

18.80 Wash, 2 ft. deep, 10 lks. wide, course W.

32.40 Wash, 1 ft. deep, 10 lks. wide, course W.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S15	S14

1915	

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

48.40 Wash, 10 lks. wide, 2 ft. deep, course W.

54.70 Wash, 5 lks. wide, 1 ft. deep, course NW.

66.40 Wash, 5 lks. wide, 1 ft. deep, course W.

74.80 Wash, 4 lks. wide, 1 ft. deep, course NW.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap,

T10N R10W	
S10	S11

S15	S14
1915	

Subdivision of Township 10 North, Range 10 West. 11

Chains

Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, sandy loam, 3rd rate. Undergrowth, scattering greasewood, catclaw, palo verde and Joshua trees. No timber.

S. 89° 57' E., on a random line, bet. secs. 11 and 14. 40.00 Set temp. 1/4 sec. cor. 79.88 Intersect N. and S. line, 7 lks. S. of the cor. of secs. 11, 12, 13 and 14. Thence, West, on a true line, bet. secs. 11 and 14. Over rolling land, thru scattering brush. 18.50 Wash, 12 lks. wide, 1 ft. deep, course NW. 39.94 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 11

S 14
1915

Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor. 79.88 The cor. of secs. 10, 11, 14 and 15. Land, rolling. Soil, sandy loam, 3rd rate. Undergrowth, scattering greasewood, catclaw and Joshua trees. No timber.

N. 0° 1' W., bet. secs. 10 and 11. Over gently rolling land thru scattering brush. 12.00 Wash, 5 lks. wide, 1 ft. deep, course NW. 12.00 Wash, 4 lks. wide, 1 ft. deep, course NW. 39.00 Wash, 3 ft. deep, 50 lks. wide, course NW. 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S10 | S11

1915

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor. 56.00 Wash, 12 lks. wide, 1 ft. deep, course NW. 63.50 Wash, 2 ft. deep, 50 lks. wide, course SW. 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap,

T10N R10W
S 3 | S 2

S10 | S11
1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, sandy loam and rocky, 3rd rate. Undergrowth, scattering greasewood, catclaw and Joshua

12. Subdivision of Township 10 North, Range 10 West.

Chains.

trees.
No timber.

- East, on a random line, bet. secs. 2 and 11.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.78 Intersect the cor. of secs. 1, 2, 11 and 12.
Thence,
West, on a true line, bet. secs. 2 and 11.
Over rolling land, thru scattering brush.
7.10 Wash, 10 lks. wide, 1 ft. deep, course SW.
8.90 Wash, 100 lks. wide, course SW.
36.40 Wash, 100 lks. wide, course NW.
39.89 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 2

S 11
1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
of cor.

- 43.60 Wash, 12 lks. wide, course SW.
55.37 Wash, 3 ft. deep, 20 lks. wide, course SW.
56.60 Wash, 3 ft. deep, 25 lks. wide, course SW.
79.78 The cor. of secs. 2, 3, 10 and 11.
Land, rolling.
Soil, sandy and gravelly, 3rd rate.
Undergrowth, scattering greasewood, palo verde, catclaw, and
Joshua trees.
No timber.

- N. 0° 1' W., on a random line, bet. secs. 2 and 3.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.31 Intersect N. bdy. of Tp., 47 lks. E. of the cor. of secs. 2,
3, 34 and 35, described in Book "A."
Thence,
S. 0° 21' E., on a true line, bet. secs. 2 and 3.
Over rolling land, thru scattering brush.
14.90 Wash, 2 ft. deep, 8 lks. wide, course NW.
21.10 Wash, 10 lks. wide, 1 ft. deep, course SW.
40.31 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 3 | S 2

1915

- Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and
raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of
cor.
67.80 Wash, 5 lks. wide, 1 ft. deep, course NW.
80.31 The cor. of secs. 2, 3, 10 and 11.
Land, rolling.
Soil, sandy and rocky, 2nd rate.
Undergrowth, scattering greasewood, catclaw, and Joshua
trees.
No timber.

- From the cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp., de-
scribed in Book "A,"
N. 0° 2' W., bet. secs. 33 and 34.
Over rolling land, thru scattering brush.
9.80 Wash, 12 lks. wide, course SW.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

Subdivision of Township 10 North, Range 10 West, 13.

Chains.

1/4 S33 | S34

1914

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

- 52.00 Road brs. NW. to Alamo and SE. to Congress Junction.
- 70.00 Enter heavily rolling or broken land, bearing NW. and SE. Descend.
- 74.00 Wash, course NE. Ascend 25 ft. to
- 77.50 Top of spur, slopes NE. Descend 25 ft. to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap,

T10N R10W
S28 | S27

S33 | S34
1914

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling and broken.
Soil, sandy loam in rolling land; 2nd rate; in broken land, gravelly and sandy, 4th rate.
Undergrowth, scattering greasewood, mesquite and catclaw.
No timber.

-
- 40.00 S. 89° 59' E on a random line, bet. secs. 27 and 34. Set temp. 1/4 sec. cor.
 - 79.94 Intersect N. and S. line, 4 lks. S. of the cor. of secs. 26, 27, 34 and 35.
Thence,
S: 89° 59' W., on a true line, bet. secs. 27 and 34.
Over rolling, washy land, in Date Creek bottom, thru scattering brush. Descend.
 - 20.50 Center of Date Creek wash, 3.50 chs. wide, 2 ft. deep, course NW.
 - 38.00 Wash, 170 lks. wide, course NW.
 - 39.94 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 27

S 34
1914

from which,
A willow, 6 ins. diam., brs. N. 19 3/4° E., 104 lks. dist., marked 1/4 S 27 B T.
A catclaw, 6 ins. diam., brs. S. 34° E., 49 lks. dist., marked 1/4 S 34 B T.

- 52.30 Wash, 3 ft. deep, 20 lks. wide, course NE. Leave Date Creek bottom.
Ascend 50 ft. over spurs sloping NE., forming S. bank of Date Creek.
- 68.20 Top of ascent; descend 20 ft. to
- 69.90 Gulch, course NE. Ascend 120 ft.
- 75.00 Top of spur, slopes N. Descend 25 ft.
- 76.45 Gulch, course NE. Ascend 25 ft.
- 79.15 Top of spur, slopes NE. Descend 20 ft. to
- 79.94 The cor. secs. 27, 28, 33 and 34.
Land, rolling and broken.
Soil, sandy and gravelly, 3rd and 4th rate.
Undergrowth, scattering greasewood, mesquite and catclaw.
No timber.

14. Subdivision of Township 10 North, Range 10 West.

Chains.

- N.0°2' W., bet. secs. 27 and 28.
Over broken land, thru scattering brush.
Descend 60 ft. to
5.00 Wash, course NE. Enter dense undergrowth.
30.30 Enter main channel of Date Creek (dry) 3 ft. deep, course
NW.
40.00 Point for $\frac{1}{4}$ sec. cor. falls in channel, where a monument
would be carried away by water.
40.90 Leave main channel of Date Creek.
42.50 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for witness cor. to the $\frac{1}{4}$ sec. cor., marked
on brass cap, WC

$\frac{1}{4}$ S28 | S27
1914

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of
post.

Thence over rolling bottom land.

- 66.00 Leave Date Creek bottom. Ascend over SE. slope, 40 ft.
68.70 Top of spur, slopes SW. Thence along rolling SW. slope.
70.00 Wash, 5 ft. deep, 60 lks. wide, course SW.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
the ground for co. of secs. 21, 22, 27 and 28, marked on
brass cap,

T10N R10W
S21 | S22
—+—
S28 | S27
1914

from which,

- A palo verde, 5 ins. diam., brs. N. $57\frac{1}{4}$ ° E., 165 lks.
dist., marked T 10 N R 10 W S 22 B T.
A palo verde, 5 ins. diam., brs. S. $87\frac{1}{2}$ ° E., 73 lks.
dist., marked T 10 N R 10 W S 27 B T.
A palo verde, 6 ins. diam., brs. S. 84 ° W., 61 lks.
dist., marked T 10 N R 10 W S 28 B T.
A palo verde, 8 ins. in diam., brs. N. 59 ° W., 187 lks.
dist., marked T 10 N R 10 W S 21 B T.

Land, rolling and broken.

Soil, sandy and gravelly, 3rd and 4th rate.

Undergrowth, scattering mesquite, catclaw and greasewood.
No timber.

- N. $89^{\circ} 59'$ E., on a random line, bet. secs. 22 and 27.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.08 Intersect. N. and S. line, 9 lks. N. of the cor. of secs.
22, 23, 26 and 27.
Thence,
N. $89^{\circ} 57'$ W., on a true line, bet. secs. 22 and 27.
Over broken land, thru scattering brush.
7.00 Wash, course SW. Ascend to
11.00 Top of sandy ridge, brs. NE. and SW. Descend 40 ft.
22.00 Ascend 25 ft.
26.00 Descend.
34.00 Enter wide wash, course SW. 90 feet below sec. cor.
40.04 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 22

S 27
1914


and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
of cor.

Subdivision of Township 10 North, Range 10 West. 15

Chains.


46.00 Leave wash, course SW. Ascend 60 ft.
 58.00 Top of spur, slopes NW. Descend.
 65.00 Wash, 1½ ft. deep, 30 lks.wide, course SW.
 80.08 The cor.of secs.21,22, 27 and 28.
 Land, heavily rolling and broken.
 Soil, sandy and gravelly, 3rd and 4th rate.
 Undergrowth, scattering greasewood, mesquite, and catclaw.
 No timber.

N.0°2'W., bet. secs. 21 and 22.
 Over heavily rolling land, thru.scattering brush.
 30.00 Wash, 200 lks.wide, course SW. Ascend 40 ft.
 34.00 Top of ridge, brs.SW. and NE. Ascend 40 ft.
 38.00 Top of ridge, brs.E and W. Descend 40 ft.
 40.00 Set an iron post, 3 ft.long, 1 in.indiam., 26 ins. in the
 ground, for ¼ sec.cor., marked on brass cap,



and raise a mound of stone, 2 ft. base, 1½ ft. high,W. of cor.

45.20 Wash, 10 lks.wide, course W. Ascend 65 ft.
 50.60 Top of spur, slopes W. Descend 35 ft.
 53.40 Gulch, 50 lks.wide, course SW. Ascend.
 55.50 Top of spur, slopes SW. Descend.
 57.15 Gulch, 4 lks.wide, course SW.
 59.60 Wash, 8 lks.wide, course W.
 62.00 Wash, 40 lks.wide, course W.
 68.00 Wash,120 lks.wide, course SW.
 80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 24 ins. in
 the ground, for cor.of secs. 15,16,21 and 22, marked
 on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft.high,W.of cor.

Land, rolling and broken.
 Soil, sandy and gravelly, 3rd and 4th rate.
 Undergrowth,scattering greasewood, palo verde,catclaw and
 Joshua trees.
 No timber.

S.89°57'E.on a random line, bet. secs.15 and 22.
 40.00 Set temp.¼ sec.cor.
 80.10 Intersect N. and S. line, 2 lks.S.of the cor.of secs.14,
 15,22 and 23.

Thence,
 N.89°58'W., on a true line,bet.secs.15 and 22.
 Over rolling land,thru,scattering brush.
 6.40 Wash, 5 lks.wide,1 ft. deep,course SW.
 9.00 Same wash, course NW.
 14.80 Wash, 5 lks.wide, 1 ft. deep, course SW.
 30.70 Wash, 8 lks.wide, 2 ft.deep,course N.
 38.30 Wash, 4 lks.wide, 1 ft. deep,course NW.
 40.05 Set an iron post 3 ft.long, 1 in. in diam.,26 ins. in the
 ground, for ¼ sec.cor., marked on brass cap,

16. Subdivision of Township 10 North, Range 10 West.

Chains.

1/4 S 15

S 22
1915

Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. N. of cor.

55.60 Wash, 15 lks. wide, 1 ft. deep, course SW.

58.30 Same wash, course NW.

61.10 Wash, 15 lks. wide, 1 ft. deep, course S.

67.20 Wash, 12 lks. wide, 1 ft. deep, course SW.

74.90 Wash, 5 lks. wide, course SW.

78.00 Wash, 5 lks. wide, course SW.

80.10 The cor. of secs. 15, 16, 21 and 22.

Land, rolling.
Soil, sandy loam, 2nd rate.
Undergrowth, scattering greasewood, catclaw, and Joshua trees.
No timber.

N. 0° 2' W., bet. secs. 15 and 16.

Over rolling land, thru scattering brush.

27.40 Wash, 5 lks. wide, 2 ft. deep, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 16 | S 15
1915

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

51.80 Wash, 20 lks. wide, 1 ft. deep, course NW.

62.50 Wash, 15 lks. wide, 1 ft. deep, course NW.

69.50 Wash, 5 lks. wide, 1 ft. deep, course NW.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on brass cap,

T10N R10W
S 9 | S 10
S 16 | S 15
1915

Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.
Soil, sandy and rocky, 3rd rate.
Undergrowth, scattering greasewood, palo verde, catclaw, and Joshua trees.
No timber.

S. 89° 58' E., on a random line, bet. secs. 10 and 15.

40.00 Set temp. 1/4 sec. cor.

80.10 Intersect the cor. of secs. 10, 11, 14 and 15.

Thence N. 89° 58' W., on a true line, bet. secs. 10 and 15.

Over rolling land, thru scattering brush.

7.60 Wash, 1 ft. deep, 5 lks. wide, course NW.

40.05 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 10

S 15
1915

Subdivision of Township 10 North, Range 10 West. 17

Chains.

Dig pits 18x18x12 ins., E. and W of post, 3 ft dist., and raise a mound of earth 3 1/2 ft: base. 1 1/2 ft. high, N. of cor.

76.30 Wash, 2 ft. deep, 20 lks. wide, course NW.

80.10 The cor. of secs. 9, 10, 15 and 16.

Land, rolling.

Soil, sandy loam, 10 ins. to 15 ins. deep, over cemented subsoil, 2nd rate.

Undergrowth, scattering greasewood, catclaw, and Joshua trees.

No timber.

N. 0° 2' W., bet. secs. 9 and 10.

Over rolling land, thru scattering brush.

0.40 Wash, 20 lks. wide, 1 ft. deep, course SW.

5.50 Wash, 12 lks. wide, 1 ft. deep, course W.

10.40 Wash, 5 lks. wide, 1 ft. deep, course SW.

18.50 Wash, 20 lks. wide, 2 ft. deep, course SW.


31.00 Wash, 30 lks. wide, 2 ft. deep, course W.

36.50 Wash, 90 lks. wide, 2 ft. deep, course W.

39.10 Enter wash, 200 lks. wide, course W.

40.00 Point for 1/4 sec. cor. falls in wash, where a monument would be insecure; therefore at

40.50 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for witness cor. to 1/4 sec. cor., marked on brass cap,




and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

60.00 Wash, 80 lks. wide, 2 ft. deep, course W.

74.50 Wash, 20 lks. wide, 2 ft. deep, course SE.

76.00 Same wash, 20 lks. wide, 2 ft. deep, course SW.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 3, 4, 9 and 10, marked on brass cap,



Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, on southern 60.00 chs., sandy loam, 3rd rate; in northern 20.00 chs. 2nd rate.

Undergrowth, scattering greasewood, catclaw and Joshua trees.

No timber.

S. 89° 58' E., on a random line, bet. secs. 3 and 10.

40.00 Set temp. 1/4 sec. cor.

80.16 Intersect N. and S. line, 5 lks. S. of the cor. of secs. 2, 3, 10 and 11.

Thence,

West, on a true line, bet. secs. 3 and 10.

Over rolling land, thru scattering brush.

1.50 Wash, 5 lks. wide, 1 ft. deep, course SW.

6.00 Same wash, course NW.

7.50 Same wash, course SW.

40.08 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

18. Subdivision of Township 10 North, Range 10 West.

Chains.

1/4 S 3

S 10
1915

Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

68.10 Wash, 3 ft. deep, 20 lks. wide, course SW.

80.16 The cor. of secs. 3, 4, 9 and 10.

Land, rolling.

Soil, sandy loam, 2nd rate.

Undergrowth, scattering greasewood, palo verde, catclaw and Joshua trees.

No timber.

N. 0° 21' W., on a random line, bet. secs. 3 and 4.

40.00 Set temp. 1/4 sec. cor.

80.31 Intersect N. bdy. of Tp., 4 lks. W. of the cor. of secs. 3, 4, 33 and 34, described in Book "A."

Thence,

S. 0° 19' E., on a true line, bet. secs. 3 and 4.

Over rolling land, thru scattering brush.

11.80 Wash, 8 lks. wide, 1 ft. deep, course SE.

13.20 Same wash, course SW.

23.50 Wash, 20 lks. wide, 1 ft. deep, course SW.

40.31 Set an iron post 3 ft. long, 1 in. in diam., 36 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 4 | S 3

1915

Dig pits 18x18x12 ins. N. and S. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

80.31 The cor. of secs. 3, 4, 9 and 10.

Land, rolling.

Soil, sandy loam, 2nd rate.

Undergrowth, scattering greasewood, catclaw and Joshua trees.

No timber.

From the cor. of secs. 4, 5, 32 and 33 on S. bdy. of Tp., described in Book "A,"

N. 0° 2' W., bet. secs. 32 and 33.

Over rolling land, thru scattering brush.

33.20 Series of washes, course SW. Combined width, 125 lks.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 32 | S 33

1914

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

54.00 Road brs. SW. to Alamo and NE. to Congress Junction.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 28, 29, 32 and 33, marked on brass cap,

T10N | R10W
S29 | S28

S32 | S33

1914

Chains.

Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, sandy loam, good, 2nd rate. Undergrowth, scattering greasewood, mesquite and catclaw. No timber.

- 40.00 S. 89° 59' E. on a random line, bet. secs. 28 and 33. Set temp. 1/4 sec. cor.
- 80.16 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 27, 28, 33 and 34. Thence, N. 89° 58' W., on a true line, bet. secs. 28 and 33. Over broken land, thru. scattering brush.
- 0.50 Gulch, course NE.
- 4.80 Gulch, course NE.
- 10.00 Enter rolling land, brs. NE. and SW.
- 10.00 Head of wash, course N.
- 40.08 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 28

S 33
1914

Dig pits 18x18x12 ins., E. and W. of post 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

- 78.17 Road brs. NW. to Alamo and SE. to Congress Junction.
- 80.16 The cor. of secs. 28, 29, 32 and 33. Land, rolling and broken. Soil, sandy loam, good, 2nd rate. Undergrowth, scattering greasewood and mesquite. No timber.

- 0.75 N. 0° 2' W., bet. secs. 28 and 29. Over rolling land, thru. scattering brush.
- 13.65 Road brs. NW. to Alamo and SE. to Congress Junction.
- 20.50 Wash, 6 lks. wide, 1 ft. deep, course NW.
- 30.50 Wash, 10 lks. wide, 1 ft. deep, course NW.
- 40.00 Wash, 5 lks. wide, 1 ft. deep, course NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 29 | S 28

1914

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

- 46.00 Leave rolling, and ascend over broken land, sloping NE. to Date Creek.
- 48.00 Spur, slopes NE. Descend.
- 49.30 Gulch, course NE. Ascend 25 ft.
- 51.00 Top of spur, slopes E. Descend 20 ft.
- 52.00 Ascend 10 ft.
- 53.00 Top of spur, slopes NE. Descend 20 ft.
- 56.00 Ascend 15 ft.
- 56.65 Top of spur, slopes NW. Descend NE. slope, 220 ft. to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 20, 21, 28 and 29, marked on brass cap,

20. Subdivision of Township 10 North, Range 10 West.

Chains.

T10N	R10W
S20	S21

S29	S28
1914	

Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling and broken. Soil, southern, 46.00 chs., sandy loam, 2nd rate; northern 34.00 chs., sandy and gravelly, 4th rate. Undergrowth, scattering greasewood, mesquite and catclaw. No timber.

- 40.00 S. 89° 58' E., on a random line, bet. secs. 21 and 28. Set temp. 1/4 sec. cor.
- 80.30 Intersect N. and S. line, 12 lks. N. of the cor. of secs. 21, 22, 27 and 28. Thence, N. 89° 53' W., on a true line, bet. secs. 21 and 28. Over rolling, washed land, in Date Creek bottom, thru scattering brush.
- 40.15 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 21

S 28
1914

- 49.70 Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.
- 80.30 Center of dry channel of Date Creek, 5 chs. wide, course NW. The cor. of secs. 20, 21, 28 and 29. Land, rolling, gravelly bottom adjacent to Date Creek. Soil, sandy and gravelly, 3rd rate. Undergrowth, scattering greasewood, cacti and Joshua trees. No timber.

- 15.00 N. 0° 2' W., bet. secs. 20 and 21. Over rolling land, in Date Creek bottom, thru dense brush. Center of dry channel of Date Creek, 5 chs. wide, 2 ft. deep, course NW. Ascend gradually on SW. slope.
- 39.55 Wash, 2 ft. deep, 15 lks. wide, course SW. Ascend over broken SE. slope, 20 ft. to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S20 | S21


1914

- and raise a mound of stone 2 ft. base, 1 1/2 ft. high, W. of cor. Ascend 75 ft.
- 49.10 Top of sandy spur, slopes W. Descend.
- 51.00 Ascend 20 ft. to
- 52.20 Descend 40 ft. to
- 58.40 Wash, 20 lks. wide, course SW.
- 64.00 Center of wash, 3.50 chs. wide, course SW. Ascend over broken SW. slope.
- 79.00 Leave broken land, enter rolling land, bearing NW. and SE. 160 ft. above Date Creek/

Subdivision of Township 10 North Range 10 West. 21.

Chains
80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap,




Dig pits, 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, rolling and broken. Soil, coarse sand & gravel, 3rd rate. Scattering greasewood and mesquite and catclaw. No timber.

40.00
80.24

S. 89° 53' E., on a random line, bet. secs. 16 and 21. Set temp. 1/4 sec. cor. Intersect N. and S. line, 21 lks. S. of the cor. of secs. 15, 16, 21 and 22. Thence, S. 89° 58' W., on a true line, bet. secs. 16 and 21. Over rolling land, thru, scattering brush.

23.20
37.50
40.12

Wash, 15 lks. wide, 1 ft. deep, course SW. Wash, 5 lks. wide, course SW. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,




dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

49.60
58.50
67.50
80.24

Wash, 10 lks. wide, 1 ft. deep, course SW. Wash, 12 lks. wide, course SW. Wash, 10 lks. wide, course SW. The cor. of secs. 16, 17, 20 and 21. Land, rolling. Soil, sandy loam, 2nd rate. Undergrowth, scattering greasewood, catclaw, palo verde and Joshua trees. No timber.

10.00
33.75
40.00


N. 0° 2' W., bet. secs. 16 and 17. Over rolling land, thru, scattering brush. Wash, 10 lks. wide, course SW. Center of wash, 2 ft. deep, 250 lks. wide, course NW. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

41.30
58.20
73.65
76.85
80.00

Enter wash, course W. Leave same wash. Wash, 8 lks. wide, course SW. Wash, 10 lks. wide, course SW. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 8, 9, 16 and 17, marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. Land, rolling. Soil, coarse, sandy and gravelly, 3rd rate.

22. Subdivision of Township 10 North, Range 10 West.

Chains.

Undergrowth, scattering greasewood, catclaw, palo verde, and Joshua trees.
No timber.

- 40.00 N.89°58'E., on a random line, bet. secs. 9 and 16.
- Set temp. $\frac{1}{4}$ sec. cor.
- 80.24 Intersect N. and S. line, 11 lks. N. of the cor. of secs. 9, 10, 15 and 16. Thence, N.89°57'W., on a true line, bet. secs. 9 and 16. Over rolling land, thru. scattering brush.
- 0.45 Enter wash, course SW.
- 3.45 Leave same, same course.
- 33.25 Wash, 210 lks. wide, course SW.
- 39.75 Wash, 150 lks. wide, 2 ft. deep, course SW.
- 40.12 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 9

S 16
1915

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

- 70.20 Wash, 4 lks. wide, 1 ft. deep, course SW.
- 75.20 Wash, 12 lks. wide, 2 ft. deep, course SW.
- 80.24 The cor. of secs. 8, 9, 16 and 17. Land, rolling. Soil, sandy loam, 2nd rate. Undergrowth, dense greasewood, palo verde & catclaw. No timber.

N.0°2'W., bet. secs. 8 and 9.

- Over rolling land, thru. scattering brush,
- 1.70 Wash, 5 lks. wide, course SW.
- 6.50 Wash, 2 ft. deep, 20 lks. wide, course W.
- 7.70 Wash, 50 lks. wide, 3 ft. deep, course SW.
- 13.00 Wash, 15 lks. wide, 1 ft. deep, course SW.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 8 | S 9

1915

dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

- 56.50 Wash, 2 ft. deep, 25 lks. wide, course SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, marked on brass cap,

T10N R10W

S 5 | S 4

S 8 | S 9

1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling, Soil, sandy and gravelly, 3rd rate. Undergrowth, scattering greasewood, catclaw, palo verde & cacti. No timber.

- 40.00 S.89°57'E., on a random line, bet. secs. 4 and 9.
- Set temp. $\frac{1}{4}$ sec. cor.
- 80.28 Intersect N. and S. line, 4 lks. N. of cor. of secs. 3, 4, 9 and 10. Thence, N.89°55'W., on a true line, bet. secs. 4 and 9. Over rolling land, thru. scattering brush.
- 15.40 Wash, 2 ft. deep, 15 lks. wide, course SE.
- 40.14 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 4

S 9

1915

Subdivision of Township 10 North, Range 10 West. 23

Chains.

Dig pits 18x18x12 ins. E. and W. of post, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

48.50 Wash, 12 lks. wide, 1 ft. deep, course S.

66.30 Wash, 20 lks. wide, 1 ft. deep, course S.

80.28 The cor. of secs. 4, 5, 8 and 9.

Land, rolling.

Soil, sandy loam, 2nd rate.

Undergrowth, scattering greasewood, catclaw and Joshua trees.

No timber.

N. $0^{\circ}2'$ W., on a random line, bet. secs. 4 and 5.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.18 Intersect N. bdy. of Tp., 14 lks. E. of the cor. of secs. 4, 5, 32 and 33, described in Book "A."

Thence,

S. $0^{\circ}8'$ E., on a true line, bet. secs. 4 and 5.

Over rolling land, thru. scattering brush.

6.00 Wash, 10 lks. wide, course SW.

40.18 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 5 | S 4

1915

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

56.10 Wash, 12 lks. wide, course SW.

80.18 The cor. of secs. 4, 5, 8 and 9.

Land, rolling.

Soil, sandy loam, 2nd rate.

Undergrowth, scattering greasewood, catclaw, palo verde and Joshua trees.

No timber.

From the cor. of secs. 5, 6, 31 and 32 on S. bdy. of Tp., described in Book "A,"

N. $0^{\circ}3'$ W., bet. secs. 31 and 32.

Over rolling land, thru. scattering brush.

0.34 Wash, 20 lks. wide, 1 ft. deep, course NW.

3.40 Wash, 8 lks. wide, 1 ft. deep, course SE.

8.20 Old road brs. NW and SE.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S31 | S32

1914

Dig pits 18x18x12 ins. N. and S. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

41.80 Wash, 2 ft. deep, 6 lks. wide, course NW.

57.90 Wash, 12 lks. wide, 1 ft. deep, course NW.

69.00 Wash, 8 lks. wide, 1 ft. deep, course NW.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap,

TION R10W

S30 | S29

S31 | S32

1914

Dig pits 18x18x12 ins., in each sec. $5\frac{1}{2}$ ft. dist., and

24. Subdivision of Township 10 North, Range 10 West.

Chains.

raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.
Land, rolling.
Soil, sandy loam, 10 to 15 ins. deep, with cemented sub-
soil, 2nd rate.
Undergrowth, scattering greasewood.
No timber.

S. 89° 59' E. on a random line, bet. secs. 29 and 32.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.02 Intersect N. and S. line, 9 lks. N. of the cor. of secs. 28,
29, 32 and 33.

Thence,
N. 89° 55' W. on a true line, bet. secs. 29 and 32.
Over rolling land, thru scattering undergrowth.
40.01 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S. 29

S 32

1914

Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of
cor.
80.02 The cor. of secs. 29, 30, 31 and 32.
Land, gently rolling.
Soil, sandy loam, 10 to 15 ins. deep, with cemented sub-
soil, 2nd rate.
Undergrowth, scattering greasewood and cacti.
No timber.

N. 89° 59' W., on a random line, bet. secs. 30 and 31.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
74.85 Intersect W. bdy. of Tp., 4 lks. S. of the cor. of secs. 25,
30, 31 and 36, described in Book "A."

Thence,
S. 89° 57' E., on a true line, bet. secs. 30 and 31.
Over gently rolling land, thru scattering brush.
5.90 Old road brs. NW and SE.
34.85 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 30

S 31

1914

Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and
raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of
cor.
36.75 Wash, 6 lks. wide, 1 ft. deep, course SE.
74.85 The cor. of secs. 29, 30, 31 and 32.
Land, gently rolling.
Soil, sandy loam, 2nd rate.
Undergrowth, scattering greasewood.
No timber.

N. 0° 3' W., bet. secs. 29 and 30.
Over gently rolling land, thru scattering brush.
8.80 Wash, 8 lks. wide, 1 ft. deep, course NW.
37.00 Road brs. NW. to Alamo and SE. to Congress Junction.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

Chains.

1/4 S30 | S29

1914

- Dig pits 18x18x12 ins., N. and S of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.
- 44.60 Wash, 2 ft. deep, 12 lks. wide, course NW.
- 50.70 Wash, 2 ft. deep, 12 lks. wide, course NW.
- 53.10 Old wagon road, brs. NW and SE. Leave rolling, enter broken land, bearing NW. and SE.
- 70.80 Top of spur, extends 2 chs. NW. Descend 25 ft.
- 72.90 Gulch, course NW. Ascend 25 ft.
- 75.00 Top of spur, slopes NW. Descend 30 ft.
- 76.40 Wash, 8 lks. wide, 2 ft. deep, course NW. Ascend 25 ft.
- 78.50 Top of spur, slopes NW. Descend 30 ft. to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 19, 20, 29 and 30, marked on brass cap,

T10N R10W
S19 | S20

1/4 S30 | S29
1914

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling and broken.
Soil, in rolling land, sandy loam, 2nd rate; in broken land, sandy and gravelly, 3rd rate.
Undergrowth, scattering greasewood, palo verde and Joshua trees.
No timber.

- S. 89°55'E., on a random line, bet. secs. 20 and 29.
- 49.00 Set temp. 1/4 sec. cor.
- 80.06 Intersect N. and S. line, 7 lks. N. of the cor. of secs. 20, 21, 28 and 29.
- Thence, N. 89°52'W. on a true line, bet. secs. 20 and 29.
- Over rolling, gravelly land in Date Creek bottom.
- 40.03 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 20

S 29
1914

and raise a mound of stone 2 ft. base, 1 1/2 ft. high, N. of cor.

- Leave Date Creek bottom; ascend 30 ft.
- 48.35 Top of spur, slopes NE. Enter broken land on S. side of Date Creek. Descend to
- 51.80 Wash, 20 lks. wide, course NW. Ascend 35 ft.
- 58.00 Top of spur, NW. Descend 35 ft.
- 59.50 Wash, 20 lks. wide, 2 ft. deep, course NW.
- 65.00 Wash, 10 lks. wide, 2 ft. deep, course NW. Ascend 40 ft.
- 68.00 Top of spur, slopes NW. Thence along N. slope.
- 73.00 Top of sandy spur, slopes NW. from S. Descend 30 ft. to
- 79.60 Wash, 8 lks. wide, course NE.
- 80.06 The cor. of secs. 19, 20, 29 and 30.
Land, heavily rolling and broken.
Soil, sandy and gravelly, 3rd rate.

26. Subdivision of Township 10 North, Range 10 West.

Chains.

Undergrowth, scattering greasewood, palo verde and Joshua trees.
No timber.

40.00 N.89°57'W., on a random line, bet. secs.19 and 30.
Set temp. ¼ sec.cor.

74.69 Intersect W. bdy.of Tp., 4 lks.N.of the cor.of secs.19, 24,25 and 30, described in Book "A."

Thence,
S.89°59'E., on a true line, bet. secs.19 and 30.

12.70 Over gently rolling land, thru scattering brush.
Wash, 30 lks.wide, course NW.

23.90 Leave rolling land, enter broken NE. slope, bearing NW.and SE.

31.30 Wash, 25 lks.wide, course NE. Ascend to
32.90 Top of ridge, brs.NE.and SW. Descend 35 ft.

34.60 Wash, 20 lks.wide, 3 ft. deep, course NE. Ascend 25 ft. to spur.

34.69 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for ¼ sec.cor., marked on brass cap,

¼ S 19

S 30
1914

and raise a mound of stone 2 ft.base, 1½ ft. high, N. of cor.

35.90 Top of spur, slopes NE. and SW. Descend to

59.70 Ascend 95 ft.

73.15 Top of spur, slopes NW. Descend 25 ft. to

74.69 The cor.of secs. 19,20, 29 and 30.

Land, rolling and broken.

Soil, sandy in rolling bench land, 23.90 chs., 2nd rate; in broken land, sandy and gravelly, 3rd rate.

Undergrowth, greasewood and palo verde.
No timber.

N.0° 3' W., bet. secs.19 and 20.

Over broken land, thru scattering brush.

Descend 140 ft. to Date Creek Wash.

30.00 Center of dry channel of Date Creek, 3.00 chs.wide, course west.

Thence in Date Creek bottom.

38.15 Wash, 15 lks.wide, course NW.

40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for, ¼ sec.cor., marked on brass cap,

¼ S, 19 | S 20

1915

Dig pits 18x18x12 ins.N.and S. of post, 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor.

42.75 Wash, 100 lks.wide, course NW. Leave Date Creek bottom. Ascend 250 ft. to sec.cor.

70.20 Wash, course SW.

77.00 Wash, 5 lks.wide, course SW. Ascend 30 ft. to

80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 24 ins. in the ground, for cor.of secs. 17,18,19 and 20, marked on brass cap,

T10N R10W
S18 | S17

S19 | S20
1915

Subdivision of Township 10 North, Range 10 West, 27

Chains.

and raise a mound of stone 3 ft. base, 2ft. high, W. of cor. Land, broken. Soil, sandy and gravelly, 3rd rate. Undergrowth, scattering greasewood, palo verde, ocotillo, and cacti. No timber.

- 40.00 S. 89°52'E., on a random line, bet. secs. 17 and 20. Set temp. 1/4 sec. cor.
- 80.20 Intersect N. and S. line, 19 lks. S. of the cor. of secs. 16, 17, 20 and 21.
- Thence, West, on a true line, bet. secs. 17 and 20. Over broken land, thru. dense undergrowth.
- 4.30 Gulch, 5 lks. wide, course SW.
- 40.10 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 17

S 20
1915

and raise a mound of stone 2 ft. base, 1 1/2 ft. high, N. of cor.

- 42.00 Gulch, 25 ft. deep, course SW.
- 49.00 Gulch, 30 lks. wide, course SW.
- 54.00 Gulch, 70 lks. wide, course S.
- 58.75 Gulch, 15 lks. wide, course S.
- 63.15 Gulch, 10 lks. wide, course SW.
- 80.20 The cor. of secs. 17, 18, 19 and 20. Land, broken and rolling. Soil, sandy and rocky, 3rd rate. Undergrowth, scattering greasewood, palo verde, ocotillo and cacti. No timber.

- 40.00 N. 89°59'W., on a random line, bet. secs. 18 and 19. Set temp. 1/4 sec. cor.
- 74.77 Intersect W. bdy. of Tp., 4 lks. N. of the cor. of secs. 13, 18, 19 and 24, described in Book "A."
- Thence, N. 89°59'E. on a true line, bet. secs. 18 and 19. Over broken land, thru. scattering brush. Ascend 110 ft.
- 14.60 Gulch, 10 lks. wide, course SW., Continue ascent.
- 17.27 Top of ridge, brs. SW. and NE. Descend. Leave broken, enter rolling land, bearing N. and SE.
- 31.85 Gulch, 5 lks. wide, course SW.
- 34.77 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 18

S 19
1915

and raise a mound of stone 2 ft. base, 1 1/2 ft. high, N. of cor.

- 41.45 Gulch, 6 lks. wide, course SW.
- 51.55 Gulch, 5 lks. wide, course SW.
- 56.25 Gulch, 4 lks. wide, course SE.
- 62.15 Gulch, 8 lks. wide, course SW.
- 71.07 Gulch, 5 lks. wide, course SW.
- 74.77 The cor. of secs. 17, 18, 19 and 20.


28 Subdivision of Township 10 North, Range 10 West.

Chains

Land, rolling and broken.
Soil, sandy and rocky, 3rd rate.
Undergrowth, scattering greasewood, catclaw and palo verde.
No timber.


N.0°3'W., bet.secs.17 and 18.
Over heavily rolling land, thru.scattering brush.

- 3.15 Wash, 2 ft. deep, 5 lks. wide, course SW.
- 8.65 Wash, 2 ft. deep, 10 lks.wide, course SW.
- 11.50 Descend N.slope, 30 ft.to
- 18.00 Wash, 20 lks.wide, 1 ft. deep, course W. Ascend 30 ft.
- 21.40 Top of spur, slopes W. Descend 30 ft.
- 35.45 Enter wash, 2 ft.deep, course W.
- 40.00 Point for $\frac{1}{4}$ sec.cor. falls in wash, where a monument would be carried away by water.
- 40.25 Leave wash.
- 40.50 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for witness cor.to $\frac{1}{4}$ sec.cor., marked on brass cap,



Dig pits 18x18x12 ins. N.and S. of post 3 ft. dist.,and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,W.of post.

- 41.10 Wash, 2 ft. deep, 95 lks.wide, course NW.
- 57.00 Wash, 5 lks.wide, course SW. Ascend 80 ft.
- 64.90 Descend N. slope, 35 ft.to
- 69.10 Enter wash, 2 ft. deep, course W.
- 70.90 Leave wash. Ascend 30 ft.
- 75.00 Top of ascent, brs.E. and W. Descend.
- 78.80 Gulch, 10 lks.wide, course SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor.of secs.7,8,17 and 18, marked on brass cap,




and raise a mound of stone, 3 ft.base, 2 ft.high,W. of cor.

Land, heavily rolling.
Soil, sandy and rocky, 3rd rate.
Undergrowth, scattering greasewood, palo verde,ocotillo, and cacti.
No timber.

East, on a random line, bet. secs.8 and 17.

- 40.00 Set temp. $\frac{1}{4}$ sec.cor.
- 80.24 Intersect N.and S. line, 7 lks.N.of the cor.of secs.8,9, 16 and 17.
- Thence,
- N.89°57'W., on a true line, bet. secs.8 and 17.
- Over rolling land, thru.scattering brush.
- 16.15 Wash,140 lks.wide, 2 ft.deep, course S.
- 20.15 Wash, 12 lks.wide, 1 ft. deep, course SW.
- 40.12 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground,for $\frac{1}{4}$ sec.cor., marked on brass cap,



Subdivision of Township 10 North, Range 10 West.

Chains.

Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

51.55 Wash, 8 lks. wide, 1 ft. deep, course SW.

56.90 Wash, 10 lks. wide, 1 ft. deep, course SW.

63.25 Wash, 15 lks. wide, 1 ft. deep, course NW.

70.45 Wash, 40 lks. wide, 1 ft. deep, course SW.

80.24 The cor. of secs. 7, 8, 17 and 18.

Land, rolling.

Soil, sandy and rocky, 3rd rate.

Undergrowth, scattering greasewood, palo verde, ocotillo, Joshua trees and cacti.

No timber.

S. $89^{\circ} 59'$ W., on a random line, bet. secs. 7 and 18.

40.00 Set temp. $\frac{1}{4}$ sec. for.

74.50 Intersect W. bdy. of Tp., 23 lks. S. of the cor. of secs. 7, 12, 13 and 18, described in Book "A."

Thence,


S. $89^{\circ} 51'$ E., on a true line, bet. secs. 7 and 18.

Over rolling land, thru scattering brush.

4.70 Wash, 12 lks. wide, 2 ft. deep, course SW.

16.00 Same wash, course NW.

34.25 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for W C to the $\frac{1}{4}$ sec. cor., which falls in a wash, where a monument would be carried away by water, marked on brass cap,



and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of post.

34.50 Point for $\frac{1}{4}$ sec. for. falls in wash, 2 ft. deep, 80 lks. wide course SE.

40.00 Wash, 12 lks. wide, course S.

74.50 The cor. of secs. 7, 8, 17 and 18.

Land, rolling.

Soil, sandy and rocky, 3rd rate.

Undergrowth, scattering greasewood, catclaw, palo verde, ocotillo, Joshua trees and cacti.

No timber.


N. $0^{\circ} 3'$ W., bet. secs. 7 and 8.

Over rolling land, thru scattering brush.

9.00 Wash, 3 lks. wide, 1 ft. deep, course SW.

27.40 Wash, 200 lks. wide, 2 ft. deep, course SW.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

48.00 Wash, 12 lks. wide, 1 ft. deep, course SW.

52.60 Same wash, course SE.


56.20 Same wash, course SW.

62.40 Wash, 8 lks. wide, 1 ft. deep, course SW.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 5, 6, 7 and 8, marked on brass cap,

30 Subdivision of Township 10 North, Range 10 West.

Chains.



and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sandy and gravelly, 3rd rate.

Undergrowth, scattering greasewood, palo verde, catclaw and Joshua trees.

No timber.

S. 89°57'E. on a random line, bet. secs. 5 and 8.

40.00 Set temp. 1/4 sec. cor.

80.18 Intersect N. and S. line, 9 lks. S. of the cor. of secs. 4, 5, 8 and 9.


Thence,

S. 89°59'W. on a true line, bet. secs. 5 and 8.

Over rolling land, thru scattering brush.

21.10 Wash, 35 lks. wide, 1 ft. deep, course SW.

40.09 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



Dig pits 18x18x12 ins. E. and W. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

40.70 Wash, 12 lks. wide, 1 ft. deep, course SW.

54.00 Wash, 8 lks. wide, 1 ft. deep, course S.

67.40 Wash, 5 lks. wide, 1 ft. deep, course SW.

80.18 The cor. of secs. 5, 6, 7 and 8.

Land, rolling.

Soil, sandy and rocky, 3rd rate.

Undergrowth, scattering greasewood, catclaw and Joshua trees.

No timber.

N. 89°51'W., on a random line, bet. secs. 6 and 7.

40.00 Set temp. 1/4 sec. cor.

74.47 Intersect W. bdy. of Tp., 2 lks. N. of the cor. of secs. 1, 6, 7 and 12, described in Book "A."

Thence,

S. 89°52'E., on a true line, bet. secs. 6 and 7.

Over rolling land, thru scattering brush.

11.50 Wash, 2 ft. deep, 20 lks. wide, course SE.

23.15 Wash, 8 lks. wide, 1 ft. deep, course SW.

27.65 Wash, 5 lks. wide, 1 ft. deep, course SW.

34.47 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

36.00 Wash, 10 lks. wide, 1 ft. deep, course SW.

Subdivision of Township 10 North, Range 10 West.

Chains.

47.45 Wash, 10 lks.wide, 1 ft. deep, course SW.
 56.55 Wash, 5 lks.wide, 1 ft. deep, course S.
 71.45 Wash, 8 lks.wide, 1 ft. deep, course SW.
 74.47 The cor.of secs.5,6,7 and 8.
 Land, rolling.
 Soil, sandy and rocky, 3rd rate.
 Undergrowth, scattering greasewood, cacti, ocotillo and Joshua trees.
 No timber.

N.0° 8' W., on a random line, bet. secs.5 and 6.
 40.00 Set temp. $\frac{1}{4}$ sec.cor.
 80.26 Intersect N.bdy.of Tp., 9 lks.W. of the cor.of secs.5,6, 31 and 32, described in Book "A."
 Thence,
 S.0°4' E., on a true line, bet. secs.5 and 6.
 Over rolling land, thru.scattering brush.
 21.90 Wash, 20 lks.wide, 1 ft. deep, course SW.
 40.26 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec.cor., marked on brass cap,

1/4 S 6 | S 5
 1915

and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.

44.15 Wash, 5 lks.wide, 1 ft.deep, course SW.
 61.60 Wash, 20 lks.wide, 1 ft. deep, course SW.
 71.90 Wash, 2 ft. deep, 15 lks.wide, course SW.
 80.26 The cor.of secs. 5,6, 7 and 8.
 Land, rolling.
 Soil, sandy and rocky, 3rd rate.
 Undergrowth, scattering greasewood, catclaw, palo verde, and Joshua trees.
 No timber.

GENERAL DESCRIPTION.

This township consists of gravelly bench land, through which Date Creek has cut a channel, approximately two miles wide and two hundred feet deep, flowing thru. nearly the center of the Tp., with a general course of about N.60°W.
 The soil, is sandy, rather coarse, and in the rolling areas, generally underlaid with cemented subsoil, from 12 to 20 ins.below the surface.
 Undergrowth consists of greasewood, from 4 to 6 ft.high, palo verde trees from 6 to 10 ft.high, catclaw bushes from 6 to 8 ft.high, Joshua trees from 10 to 15 ft. high, and several varieties of cacti ranging from a few inches to 5 ft.high, and a few suharas from 10 to 25 ft.high.
 Very scanty grass is found along the washes, and on broken N.slopes, affording scanty pasturage for a few animals in the rainy season.
 The nearest living water is in the Santa Maria river in the north-western part of T.11 N., R.11 W.
 No improvements of any kind in this Tp.

Book "I"

Group 36 ----- Arizona.

Township 10 North, Range 10 West.

BOOK 3231

DATE: DIAGRAMS.

NAMES.						CAPACITY.						
1-26-15						1-26-15						
12-9-14	6	2-2-15	5	1-31-15	4	2-2-15	3	2-1-15	2	2-3-15	1	1-26-15
	2-2-15		2-2-15		2-2-15		2-2-15		2-7-15		2-3-15	
12-9-14	7	2-2-15	8	1-31-15	9	2-2-15	10	2-1-15	11	2-3-15	12	1-26-15
	1-31-15		1-31-15		2-1-15		2-1-15		2-3-15		2-3-15	
12-9-14	18	1-31-15	17	1-31-15	16	2-1-15	15	2-1-15	14	2-3-15	13	1-26-15
	1-31-15		1-31-15		2-1-15		2-1-15		2-3-15		2-3-15	
12-9-14	19	1-31-15	20	12-5-14	21	2-1-15	22	2-1-15	23	2-3-15	24	1-26-15
	12-9-14		12-9-14		12-5-14		12-4-14		12-3-14		2-3-15	
12-9-14	30	12-9-14	29	12-5-14	28	12-4-14	27	12-3-14	26	12-2-14	25	1-26-15
	12-9-14		12-9-14		12-5-14		12-4-14		12-3-14		12-2-14	
12-9-14	31	12-9-14	32	12-5-14	33	12-4-14	34	12-3-14	35	12-2-14	36	12-1-14
	12-9-14		12-9-14		12-5-14		12-4-14		12-3-14		12-2-14	
11-27-14						11-27-14						

Lines dated in black were executed by L. E. Wilkes, U. S. Surveyor.

Lines dated in red were executed by H. N. Bradstreet, U. S. Transitman.

For list of field assistants see Book "A".

146

For **CERTIFICATE OF UNITED STATES ~~SURVEYOR~~ TRANSITMAN**

See Book "C" _____

I, _____, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191____, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____

BOOK 3231

_____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, Jan. 20, 1919. ~~1918~~

The foregoing field notes of the survey of _____ the _____

Subdivision Lines of _____

Township 10 North, Range 10 West.

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by _____ H. N. Bradstreet, U. S. Transitman _____

under his special instructions dated _____ July 23, 1914, for Group 36, ~~401~~, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____~~

~~has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General.~~