

147
1

JAN - 1. 1915

3232

Book "J"

4-679

APR 5 - 1915

(Subdivisions)

FIELD NOTES

BOOK 3232

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 10 NORTH, RANGE 12 WEST.

3232

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

L. E. Wilkes, U. S. Surveyor,

and

H. N. Bradstreet & John G. Collins, U.S. Transitmen,

~~In the capacity of U.S. Surveyor~~, under instructions dated July 23, 1914,

issued by the United States Surveyor General to govern surveys included in

Group No. 36, which were approved by the Commissioner of the General Land

Office, August 15, 1914.

Survey commenced January 4, 1915.

Survey completed May 10, 1915.

Executed under Assignment
Instructions dated


3232

148
1A

3232
Book "J"
Group 36----Arizona.

BOOK 3232

INDEX DIAGRAM.



- Subdivision lines surveyed under this group.
- Township boundaries surveyed under this group.
Notes in Book "A." 3223
- Standard lines resurveyed under this group.
Notes in Book "B." 3224
- Accepted surveys.

Chains.

Surveys hereinafter described were executed by L.E.Wilkes, U.S.Surveyor, and H. N. Bradstreet and John G. Collins, U. S. Transitmen, on dates shown on diagram on page 37 hereof.

L. E. Wilkes, U.S.Surveyor, used Young and Son's light mountain transit No, 8541, and H.N.Bradstreet and John G.Collins, U.S.Transitmen used Young and Son's light mountain transit No, 7084, both instruments being described with record of approval and tests in Book "A." Further test made of both instruments by L.E.Wilkes, U. S.Surveyor, as follows:

Jan. 2, 1915: At apparent-noon, I carefully note the sun's passage of the meridian as determined by solar observation at 9 h. a.m., and set my watch at 12h.4m.

At my camp in the NE. 1/4 of sec. 3, T.9 N., R.12 W., in lat. 34° 9' N., long. 113° 29' W. from Greenwich; at 5h.12 1/2 m. p.m., l.m.t., I observe Polaris, and note a peak in the mountains about 10 miles dist., bears 0° 3' to the right of the star's position.

U.C. of Polaris, Jan. 2, 1915, long. of Greenwich,	6h.43.9m. p.m.
Correction for this long, subtract	5 1.3
L.m.t. of U.C. of Polaris, this long.	6 42.6
L.m.t. of observation,	5 12.5
Difference, Time argument,	1 30.1

which by reference to table at page 14 of Solar Ephemeris for 1915 gives the azimuth of Polaris as 32.4' E. of N. The true bearing of the object is therefore N. 35.4' E.

Jan. 3, 1915. At 9h.a.m., l.m.t., I set off 22° 51'S. on the decl. arc; 34° 9' on the lat. arc, and determine a meridian with the solar. This shows bearing of the object as N. 0° 34' E. falling 1.4' E. of the true meridian. Transit No. 7084 gives the bearing as N. 0° 35' E., falling 0.4' E. of the true meridian.

Both instruments were tested on the true meridian at each hour of the day, and gave satisfactory results.

Both of these instruments have been tested, almost every day of use in this group, by both a.m. and p.m. observations, taken at various hours of the working day, on lines which have been prolonged by reference to objects several miles dist., and the results, having been found to be practically constant and substantially agreeing with the Polaris observations, I conclude that the adjustments are satisfactory.

Measurements were made with steel tapes 5 chs. in length, which have been duly tested by comparison with the standard tape in my possession and adjusted to the true length.

Over uneven ground, the clinometer method was used to obtain the necessary correction to be applied.

In the following notes, the initials L.E.W., H.N.B., and J.G.C. are inserted at the beginning and ending of those portions of the notes describing the surveys executed by L. E. Wilkes, U.S.Surveyor, and H.B.Bradstreet and John G.Collins, U. S. Transitmen, respectively.

H.N.B.
From the cor. of secs. 1, 2, 35 and 36 on S. bdy. of Tp., described in Book "A."

N. 0° 16' W., bet. secs. 35 and 36.
Over rolling land, through dense brush.

- .75 Gulch, 8 lks. wide, course NE.
- 5.60 Same gulch, 20 lks. wide, course NW.
- 28.20 Wash, 15 lks. wide, 1 ft. deep, course NW.
- 37.40 Same wash, 2 ft. deep, course NE.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S35 | S36

2. Subdivision of Township 10 North, Range 12 West.

Chains.

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

53.20 Rocky wash, 25 lks. wide, 2 ft. deep, course NW.

66.20 Wash, 50 lks. wide, 2 ft. deep, course NW.

70.30 Wash, 20 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 25, 26, 35 and 36, marked on brass cap,

T10N R12W	
S26	S25
—	
S35	S36
1915	

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, rocky with scanty loam, 3rd rate.

Undergrowth, greasewood, catclaw, palo verde and ocotillo.

No timber.

N. 89° 59' E., on a random line, bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect the E. bdy. of Tp., 5 lks. S. of the cor. of secs. 25, 30, 31 and 36, described in Book "A."

Thence,

S. 89° 57' W., on a true line, bet. secs. 25 and 36.

Over rolling land, thru. dense brush.

- 6.60 Gulch, 10 lks. wide, course NW.

20.90 Wash, 2 ft. deep, 8 lks. wide, course NE.

27.00 Gulch, 20 lks. wide, course NE.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 20 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 25
—
S 36
1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

40.60 Wash, 1 ft. deep, 8 lks. wide, course NW.

59.35 Gulch, 12 lks. wide, course NW.

64.50 Wash, 2 ft. deep, 10 lks. wide, course NW.

66.90 Wash, 2 ft. deep, 30 lks. wide, course NW.

An old wagon road follows this wash, NW. and SE.

70.40 Wash, 2 ft. deep, 20 lks. wide, course N.

72.40 Wash, 2 ft. deep, 12 lks. wide, course NW.

80.02 The cor. of secs. 25, 26, 35 and 36.

Land, rolling.

Soil, rocky, with scanty loam, 4th rate.

Undergrowth, scattering greasewood, palo verde and catclaw.

No timber.

N. 0° 16' W., bet. secs. 25 and 26.

Over rolling land, thru. dense brush.

1.60 Wash, 2 ft. deep, 40 lks. wide, course NW.

15.50 Wagon road brs. NW. and SE.

27.20 Wash, 2 ft. deep, 80 lks. wide, course NW.

36.00 Same wash, 50 lks. wide, course NE.


39.60 Wash, 2 ft. deep, 80 lks. wide, course NE.

40.00 True point for $\frac{1}{4}$ sec. cor. falls in wash and insecure ground, where a corner would soon be lost; therefore at

Subdivision of Township 10 North, Range 12 West. 3.


Chains.

41.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for W.C. to $\frac{1}{4}$ sec. cor., marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.


- 47.00 Wash, 2 ft. deep, 40 lks. wide, course NE.
- 54.80 Wash, 2 ft. deep, 25 lks. wide, course NE.
- 59.40 Road brs. NE and SW., extends NW. to Alamo and S. to Wenden.
- 61.80 Same road, brs. NW. and SE.
- 67.10 Same road brs. NE. and SW.
- 70.00 Wash, 2 ft. deep, 20 lks. wide, course NE.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked on brass cap,



and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.
Soil, sandy and rocky, 4th rate.
Undergrowth, dense greasewood, palo verde and cacti.
No timber.

-
- N. 89° 57' E., on a random line, bet. secs. 24 and 25.
 - 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 - 79.90 Intersect E. bdy. of Tp., 2 lks. N. of the cor. of secs. 19, 24, 25 and 30, described in Book "A."
 - Thence,
S. 89° 58' W., on a true line, bet. secs. 24 and 25.
Over rolling land, thru. dense brush.
 - 5.00 Gulch, 6 lks. wide, course NW.
 - 15.70 Gulch, 10 lks. wide, course NE.
 - 19.30 Gulch, 20 lks. wide, course NW.
 - 23.70 Gulch, 8 lks. wide, course NE.
 - 28.10 Gulch, 10 lks. wide, course NW.
 - 33.70 Gulch, 20 lks. wide, course N.
 - 37.20 Gulch, 12 lks. wide, course NW.
 - 39.95 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,



and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

- 42.30 Gulch, 6 lks. wide, course NW.
- 45.80 Gulch, 10 lks. wide, course NW.
- 60.30 Gulch, 10 lks. wide, course NW.
- 68.40 Wash, 25 lks. wide, 2 ft. deep, course NE.
- 72.00 Wash, 2 ft. deep, 60 lks. wide, course NW.
- 74.60 Wash, 2 ft. deep, 40 lks. wide, course NW.
- 76.80 Road brs. NW. and SE., extends NW. to Alamo and S. to Wenden.
- 78.10 Wash, 1 ft. deep, 12 lks. wide, course N.
- 79.90 The cor. of secs. 23, 24, 25 and 26.

4. Subdivision of Township 10 North, Range 12 West.

Chains.

Land, rolling and cut with shallow gulches.
Soil, rocky, 4th rate.
Undergrowth, dense greasewood, catclaw and palo verde.
No timber.

N.0°16' W., bet. secs.23 and 24.

Over gently rolling land, thru dense brush.

- 8.35 Wash, 2 ft. deep, 8 lks.wide, course NE.
14.00 Enter series of small washes, course NW.
18.50 Leave washes.
40.00 Set an iron post, 3 ft.long, 1 in.diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S23 | S24

1915

and raise a mound of stone 3 ft.base, 2 ft.high,W.of
cor.

- 56.80 Wash, 2 ft. deep, 18 lks.wide, course NE.
59.50 Enter series of small washes, course NE.
63.00 Leave washes.
67.80 Wash, 2 ft. deep, 90 lks.wide, course NE.
74.90 Wash, 2 ft. deep, 25 lks.wide, course NE.
80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in
the ground for cor.of secs. 13,14,23 and 24, marked
on brass cap,

T10N R12W
S14 | S13

S23 | S24
1915

and raise a mound of stone 3 ft. base, 2 ft. high,W.
of cor.

Land, gently rolling.
Soil, sandy and gravelly, 3rd rate.
Undergrowth, dense greasewood, palo verde and catclaw.
No timber.

N.89°58'E., on a random line, bet. secs.13 and 24.

- 40.00 Set temp. $\frac{1}{4}$ sec.cor.
79.94 Intersect E. bdy. of Tp., 18 lks.N.of the cor.of secs.13,
18,19 and 24, described in Book "A."

Thence,

N.89°54'W., on a true line, bet.secs.13 and 24.

- Over rolling land, through dense brush.
4.50 Wash, 2 ft.deep, 80 lks.wide, course N.
8.00 Wash, 2 ft. deep, 60 lks.wide, course N.
15.15 Enter series of small washes forming Bullard wash, course
NW.
17.15 Leave Bullard wash.
35.00 Enter more heavily rolling land, bearing NW and SE.Ascend.
36.50 Spur, slopes NW Descend.
39.97 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 13

S 24
1915


Dig pits 18x18x12 ins., E.and W.of cor., 3 ft. dist.,and
raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,N.of cor.

Subdivision of township 10 North, Range 12 West. 5.


Chains.

- 47.00 Wash, 2 ft. deep, 15 lks. wide, course N.
- 57.74 Wash, 1 ft. deep, 12 lks. wide, course NW.
- 60.20 Wash, 2 ft. deep, 20 lks. wide, course N.
- 63.10 Wash, 2 ft. deep, 30 lks. wide, course NW.
- 72.60 Wash, 2 ft. deep, 20 lks. wide, course N.
- 74.40 Road brs. NW. and SE., extends NW. to Alamo and S. to Wenden.
- 76.70 Wash, 2 ft. deep, 40 lks. wide, course N.
- 79.94 The cor. of secs. 13, 14, 23 and 24.
Land, rolling and broken.
Soil, on western 44.94 chs., coarse and gravelly, 3rd rate;
on eastern 35.00 chs., sandy loam, 2nd rate.
Undergrowth, dense greasewood, catclaw and palo verde.
No timber.

-
- N. 0° 16' W., bet. secs. 13 and 14.
Over rolling land, through dense brush.
 - 10.50 Wash, 10 lks. wide, 2 ft. deep, course NE.
 - 25.10 Wash, 2 ft. deep, 25 lks. wide, course NW.
 - 34.10 Wash, 1 ft. deep, 10 lks. wide, course NW.
 - 38.80 Wash, 2 ft. deep, 30 lks. wide, course NE.
 - 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,




- and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.
- 41.30 Same wash, course NW.
- 44.20 Same wash, course NE.
- 46.70 Same wash, 2 ft. deep, 55 lks. wide, course NW.
- 55.50 Wash, 2 ft. deep, 60 lks. wide, course NW.
- 57.80 Enter series of small washes, course NW. forming Bullard Wash.
- 63.20 Leave Bullard Wash.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 11, 12, 13 and 14, marked on brass cap,



Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.
Land, rolling.
Soil, sandy and gravelly, 2nd rate.
Undergrowth, dense greasewood, catclaw, palo verde & cactus.
No timber.

-
- S. 89° 54' E., on a random line, bet. secs. 12 and 13.
 - 40.00 Set temp. 1/4 sec. cor.
 - 79.94 Intersect E bdy. of Tp., 11 lks. S. of the cor. of secs. 7, 12, 13 and 18, described in Book "A."
Thence,
N. 89° 59' W., on a true line, bet. secs. 12 and 13.
Over gently rolling land, thru dense brush.
 - 39.97 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



6. Subdivision of Township 10 North, Range 12 West.

Chains.

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

50.70 Road brs. NW. and SE., extends NW to Alamo and S to Wenden.

63.70 Wash, 6 lks. wide, 1 ft. deep, course NW.

79.94 The cor. of secs. 11, 12, 13 and 14.

Land, gently rolling.
Soil, sandy loam, 2nd rate.
Undergrowth, greasewood and catclaw.
No timber.

N. 0° 16' W., bet. secs. 11 and 12.
Over gently rolling land, through dense brush.

9.00 Wash, 6 lks. wide, 1 ft. deep, course NW.

36.00 Wash, 8 lks. wide, 1 ft. deep, course NW.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 11 | S 12

1915

Dig pits 18x18x12 ins., N. and S. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

66.70 Road brs. NW. and SE., extends NW to Alamo and S. to Wenden.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, marked on brass cap,

TION R12W
S 2 | S 1

S 11 | S 12
1915

Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.
Land, gently rolling.
Soil, sandy loam, good, 1st rate.
Undergrowth, dense greasewood, catclaw and cacti.
No timber.

40.00 S. 89° 59' E., on a random line, bet. secs. 1 and 12.
Set temp. 1/4 sec. cor.

80.00 Intersect E bdy. of Tp., 4 lks. N. of the cor. of secs. 1, 6, 7 and 12, described in Book "A."

Thence,
N. 89° 57' W., on a true line, bet. secs. 1 and 12.
Over gently rolling land, thru. dense brush.

18.50 Wash, 6 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 1

S 12
1915

Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.00 The cor. of secs. 1, 2, 11 and 12.

Land, gently rolling.
Soil, sandy loam, good, 1st rate.

Subdivision of Township 10 North, Range 12 West. 7.

Chains.

Undergrowth, dense greasewood, and cactus.
No timber.

- 40.00 N.0°16' W., on a random line, bet. secs.1 and 2.
- Set temp. $\frac{1}{4}$ sec.cor.
- 90.02 Intersect N. bdy.of Tp., 9 lks.W.of the cor.of secs.1,2,35 and 36, described in Book "A."
- Thence,
- S.0° 12' E., on a true line, bet. secs.1 and 2.
- Over gently rolling land, thru.dense brush:
- 43.90 Wagon road brs.NW. and SE., extends NW. to Alamo and E. to Congress Junction.
- 46.60 Wash, 5 lks.wide, 1 ft. deep, course NW.
- 50.02 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 2 | S 1
 1915

- Dig pits 18x18x12 ins., N.and S.of cor., 3 ft. dist.,and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,W of cor.
- 50.30 Wash, 4 lks.wide, 1 ft. deep,course SW.from E.
- 64.50 Wash, 5 lks.wide, 1 ft. deep,course W.
- 90.02 The cor.of secs.1,2,11 and 12.
- Land, gently rolling.
- Soil, sandy loam, good,1st rate.
- Undergrowth, dense greasewood, cacti and ocotillo.
- No timber.

- From the cor.pf secs. 2,3,34 and 35 on S. bdy.of Tp., described in Book "A,"
- N.0° 16' W., bet. secs.34 and 35.
- Over rolling land,thru.dense brush.
- 8.90 Wash, 2 ft. deep,20 lks.wide, course NE.
- 13.50 Wash, 2 ft. deep,25 lks.wide, course NE.
- 22.80 Wash, 2 ft. deep, 15 lks.wide, course NE.
- 36.70 Gulch, 20 lks.wide, course SE.
- 40.00 Set an iron post, 3 ft.long, 1 in. in diam., 26 ins.in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S34 | S35
 1915

- and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.
- 47.10 Gulch,8 lks.wide, course NE.
- Enter broken land,brs.NE. and SW. Ascend.
- 49.30 Summit of spur, slopes E. Descend.
- 50.50 Gulch,30 lks.wide,course SE. Ascend 20 ft.
- 56.30 Gulch,8 lks.wide,course SW. Ascend 25 ft.
- 59.00 Descend N.slope,45 ft.
- 69.40 Gulch, 25 lks.wide, course NE. Ascend 22 ft.
- 72.50 Gulch, 8 lks.wide, course SE.
- 78.00 Descend NE.slope, 16 ft.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground, for cor.of secs.26,27,34 and 35, marked on brass cap,

T10N R12W
 S27 | S26
 S34 | S35
 1915

and raise a mound of stone, 3 ft. base, 2 ft. high,W.

8. Subdivision of Township 10 North, Range 12 West.

Chains.

of cor.
Land, rolling and broken.
Soil, sandy and gravelly, 2nd and 3rd rate.
Undergrowth, dense greasewood, palo verde, catclaw and
ocotillo.
No timber.

- 40.00 N.89°59' E., on a random line, bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.
80.10 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 25,
26, 35 and 36.
Thence,
West, on a true line, bet. secs. 26 and 35.
Over rolling land, thru. dense brush.
3.00 Wash, 2 ft. deep, 70 lks. wide, course NW.
4.25 Wash, 2 ft. deep, 10 lks. wide, course NW.
15.10 Enter series of washes, course NE.
21.50 Leave washes.
23.50 Road brs. NE. and SW., extends NW. to Alamo and S. to Wenden.
25.00 Old wagon road, brs. NW. and SE. extends NW. to Alamo and
S. to Wenden.
38.00 Gulch, 20 lks. wide, course NE. Ascend 25 ft.
40.05 Set an iron post 3 ft. long, 1 in. in diam., 6 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
brass cap,

$\frac{1}{4}$ S 26

S 35
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of
cor.

- 46.00 Top of spur, slopes NE. Descend 22 ft.
Gulch, 8 lks. wide, course NE.
51.30 Gulch, 10 lks. wide, course NE. Ascend 20 ft.
53.60 Top of spur, slopes NE. Descend 45 ft.
58.90 Enter gulch, course NE. Thence up same.
63.60 Leave gulch, from SW. Ascend 35 ft.
80.10 The cor. of secs. 26, 27, 34 and 35.
Land, rolling.
Soil, rocky, with scanty loam, 4th rate.
Undergrowth, dense greasewood, palo verde, catclaw and
ocotillo.
No timber.

- N.0°16' W., bet. secs. 26 and 27.
Over broken land, thru. dense brush.
Descend 25 ft., over NE. slope.
5.00 Gulch, 60 lks. wide, course SE.
Ascend 75 ft. to
15.50 Top of ridge, brs. NE. and SW.
Descend 75 ft. to
19.90 Gulch, 20 lks. wide, course E. Ascend 40 ft.
24.00 Spur, slopes E., descend 50 ft.
28.20 Gulch, 15 lks. wide, course NE. Ascend 30 ft.
35.00 Gulch, 6 lks. wide, course E. Continue ascent.
38.35 Spur, slopes E. Descend 25 ft.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 27 | S 26


1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of
cor.

Subdivision of Township 10 North, Range 12 West. 9

Chains.

- 40.60 Gulch, 7 lks.wide, course SE. Ascend 20 ft.
- 46.28 Spur, slopes SE. Descend 70 ft.
- 46.92 Gulch, 20 lks.wide, course NE. Ascend 12 ft.
- 50.55 Spur slopes SE. Descend 15 ft.
- 53.00 Gulch, 6 lks.wide, course SE. Ascend 6 ft.
- 55.90 Spur, slopes SE. Descend 50 ft.
- 62.65 Gulch, 40 lks.wide, course SE.
Ascend 30 ft.
- 68.35 Spur, slopes NE. Descend 60 ft. to cor.
- 77.20 Gulch, 20 lks.wide, course NE. Ascend.
- 79.80 Top of low spur, slopes E. Descend.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in
the ground, for cor.of secs.22,23,26 and 27, marked on
brass cap,



and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.

Land, heavily rolling and broken.
Soil, rocky, with scanty loam, 4th rate.
Undergrowth, dense greasewood, catclaw, palo verde and
ocotillo.
No timber.

- East, on a random line, bet. secs.23 and 26.
- 40.00 Set temp. 1/4 sec.cor.
- 80.22 Intersect N.and S. line, 20 lks.S.of the cor.of secs.23,
24, 25 and 26.
- Thence,
S.89°51' W., on a true line, bet. secs. 23 and 26.
- Over rolling land, thru.dense brush.
- 3.80 Wash, 2 ft. deep, 30 lks.wide, course N.
- 12.00 Wash, 2 ft. deep, 30 lks.wide, course N.
- 21.42 Wash, 2 ft. deep, 20 lks.wide, course N.
- 26.50 Road brs.NE. and SW.; extends NW.to Alamo and S. to Wenden.
- 28.10 Wash, 2 ft.deep, 40 lks.wide, course NW.
- 39.20 Gulch, 12 lks.wide, course SE.
- Enter broken land, bearing SE. and NW.
- 40.11 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in
the ground, for 1/4 sec.cor., marked on brass cap,

1/4 S 23

S 26
1915

and raise a mound of stone 3 ft.base, 2 ft.high,N.of cor.

- 45.10 Gulch, 80 lks.wide, course NE.
Ascend 40 ft.to
- 55.25 Top of spur, slopes NE. Descend.
- 67.90 Gulch, 50 lks.wide, course NW. Ascend 25 ft.
- 72.00 Top of spur, slopes N. Descend.
- 76.00 Wash, 40 lks.wide, course NE. Ascend 66 ft.
- 80.22 The cor.of secs. 22,23, 26 and 27.
Land, rolling and broken.
Soil, sandy loam and rocky, 2nd and 4th rate.
Undergrowth, dense greasewood, catclaw and palo verde.
No timber.

N.0°16' W., bet. secs.22 and 23.
Over broken land, thru.dense brush; descend 16 ft.

10. Subdivision of Township 10 North, Range 12 West.

- Chains.
- 1.58 Gulch, 6 lks.wide, course SE.
Ascend 15 ft.
- 3.00 Spur, slopes E., descend 30 ft.
- 3.90 Gulch, 8 lks.wide, course E. Ascend.
- 8.00 Spur, slopes NE. Descend 70 ft.
- 21.10 Gulch, 40 lks.wide, course NE. Ascend 32 ft.
- 23.95 Gulch, 15 lks.wide, course E.
- 33.43 Spur, slopes NE. Descend 25 ft.
- 35.80 Gulch, 12 lks.wide, course NE. Ascend 12 ft.
- 40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S22 | S23

1915

and raise a mound of stone, 3 ft.base, 2 ft.high,W.of
cor.

- 40.50 Spur, slopes E. Descend 50 ft.
- 48.70 Gulch, 40 lks.wide, course NE. Ascend 20 ft.
- 56.12 Wash, 8 lks.wide, course NE.
- 58.00 Spur, slopes NE. Descend 50 ft.
- 64.93 Gulch, 12 lks.wide, course NE. Ascend 12 ft.
- 70.30 Spur, slopes NE.
Descend 80 ft.
- 73.00 Gulch, course NE. Ascend 40 ft.
- 77.60 Spur, slopes NE. Descend.
- 80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 24 ins. in
the ground, for cor.of secs. 14,15,22 and 23, marked
on brass cap,

TION R12W

S15 | S14

S22 | S23

1915

and raise a mound of stone 3 ft.base, 2 ft.high,W.of
cor.

Land, broken and rolling.
Soil, rocky with scanty loam, 4th rate.
Undergrowth, dense greasewood, catclaw and palo verde.
No timber.

- N.89°51'E., on a random line, bet. secs.14 and 23.
- 40.00 Set temp. $\frac{1}{4}$ sec.cor.
- 80.24 Intersect N.and S. line, 2 lks.S.of the cor.of secs.13,14,
23 and 24.
- Thence,
S.89°50'W., on a true line, bet. secs.14 and 23.
Over rolling land, thru.dense brush.
- 10.24 Wash, 2 ft. deep,25 lks.wide, course NE.
- 13.60 Wash, 2 ft. deep,20 lks.wide, course N.
- 16.30 Wash, 2 ft. deep, 10 lks.wide, course NW.
- 19.80 Wash, 2 ft. deep, 12 lks.wide, course NW.
- 25.00 Old wagon road, brs.NW. and SE. Extends NW to Alamo and S.
to Wenden.
- 25.70 Wash, 2 ft. deep,15 lks.wide, course NW.
- 30.05 Wash, 2 ft. deep,20 lks.wide, course NW.
- 32.30 Wash, 2 ft. deep, 12 lks.wide, course NE.
- 35.60 Wash,20 lks.wide, 1 ft. deep, course NE.
- 40.12 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 14

S 23

1915

and raise a mound of stone, 2 ft.base, 1 $\frac{1}{2}$ ft. high,N.
of cor.

Subdivision of Township 10 North, Range 12 West. 11.

Chains.

- 46.80 Wash, 3 ft. deep, 40 lks. wide, course NE.
- 64.50 Wash, 2 ft. deep, 30 lks. wide, course NW.
Enter broken land, bearing NW. and SE. Ascend 50 ft.
- 70.00 Top of ridge, brs. N. and S. Descend.
- 74.50 Gulch, 12 lks. wide, course N.
- 77.90 Gulch, 6 lks. wide, course NE.
- 80.24 The cor. of secs. 14, 15, 22 and 23.
Land, rolling and broken.
Soil, in rolling land, sandy loam, 2nd rate; in broken land, rocky, with scanty loam, 4th rate.
Undergrowth, dense greasewood, palo verde and catclaw.
No timber.


N. 0° 16' W., bet. secs. 14 and 15.

- Over rolling land, thru dense brush.
- 2.70 Wash, 2 ft. deep, 75 lks. wide, course NE. Ascend 30 ft.
- 16.50 Spur, slopes NE. Descend 40 ft.
- 22.65 Gulch, 15 lks. wide, course NE. Ascend slightly.
- 26.35 Spur, slopes NE. Descend.
- 27.75 Gulch, 5 lks. wide, course NE. Ascend 55 ft.
- 31.40 Top of spur, slopes NE. Descend 55 ft.
- 39.92 Gulch, 4 lks. wide, course NE. Ascend 55 ft.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for sec. cor., marked on brass cap,
S15 | S14

1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

- 53.50 Top of low spur, slopes NE. Descend 70 ft. on NW. slope.
- 54.95 Gulch, 5 lks. wide, course NE. Ascend.
- 70.10 Top of low spur, slopes NW. from SW. Descend 55 ft.
- 76.90 Wash, 6 lks. wide, course NE. Ascend.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for the cor. of secs. 10, 11, 14 and 15, marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, rolling.
Soil, sandy and gravelly, 4th rate.
Undergrowth, dense greasewood, catclaw and palo verde.
No timber.

N. 89° 50' E., on a random line, bet. secs. 11 and 14.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.16 Intersect the cor. of secs. 11, 12, 13 and 14.
Thence,
S. 89° 50' W. on a true line, bet. secs. 11 and 14.
- Over gently rolling land, through dense brush.
- 2.70 Wash, 10 lks. wide, 1 ft. deep, course NW. Thence across washes forming Bullard Wash,
- 13.20 Wash, 3 ft. deep, 90 lks. wide, course NW.
- 25.55 Wash, 2 ft. deep, 50 lks. wide, course NW.
- 28.00 Wash, 2 ft. deep, 50 lks. wide, course NW.
- 37.55 Wash, 2 ft. deep, 70 lks. wide, course NW. Leave Bullard wash.
- 40.08 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

12. Subdivision of Township 10 North, Range 12 West.

Chains.

1/4 S 11

S 14
1915

and raise a mound of stone 2 ft. base, 1 1/2 ft. high, N. of cor.

53.30 Wash, 2 ft. deep, 135 lks. wide, course NW. Old wagon road in same, brs. NW. and SE. Extends NW. to Alamo and S to Wenden.

54.50 Wash, 2 ft. deep, 12 lks. wide, course NW.

56.90 Wash, 2 ft. deep, 18 lks. wide, course NW.

61.70 Wash, 2 ft. deep, 15 lks. wide, course NW.

65.30 Old wagon road brs. NW. and SE.

69.30 Wash, 6 lks. wide, 1 ft. deep, course NE.

73.00 Foot of ascent, brs. NW. and SE. Ascend 49 ft.

77.50 Top of ascent, brs. NE. and SW. Descend.

80.16 The cor. of secs. 10, 11, 14 and 15.

Land, rolling.

Soil, sandy loam, good, 2nd rate.

Undergrowth, dense greasewood, palo verde and catclaw.

No timber.

N. 0° 16' W., bet. secs. 10 and 11.

Over broken land, thru. dense brush.

5.50 Gulch, 4 lks. wide, course NE.

15.25 Gulch, 8 lks. wide, course NE.

23.55 Gulch, 5 lks. wide, course NE.

35.00 Enter gently rolling and gravelly land, brs. NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 10 | S 11

1915

and raise a mound of stone 2 ft. base, 1 1/2 ft. high, W. of cor.

42.30 Road brs. NW. and SE. Extends NW. to Alamo and S. to Wenden.

50.00 Wash, 3 ft. deep, 240 lks. wide, course NW. Thence across series of washes, as follows: all of which form bed of Bullard Wash.

54.50 Wash, 10 lks. wide, 1 ft. deep, course NW.

64.45 Wash, 2 ft. deep, 8 lks. wide, course NW.

70.75 Wash, 2 ft. deep, 20 lks. wide, course NW.

74.70 Wash, 2 ft. deep, 60 lks. wide, course NW. Leave bed of Bullard wash.

76.80 Wash, 2 ft. deep, 12 lks. wide, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 2, 3, 10 and 11, marked on brass cap,

T10N R12W

S 3 | S 2

S 10 | S 11

1915

Dig pits 18x18x12 ins., in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sandy and gravelly, 2nd and 3rd rate.

Undergrowth, dense greasewood, palo verde and catclaw.


No timber.

N. 89° 50' E., on a random line, bet. secs. 2 and 11.

40.00 Set temp. 1/4 sec. cor.

Subdivision of Township 10 North, Range 12 West. 13.


Chains.
 80.04 Intersect N. and S. line, 14 lks. N. of the cor. of secs. 1, 2, 11 and 12.
 Thence
 S. 89°56' W., on a true line, bet. secs. 2 and 11.
 Over gently rolling land, through dense brush.
 4.90 Road brs. NW. and SE. Extends NW. to Alamo and S. to Wenden.
 40.02 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



Dig pits 18x18x12 ins., E. and W. of cor., 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

77.10 Wash, 2 ft. deep, 12 lks. wide, course NW.
 80.04 The cor. of secs. 2, 3, 10 and 11.
 Land, gently rolling.
 Soil, sandy loam, good, 2nd rate.
 Undergrowth, dense greasewood and catclaw.
 No timber.

 N. 0°12' W., on a random line, bet. secs. 2 and 3.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 90.38 Intersect N. bdy. of Tp., 11 lks. E. of the cor. of secs. 2, 3, 34 and 35, described in book "A."
 Thence,
 S. 0°17' E., on a true line, bet. secs. 2 and 3.
 Over gently rolling land, thru. low dense brush.
 30.80 Wash, 2 ft. deep, 4 lks. wide, course SW.
 45.80 Wash, 2 ft. deep, 12 lks. wide, course NW.
 50.38 Point for $\frac{1}{4}$ sec. cor., falls in a wash 2 ft. deep, 10 lks. wide, course NW., and on insecure ground; therefore, at
 50.53 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for W.C. to $\frac{1}{4}$ sec. cor., marked on brass cap,



Dig pits 18x18x12 ins., N. and S. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

84.20 Wash, 2 ft. deep, 6 lks. wide, course NW.
 87.50 Wash, 2 ft. deep, 10 lks. wide, course NW.
 90.38 The cor. of secs. 2, 3, 10 and 11.
 Land, gently rolling.
 Soil, sandy loam, good, 2nd rate.
 Undergrowth, dense greasewood and catclaw.
 No timber.

 From the cor. of secs. 3, 4, 33 and 34 on S. bdy. of Tp., described in Book "A,"
 N. 0°17' W., bet. secs. 33 and 34.
 Over heavily rolling land, thru. scattering brush.
 Descend 32 ft.
 2.48 Gulch, 8 lks. wide, course SE.
 10.78 Gulch, 10 lks. wide, course SE.
 18.71 Gulch, 8 lks. wide, course E. Ascend 45 ft.
 26.92 Ridge, brs. NE. and SW. Descend 35 ft.
 30.30 Gulch, 20 lks. wide, course NE. Ascend 20 ft.

14. Subdivision of Township 10 North, Range 12 West.

chains.

- 36.40 Spur, slopes NE. Descend 5 ft.
- 39.80 Wash, 5 lks.wide, course NE. Thence along E. slope.
- 40.00 Set an iron post 3 ft.long, 1 in. indiam., 26 ins. in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

S33 | S34

1915

and raise a mound of stone 3 ft.base, 2 ft.high, W. of cor.

- 41.70 Gulch, 12 lks.wide, course E. Ascend 30 ft.
- 45.70 Spur, slopes SE. Descend 50 ft.
- 51.75 Gulch, 10 lks.wide, course SE. Ascend 50 ft.
- 55.95 Spur, slopes E. Descend 40 ft.
- 59.15 Gulch, 12 lks.wide, course NE. Ascend 25 ft.
- 61.50 Descend 30 ft.
- 67.50 Gulch, 15 lks.wide, course NE.
- 72.55 Gulch, 30 lks.wide, course NE.
- 75.25 Gulch, 10 lks.wide, course SE.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap,

T10N R12W
S28 | S27

S33 | S34
1915

and raise a mound of stone 3 ft.base, 2 ft.high, W. of cor.

Land, heavily rolling or mountainous.
Soil, rocky, with scanty loam, 4th rate.
Undergrowth, dense greasewood, catclaw, palo verde and cacti.
No timber.

- 40.00 N.89° 59' E., on a random line, bet. secs. 27 and 34. Set temp. $\frac{1}{4}$ sec.cor.
- 79.94 Intersect N. and S. line, 5 lks. S. of the cor. of secs. 26, 27, 34 and 35.

Thence,
S.89°57' W, on a true line, bet. secs. 27 and 34.
Over broken, or mountainous land, thru dense brush.
Ascend 15 ft.

- 1.70 Spur, slopes NE. Descend 20 ft.
- 5.00 Gulch, 30 lks.wide, course NE.
- 18.20 Gulch, 20 lks.wide, course NE. Ascend 70 ft.
- 30.00 Spur, slopes NE. Descend 25 ft.
- 39.97 Set an iron post 3 ft.long, 1 in. indiam., 26 ins. in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

S 27

S 34
1915

and raise a mound of stone 3 ft.base, 2 ft.high, N. of cor.

Descend 35 ft.

- 45.00 Enter gulch, course NE. from W.
- 50.00 Leave same from NW. Ascend 100 ft.
- 63.00 Spur, slopes SE. Descend 25 ft.
- 70.80 Enter wash, course SE.
- 74.70 Leave same, and ascend 25 ft.
- 79.94 The cor. of secs. 27, 28, 33 and 34.
Land, mountainous.
Soil, rocky, 4th rate.

Subdivision of Township 10 North, Range 12 West. 15.

Chains.

Undergrowth, dense greasewood, catclaw, palo verde and ocotillo.
No timber.

- .75 Gulch, 8 lks.wide, course NE.
- 2.80 Gulch, 25 lks.wide, course SE. Ascend 52 ft.
- 7.00 Spur, slopes SE. Descend 30 ft.
- 9.56 Gulch, 12 lks.wide, course E. Ascend 52 ft.
- 13.90 Spur, slopes SE. Continue ascent.
- 18.40 Ridge, brs.NE and SW. Descend NW. slope, 90 ft.
- 25.00 Gulch, 20 lks.wide, course NE. Ascend SE. slope, 70 ft.
- 31.55 Spur, slopes E. Descend 35 ft.
- 32.14 Gulch, 8 lks.wide, course E. Ascend 125 ft.
- 37.50 Spur, slopes E. Descend 40 ft.
- 40.00 Set an iron post 3 ft.long, 1 in. in diam., 14 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S28 | S27

1915.

and raise a mound of stone 3 ft.base, 2 ft. high,W.of cor. Descend 85 ft.to

- 48.00 Gulch, 60 lks.wide, course SE. Ascend 50 ft.
- 52.85 Spur, slopes SE. Descend 15 ft.
- 55.00 Head of gulch, 15 ft. deep, course NE. Ascend 15 ft.
- 57.30 Ridge, brs.NE and SW. Descend NW slope, 70 ft.
- 61.75 Gulch, 10 lks.wide, course NE. Ascend.
- 68.10 Spur, slopes NE. Descend 50 ft.
- 71.10 Gulch, 10 lks.wide, course NE.
- 76.25 Ridge, brs.NE and SW. Descend 30 ft.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., on bedrock, in a mound of stone, for cor.of secs.21,22,27 and 28, marked on brass cap,

T10N R12W

S21 | S22

S28. | S27

1915

and raise a mound of stone, 3 ft.base, 2 ft.high,W.of cor.

Land, mountainous.
Soil, rocky, with scanty loam, 4th rate.
Undergrowth, dense greasewood, palo verde, catclaw and ocotillo.
No timber.

- 40.00 N.89°57'E., on a random line, bet. secs.22 and 27. Set temp. $\frac{1}{4}$ sec.cor.
- 79.80 Intersect N.and S. line, 9 lks. N.of the cor.of secs.22,23, 26 and 27.
Thence,
N.89°59'W.,on a true line, bet. secs. 22 and 27.
Over mountainous land, not very rough, thru.dense brush. Ascend 35 ft. on S. slope.
- 11.40 Ridge, brs.NE and SW. Descend 40 ft.
- 15.00 Gulch, 40,lks.wide, course NE. Ascend 50 ft.
- 19.15 Spur, slopes NE. Descend.
- 22.00 Enter gulch, course NE.
- 24.50 Leave same from SW. Ascend 65 ft.
- 32.40 Spur, slopes NE. Descend 20 ft.

16. Subdivision of Township 10 North, Range 12 West.

Chains.

- 35.70 Wash, 8 lks.wide, course NE. Ascend 40 ft.
 38.50 Ridge, brs.NE. and SW. Descend.
 39.90 Set an iron post 3 ft.long, 1 in. indiam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

 $\frac{1}{4}$ S 22S 27
1915

and raise a mound of stone 3 ft.base, 2 ft.high, N1 of
 cor.

- 42.50 Gulch, 8 lks.wide, course NE. Ascend 30 ft.
 44.05 Ridge, brs. N. and S. Descend 45.ft.to
 47.55 Gulch, 5 lks.wide, course NW. Ascend slightly.
 48.50 Spur, slopes N. Descend.
 51.45 Gulch, 70 lks.wide, course NE. Ascend 30ft.
 53.45 Spur, slopes NE. Descend 15 ft.
 54.95 Gulch, 12 lks.wide, course NE. Ascend 50 ft.
 60.90 Ridge, brs.NE and SW. Descend.
 62.40 Gulch, 5 lks.wide, course N. Ascend.
 64.35 Spur, slopes NW. Descend.
 67.20 Gulch, 15 lks.wide, course NW. Ascend 40 ft.
 70.50 Spur, slopes N. Descend.
 72.40 Gulch, 12 lks.wide, course N. Ascend 55 ft.
 76.45 Spur, slopes NE. Descend 30 ft.
 79.80 The cor.of secs.21,22,27 and 28.
 Land, mountainous.
 Soil, rocky, with scanty loam, 4th rate.
 Undergrowth, dense greasewood, palo verde and catclaw.
 No timber.

N.0°17'W., bet. secs.21 and 22.

Over rolling, mountainous land, not very rough, thru.dense
 brush.

- .30 Wash, 10 lks.wide, course NE. Ascend 50 ft.
 7.15 Spur, slopes NE. Descend 90 ft.
 16.75 Gulch, 6 lks.wide, course NE. Ascend.
 19.85 Spur, slopes NE. Descend 50 ft.
 23.90 Gulch, 15 lks.wide, course NE. Ascend 50 ft.
 34.80 Spur, slopes NE. Descend 20 ft.
 40.00 Set an iron post 3 ft.long, 1 in.indiam., 12 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec.cor., marked on
 brass cap,

 $\frac{1}{4}$ S21 | S22

1915

and raise a mound of stone 3 ft.base, 2 ft.high, W.of
 cor.

- 49.00 Descend 70 ft. over NE. slope.
 54.90 Gulch, 10 lks.wide, course NW. Ascend 50 ft.
 73.40 Spur, slopes W. Descend 50 ft.
 77.00 Gulch, 10 lks.wide, course NE. Ascend 10 ft.
 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in
 the ground, for cor.of secs.15,16,21 and 22, marked
 on brass cap,

T10N R12W
S16 | S15S21 | S22
1915

and raise a mound of stone, 3 ft.base, 2 ft.high, W.of
 cor.

Land, rolling, mountainous, not very rough.

Subdivision of Township 10 North, Range 12 West. 17.

Chains.

Soil, rocky, with scanty loam, 4th rate.
Undergrowth, dense greasewood, palo verde, catclaw, and
ocotillo and cacti.
No timber.

- 40.00 S. 89° 59' E. on a random line, bet. secs. 15 and 22.
- 79.86 Set temp. $\frac{1}{4}$ sec. cor.
- Intersect N. and S. line, 2 lks. S. of the cor. of secs. 14, 15, 22 and 23.
- Thence,
- West, on a true line, bet. secs. 15 and 22.
- Over rolling, mountainous land, not very rough, through dense brush.
- 3.10 Gulch, 10 lks. wide, course NE. Ascend 50 ft.
- 8.20 Spur, slopes NE. Descend.
- 9.70 Gulch, course NE. 8 lks. wide.
- 20.60 Gulch, 6 lks. wide, course N.
- 21.60 Enter wash, course NW., thence down same to
- 31.90 Main channel of wash, 2 ft. deep, 40 lks. wide, course NE., from W.
- 37.15 Leave wash, course E. from S. Enter rolling land, bearing N. and S.
- 39.95 Set an iron post 3 ft. long, 1 in. in diam., 16 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 15

S 22
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

- 40.05 Gulch, 10 lks. wide, course NE. Ascend 40 ft.
- 42.60 Spur, slopes N. Descend 25 ft.
- 44.75 Gulch, 6 lks. wide, course NE. Ascend.
- 46.65 Spur, slopes N. Descend 55 ft.
- 51.40 Gulch, 20 lks. wide, course NE. Ascend 60 ft.
- 56.25 Ridge, brs. NE and SW. Descend 50 ft.
- 64.25 Gulch, 20 lks. wide, course NE. Ascend.
- 67.25 Spur, slopes NE. Descend.
- 73.00 Gulch, 6 lks. wide, course N. Ascend 14 ft.
- 79.86 The cor. of secs. 15, 16, 21 and 22.
- Land, rolling and mountainous, not very rough.
- Soil, rocky, with scanty loam, 4th rate.
- Undergrowth, greasewood, palo verde, ocotillo and cacti.
- No timber.

- N. 0° 17' W., bet. secs. 15 and 16.
- Over rolling land, not very rough, thru. dense brush.
- Descend NW. slope, 50 ft.
- 9.50 Wash, 3 ft. deep, 240 lks. wide, course E. Ascend 30 ft.
- 15.00 Spur, slopes NE. Descend 35 ft.
- 27.00 Gulch, 20 lks. wide, course NE. Ascend.
- 29.05 Spur, slopes NE. Descend 25 ft.
- 35.10 Gulch, 35 lks. wide, course NE. Ascend 15 ft.
- 39.20 Top of ascent; descend 30 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 16 | S 15

1915

and raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

- 52.40 Spur, slopes NE.

18 Subdivision of Township 10 North, Range 12 West.

Chains.

- 56.70 Spur, slopes NE.
 61.25 Wash, 2 ft. deep, 40 lks. wide, course NE.
 74.40 Enter same wash, course N. from SE. Thence down wash.
 77.70 Leave wash, course NW. from S. 2 ins. in diam., 22 ins. in
 78.05 Set an iron post 3 ft. long, 2 in. in diam., 24 ins. in the
 ground, for witness cor. to cor. of secs. 9, 10, 15 and 16,
 marked on brass cap,

T10N R12W

S 9 | S10

W C

S16 | S15

1915

S16 | S15

1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of
 cor.

- 80.00 Point for cor. of secs. 9, 10, 15 and 16 falls in same wash,
 course NE., where a cor. would be almost certain of de-
 struction by water.
 Land, rolling, not very rough.
 Soil, rocky and gravelly, 4th rate.
 Undergrowth, dense greasewood, palo verde, ocotillo and
 cacti.
 No timber.

 From the true point for cor. of secs. 9, 10, 15 and 16.
 East, on a random line, bet. secs. 10 and 15.

- 46.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.84 Intersect the cor. of secs. 10, 11, 14 and 15.
 Thence,
 West, on a true line, bet. secs. 10 and 15.
 Over rolling, rocky land, thru. dense brush.
 8.30 Wash, 2 ft. deep, 50 lks. wide, course NE.
 12.20 Wash, 2 ft. deep, 20 lks. wide, course NW.
 37.25 Wash, 2 ft. deep, 12 lks. wide, course N.
 39.92 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

 $\frac{1}{4}$ S 10

S 15

1915

and raise a mound of stone, 3 ft. base, 2 ft. high, N. of
 cor.

- 47.00 Wash, 2 ft. deep, 25 lks. wide, course NE.
 49.40 Wash, 6 lks. wide, 1 ft. deep, course NE. Ascend 50 ft.
 54.35 Spur, slopes NE. Descend 50 ft.
 63.00 Gulch, 20 lks. wide, course N.
 65.20 Gulch, 10 lks. wide, course NE.
 76.60 Gulch, 10 lks. wide, course NE.
 79.80 Enter wash, course NE.
 79.84 The true point for cor. of secs. 9, 10, 15 and 16, in wash.
 Land, rolling.
 Soil, gravelly and rocky, 3rd rate.
 Undergrowth, greasewood, palo verde and ocotillo.
 No timber.

 From the true point for cor. of secs. 9, 10, 15 and 16,
 N. $0^{\circ}17'W.$, bet. secs. 9 and 10.

- Over heavily rolling land, thru. dense brush.
 Descend in wash, course NE.
 2.10 Leave wash, course NE.
 14.30 Wash, 2 ft. deep, 20 lks. wide, course NE.
 16.10 Wash, 2 ft. deep, 30 lks. wide, course NE.

Subdivision of Township 10 North, Range 12 West, 19.

Chains.

40.00 Set an iron post 3 ft. long, 1 in. indiam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 9 | S 10

1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

41.40 Ascend 25 ft.
45.00 Spur, slopes E., from knoll 5 chs. west. Descend 40 ft.

55.00 Foot of knoll, brs. NW. and SE.
65.70 Wash, 2 ft. deep, 25 lks. wide, course NE.
74.40 Same wash, 2 ft. deep, 25 lks. wide, course NW.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap,

T10N R12W
S 4 | S 3

S 9 | S 10
1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, rolling.
Soil, rocky and gravelly, 3rd rate.
Undergrowth, dense greasewood, catclaw and palo verde.
No timber.

East, on a random line, bet. secs. 3 and 10.

40.00 Set temp. 1/4 sec. cor.
79.90 Intersect N. and S. line, 7 lks. N. of the cor. of secs. 2, 3, 10 and 11.

Thence,
N. 89° 57' W., on a true line, bet. secs. 3 and 10.
Over gently rolling land, thru scattering brush.
Across series of washes, as follows, forming Bullard Wash:

7.10 Wash, 2 ft. deep, 170 lks. wide, course NW.
11.50 Wash, 2 ft. deep, 20 lks. wide, course NW.
18.60 Wash, 2 ft. deep, 90 lks. wide, course NW.
24.50 Wash, 2 ft. deep, 12 lks. wide, course NW.
30.10 Wash, 2 ft. deep, 30 lks. wide, course NW. Leave Bullard wash.

35.10 Wash, 2 ft. deep, 10 lks. wide, course N.
39.95 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 3

S 10
1915

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

49.20 Wash, 2 ft. deep, 6 lks. wide, course NW.
56.00 Wash, 2 ft. deep, 8 lks. wide, course NW.
63.30 Wagon road brs. NW. and SE. Extends NW. to Alamo and S. to Wenden.
67.20 Wash, 2 ft. deep, 12 lks. wide, course NW.
69.90 Wash, 2 ft. deep, 15 lks. wide, course NW.
77.00 Wash, 8 lks. wide, 1 ft. deep, course N.
79.90 The cor. of secs. 3, 4, 9 and 10.

Land, gently rolling.
Soil, sandy loam, good, 2nd rate.
Undergrowth, dense greasewood, palo verde and catclaw.
No timber.

20 Subdivision of Township 10 North, Range 12 West.

Chains

- N.0° 18' W., on a random line, bet. secs.3 and 4.
- 40.00 Set temp. $\frac{1}{4}$ sec.cor.
- 90.35 Intersect N. bdy.of Tp., 5 lks.W.of the cor.of secs.3,4, 33 and 34, described in Book "A."
- Thence,
- S.0°16' E., on a true line, bet. secs.3 and 4.
- Over rolling land, through dense brush.
- Across series of washes, as follows, forming Bullard wash:
- 17.40 Wash, 2 ft. deep, 15 lks.wide, course NW.
- 28.75 Wash, 2 ft. deep, 35 lks.wide, course NW.
- 36.10 Wash, 2 ft. deep, 40 lks.wide, course NW.
- 45.30 Wash, 2 ft. deep, 35 lks.wide, course NW.
- 47.00 Wash, 2 ft. deep, 20 lks.wide, course NW. Leave Bullard wash.
- 50.35 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 4 | S 3

1915

and raise a mound of stone, 3 ft.base, 2 ft.high,W.of cor.

- 56.70 Wash, 2 ft. deep, 15 lks.wide, course NW.
- 61.60 Wash, 2 ft. deep, 35 lks.wide, course NW.
- 75.50 Wagon road brs.NW. and SE. Extends NW to Alamo and S. to Wenden.
- 79.80 Wash, 2 ft. deep, 60 lks.wide, course NE.
- 90.35 The cor.of secs.3,4,9 and 10.
- Land, rolling.
- Soil, sandy and gravelly, 2nd rate.
- Undergrowth, greasewood, catclaw. and palo verde.
- No timber.

H.N.B.

J.G.C.

From the cor.of secs.4,5,32 and 33, on S. bdy.of Tp., described in Book "A,"

N.0°17'W., bet. secs.32 and 33.

Over mountainous land, through scattering brush. Ascend 160 ft.

- 10.65 Top of ridge, brs.E and W.
- Descend over broken NE. slope, 375 ft.
- 40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S32 | S33

1915

and raise a mound of stone, 2 ft.base, 1 $\frac{1}{2}$ ft. high,W.of cor.

Descend 30 ft.

- 41.20 Wash, 60 lks.wide, course E. Ascend 210 ft.
- 52.15 Spur, slopes E. Descend 130 ft.
- 62.70 Head of wash, course NE. Ascend.
- 64.20 Spur, slopes E. Descend 50 ft.
- 68.20 Wash, 15 lks.wide, course E. Ascend 100 ft.
- 77.00 Spur, slopes E. Descend 30 ft.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground for cor.of secs.28,29,32 and 33, marked on brass cap,

T10N R12W
S29 | S28

S32 | S33

1914

and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor. Land, mountainous.

Soil, rocky, 3rd and 4th rate.

Subdivision of Township 10 North Range 12 West 21

Chains. Undergrowth, scattering greasewood, palo verde, catclaw and cactus. No timber.

 N.89°59'E., on a random line, bet. secs. 28 and 33.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.04 Intersect N. and S. line, 25 lks. N. of the cor. of secs. 27, 28, 33 and 34. Thence,
 N.89°50'W., on a true line, bet. secs. 28 and 33.
 Over mountainous land, thru. scattering brush. Asc. 275 ft.
 35.70 Spur, slopes NE. Descend 50 ft. to
 40.02 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground, on bedrock, and raise a mound of stone and earth around cor. 2 ft. base, 8 ins. high, for $\frac{1}{4}$ sec. cor., marked on brass cap,

S 28
 S 33
 1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.
 Descend 75 ft.
 44.90 Gulch, course NE. Ascend 130 ft.
 60.70 Spur, slopes SE. Descend 70 ft.
 71.90 Gulch, course SE. Ascend 70 ft.
 80.04 The cor. of secs. 28, 29, 32 and 33.
 Land, mountainous. Soil, rocky with scanty loam, 4th rate.
 Undergrowth, scattering palo verde, greasewood, catclaw and cactus. No timber.

 N.0°17' W., bet. secs. 28 and 29.
 Over mountainous & rolling land, thru. scattering brush.
 Descend 50 ft.
 3.25 Wash, 15 lks. wide, course E. Ascend 80 ft.
 6.60 Spur, slopes E. Descend 65 ft. on NE. slope.
 17.70 Gulch, 30 lks. wide, course SE. Ascend 125 ft.
 22.50 Spur, slopes E. Descend 70 ft.
 26.90 Head of gulch, course E. Ascend 20 ft.
 30.90 Spur, slopes NE. Descend 80 ft.
 37.00 Wash, 10 lks. wide, course NE.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground on bedrock, in mound of stone, 2 ft. base, 8 ins. high, for $\frac{1}{4}$ sec. cor., marked on brass cap.

S29 | S28
 1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 47.50 Wash, 20 lks. wide, 6 ft. deep, course NE. Ascend 80 ft.
 51.40 Spur, slopes NE. Descend N. slope, 110 ft.
 59.10 Wash, 10 lks. wide, course NE. Ascend 70 ft.
 64.20 Spur, slopes NE. Descend 140 ft.
 75.70 Wash, 10 lks. wide, course N. 10° W. Ascend 25 ft.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 6 ins. in ground, on bedrock, in mound of earth and stone 4 ft. base, 1 $\frac{1}{2}$ ft. high, for cor. of secs. 20, 21, 28 and 29, marked on brass cap,

T10N R12W
 S20 | S21
 S29 | S28
 1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.
 Land, mountainous and rolling.
 Soil, rocky, 4th rate.
 Undergrowth, scattering greasewood, palo verde, catclaw & cactus.
 No timber.

 S.89°50'E., on a random line, bet. secs. 21 and 28.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect N. and S. line, 30 lks. S. of the cor. of secs. 21, 22, 27 and 28. Thence,
 S.89°57'W. on a true line, bet. secs. 21 and 28.
 Over mountainous and rolling land, thru. scattering brush.
 .85 Gulch, course N.80°E. Ascend 75 ft.
 10.00 Spur, slopes NE. Descend 65 ft.
 19.95 Gulch, course NE. Ascend 200 ft.

22. Subdivision of Township 10 North, Range 12 West

Chains.	
38.00	Saddle in ridge, bearing SW. and NE. Descend.
40.01	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap, S 21
	S 28 1915
	and raise a mound of stone, 2 ft. base, 2 ft. high, N. of cor. Descend 75 ft.
45.70	Head of gulch, course NW. Ascend NE. slope, 180 ft. to
66.90	Ridge, brs. NW. and SE. Descend 185 ft.
78.00	Gulch course NW. Ascend.
80.02	The cor. of secs. 20, 21, 28 and 29. Land, mountainous & rolling. Soil, rocky, with coarse loam, 3rd rate. Scattering greasewood, palo verde, catclaw and cactus. No timber.

	N. $0^{\circ}17'W.$, bet. secs. 20 and 21. Over heavily rolling land, thru. dense brush.
3.50	Wash, 30 lks. wide, 6 ft. deep, course NW. Ascend 50 ft.
5.50	Spur, slopes W. Descend 50 ft.
12.00	Enter wash, course N. from SW.
18.00	Leave wash, course NE. from S. Ascend 40 ft.
21.00	Spur, slopes SE. Descend 90 ft.
32.80	Same wash, course NW., 100 lks. wide, course NE.
36.50	Same wash, 10 ft. deep, 100 lks. wide, course NE.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap, S 20 S 21 1915
	and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.
48.00	Wash, 50 lks. wide, in gulch, 40 ft. deep, course NE.
54.30	Wash, 10 lks. wide, in gulch, 30 ft. deep, course E. Asc. 100 ft.
60.30	Spur, slopes NE. Descend 50 ft.
65.10	Wash, 10 lks. wide, 2 ft. deep, course NE. Ascend 50 ft.
67.50	Spur, slopes E. Descend 50 ft.
72.20	Gulch, 8 lks. wide, 3 ft. deep, course E. Ascend 70 ft.
77.50	Spur, slopes NE. Descend 45 ft.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap, T10N R12W S17 S16 S20 S21 1915
	and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor. Land, rolling, Soil, rocky with scanty loam, 3rd rate. Undergrowth, dense scattering greasewood, palo verde, catclaw and cactus. No timber. J.G.C.

	H.N.B.
	N. $89^{\circ}57'E.$, on a random line, bet. secs. 16 and 21.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, at the cor. of secs. 15, 16, 21 and 22. Thence S. $89^{\circ}57'W.$, on a true line, bet. secs. 16 and 21. Over heavily rolling land, thru. dense brush. Descend 30 ft. to
9.80	Ravine, 12 ft. deep, 225 lks. wide, course NE. Ascend 45 ft. on NE. slope.
20.20	Spur, slopes NE. Descend 12 ft.
21.65	Gulch, 15 ft. deep, course NE. Ascend.
22.65	Spur, slopes NE. Descend 25 ft.
24.30	Gulch, 25 lks. wide, course NE. Ascend 17 ft.
27.40	Ridge, brs. NE. and SW. Descend 15 ft.
29.00	Gulch, 8 lks. wide, course NE. Ascend 25 ft.
33.10	Spur, slopes NE. Descend 45 ft. on W. slope.
39.20	Gulch, 25 lks. wide, course N. Ascend E. slope, 85 ft.
40.00	Set an iron post 3 ft. long, 1 in. in diam., 14 ins. in the ground

Subdivision of Township 10 North, Range 12 West. 23.

Chains

on bedrock, in mound of earth & stone, 3 ft. base, 1 1/2 ft. high, for 1/4 sec. cor., marked on brass cap,

1/4 S16
S 21
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

- 43.10 Spur, slopes N. Descend 30 ft.
- 45.00 Gulch, 20 lks. wide, course NE. Ascend 17 ft.
- 48.15 Spur, slopes N. Descend 45 ft.
- 51.00 Gulch, 15 lks. wide, course NE. Ascend 30 ft.
- 55.90 Ridge, brs. N. and S. Descend 50 ft.
- 58.00 Gulch, 20 lks. wide, course NE. Ascend.
- 69.15 Gulch, 20 lks. wide, course NE.
- 71.90 Gulch, 8 lks. wide, course SE. Ascend 75 ft. on NE. slope.
- 80.00 The cor. of secs. 16, 17, 20 and 21.

Land, heavily rolling and mountainous.
Soil, rocky, 4th rate.
Undergrowth, dense greasewood, palo verde, catclaw, ocotillo and cactus.
No timber. H.N.B.

J.G.C.
N. 0° 17' W., bet. secs. 16 and 17.
Over heavily rolling, broken land, thru. dense brush.
Descend 18 ft.

- 1.18 Wash, 8 lks. wide, course NE. Ascend 30 ft.
- 5.22 Spur, slopes E. Descend 60 ft.
- 8.60 Gulch, 10 lks. wide, course NE. Ascend 25 ft.
- 14.90 Spur, slopes NE. Descend 75 ft.
- 21.50 Gulch, 10 lks. wide, course NE. Ascend 60 ft.
- 27.00 Spur, slopes NE. Descend NW. slope, 70 ft.
- 31.85 Gulch, 8 lks. wide, course NE. Ascend 35 ft.
- 37.65 Spur, slopes NE. Descend 60 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor. marked on brass cap,

1/4 S17 | S16
1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

- Descend 21 ft.
- 41.80 Gulch, 8 lks. wide, course NE. Ascend 15 ft.
- 47.00 Spur, slopes NE. Descend 90 ft.
- 53.70 Gulch, 10 lks. wide, course NE. Ascend 20 ft.
- 57.85 Spur, slopes NE. Descend.
- 58.65 Gulch, 4 lks. wide, course NE. Ascend.
- 62.05 Spur, slopes NE. Descend 45 ft.
- 65.65 Gulch, 12 lks. wide, course NE. Ascend 35 ft.
- 70.85 Spur, slopes NE. Descend 50 ft.
- 74.10 Gulch, 15 lks. wide, course NE. Ascend 30 ft.
- 79.25 Spur, slopes NE. Descend 10 ft.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on brass cap,

T10N R12W
S 8 | S19
S17 | S16
1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, heavily rolling.
Soil, rocky and gravelly, 4th rate.
Undergrowth, dense greasewood, catclaw, ocotillo and cactus.
No timber. J.G.C.

- H.N.B.
- 40.00 N. 89° 57' E. on a random line, bet. secs. 9 and 16.
Set temp. 1/4 sec. cor.

24. Subdivision of Township 10 North, Range 12 West.

Chains

- 79.94 Intersect N. and S. line, 7 lks. N. of the true point for cor. of secs. 9, 10, 15 and 16.
Thence,
West, on a true line, bet. secs. 9 and 16.
Over heavily rolling and broken land, thru dense brush in wash.
- .75 Leave wash, course NE.
- 12.25 Wash, 10 lks. wide, course NW. Ascend.
- 17.40 Spur, slopes N. Descend.
- 20.00 Gulch, 4 lks. wide, course NE. Ascend 65 ft.
- 23.70 Spur, slopes N. Descend 65 ft.
- 29.00 Gulch, 75 lks. wide, course N. Ascend 60 ft.
- 35.25 Ridge, brs. N. and S. Descend 35 ft.
- 39.25 Gulch, 10 lks. wide, course N.
- 39.97 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 9

S 16
1915

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

- 44.90 Gulch, 4 lks. wide, course NE.
- 50.00 Gulch, 20 lks. wide, course NE.
- 57.80 Gulch, 12 lks. wide, course NW.
- 65.40 Wash, 2 ft. deep, 35 lks. wide, course N.
- 68.70 Wash, 2 ft. deep, 30 lks. wide, course NE.
- 73.50 Wash, 15 lks. wide, course NE. Ascend.
- 78.73 Spur, slopes NE. Descend.
- 79.94 The cor. of secs. 8, 9, 16 and 17.
Land, heavily rolling and broken.
Soil, rocky, sandy and gravelly, 3rd rate.
Undergrowth, dense greasewood, palo verde and catclaw.
No timber.

H.N.B.

J.G.C.

N. $0^{\circ}17'W.$, bet. secs. 8 and 9.
Over rolling land, thru dense brush. Descend 30 ft.

- 5.00 Enter wide bottom, bearing NE. and SW.
- 16.40 Wash, 10 lks. wide, 1 ft. deep, course NE.
- 32.25 Wash, 2 ft. deep, 12 lks. wide, course NE.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 8 | S 9

1915

and raise a mound of stone 3 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

- 60.00 Wash, 5 lks. wide, 1 ft. deep, course NE.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, marked on brass cap,

T10N R12W

S 5 | S 4

S 8 | S 9

1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
Land, rolling.

Soil, sandy and gravelly, 3rd rate.
Undergrowth, dense greasewood, catclaw, and palo verde.
No timber.

J.G.C.

Subdivision of Township 10 North, Range 12 West.

Chains. H.N.B.
 East, on a random line, bet. secs.4 and 9.
 40.00 Set temp. $\frac{1}{4}$ sec.cor.
 80.04 Intersect N.and S. line, 9 lks.S of the cor.of secs.3,4,
 9 and 10.
 Thence,
 S.89° 56' W., on a true line, bet. secs.4 and 9.
 Over gently rolling land, through dense brush.
 5.30 Wash, 2 ft. deep, 20 lks.wide, course NE.
 -10.00 Leave gently, rolling land, ascend 40 ft. on E. slope to
 13.60 Spur, slopes N. Descend.
 15.00 Gulch, 10 lks.wide, course N.; ascend.
 17.60 Spur, slopes N.; descend.
 21.00 Gulch, 4 lks.wide, course N.
 28.00 Wash, 20 lks.wide, 2 ft. deep, course NW.
 32.15 Wash, 15 lks.wide, 1 ft. deep, course N.
 37.30 Wash, 10 lks.wide, 1 ft. deep, course NE.
 40.02 Set an iron post, 3 ft.long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 4

S 9
1915

and raise a mound of stone, 3 ft.base, 2 ft.high, N.of
cor.

44.60 Gulch, 20 lks.wide, course N. Ascend 60 ft.
 49.00 Spur, slopes NW. Descend.
 50.30 Gulch, 5 lks.wide, course NW.
 60.40 Wash, 80 lks.wide, 3 ft.deep, course NE.
 63.50 Wash, 20 lks.wide, 2 ft. deep, course NE.
 80.04 The cor.of secs.4,5,8 and 9.
 Land, rolling.
 Soil, sandy and gravelly, 3rd rate.
 Undergrowth, dense greasewood, palo verde, catclaw and
 ocotillo.
 No timber. H.N.B.

J.G.C.
 N.0°16'W., on a random line, bet. secs.4 and 5.
 40.00 Set temp. $\frac{1}{4}$ sec.cor.
 90.37 Intersect N. bdy.of Tp., 4 lks.W. of the original cor.
 of secs. 4,5, 32 and 33, marked and witnessed as de-
 scribed by the Surveyor General.
 Thence,
 S.0°14'E., on a true line, bet. secs.4 and 5.
 Over rolling land, thru. dense brush. Across Bullard Wash,
 course NW.
 4.80 Wash, 2 ft. deep, 140 lks. wide, course NW.
 6.77 Wash, 100 lks. wide. 2 ft. deep, course NW. Leave Bullard
 wash.
 21.10 Wagon road, bears NW. and S $\frac{1}{2}$. Extends NW.to Alamo and S.
 to Wenden.
 25.00 Gulch, 8 lks.wide, course NW.
 29.40 Same gulch, 5 lks.wide, course NE.
 50.00 Wash, 6 lks.wide, 1 ft. deep, course NE.
 50.37 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 5 | S 4

1915

and raise a mound of stone 2 ft.base, 1 $\frac{1}{2}$ ft. high,W.
of cor.

59.20 Wash, 2 ft. deep, 12 lks.wide, course NE.
 90.37 The cor.of secs.4,5,8 and 9.
 Land, rolling.

26. Subdivision of Township 10 North, Range 12 West.

Chains.

Soil, sandy and gravelly, 3rd rate.
Undergrowth dense greasewood, palo verde, catclaw and
ocotillo.
No timber.

J.G.C.

L.E.W.

From the cor. of secs. 5, 6, 31 and 32 on S. bdy. of Tp., de-
scribed in Book "A,"

N. 0° 18' W., bet. secs. 31 and 32.

Over mountainous land, thru scattering brush.

1.90 Wash, 20 lks. wide, 10 ft. deep, course NE. Ascend.

5.70 Spur, slopes E., 100 ft. above sec. cor.
Descend 60 ft.

10.40 Wash, 40 lks. wide, course SE. Ascend 100 ft.

15.00 Spur, slopes SE. Descend 30 ft.

18.60 Wash, 20 lks. wide, course E. Ascend 190 ft.

36.00 Spur, slopes SE. Descend 40 ft.

39.45 Wash, 10 lks. wide, course E. Ascend.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the
ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

S31 | S32

1914

and raise a mound of stone 3 ft. base, 2 ft. high, W. of
cor. Ascend 80 ft.

45.00 Spur, slopes E. Descend 90 ft.

53.10 Wash, 20 lks. wide, course SE. Ascend 100 ft.

57.70 Spur, slopes E. Descend 110 ft.

63.50 Wash, 15 lks. wide, course E. Ascend 130 ft.

71.00 Spur, slopes E. Descend on SW. slope, 80 ft.

75.90 Wash, 20 lks. wide, course SE. Ascend 60 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
the ground for cor. of secs. 29, 30, 31 and 32, marked on
brass cap,

T10N R12W

S30 | S29

S31 | S32

1914

and raise a mound of stone 3 ft. base, 2 ft. high, W. of
cor.

Land, mountainous.

Soil, rocky with scanty loam, 3rd rate.

Undergrowth, scattering palo verde, greasewood, catclaw
and cacti.

No timber.

N. 89° 59' E., on a random line, bet. secs. 29 and 32.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.96 Intersect N. and S. line, 16 lks. S. of the cor. of secs. 28,
29, 32 and 33.

Thence,

S. 89° 52' W., on a true line, bet. secs. 29 and 32.

Over mountainous land, thru scattering brush.

16.75 Wash, 15 lks. wide, 3 ft. deep, course NE.

28.30 Top of ridge, brs. SE. and NW., 310 ft. above sec. cor.
Descend 130 ft.

37.75 Wash, 10 lks. wide, course S. Ascend 40 ft.

39.98 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

Subdivision of Township 10 North, Range 12 West. 27

Chains.

1/4 S 29

S 32
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

Descend 65 ft.

- 51.00 Wash, 60 lks. wide, course S. 20° E. Ascend 80 ft.
- 59.60 Spur, slopes NE. Descend.
- 71.30 Same wash, course NE. Ascend 100 ft.
- 79.96 The cor. of secs. 29, 30, 31 and 32.

Land, mountainous.

Soil, rocky, with scanty loam, 4th rate.

Undergrowth, scattering greasewood, palo verde, catclaw and cacti.

No timber.

- 40.00 S. 89° 59' W., on a random line, bet. secs. 30 and 31. Set temp. 1/4 sec. cor.

- 81.96 Intersect W. bdy. of Tp. (3rd. Guide Mer. W.) at the reestablished cor. of secs. 25, 30, 31 and 36, described in Book "B."

Thence,

N. 89° 59' E., on a true line, bet. secs. 30 and 31.

Over mountainous land, thru scattering brush.

Descend 140 ft. on SE. slope, to

- 6.50 Gulch, course SE. Ascend 50 ft.
- 13.40 Spur, slopes SE. Descend 325 ft.
- 30.40 Wash, 10 lks. wide, course NE. Ascend 260 ft.
- 38.20 Spur, slopes N. 20° E. Descend 100 ft.
- 41.96 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 30

S 31
1915

and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

Descend 50 ft.

- 44.60 Gulch, 3 lks. wide, course NE. Ascend 80 ft.
- 54.86 Top of ridge, brs. NE. and SW. Descend 375 ft.
- 78.00 Wash, 2 lks. wide, course S. 60° E. Ascend 25 ft.
- 81.96 The cor. of secs. 29, 30, 31 and 32.

Land, mountainous.

Soil, rocky, 3rd rate.

Undergrowth, scattering greasewood, palo verde and cacti.

No timber.

N. 0° 18' W., bet. secs. 29 and 30.

Over mountainous land, thru scattering brush.

Ascend 110 ft.

- 8.90 Top of spur, slopes E. Descend 130 ft.
- 15.10 Wash, 10 lks. wide, course NE. Ascend 30 ft.
- 22.00 Top of spur, slopes NE. Descend 300 ft.
- 35.00 Wash, 30 lks. wide, course NE.
- 39.00 Wash, 40 lks. wide, course E. turning NE., 2.50 chs. E. of line. Ascend 20 ft.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 6 ins. in the ground, in crevice of rock, and raise around it a mound of stone, 3 ft. base, 20 ins. high, for 1/4 sec. cor., marked on brass cap,

28. Subdivision of Township 10 North, Range 12 West.

Chains.

1/2 S 30 | S 29

1915

from which,

A cross on a granite stone 10x10x4 ft. above ground brs. S. 75° W., 8 lks. dist., marked B O 30 beside the cross, and

raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Ascend gradually on broken SE. slope, 50 ft. to

43.50 Low spur, slopes E. Descend.

56.65 Wash, 20 lks. wide, course E. Ascend 300 ft.

73.90 Top of ridge, brs. NE and SW. Descend 185 ft.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 19, 20, 29 and 30, marked on brass cap,

T10N R12W

S19 | S20

S30 | S29

1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, mountainous.

Soil, rocky, with scanty loam, 3rd rate.

Undergrowth, scattering greasewood, palo verde and cacti. No timber.

N. 89° 52' E., on a random line, bet. secs. 20 and 29.

40.00 Set temp. 1/4 sec. cor.

80.16 Intersect N. and S. line, 11 lks. N. of the cor. of secs. 20, 21, 28 and 29.

Thence,

S. 89° 57' W., on a true line, bet. secs. 20 and 29.

Over mountainous land, thru scattering brush. Descend.

1.52 Wash, 10 lks. wide, course N. Ascend 70 ft.

8.00 Spur, slopes N. Descend 30 ft.

12.00 Wash, course NE. Ascend.

27.80 Wash, course NE. Ascend.

40.08 180 ft. above sec. cor., set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/2 S 20

S 29

1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

Descend 40 ft.

48.40 Wash, course N. 20° E. Ascend on broken NE. slope, 110 ft.

61.90 Gulch, course N. 60° E.

66.25 Same gulch, course S. 30° E. Ascend 225 ft.

78.30 Ridge, brs. N and S. Descend 25 ft.

80.16 The cor. of secs. 19, 20, 29 and 30.

Land, mountainous.

Soil, rocky, of no apparent value.

Undergrowth, scattering greasewood, palo verde and cacti. No timber.

S. 89° 59' W., on a random line, bet. secs. 19 and 30.

40.00 Set temp. 1/4 sec. cor.

81.24 Intersect the W. bdy. of Tp. (3rd. Guide Mer. W.) 8 lks. N. of

Subdivision of Township 10 North, Range 12 West. 29

Chains.

the reestablished cor. of secs. 19, 24, 25 and 30, described in Book "B."

Thence,

N. 89° 56' E., on a true line, bet. secs. 19 and 30.

Over mountainous land, thru scattering brush.

Descend 125 ft. on E. slope.

7.25 Gulch, 25 lks. wide, course N. Ascend 100 ft.

9.90 Spur, slopes N. Descend 210 ft.

26.00 Gulch, 20 lks. wide, course N. Ascend 80 ft.

31.00 Ridge, brs. NE and SW. Descend 115 ft. to

41.24 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 19

S 30
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

Descend 230 ft.

58.90 Wash, 100 lks. wide, course NE.

76.80 Wash, 10 lks. wide, course N.

81.24 The cor. of secs. 19, 20, 29 and 30.

Land, mountainous.

Soil, rocky, of no apparent value.

Undergrowth, scattering greasewood, palo verde, & cactus.

No timber.

N. 0° 18' W., bet. secs. 19 and 20.

Over mountainous land, thru scattering brush.

Descend on NW slope, 200 ft. to

13.10 Wash, 25 lks. wide, course N. 30° E. Ascend 75 ft.

18.00 Spur, slopes E. Descend 75 ft.

20.80 Gulch, course N. 75° E. Ascend 170 ft.

29.00 Top of ridge, brs. E. and W. Descend 125 ft.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 19 | S 20

1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Descend 280 ft.

63.30 Junction of two washes, from S. 30° W. and SE., course N.

66.00 Leave wash, course N. 10° E. from S.

71.00 Same wash, course N. 10° W.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on brass cap,

T10N R12W
S18 | S17

S19 | S20
1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, mountainous.

Soil, rocky, of no apparent value.

Undergrowth, scattering greasewood, palo verde, cacti and ocotillo.

No timber.

L.E.W.

30. Subdivision of Township 10 North, Range 12 West.

Chains.

H.N.B.
 N.89° 57' E., on a random line, bet. secs.17 and 20.
 40.00 Set temp. $\frac{1}{4}$ sec.cor.
 80.00 Intersect N.and S. line, 4 lks.N.of the cor.of secs.16,17,
 20 and 21.
 Thence,
 S.89°59'W, on a true line, bet. secs.17 and 20.
 Over mountainous land, thru.dense brush.
 Ascend NE.slope, 80 ft.
 6.40 Spur, slopes NE. Descend on NW.slope, 95 ft.
 12.15 Gulch, course N. Ascend 120 ft.
 20.65 Spur, slopes NE. Descend NW slope, 30 ft.
 26.30 Gulch, 20 lks.wide, course NE. Ascend 80 ft.
 30.60 Ridge, brs.NE. and SW. Descend 120 ft.
 35.20 Gulch, 12 lks.wide, course NE. Ascend 120 ft.
 38.90 Spur, slopes NE. Descend on NW slope, 40 ft.
 40.00 Set an iron post 3 ft.long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 17

S 20
1915

and raise a mound of stone 3 ft. base, 2 ft.high, N.of cor.

Descend 40 ft.
 42.65 Gulch, 12 lks.wide, course NE. Ascend 34 ft.
 53.00 Ridge, brs.NW and SE. Descend 90 ft.
 56.45 Gulch, 10 lks.wide, course NW. Descend along N slope,
 150 ft.
 66.50 Gulch, 20 lks.wide, course NW. Ascend 35 ft.
 72.65 Spur, slopes NE. Descend 30 ft.
 75.80 Gulch, 8 lks.wide, course NE. Ascend 40 ft.
 80.00 The cor.of secs.17,18,19 and 20.
 Land, mountainous.
 Soil, rocky, 4th rate.
 Undergrowth, greasewood, palo verde, ceanothos and cactus.
 No timber.

S.89°56'W., on a random line, bet. secs.18 and 19.
 40.00 Set temp. $\frac{1}{4}$ sec.cor.
 80.97 Intersect W. bdy.of Tp. (3rd. Guide Mer.W.) 2 lks.N.of
 the reestablished cor.of secs. 13, 18, 19 and 24, de-
 scribed in Book "B."
 Thence,
 N.89°55'E. on a true line, bet. secs.18 and 19.
 Over mountainous land, thru.dense brush.
 Descend on NE.slope, 30 ft.to
 6.30 Wash, 8 lks.wide, course NW.Ascend 208 ft.to
 15.50 Spur, slopes SW. Descend 250 ft.to
 32.80 Gulch, 20 lks.wide, course NE
 36.00 Enter gulch, course E. from NW.
 39.15 Leave gulch, course NE. from W. Ascend 45 ft.
 40.97 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 18

S 19
1915

and raise a mound of stone, 3 ft. base, 2 ft.high, N. of cor.

Ascend 30 ft.
 44.20 Ridge, brs.NE. and SW. Descend 90 ft.
 59.00 Gulch, 20 lks.wide, course NE. Ascend 45 ft.
 64.00 Spur, slopes NE. Descend 30 ft.


Subdivision of Township 10 North, Range 12 West. 31

Chains

- 66.15 Wash, 20 lks.wide, course N. Ascend.
- 67.95 Spur, slopes N. Descend 50 ft.
- 78.30 Wash, 35 lks.wide, course NW. Ascend 65 ft.
- 80.30 Spur, slopes NW. Descend.
- 80.97 The cor.of secs.17,18,19 and 20.
Land, mountainous.
Soil, rocky, 4th rate.
Undergrowth, dense greasewood, palo verde, mesquite and cacti.
No timber.


N.0°18'W., bet. secs.17 and 18.
Over mountainous land, thru. dense brush.
Descend NE slope, 100 ft.

- 6.90 Gulch, 150 lks.wide, course E. Ascend 60 ft.
- 15.35 Ridge, brs.E and W. Continue ascent.
- 17.70 Same ridge, brs.NW. and SE. Descend 85 ft.
- 28.40 Gulch, 25 lks.wide, course NE. Ascend N.slope, 210 ft.
- 36.80 Ridge, brs.NW and E. Descend NE slope.
- 40.00 Set an iron post 3 ft.long, 1 in. in diam., 15 ins. in the ground on bedrock, in a mound of earth and stone, 3 ft.base, 1 ft.high, for $\frac{1}{4}$ sec.cor., marked on brass cap,



and raise a mound of stone, 3 ft.base, 2 ft.high, W.of cor. Descend 370 ft.

- 53.70 Spur, slopes NE. Continue descent.
- 75.35 Gulch, 30 lks.wide, course NE. Ascend 25 ft.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground, for cor.of secs.7,8,17 and 18, marked on brass cap,




and raise a mound of stone 3 ft.base, 2 ft.high, W.of cor.

Land, mountainous.
Soil, rocky, with scanty loam, 4th rate.
Undergrowth, dense greasewood, catclaw, palo verde, mesquite and cacti.
No timber.

- 40.00 N.89°59'E., on a random line, bet. secs.8 and 17.
Set temp. $\frac{1}{4}$ sec.cor.
- 80.00 Intersect the cor.of secs.8,9,16 and 17.
Thence,

S.89°59'W., on a true line, bet. secs.8 and 17.
Over broken land, thru.dense brush.

- 11.60 Wash, 3 ft.deep, 300 lks.wide, course NW.
- 13.95 Wash, 3 ft.deep, 35 lks.wide, course NE.
- 22.40 Gulch, 30 lks.wide, course NE.
- 37.60 Gulch, 20 lks.wide, course N. Ascend.
- 39.00 Spur, slopes NE. Descend.
- 40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,



32. Subdivision of Township 10 North, Range 12 West.

Chains.

- and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 40.60 Gulch, 8 lks. wide, course NE.
 48.70 Spur, slopes NE.
 52.00 Ravine, 12 ft. deep, 175 lks. wide, course N.
 58.60 Spur, slopes N.
 61.30 Gulch, 30 lks. wide, course N.
 65.70 Gulch, 10 lks. wide, course N.
 71.00 Gulch, 15 lks. wide, course NE.
 78.00 Gulch, 105 lks. wide, course NE. Ascend 35 ft.
 80.00 The cor. of secs. 7, 8, 17 and 18.
 Land, rolling and broken.
 Soil, rocky, with scanty loam, 4th rate.
 Undergrowth, dense greasewood, palo verde, catclaw,
 and cacti.
 No timber.

- S. $89^{\circ}55'$ W., on a random line, bet. secs. 7 and 18.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.48 Intersect W. bdy. of Tp. (3rd. Guide Meridian W.), 4 lks. S.
 of the true point for reestablished cor. of secs. 7, 12,
 13 and 18, described in book "B."
 Thence,
 N. $89^{\circ}57'$ E., on a true line, bet. secs. 7 and 18.
 Over mountainous and rolling land, thru dense brush.
 Ascend 90 ft.
 5.30 Ridge, brs. N. and S. Descend 40 ft.
 8.00 Gulch, 5 lks. wide, course N. Ascend 70 ft.
 11.90 Ridge, brs. N. and S. Descend 110 ft.
 19.35 Gulch, 12 lks. wide, course NE.
 21.70 Enter wash, 12 ft. deep, course E. from SW.
 25.90 Leave wash, course NE. from W.
 37.00 Gulch, 5 lks. wide, course N.
 39.20 Spur, slopes N.
 40.48 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,


 $\frac{1}{4}$ S 7S 18
1915

- and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
- 41.28 Gulch, 10 lks. wide, course NE.
 44.90 Gulch, 5 lks. wide, course NW.
 48.90 Gulch, 10 lks. wide, course N. Ascend 50 ft.
 53.80 Ridge, brs. NE. and SW. Descend 100 ft.
 66.90 Gulch, 15 lks. wide, course NE.
 72.00 Gulch, 6 lks. wide, course NE.
 76.00 Gulch, 5 lks. wide, course NE.
 79.50 Spur, slopes NE.
 80.48 The cor. of secs. 7, 8, 17 and 18.
 Land, mountainous and rolling, not very rough.
 Soil, rocky with scanty loam, 4th rate.
 Undergrowth, dense greasewood, palo verde, catclaw,
 and cacti.
 No timber.

- N. $0^{\circ}18'$ W., bet. secs. 7 and 8.
 Over mountainous land, not very rough, thru dense brush.
 Ascend.
 1.90 Spur, slopes NE. Descend.
 2.50 Gulch, 8 lks. wide, course NE. Ascend 50 ft.
 7.45 Spur, slopes NE. Descend 75 ft.
 13.45 Gulch, 30 lks. wide course NE. Ascend 55 ft.
 20.00 Spur, slopes NE. Descend 55 ft.


Subdivision of Township 10 North, Range 12 West. 33

- Chains
- 25.00 Gulch, 10 lks.wide, course NE.
- 31.30 Gulch, 50 lks.wide, course NE. Ascend 25 ft.
- 35.30 Spur, slopes NE. Descend 25 ft.
- 36.70 Gulch, 5 lks.wide, course NE. Ascend 20 ft.
- 40.00 Set an iron post, 3 ft.long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec.cor., marked on brass cap,



and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.


- 43.50 Spur, slopes NE. Descend 35 ft.
- 45.75 Gulch, 4 lks.wide, course NE. Ascend.
- 49.50 Spur, slopes NE. Descend along E. slope of another spur, sloping N.
- 69.90 Gulch, 20 lks.wide, course NW. Ascend 35 ft.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground, for cor.of secs.5,6,7 and 8, marked on brass cap,



and raise a mound of stone, 3 ft.base, 2 ft.high,W.of cor.

Land, mountainous, not very rough.
 Soil, rocky, with scanty loam, 4th rate.
 Undergrowth dense greasewood, palo verde, and cacti.
 No timber.

- N.89°59'E., on a random line, bet. secs.5 and 8.
- 40.00 Set temp. $\frac{1}{4}$ sec.cor.
- 80.00 Intersect N. and S. line, 2 lks. S.of the cor. of secs. 4,5,8 and 9.
- Thence,
- S.89°58'W., on a true line, bet. secs.5 and 8.
- Over rolling, bottom land, thru.dense brush.
- 8.20 Wash, 2 ft.deep, 20 lks.wide, course N.
- 9.10 Wash, 2 ft. deep, 60 lks.wide, course NE.
- 18.40 Wash, 3 ft. deep, 12 lks.wide, course NE.
- 30.10 Gulch, 10 lks.wide, course N.
- 34.60 Gulch, 8 lks.wide, course N.
- 40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,



and raise a mound of stone 2 ft.base, 1 1/2 ft. high, N. of cor.

- 44.35 Wash, 30 lks.wide, course N.
- 63.80 Wash, 60 lks.wide, course NW.
- 66.50 Wash, 10 lks.wide, course N. Ascend 40 ft.
- 72.34 Spur, slopes NE. Descend.
- 74.80 Gulch, 10 lks.wide, course N. Ascend 40 ft.
- 78.00 Spur, slopes N. Descend 25 ft.
- 80.00 The cor.of secs.5,6,7 and 8.

Land, rolling.
 Soil, rocky and gravelly, 4th rate.
 Undergrowth, dense greasewood, palo verde and cacti.
 No timber.

34. Subdivision of Township 10 North, Range 12 West.

Chains.

- S. $89^{\circ}57'W.$, on a random line, bet. secs. 6 and 7.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.85 Intersect W. bdy. of Tp. (3rd. Guide Mer. W.) 7 lks. N. of the reestablished cor. of secs. 1, 6, 7 and 12, described in Book "B."
 Thence,
 N. $89^{\circ}54'E.$, on a true line, bet. secs. 6 and 7.
 Over heavily rolling, broken land, through ~~settled~~ dense brush.
- 11.90 Gulch, 25 lks. wide, course NW.
 16.50 Gulch, 4 lks. wide, course NW. Ascend.
 18.00 Ridge, brs. NW and SE. Descend 35 ft.
 26.60 Wash, 70 lks. wide, course NE.
 33.55 Gulch, 20 lks. wide, course N. Ascend 50 ft.
 36.00 Spur, slopes N. Descend.
 38.30 Gulch, 15 lks. wide, course N.
 39.85 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\frac{1}{4}S \quad 6$$

$$S \quad 7$$

1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

- 44.20 Gulch, 15 lks. wide, course N. Ascend 40 ft.
 46.80 Ridge, brs. N. and S. Descend.
 53.15 Gulch, 8 lks. wide, course NE. Ascend 30 ft.
 55.00 Top of spur, slopes N. Descend.
 57.75 Gulch, 5 lks. wide, course N. Ascend 40 ft.
 60.05 Ridge, brs. N. and S. Descend 35 ft.
 66.40 Wash, 55 lks. wide, course NE.
 68.90 Wash, 35 lks. wide, course NE. Asc. 25 ft.
 73.50 Ridge, brs. N. and S. Descend.
 77.80 Gulch, 15 lks. wide, course N. Ascend 25 ft.
 79.85 The cor. of secs. 5, 6, 7 and 8.
 Land, rolling and broken.
 Soil, rocky and gravelly, 4th rate.
 Undergrowth, dense greasewood, catclaw, palo verde, ~~open~~
 and cactus.
 No timber.

- N. $0^{\circ}14'W.$, on a random line, bet. secs. 5 and 6.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 90.34 Intersect N. bdy. of Tp., 9 lks. E. of the original cor. of secs. 5, 6, 31 and 32, which is an iron post 3 ins. in diam., 12 ins. above ground, firmly set, marked and witnessed as described by the surveyor general.
 Thence,
 S. $0^{\circ}18'E.$, on a true line, bet. secs. 5 and 6.
 Over rolling land, thru dense brush.
- 44.40 Wash, 20 lks. wide, course NW.
 50.34 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\frac{1}{4}S \quad 6 \quad | \quad S \quad 5$$

1915

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

- 55.30 Wash, 10 lks. wide, course NW.
 57.70 Wash, 35 lks. wide, course NW.
 75.00 Spur, slopes NE.
 90.34 The cor. of secs. 5, 6, 7 and 8.
 Land, rolling.
 Soil, rocky and gravelly, 4th rate.
 Undergrowth, greasewood, catclaw, palo verde and cactus.
 No timber.

H.N.B.

GENERAL DESCRIPTION.

L.E.W., H.N.B. & J.G.C.

This township is generally mountainous and broken land, sloping toward Bullard wash, which enters the Tp., about two and a half miles N. of the SE. corner, running northwesterly leaving the Tp. two miles E. of the NW. cor. On the NE. side of Bullard wash the land is nearly level, consisting of sandy loam, quality good, 2nd rate, and susceptible to irrigation, if water can be obtained. The soil of the bottom lands adjacent to the washes is generally coarse and gravelly, and of little apparent value.

In all the rolling and mountainous land, the soil is rocky and generally shallow, not susceptible to irrigation, and affording but scanty pasturage to a few animals during the rainy season.

The nearest permanent running water is Bill Williams river, which is about two miles northwest of the NW. corner of the Tp. The vegetation consists of low greasewood, from four to six feet high, palo verde trees from six to ten feet high, mesquite trees and brush from ten to fifteen feet high along the washes, catclaw bushes from six to ten feet high, and several varieties of cacti.

A scanty growth of coarse grass is found on the steeper and more sheltered north slopes.

No settlers or improvements of any kind, and no indications of mineral deposits are found in the township.

----- L.E.W., H.N.B., and J.G.C. -----

Book "J"
Group 36 - Arizona.

Township 10 North, Range 12 West.

~ DATE DIAGRAM ~

			12-24-15	12-24-15	12-24-15	1-9-15	
3RD GUIDE MERIDIAN WEST RESURVEYED	1-14-15	1-15-15	1-15-15	1-11-15	1-9-15	1-6-15	12-23-14
	6	5	4	3	2	1	
	5-10-15	5-10-15	4-30-15	1-11-15	1-11-15	1-11-15	
	7	8	9	10	11	12	
	5-10-15	5-10-15	4-30-15	1-9-15	1-6-15	1-6-15	
	18	17	16	15	14	13	
	5-10-15	4-27-15	4-30-15	1-9-15	1-6-15	1-4-15	
1-14-15	1-14-15	1-14-15	1-8-15	1-5-15	1-4-15	12-23-14	
19	20	21	22	23	24		
4-27-15	4-27-15		1-7-15	1-5-15	1-4-15		
1-14-15	1-14-15	1-14-15	1-7-15	1-5-15	1-4-15	12-23-14	
30	29	28	27	26	25		
4-28-15	4-26-15		1-7-15	1-5-15	1-4-15		
1-14-15	1-14-15	1-14-15	1-7-15	1-5-15	1-4-15	12-23-14	
31	32	33	34	35	36		
4-26-15							
12-28-14	12-28-14	12-28-14	12-28-14	12-28-14	12-28-14	12-28-14	6-2764

Lines dated in black were executed by L.E. Wilkes,
U. S. Surveyor.

Lines dated in red were executed by H.N. Bradstreet,
U.S. Transitman,

Lines dated in green were executed by John G. Collins,
U.S. Transitman.

For list of field assistants see Book 'A'.

For CERTIFICATE OF UNITED STATES SURVEYOR AND
See Book "0" UNITED STATES TRANSITMEN.

I, _____, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191____, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, Jan. 20, 1919, ~~1918~~

The foregoing field notes of the survey of _____ the _____ Subdivision Lines of _____

TOWNSHIP 10 NORTH, RANGE 12 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by L. E. Wilkes, U. S. Surveyor, & H. N. Bradstreet & John G. Collins, U. S. Transitmen, under his special instructions dated July 23, 1914, for Group 36, Arizona, ~~and~~ having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.


U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.