

213  
1

3234

Book "L"

4-679

JAN-1-1919

RECORDED

(Subdivisions)

BOOK 3234

# FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

OF

TOWNSHIP 11 NORTH, RANGE 11 WEST,

3234

*Of the Gila and Salt River Base and Meridian,*

*In the State of Arizona.*

EXECUTED BY

*L. E. Wilkes, U.S. Surveyor,*

*H.N. Bradstreet and Hugo Price, U.S. Transitmen,*

3234

~~*In the capacity of U.S. Surveyor*~~, under instructions dated July 23, 1914,

*issued by the United States Surveyor General to govern surveys included in Group No. 36, which were approved by the Commissioner of the General Land Office, August 15, 1914.*

*Survey commenced Jan. 18, 1915.*

*Survey completed May 5, 1917.*

Executed under Assignment  
Instructions dated

1A  
214


3234

Book "L"


Group 36 -----Arizona.

BOOK 3234


## INDEX DIAGRAM.



 Subdivision lines surveyed under this group.

 Township boundaries surveyed under this group.

Notes in Book "A". 3223

 Unsurveyed.

Subdivision of Township 11 North, Range 11 West.

1. B

Chains

Surveys hereinafter described were executed by L.E. Wilkes, U.S. Surveyor, and H.N. Bradstreet and Hugo Price, U.S. Transitmen, on dates shown on diagram on page 39 hereof, using Young and Son's light mountain transits Nos. 8541, 7084 and 8539, respectively. Description, tests and approval of these instruments in Books "A" and "E." In these notes the initials L.E.W., H.N.B. and H.P. are inserted at the beginning and end of those portions of the notes, describing the surveys executed by L.E. Wilkes, U.S. Surveyor, and H.N. Bradstreet and Hugo Price, U. S. Transitmen, respectively.

L.E.W.

From the cor. of secs. 1, 2, 35 and 36 on S. bdy. of Tp., described in Book "A,"

N. 0° 1' W., bet. secs. 35 and 36.

Over rolling land, thru scattering brush.

Ascend 70 ft.

25.00 Wash, 50 lks. wide, course S. 20° W.

31.90 Ridge, brs. E\* and W., forming divide between Date Creek and Santa Maria river. Road on top of same, brs. E. and W.

Descend on broken N. slope.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

s35 | s36

1914

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Descend 100 ft. over broken N. slope.

56.00 Wash, 20 lks. wide, course N. 20° W.

63.50 Same wash, course N. 10° E.

72.30 Wash, 30 lks. wide, course NE.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 25, 26, 35 and 36, marked on brass cap,

T11N R11W  
s26 | s25

s35 | s36

1914

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, heavily rolling and broken.

Soil, sandy loam and rocky; 3rd rate.

Undergrowth, scattering greasewood, palo verde, cacti and Joshua trees.

No timber.

40.00 M. 89° 54' E., on a random line, bet. secs. 25 and 36. Set temp. 1/4 sec. cor.

79.96 Intersect E\* bdy. of Tp., at the cor. of secs. 25, 30, 31 and 36, described in Book "A."

Thence,

S. 89° 54' W., on a true line, bet. secs. 25 and 36.

Over broken N. slope, thru scattering brush.

7.80 Wash, 20 lks. wide, in gulch, 20 ft. deep, course N. 20° W.

27.30 Wash, 20 lks. wide, in gulch, 40 ft. deep, course N. 15° W.

38.00 Wash, 10 lks. wide, course N. 15° E.

39.98 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

## 2 Subdivision of Township 11 North, Range 11 West.

Chains.

S 25

S 36  
1914

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

50.00 Wash, 60 lks. wide, in gulch, 40 ft. deep, course N.

77.60 Wash, 200 lks. wide, course N. 20° E.

79.96 The cor. of secs. 25, 26, 35 and 36.

Land, broken N. slope; very little change in elevation.

Soil, sandy and rocky; 3rd and 4th rate.

Undergrowth, scattering greasewood, palo verde, cacti and Joshua trees.

No timber.

N. 0° 1' W., bet. secs. 25 and 26.

Over broken N. slope, thru scattering brush.

Descend 125 ft. to  $\frac{1}{4}$  sec. cor.

9.70 Wash, 40 lks. wide, in gulch, 25 ft. deep, course NE.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

S 26 | S 25

1914

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor. Descend 125 ft. to

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked on brass cap,

T11N R11W  
S 23 | S 24S 26 | S 25  
1914

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, broken N. slope.

Soil, sandy and rocky, 3rd rate.

Undergrowth, scattering greasewood, palo verde, cacti, and Joshua trees.

No timber.

L.E.W.

H.N.B.

N. 89° 54' E., on a random line, bet. secs. 24 and 25.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.98 Intersect E' bdy. of Tp., 20 lks. S. of the cor. of secs. 19, 24, 25 and 30, described in Book "A."

Thence,

S. 89° 45' W., on a true line, bet. secs. 24 and 25.

Over broken N. slope, thru dense brush.

1.00 Wash, 12 lks. wide, 1 ft. deep, course NW.

4.50 Wash, 50 lks. wide, 1 ft. deep, course N.

10.00 Wash, 25 lks. wide, 1 ft. deep, course NW.

19.50 Wash, 10 lks. wide, course NW.


23.00 Wash, 12 lks. wide, 1 ft. deep, course NW.

29.75 Wash, 60 lks. wide, 2 ft. deep, course NW.

39.99 True point for  $\frac{1}{4}$  sec. cor. falls in wash, 60 lks. wide, 2 ft. deep, course NW.; therefore at39.50 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for W. C. to  $\frac{1}{4}$  sec. cor., marked on brass cap,

Subdivision of Township 11 North, Range 11 West. 3.

Chains.



and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.


- 45.50 Wash, 2 ft. deep, 20 lks. wide, course N.
- 62.80 Wash, 210 lks. wide, 1 ft. deep, course N.
- 79.98 The cor. of secs. 23, 24, 25 and 26.  
Land, N. slope broken by spurs and gulches.  
Soil, sandy and rocky, 4th rate.  
Undergrowth, greasewood, catclaw, palo verde, ocotillo, cacti and Joshua trees.  
No timber.

H. N. B.

L. E. W.


N. 0° 1' W., bet. secs. 23 and 24.  
Over broken N. slope, thru scattering brush.  
Descend 110 ft. to  $\frac{1}{4}$  sec. cor.

- 26.00 Wash, 70 lks. wide, course N. 65° E.
- 37.50 Wash, 20 lks. wide, course NE.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

- 58.60 Thence along broken E. slope. Descend 80 ft. to Wash, 60 lks. wide, course E. Ascend 85 ft.
- 66.50 Spur slopes N. 5° E.  
Descend over irregular W. slope, 120 ft. to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 13, 14, 23 and 24. marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, broken or mountainous.  
Soil, rocky, 4th rate.  
Undergrowth, scattering greasewood, palo verde, ocotillo, cacti and Joshua trees.  
No timber.

L. E. W.

H. N. B.

- 40.00 N. 89° 45' E., on a random line, bet. secs. 13 and 24. Set temp.  $\frac{1}{4}$  sec. cor.
- 79.78 Intersect E. bdy. of Tp., 11 lks. N. of the cor. of secs. 13, 18, 19 and 24, described in Book "A."  
Thence,  
S. 89° 50' W., on a true line, bet. secs. 13 and 24.  
Over mountainous land, thru scattering brush.  
Descend 65 ft. to
- 3.35 Gulch, 30 lks. wide, course NW.
- 8.60 Ascend 110 ft.  
Spur, slopes N. Descend 110 ft.

4. Subdivision of Township 11 North, Range 11 West.

Chains.

- 13.00 Gulch, 20 lks.wide, course N. Ascend 25 ft.
- 19.40 Spur, slopes N. Descend 125 ft.
- 24.80 Foot of cliff, .75 ft. high, brs.NW. and SE.  
Enter sandy wash, course NW.
- 32.10 Leave wash, and ascend cliff, 70 ft.high.
- 32.85 Top of cliff, brs.NW. and SE. and ends abruptly 50 lks.N.  
of line.  
Descend 75 ft.
- 36.35 Gulch, course N. Ascend 100 ft.to
- 39.89 Set an iron post 3 ft.long, 1 in.in diam., 26 ins. in  
the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,

$\frac{1}{4}$ S 13

S 24  
1915

and raise a mound of stone, 3 ft. base, 2 ft.high, N.of  
cor.

- Ascend 70 ft.
- 43.50 Spur, slopes M. Descend 110 ft.
- 48.80 Gulch, 40 lks.wide, course NW: Ascend 15 ft.
- 53.50 Spur, slopes NE. Descend on NW slope, 140 ft.
- 65.25 Enter sandy wash, 5 ft. deep, course N.
- 68.75 Leave wash. Ascend NE. slope, 110 ft.
- 77.60 Spur, slopes abruptly N.5° E. Descend 30 ft.
- 79.78 The cor.of secs. 13, 14, 23 and 24.  
Land, mountainous; broken banks of Santa Maria river.  
Soil, rocky, 4th rate.  
Undergrowth, scattering greasewood, palo verde, catclaw, oco-  
tillo, cacti and Joshua trees.  
No timber:

H.N.B.

L.E.W

N.0°1'W., bet.secs. 13 and 14.

Over mountainous land, thru.scattering brush.

Descend 100 ft.to

- 10.50 Top of bluff, 30 ft.high, brs.E.and W. At foot of same,  
enter level sandy river bottom.
- 16.00 Left or south bank of Santa Maria river, brs.E and W.,  
thence over river, course W.(Dry)
- 40.00 Point for  $\frac{1}{4}$  sec.cor. falls in river bed, where a monument  
would be carried away by water.
- 40.20 Right or north bank of river, brs.N.80°E. and S.80°W.Leave  
river bed, enter level, sandy bottom land, bearing E.  
and W.
- 41.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in  
the ground for W.C. to  $\frac{1}{4}$  sec.cor., marked on brass cap,

W C  
100

$\frac{1}{4}$ S 14 | S 13

1915

from which,

A mesquite, 24 ins.diam., brs.N.79°W., 119 lks.  
dist., marked W C  $\frac{1}{4}$ S 14 B T.


A willow, 10 ins.diam., brs.N.35 $\frac{1}{2}$ °E., 125 fks.  
dist., marked W C  $\frac{1}{4}$ S 13 B T.

- 68.60 Leave level bottom land, brs.E and W. Ascend 60 ft., over  
gradual S.slope.
- 80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 24 ins.in  
the ground, for cor.of secs. 11, 12, 13 and 14, marked  
on brass cap,

Subdivision of Township 11 North, Range 11 West.

5.

Chains.



and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.


Land, mountainous, level and rolling.

Soil, rocky, 4th rate over mountainous and rolling land; in river bed, sandy and gravelly, of no apparent value; bottom land, sandy loam with some gravel, good, 2nd rate.

Undergrowth, scattering greasewood, palo verde and cacti, on rolling and mountainous land; on bottom land, mesquite, willows and catclaw; riverbed, bare.

No timber, except scattering mesquite and willow over bottom land.

- 40.00 N. 89° 54' E., on a random line, bet. secs. 12 and 13. Set temp.  $\frac{1}{4}$  sec. cor.
- 79.92 Intersect E\* bdy. of Tp., 9 lks. S. of the cor. of secs. 7, 12, 13 and 18, described in Book "A." Thence, S. 89° 50' W., on a true line, bet. secs. 12 and 13. Over rolling land, thru. scattering undergrowth. Descend 30 ft.
- 5.00 Left or south bank of Santa Maria river, brs. N. 40° W. Thence over dry bed of river, course W.
- 10.20 Right or north bank of river, brs. N. 40° E. and S. 40° W. Leave river bed and enter level bottom land.
- 14.50 Leave bottom and ascend bluff, 50 ft. high.
- 15.30 Top of bluff, brs. N. and S. Ascend 80 ft. over steep SE. slope to
- 20.50 Spur, slopes S. Descend 100 ft.
- 35.50 Ravine, course S. 20° W. Ascend 75 ft.
- 39.40 Spur slopes S. 20° W., Descend.
- 39.96 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

Thence over rolling S\* slope.


- 57.00 Wash, 60 lks. wide in gulch, 40 ft. deep, course S.
- 64.80 Wash, 80 lks. wide, covered with large boulders, course S. Ascend 30 ft.

- 79.92 The cor. of secs. 11, 12, 13 and 14. Land, rolling, mountainous and level. Soil, gravelly and rocky, with scanty loam, 3rd and 4th rate. Undergrowth, scattering greasewood, palo verde and ocotillo. Timber, scattering willows and mesquite along river bottom.


- N. 0° 1' W., bet. secs. 11 and 12. Over mountainous land, thru. scattering brush. Ascend 240 ft.
- 33.20 Spur slopes S. 60° E. Descend 175 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

6. Subdivision of Township 11 North, Range 11 West.

Chains




- and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
- 41.90 Foot of descent, wash, 25 lks. wide, course W. Thence over W. slope.
- 45.00 Wash, 50 lks. wide, course S. 60° W. Ascend 790 ft.
- 79.20 Spur, slopes W.; descend.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  
 Land, mountainous.  
 Soil, rocky with very scanty loam; or no apparent.  
 Undergrowth, scattering greasewood, palo verde, ocotillo and cacti.  
 No timber.

- N. 89° 50' E., on a random line, bet. secs. 1 and 12.
- 40.00 Set temp. 1/4 sec. cor.
- 80.18 Intersect E<sup>w</sup> bdy. of Tp., 11 lks. S. of the cor. of secs. 1, 6, 7 and 12, described in Book "A." Thence, S. 89° 45' W. on a true line, bet. secs. 1 and 12. Over mountainous land, thru scattering brush. Ascend rocky, broken SE. slope, 75 ft. to
- 4.50 Spur, slopes S.
- Continue along steep, broken S. slope to
- 33.00 Ascend steep E. slope, 120 ft. to
- 38.90 Spur, slopes S from butte, near center of sec. 1. Descend 200 ft.
- Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for W.C. to 1/4 sec. cor., marked on brass cap,



- and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
- Descend 200 ft. on W. slope.
- 40.09 Point for 1/4 sec. cor. falls on steep, rocky slope, where it is impracticable to set post.
- 52.00 Ravine, course S. 30° E. Ascend 250 ft. to
- 62.70 Spur, slopes S. Descend 100 ft. along N. slope of spur, sloping W., near top of same.
- 70.00 Head of ravine, course N. 85° W. Ascend along N. slope of spur, sloping W.
- 80.18 The cor. of secs. 1, 2, 11 and 12.  
 Land, mountainous.  
 Soil, rocky with scanty loam, of no apparent value.  
 Undergrowth, scattering greasewood, palo verde and cacti.  
 No timber.

L.E.W.



3284

Subdivision of Township 11 North, Range 11 West. 7

Chains. H.P.  
 North, on random line, bet. secs.1 and 2.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 80.49 Intersect N. bdy.of Tp. 14 lks.E.of the cor.of secs.1,2,  
 35 and 36, described in Book "A."  
 Thence,  
 S 0°6'E., on a true line,bet.secs.1 and 2.  
 Over mountainous land,thru.scattering brush. In rough  
 bottom of canyon,course S. Descend 40 ft.  
 11.89 Wash, 15 lks.wide wide,course S.20°E. Descend 20 ft.  
 18.06 Same wash, course S. 15°W. Continue in canyon, along  
 broken W.slope.  
 22.06 Same wash, 50 lks.wide, course S.10°W. from N.15°W. Ascend  
 110 ft.  
 32.77 Spur, slopes W. Descend 140 ft.to  
 40.49 Set an iron post 3 ft.long, 1 in. in diam., 10 ins. in  
 ground, supported by a mound of stone for  $\frac{1}{4}$  sec.cor.,  
 marked on brass cap,  
  
 S 2 $\frac{1}{4}$ S 1  
 1917  
  
 and raise a mound of stone, 3 ft.base, 2 ft.high,W.of  
 cor.  
 Continue in same canyon; descend along broken W<sup>s</sup> slope.  
 46.46 Same wash, 100 lks.wide,course SE. Descend 65 ft.along  
 broken E. slope.  
 61.82 Same wash, 35 lks.wide, course SW. Thence along rolling  
 NW. slope. Ascend 50 ft.  
 80.49 The cor.of secs.1,2,11 and 12.  
 Land, mountainous and rolling.  
 Soil, very rocky, 4th rate, or no value.  
 Undergrowth, scattering plao verde, greasewood and cactus.  
 No timber.  
  
 H.P.

H.N.B.  
 From the cor.of secs.2,3, 34 and 35 on S.bdy.of Tp.,de-  
 scribed in Book "A,"  
 N.0°1'W., bet. secs.34 and 35.  
 Over rolling land, thru.dense brush.  
 4.90 Wash, 15 lks.wide, 1 ft. deep,course W. Ascend 25 ft.  
 10.00 Spur, slopes SW. Descend 20 ft.  
 14.20 Gulch, 20 lks.wide, course W.  
 20.95 Wash, 10 lks.wide, 1 ft. deep, course W. Asc.20 ft.  
 28.30 Wash, 10 lks.wide, 1 ft. deep, course W.  
 28.50 Old road brs.NE and SW. Ascend 40 ft.to  
 35.00 Spur, slopes SW. Descend 10 ft.  
 40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{2}$  sec.cor., marked on brass cap,  
  
 S34 | S35  
 1915  
  
 and raise a mound of stone 3 ft.base, 2 ft. high,W.of  
 cor.  
 Descend slightly.  
 53.00 Wash, 50 lks.wide, course SW. Ascend.  
 55.00 Ridge, brs. NW. and SE.,being top of divide, bet.Date  
 Creek and Santa Maria river water sheds.  
 Thence descend over a series of spurs, sloping NW.,between  
 which are the gulches noted as follows:  
 58.00 Gulch, 5 lks.wide, course NW.  
 60.40 Gulch, 9 lks.wide, course NW.  
 63.05 Gulch, 5 lks.wide, course NW.  
 71.75 Gulch, 20 lks.wide, course NW.  
 77.85 Gulch, 5 lks.wide, course NW.  
 80.00 On NE slope of spur,200 ft.bekow divide, set an iron post

## 8. Subdivision of Township 11 North Range 11 West

Chains.

3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 26, 27, 34 and 35, marked on brass cap.

T11N	R12W
S27	S26
S34	S35
1915	

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, heavily rolling.

Soil, sandy and rocky, 3rd and 4th rate.

Undergrowth, dense greasewood, palo verde, ocotillo and Joshua trees.

No timber.

H.N.B.

L.E.W.

N. 89° 54' E., on a random line, bet. secs. 26 and 35.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line, 4 lks. N. of the cor. of secs. 25, 26, 35 and 36.

Thence,

S. 89° 56' W. on a true line, bet. secs. 26 and 35.

Over broken and rolling N. slope, thru. dense brush.

3.30 Wash, 20 lks. wide, course N. 20° E. Ascend 90 ft.

26.25 Spur, slopes N. Descend 40 ft.

30.00 Wash, 15 lks. wide, course N. 20° E. Ascend 20 ft.

32.20 Spur, slopes N. 20° E. Descend 20 ft.

34.70 Wash, 20 lks. wide, course N. 20° E. Ascend 25 ft.

37.20 Spur, slopes N. 15° E. Descend 50 ft.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

S 26

S 35  
1914

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

40.30 Wash, 10 lks. wide, course N. 15° E. Thence over rolling land.

57.30 Wash, 60 lks. wide, course N.

74.00 Wash, 35 lks. wide, course N.

80.00 The cor. of secs. 26, 27, 34 and 35.

Land, broken and rolling N. slope.

Soil, sandy loam and rocky, 4th rate.

Undergrowth, dense greasewood, palo verde, ocotillo and Joshua trees.

No timber.

L.E.W.

H.N.B.

N. 0° 1' W., bet. secs. 26 and 27.

Over broken and rolling land, thru. scattering brush. Descend over series of spurs, sloping NW. between which are the gulches noted as follows:

1.45 Gulch, 10 lks. wide in gulch, 25 ft. deep, course NW.

2.50 Same gulch, course NE.

3.40 Same gulch, course NW.

11.40 Gulch, 5 lks. wide, course NW.

21.45 Gulch, 15 lks. wide, course NW.

27.15 Gulch, 5 lks. wide, course NW.

39.20 Wash, 20 lks. wide, course NW.

40.00 150 ft. below cor. of secs. 26, 27, 34 and 35, set an iron

Subdivision of Township 11 North, Range 11 West, 9.

Chains.

post 3 ft. long, 1 in. in diam., 26 ins. in the ground  
for  $\frac{1}{4}$  sec. cor., marked on brass cap,

S27	S26
-----	-----

1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of  
cor.

Leave broken land and descend gradually over smoothly  
rolling, NW. slope.

- 42.50 Wash, 60 lks. wide, 2 ft. deep, course NW.  
45.10 Wash, 20 lks. wide, 2 ft. deep, course NW.  
64.40 Wash, 30 lks. wide, 2 ft. deep, course NW.  
78.20 Gulch, 5 lks. wide, course NW.  
80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in  
the ground for cor. of secs. 22, 23, 26 and 27, marked on  
brass cap,

T11N	R11W
S22	S23

S27	S26
-----	-----

1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of  
cor. This cor. is 120 ft. below  $\frac{1}{4}$  sec. cor.

Land, broken and rolling.

Soil, rocky and sandy, 4th rate.

Undergrowth, scattering greasewood, ocotillo and Joshua  
trees.

No timber.

H.N.B.

L.E.W.

N. 89° 56' E., on a random line, bet. secs. 23 and 26.

- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.,  
79.96 Intersect N. and S line, 9 lks. S. of the cor. of secs. 23,  
24, 25 and 26.  
Thence,  
S. 89° 52' W., on a true line, bet. secs. 23 and 26.  
Over rolling N. slope, thru scattering brush. Ascend grad-  
ually.
- 6.50 Wash, 35 lks. wide, course N.  
11.00 Wash, 60 lks. wide, course N. 15° E.  
28.50 Wash, 30 lks. wide, course N. 15° E.  
39.98 About 50 ft. above cor. of secs. 23, 24, 25 and 26, set an  
iron post 3 ft. long, 1 in. in diam., 26 ins. in the  
ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

S	23
---	----

S	26
---	----

1914

and dig pits 18x18x12 ins., E. and W. of post 3 ft.  
dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
high, N. of cor.

Descend gradually.

- 41.50 Gulch, 10 lks. wide, course N. 15° W.  
45.80 Gulch, 5 lks. wide, course N. 20° E.  
52.70 Wash, 60 lks. wide, 2 ft. deep, course NW.  
58.60 Wash, 5 lks. wide, 3 ft. deep, course N.  
62.30 Wash, 10 lks. wide, 1 ft. deep, course NE.  
73.60 Wash, 5 lks. wide, 1 ft. deep, course N.  
76.50 Wash, 10 lks. wide, 1 ft. deep, course N.  
79.40 Wash, 8 lks. wide, 2 ft. deep, course N. near head.  
79.96 The cor. of secs. 22, 23, 26 and 27, 25 ft. below  $\frac{1}{4}$  sec. cor.

10 Subdivision of Township 11 North, Range 11 West.

Chains.

Land, rolling and broken.  
Soil, sandy and rocky, 3rd rate.  
Undergrowth, scattering greasewood, palo verde and Joshua trees.  
No timber.

L.E.W.

H.N.B.  
N.0°1'W., bet. secs.22 and 23.  
Descending gradually, following the winding course of a gulch, crossing and recrossing same, thru scattering brush.

- 2.30 Enter gulch, from SE., course N.
- 4.00 Leave gulch, course NW.
- 25.10 Same gulch, 10 lks.wide, course NE.
- 26.40 Same gulch, course NW.
- 27.50 Same gulch, course NE.
- 36.50 Same gulch, course NW.
- 40.00 100 ft. below cor. of secs.22,23,26 and 27, set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,

$\frac{1}{4}$ S22 | S23

1915

and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.

- 43.10 Same gulch, course NE. Leave the winding course of the gulch. Ascend 50 ft.
- 55.50 Ridge, brs.NE and SW. Descend 90 ft.
- 75.00 Foot of descent, brs.E and W. Ascend 35 ft.
- 79.00 Spur, slopes W. Descend 35 ft.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground for cor.of secs. 14,15, 22 and 23, marked on brass cap,

T11N R11W  
S15 | S14

S22 | S23  
1915

and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.

Land, broken and rolling.  
Soil, rocky and sandy, 4th rate.  
Undergrowth, scattering greasewood, palo verde and ocotillo.  
No timber.

- 40.00 N.89° 52' E., on a random line, bet. secs.14 and 23. Set temp. $\frac{1}{4}$  sec.cor.
- 79.92 Intersect N.and S line, 11 lks.S.of the cor.of secs.13, 14, 23 and 24.

Thence,  
S 89°47'W., on a true line, bet. secs.14 and 23.  
Over mountainous land, broken by spurs forming the left or south bank of the Santa Maris river, thru scattering brush.

- Descend NW slope, 60 ft.
- 2.10 Gulch, 15 lks.wide, course N. Ascend 60 ft.
- 5.50 Spur, slopes N. Descend 65 ft.
- 10.70 Gulch, 20 lks.wide, course NE. Ascend 110 ft.
- 21.60 Spur, slopes NE.
- 26.35 Spur, slopes N. Descend 120 ft.
- 29.20 Gulch, 8 lks.wide, course N. Ascend 25 ft.
- 31.40 Spur, slopes N. Descend 35 ft.
- 33.30 Gulch, 12 lks.wide, course NE. Ascend 125 ft.

Subdivision of Township 11 North, Range 11 West 11

Chains  
 37.50 Spur, slopes N. Descend 70 ft. to  
 39.96 Set an iron post 3 ft. long, 1 in. in diam., 12 ins. in  
 the ground, supported by a mound of stone, for  $\frac{1}{4}$  sec.  
 cor., marked on brass cap,  
 S 14  
 S 23  
 1915  
 and raise a mound of stone, 3 ft. base, 2 ft. high, N. of  
 cor.  
 Descend 40 ft.  
 41.15 Gulch, 8 lks. wide, course N. Ascend 150 ft.  
 46.00 Ridge, brs. N. and S. Descend 165 ft.  
 56.40 Gulch, 15 lks. wide, course N. Ascend 130 ft.  
 59.40 Spur, slopes N. Descend 85 ft.  
 63.15 Top of bluff, brs. N. and S. Descend abruptly 115 ft.  
 66.25 Gulch, course N. Spring brs. S. 2 chs. dist. in this gulch.  
 68.25 Irrigation ditch, running water, 3 lks. wide, 6 ins. deep,  
 course NW. at foot of bluff 100 ft. high, brs. NW. and  
 SE.  
 68.55 Top of bluff, from which a small tank or reservoir, brs.  
 N. about 4 chs. dist. Ascend 165 ft.  
 76.00 Spur, slopes N. Descend 65 ft. to  
 79.92 The cor. of secs. 14, 15, 22 and 23.  
 Land, mountainous, being broken high banks adjacent to  
 Santa Maria river, course westerly, thru.  $S. \frac{1}{2}$  of sec. 14.  
 Soil, sandstone, 4th rate.  
 Undergrowth, scattering greasewood and palo verde.  
 No timber.

N. 0° 1' W., bet. secs. 14 and 15.  
 Over mountainous land, thru. scattering brush. Descend 90 ft.  
 4.00 Top of bluff, brs. E. and W. Descend abruptly, 125 ft.  
 4.80 Foot of bluff. Leave mountainous land. Enter slightly  
 rolling river bottom land and dense undergrowth, bear-  
 ing E. and W.  
 11.80 Brush fence brs. E. and W. Enter Jesus Madril's cultivated  
 field, bearing E. and W., extends E. 7.00 chs. and W.  
 2.70 chs. dist.  
 14.90 Pole and brush fence, brs. NE. and SW. Leave cultivated  
 land and enter scattering brush.  
 15.10 Road brs. NE. and SW. Extends E. to Congress Junction.  
 24.30 Enter dry bed of S. side channel of Santa Maria river,  
 course NW.  
 30.50 Leave river bed. Thence across level island formed by  
 dividing of the river channel.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,  
 S 15 | S 14  
 1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of  
 cor.  
 A mesquite 4 ins. in diam., brs. N. 84° E., 61 lks.  
 dist., marked S 14 B T.  
 44.00 Leave island, enter main channel of Santa Maria river,  
 course NW.  
 47.80 Leave dry river channel. Thence across another island.  
 56.80 Leave island, enter dry bed of N. side channel of Santa  
 Maria river, 3 ft. deep, course NW.  
 60.70 Leave dry river channel. Thence over level bottom land.  
 65.00 Leave river bottom land, bearing E. and W. Enter moun-  
 tainous land. Ascend 130 ft. over SE. slope.  
 71.80 Jesus Madril's house brs. S. 7° 50' W.  
 77.80 Spur, slopes SW. Descend 20 ft.

## 12. Subdivision of Township 11 North, Range 11 West.

Chains.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 10, 11, 14 and 15, marked on brass cap,

T11N R11W  
S10 | S11  
—+—  
S15 | S14  
1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, mountainous and rolling; and level river bottom. Soil, in mountainous land, rocky; 4th rate; in river bottom, sandy loam, 2nd rate.

Undergrowth, scattering greasewood and palo verde on mountainous land; in river bottom, dense mesquite and cat-claw.

Timber, scattering mesquite in river bottom.

H.N.B.

L.E.W.

N. 89° 47' E., on a random line, bet. secs. 11 and 14.

40.00 Set temp.  $\frac{1}{2}$  sec. cor.

79.82 Intersect the cor. of secs. 11, 12, 13 and 14.

Thence,

S. 89° 47' W., on a true line, bet. secs. 11 and 14.

Over mountainous land, thru scattering brush. Along S. slope. Descend 30 ft.

13.00 Wash, 40 lks. wide, course S. Ascend 30 ft.

17.00 Spur, slopes S. Descend 50 ft.

20.40 Wash, 30 lks. wide, course S. Ascend 190 ft. to

39.91 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{2}$  sec. cor., marked on brass cap,

S 11  
—+—

S 14  
1914

and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

Ascend 30 ft.

42.50 Spur, slopes SE. Descend 200 ft. to

75.30 Spur, slopes SW. Descend 60 ft.

79.82 The cor. of secs. 10, 11, 14 and 15.

Land, mountainous.

Soil, rocky, of no apparent value.

Undergrowth, scattering greasewood, palo verde and ocotillo.

No timber.

L.E.W.

H.P.

N. 0° 1' W., bet. secs. 10 and 11.

Over mountainous land, thru scattering brush. Ascend 15 ft.

0.95 Wash, 15 lks. wide, course SW. Ascend 150 ft.

12.60 Spur, slopes W. Descend 100 ft.

17.40 Wash, 15 lks. wide, course SW. Ascend 95 ft.

22.20 Spur, slopes SW. Descend 60 ft.


31.80 Wash, 10 lks. wide, course SW. Thence over rolling land. Ascend 20 ft.

36.10 Top of ascent brs. NE. and SW. Descend 15 ft.

Subdivision of Township 11 North Range 11 West 13.

Chains


39.30 Wash, 15 lks.wide, course SW. Ascend 10 ft.  
40.00 115 ft. above cor.of secs.10,11,14 and 15, set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,



and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor. Ascend 80 ft.

44.85 Top of ascent, brs.NE. and SW. Descend 95 ft.  
51.80 Wash, 50 lks.wide, course S.70° W. Ascend 60 ft.  
76.30 Wash, 25 lks.wide, course SW. Ascend 15 ft.  
80.00 60 ft. above  $\frac{1}{4}$  sec.cor.

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor.of secs. 2,3,10 and 11, marked on brass cap,



and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.


Land, mountainous and rolling.  
Soil, rocky,4th rate.  
Undergrowth, scattering palo verde and greasewood and cactus.  
No timber.

40.00 East, on a random line, bet. secs.2 and 11. Set temp. $\frac{1}{4}$  sec.cor.  
79.84 Intersect N. and S. line, 50 lks.S. of cor.of secs.1,2,11 and 12.

Thence, S.89°39' W., on a true line, bet. secs.2 and 11. Over rolling land,thru.scattering brush. Descend along N. slope of spur, sloping west, near top of same.

17.74 Point of same spur,sloping west. Descend 120 ft.  
23.94 Wash, 30 lks.wide, course SW. Ascend 60 ft.,over rolling SW. slope, to

39.92 Set an iron post 3 ft.long, 1 in. in diam., 10 ins. in the ground, supported by a mound of stone for  $\frac{1}{4}$  sec.cor., marked on brass cap,



and raise a mound of stone 3 ft.base, 2 ft.high,N.of cor.

Descend 40 ft. along rolling S slope.

58.91 Left or east bank of broad wash, brs.N.and S.20°E. Thence across broad wash, course S.20°E:formed by a parallel series of small washes.

69.91 Right or west bank of broad wash, brs.N.and S.20°E. Ascend 35 ft.

74.84 Top of ascent brs.N. and S. Descend 40. ft.

79.30 Wash, 25 lks.wide, course S. Ascend.

79.84 The cor.of secs.2,3,10 and 11.  
Land, rolling.  
Soil, rocky, 4th rate.

14. Subdivision of Township 11 North Range 11 West

Chains.

Undergrowth, scattering palo verde, greasewood and cactus. No timber.

North, on a random line, bet. secs. 2 and 3.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.84 Intersect N. bdy. of Tp. 24 lks. E. of the cor. of secs. 2, 3, 34 and 35, described in Book "A."

Thence,

S. 0° 10' E., on a true line, bet. secs. 2 and 3.

Over mountainous land, thru scattering brush. Descend 90 ft., over SW. slope.

7.75 Head of ravine, course W. Ascend 46 ft.

12.69 Spur, slopes NW. Descend 195 ft.

19.44 Left bank of broad wash, brs. N. 20° W. & S. 20° E. Thence across wash, course S. 20° E.

28.74 Right bank of wash, brs. N. 20° W. and S. 20° E. Leave wash; ascend 70 ft.

34.84 Spur, slopes SE. Descend 100 ft. to

40.84 Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in the ground, supported by a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$   
S 3 | S 2  
1917

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Descend 65 ft. over SE. slope.

48.89 Wash, 25 lks. wide, course S. 20° E. Descend 85 ft. over SE. slope.

76.94 Same wash, 25 lks. wide, course S. 20° W. Ascend slightly.

80.84 The cor. of secs. 2, 3, 10 and 11.

Land, mountainous.

Soil, rocky, 4th rate.

Undergrowth, scattering palo verde, greasewood and cactus. No timber.

H.P.

H.B.B.

From the cor. of secs. 3, 4, 33 and 34 on S. bdy. of Tp., described in Book "A,"

N. 0° 2' W., bet. secs. 33 and 34.

Over rolling land, thru scattering brush. Along general W. slope.

9.50 Wash, 10 lks. wide, course SW.

18.00 Wash, 10 lks. wide, course W. Ascend gradual S. slope.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 33 | S 34  
1915

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

52.70 Old road, brs. NW. and SE. Extends E. to Congress Junction.

55.00 Top of divide, between Date Creek and Santa Maria river, brs. E. and W. Descend gradual N. slope.

72.90 Wash, 25 lks. wide, course NW.

76.50 Enter wash, course N. from SE. Thence descend in wash.

79.50 Leave wash, course NW. Ascend SW. slope.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 27, 28, 33 and 34, marked



Chains.

on brass cap,

T11NR11 W  
S28 S27S33 S34  
1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sandy loam, 2nd rate.

Undergrowth, scattering greasewood, palo verde and Joshua trees.

No timber.

- 40.00 N. 89° 54' E., on a random line, bet. secs. 27 and 34.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.16 Intersect N. and S. line, 4 lks. N. of the cor. of secs. 26, 27, 34 and 35.

Thence

S. 89° 56' W., on a true line, bet. secs. 27 and 34.

Over a general NW. slope broken by many spurs varying in elevation from 20 to 80 ft., thru scattering brush. Between the spurs are the washes noted as follows:

- 1.20 Spur, slopes NW. Descend 35 ft. to  
2.55 Gulch, 8 lks. wide, course NW. Ascend 25 ft.  
3.80 Spur, slopes NW. Descend 70 ft.  
7.15 Gulch, 20 lks. wide, course NW.  
10.40 Gulch, 5 lks. wide, course NW.  
18.00 Gulch, 15 lks. wide, course NE. Ascend 35 ft. to  
24.70 Gulch, 30 lks. wide, course NW. Ascend 25 ft. to  
34.65 Gulch, 10 lks. wide, course NW.  
39.20 Gulch, 20 lks. wide, course NW.  
40.08 420 ft. below cor. of secs. 26, 27, 34 and 35, set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

 $\frac{1}{4}$  S 27S 34  
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

- 43.60 Gulch, 10 lks. wide, course NW.  
46.50 Gulch, 5 lks. wide, course NW.  
50.75 Gulch, 5 lks. wide, course N. Leave spurs and broken land, and descend over rolling land.  
56.75 Gulch, 5 lks. wide, course NW.  
70.10 Wash, 40 lks. wide, 2 ft. deep, course NW.  
74.00 Wash, 5 lks. wide, 1 ft. deep, course N.  
77.55 Gulch, 5 lks. wide, course NW.  
80.16 The cor. of secs. 27, 28, 33 and 34, 40 ft. below  $\frac{1}{4}$  sec. cor.  
Land, broken and rolling NW. slope.  
Soil, sandy and rocky, 4th rate.  
Undergrowth, scattering greasewood, palo verde, ocotillo and Joshua trees.  
No timber.

N. 0° 2' W., bet. secs. 27 and 28.

Over rolling NW. slope, thru dense brush. Descend gradually.

- 0.55 Wash, 10 lks. wide, 2 ft. deep, course NW.  
5.95 Wash, 8 lks. wide, 1 ft. deep, course NW.  
11.80 Wash, 240 lks. wide, 2 ft. deep, course NW.  
17.70 Wash, 10 lks. wide, 2 ft. deep, course NW.  
21.45 Wash, 8 lks. wide, 2 ft. deep, course NW.

## 16. Subdivision of Township 11 North, Range 11 West.

Chains.

- 24.60 Wash, 5 lks.wide, 2 ft. deep, course NW.  
 35.80 Wash, 10 lks.wide, 2 ft. deep, course NW.  
 38.70 Wash, 5 lks.wide, 2 ft. deep, course NW.  
 40.00 70 ft. below cor.of secs. 27,28,33 and 34, set an iron post 3 ft.long, 1 in.in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,

S28	S27
-----	-----

1915

and raise a mound of stone 3 ft.base, 2 ft. high,W.of cor.

Continue descent.

- 41.40 Wash, 8 lks.wide, 2 ft. deep, course W.  
 61.80 Wash, 20 lks.wide, 2 ft. deep, course NW.  
 68.80 Wash, 280 lks.wide, 2 ft. deep, course NW.  
 74.40 Wash, 8 lks.wide, 2 ft. deep, course NW.  
 80.00 60 ft. below  $\frac{1}{4}$  sec.cor., set an iron post, 3 ft.long, 2 ins. in diam., 24 ins. in the ground for cor.of secs. 21, 22, 27 and 28, marked on brass cap,

T11N R11W	
S21	S22

S28	S27
-----	-----

1915

and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.

Land, broken NW. slope.

Soil, sandy and rocky; 4th rate.

Undergrowth, scattering greasewood, palo verde and Joshua trees.

No timber.

- N.89°56'E., on a random line, bet. secs.22 and 27.  
 40.00 Set temp. $\frac{1}{4}$  sec.cor.  
 80.12 Intersect N.and S. line, 2 lks.S.of the cor.of secs.22,23, 26 and 27.

Thence,

S.89°55'W., on a true line, bet. secs.22 and 27.

Over rolling NW. slope, thru.scattering brush.

- 0.75 Gulch, 5 lks.wide, course NW.  
 3.00 Gulch, 6 lks.wide, course NW.  
 6.80 Gulch, 4 lks.wide, 2 ft. deep, course NW.  
 8.20 Wash, 8 lks.wide, 2 ft. deep, course NW.  
 14.00 Wash, 5 lks.wide, 2 ft. deep, course NW.  
 16.10 Wash, 10 lks.wide, 1 ft. deep, course NW.  
 40.06 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,

S 22	
------	--

S 27	
------	--

1915

and raise a mound of stone, 2 ft.base, 1 $\frac{1}{2}$  ft. high,N. of cor.

- 42.60 Wash, 12 lks.wide, 1 ft. deep, course NW.  
 51.00 Wash, 8 lks.wide, 1 ft. deep, course NW.  
 55.20 Wash, 5 lks.wide, 1 ft. deep, course NW.  
 73.60 Wash, 10 lks.wide, 1 ft. deep, course NW.  
 80.12 The cor.of secs.21,22,27 and 28.  
 Land, rolling.  
 Soil, sandy and rocky, 3rd rate.  
 Undergrowth, scattering greasewood, palo verde, ocotillo and Joshua trees.

Subdivision of Township 11 North, Range 11 West, 17.


Chains.

No timber.

N.0°21'W., bet. secs. 21 and 22.

Over rolling NW slope, thru dense brush.


- 1.90 Wash, 5 lks.wide, 1 ft. deep, course NW.
- 5.25 Wash, 40 lks.wide, 1 ft. deep, course NW.
- 8.90 Wash, 5 lks.wide, 1 ft. deep, course NW.
- 18.00 Enter gulch, course N. from SE. Descend in gulch.
- 22.90 Leave gulch, course NW. from S.
- 23.80 Gulch, course W.
- 34.95 Gulch, 12 lks.wide, course NW.
- 38.25 Gulch, 5 lks.wide, course NW.
- 40.00 Set an iron post 3 ft.long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec.cor., marked on brass cap,



and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.

Leave rolling land. Enter mountainous land; ascend 25 ft.

- 42.00 Spur, slopes W. Descend 60 ft.
- 47.25 Gulch, 10 lks.wide, course W. Ascend 60 ft.
- 56.85 Spur, slopes NW. Descend 75 ft.
- 62.85 Gulch, 10 lks.wide, course NW. Ascend 20 ft.
- 68.75 Spur, slopes NW. Descend 135 ft.
- 74.40 Gulch, 5 lks.wide course NW. Ascend 10 ft.
- 76.50 Spur, slopes W. Descend 87 ft.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground for cor.of secs. 15,16,21 and 22, marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft. high,W. of cor.

Land, rolling and mountainous.

Soil, sandy loam and rocky, 4th rate.

Undergrowth, dense greasewood, ocotillo, cacti and Joshua trees.

No timber.

N.89° 55'E., on a random line, bet. secs.15 and 22.

- 40.00 Set temp.  $\frac{1}{4}$  sec.cor.
- 80.08 Intersect N.and S. line, 2 lks.N.of the cor.of secs.14,15, 22 and 23.

Thence,

S.89°56'W., on a true line, bet. secs.15 and 22.

Over broken land, thru dense brush. Ascend 15 ft.

- 1.70 Spur, slopes N. Descend 120 ft.to
- 4.70 Gulch, 6 lks.wide, course NW. Enter rolling land. Desc. along N. slope.
- 24.90 The SE. cor.of cultivated tract, fenced with rail fence, brs.N.3 chs. dist. This tract is 3 chs. in width,N.and S., and 8 chs.in length E.and W. Jesus Madril's house brs.N.73°30'E:
- 33.90 Top of bluff, brs.N.and S. Descend 50 ft.to
- 34.50 Foot of bluff. An irrigation ditch, 4 lks.wide, course N. in gulch, course N. A spring in this gulch, brs.S.2.00 chs.dist. Ascend 30 ft.
- 39.00 Enter bottom land and scattering cottonwood trees, bearing N.and S.

18. Subdivision of Township 11 North, Range 11 West.

Chains

40.04 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$ S 15

S 22  
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

Leave bottom land; descend 80 ft.

56.20 Brook with water, 4 lks. wide, 2 ins. deep, course N. Heads in a spring about 8.00 chs. south of line. Scattering cottonwood trees along stream. Ascend 30 ft.

56.30 A pole and brush fence, brs. N. and S.

74.00 Top of ascent brs. N. and S. Descend 45 ft.

80.08 The cor. of secs. 15, 16, 21 and 22.

Land, rolling and broken.

Soil, sandy loam and rocky; 4th rate.

Undergrowth, dense palo verde, greasewood and catclaw.

No timber except scattering cottonwoods as noted.

N. 0° 2' W., bet. secs. 15 and 16.

Over rolling land, thru. dense undergrowth.

6.00 Enter clearing of Jesus Madril, brs. E<sup>W</sup> and W.

25.00 Leave clearing, same bearing.

35.90 Four strand wire fence, brs. WNW. and ESE. Leave Jesus Madril's inclosure. Road parallel to fence, extends E. to Congress Junction.

36.65 Enter dry side channel of Santa Maria river, course WNW.

38.00 Leave dry side channel. Enter level island, brs. E. and W., covered with dense brush and scattering timber.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$ S16 | S15

1915

from which,

A cottonwood, 30 ins. in diam., brs. S. 23 $\frac{3}{4}$ ° E., 105 lks. dist., marked  $\frac{1}{4}$  S 15 B T.

A cottonwood 24 ins. in diam., brs. N. 30° W., 16 lks. dist., marked  $\frac{1}{4}$  S 16 B T.

51.00 Leave island; enter dry main channel Santa Maria river, course W.

55.50 Leave dry main river channel. Enter level bottom land.

66.00 Leave bottom land, bearing E. and W. Ascend abruptly, 60 ft. to

67.70 Top of bluff or river bank, brs. E. and W. Thence ascend gradually, over rolling land.

72.80 Gulch, 15 lks. wide, course SE.

73.60 Same gulch, course SW.

75.00 Same gulch, course SE.

80.00 130 ft. above  $\frac{1}{4}$  sec. cor., set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 9, 10, 15 and 16, marked on brass cap,

T11N R11W

S 9 | S10

S16 | S15

1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, rolling and smooth bottom.

Soil in bottom land, sandy loam, 2nd rate; remainder, sandy and rocky, 4th rate.

Subdivision of Township 11 North, Range 11 West, 19.

Chains

Undergrowth, dense greasewood and palo verde on upland; in bottom land, mesquite, catclaw and willow. Timber, scattering mesquite, willow and cottonwood in river bottom.

- 40.00 N.89°56' E., on a random line, bet. secs.10 and 15. Set temp.  $\frac{1}{4}$  sec.cor.
- 80.02 Intersect the cor. of secs.10,11,14 and 15. Thence, S.89°56' W. on a true line, bet. secs.10 and 15. Over rolling land, thru. dense brush.
- 0.75 Gulch, 4 lks.wide, course SW. Ascend 15 ft.
- 4.00 Spur, slopes SW. Descend 40 ft.
- 6.20 Gulch, 5 lks.wide, course SW. Ascend 40 ft.
- 9.00 Spur, slopes S. Descend 30 ft.
- 10.70 Wash, 90 lks.wide, 2 ft. deep, course S. Descend 10 ft. along S. slope.
- 15.00 Wash, 20 lks.wide, 2 ft. deep, course S. Descend 15 ft.
- 20.00 Wash, 60 lks.wide, 3 ft. deep, course S. Ascend 50 ft.
- 25.00 Top of ascent, brs.N.and S. sloping S. Descend 60 ft.
- 40.01 Set an iron post 3 ft.long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass cap,

S 10

S 15  
1914

and raise a mound of stone, 3 ft.base, 2 ft. high,N.of cor.

- 40.50 Gulch, 15 lks.wide, course S. Ascend 20 ft.
- 52.20 Wash, 50 lks.wide, 2 ft. deep, course S. Ascend 30 ft.
- 57.00 Top of ascent, brs.N. and S. Descend 35 ft.
- 62.00 Gulch, 5 lks.wide, course S. Ascend 25 ft.
- 73.50 Gulch, 20 lks.wide, course S. Ascend 35 ft.
- 80.02 The cor.of secs.9,10,15 and 16. Land, rolling. Soil, rocky, 4th rate. Undergrowth, dense greasewood, palo verde, catclaw,ocotillo and cacti.

H.N.B.

H.P.

N.0° 2'W., bet. secs. 9 and 10. Over rolling land, thru.dense brush. Ascend gradual S. slope, throughout the mile.

- 40.00 125 ft. above cor.of secs. 9,10,15 and 16. Set an iron post, 3 ft.long, 1 in. in diam., 16 ins. in the ground,supported by mound of stone for  $\frac{1}{4}$  sec.cor., marked on brass cap,

S 9 | S10


1917

and raise a mound of stone 3 ft.basè, 2 ft.high,W.of cor.

- 67.45 Foot of rocky hill, brs.E.and W. Ascend 66 ft.
- 73.05 Top of hill. Descend 85 ft. on N. slope.
- 77.90 Foot of hill, brs.NE. and SW. Ascend 15 ft.
- 80.00 70 ft. above  $\frac{1}{4}$  sec.cor. Set an iron post  $\frac{3}{4}$  ft. long, 2 ins. in diam., 24 ins. in the ground, for cor.of secs.3,4,9 and 10, marked on brass cap,

20. Subdivision of Township 11 North, Range 11 West.


Chains.



and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, rolling.  
Soil, rocky, 4th rate.  
Undergrowth, dense palo verde, greasewood and cactus.  
No timber.


- 40.00 East, on a random line, bet. secs. 3 and 10..
- 80.10 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.10 Intersect the cor. of secs. 2, 3, 10 and 11.
- Thence,
- West, on a true line, bet. secs. 3 and 10.
- Over level land, thru. dense brush.
- 1.47 Wash, 40 lks. wide, course S. 25° W.
- 12.87 Wash, 15 lks. wide, course S. 10° W.
- 21.45 Leave level land. Enter mountainous land. Ascend 437 ft., over E. slope to
- 40.05 Set an iron post, 3 ft. long, 1 in. in diam., on bedrock, supported by a mound of stone for  $\frac{1}{4}$  sec. cor., marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

- Ascend 20 ft., over rocky SE. slope.
- 41.30 Rocky spur, slopes S. Descend 116 ft.
- 45.44 Head of wash, course SW. Ascend 10 ft. over SE. slope.
- 50.44 Ridge brs. NE and SW. Descend 270 ft. over broken NW. and W. slope.
- 65.63 Head of draw, course S. Ascend 55 ft.
- 74.80 Spur, slopes SW. Descend 91 ft.
- 80.10 The cor. of secs. 3, 4, 9 and 10.
- Land, level and mountainous.
- Soil, rocky, 4th rate.
- Undergrowth, dense palo verde, greasewood and cactus.
- No timber.

- North, on a random line, bet. secs. 3 and 4.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.69 Intersect N. bdy. of Tp., 12 lks. E. of cor. of secs. 3, 4, 33 and 34, described in Book "A."
- Thence
- S. 0° 5' E., on a true line, bet. secs. 3 and 4.
- Over rolling, mountainous land, thru. dense brush. Descend slightly to
- 1.39 Wash, 50 lks. wide, course S. 80° E. Thence over E. slope to
- 4.74 Wash, 20 lks. wide, course E. Ascend 120 ft.
- 13.30 Spur slopes E. Descend 60 ft.
- 15.05 Gulch, course E. Ascend 80 ft.
- 29.39 Top of ascent, brs. E. and W. Descend 40 ft.
- 31.90 Ascend 30 ft.
- 36.88 Descend 16 ft.
- 40.69 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., with brass cap, marked



Subdivision of Township 11 North, Range 11 West. 21.

Chains

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Ascend 81 ft. over NE. slope.

43.40 Spur, slopes E. Descend 442 ft. over broken SE. slope.

73.69 Enter wash, course SW. Thence across bed of wash.

78.79 Leave bed of wash. Ascend 25 ft.

80.69 The cor. of secs. 3, 4, 9 and 10.

Land, rolling, mountainous.

Soil, rocky; 4th rate.

Undergrowth, dense palo verde, greasewood and cactus.

No timber.

H. P.

H.N.B.

From the cor. of secs. 4, 5, 32 and 33 on S. bdy. of Tp., described in Book "A."

N.0°2'W., bet. secs. 32 and 33.

Over gently rolling land, thru dense undergrowth.

Ascend gradual SW. slope.

40.00 On top of divide between Date Creek and Santa Maria river, brs. NW. and SE., set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

S32 | S33  
1915

dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

Descend gradually, over rolling NW. slope.

51.40 Wash, 1 ft. deep, 6 lks. wide, course NW.

69.20 Wash, 5 lks. wide, 1 ft. deep, course NW.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 28, 29, 32 and 33, marked on brass cap,

N11W R11W  
S29 | S28  
S32 | S33  
1915

Dig pits 18x18x12 ins. in each sec.,  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sandy, 2nd rate.

Undergrowth, dense greasewood, palo verde, cacti and Joshua trees.

No timber.

N.89°54'E. on a random line, bet. secs. 28 and 33.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.96 Intersect N. and S. line, 4 lks. N. of cor. of secs. 27, 28, 33 and 34.

Thence

S.89°56'W. on a true line, bet. secs. 28 and 33.

Over gently rolling land, thru dense brush.

Ascend gradually over NW. slope.

0.80 Wash, 2 ft. deep, 15 lks. wide, course NW.

4.00 Wash, 2 ft. deep, 15 mlks. wide, course NW.

6.60 Wash, 10 lks. wide 1 ft. deep, course NW.

39.98 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

## 22. Subdivision of Township 11 Northm Range, 11 West.

Chains.

S228

S 33  
1915

Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

57.40 Old road brs. NW. and SE. Extends E. to Congress Junction.  
79.96 the cor. of secs. 28, 29, 32 and 33.

Land, rolling.

Soil, sandy loam, 2d rate.

Undergrowth, dense greasewood, palo verde, cacti and Joshua trees.

No timber.

N. 0° 2' W., bet. secs. 28 and 29.

Over gently rolling land, thru. dense brush.

Descend gradually over rolling NW. slope.

5.90 Old road brs. NW. and SE. Extends E. to Congress Junction.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

S29 | S28

1915

Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 20, 21, 28 and 29, marked on brass cap,

T. 11N R11W  
S20 | S21S29 | S28  
1915

Dig pits 18x18x12 ins., in each sec.  $5\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sandy loam, 2nd rate.

Undergrowth, dense greasewood, ocotillo, cacti, and Joshua trees.

No timber.

40.00 N. 89° 56' E. on a random line, bet. secs. 21 and 28.  
Set temp.  $\frac{1}{4}$  sec. cor.

79.84 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 21, 22, 27 and 28.

Thence,

S 89° 57' W., on a true line, bet. secs. 21 and 28.

Over rolling land, thru. dense brush. Descend gradually over rolling NW. slope.

4.40 Wash, 3 ft. deep, 65 lks. wide, course NW.

6.80 Enter wash, 3 ft. deep, course NW. Thence across wash.

9.50 Leave wash.

11.85 Gulch, 8 lks. wide, course N.

19.00 Wash, 8 lks. wide, 2 ft. deep, course N.

24.60 Wash, 6 lks. wide, 1 ft. deep, course NW.

31.70 Wash, 2 ft. deep, 20 lks. wide, course NW.

39.80 Wash, 10 lks. wide, 1 ft. deep, course NW.

39.92 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap.



Chains

1/4 S 21

S 28  
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

44.20 Wash, 6 lks. wide, 1 ft. deep, course NW.

46.30 Wash, 2 ft. deep, 190 lks. wide, course NW.

54.20 Wash, 2 ft. deep, 75 lks. wide, course NW.

62.30 Wash, 2 ft. deep, 35 lks. wide, course NW.

79.84 The cor. of secs. 20, 21, 28 and 29.

Land, rolling.

Soil, in eastern 54.00 chs. sandy and rocky, 3rd rate; in western 25.84 chs., sandy loam, 2nd rate.

Undergrowth, dense greasewood, palo verde, ocotillo, cacti and Joshua trees.

No timber.

N. 0° 2' W., bet. secs. 20 and 21.

Over rolling land, thru dense undergrowth.

Descend gradually.

13.30 Wash, 2 ft. deep, 50 lks. wide, course NW.

22.40 Wash, 2 ft. deep, 10 lks. wide, course NW.

Enter rocky broken land. Continue descent.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 16 ins. in the ground, supported by a mound of stone, for 1/4 sec. cor., marked on brass cap,

1/4 S 20 | S 21

1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Descend 30 ft.

45.35 Gulch, 10 lks. wide, course NE. Ascend 40 ft.

55.95 Spur, slopes SE. Descend 35 ft.

61.15 Gulch, 10 lks. wide, course SE. Ascend 40 ft.

64.70 Eugenio Roderer's house brs. N. 32° 38' E.

68.90 Spur, slopes SE. Descend 110 ft.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 10 ins. in the ground, supported by a mound of stone for cor. of secs. 16, 17, 20 and 21, marked on brass cap,

T11N R11W

S17 S16

S20 S21

1915

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, heavily rolling & broken. Soil in rolling land, sandy loam, 2nd rate. In broken land, lava formation, 4th rate.

Undergrowth, dense greasewood, palo verde, cacti, and Joshua trees.

No timber.

N. 89° 57' E., on a random line, bet. secs. 16 and 21.

40.00 Set temp. 1/4 sec. cor.

80.04 Intersect N. and S. line, 7 lks. N. of the cor. of secs. 15, 16, 21 and 22.

Thence,

West on a true line, bet. secs. 16 and 21.

Over broken land, forming the left or south bank of the Santa Maria river, course W.

11.10 Gulch, 5 lks. wide, course NE.

24. Subdivision of Township 11 North, Range 11 West.

- Chains.  
 1.60 Foot of bluff 50 ft. high, bears NE. and SW.  
 2.40 Top of bluff and spur, slopes N. from which Eugenia Rodero's brs. N. 29° 40' W. Thence ascend and descend, over a series of rocky points or spurs, sloping N.  
 32.80 Wash, 10 lks. wide, 1 ft. deep, course N.  
 36.10 Wash, 90 lks. wide, 2 ft. deep, course N.  
 40.02 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

$\frac{1}{4}$  S 16

S 21  
 1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor.

- Ascend 130 ft.  
 48.75 Spur, slopes NE. Descend 120 ft. to  
 56.35 Spur, slopes N. Spur terminates 1.50 chs. N. of line, where it intersects pole fence bearing N. and S. Descend 40 ft.  
 61.30 Enter gulch, course N. Thence across bed of gulch.  
 64.50 Leave gulch. Ascend 70 ft., over NE. slope.  
 80.04 The cor. of secs. 16, 17, 20 and 21.  
 Land, broken and rolling.  
 Soil, rocky and sandy, 4th rate.  
 Undergrowth, dense greasewood, palo verde and catclaw.  
 No timber.

N. 0° 2' W., bet. secs. 16 and 17.

- Over broken land, through scattering brush. Desc. 30 ft.  
 2.70 Gulch, 5 lks. wide, course SE. Ascend 15 ft.  
 6.95 Spur, slopes NE. Descend 55 ft.  
 11.60 Gulch, 15 lks. wide, course E. Ascend 75 ft.  
 19.90 Spur, slopes E. Descend 40 ft.  
 21.40 Gulch, 8 lks. wide, course E. Ascend 80 ft.  
 28.80 Spur slopes E. Descend 66 ft. to  
 34.75 Rocky spur, slopes E. Descend.  
 36.67 Blasito Olea's adobe house brs. N. 17 $\frac{1}{2}$ ' W.  
 37.82 Top of rocky bluff, 110 ft. above Santa Maria river, brs. NE. and SW.  
 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for W.C. to the  $\frac{1}{4}$  sec. cor., which falls in bed of river, marked on brass cap,

$\frac{1}{4}$  S 17 S 16

W C

1915


and raise a mound of stone 3 ft. base, 2 ft. high, W. of post.

- 38.75 Foot of bluff, Santa Maria river, water 4 ins. deep, 12 lks. wide, course NW. Thence over dry river bed.  
 40.00 Point for  $\frac{1}{4}$  sec. cor. falls in river bed. Impracticable to set post, as it would be washed away.  
 42.10 Leave river bed and enter bottom land, bearing E. and W.  
 45.90 Four strand wire fence, brs. E and W. turning to NW., 2 chs. west of line. Enter dense undergrowth and 1st rate soil, bearing E and W.  
 57.20 Four strand wire fence, brs. E. and W.  
 57.60 Road brs. E and W. Extends E. to Congress Junction. Leave bottom land and dense undergrowth and ascend gradually over rolling land, thru scattering brush, bearing E. and W.  
 65.32 School house brs. S. 60 $\frac{1}{2}$ ' W.  
 Jesus Paz's house brs. S 60° 35' W.  
 75.00 Gulch, 5 lks. wide, course W. Ascend 50 ft. to

Subdivision of Township 11 North, Range 11 West. 25.

Chains

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 8, 9, 16 and 17, marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, broken and rolling bottom. Soil, in broken land, rocky, 4th rate; in bottom, sandy loam and coarse sand in river bed; 1st and 3rd rate. Undergrowth, scattering greasewood, palo verde and cacti on upland; mesquite and catclaw in bottom land. No timber, except scattering mesquite and willow in river bottom.

-----

40.00 East, on a random line, bet. secs. 9 and 16. Set temp.  $\frac{1}{4}$  sec. cor.

79.96 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 9, 10, 15 and 16. Thence, S.  $89^{\circ}59'W.$ , on a true line, bet. secs. 9 and 16. Over rolling and broken land, thru. dense brush.

1.60 Gulch, 12 lks. wide, course S.


12.10 Gulch, 50 lks. wide, course S.

23.65 Enter wash, 3 ft. deep, course S. Thence across bottom of wash.

26.40 Leave wash, ascend.

39.30 Gulch, 8 lks. wide, course S. Ascend.

39.98 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft high, N. of cor.

Descend 65 ft.

50.10 Gulch, course S. Ascend 25 ft.

51.55 Spur, slopes S. Terminates 5 chs. S. Descend 20 ft.

52.90 Gulch, 20 lks. wide, course SW. Ascend 75 ft.

60.20 Spur, slopes S. Descend 20 ft.

62.50 Gulch, 19 lks. wide, course SW.

75.00 Gulch, 15 lks. wide, course SW. Descend 30 ft.

79.96 The cor. of secs. 8, 9, 16 and 17. Land, broken and rolling. Soil, rocky with very scanty loam, 4th rate. Undergrowth, dense greasewood, palo verde and ocotillo. No timber.

-----

N.  $0^{\circ}2'W.$ , bet. secs. 8 and 9. Over mountainous land, thru. dense brush. Ascend 80 ft.

13.50 Ridge, brs. NE and SW. Descend 90 ft.

18.45 Gulch, 20 lks. wide, course SW. Ascend 70 ft.

23.80 Spur, slopes SW. Descend 30 ft.

25.85 Gulch, 10 lks. wide, course SW. Ascend SE. slope, 100 ft. to

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

26. Subdivision of Township 11 North, Range 11 West.

Chains.

1/2 S 8 | S 9

1915

and raise a mound of stone 3 ft. base, 2 ft. high, W\*of cor.

Ascend 50 ft. over E\* slope.

- 47.00 Top of ascent, brs. NW and SE. Descend NE. slope, 40 ft.
- 53.10 Gulch, 8 lks. wide, course SE. Ascend 150 ft. over SW. slope.
- 64.75 Top of ascent brs. NE and SW. Descend 50 ft. over W. slope.
- 76.00 Gulch, 5 lks. wide, course SW. Ascend S slope, 102 ft.
- 80.00 Set an iron post 3 ft. long. 2 ins. in diam., 24 ins. in the ground for cor. of secs. 4, 5, 8 and 9, marked on brass cap,

T11N R11W

S 5 | S 4

S 8 | S 9  
1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, mountainous.

Soil, rocky, very scanty loam, 4th rate.

Undergrowth, dense greasewood, palo verde, catclaw, cacti, and ocotillo.

No timber.

H.N.B.

H.P.

East, on a random line, bet. secs. 4 and 9.

- 40.00 Set temp. 1/4 sec. cor.
- 79.96 Intersect N. and S line, 12 lks. S. of the cor. of secs. 3, 4, 9 and 10.

Thence,

S. 89° 55' W. on a true line, bet. secs. 4 and 9.

Over mountainous and rolling land, thru dense brush. Desc. 45 ft. over W. slope.

- 2.46 Enter wash, course S 15° W. Thence across bed of gulch.
- 12.83 Leave wash, ascend 110 ft.
- 26.50 Top of ascent brs. NE and SW. Descend 50 ft.
- 30.65 Wash, 10 lks. wide, course SE. for 10 chs., thence SW. Ascend 30 ft.
- 37.64 Descend 25 ft. to
- 39.98 Set an iron post 3 ft. long, 1 in. in diam., on bedrock, in a mound of stone for 1/4 sec. cor., marked on brass cap,

S 4

S 9

1917

and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

Descend 50 ft.

- 46.56 Wash, 10 lks. wide, course S 30° W. Ascend 15 ft.
- 49.43 Descend 30 ft.
- 52.50 Wash, 20 lks. wide, course S 15° E. Ascend 97 ft.
- 59.53 Top of ascent brs. NW and SE. Descend 35 ft.
- 66.06 Wash, 10 lks. wide, course S. 25° E. Ascend 190 ft.
- 74.06 Spur, slopes S. Descend 55 ft. over SW. slope.
- 79.96 The cor. of secs. 4, 5, 8 and 9.

Land, mountainous and rolling.

Soil, rocky, 4th rate.

Undergrowth, dense palo verde and greasewood and cactus.

No timber.

Subdivision of Township 11 North, Range 11 West. 27

Chains  
 40.00 North, on a random line, bet. secs. 4 and 5.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.52 Intersect N. bdy. of Tp., 19 lks. E. of the cor. of secs., 4, 5, 32 and 33, described in Book "A."  
 Thence,  
 S  $0^{\circ} 8' E.$ , on a true line, bet. secs. 4 and 5.  
 Over mountainous and rolling land, thru. dense brush. Descend 295 ft., over W. slope.  
 31.45 Wash, 20 lks. wide, course SE. Ascend 127 ft., over E. slope.  
 39.57 Point of spur, sloping E. Descend 20 ft. to  
 40.52 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap, marked

$\frac{1}{4}$   
 S 5 | S 4  
 .1917

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.  
 Descend 181 ft. along SE. slope.  
 58.85 Same wash as noted above, 200 lks. wide, course SW. Ascend 35 ft.  
 66.32 Top of ascent, brs. NE. and SW. Descend 35 ft.  
 68.13 Wash, 20 lks. wide, course SW. Ascend 182 ft.  
 80.02 Ridge, brs. N  $70^{\circ} E.$  and S  $70^{\circ} W.$  Descend.  
 80.52 The cor. of secs. 4, 5, 8 and 9.  
 Land, mountainous and rolling.  
 Soil, rocky, 4th rate.  
 Undergrowth, dense palo verde, greasewood and cactus.  
 No timber.

H.P.

H.N.B.  
 From the cor. of secs. 5, 6, 31 and 32 on S bdy. of Tp., described in Book "A,"  
 N.  $0^{\circ} 3' W.$ , bet. secs. 31 and 32.  
 Over rolling land, thru. dense brush. Ascend 25 ft.  
 12.00 Spur, slopes NW. Descend 150 ft. over NE. slope.  
 26.40 Wash, 220 lks. wide, 2 ft. deep, course W. Ascend 75 ft. over broken SW. slope.  
 35.00 Spur, slopes NW. Descend 40 ft. along W. slope.  
 40.00 Point for  $\frac{1}{4}$  sec. cor., falls in a wash 1 ft. deep, 20 lks. wide, course W.; therefore at  
 41.00 Set an iron post 3 ft. long, 1 in. in diam., 18 ins. in the ground, supported by a mound of stone for W. C. to  $\frac{1}{4}$  sec. cor., marked on brass cap,

W C  
 $\frac{1}{4}$  S 31 | S 32  
 1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of post.  
 Ascend gradually.  
 43.20 Wash, 1 ft. deep, 12 lks. wide, course SW. Ascend 65 ft. over broken SW. slope.  
 48.45 Spur, slopes SW. Descend 30 ft.  
 57.20 Ascend 50 ft. over SW. slope.  
 69.90 Top of divide, between Date Creek and Santa Maria river, brs. NW and SE. Descend gradual NE. slope.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 29, 30, 31 and 32 marked on brass cap,

T11N R11W  
 S30 | S29  
 S31 | S32  
 1915

## 28. Subdivision of Township 11 North, Range 11 West.

Chains

Dig pits, 18x18x12 ins. in each sec. 5 $\frac{1}{2}$  ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor. Land, rolling and broken.  
Soil, sandy and rocky in southern 69.90 chs., 4th rate; in northern 10.10 chs., sandy loam 2nd rate.  
Undergrowth, dense greasewood, palo verde and catclaw.  
No timber.

- 
- N. 89° 54' E., on a random line, bet. secs. 29 and 32.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.02 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33.  
thence.  
S 89° 53' W. on a true line, bet. secs. 29 and 32.  
Over rolling land, thru dense brush. Descend gradually.  
20.35 Wash, 8 lks. wide, 1 ft. deep, course NW.  
22.80 Wash, 5 lks. wide, 1 $\frac{1}{2}$  ft. deep, course NW.  
40.01 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

-----

1/4 S 29

-----

S 32  
1915

- dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.  
49.20 Wash, 6 lks. wide, 1 ft. deep, course NW.  
55.00 Wash, 10 lks. wide, 1 ft. deep, course NW  
62.70 Wash, 8 lks. wide, 1 ft. deep, course NW.  
80.02 The cor. of secs. 29, 30, 31 and 32.  
Land, rolling.  
Soil, sandy loam, 2nd rate.  
Undergrowth, greasewood, palo verde, and Joshua trees.  
No timber.

- 
- S. 89° 54' W. on a random line, bet. secs. 30 and 31.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
79.22 Intersect W. bdy. of Tp., 7 lks. S. of the cor. of secs. 30 and 31, described in Book "A."  
Thence,  
N. 89° 57' E., on a true line, bet. secs. 30 and 31.  
Over rolling land, thru dense brush.  
13.10 Enter main dry channel of Date Creek, course NW. Banks 3 ft. high. Thence across dry bed.  
15.00 Leave Date Creek. Ascend over rolling N. slope.  
17.40 Wash, 2 ft. deep, 30 lks. wide, course N. Ascend gradually over SW. slope.  
39.22 80 ft. above Date Creek, set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

-----

1/4 S 30

-----

S 31  
1915


- Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.  
Ascend 150 ft. over SW. slope.  
71.70 Top of divide between Date Creek and Santa Maria river, brs. NW. and SE. Descend gradually over NE. slope.  
79.22 The cor. of secs. 29, 30, 31 and 32.  
Land, rolling.

Subdivision of Township 11 North, Range 11 West. 29.


Chains.

Land, rolling.  
Soil, sandy loam in eastern 7.52 chs., 2nd rate; in balance, coarse sandy and gravelly, 3rd rate.  
Undergrowth, dense greasewood, palo verde and catclaw.  
No timber.

- 19.70 N. 0° 3' W., bet. secs. 29 and 30. Over rolling land, thru dense brush. Descend N. slope. Wash, 5 lks. wide, 1 ft. deep, course NW. Continue descent over NW. slope.
- 31.30 Old road brs. NW and SE. Extends E to Congress Junction.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for sec. cor., marked on brass cap,




- 80.00 Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.
- 80.00 Set an iron post 3 ft. long, 2 ins. on diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling.  
Soil, sandy and gravelly loam, 2nd rate.  
Undergrowth, dense greasewood, palo verde, catclaw and Joshua trees.  
No timber.

- 40.00 N. 89° 53' E., on a random line, bet. secs. 20 and 29. Set temp. 1/4 sec. cor.
- 80.04 Intersect N. and S. line, 4 lks. S. of the cor. of secs. 20, 21, 28 and 29. thence
- S 89° 51' W., on a true line, bet. secs. 20 and 29.
- 4.20 Descend gradually over NW. slope. Wash, 5 lks. wide, 1 ft. deep, course NW.
- 16.60 Wash, 8 lks. wide, 1 1/2 ft. deep, course NW.
- 40.02 True point for 1/4 sec. cor. falls in wash, 30 lks. wide, course NW; therefore at
- 39.50 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for W. C. to the 1/4 sec. cor., marked on brass cap,



- Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of post.
- Continue gradual descent, over rolling NW. slope.
- 52.70 Wash, 15 lks. wide, 1 ft. deep, course NW.
- 62.10 Wash, 2 ft. deep, 90 lks. wide, course NW.
- 67.00 Wash, 5 lks. wide, 1 ft. deep, course NW.

30. Subdivision of Township 11 North, Range 11 West.

Chains  
 72.00 Wash, 2 ft. deep, 50 lks.wide, course NW.  
 80.04 The cor.of secs.19,20,29 and 30.  
 Land, rolling.  
 Soil, sandy loam, 2nd rate.  
 Undergrowth, greasewood, palo verde, cacti, and catclaw.  
 No timber.

---

s\*89°57'W., on a random line, bet. secs. 19 and 30.  
 40.00 Set temp.  $\frac{1}{4}$  sec.cor.  
 79.15 Intersect W bdy.of Tp., at the cor.of secs. 19 and 30,  
 described in Book "A."  
 Thence,  
 N.89° 57' E., on a true line, bet. secs.19 and 30.  
 Over rolling land, thru. dense brush. Ascend gradual NW  
 slope.  
 10.50 Wash, 6 lks.wide, 1 ft. deep, course NW.  
 24.80 Wash, 4 lks.wide, 1 ft. deep, course NW.  
 39.15 On top of divide between Date Creek and Santa Maria river,  
 brs.N.and S., set an iron post, 3 ft.long, 1 in. in diam.,  
 26 ins. in the ground, for  $\frac{1}{4}$  sec.cor., marked on brass  
 cap,  
 S 19  
 S 30  
 1915

Dig pits 18x18x12 ins., E.and W. of post, 3 ft. dist.,  
 and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,N.  
 of cor.  
 Descend gradual E. slope.  
 60.70 Wash, 2 ft. deep, 25 lks.wide, course N. Descend pver N.  
 slope.  
 79.15 The cor.of secs. 19,20, 29 and 30.  
 Land, rolling.  
 Soil,sandy and gravelly, 2nd and 3rd rate.  
 Undergrowth, dense greasewood, cacti and palo verde.  
 No timber.

---

N. 0°3'W., bet. secs. 19 and 20.  
 Over rolling land, thru. brush. Descend gradual N.slope,  
 thru. the S  $\frac{1}{2}$  of this line.  
 4.80 Wash, 2 ft. deep, 180 lks., course NW.  
 18.40 Wash, 20 lks.wide, 1 ft. deep, course NW.  
 34.40 Enter same wash, 2 ft. deep,course N. from SW. Descend in  
 wash.  
 40.00 Point for  $\frac{1}{4}$  sec.cor., falls insame wash, where to set post  
 would be impracticable.  
 42.60 Leave wash, course NW. from S.  
 Ascend 25 ft.to  
 50.00 Set aniron post 3 ft.long, 1 in. in diam., 26 ins. in  
 the ground for W.C. to the  $\frac{1}{4}$  sec.cor., marked on brass  
 cap,  
 W C  
 S19 | S20  
 1915


and raise a mound of stone 3 ft.base, 2 ft.high,W.of  
 post.  
 Ascend 15 ft.  
 53.50 Spur, slopes NW. Enter broken land.  
 Descend 50 ft.  
 56.25 Gulch, 30 lks.wide, course NW. Ascend 20 ft.  
 60.15 Spur, slopes NW.  
 Descend 40 ft.  
 62.80 Gulch, 12 lks.wide, course NW. Ascend 20ft.  
 68.95 Spur, slopes NW. Descend 35 ft.



Subdivision of Township 11 North, Range 11 West. 31

Chains.


- 74.90 Gulch, 20 lks.wide, course NE.
- 77.70 Same gulch, course NW. Ascend.
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground, for cor.of secs. 17,18,19 and 20, marked on brass cap,



and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.

Land,rolling and broken.  
Soil,in southern 42.60 chs., sandy loam, 3rd rate; in northern 37.40 chs. rocky, 4th rate.  
Undergrowth, dense greasewood, palo verde and cacti.  
No timber.

- 40.00 N.89°51' E., on a random line, bet. secs. 17 and 20. Set temp. 1/4 sec.cor.
- 80.18 Intersect N.and S. line, 4 lks.N. of the cor.of secs.16, 17, 20 and 21.  
Thence,  
S.89°53' W., on a true line, bet. secs.17 and 20.  
Over broken land, thru.dense brush.  
Ascend 140 ft., over NE.slope.
- 11.65 Spur, slopes NW. Descend 50 ft. over W. slope.
- 16.30 Gulch, 12 lks.wide, course N. Ascend 40 ft.
- 30.05 Ridge, brs.N. and S. Descend 50 ft. to
- 40.09 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground, supported by a mound of stone, for 1/4 sec.cor. marked on brass cap,



and raise a mound of stone 3 ft. base, 2 ft.high,N,of cor. Descend slightly.

- 42.00 Gulch, 10 lks.wide, course NW. Ascend 30 ft.
- 47.70 Spur, slopes N. Descend 12 ft.
- 50.18 Foot of descent; ascend 30 ft.
- 56.20 Ridge, brs.NW and SE. Descend 50 ft.
- 63.70 Gulch, 12 lks.wide, course SW. Ascend 10 ft.
- 67.70 Spur, slopes SW. Descend 15 ft.
- 75.50 Gulch, 6 lks.wide, course SW. Descend 35 ft.to cor.
- 79.40 Gulch, 10 lks.wide, course SW.
- 80.18 The cor.of secs.17,18,19 and 20.  
Land, broken and heavily rolling.  
Soil, sandy and rocky, 4th rate.  
Undergrowth, dense greasewood, palo verde and ocotillo.  
No timber.

- 40.00 S.89°57' W., on a random line, bet. secs. 18 and 19. Set temp. 1/4 sec.cor.
- 79.06 Intersect W. bdy.of Tp., 7 lks.S.of the cor., of secs.18 and 19, described in Book "A."  
Thence  
East, on a true line, bet. secs.18 and 19.  
Over broken land, thru.dense brush. Ascend 40 ft. along S.slope.
- 15.10 Gulch, 6 lks.wide, course SW. Ascend 40 ft.over SW.slope.
- 19.26 Ridge, brs.N.and S. Divide bet. Date Creek and Santa Maria river. Descend 75 ft.

## 3234. Subdivision of Township 11 North, Range 11 West.

Chains.  
 28.80 Gulch, 12 lks. wide, course NE. Ascend 15 ft.  
 32.65 Spur, slopes NE. Descend 20 ft.  
 34.00 Gulch, 10 lks. wide, course N. Ascend 57 ft.  
 38.70 Ridge, brs. N. and S. Descend 15 ft. to  
 39.06 Set an iron post 3 ft. long, 1 in. in diam., 20 ins. in  
 the ground, supported by a mound of stone, for  $\frac{1}{4}$  sec.  
 cor., marked on brass cap,

±S 18

S 19  
 1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of  
 cor.

Descend 10 ft.  
 40.00 Foot of descent brs. NE. and SW. Ascend 20 ft.  
 44.00 Spur slopes NE. Descend 90 ft.  
 50.00 Gulch, 20 lks. wide, course N. Ascend 60 ft.  
 54.50 Spur, slopes N. Descend 70 ft.  
 57.55 Gulch, 60 lks. wide, course N. Ascend 90 ft.  
 64.50 Spur, slopes NW. Descend 30 ft.  
 74.20 Gulch, 20 lks. wide, course NW. Ascend 30 ft.  
 79.06 The cor. of secs. 17, 18, 19 and 20.  
 Land, broken and heavily rolling.  
 Soil, shallow and rocky, 4th rate.  
 Undergrowth, dense greasewood, palo verde and cacti.  
 No timber.

N. 0° 3' W., bet. secs. 17 and 18;

Over broken land, thru dense brush.

Ascend SE. slope, 30 ft. to

2.50 Spur, slopes SE. Descend 6 ft.  
 5.50 Head of gulch, course SE. Ascend 30 ft.  
 7.50 Ridge brs. E. and W. Descend 15 ft.  
 10.55 Gulch, 12 lks. wide, course W. Ascend 50 ft.  
 14.10 Ridge, brs. E. and W. Descend 40 ft.  
 17.40 Gulch, 10 lks. wide, course W. Ascend 80 ft.  
 30.07 Ridge, brs. E. and W. Descend NW. cor. of field, brs. N. 37°  
 15' E., Jesus Paz, owner.  
 36.65 Jesus Paz' house brs. N. 76° E., about 50 chs. dist.  
 39.90 70 ft. below ridge, top of a bluff, 25 ft. high, brs. E. and  
 W.  
 40.00 Foot of bluff, brs. E. and W.  
 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,

±S 18 | S 17


1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of  
 cor.

Descend abruptly 125 ft., over steep river bank, brs. E. & W.  
 44.20 Foot of bank, brs. E. & W. Enter level bottom of Santa Maria River  
 brs. E. & W. A 2-strand wire fence parallels line at a dist-  
 ance of about 150 lks. west.  
 49.50 A 1-strand wire fence, brs. NE. and SW. Leave fence W. of  
 line.  
 53.60 Leave bottom land, and enter dry channel of Santa Maria  
 river, course W.  
 55.85 Running water 20 lks. wide, 4 ins. deep, course W.  
 56.10 Leave dry channel of river, and enter bottom land bearing  
 E. and W.  
 70.60 A pole fence brs. E. and W., Enter cultivated field of Blas  
 Olea extending W. about 6 chs. and E. about 2.50 chs.  
 70.85 Irrigation ditch 4 lks. wide, course W.  
 73.90 A pole fence brs. NW. and SE. Enter clover field, extend-  
 ing W. about 5 chs. and E. about 2.50 chs.


Subdivision of Township 11 North, Range 11 West. 33.

- Chains.
- 74.00 Irrigation ditch, 5 lks.wide, course W.
- 76.65 A pole fence brs.E and W. Leave cultivated land of Blas Olea.
- 77.20 Road brs.E and W. Extends E. to Congress Junction.
- 77.60 Irrigation ditch, 5 lks.wide, 4 ins. deep, course W. Leave bottom land, and ascend SE. slope, 30 ft. to
- 80.00 Set an iron post 3 ft.long, 2 ins. in diam., 24 ins. in the ground, for cor.of secs.7,8,17 and 18, marked on brass cap,



and raise a mound of stone 3 ft.base, 2 ft.high,W.of cor.  
 Land, broken and river bottom.  
 Soil, in broken land, rocky, 4th rate; in bottom land, sandy loam, 2nd rate.  
 Undergrowth, dense greasewood, palo verde, ocotillo and mesquite.  
 No timber, except scattering mesquite in river bottom.

- 40.00 N.89°53'E., on a random line, bet. secs. 8 and 17. Set temp. sec.cor.
- 80.16 Intersect N.and S. line, 4 lks.N. of the cor.of secs.8,9, 16 and 17.  
 Thence,  
 S.89° 55'W., on a true line, bet. secs.8 and 17.  
 Over rolling land, thru.scattering brush.
- 10.72 Blasito Olea's house brs. S.7½°E.  
 School house brs.S.39° W.
- 11.00 Top of high river bank, brs.NW. and SE. Descend 75 ft.
- 13.60 Foot of bank; enter bottom land of Santa Maria river, bearing NW and SE.
- 18.80 New road brs.NW and SE.
- 19.60 Line of fence posts bears NW and SE.
- 19.80 Enter clearing.
- 25.55 Line of fence posts brs.N.and S., extends N. about 150 lks. and S about 100 lks.dist.  
 Leave clearing and enter dense brush.
- 30.40 Wash, 2 ft. deep, 90 lks. wide, course SE.
- 31.50 Road brs.SW. and NE.
- 35.00 Leave Santa Maria bottom. Enter rolling land; ascend 30 ft. to
- 40.08 Set an iron post 3 ft.long, 1 in. in diam., 24 ins. in the ground, for ¼ sec.cor.; marked on brass cap,



and raise a mound of stone 2 ft. base, 1½ ft. high,N.of cor.

- Descend gradually.
- 48.50 Enter gulch, course S. Thence across same.
- 52.40 Leave gulch.
- 66.00 Gulch, 5 lks.wide, course S.
- 70.60 Blas Olea's house, bears S. 50½°W.
- 78.30 Gulch, 12 lks.wide, course S.
- 80.16 The cor.of secs.7,8,17 and 18, 25 ft. below ¼ sec.cor.  
 Land, rolling and river bottom land.  
 Soil, in upland, rocky and coarse, 4th rate; in bottom land,sandy loam, 2nd rate.  
 Undergrowth, greasewood, mesquite, catclaw and palo verde.  
 No timber, except scattering mesquite in river bottom.

## 34. Subdivision of Township 11 North, Range 11 West.

Chains.

- West, on a random line, bet. secs. 7 and 18.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.00 Intersect W<sup>th</sup> bdy. of Tp., 7 lks. S. of the true point for cor. of secs. 7 and 18, witnessed as described in Book "A."  
 Thence,  
 S.  $89^{\circ} 57'$  E., on a true line, bet. secs. 7 and 18.  
 Over dry channel of Santa Maria river, course N.  $75^{\circ}$  W.  
 9.00 Leave dry river channel, enter low bottom land covered with dense brush, brs. N.  $75^{\circ}$  W. and S.  $75^{\circ}$  E.  
 23.20 Road brs. NW. and SE. Extends E. to Congress Junction.  
 27.00 Wash, 2 ft. deep, 12 lks. wide, course S  
 39.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked on brass cap,

S 7

S 18  
1915

and raise a mound of stone 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

- 46.60 Wash, 60 lks. wide, 2 ft. deep, course S.  
 52.20 Pole fence, brs. NE. and SW. Extends N. NE. about 4 chs. and SW. about 4 chs. dist.  
 61.45 Road brs. NE. and SW. Extends E. to Congress Junction.  
 63.50 Pole fence, brs. NE. and SW. Enter cultivated land of Blas Olea.  
 69.00 Pole fence brs. NW. and SE. Leave cultivated land.  
 69.50 Road brs. NW. and SE. Extends E. to Congress Junction.  
 70.75 Irrigation ditch, course NW. Leave river bottom. Ascend over rolling SW. slope.  
 78.00 Blas Olea's house bears S.  $54^{\circ}$  E.  
 School house brs. S.  $46\frac{1}{2}^{\circ}$  E.  
 79.00 The cor. of secs. 7, 8, 17 and 18.  
 Land, rolling and level river bottom.  
 Soil, sandy loam, in river bottom land, 2nd rate; in rolling land, rocky with scanty loam, 4th rate.  
 Undergrowth, dense greasewood and palo verde over the rolling land; mesquite and catclaw over the bottom land.  
 No timber, except scattering mesquite and cottonwood in river bottom.

- N.  $0^{\circ} 3'$  W., bet. secs. 7 and 8.  
 Over heavily rolling land, thru dense brush.  
 5.85 Gulch, 5 lks. wide, course SW.  
 19.20 Gulch, 50 lks. wide, course SW.  
 31.70 Gulch, 5 lks. wide, course SW.  
 40.00 125 ft. above cor. of secs. 7, 8, 17 and 18, set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,


S 7 | S 8

1915

and raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.


- Ascend 125 ft. to  
 53.15 Ridge, brs. NE. and SW. NW. cor. of field brs. S.  $15^{\circ} 20'$  E.  
 School house brs. S.  $23^{\circ}$  E.  
 Jesus Paz' house brs. S.  $32^{\circ} 10'$  E.  
 Blas Olea's house brs. S.  $46^{\circ} 50'$  E. Descend 50 ft.  
 69.30 Wash, 90 lks. wide, course SW. Ascend 30 ft. to  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap,

Chains.



and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  
 Land, broken and heavily rolling.  
 Soil, rocky with scanty loam, of no apparent value for any agricultural purposes.  
 Undergrowth, dense greasewood, palo verde, ocotillo, and cacti.  
 No timber.

- 40.00 N. 89°53' E. on a random line, bet. secs. 5 and 8.
- 80.24 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.24 Intersect N. and S. line, 7 lks. S. of the cor. of secs. 4, 5, 8 and 9.
- thence,
- S. 89°50' W., on a true line, bet. secs. 5 and 8.
- Over mountainous land, thru. dense brush. Ascend.
- 1.50 Ridge, brs. NE and SW.
- Descend 280 ft.
- 21.10 Gulch, 30 lks. wide, course SW.
- 30.90 Gulch, 15 lks. wide, course S. Ascend 35 ft. to
- 40.12 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap,



- and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor. Ascend 135 ft.
- 47.70 Spur, slopes S. Descend 100 ft.
- 51.90 Gulch, 10 lks. wide, course S. Ascend 90 ft.
- 56.45 Spur, slopes S. Descend 70 ft.
- 61.90 Spur, slopes SW. Descend 130 ft.
- 67.80 Gulch, course SW. Ascend 70 ft.
- 72.15 Spur, slopes SW. Descend 120 ft.
- 80.24 The cor. of secs. 5, 6, 7 and 8.
- Land, mountainous.
- Soil, scanty of no apparent value.
- Undergrowth dense greasewood, palo verde, ocotillo and cacti.
- No timber.

- N. 89°57' W., on a random line, bet. secs. 6 and 7.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 79.10 Intersect W. bdy. of Tp., 21 lks. S. of the cor. of secs. 6 and 7, described in Book "A."
- thence,
- S. 89°48' E., on a true line, bet. secs. 6 and 7.
- Over mountainous land, thru. scattering brush.
- Descend 125 ft.
- 6.30 Gulch, 10 lks. wide, course SE. Ascend 20 ft.
- 8.70 Spur, slopes SE. Descend 90 ft.
- 13.70 Gulch, 50 lks. wide, course S. Ascend 125 ft.
- 20.15 Ridge, brs. N. and S. Descend 40 ft.
- 22.50 Gulch, 12 lks. wide, course S. Ascend 70 ft.
- 25.95 Spur, slopes S. Descend 90 ft.
- 30.00 Gulch, 12 lks. wide, course S. Ascend 120 ft. to
- 39.10 Set an iron post 3 ft. long, 1 in. in diam., 12 ins. in the ground, supported by a mound of stone, for  $\frac{1}{4}$  sec. cor.

36 Subdivision of Township 11 North, Range 11 West.

Chains.

marked on brass cap,

S 6

S 7  
1915

and raise a mound of stone 3 ft. base, 2 ft. high, N. of cor. Cor. is on top of ridge bearing NW. and SE.

Descend 70 ft.

- 43.70 Gulch, 10 lks. wide, course SE. Ascend 100 ft.
  - 52.20 Ridge, brs. NW. and SE. Descend 200 ft.
  - 66.70 Gulch, 20 lks. wide, course SE. Ascend 20 ft.
  - 72.00 Ravine, 15 ft. deep, 150 lks. wide, course S. Ascend 35 ft. to cor.
  - 77.40 Gulch, 60 lks. wide, course S.
  - 79.10 The cor. of secs. 5, 6, 7 and 8.
- Land, mountainous.  
Soil, rocky with very scanty loam, of no apparent value.  
Undergrowth, dense greasewood, palo verde, ocotillo and cacti.  
No timber.

H. N. B.

H. P.

North, on a random line, bet. secs. 5 and 6.

- 40.00 Set temp. 1/4 sec. cor.
  - 80.47 Intersect N. bdy. of Tp. 2 lks. W. of cor. of secs. 5, 6, 31 and 32, described in Book "A."
- Thence,  
S. 0° 1' W., on a true line, bet. secs. 5 and 6.  
Over mountainous and rolling land, thru dense brush; desc. 47 ft.
- 1.70 Wash, 20 lks. wide, course SW. Ascend 60 ft.
  - 8.00 Top of ascent, brs. NE and SW. Descend 176 ft.
  - 23.50 Enter wash, 40 lks. wide, course S. from NW. Descend 5 ft. in wash.
  - 28.94 Leave wash, course SW. from N. Ascend 57 ft.
  - 35.93 Descend 8 3/4 ft. to
  - 40.47 Set an iron post 3 ft. long, 1 in. in diam., 10 ins. in the ground, supported by a mound of stone, for 1/4 sec. cor. marked on brass cap,

S 6 | S 5

1917

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Descend 47 ft.

- 43.30 Wash, 50 lks. wide, course S. 30° E., Ascend 26 ft.
  - 45.10 Descend 30 ft.
  - 46.28 Same wash, course S. from NE. Descend in wash.
  - 55.08 Leave wash, course SE. from N. Ascend 16 ft.
  - 57.70 Descend 30 ft.
  - 60.65 Same wash in bend from NE. to SE. Descend 5 ft.
  - 67.22 Same wash, course SW. Ascend 40 ft.
  - 80.47 The cor. of secs. 5, 6, 7 and 8.
- Land, mountainous and rolling.  
Soil, rocky, 4th rate.  
Undergrowth, dense palo verde, greasewood and cactis.  
No timber.

H. P.

GENERAL DESCRIPTION.


L.E.W. and H.N.B.

The portion of this township subdivided by us as hereinbefore described, contains every variety of surface, and every class of soil, namely, mountainous, broken, rolling and level surface, and 1st, 2nd, 3rd and 4th rate soil. Our survey includes all of the township except the north tier of secs. and secs. 9 and 10. The greater part of our survey lies on the S. side of the Santa Maria Valley, and has a general northerly slope towards the Santa Maria river, which enters the township on the east boundary of sec. 12, and leaves the township at the cor. of secs. 7 and 18 on W. bdy., with a general westerly course. This water course does not have a permanent flow of water in this township, but the only settlers are located in the bottom lands adjacent, and obtain their water supply from permanent springs issuing from the gulches in the steep banks of the river.

The dry channel of Date Creek, course NW. passes thru. the SW. portion of the township, entering S. of sec. 31, and leaving W. of sec. 30. The divide in the drainage bet. this water course and the Santa Maria river, extends E. and W., thru. the southern part, and NW. and SE. thru. the southwestern part of the township. The only land valuable for agricultural purposes where the soil is 1st and 2nd rate, and with irrigation would produce crops, is along the bottoms adjacent to Date Creek and the Santa Maria river, the remainder of the township being of value only for grazing of sheep or goats by reason of undergrowth of palo verde, greasewood and cactus, and a scant growth of grass. In the bottoms and along some of the larger washes is found scattering mesquite, cottonwood or willow timber. Elsewhere there is none.

The settlers are located in secs. 15, 16, and 17, and a school house is located in sec. 17. A road following the divide between Date Creek and Santa Maria river, and another following the Santa Maria are the only roads. Both of these extend easterly to Congress Junction. There are no present indications of mining operations having been carried on at any time, but there are outcroppings of copper ore along the line between secs. 11 and 12.

L.E.W. and H.N.B.




H.P.

The portion of this township subdivided by me completes the subdivision, the remainder having previously been surveyed under this group. The surface of the portion included in my survey is mountainous and rolling, forming the north side of the valley of the Santa Maria river, to which watercourse the surface drains in a number of dry washes, with a general southerly course. The soil consists of decomposed igneous rocks, 4th rate, and is of very little value agriculturally. There is no permanent running water. The undergrowth is both dense and scattering growths and consists of palo verde, greasewood, catclaw and cactus of several varieties, such as cholla and ocotillo. There is no timber. No evidences of mineral, no improvements, and no settlers were found. No roads traverse this portion of the township at present.

A scant growth of grass in places make this portion of some value for grazing purposes.

H.P.



Book "L"  
Group 36 ----- Arizona

Township 11 North, Range 11 West.

~ DATE • DIAGRAM ~

	5-3-17	5-3-17	5-2-17	5-2-17	5-2-17	5-1-17	5-1-17	
4-28-17	6	5	4	3	2	1		4-7-15
	1-26-15	1-27-15	5-2-17	5-4-17	5-1-17	2-8-15		
1-15-15	7	8	9	10	11	12		1-24-15
	1-26-15	1-27-15	1-28-15	1-24-15	1-27-15	1-27-15		
1-15-15	18	17	16	15	14	13		1-24-15
	1-9-15	1-9-15	1-20-15	1-24-15	1-28-15	2-5-15		
1-11-15	19	20	21	22	23	24		1-24-15
	1-18-15	1-19-15	1-20-15	1-21-15	1-24-15, 1-27-15	2-4-15		
1-11-15	30	29	28	27	26	25		1-24-15
	1-18-15	1-19-15	1-20-15	1-21-15	1-27-15	1-27-15		
1-9-15	31	32	33	34	35	36		1-21-15
	1-18-15	1-19-15	1-18-15	1-21-15	1-27-15			
	1-16-15	1-16-15	1-16-15	1-16-15	1-16-15	1-16-15		6-2764

Lines dated in black were surveyed by L. E. Wilkes,  
U. S. Surveyor.

Lines dated in red were surveyed by H. N. Bradstreet,  
U. S. Transitman.

Lines dated in blue were surveyed by Hugo Price,  
U.S. Transitman.

For list of field assistants see Book 'A'.



254  
10.  
39.

BOOK 3234

For CERTIFICATE OF UNITED STATES SURVEYOR, AND UNITED STATES TRANSITMEN.  
See Book "C."

I, \_\_\_\_\_, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for \_\_\_\_\_ bearing date of the \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of \_\_\_\_\_ of the \_\_\_\_\_ Meridian, in the State of \_\_\_\_\_, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for \_\_\_\_\_ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

\_\_\_\_\_  
U. S. Surveyor

APPROVAL.


OFFICE OF THE UNITED STATES SURVEYOR GENERAL,  
Phoenix, Arizona, Jan 20, 1919. ~~1918~~

The foregoing field notes of the survey of the  
Subdivision Lines of

TOWNSHIP 11 NORTH, RANGE 11 WEST.

Gila and Salt River Base and Meridian, in the State of Arizona,

executed by L. E. Wilkes, U. S. Surveyor, & H. N. Bradstreet & Hugo Brice, U. S. Transitmen,  
under ~~his~~ special instructions dated July 23, 1914, for Group 36, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

  
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in \_\_\_\_\_  
\_\_\_\_\_ has been correctly copied from the original notes on file in this office.