

Orig. 103
①

3290
Book "C"
4-679

BOOK 3290

FIELD NOTES

OF THE SURVEY OF THE

3290

South and West boundaries and
subdivision lines of

TOWNSHIP 39 NORTH, RANGE 6 WEST,

3290

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Thomas B. Matthews, U. S. Surveyor,

and

William L. Nash, U.S. Transitman,

~~In the capacity of U. S. Surveyor~~, under Special Instructions dated June 16, 1916,
issued by the United States Surveyor General to govern surveys included in Group
No. 75, Arizona, which were approved by the Commissioner of the General Land
Office, July 5, 1916, and Assignment Instructions dated Aug. 15, 1916

Survey commenced October 7, 1916


Survey completed October 14, 1916.

3290
Book "C"

Group 75 - - - - Arizona.

BOOK 3290

INDEX DIAGRAM.



————— Surveyed under this group. Notes in this book. 3290

————— Surveyed under this group. Notes in Book "D." 3291

————— Surveyed under this group. Notes in Book "E." 3292

————— Accepted surveys.

- - - - - Unsurveyed.

▨ Areas surveyed as per accepted plat on file.

Survey of South Boundary of T. 39 N., R. 6 W.

Chains Surveys hereinafter described,

... executed by Thos B. Matthews, U. S. Surveyor, and Wm. L. Nash, U. S. Transitman, using Buff and Buff light mountain transit No. 10,124 and Young and Son's light mountain transit No. 8586 respectively, on the dates shown on diagram on page 37 hereof. For description and approval of instruments, see book "A". From recent and repeated field tests of the instruments on a meridian determined by observations on Polaris, they are known to be in satisfactory adjustment. Mean magnetic declination is 16° 00' E.

15.00 From the cor. of Ts. 38 and 39 N., Rs. 5 and 6 W., which is an iron post, 3 ins. diam., properly set, mkd. and witnessed as described by the Surveyor General, West on a true line bet. secs. 1 and 36. Over gently rolling land, through scattering undergrowth. Asc. 25 ft. to Top of small rim brs. N. and S. 17.58 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap 40.00

18 36
48 1
1916

45.69 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. 50.00 Gulch, 1 ch. wide, 20 ft. deep, course SE. 55.25 Wash, 30 lks. wide, course SE. 60.00 Wash, 8 lks. wide, 4 ft. deep, course SE. 64.96 Asc. 40 ft. to Top of small rim brs. NE. and SW. 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, fo cor. of secs. 1, 2, 35 and 36, mkd. on brass cap

T39N R 6W
S35 | S36
S 2 | S 1
T38 N
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist. Land, rolling and broken. Soil, sandy, 1st rate. No timber. Undergrowth, sagebrush, brigham brush and schadscale. Fair growth of grass.

4.00 West bet. secs. 2 and 35. Over rolling broken land, through scattering undergrowth. E. rim of small canyon brs. NE. and SW. Desc. 27 ft. to 4.91 Bottom of canyon course SW. Asc. 27 ft. to 5.82 W. rim of canyon brs. NE. and SW. 13.82 Gulch, 1 ch. wide, 30 ft. deep, course S. 17.00 Desc. gradual slope. 25.80 Wash, 60 lks. wide, 20 ft. deep, course SE. Asc. 86 ft. to 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

18 2
48 35
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

2 South Boundary of T. 39 N., R. 6 W.

Chains
 45.00 Desc. 29 ft. to
 49.98 Bottom of wash, 25 lks. wide, 4 ft. deep, course SW.
 Asc. gradual slope, .97 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 2, 3, 34 and 35, mkd. on
 brass cap

T39N R 6W
 S34 | S35
 S 3 | S 2
 T38 N
 1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
 Land, rolling.
 Soil, sandy, 2nd rate.
 Timber, very scattering cedar.
 Undergrowth, buck brush, brigham brush, sagebrush and schad-
 scale.
 No grass on account of alkali.

West bet. secs. 3 and 34.
 Over rolling broken land, through very scattering timber
 and undergrowth.
 Asc. 55 ft. to
 5.00 Thence over gently rolling land.
 5.50 Desc. 55 ft. to
 8.91 Gulch, 88 lks. wide, 20 ft. deep, course SE.
 10.00 Asc. 32 ft. to
 14.18 Ridge brs. N. and S. Leave alkali land.
 At this point I set a frlag for test of alinement by
 Polaris observation.
 30.59 Sand wash, 30 lks. wide, 8 ft. deep, course SW.
 35.00 Asc. 31 ft. to
 38.19 Spur slopes SW. 3 chs. dist. Desc. 29 ft. to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., mkd. on brass cap

S 34
 4S 3
 1916

from which,
 A pinyon, 10 ins. diam., brs. N. 81° E.
 36 lks. dist.; mkd. 1/4 S 34 B T.
 A cedar, 12 ins. diam., brs. S. 40° W.
 116 lks. dist.; mkd. 1/4 S 3 B T.

Asc. 31 ft. to
 42.55 Spur slopes SW. 2 chs. Desc. 28 ft.
 44.92 Wash, 1 ch. wide, course SW. Asc. 32 ft.
 46.60 Spur slopes S. 1 ch.
 77.00 Wash, 10 lks. wide, 5 ft. deep, course SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 3, 4, 33 and 34, mkd. on
 brass cap

T39N R 6W
 S33 | S34
 S 4 | S 3
 T38 N
 1916

from which,
 A pinyon, 12 ins. diam., brs. N. 10 1/2° E.
 390 lks. dist.; mkd. T 39 NR 6 W S 34 B T.
 A cedar, 6 ins. diam., brs. S. 24° E.
 328 lks. dist.; mkd. T 38 NR 6 W S 3 B T.
 A cedar, 20 ins. diam., brs. S. 72 1/2° W.
 125 lks. dist.; mkd. T 38 NR 6 W S 4 B T.

South Boundary of T. 39 N., R 6 W.

Chains

A pinyon, 20 ins. diam., brs. N. $31\frac{1}{2}^\circ$ W.
 307 lks. dist.; mkd. T 39 N R 6 W S 33 B T.
 Land, rolling, and broken; (bad lands.)
 Soil sandy, 2nd rate.
 Timber, cedar and pinyon.
 Undergrowth, sagebrush, brigham brush and schadscale.

West bet. secs. 4 and 33.
 Over rolling broken land, through scattering timber and undergrowth.
 18.00 Bottom of wash, 45 lks. wide, 8 ft. deep, course SW.
 26.00 Picket corral brs. S. 3 chs. dist.
 27.40 Rock house brs. S. 3 chs. dist.
 29.08 Road brs. NE. and SW.
 29.50 Yellow-stone tank brs. S. 80 lks. dist.
 30.00 Asc. 20 ft. to
 31.36 Spur slopes SW.
 31.56 Yellow-stone spring brs. S. 1 ch. dist.
 39.00 Road brs. NW. and SE., Yellow-stone Spring to Cane Bed Springs in T. 41 N., R. 5 W. 1 in. diam., 24 ins. in the
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., mkd on brass cap

$\frac{1}{4}S \frac{33}{4}$
 1916

from which,
 A cedar, 10 ins. diam., brs. N. $54\frac{1}{2}^\circ$ W.
 90 lks. dist.; mkd. $\frac{1}{4}S \frac{33}{4}$ B T.
 A pinyon, 10 ins. diam., brs. S. $61\frac{1}{2}^\circ$ E.
 71 lks. dist.; mkd. $\frac{1}{4}S \frac{4}{4}$ B T.

60.00 Asc. 55 ft. to
 64.95 Top of small ridge brs. N. and S.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, mkd. on brass cap

T39N R 6W
 $\frac{S32}{S5} | \frac{S33}{S4}$
 T38 N
 1916

from which,
 A cedar, 9 ins. diam., brs. S. $76\frac{1}{4}^\circ$ E.
 281 lks. dist.; mkd. T 38 N R 6 W S 4 B T.
 A cedar, 6 ins. diam., brs. N. $25\frac{1}{2}^\circ$ W.
 258 lks. dist.; mkd. T 39 N R 6 W S 32 B T.

No other trees within limits.
 Raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Land, rolling and broken.
 Soil, coarse, 2nd and 3rd rates.
 Timber, scattering scrub cedar and pinyon.
 Undergrowth, scattering sagebrush, brigham brush.
 Fair growth of grass.

West bet. secs. 5 and 32.
 Over gently rolling land, through scattering timber and undergrowth.
 11.00 Small ridge brs. NW. and SE.
 13.75 Rim rock brs. NW. and SE. Desc. 113 ft. to
 18.42 Foot of rim-rock brs. NW. and SE.
 24.00 Asc. 24 ft. to
 26.50 Small ridge brs. NW. and SE. Desc. gradual slope.

4 South Boundary of T. 39 N., R. 6 W.

Chains

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 32
4/8 S 5
1916

from which,

A cedar, 10 ins. diam., brs. N. 6° E.
350 lks. dist.; mkd. 1/4 S 32 B T.

A juniper, 8 ins. diam., brs. S. 87 1/2° W.
325 lks. dist.; mkd. 1/4 S 5 B T.

43.30 Wash, 15 lks. wide, 3 ft. deep, course SE. Leave scattering timber brs. N. and S.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, mkd. on brass cap

T39 N R 6 W
S31 | S32
S 6 | S 5
T38 N
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.

Land, rolling and broken.

Soil, coarse, 2nd and 3rd rates.

Timber, scattering scrub cedar, pinyon and juniper as indicated.

Undergrowth, sagebrush and brigham brush.

Abundant growth of grass.

10.94 West bet. secs. 6 and 31.
Over gently rolling land, through scattering undergrowth.
Wash, 25 lks. wide, 3 ft. deep, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 31
4/8 S 6
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

78.91 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of Ts. 38 and 39 N., Rs. 6 and 7 W., mkd. on brass cap

T39 N.
R7W R6W
S36 | S31
S 1 | S 6
T38 N
1916

dig pits, 24 X 24 X 12 ins., on each line, N., E. and W., 4 ft. and S. of post, 8 ft. dist.

Land, gently rolling.

Soil, coarse, 2nd rate.

Timber, none.


Undergrowth, sagebrush and greasewood, brigham brush.

Good growth of grass.

Survey of West Boundary of T. 39 N., R. 6 W.

Chains

From the cor. of Ts. 38 and 39 N., Rs. 6 and 7 W., herein-
before described,
North bet. secs. 31 and 36.
Over gently rolling land, through scattering undergrowth.
40.00 Small wash, course SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap



dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
48.85 Wash, 8 lks. wide, 3 ft. deep, course SW.
64.00 Wash, 8 lks. wide, 3 ft. deep, course SW.
74.55 Wash, 12 lks. wide, 5 ft. deep, course SW.
75.65 Wash, 18 lks. wide, 6 ft. deep, course SW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 25, 30, 31 and 36, mkd. on
brass cap




dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, sagebrush, greasewood and brigham brush.
Abundant grass.

North bet. secs. 25 and 30.
Over gently rolling land, through scattering undergrowth.
7.25 Wash, 12 lks. wide, 5 ft. deep, course W.
22.05 Wash, 12 lks. wide, 5 ft. deep, course W.
39.95 Wash, 12 lks. wide, 5 ft. deep, course SW.
40.00 True point for $\frac{1}{4}$ sec. cor. falls in wash, therefore at
40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for witness cor. to $\frac{1}{4}$ sec. cor., mkd. on brass
cap



dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 19, 24, 25 and 30, mkd. on
brass cap



dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, greasewood, sagebrush schadscale and brigham
brush.
Abundant grass.

6

West Boundary of T. 39 N., R. 6 W.

Chains

North bet. secs. 19 and 24.
 Over rolling land, through scattering undergrowth.
 28.00 Foot of cliffs brs. E. and W. Asc. 59 ft. to
 31.73 Top of spur slopes W. 50 lks.
 33.63 Enter scattering scrub timber brs. E. and W.
 35.00 Asc. 34 ft. to
 39.88 Top of cliffs brs. E. and W.
 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
 S24 | S19
 1916

from which,

A cedar, 8 ins. diam., brs. S. $49\frac{3}{4}^{\circ}$ E.
 33 lks. dist.; mkd. $\frac{1}{4}$ S 19 B T.
 A cedar, 8 ins. diam., brs. N. $9\frac{1}{4}^{\circ}$ W.
 196 lks. dist.; mkd. $\frac{1}{4}$ S 24 B T.

42.00 Leave scattering timber brs. NW. and SE.
 65.40 Road brs. NE. and SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 13, 18, 19 and 24, mkd. on
 brass cap

T39 N
 R7W R6W
 S13 | S18
 S24 | S19
 1916.

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
 Land, rolling and broken.
 Soil, coarse, 2nd and 3rd rates.
 Timber, scattering cedar and pinyon as indicated.
 Undergrowth, sagebrush, greasewood, schadscale and brigham
 brush.
 Good growth of grass.

North bet. secs. 13 and 18.
 Over gently rolling land, through scattering undergrowth.
 20.00 Wash, 25 lks. wide, 2 ft. deep, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
 S13 | S18
 1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 7, 12, 13 and 18, mkd. on
 brass cap

T39 N
 R7W R6W
 S12 | S 7
 S13 | S18
 1916

dig pits, 18 X 18 X 12 ins, in each sec., $5\frac{1}{2}$ ft. dist.
 Land, gently rolling.
 Soil, coarse, 2nd rate.
 No timber.
 Undergrowth, schadscale, sagebrush, greasewood and brigham
 brush.
 Abundant grass.

Chains

North bet. secs. 7 and 12.
 Over gently rolling land, through scattering undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
 S12 | S 7
 1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.

45.00 Small ridge brs. NW. and SE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 1, 6, 7 and 12, mkd. on brass
 cap

T39 N
 R7W R6W
 S 1 | S 6
 S12 | S 7
 1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, schadscale, greasewood, sagebrush and brigham
 brush.
 Abundant grass.

North bet. secs. 1 and 6.
 Over gently rolling land, through scattering undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
 S 1 | S 6
 1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the
 ground, for cor. of Ts. 39 and 40 N., Rs. 6 and 7 W.,
 mkd. on brass cap

T40 N
 R7W R6W
 S36 | S31
 S 1 | S 6
 T39 N
 1916

dig pits, 24 X 24 X 12 ins., on each line, N., E. and
 W., $\frac{1}{4}$ ft. and S. of post, 8 ft. dist.
 Land, gently rolling.
 Soil, coarse, 2nd and 3rd rates.
 No timber.
 Undergrowth, sagebrush, greasewood, schadscale and brigham
 brush.
 Abundant grass.

112

LATITUDES, DEPARTURES AND CLOSING ERRORS.

| Line designated | True course | Dist. | Latitudes | | Departures | |
|--------------------|---------------|--------|-----------|--------|------------|--------|
| | | | N. | S. | E. | W. |
| | | | chs. | chs. | chs. | chs. |
| South Bdy. | West | 478.91 | | | | 478.91 |
| West Bdy. | North | 480.00 | 480.00 | | | |
| North Bdy. | S. 89° 58' E. | 479.00 | | .28 | 479.00 | |
| East Bdy. | South | 480.00 | | 480.00 | | |
| Convergency | | | | | .55 | |
| Totals | | | 480.00 | 480.28 | 479.55 | 478.91 |
| | | | | 480.00 | 478.91 | |
| Error in latitude | | | | .28 | | |
| Error in departure | | | | | .64 | |

Survey of Subdivision of T. 39 N., R. 6 W.

Chains

From the cor. of secs. 1, 2, 35 and 36, on S. bdy. of Tp.,
 hereinbefore described,
 N. 0° 1' W. bet. secs. 35 and 36.
 Over rough broken land, through scattering undergrowth.
 5.00 Draw, 1 ch. wide, course SW.
 28.10 Draw, 1 ch. wide, course SE.
 40.00 True point for $\frac{1}{4}$ sec. cor., falls on sharp ledge of rock,
 therefore at
 40.10 Set an iron post, 3 ft. long, 1 in. diam., on surface
 rock, in a mound of stone, for witness cor. to $\frac{1}{4}$ sec.
 cor., mkd. on brass cap

$\frac{1}{4}$
 S35 | S36
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 45.00 Draw, 2 chs. wide, course E.
 46.00 Enter scattering timber brs. E. and W. Asc. 75 ft. to
 55.00 Desc. 63 ft. to
 60.00 Asc. 34 ft. to
 64.00 Base of cliffs. Asc. 222 ft.
 65.00 Leave timber.
 72.00 Top of cliffs. Enter scattering timber.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 25, 26, 35 and 36, mkd. on
 brass cap

T39N R 6W
 S26 | S25
 S35 | S36
 1916

from which,
 A cedar, 10 ins. diam., brs. N. $44\frac{1}{2}$ ° E.
 160 lks. dist.; mkd. T 39 N R 6 W S 25 B T.
 A cedar, 10 ins. diam., brs. S. $83\frac{1}{2}$ ° E.
 120 lks. dist.; mkd. T 39 N R 6 W S 36 B T.
 A cedar, 12 ins. diam., brs. N. $24\frac{1}{2}$ ° W.
 400 lks. dist.; mkd. T 39 N R 6 W S 26 B T.

No other trees within limits.
 Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
 Land, rolling and broken.
 Soil, 2nd, 3rd and 4th rates.
 Timber, cedar and pinyon as indicated.
 Undergrowth, cactus and white sagebrush.

40.00 East on a random line bet. secs. 25 and 36.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect E. bdy. of Tp., at the cor. of secs. 25, 30,
 31 and 36, which is an iron post, 3 ins. diam., properly
 set, mkd. and witnessed as described by the Surveyor
 General.
 Thence
 West on a true line bet. secs. 25 and 36.
 Over rolling mountainous land, through scattering undergrowth.
 20.00 Asc. 40 ft. to
 25.00 Desc. 47 ft. to
 30.00 Thence over rolling land.
 37.05 Wash, 30 lks. wide, course SE.
 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 25
 S 36
 1916

10

Subdivision of T. 39 N., R. 6 W.

Chains

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 42.95 Draw, 75 lks. wide, course SE. Asc. 28 ft. to
 48.55 Enter scattering timber. Desc. gradual slope to
 54.00 Asc. 40 ft. to
 73.55 Base of cliffs. Asc. 229 ft. to
 75.00 Top of cliffs. Thence over gently rolling land.
 79.96 The cor. of secs. 25, 26, 35 and 36.
 Land, rolling and broken.
 Soil, rocky, 3rd rate; cliffs, limestone and sandstone.
 Timber, scattering cedar and pinyon as indicated.
 Undergrowth, cactus and white sagebrush.
 Poor growth of gramma grass.

N. 0° 1' W. bet. secs. 25 and 26.
 Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 4 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S26 | S25
 1916

from which,

A cedar, 10 ins. diam., brs. N. 2 $\frac{1}{4}$ ° E.
 135 lks. dist.; mkd. $\frac{1}{4}$ S 25 B T.

A cedar, 12 ins. diam., brs. N. 9 $\frac{3}{4}$ ° W.
 170 lks. dist.; mkd. $\frac{1}{4}$ S 26 B T.

69.00 Leave timber.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, mkd. on brass cap

T39N R 6W
 S23 | S24
 S26 | S25
 1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.
 Land, gently rolling.
 Soil, gravelly surface, 1st rate.
 Timber, cedar and pinyon as indicated.
 Undergrowth, cactus and white sagebrush.
 Fair growth of gramma grass.

40.00 East on a random line, bet. secs. 24 and 25.

Set temp. $\frac{1}{4}$ sec. cor.

79.96 Intersect E. bdy. of Tp., at the true point for cor. of secs. 19, 24, 25 and 30. The witness cor., which is an iron post, 3 ins. diam., properly set, mkd. and witnessed as described by the Surveyor General, brs. N. 90 lks. dist.

Thence

West on a true line bet. secs. 24 and 25, from true point for sec. cor.

Over rolling land, through scattering timber.

15.00 Wash, 15 lks. wide, course SE. Asc. gradual slope.

39.80 Brush fence brs. NW. and SE.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 24
 S 25
 1916


Subdivision of T. 39 N., R. 6 W.

Chains

from which,
 A cedar, 14 ins. diam., brs. N. $58\frac{1}{2}^\circ$ E.
 285 lks. dist.; mkd. $\frac{1}{4}$ S 24 B T.
 A cedar, 12 ins. diam., brs. S. 61° W.
 240 lks. dist.; mkd. $\frac{1}{4}$ S 25 B T.


64.95 Leave scattering timber, brs. N. and S.
 79.96 The cor. of secs. 23, 24, 25 and 26.
 Land, rolling.
 Soil, 1st and 3rd rates.
 Timber, scattering cedar and pinyon as indicated.
 Undergrowth, cactus, white sagebrush.
 Fair growth of gramma grass.

30.00 N. 0° 1' W. bet. secs. 23 and 24.
 Over gently rolling land, through scattering undergrowth.
 33.00 Enter scattering timber brs. E. and W.
 Draw, 1 ch. wide, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap



from which,
 A cedar, 10 ins. diam., brs. N. $63\frac{3}{4}^\circ$ E.
 50 lks. dist.; mkd. $\frac{1}{4}$ S 24 B T.
 A cedar, 18 ins. diam., brs. N. $14\frac{1}{2}^\circ$ W.
 215 lks. dist.; mkd. $\frac{1}{4}$ S 23 B T.

50.00 Leave scattering timber brs. E. and W. Enter dense timber.
 55.90 Wash, 30 lks. wide, course NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., on surface,
 rock, in a mound of stone, for cor. of secs. 13, 14,
 23 and 24, mkd. on brass cap



from which,
 A pinyon, 10 ins. diam., brs. N. $56\frac{1}{2}^\circ$ E.
 70 lks. dist.; mkd. T 39 N R 6 W S 13 B T.
 A pinyon, 20 ins. diam., brs. S. $58\frac{1}{2}^\circ$ E.
 98 lks. dist.; mkd. T 39 N R 6 W S 24 B T.
 A cedar, 10 ins. diam., brs. S. 35° W.
 35 lks. dist.; mkd. T 39 N R 6 W S 23 B T.
 A cedar, 10 ins. diam., brs. N. $59\frac{3}{4}^\circ$ W.
 90 lks. dist.; mkd. T 39 N R 6 W S 14 B T.

Land, gently rolling.
 Soil, 1st rate over limestone formation.
 Timber, cedar and pinyon as indicated.
 Undergrowth, cactus and white sagebrush.
 Fair growth of gramma grass.

40.00 East on a random line bet. secs. 13 and 24.
 79.98 Set temp. $\frac{1}{4}$ sec. cor.,
 Intersect E. bdy. of Tp., 18 lks. N. of cor. of secs.
 13, 18, 19 and 24, which is an iron post, 3 ins. diam.,
 properly set, mkd. and witnessed as described by the
 Surveyor General.
 Thence
 N. 89° 52' W. on a true line bet. secs. 13 and 24.
 Over gently rolling land, through scattering undergrowth
 and dense timber.

12

Subdivision of T. 39 N., R. 6 W.

Chains
27.27
39.99

3-strand wire fence brs. NE. and SW.
Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 13
 $\frac{1}{4}$ S 24
1916

from which,

A cedar, 8 ins. diam., brs. N. 61° W.
77 lks. dist.; mkd. $\frac{1}{4}$ S 13 B T.

A cedar, 20 ins. diam., brs. S. 24 $\frac{1}{2}$ ° E.
108 lks. dist.; mkd. $\frac{1}{4}$ S 24 B T.

70.50
71.10
79.98

Enter scattering timber brs. N. and S.
Wash, 15 lks. wide, course NE.
The cor. of secs. 13, 14, 23 and 24.
Land, gently rolling.
Soil, 1st rate over limestone.
Timber, cedar and pinyon as indicated.
Undergrowth, cactus and white sagebrush.
Fair growth of gramma grass.

N. 0° 1' W. bet. secs. 13 and 14.
Over rolling land, through dense timber and undergrowth.
Asc. 23 ft. to.

5.00
10.00
40.00

Spur slopes E. Desc. 34 ft.
Timber, becomes scattering.
Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S14 | S13
1916

from which,

A cedar, 14 ins. diam., brs. S. 55° E.
94 lks. dist.; mkd. $\frac{1}{4}$ S 13 B T.

A cedar, 10 ins. diam., brs. N. 46 $\frac{1}{2}$ ° W.
137 lks. dist.; mkd. $\frac{1}{4}$ S 14 B T.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, mkd. on brass cap

T39N R 6W
S11 | S12
S14 | S13
1916

from which,

A cedar, 14 ins. diam., brs. N. 12 $\frac{1}{2}$ ° E.
111 lks. dist.; mkd. T 39 N R 6 W S 12 B T.

A cedar, 10 ins. diam., brs. S. 29° E.
93 lks. dist.; mkd. T 39 N R 6 W S 13 B T.

A pinyon, 24 ins. diam., brs. S. 15 $\frac{1}{2}$ ° W.
297 lks. dist.; mkd. T 39 N R 6 W S 14 B T.

A cedar, 12 ins. diam., brs. N. 51 $\frac{1}{2}$ ° W.
92 lks. dist.; mkd. T 39 N R 6 W S 11 B T.

Land, gently rolling.
Soil, 1st rate over limestone formation.
Timber, cedar and pinyon.
Undergrowth, cactus and white sagebrush.
Fair growth of gramma grass.

Subdivision of T. 39 N., R. 6 W.

Chains

40.00 East on a random line bet. secs. 12 and 13.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect E. bdy. of Tp., 23 lks. N. of the cor. of secs. 7, 12, 13 and 18, which is an iron post, 3 ins. diam., properly set, mkd. and witnessed as described by the Surveyor General.
 Thence
 N. $89^{\circ} 50'$ W. on a true line bet. secs. 12 and 13.
 Over gently rolling land, through scattering undergrowth.
 8.00 Enter scattering timber.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

S 12
 $\frac{1}{4}$ S 13
 1916

from which;
 A cedar, 10 ins. diam., brs. N. 66° W.
 130 lks. dist.; mkd. $\frac{1}{4}$ S 12 B T.
 A cedar, 14 ins. diam., brs. S. 31° W.
 74 lks. dist.; mkd. $\frac{1}{4}$ S 13 B T.

48.10 Wash, 15 lks. wide, course NW.
 53.00 Enter scattering timber.
 68.00 Timber becomes dense.
 80.00 The cor. of secs. 11, 12, 13 and 14.
 Land, gently rolling.
 Soil, 1st rate over limestone formation, gravelly surface.
 Timber, cedar and pinyon as indicated.
 Undergrowth, cactus and white sagebrush.
 Abundant gramma grass.

N. $0^{\circ} 1'$ W. bet. secs. 11 and 12.
 Over gently rolling land, through scattering timber and undergrowth.
 5.00 Timber becomes dense.
 20.30 Draw, 3 chs. wide, course NE.
 30.90 Road brs. NE. to Pipe Springs and SW. to Yellowstone Springs.
 31.50 Leave timber brs. E. and W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
 S11 | S12
 1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, mkd. on brass cap

T39N R 6W
 S 2 | S 1
 S11 | S12
 1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
 Land, gently rolling.
 Soil, 1st rate over limestone, gravelly surface,
 Timber, cedar and pinyon as indicated.
 Undergrowth, cactus and white sagebrush.
 Abundant growth of gramma grass.

14

Subdivision of T. 39 N., R. 6 W.

Chains

40.00 East on a random line bet. secs. 1 and 12.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.74 Intersect E. bdy. of Tp., 4 lks. N. of cor. of secs. 1, 6, 7 and 12, which is an iron post, 3 ins. diam., properly set, mkd. and witnessed as described by the Surveyor General. Thence N. $89^{\circ} 58' W.$ on a true line bet. secs. —
 12.35 Road brs. NE. and SW. (1 & 12, over rolling land.
 28.50 Wash, 40 lks. wide, 12 ft. deep, course NE.
 39.87 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4} S \frac{1}{12}$
 1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

79.74 The cor. of secs. 1, 2, 11 and 12.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, greasewood, schadscale, brigham brush.
 Abundant grass.

40.00 N. $0^{\circ} 1' W.$ on a random line bet. secs. 1 and 2.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.89 Intersect N. bdy. of Tp., 25 lks. S. $89^{\circ} 58' E.$ of the cor. of secs. 1, 2, 35 and 36, described in book "D".
 Thence
 S. $0^{\circ} 12' E.$ on a true line bet. secs. 1 and 2.
 Over gently rolling land, through scattering undergrowth.
 12.30 Wash, 1 ch. wide, 3 ft. deep, course NE.
 39.89 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4} S \frac{1}{12}$
 1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

79.89 The cor. of secs. 1, 2, 11 and 12.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 Timber, none.
 Undergrowth, rabbit brush, schadscale, greasewood and brigham brush.
 Good grass.

From the cor. of secs. 2, 3, 34 and 35, on S. bdy. of Tp., hereinbefore described,
 N. $0^{\circ} 1' W.$ bet. secs. 34 and 35.
 Over rolling land, through scattering timber and undergrowth.
 Asc. 153 ft. to
 17.21 Spur slopes E. 3 chs. At this point set flag fro triangulation across to rim-rock to N., and line in a flag on line N. $0^{\circ} 1' W.$ on rim, from which I lay off a base, S. $17^{\circ} 23' W.$ 10.34 chs. dist.; from which first flag set, brs. S. $13^{\circ} 14' E.$ m
 The triangulated dist. is therefore
 $\frac{10.34 \times \sin 149^{\circ} 23'}{\sin 13^{\circ} 13'}$ or 23.03 chs.,
 which added to 17.21 chs. = 40.24 chs.
 Return 24 lks. S. $0^{\circ} 1' E.$ to



Subdivision of T. 39 N., R. 6 W.

Chains
40.00

Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S34 | S35
1916

from which,

A cedar, 10 ins. diam., brs. N. $10\frac{3}{4}^\circ$ E.
146 lks. dist.; mkd. $\frac{1}{4}$ S 35 B T.

A cedar, 20 ins. diam., brs. S. $79\frac{1}{4}^\circ$ W.
89 lks. dist.; mkd. $\frac{1}{4}$ S 34 B T.

40.24
80.00

Top of rim; thence over rolling mesa.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, mkd. on brass cap

T39 N R 6 W
S27 | S26
S34 | S35
1916

from which,

A cedar, 12 ins. diam., brs. N. 39° E.
154 lks. dist.; mkd. T 39 N R 6 W S 26 B T.

A cedar, 10 ins. diam., brs. S. $80\frac{1}{4}^\circ$ E.
216 lks. dist.; mkd. T 39 N R 6 W S 35 B T.

A cedar, 10 ins. diam., brs. S. 24° W.
82 lks. dist.; mkd. T 39 N R 6 W S 34 B T.

No other trees within limits.
Raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
Land, rolling and broken.
Soil, coarse and rocky, 2nd and 4th rates.
Timber, cedar and pinyon.
Undergrowth, rabbit brush, sagebrush and brigham brush.
Abundant grass.

40.00
80.35

East on a random line bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 16 lks. S. of the cor. of secs. 25, 26, 35 and 36.

Thence
S. $89^\circ 53'$ W. on a true line bet. secs. 26 and 35.
Over rolling broken land, through scattering timber and undergrowth.

21.00
40.17 $\frac{1}{2}$

Top or rim rock brs. NE. and SW. Desc. 181 ft.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 26
 $\frac{1}{4}$ S 35
1916

from which,

A pinyon, 6 ins. diam., brs. N. 40° E.
46 lks. dist.; mkd. $\frac{1}{4}$ S 26 B T.

A pinyon, 10 ins. diam., brs. S. $69\frac{1}{4}^\circ$ E.
178 lks. dist.; mkd. $\frac{1}{4}$ S 35 B T.

40.53
49.70
80.35

Foot of cliffs. Asc. 200 ft. to
Top of rim rock brs. NE. and SW. Thence over rolling land.
The cor. of secs. 26, 27, 34 and 35.
Land, rolling and broken.
Soil, rocky and coarse, 2nd and 3rd rates.
Timber, scattering cedar and pinyon.
Undergrowth, sagebrush, brigham brush and buck brush.
Fair growth of grass.

16

Subdivision of T. 39 N., R. 6 W.

Chains

N. 0° 1' W. bet. secs. 26 and 27.

Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S27 | S26
1916

from which,

A cedar, 12 ins. diam., brs. S. 62 3/4° E.
59 lks. dist.; mkd. 1/4 S 26 B T.

A cedar, 10 ins. diam., brs. N. 33 1/4° W.
103 lks. dist.; mkd. 1/4 S 27 B T.

45.00 Timber becomes dense.

70.60 Wash, 15 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, for 1/4 cor. of secs. 22, 23 26 and 27, mkd. on brass cap

T39N R 6W
S22 | S23
S27 | S26
1916

from which,

A pinyon, 10 ins. diam., brs. N. 14 1/2° E.
23 lks. dist.; mkd. T 39 N R 6 W S 23 B T.

A pinyon, 18 ins. diam., brs. S. 54 1/4° E.
120 lks. dist.; mkd. T 39 N R 6 W S 26 B T.

A pinyon, 10 ins. diam., brs. S. 57° W.
134 lks. dist.; mkd. T 39 N R 6 W S 27 B T.

A pinyon, 10 ins. diam., brs. N. 76 3/4° W.
187 lks. dist.; mkd. T 39 N R 6 W S 22 B T.

Land, gently rolling.

Soil, 2nd rate over limestone formation.

Timber, cedar and pinyon.

Undergrowth, sagebrush, tea brush and cactus.

Poor growth of gramma grass.

East on a random line bet. secs. 23 and 26.

40.00 Set temp. 1/4 sec. cor.

80.48 Intersect N. and S. line, 4 lks. S. of cor. of secs. 23, 24, 25 and 26.

Thence

S. 89° 58' W. on a true line bet. secs. 23 and 26.

Over gently rolling land, through scattering undergrowth.

8.50 Enter scattering timber.

18.50 Timber becomes dense.

27.50 Timber becomes scattering.

40.24 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 23
1/4 S 26
1916

from which,

A cedar, 10 ins. diam., brs. N. 29° E.
82 lks. dist.; mkd. 1/4 S 23 B T.

A cedar, 14 ins. diam., brs. S. 20 1/4° E.
28 lks. dist.; mkd. 1/4 S 26 B T.

48.50 Timber becomes dense.

80.48 The cor. of secs. 22, 23, 26 and 27.

Land, gently rolling.

Soil, coarse, 1st rate over limestone formation.

Timber, cedar and pinyon.

Undergrowth, cactush, sagebrush and buck brush.

Abundant gramma grass.

Subdivision of T. 39 N., R. 6 W.

Chains

N. 0° 1' W. bet. secs. 22 and 23.
Over gently rolling land, through dense timber and scattering undergrowth.

22.70
40.00

Wash, 30 lks. wide, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S22 | S23
1916

from which,

- A pinyon, 10 ins. diam., brs. N. 27° E.
75 lks. dist.; mkd. 1/4 S 23 B T.
- A pinyon, 12 ins. diam., brs. N. 20 1/2° W.
64 lks. dist.; mkd. 1/4 S 22 B T.

41.00
65.45
75.00
80.00

Wash, 60 lks. wide, course NE.
Wash, 60 lks. wide, course NW.
Wash, 60 lks. wide, course NE.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, mkd. on brass cap

T39N R 6W
S15 | S14
S22 | S23
1916

from which,

- A cedar, 14 ins. diam., brs. N. 41 1/2° E.
155 lks. dist.; mkd. T 39 N R 6 W S 14 B T.
- A cedar, 20 ins. diam., brs. S. 61 1/2° E.
193 lks. dist.; mkd. T 39 N R 6 W S 23 B T.
- A cedar, 24 ins. diam., brs. S. 62 3/4° W.
230 lks. dist.; mkd. T 39 N R 6 W S 22 B T.
- A cedar, 10 ins. diam., brs. N. 70 3/4° W.
88 lks. dist.; mkd. T 39 N R 6 W S 15 B T.

Land, gently rolling.
Soil, 2nd rate over limestone.
Timber, cedar and pinyon.
Undergrowth, cactus, white sagebrush and buck brush.
Fair growth of gramma grass.

40.00
80.34

East on a random line bet. secs. 14 and 23.
Set temp. 1/4 sec. cor.
Intersect N. and S. line, 31 lks. S. of cor. of secs. 13, 14, 23 and 24.

Thence

S. 89° 47' W. on a true line bet. secs. 14 and 23.
Over gently rolling land, through scattering timber and undergrowth.

28.34
40.17

Enter dense timber.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 14
1/4 S 23
1916

from which,

- A cedar, 12 ins. diam., brs. N. 52° W.
118 lks. dist.; mkd. 1/4 S 14 B T.
- A pinyon, 16 ins. diam., brs. S. 48 1/2° W.
106 lks. dist.; mkd. 1/4 S 23 B T.

49.55
68.35
79.55
80.34

Draw, 1 ch. wide, course N.
Draw, 2 chs. wide, course N.
Wash, 60 lks. wide, course NE.
The cor. of secs. 14, 15, 22 and 23.

18

Subdivision of T. 39 N., R. 6 W.

Chains

Land, gently rolling.
Soil, 2nd rate over limestone.
Timber, cedar and pinyon.
Undergrowth, cactus and sagebrush.

N. 0° 1' W. bet. secs. 14 and 15.
Over gently rolling land, through dense timber and undergrowth.

20.00 Timber becomes scattering.

34.00 Leave timber.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S15 | S14
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

44.40 Road brs. NE. and SW.

51.20 Wash, 25 lks. wide, course NE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, mkd. on brass cap

T39N R 6W
S10 | S11
S15 | S14
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.

Land, gently rolling.
Soil, 2nd and 1st rates over limestone.
Timber, cedar and pinyon as indicated.
Undergrowth, cactus, tea brush and sagebrush.

East on a random line bet. secs. 11 and 14.

40.00 Set temp. 1/4 sec. cor.

80.38 Intersect N. and S. line, 25 lks. N. of cor. of secs. 11, 12, 13 and 14.

Thence
N. 89° 49' W. on a true line bet. secs. 11 and 14.
Over gently rolling land, through scattering timber and undergrowth.

8.40 Timber becomes dense.

21.10 Wash, 60 lks. wide, course N.

28.40 Leave timber.

36.25 Road brs. NE. to Pipe Springs and SW. to Yellowstone Springs.

40.19 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 11
1/4 S 14
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

50.00 Wash, 15 lks. wide, course N.

80.38 The cor. of secs. 10, 11, 14 and 15.

Land, gently rolling.
Soil, 1st and 2nd rates over limestone.
Timber, cedar and pinyon as indicated.
Undergrowth, cactus, sagebrush.

Subdivision of T. 39 N., R. 6 W.

Chains

40.00 N. 0° 1' W. bet. secs. 10 and 11.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S10 | S11
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 2, 3, 10 and 11, mkd. on
brass cap

T39N R 6W
S 3 | S 2
S10 | S11
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
Land, gently rolling.
Soil, gravelly surface, 1st rate.
No timber.
Undergrowth, cactus and sagebrush.
Abundant gramma grass.

40.00 East on a random line bet. secs. 2 and 11.
Set temp. 1/4 sec. cor.
80.34 Intersect N. and S. line, 25 lks. S. of the cor. of secs.
1, 2, 11 and 12.

Thence
S. 89° 49' W. on a true line bet. secs. 2 and 11.
Over gently rolling land, through scattering undergrowth.
Wash, 60 lks. wide, course NE.

24.35 Wash, 60 lks. wide, course NE.
40.17 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 2
S 11
1916

58.55 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.

80.34 Wash, 9 lks. wide, course NE.
The cor. of secs. 2, 3, 10 and 11.
Land, gently rolling.
Soil, gravelly surface, 1st rate.
No timber.
Undergrowth, cactus and white sagebrush.
Abundant gramma grass.

40.00 N. 0° 1' W. on a random line bet. secs. 2 and 3.
Set temp. 1/4 sec. cor.
80.00 Intersect N. bdy. of Tp., 30 lks. W. of cor. of secs.
2, 3, 34 and 35, described in book "D#".

Thence
S. 0° 12' W. on a true line bet. secs. 2 and 3.
Over gently rolling land, through scattering undergrowth.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S 3 | S 2
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.

Subdivision of T. 39 N., R. 6 W.

20
Chains

80.00

The cor. of secs. 2, 3, 10 and 11.
Land, gently rolling.
Soil, gravelly surface, 1st rate.
No timber.
Undergrowth, cactus and sagebrush.
Good growth of gramma grass.

From the cor. of secs. 3, 4, 33 and 34, ^{OP} S. bdy. of Tp.,
hereinbefore described.

N. 0° 2' W. bet. secs. 33 and 34.

Over rolling broken land, through scattering timber and
undergrowth.

20.00

Asc. gradual slope, to $\frac{1}{4}$ sec. cor.

34.00

Leave timber.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S33 | S34
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Asc. 150 ft. to

44.34

Top of cliffs.

46.00

Enter scattering timber brs. E. and W.

56.00

Leave timber, brs. E. and W.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 27, 28, 33 and 34, mkd. on
brass cap

T39N R 6W
S28 | S27
S33 | S34
1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, rolling and broken.
Soil, 1st and 4th rates, limestone formation.
Timber, cedar and pinyon as indicated.
Undergrowth, cactus and white sagebrush.
Poor growth of gramma grass.

East on a random line bet. secs. 27 and 34.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

80.00

Intersect N. and S. line, 12 lks. S. of cor. of secs.
26, 27, 34 and 35.

Thence

S. 89° 55' W. on a true line bet. secs. 27 and 34.

Over gently rolling land, through scattering timber and
undergrowth.

10.00

Wash, 1 ch. wide, course N.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 27
 $\frac{1}{4}$ S 34
1916

from which,

A cedar, 12 ins. diam., brs. N. $54\frac{1}{4}$ ° E.
353 lks. dist.; mkd. $\frac{1}{4}$ S 27 B T.

A cedar, 8 ins. diam., brs. S. $54\frac{1}{2}$ ° E.
333 lks. dist.; mkd. $\frac{1}{4}$ S 34 B T.

69.00

Timber becomes dense.

80.00

The cor. of secs. 27, 28, 33 and 34.

Subdivision of T. 39 N., R. 6 W.

Chains

Land; gently rolling:
Soil, gravelly surface, 1st rate.
Timber, cedar and pinyon as indicated.
Undergrowth, cactus and white sagebrush.
Abundant gramma grass.

N. 0° 2' W. bet. secs. 27 and 28.
Over gently rolling land, through scattering timber and undergrowth.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S28 | S27
1916

from which,
A cedar, 12 ins. diam., brs. S. 33 1/2° E.
140 lks. dist.; mkd. 1/4 S 27 B T.
A cedar, 12 ins. diam., brs. S. 3° W.
140 lks. dist.; mkd. 1/4 S 28 B T.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, mkd. on brass cap

T39N R 6W
S21 | S22
S28 | S27
1916

from which,
A cedar, 10 ins. diam., brs. N. 33° E.
395 lks. dist.; mkd. T 39 N R 6 W S 22 B T.
A cedar, 6 ins. diam., brs. S. 43° E.
140 lks. dist.; mkd. T 39 N R 6 W S 27 B T.
A cedar, 6 ins. diam., brs. S. 70° W.
492 lks. dist.; mkd. T 39 N R 6 W S 28 B T.
No other trees within limits.
Dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
Timber, cedar and pinyon as indicated.
Undergrowth, rabbit brush, brigham brush and schadscale.
Abundant grass.

40.00 East on a random line bet. secs. 22 and 27.
Set temp. 1/4 sec. cor.
80.02 Intersect the cor. of secs. 22, 23, 26 and 27.

Thence
West on a true line bet. secs. 22 and 27.
Over gently rolling land, through scattering timber and undergrowth.

6.15 Wash, 50 lks. wide, 3 ft. deep, course NE.
18.55 Wash, 45 lks. wide, course NE.
40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 22
S 27
1916

from which,
A cedar, 12 ins. diam., brs. N. 65 1/2° E.
303 lks. dist.; mkd. 1/4 S 22 B T.

22

Subdivision of T. 39 N., R. 6 W.

Chains

62.75 A cedar, 24 ins. diam., brs. S. 80° E.
 80.02 145 lks. dist.; mkd. $\frac{1}{4}$ S 27 B T.
 Wash, 8 lks. wide, 4 ft. deep, course N.
 The cor. of secs. 21, 22, 27 and 28.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 Timber, scattering cedar and pinyon.
 Undergrowth, rabbit brush, greasewood, schadscale and
 brigham brush.
 Abundant grass.

40.00 N. 0° 2' W. bet. secs. 21 and 22.
 Over gently rolling land, through scattering timber and
 undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
 S21 | S22
 1916

67.00 from which,
 80.00 A cedar, 30 ins. diam., brs. S. 2 $\frac{1}{2}$ ° E.
 439 lks. dist.; mkd. $\frac{1}{4}$ S 22 B T.
 A cedar, 8 ins. diam., brs. N. 88 $\frac{1}{2}$ ° W.
 18 lks. dist.; mkd. $\frac{1}{4}$ S 21 B T.
 Leave scattering timber brs. E. and W.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 15, 16, 21 and 22, mkd. on
 brass cap

T39N R 6W
 S16 | S15
 S21 | S22
 1916

and raise a mound of stone, 3 ft. base, 3 ft. high,
 W. of cor.
 Land, gently rolling.
 Soil, coarse, 1st and 2nd rates.
 Timber, scattering cedar and pinyon as indicated above.
 Undergrowth, greasewood, rabbit brush, schadscale.
 Abundant grass.

40.00 East on a random line bet. secs. 15 and 22.
 80.16 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 26 lks. N. of cor. of secs. 14,
 15, 22 and 23.
 Thence
 N. 89° 49' W. on a true line bet. secs. 15 and 22.
 Over gently rolling land, through scattering undergrowth.
 3.15 Top of small point slopes N. 25 lks.
 12.15 Small ridge brs. NE. and SW. Scrub timber on ridge.
 40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 15
 $\frac{1}{4}$ S 22
 1916


42.64 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 80.16 dist.
 Wash, 8 lks. wide, 4 ft. deep, course NE.
 The cor. of secs. 15, 16, 22 and 22.
 Land, gently rolling.
 Soil, coarse, 2nd rate.

Subdivision of T. 39 N., R. 6 W.


Chains

Timber, cedar on ridge.
Undergrowth, rabbit brush, greasewood, schadscale and
brigham brush.
Abundant grass.

15.58 N. 0° 2' W. bet. secs. 15 and 16.
Over gently rolling land, through scattering undergrowth.
Road brs. E. and W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap




80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 9, 10, 15 and 16, mkd. on
brass cap



dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undrgrowth, rabbit brush, greasewood, schadscale and
brigham brush.
Abundant grass.

40.00 East on a random line bet. secs. 10, and 15.
Set temp. 1/4 sec. cor.
80.12 Intersect N. and S. line, 33 lks. N. of cor. of secs.
10, 11, 14 and 15.

40.06 Thence
N. 89° 46' W. on a true line bet. secs. 10 and 15.
Over rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap



80.12 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of secs. 9, 10, 15 and 16.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood, schadscale and
brigham brush.
Abundant grass.

5.00 N. 0° 2' W. bet. secs. 9 and 10.
Over gently rolling land, through scattering undergrowth.
Road brs. NE. and SW. Yellowstone Spring to Cane Bed Springs in T41N R5W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap

Subdivision of T. 39N., R. 6 W.

Chains

$\frac{1}{4}$
S 9 | S 10
1916

68.20 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
80.00 Wash, 8 lks. wide, 2 ft. deep, course NW.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, mkd. on brass cap

T39N R 6W
S 4 | S 3
S 9 | S 10
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, greasewood, schadscale and brigham brush.
Abundant grass.

40.00 East on a random line bet. secs. 3 and 10.
Set temp. $\frac{1}{4}$ sec. cor.
80.20 Intersect N. and S. line, 16 lks. N. of cor. of secs. 2, 3, 10 and 11.
Thence
N. 89° 53' W. on a true line bet. secs. 3 and 10.
40.10 Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 3
 $\frac{1}{4}$ S 10
1916

42.70 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
Road brs. NW. and SE., Yellowstone Spring to Cane Bed Springs in T. 41 N., R. 5 W.
80.20 The cor. of secs. 3, 4, 9 and 10.
Land, gently rolling.
Soil, gravelly surface, 1st rate.
No timber.
Undergrowth, cactus and sagebrush.
Abundant gramma grass.

40.00 N. 0° 2' W. on a random line, bet. secs. 3 and 4.
Set temp. $\frac{1}{4}$ sec. cor.
79.98 Intersect N. bdy. of Tp., 39 lks. W. of cor. of secs. 3, 4, 33 and 34, described in book "D".
Thence
S. 0° 15' W. on a true line bet. secs. 3 and 4.
39.98 Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S 4 | S 3
1916

79.98 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
The cor. of secs. 3, 4, 9 and 10.

Subdivision of T. 39 N., R. 6 W. 25.

| | |
|--|--|
| Chains. | <p>Land, gently rolling. Soil, coarse, 1st rate. No timber. Undergrowth, rabbit brush, greasewood, schadscale and brigham brush.</p> |
| <p>26.00 40.00 45.00 69.30 80.00</p> | <p>From the cor. of secs. 4, 5, 32 and 33, on S. bay. of Tp. hereinbefore described, N.0°3'W., bet. secs. 32 and 33. Over gently rolling land, through scattering undergrowth. Enter scattering timber, brs. E. and W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$ S32 S33 1916 </p> <p>from which A cedar, 9 ins. diam., brs. S.14$\frac{1}{2}$°E., 56 lks. dist., marked $\frac{1}{4}$S33 BT. No other trees within limits. Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist. Leave scattering timber. Road, brs. NW. and SE., Yellowstone Spring to Cane Bed Springs in T. 41 N., R. 5 W. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, mkd. on brass cap</p> <p style="text-align: center;"> T39N R6W S29 S28 S32 S33 1916 </p> <p>dig pits, 18 X 18 X 12 ins., in each sec., 5$\frac{1}{2}$ ft. dist. Land, gently rolling. Soil, coarse, 1st rate. Timber, cedar and pinyon as indicated. Undergrowth, cactus and sagebrush. Abundant gramma grass.</p> |
| <p>40.00 80.00 26.00 35.00 40.00 45.00 80.00</p> | <p>East on a random line, bet. secs. 28 and 33. Set temp. $\frac{1}{4}$ sec. cor. Intersect the corner of secs. 27, 28, 33 and 34. Thence West on a true line, bet. secs. 28 and 33. Over rolling land, through scattering undergrowth. Top of cliffs, brs. NW. and SE. Enter scattering growth of timber, Desc. 154 ft. to Base of cliffs, brs. NW. and SE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$ S28 $\frac{1}{4}$ S33 1916 </p> <p>from which A cedar, 12 ins. diam., brs. N.18$\frac{3}{4}$°E., 77 lks. dist., mkd. $\frac{1}{4}$S28 BT. A cedar, 8 ins. diam., brs. S.18$\frac{1}{2}$°W., 39 lks. dist., mkd. $\frac{1}{4}$S33 BT. Leave scattering timber, brs. N. and S. The cor. of secs. 28, 29, 32 and 33.</p> |

26. Subdivision of T. 39 N., R. 6 W.

Chains.

Land, rolling and broken.
Soil, 1st and 4th rates.
Timber, scattering cedar and pinyon.
Undergrowth, cactus and sagebrush.
Poor growth of gramma grass.

N. 0° 3' W., bet. secs. 28 and 29.
27.00 Over gently rolling land, through scattering undergrowth.
40.00 Leave open land, enter scattering timber, brs. E. and W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S29 | S28
1916

from which

A cedar, 10 ins. diam., brs. S. 24 1/4° W.,
180 lks. dist., mkd. 1/4 S29 BT.

No other trees within limits.
Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Leave scattering timber.

55.94 Wash, 10 lks. wide, course W.
70.00 Road, brs. NE. and SW., Yellowstone Spring to Cane Bed
Spring in T. 41 N., R. 5 W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, mkd. on brass cap

T39N R6W
S20 | S21
S29 | S28
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
Land, gently rolling.
Soil, 1st class, gravelly surface.
Timber, scattering cedar and pinyon as indicated.
Undergrowth, scattering cactus and sagebrush.
Abundant gramma grass.

40.00 East on a random line, bet. secs. 21 and 28.
79.90 Set temp. 1/4 sec. cor.
Intersect N. and S. line, 7 lks. N. of cor. of secs. 21, 22, 27 and 28.

Thence
N. 89° 57' W., on a true line, bet. secs. 21 and 28.
Over gently rolling land, through scattering timber and undergrowth.

33.90 Leave scattering timber, brs. N. and S.
39.95 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S21
1/4 S28
1916

76.80 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
Road, brs. NE. and SW., Yellowstone Spring to Cane Bed Springs in T. 41 N., R. 5 W.
79.90 The cor. of secs. 20, 21, 28 and 29.
Land, gently rolling. Abundant gramma grass.
Soil, 1st rate, gravelly surface.
Timber, scattering cedar and pinyon as indicated.
Undergrowth, cactus and sagebrush.

Subdivision of T. 39 N., R. 6 W.

Chans

40.00 N. 0° 3' W. bet. secs. 20 and 21.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S20 | S21
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 16, 17, 20 and 21, mkd. on
brass cap

T39N R 6W
S17 | S16
S20 | S21
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
Land, gently rolling.
Soil, 1st rate, gravelly surface.
No timber.
Undergrowth, white sagebrush.
Abundant gramma grass.

40.00 East on a random line bet. secs. 16 and 21.
Set temp. 1/4 sec. cor.
79.76 Intersect N. and S. line, 9 lks. N. of cor. of secs.
15, 16, 21 and 22.

Thence
N. 89° 56' W. on a true line bet. secs. 16 and 21.
Over gently rolling land, through scattering undergrowth.

5.75 Enter scattering timber, brs. N. and S.
33.25 Leave scattering timber brs. N. and S.
39.88 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 16
4 S 21
1916

42.15 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
Road brs. NE. and SW., Yellowstone Spring to Cane Bed Sp
Springs in T. 41 N., R. 5 W.
79.76 The cor. of secs. 16, 17, 20 and 21.
Soil, 1st rate, limestone subsoil. Land, gently rolling
Timber, scattering cedar and pinyon as indicated.
Undergrowth, sagebrush.
Abundant gramma grass.

40.00 N. 0° 3' W. bet. secs. 16 and 17.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S17 | S16
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 8, 9, 16 and 17, mkd. on
brass cap

28

Subdivision of T. 39 N., R. 6 W.

Chains

T39N R 6W
S 8 | S 9
S 17 | S 16
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, gently rolling.
Soil, 1st rate, gravelly surface.
No timber.
Undergrowth, cactus and sagebrush.
Abundant gramma grass.

40.00 East on a random line bet. secs. 9 and 16.
79.74 Set temp. ¼ sec. cor.
Intersect N. and S. line, 16 lks. N. of cor. of secs.
9, 10, 15 and 16.

Thence
2.25 N. 89° 53' W. on a true line bet. secs. 9 and 16.
Over gently rolling land, through scattering undergrowth.
Road brs. NE. and SW., Yellowstone Spring to Cane Bed
Springs, in T. 41 N., R. 5 W.
39.87 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., mkd. on brass cap

S 9
S 16
1916

79.74 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of secs. 9, 10, 15 and 16.
Land, gently rolling.
Soil, 1st rate, gravelly surface.
No timber.
Undergrowth, Cactus and sagebrush.
Abundant gramma grass.

40.00 N. 0° 3' W. bet. secs. 8 and 9.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., mkd. on brass cap

S 8 | S 9
1916

79.15 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
80.00 Old road brs. NE. and SW.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 4, 5, 8 and 9, mkd. on brass
cap.

T39N R 6W
S 5 | S 4
S 8 | S 9
1916

dig pits, 18 X 18 X 12 ins. in each sec., 5½ ft. dist.
Land, gently rolling.
Soil, 1st rate, gravelly surface.
No timber.
Undergrowth, cactus and sagebrush.
Abundant gramma grass.

Subdivision of T. 39 N., R. 6 W.

Chains

40.00 East on a random line bet. secs. 4 and 9.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.62 Intersect N. and S. line, 16 lks. N. of cor. of secs.
 3, 4, 9 and 10.
 Thence
 N. $89^{\circ} 53'$ W. on a true line bet. secs. 4 and 9.
 Over gently rolling land, through scattering undergrowth.
 39.81 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} S \ 4 \\ \frac{1}{4} S \ 9 \\ \hline 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 46.60 Road brs. NE. and SW.
 79.62 The cor. of secs. 4, 5, 8 and 9.
 Land, gently rolling.
 Soil, 1st rate, gravelly surface.
 No timber.
 Undergrowth, sagebrush.
 Abundant gramma grass.

40.00 N. $0^{\circ} 3'$ W. on a random line bet. secs. 4 and 5.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.06 Intersect N. bdy. of Tp., 6 lks. E. of cor. of secs.
 4, 5, 32 and 33, described in book "D".
 Thence
 S. $0^{\circ} 6'$ E. on a true line bet. secs. 4 and 5.
 Over gently rolling land, through scattering undergrowth.
 40.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4} \\ S \ 5 \ S \ 4 \\ \hline 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.
 80.06 The cor. of secs. 4, 5, 8 and 9.
 Land, gently rolling.
 Soil, 1st rate, gravelly surface.
 No timber.
 Undergrowth, sagebrush.
 Abundant gramma grass.

From the cor. of secs. 5, 6, 31 and 32, on S. bdy. of Tp.,
 hereinbefore described, N. $0^{\circ} 3'$ W. bet. secs. 31 and 32.
 Over rolling broken land, through scattering undergrowth.
 6.10 Wash, 18 lks. wide, 3 ft. deep, course SW.
 39.00 Enter scattering scrub timber brs. NW. and SE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4} \\ S \ 31 \ S \ 32 \\ \hline 1916 \end{array}$$

from which,
 A cedar, 18 ins. diam., brs. N. 68° E.
 186 lks. dist.; mkd. $\frac{1}{4}$ S 32 B T.
 A pinyon, 10 ins. diam., brs. N. 31° W.
 171 lks. dist.; mkd. $\frac{1}{4}$ S 31 B T.
 54.00 Foot of cliff brs. NW. and SE. Asc. 119 ft. to

30

Subdivision of T. 39 N., R. 6 W.

Chains

58.80 Top of spur brs. SW. and NE. Slopes SW.
 64.09 Top of rim-rock brs. NW. and SE. Thence over rolling land.
 69.59 Leave scrub timber brs. NW. and SE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, mkd. on brass cap

T39N R 6W
 S30 | S29
 S31 | S32
 1916

and raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Land, gently rolling and broken.
 Soil, 1st and 3rd rates.
 Timber, scrub cedar and pinyon as indicated.
 Undergrowth, rabbit brush, greasewood, schadscale and brigham brush.
 Abundant grass.

40.00 East on a random line bet. secs. 29 and 32.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect the cor. of secs. 28, 29, 32 and 33.

Thence
 West on a true line bet. secs. 29 and 32.
 Over gently rolling land, through scattering undergrowth.
 3.10 Wagon road brs. NW. and SE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 29
 $\frac{1}{4}$ S 32
 1916

and raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
 80.00 The cor. of secs. 29, 30, 31 and 32.
 Land, gently rolling.
 Soil, gravelly, 2nd rate.
 Timber, None.
 Undergrowth, rabbit brush, greasewood and brigham brush.
 Good growth of grass.

40.00 West on a random line bet. secs. 30 and 31.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.99 Intersect W. Bdy. of Tp., 14 lks. N. of cor. of secs. 25, 30, 31 and 36, hereinbefore described.
 Thence
 N. 89° 54' E. on a true line bet. secs. 30 and 31.
 Over gently rolling land, through scattering undergrowth.
 38.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap


$\frac{1}{4}$ S 30
 $\frac{1}{4}$ S 31
 1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 52.90 Enter scrub timber, brs. NW. and SE.
 59.40 Foot of cliffs brs. NW. and SE. Asc. 153 ft. to
 68.00 Top of rim-rock brs. NW. and SE.
 71.50 Leave timber, brs. NW. and SE. Thence over rolling broken land.


Chains

78.99 The cor. of secs. 29, 30, 31 and 32,
 Land, rolling and broken.
 Soil; coarse; 2nd rate.
 Timber, scattering cedar and pinyon as indicated.
 Undergrowth, rabbit brush, schadscale and brigham brush.

40.00 N. 0° 3' W. bet. secs. 29 and 30.
 Over gently rolling land, through scattering timber and
 undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap




80.00 from which,
 A cedar, 10 ins. diam., brs. S. 73 $\frac{1}{2}$ ° E.
 190 lks. vdist.; mkd. $\frac{1}{4}$ S 29 B T.
 No other trees within limits.
 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
 Set an iron post; 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 19, 20, 29 and 30, mkd. on
 brass cap



from which,
 A cedar, 8 ins. diam., brs. S. 56° W.
 212 lks. dist.; mkd. T 39 N R 6 W S 30 B T.
 No other trees within limits.
 Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, coarse, 2nd rate.
 Timber, very scattering cedar and pinyon.
 Undergrowth, rabbit brush, schadscale and brigham brush.
 Abundant grass.

40.00 East on a random line bet. secs. 20 and 29.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.05 Intersect . . . line at the cor. of secs. 20, 21, 28
 and 29.

9.75 Thence
 West on a true line bet. secs. 20 and 29.
 Over gently rolling land, through scattering undergrowth.
 Old road brs. NW. and SE.
 35.00 Wash, 15 lks. wide, 6 ft. deep, course N.
 40.02 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap



61.00 and raise a mound of stone, 3 ft. base, 3 ft. high,
 N. of cor.
 Old road brs. NW. and SE.
 80.05 The cor. of secs. 19, 20, 29 and 30.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, schadscale, greasewood and
 brigham brush.
 Abundant grass.

32

Subdivision of T. 39 N., R. 6 W.

Chains

- West on a random line bet. secs. 19 and 30.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.04 Intersect W. bdy. of Tp., 14 lks. N. of cor. of secs.
 19, 24, 25 and 30, hereinbefore described.
 Thence
 N. $89^{\circ} 54'$ E. on a true line bet. secs. 19 and 30.
 Over gently rolling land, through scattering undergrowth.
 39.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4}S 19 \\ \frac{1}{4}S 30 \\ 1916 \end{array}$$

- dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 54.00 Foot of cliff brs. NW. and SE. Enter scrub timber. Asc.
 140 ft. to
 61.90 Top of spur slopes S; 50 lks.
 Thence over rolling land.
 66.35 Small rim-rock brs. NW. and SE.
 69.00 Leave timber brs. NW. and SE.
 79.04 The cor. of secs. 19, 20, 29 and 30.
 Land, rolling and broken.
 Soil, coarse, 2nd and 3rd rates.
 Timber, scattering scrub cedar and pinyon as indicated.
 Undergrowth, Rabbit brush, schadscale and greasewood.
 Abundant grass.

- N. $0^{\circ} 3'$ W. bet. secs. 19 and 20.
 Over gently rolling land, through scattering undergrowth.
 14.60 Old road brs. NW. and SE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4} \\ S19 | S20 \\ 1916 \end{array}$$

- and raise a mound of stone, 3 ft. base, 3 ft. high,
 W. of cor.
 76.45 Old road brs. E. and W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 17, 18, 19 and 20, mkd. on
 brass cap

$$\begin{array}{r} T39N R 6W \\ S18 | S17 \\ S19 | S20 \\ 1916 \end{array}$$

- dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, greasewood, schadscale and brig-
 ham brush.
 Abundant grass.

- East on a random line bet. secs. 17 and 20
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.12 Intersect N. and S; line, 12 lks. S. of the cor. of secs.
 16, 17, 20 and 21.
 Thence
 S. $89^{\circ} 55'$ W. on a true line bet. secs. 17 and 20.
 Over gently rolling land, through scattering undergrowth.

Chains
32.35
40.06

Wash, 15 lks. wide, 3 ft. deep, course N.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 17
 $\frac{1}{4}$ S 20
1916

80.12 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 17, 18, 19 and 20.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood, schadscale and brigham brush.
Abundant grass.

40.00 West on a random line bet. secs. 18 and 19.
Set temp. $\frac{1}{4}$ sec. cor.
78.90 Intersect W. bdy. of Tp., 5 lks. N. of cor. of secs. 13, 18, 19 and 24, hereinbefore described.
Thence
N. 89° 58' E. on a true line bet. secs. 18 and 19.
Over gently rolling land, through scattering undergrowth.
15.95 Old road brs. NW. and SE.
38.90 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 18
 $\frac{1}{4}$ S 19
1916

from which,
A cedar, 8 ins. diam., brs. S. 50 $\frac{1}{2}$ ° W.
355 lks. dist.; mkd. $\frac{1}{4}$ S 19 B T.
No other trees within limits.
48.90 Raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
54.00 Top of very small ridge brs. NW. and SE.
79.90 Old road brs. NE. and SW.
The cor. of secs. 17, 18, 19 and 20.
Land, rolling.
Soil, coarse, 1st and 2nd rates.
Timber, very scattering cedar and pinyon.
Undergrowth, rabbit brush, schadscale, greasewood and brigham brush.

40.00 N. 0° 3' W. bet. secs. 17 and 18.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 18 | $\frac{1}{4}$ S 17
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, mkd. on brass cap

T39N R 6W
S 7 | S 8
S 18 | S 17
1916

34

Subdivision of T. 39 N., R. 6 W.

Chains

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st and 2nd rates.
 No timber.
 Undergrowth, rabbit brush, schadscale, greasewood and
 brigham brush.

40.00 East on a random line bet. secs. 8 and 17.
 Set temp. ¼ sec. cor.
 80.20 Intersect N. and S. line, 16 lks. S. of cor. of secs.
 8, 9, 16 and 17.

Thence
 S. 89° 53' W. on a true line bet. secs. 8 and 17.
 Over gently rolling land, through scattering undergrowth.
 26.15 Wash, 18 lks. wide, 2 ft. deep, course NE.
 40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., mkd. on brass cap

S 8
 ¼S 17
 1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 51.55 Wash, 18 lks. wide, 6 ft. deep, course NW.
 54.54 Road brs. NE. and SW.
 80.20 The cor. of secs. 7, 8, 17 and 18.
 Land, gently rolling.
 Soil, coarse, 1st and 2nd rates.
 No timber.
 Undergrowth, rabbit brush, greasewood, schadscale and
 brigham brush.

40.00 West on a random line bet. secs. 7 and 18.
 Set temp. ¼ sec. cor.
 78.86 Intersect W. bdy. of Tp., 7 lks. N. of cor. of secs.
 7, 12, 13 and 18, hereinbefore described.

Thence
 N. 89° 57' E. on a true line bet. secs. 7 and 18.
 Over gently rolling land, through scattering undergrowth.
 28.85 Top of very small ridge brs. NW. and SE.
 38.86 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., mkd. on brass cap

S 7
 ¼S 18
 1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 78.86 The cor. of secs. 7, 8, 17 and 18.
 Land, gently rolling.
 Soil, coarse, 1st and 2nd rates.
 No timber.
 Undergrowth, rabbit brush, greasewood, schadscale and
 brigham brush.

40.00 N. 0° 3' W. bet. secs. 7 and 8.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., mkd. on brass cap

Subdivision of T. 39 N., R. 6 W.

Chains

S 7 1/4 S 8
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3-ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, mkd. on brass cap

T39N R 6W
S 6 | S 5
S 7 | S 8
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
Land, gently rolling.
Soil, coarse, 1st and 2nd rates.
No timber.
Undergrowth, rabbit brush, schadscale, greasewood and brigham brush.

40.00 East on a random line bet. secs. 5 and 8.
80.28 Set temp. 1/4 sec. cor.
Intersect N. and S. line, 21 lks. S. of the cor. of secs. 4, 5, 8 and 9.

40.14 Thence S. 89° 51' W. on a true line bet. secs. 5 and 8.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 5
1/4 S 8
1916

61.80 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
80.28 Wash, 25 lks. wide, 3 ft. deep, course NE.
The cor. of secs. 5, 6, 7 and 8.
Land, gently rolling.
Soil, coarse, 1st and 2nd rates.
Timber, none.
Undergrowth, rabbit brush, greasewood, schadscale and brigham brush.

40.00 West on a random line bet. secs. 6 and 7.
78.79 Set temp. 1/4 sec. cor.
Intersect W. bdy. of Tp., 7 lks. N. of cor. of secs. 1, 6, 7 and 12, hereinbefore described.

38.79 Thence N. 89° 57' E. on a true line bet. secs. 6 and 7.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 6
1/4 S 7
1916

49.60 dig pits 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
78.97 Wash, 8 lks. wide, 3 ft. deep, course N.
The cor. of secs. 5, 6, 7 and 8.
Land, gently rolling.
Soil, coarse, 1st and 2nd rates. No timber.
Undergrowth, rabbit brush, greasewood and schadscale.

36

Subdivision of T. 39 N., R. 6 W.

Chains

From the cor. of secs. 5, 6, 7 and 8, the cor. of secs. 5, 6, 31 & 32, on N. bdy. of Tp., being plainly visible, N. 0° 10' E. on a random line for distance only, bet. secs. 5 and 6.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.93 The cor. of secs. 5, 6, 31 and 32, described in book "D". Thence S. 0° 10' W. on a true line bet. secs. 5 and 6. Over gently rolling land, through scattering undergrowth. Wash, 30 lks. wide, 6 ft. deep, course, NW.

31.73

39.93 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
 S 6 | S 5
 1916

79.93 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.;

The cor. of secs. 5, 6, 7 and 8.
 Land, gently rolling.
 Soil, coarse, gravelly, 1st and 2nd rates.
 No timber.
 Undergrowth, greasewood, schadscale, rabbit brush and brigham brush.

GENERAL DESCRIPTION.

This township is mostly gently rolling, with a coarse sandy and gravelly soil, 1st and 2nd rate. About half the area is timbered with cedar and pinon, mostly of scattering growth, though in patches it is dense. Scattering undergrowth of cactus, sagebrush, greasewood, rabbit brush, schadscale and other varieties of brush are in all sections. Abundant growth of grass suitable for grazing purposes, covers all of the township. There is no permanent running water in the township, but near the S. bdy. of sec. 33 is a spring known as "Yellowstone Spring" at which is a tank, house and corral. There are no improvements in the township except a range fence in secs. 13, 24 and 25. Several roads traverse the township, one of which extends from Yellowstone Spring, northerly, and leads to Cane Bed Springs in T. 41 N., R. 5 W. There is no indication of the existence of valuable mineral.

Group 75 - - - - Arizona.

BOOK 3290

DATE DIAGRAM.

Township 39 North, Range 6 West.

| | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|
| | 10-10-16 | 10-10-16 | 10-10-16 | 10-10-16 | 10-10-16 | 10-10-16 |
| 10-10-16 | 6 | 5 | 4 | 3 | 2 | 1 |
| 10-14-16 | 10-13-16 | 10-13-16 | 10-13-16 | 10-13-16 | 10-13-16 | 10-14-16 |
| 10-10-16 | 7 | 8 | 9 | 10 | 11 | 12 |
| 10-13-16 | 10-13-16 | 10-12-16 | 10-11-16 | 10-13-16 | 10-11-16 | 10-9-16 |
| 10-9-16 | 18 | 17 | 16 | 15 | 14 | 13 |
| 10-13-16 | 10-13-16 | 10-12-16 | 10-11-16 | 10-11-16 | 10-11-16 | 10-9-16 |
| 10-9-16 | 19 | 20 | 21 | 22 | 23 | 24 |
| 10-12-16 | 10-12-16 | 10-12-16 | 10-11-16 | 10-11-16 | 10-10-16 | 10-9-16 |
| 10-9-16 | 30 | 29 | 28 | 27 | 26 | 25 |
| 10-12-16 | 10-12-16 | 10-12-16 | 10-11-16 | 10-10-16 | 10-8-16 | 10-8-16 |
| 10-9-16 | 31 | 32 | 33 | 34 | 35 | 36 |
| 10-12-16 | 10-9-16 | 10-12-16 | 10-10-16 | 10-8-16 | 10-7-16 | 10-7-16 |
| 10-9-16 | 10-9-16 | 10-9-16 | 10-7-16 | 10-7-16 | 10-7-16 | 10-7-16 |

ACCEPTED SURVEY.

Lines dated in black, surveyed by Thomas B. Matthews,
U.S. Surveyor.

Lines dated in red, surveyed by William L. Nash,
U.S. Surveyor.

For **CERTIFICATE OF UNITED STATES SURVEYOR. &**
" " UNITED STATES TRANSITMAN,
 See Book "A" of this Group.

~~_____, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191____, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.~~

ECST 2290

U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, AUG 22, 1919

The foregoing field notes of the survey of the
South and West boundaries, and
Subdivision lines of
TOWNSHIP 39 NORTH, RANGE 6 WEST,
of the Gila & Salt River Base & Meridian, in the State of Arizona,
 executed by Thomas B. Matthews, U.S. Surveyor & Wm. L. Nash, U.S. Transitman,
 under ~~his~~ special instructions dated June 16, 1916, for Grp. 75, Arizona, 1917, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Thomas B. Matthews
 U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____ has been correctly copied from the original notes on file in this office.~~

U. S. Surveyor General.