

183
①

3292

Book "E"

4-679

BOOK 3292

FIELD NOTES

OF THE SURVEY OF THE

South and West boundaries, and

subdivision lines of

TOWNSHIP 40 NORTH, RANGE 7 WEST,

3292

Of the Gila and Salt River Base and Meridian,

In the State of

EXECUTED BY

Thomas B. Matthews, U.S.S.

and

William L. Nash, U.S.T.

3292

~~In the capacity of U. S. Surveyor~~, under Special Instructions dated June 16, 1916,

issued by the United States Surveyor General to govern surveys included in Group

No. 75, Arizona, which were approved by the Commissioner of the General Land

Office, July 5, 1916, and Assignment Instructions dated Aug. 15, 1916.

Survey commenced October 17, 1916

Survey completed October 25, 1916

3292
Book "E"

Group 75-----Arizona.

BOOK 3292

INDEX DIAGRAM.

Top Strip *Bottom Strip* *Range* *Zone*

		10th	Standard	Parallel	North						
5	6	31	5	25	4	20	3	15	2	1	1
	31		30		24		20		15		10
5	7	30	8	24	9	19	10	14	11	10	12
	29		29		23		19		14		9
5	18	29	17	23	16	18	15	14	14	9	13
	28		28		22		18		13		9
4	19	27	20	22	21	17	22	13	23	8	24
	27		27		22		17		12		8
4	30	25	29	21	28	17	27	12	26	7	25
	26		26		21		16		12		7
4	31	25	32	20	33	15	34	11	35	7	36
	3		2		2		2		1		1

T. 40 N. - R. 7 W.

- Surveyed under this group. Notes in this book. 3292
- Surveyed under this group. Notes in Book "A." 3288
- Surveyed under this group. Notes in Book "B." 3289
- Surveyed under this group. Notes in Book "C." 3290
- Surveyed under this group. Notes in Book "D." 3291
- - - - - Unsurveyed.

Survey of South Boundary of T. 40 N., R. 7 W.

13

Chains Surveys hereinafter described

executed by Thos. B. Matthews, U. S. Surveyor, using Buff and Buff light mountain transit No. 10124, on the dates shown on diagram on page 32 hereof. For description and approval of instrument, see book "A". From recent and repeated field tests of the instruments on a meridian determined by observations on Polaris, it is known to be in satisfactory adjustment. Mean magnetic declination is 16° 00' E.

40.00 From the cor. of Ts. 39 and 40 N., Rs. 6 and 7 W., described in book "C", West bet. secs. 1 and 36. Over nearly level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 36
 $\frac{4}{8}$ S 1
1916

80.00 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, mkd. on brass cap

T40 N R.7W
S35 | S36
S 2 | S 1
T39N
1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist. Land, nearly level. Soil, 1st rate. No timber. Undergrowth, rabbit brush, schadscale, greasewood. Abundant grass.

25.00 West bet. secs. 2 and 35. Over nearly level land, through scattering undergrowth. Top of very small rocky ridge brs. NW. and SE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 35
 $\frac{4}{8}$ S 2
1916

80.00 and raise a mound of stone, 3 ft. base, 3 ft. high, N. of post. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, mkd. on brass cap

T40N R.7W
S34 | S35
S 3 | S 2
1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist. Land, gently rolling. Soil, coarse, 1st and 2nd rates. No timber. Undergrowth, rabbit brush, greasewood and schadscale. Abundant grass.

2

South Boundary of T. 40 N., R. 7 W.

Chains

West bet. secs. 3 and 34.
 Over gently rolling land, through scattering undergrowth.
 29.00 Wash, 10 lks. wide, 3 ft. deep, course SW.
 40.00 Set an iron post, 3 ft. deep, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4}S \ 34 \\ \frac{4}{8}S \ 3 \\ \hline 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 3, 4, 33 and 34, mkd. on brass
 cap

$$\begin{array}{c} T40N \ R \ 7W \\ \hline S33 \ | \ S34 \\ \hline S \ 4 \ | \ S \ 3 \\ T39N \\ 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, schadscale and greasewood.
 Abundant grass.

West bet. secs. 4 and 33.
 Over nearly level land, through scattering undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4}S \ 33 \\ \frac{4}{8}S \ 4 \\ \hline 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 64.66 Road brs. N. and S.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground, for cor. of secs. 4, 5, 32 and 33, mkd. on
 brass cap

$$\begin{array}{c} T40N \ R \ 7W \\ \hline S32 \ | \ S33 \\ \hline S \ 5 \ | \ S \ 4 \\ T39N \\ 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, schadscale, rabbit brush and greasewood.
 Abundant grass.

West bet. secs. 5 and 32.
 Over gently rolling land, through scattering undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

South Boundary of T. 40 N., R. 7 W.

Chains

$\frac{1}{4}$ S 32
 $\frac{1}{4}$ S 5
1916

80.00 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, mkd. on brass cap.

T40N R 7W
S31 | S32
S 6 | S 5
T39 N
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

40.00 West bet. secs. 6 and 31.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 31
 $\frac{1}{4}$ S 6
1916

78.36 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of Ts. 39 and 40 N., Rs. 7 and 8 W., mkd. on brass cap

T40 N
R8W R7W
S36 | S31
S 1 | S 6
T39 N
1916

dig pits, 24 X 24 X 12 ins. on each line, N., E. and W., 4 ft. and S. of post, 8 ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, schadscale, rabbit brush and greasewood.
Abundant grass.

4 Survey of West Boundary of T. 40 N., R. 7 W.

Chains

From the cor. of Ts. 39 and 40 N., Rs. 7 and 8 W., hereinbefore
North bet. secs. 31 and 36. (described.)

40.00 Over nearly level land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S36 | S31
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.

75.00 Top of very small ridge brs. NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 25, 30, 31 and 36, mkd. on
brass cap

T40 N
R8W R7W
S25 | S30
S36 | S31
1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.

Land, gently rolling.

Soil, coarse, 1st rate.

No timber.

Undergrowth, rabbit brush, schadscale and greasewood.

Abundant grass.

North bet. secs. 25 and 30.

40.00 Over nearly level land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S25 | S30
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground, for cor. of secs. 19, 24, 25 and 30, mkd.
on brass cap

T40 N
R8W R7W
S24 | S19
S25 | S30
1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.

Land, gently rolling.

Soil, coarse, 1st rate.

No timber.

Undergrowth, greasewood, schadscale and rabbit brush.

Abundant grass.

North bet. secs. 19 and 24.

40.00 Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S24 | S19
1916

West Boundary of T. 40 N., R. 7 W. 5

Chains

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of cor. 3 ft. dist.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, mkd. on brass cap

T40 N
 R8W R7W
 S13|S18
 S24|S19
 1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, schadscale and greasewood.
 Abundant grass.

40.00 North bet. secs. 13 and 18.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., mkd. on brass cap

S 13|S 18
 1916

77.50 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
 Middle of draw, 5 chs. wide, course NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, mkd. on brass cap

T40 N
 R8W R7W
 S12|S 7
 S13|S18
 1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, schadscale and greasewood.
 Abundant grass.

25.95 North bet. secs. 7 and 12.
 Over gently rolling land, through scattering undergrowth.
 Road brs. E. and W
 26.03 Wire fence brs. E. and W.
 33.74 Road brs. E. and W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., mkd. on brass cap

S12|S 7
 1916

55.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
 Wash, 30 lks. wide, 6 ft. deep, course SW.
 64.00 Wash, 15 lks. wide, 10 ft. deep, course SE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, mkd. on brass cap

6

West Boundary of T. 40 N., R. 7 W.

Chains

T40 N
R8W R7W
S 1 | S 6
S12 | S 7
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

40.00

North bet. secs. 1 and 6.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., mkd. on brass cap

¼
S 1 | S 6
1916

75.99

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Intersect 10th Standard Parallel North, 13.90 chs. E. of the standard cor. of Ts. 41 N., Rs. 7 and 8 W., described in book "B".
At the point of intersection
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for closing cor. of Ts. 40 N., Rs. 7 and 8 W., mkd. on brass cap

T41N R 7W
S31
S 1 | S 6
C C
R8W R7W
T40 N
1916

dig pits, 36 X 24 X 12 ins., crosswise on each line, E. and W. 4 ft. and S. of post, 8 ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.


Bdrs. of T. 40 N., R. 7 W.
Latitudes, Departures and Closing Errors.

Line designated	True course	Dist.	Latitudes		Departures	
			N.	S.	E.	W.
			chs.	chs.	chs.	chs.
South Bdy.	West	478.36				478.36
West Bdy.	North	475.99	475.99			
North Bdy. (10th Std. Par. N)	East	477.44			477.44	
East Bdy.	South	474.27		474.27		
Convergency					.54	
Totals			475.99	474.27	477.98	478.36
Error in latitude			474.27			477.98
Error in departure			1.72			.38

Survey of: Subdivision of T. 40 N., R. 7 W.


Chains

From the cor. of secs. 1, 2, 35 and 36, on S. bdy. of Tp.,
 hereinbefore described,
 N. 0° 1' W. bet. secs. 35 and 36.
 Over gently rolling land, through scattering undergrowth.
 10.00 Top of very small ridge brs. NW. and SE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap




dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 25, 26, 35 and 36, mkd. on
 brass cap



dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, scattering rabbit brush, greasewood and schad-
 scale.
 Abundant grass.


40.00 East on a random line bet. secs. 25 and 36.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect E. bdy. of Tp., 3 lks. N. of cor. of secs. .
 25, 30, 31 and 36, described in book "D".
 Thence
 N. 89° 59' W. on a true line bet. secs. 25 and 36.
 Over gently rolling land, through scattering undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap



dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.

80.00 The cor. of secs. 25, 26, 35 and 36.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, greasewood and schadscale.
 Abundant grass.

34.85 N. 0° 1' W. bet. secs. 25 and 26.
 Over gently rolling land, through scattering undergrowth.
 Wash, 25 lks. wide, 3 ft. deep, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap



dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.

8

Subdivision of T. 40 N., R. 7 W.

Chains

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26 mkd. on brass cap

T40N R 7W
 S23 | S24
 S26 | S25
 1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, schadscale and greasewood.
 Abundant grass.

40.00

East on a random line bet. secs. 24 and 25.

Set temp. ¼ sec. cor.

79.98

Intersect E. bdy. of Tp., 9 lks. S. of cor. of secs. 19, 24, 25 and 30, described in book "D".

Thence

S. 89° 56' W. on a true line bet. secs. 24 and 25.

Over gently rolling land, through scattering undergrowth.

11.10

Middle of flat draw, 3 chs. wide, course NW.

39.99

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., mkd. on brass cap

1S 24
 4S 25
 1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

79.98

The cor. of secs. 23, 24, 25 and 26.

Land, gently rolling.

Soil, coarse, 1st rate.

No timber.

Undergrowth, rabbit brush, schadscale and greasewood.

Abundant grass.

40.00

N. 0° 1' W. bet. secs. 23 and 24.

Over gently rolling land, through scattering undergrowth.

Set an iron post, 3 ft long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., mkd. on brass cap

1
 S23 | S24
 1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, mkd. on brass cap

T40N R 7W
 S14 | S13
 S23 | S24
 1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, schadscale and greasewood.
 Abundant grass.

Subdivision of T. 40 N., R. 7 W.

Chains
 40.00 East on a random line bet. secs. 13 and 24.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.94 Intersect E. bdy. of Tp., 7 lks. S. of cor. of secs.
 13, 18, 19 and 24, described in book "D".
 Thence
 S. $89^{\circ} 57'$ W. on a true line bet. secs. 13 and 24.
 Over gently rolling land, through scattering undergrowth.
 39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 13
 $\frac{1}{4}$ S 24
 1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 79.94 The cor. of secs. 13, 14, 23 and 24.
 Land, gently rolling.
 Soil, 1st rate.
 No timber.
 Undergrowth, rabbit brush, schadscale and greasewood.
 Abundant grass.

N. $0^{\circ} 1'$ W. bet. secs. 13 and 14.
 Over nearly level land, through scattering undergrowth.
 22.25 Wash, 10 lks. wide, 4 ft. deep, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
 S14 | S13
 1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.
 46.00 Wash, 10 lks. wide, 4 ft. deep, course, W.
 54.00 Road brs. NW. and SE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 11, 12, 13 and 14, mkd. on
 brass cap

T40N R 7W
 S11 | S12
 S14 | S13
 1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, schadscale and greasewood.
 Abundant grass.

East on a random line bet. secs. 12 and 13.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect E. bdy. of Tp., at the cor. of secs. 7, 12,
 13 and 18, described in book "D".
 Thence
 West on a true line bet. secs. 12 and 13.
 Over nearly level land, through scattering undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

10

Subdivision of T. 40 N., R. 7 W.

Chains

$$\begin{array}{r} \frac{1}{4}S \ 12 \\ \frac{1}{4}S \ 13 \\ \hline 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

41.00 Top of very small ridge brs. N. and S.

80.00 The cor. of secs. 11, 12, 13 and 14.

Land, gently rolling.

Soil, 1st rate.

No timber.

Undergrowth, rabbit brush, schadscale and greasewood.

Abundant grass.

N. 0° 1' W. bet. secs. 11 and 12.

Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4} \\ \hline S11 \ | \ S12 \\ \hline 1916 \end{array}$$

and raise a mound of stone, 3 ft. base, 3 ft. high, W. of post,

42.00 Foot of rock cliff brs. E. and W. Asc. 113 ft. to

44.70 Top of cliff brs. E. and W. Enter scattering scrub cedar and pinyon timber, along top.

Thence over rolling land.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, mkd. on brass cap

$$\begin{array}{r} T40N \ R \ 7W \\ \hline S \ 2 \ | \ S \ 1 \\ \hline S11 \ | \ S12 \\ \hline 1916 \end{array}$$

and raise a mound of stone, 3 ft. base, 3 ft. high; W. of cor.

Land, rolling and broken.

Soil, coarse, 1st and 3rd rates.

Timber, scattering cedar and pinyon on top of cliff.

Undergrowth, rabbit brush, greasewood and schadscale.

Abundant grass.

East on a random line bet. secs. 1 and 12.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect E. bdy. of Tp. at the cor. of secs. 1, 6, 7 and 12, described in book "D".

Thence

West on a true line bet. secs. 1 and 12.

Over rolling land, through scattering undergrowth.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4}S \ 1 \\ \hline \frac{1}{4}S \ 12 \\ \hline 1916 \end{array}$$

and raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

46.00 Top of small rocky ridge brs. NE. and SW. Enter scattering timber along top of ridge.

80.02 The cor. of secs. 1, 2, 11 and 12.

Subdivision of T. 40 N., R. 7 W.

Chains

Land, rolling.
Soil, coarse, 1st and 2nd rates.
Timber, scattering cedar and pinyon along ridge.
Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

40.00

N. 0° 1' W., on a true line, bet. secs. 1 and 2.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S 2 | S 1
1916

74.64

dig pits, 18 X 18 X 12 ins., N. and S. of cor. 3 ft. dist.
Intersect 10th Standard Parallel North, 11.45 chs. E. of the standard cor. of secs. 35 and 36, described in book "B".
At the point of intersection
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 35 and 36 mkd. on brass cap

T41N R 7W
S36
S 2 | S 1
C C
T40N R 7W
1916

dig pits, 24 X 18 X 12 ins., crosswise on each line, E. and W, 3 ft. and S. of post, 7 ft. dist.
Land, rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

27.50

40.00

From the cor. of secs. 2, 3, 34 and 35, on Sbdy. of Tp., hereinbefore described,
N. 0° 1' W. bet. secs. 34 and 35.
Over nearly level land, through scattering undergrowth.
Top of very small ridge brs. NW. and SE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S34 | S35
1916

80.00

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, mkd. on brass cap

T40N R 7W
S27 | S26
S34 | S35
1916

Dig pits, 18 X 18 X 12 ins., in each sec. 5 1/2 ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.

12

Subdivision of T. 40 N., R. 7 W.

Chains

No timber.
Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

40.00 East on a random line bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line, 16 lks. N. of cor. of secs.
25, 26, 35 and 36.

Thence

40.00 N. 89° 53' W. on a true line bet. secs. 26 and 35.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4} S 26 \\ \frac{1}{4} S 35 \\ \hline 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.

80.00 The cor. of secs. 26, 27, 34 and 35.
Land, gently rolling.
Soil, coarse, 1st rate.

No timber.

Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

40.00 N. 0° 1' W. bet. secs. 26 and 27.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4} \\ S27 \uparrow S26 \\ \hline 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 22, 23, 26 and 27, mkd. on
brass cap

$$\begin{array}{r} T40N R 7W \\ S22 \uparrow S23 \\ S27 \uparrow S26 \\ \hline 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.

Land, gently rolling.

Soil, coarse, 1st rate.

No timber.

Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

40.00 East on a random line bet. secs. 23 and 26.
Set temp. $\frac{1}{4}$ sec. cor.
79.94 Intersect N. and S. line, 7 lks. N. of cor. of secs. 23,
24, 25 and 26.

Thence

39.97 N. 89° 57' W. on a true line bet. secs. 23 and 26.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

Subdivision of T. 40 N., R. 7 W.

Chains

$\frac{1}{4}$ S 23
 $\frac{1}{4}$ S 26
1916

79.94 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 22, 23, 26 and 27.
Land, gently rolling.
Soil, 1st rate.
No timber.
Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

40.00 N. 0° 1' W. bet. secs. 22 and 23.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S22 | S23
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, mkd. on brass cap

T40N R 7W
S15 | S14
S22 | S23
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.
Land, gently rolling land.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

40.00 East on a random line bet. secs. 14 and 23.
Set temp. $\frac{1}{4}$ sec. cor.
79.92 Intersect N. and S. line, 2 lks. S. of cor. of secs. 13, 14, 23 and 24.

Thence
S. 89° 59' W. on a true line bet. secs. 14 and 23.
Over rolling land, through scattering undergrowth.

17.20 Wash, 8 lks. wide, 4 ft. deep, course NW.
39.96 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 14
 $\frac{1}{4}$ S 23
1916

79.92 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 14, 15, 22 and 23.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

14 Subdivision of T. 40 N., R. 7 W.

Chains

40.00 N. 0° 1' W. bet. secs. 14 and 15.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S15 | S14
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.

47.10 Wash, 15 lks. wide, 5 ft. deep, course NW.

73.80 Road brs. NW. and SE.

74.50 Wash, 8 lks. wide, 3 ft. deep, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 10, 11, 14 and 15, mkd. on
brass cap

T40N R 7W
S10 | S11
S15 | S14
1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.

Land, gently rolling.

Soil, coarse, 1st rate.

No timber.

Undergrowth, rabbit brush, schadscale and greasewood.

Abundant grass.

40.00 East on a random line bet. secs. 11 and 14.

79.86 Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 2 lks. S. of cor. of secs. 11,
12, 13 and 14

Thence

S. 89° 59' W. on a true line bet. secs. 11 and 14.

39.93 Over gently rolling land, through scattering undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 11
 $\frac{1}{4}$ S 14
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.

79.86 The cor. of secs. 10, 11, 14 and 15.

Land, gently rolling.

Soil, coarse, 1st rate.

No timber.

Undergrowth, rabbit brush, schadscale and greasewood.

Abundant grass.

29.10 N. 0° 1' W. bet. secs. 10 and 11.

40.00 Over gently rolling land, through scattering undergrowth.

Wire fence brs. E. and W.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S10 | S11
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.

Subdivision of T. 40 N., R. 7 W.

Chains
80.00

Set an iron post, 3 ft. long, 2 in. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, mkd. on brass cap

T40N R.7W
S 3 | S 2
S10 | S11
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

40.00
79.88

East on a random line bet. secs. 2 and 11.
Set temp. ¼ sec. cor.
Intersect N. and S. line, 8 lks. S. of cor. of secs. 1, 2, 11 and 12.

Thence
S. 89° 57' W. on a true line bet. secs. 2 and 11.
Over rolling land, through scattering undergrowth.

39.94

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., mkd. on brass cap

S 2
S 11
1916

and raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

46.60
49.90

Top of rocky ledge brs. NW. and SE. Desc. gradual slope.
Foot of slope brs. NW. and SE. Scattering timber along ridge.

53.70
79.88

Wire fence brs. N. and S.
The cor. of secs. 2, 3, 10 and 11.
Land, rolling.
Soil, coarse, 2nd and 3rd rates.
Timber, scattering cedar and pinyon as indicated.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

15.00
17.93

N. 0° 1' W. on a true line, bet. secs. 2 and 3.
Over gently rolling land, through scattering undergrowth.
Foot of rocky ledge brs. E. and W. Asc. 41 ft. to
Top of ledge brs. E. and W. Scattering scrub timber along top of ledge.
Desc. gradual slope.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., mkd. on brass cap

S 3 | S 2
1916

and raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

67.00

Top of very small ridge brs. NW. and SE. Scattering timber along top of ridge.

75.03

Intersect 10th Standard Parallel North, 11.49 chs. E. of the standard cor. of secs. 34 and 35, described in book "B".

At the point of intersection

Chains

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 2 and 3, mkd. on brass cap

T41N R 7W
S35
S 3 | S 2
C C
T40N R 7W
1916

from which

A cedar, 8 ins. diam., brs. S. 57 1/2° W.

132 lks. dist., mkd. T. 40 N R 7 W S 3 CC BT.

No other trees within limits.

Raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor. Land, rolling.

Soil, coarse, 1st and 2nd rates.

Timber, scattering cedar.

Undergrowth, rabbit brush, schadscale and greasewood.

Abundant grass.

From the cor. of secs. 3 and 4, 33 and 34, on S. bdy. of Tp. hereinbefore described, N. 0° 2' W. bet. secs. 33 and 34.

Over gently rolling land, through scattering undergrowth.

Top of very small ridge brs. NW. and SE.

35.00

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S33 1/4 | S34
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, mkd. on brass cap

T40N R 7W
S28 | S27
S33 | S34
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.

Land, gently rolling.

Soil, coarse, 1st rate.

No timber.

Undergrowth, rabbit brush, greasewood and schadscale.

Abundant grass.

East on a random line bet. secs. 27 and 34.

40.00

Set temp. 1/4 sec. cor.

80.02

Intersect N. and S. line, 3 lks. N. of cor. of secs. 26, 27, 34 and 35.

Thence

N. 89° 59' W. on a true line bet. secs. 27 and 34.

Over gently rolling land, through scattering undergrowth.

40.01

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 27
4 S 34
1916

Subdivision of T. 40 N., R. 7 W.

Chains

80.02 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 The cor. of secs. 27, 28, 33 and 34.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, greasewood and schadscale.
 Abundant grass.

40.00 N. 0° 2' W. bet. secs. 27 and 28.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4
 S28 | S27
 1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, mkd. on brass cap

T40N R7W
 S21 | S22
 S28 | S27
 1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, greasewood and schadscale.
 Abundant grass.

40.00 East on a random line bet. secs. 22 and 27.
 Set temp. 1/4 sec. cor.
 80.03 Intersect the cor. of secs. 22, 23, 26 and 27.

Thence
 West on a true line bet. secs. 22 and 27.
 Over gently rolling land, through scattering undergrowth.
 40.01 1/2 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

S 22
 48 27
 1916

80.03 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 The cor. of secs. 21, 22, 27 and 28.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, greasewood and schadscale.
 Abundant grass.

40.00 N. 0° 2' W. bet. secs. 21 and 22.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

18

Subdivision of T. 40 N., R. 7 W.

Chains

$\frac{1}{4}$
S21 | S22
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, mkd. on brass cap

T40N R 7W
S16 | S15
S21 | S22
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, greasewood, schadscale and rabbit brush.
Abundant grass.

40.00 East on a random line bet. secs. 15 and 22.
Set temp. $\frac{1}{4}$ sec. cor.
80.04 Intersect $\frac{1}{4}$ sec. line at the cor. of secs. 14, 15, 22 and 23.

Thence
West on a true line bet. secs. 15 and 22.
Over gently rolling land, through scattering undergrowth.
40.02 Set an iron post, 3 ft. long, lin. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 15
 $\frac{1}{4}$ S 22
1916

80.04 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 15, 16, 21 and 22.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, greasewood, schadscale and rabbit brush.
Abundant grass.

40.00 N. 0° 2' W. bet. secs. 15 and 16.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S16 | S15
1916

70.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Middle of shallow draw, 5 chs. wide, course NW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, mkd. on brass cap

T40N R 7W
S 9 | S10
S16 | S15
1916

Subdivision of T. 40 N., R. 7 W.

Chains

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

40.00 East on a random line bet. secs. 10 and 15.
Set temp. 1/4 sec. cor.
80.05 Intersect N. and S. line, 5 lks. N. of cor. of secs. 10,
11, 14 and 15.
Thence
N. 89° 58' W. on a true line bet. secs. 10 and 15.
Over gently rolling land, through scattering undergrowth.
14.20 Wash, 15 lks. wide, 3 ft. deep, course NW.
14.64 Road brs. NW. and SE.
40.02 1/2 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap

1 S 10
4 S 15
1916

80.05 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of secs. 9, 10, 15 and 16.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, schadscale and greasewood.
Abundant grass.

28.30 N. 0° 2' W. bet. secs. 9 and 10.
Over gently rolling land, through scattering undergrowth.
Road brs. NW. and SE.
28.50 Wire fence brs. E. and W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S 9 | S 10
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 3, 4, 9 and 10, mkd. on brass
cap

T40N R 7W
S 4 | S 3
S 9 | S 10
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

Chains

40.00 East on a random line bet. secs. 3 and 10.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect the cor. of secs. 2, 3, 10 and 11.

Thence
 West on a true line bet. secs. 3 and 10.
 Over gently rolling land, through scattering undergrowth.
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 3
 $\frac{1}{4}$ S 10
 1916

79.98 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

The cor. of secs. 3, 4, 9 and 10.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, schadscale and greasewood.
 Abundant grass.

40.00 N. 0° 2' W. on a true line, bet. secs. 3 and 4.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 3
 S 4 | S 3
 1916

68.43 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

69.50 Wash, 18 lks. wide, 5 ft. deep, course SW.
 Road brs. NE. and SW.

75.29 Intersect 10th Standard Parallel North, 11.61 chs. E. of the standard cor. of secs. 33 and 34, described in book "B".

At the point of intersection,
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 3 and 4, mkd. on brass cap

T41N R 7W
 S34
 S 4 | S 3
 C C
 T40N R 7W
 1916

dig pits, 24 X 18 X 12 ins., crosswise on each line, E. and W., 3 ft. and S. of post, 7 ft. dist.

Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, schadscale and greasewood.
 Abundant grass.

25.00 From the cor. of secs. 4, 5, 32 and 33, on S bdy. of Tp., hereinbefore described,
 40.00 N. 0° 3' W. bet. secs. 32 and 33.
 Over gently rolling land, through scattering undergrowth.
 Top of very small ridge brs. NW. and SE.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

Subdivision of T40N R 7 W

Chains

$\frac{1}{4}$
S32|S33
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, mkd. on brass cap

T40N R 7W
S29|S28
S32|S33
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00 East on a random line bet. secs. 28 and 33.
Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line, 2 lks. N. of cor. of secs. 27, 28, 33 and 34.
Thence
N. 89° 59' W. on a true line bet. secs. 28 and 33.
Over rolling land, through scattering undergrowth.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 28
 $\frac{1}{4}$ S 33
1916

62.00 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
Road brs. N. and S.
80.00 The cor. of secs. 28, 29, 32 and 33.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00 N. 0° 3' W. bet. secs. 28 and 29.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S29|S28
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, mkd. on brass cap

T40N R 7 W
S20|S21
S29|S28
1916

Chains
 dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, greasewood and schadscale.
 Abundant grass.

40.00 East on a random line bet. secs. 21 and 28.
 Set temp. ¼ sec. cor.
 80.00 Intersect N. and S. line, 5 lks. N. of cor. of secs. 21,
 22, 27 and 28.
 Thence
 N. 89° 58' W. on a true line bet. secs. 21 and 28.
 40.00 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., mkd. on brass cap

S 21
 4S 28
 1916

61.70 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 80.00 Road brs. N. and S.
 The cor. of secs. 20, 21, 28 and 29.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, greasewood and schadscale.
 Abundant grass.

40.00 N. 0° 3' W. bet. secs. 20 and 21.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., mkd. on brass cap

¼
 S20 | S21
 1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 16, 17, 20 and 21, mkd. on
 brass cap

T40N R 7W
 S17 | S16
 S20 | S21
 1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, greasewood and schadscale.
 Abundant grass.

40.00 East on a random line bet. secs. 16 and 21.
 Set temp. ¼ sec. cor.
 79.98 Intersect N. and S. line, 2 lks. N. of cor. of secs.
 15, 16, 21 and 22.
 Thence

Subdivision of T. 40 N., R. 7 W.

Chains

39.99 N. 89° 59' W. on a true line bet. secs. 16 and 21.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1S 16
4S 21
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

60.55 Road brs. N. and S.
79.98 The cor. of secs. 16, 17, 20 and 21.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00 N. 0° 3' W. bet. secs. 16 and 17.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1
S17 | S16
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, mkd. on brass cap

T40N R 7W
S 8 | S 9
S17 | S16
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00 East on a random line bet. secs. 9 and 16.
Set temp. 1/4 sec. cor.
80.00 Intersect N. and S. line, 5 lks. N. of cor. of secs. 9, 10, 15 and 16.

Thence
N. 89° 58' W. on a true line bet. secs. 9 and 16.
Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1S 9
4S 16
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

59.10 Road brs. N. and S.
80.00 The cor. of secs. 8, 9, 16 and 17.

Chains

Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

N. 0° 3' W. bet. secs. 8 and 9.
Over gently rolling land, through scattering undergrowth.

2.70
27.55
27.68
31.60
40.00

Wash, 15 lks. wide, 5 ft. deep, course NW.
Road brs. E. and W.
Wire fence brs. E. and W.
Old Road brs. NW. and SE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$
S 8 | S 9
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, mkd. on brass cap

T40N R 7W
S 5 | S 4
S 8 | S 9
1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

East on a random line bet. secs. 4 and 9.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

79.95

Intersect . . . line to cor. of secs. 3, 4, 9 and 10.
Thence

West on a true line bet. secs. 4 and 9.

6.00

Over gently rolling land, through scattering undergrowth.

39.97 $\frac{1}{2}$

Wash, 15 lks. wide, 4 ft. deep, course SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$\frac{1}{4}$ S 4
S 9
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

42.40

Road brs. NE. and SW.

58.10

Road brs. N. and S.

79.95


The cor. of secs. 4, 5, 8 and 9.

Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

Subdivision of T. 40 N., R. 7 W.

Chains


40.00 N. 0° 3' W., on a true line, bet. secs. 4 and 5.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., mkd. on brass cap



dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

75.50 Intersect 10th Standard Parallel North, 11.73 chs. E. of the standard cor. of secs. 32 and 33, described in book "B".


At the point of intersection,
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 4 and 5, mkd. on brass cap



dig pits, 24 X 18 X 12 ins., crosswise on each line, E. and W., 3 ft., and S. of post, 7 ft. dist.


Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush; greasewood and schadscale.
 Abundant grass.

40.00 From the cor. of secs. 5, 6, 31 and 32, on S.bdy. of Tp., hereinbefore described,
 N. 0° 3' W. bet. secs. 31 and 32.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap



dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, mkd. on brass cap



dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
 Land, gently rolling.
 Soil, coarse, 1st rate.
 No timber.
 Undergrowth, rabbit brush, greasewood and schadscale.
 Abundant grass.

26

Subdivision of T. 40 N., R. 7 W.

Chains	East on a random line bet. secs. 29 and 32.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, 9 lks. N. of cor. of secs. 28, 29, 32 and 33.
	Thence
	N. $89^{\circ} 56'$ W. on a true line bet. secs. 29 and 32.
	Over gently rolling land, through scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap
	$\begin{array}{r} \frac{1}{4}S \ 29 \\ \frac{1}{4}S \ 32 \\ \hline 1916 \end{array}$
	dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
80.00	The cor. of secs. 29, 30, 31 and 32.
	Land, gently rolling.
	Soil, coarse, 1st rate.
	No timber.
	Undergrowth, rabbit brush, greasewood and schadscale.
	Abundant grass.
<hr/>	
	From the cor. of secs. 29, 30, 31 and 32, the cor. of secs. 25, 30, 31 and 36, W. bdy. of Tp., being plainly visible,
	West on a random line for distance only bet. secs. 30 and 31.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
78.35	Intersect W. bdy. of Tp., at the cor. of secs. 25, 30, 31 and 36, hereinbefore described.
	Thence
	East on a true line bet. secs. 30 and 31.
	Over gently rolling land, through scattering undergrowth.
38.35	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap
	$\begin{array}{r} \frac{1}{4}S \ 30 \\ \frac{1}{4}S \ 31 \\ \hline 1916 \end{array}$
	dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
78.35	The cor. of secs. 29, 30, 31 and 32.
	Land, gently rolling.
	Soil, coarse 1st rate.
	Timber, none.
	Undergrowth, rabbit brush, greasewood and schadscale.
	Abundant grass.
<hr/>	
	N. $0^{\circ} 3'$ W. bet. secs. 29 and 30.
	Over gently rolling land, through scattering undergrowth.
40.00	Set temp. $\frac{1}{4}$ sec. cor., mkd. on brass cap
	$\begin{array}{r} \frac{1}{4} \\ S30 \ \ S29 \\ \hline 1916 \end{array}$
	dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, mkd. on brass cap

Subdivision of T. 40 N., R. 7 W.

Chains

T40N R 7W
S19|S20
S30|S29
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00
79.96

East on a random line bet. secs. 20 and 29.
Set temp. ¼ sec. cor.
Intersect N. and S. line, 2 lks. S. of cor. of secs. 20,
21, 28 and 29.
Thence
S. 89° 59' W. on a true line bet. secs. 20 and 29.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., mkd. on brass cap

S 20
4S 29
1916

79.96

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of secs. 19, 20, 29 and 30.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00
78.28

West on a random line bet. secs. 19 and 30.
Set an temp. ¼ sec. cor.
Intersect W. bdy. of Tp., 4 lks. N. of the cor. of secs.
19, 24, 25 and 30, hereinbefore described.
Thence
N. 89° 58' E. on a true line bet. secs. 19 and 30.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., mkd. on brass cap

S 19
4S 30
1916

78.28

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of secs. 19, 20, 29 and 30.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00

N. 0° 3' W. bet. secs. 19 and 20.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., mkd. on brass cap

Chains

S19 | S20
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

63.25 Top of small rocky ridge brs. NW. and SE. Desc. 50 ft. to
69.92 Foot of ridge.
72.52 Road brs. NE. and SW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, mkd. on brass cap

T40N R 7W
S18 | S17
S19 | S20
1916

and raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00 East on a random line bet. secs. 17 and 20.
Set temp. 1/4 sec. cor.
79.96 Intersect N. and S. line, 4 lks. N. of cor. of secs. 16, 17, 20 and 21.

Thence
N. 89° 58' W. on a true line bet. secs. 17 and 20.
Over gently rolling land, through scattering undergrowth.
39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 17
4/8 S 20
1916

73.70 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
79.96 Road brs. NE. and SW.
The cor. of secs. 17, 18, 19 and 20.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00 West on a random line bet. secs. 18 and 19.
Set temp. 1/4 sec. cor.
78.21 Intersect W. bdy. of Tp., at the cor. of secs. 13, 18, 19 and 24, hereinbefore described.

Thence
East on a true line bet. secs. 18 and 19.
Over gently rolling land, through scattering undergrowth.
38.21 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 18
4/8 S 19
1916

78.21 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 17, 18, 19 and 20.

Subdivision of T. 40 N., R. 7 W.

Chains

Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00 N. 0° 3' W. bet. secs. 17 and 18.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4
S18 | S17
1916

80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, mkd. on brass cap

T40N R 7W
S 7 | S 8
S18 | S17
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00 East on a random line bet. secs. 8 and 17.
79.96 Set temp. 1/4 sec. cor.
Intersect N. and S. line, 7 lks. N. of cor. of secs. 8, 9, 16 and 17.

36.75 Thence
39.98 N. 89° 57' W. on a true line bet. secs. 8 and 17.
Over gently rolling land, through scattering undergrowth.
Wash, 30 lks. wide, 6 ft. deep, course SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 8
1/4 S 17
1916

53.75 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
79.96 Wash, 30 lks. wide, 6 ft. deep, course NW.
The cor. of secs. 7, 8, 17 and 18.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, greasewood, rabbit brush, and schadscale.
Abundant grass.

40.00 West on a random line bet. secs. 7 and 18.
78.14 Set temp. 1/4 sec. cor.
Intersect W. bdy. of Tp., 2 lks. N. of cor. of secs. 7, 12, 13 and 18, hereinbefore described.
Thence

30

Subdivision of T. 40 N., R. 7 W.

Chains

N. 89° 59' E. on a true line bet. secs. 7 and 18.
Over rolling land, through scattering undergrowth.
25.50 Wash, 40 lks. wide, 5 ft. deep, course SW.
38.14 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4} S 7 \\ \frac{1}{4} S 18 \\ 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.

51.44 Wire corral brs. N. 1 ch. dist.
54.34 Wire fence brs. NW. and SE.
78.14 The cor. of secs. 7, 8, 17 and 18.

Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

N. 0° 3' W. bet. secs. 7 and 8.
Over gently rolling land, through scattering undergrowth.
3.85 Wash, 30 lks. wide, 6 ft. deep, course W.
24.90 Road brs. E. and W.
26.84 Wire fence brs. E. and W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4} \\ S 7 | S 8 \\ 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 5, 6, 7 and 8, mkd. on brass
cap

$$\begin{array}{r} T40N R 7W \\ S 6 | S 5 \\ S 7 | S 8 \\ 1916 \end{array}$$

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, gently rolling.
Soil, coarse, 1st rate.
No timber.
Undergrowth, rabbit brush, greasewood and schadscale.
Abundant grass.

40.00 East on a random line bet. secs. 5 and 8.
Set temp. $\frac{1}{4}$ sec. cor.
79.96 Intersect N. and S. line, 7 lks. N. of cor. of secs.
4, 5, 8 and 9.

Thence
39.98 N. 89° 57' W. on a true line bet. secs. 5 and 8.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. on brass cap

$$\begin{array}{r} \frac{1}{4} S 5 \\ \frac{1}{4} S 8 \\ 1916 \end{array}$$

Subdivision of T. 40 N., R. 7 W.

Chains

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

54.40 Road brs. NE. and SW.

72.15 Wash, 12 lks. wide, 4 ft. deep, course SW.

79.96 The cor. of secs. 5, 6, 7 and 8.

Land, gently rolling.

Soil, coarse, 1st rate.

No timber.

Undergrowth, rabbit brush, greasewood and schadscale.

Abundant grass.

40.00 West on a random line bet. secs. 6 and 7.

78.06 Set temp. 1/4 sec. cor.

Intersect W. bdy. of Tp., 2 lks. N. of cor. of secs. 1, 6, 7 and 12, hereinbefore described.

Thence

N. 89° 59' E. on a true line bet. secs. 6 and 7.

Over gently rolling land, through scattering undergrowth.

38.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 6
4 S 7
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

78.06 The cor. of secs. 5, 6, 7 and 8.

Land, gently rolling.

Soil, coarse, 1st rate.

No timber.

Undergrowth, rabbit brush, greasewood and schadscale.

Abundant grass.

40.00 N. 0° 3' W. on a true line, bet. secs. 5 and 6.

Over gently rolling land, through scattering undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., mkd. on brass cap

1/4 S 6 S 5
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

75.71 Intersect 10th Standard Parallel North, 11.84 chs. E. of the standard cor. of secs. 31 and 32, described in book "B".

At the point of intersection

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 5 and 6, mkd. on brass cap

T41N R 7W
S32
S 6 S 5
T40N R 7W
C C
1916

dig pits, 24 X 18 X 12 ins., crosswise on each line, E. and W. 3 ft. and S. of post, 7 ft. dist.

Land, gently rolling.

Soil, coarse, 1st rate. --- No timber.

Undergrowth, rabbit brush, greasewood and schadscale.

Abundant grass.

Chains

GENERAL DESCRIPTION

This township is gently rolling, general drainage west-
 erly, with a coarse sandy and gravelly soil, 1st and 2nd rate.
 There is very little timber. A scattering undergrowth of
 rabbit brush, greasewood and schadscale covers the whole
 township. There is no permanent water and no settlers.
 The only improvements are some range fences and some small
 patches of cultivated land on the N. bdrs. of secs. 4 and
 5. One road extends thru the N. $\frac{1}{2}$ of the township, course
 E. and W., and one N. and S., thru the central portion.
 There is no indication of the existence of valuable mineral.

Book "E"

Group 75 - - - Arizona.

Township 40 North, Range 7 West.

DATE DIAGRAM

	9-22-16	9-22-16	9-22-16	9-12-16	9-12-16	9-12-16	
	10th Standard Parallel North						
10-24-16	6	5	4	3	2	1	10-24-16
10-17-16	7	8	9	10	11	12	10-17-16
10-17-16	18	17	16	15	14	13	10-17-16
	T. 40 N. R. 7 W.						
10-17-16	19	20	21	22	23	24	10-17-16
10-17-16	30	29	28	27	26	25	10-17-16
10-17-16	31	32	33	34	35	36	10-17-16

Surveys by Thomas B. Matthews indicated hereon in black figures

Surveys by William L. Nash indicated hereon in red figures.

4-680

3292

FIELD ASSISTANTS. to

Thomas B. Matthews, U. S. Surveyor,

NAMES.	CAPACITY.
V. E. Bell,	1st chairman,
R. A. Lane,	2nd chairman,
B. F. Craig,	Cornerman & flagman,
William Scott,	Flagman and axman,
Elwin Prattale,	Axman, flagman,
McLoid Lauritzen,	Axman,

FIELD ASSISTANTS to

William L. Nash, U. S. Transitman,

Tom Smith,	1st chairman,
Geo. W. Curry,	2nd chairman,
W. L. Gierhart,	Cornerman,
R. B. Griffiths,	Flagman, axman,

For **CERTIFICATE OF UNITED STATES SURVEYOR, and UNITED STATES TRANSITMAN,**

See Book "A." of Group 75, Arizona.

I, _____, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for _____

bearing date of the _____ day of _____, 191____, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____

_____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

FILED 3292

U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,


Phoenix, Arizona, AUG 22, 1919

The foregoing field notes of the survey of the _____
South and West boundaries, and _____
Subdivision lines of _____

TOWNSHIP 40 NORTH, RANGE 7 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by Thomas B. Matthews, U.S. Surveyor, & William L. Nash, U.S. Transitman,
under ~~his~~ special instructions dated June 16, 1916, for Group 75, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.


U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____ has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General~~