

271
1
JAN 19 1920

Book "I".
4-679

BOOK 3330

FIELD NOTES

RE-
OF THE SURVEY OF THE

3330
West boundary of

TOWNSHIP 9 NORTH, RANGE 2 EAST,

West boundary of Fractional Township 9 1/2 North, Range 2 East and

Part of the South boundary of

TOWNSHIP 10 NORTH, RANGE 2 EAST,

and SURVEY of

Part of the East boundary,

North boundary, and

Part of the Subdivision lines of

TOWNSHIP 9 NORTH, RANGE 2 EAST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Geo. F. Rigby

In the capacity of U. S. Surveyor, under Special Instructions dated January 20, 1916 issued by the United States Surveyor General to govern surveys included in Group No. 61, Arizona, which were approved by the Commissioner of the General Land Office, January 31, 1916 and Assignment Instructions dated November 25, 1916

Resurvey and Survey commenced March 13, 1917.

Resurvey and Survey completed April 14, 1917.

Chains.

Survey executed by Geo. F. Rigby, U. S. Surveyor, on dates shown on page 34 hereof, using C. L. Berger transit No. 8947, without solar attachment. For description of instrument and certificate of approval, see Book "G".
 March 11, 1917. At camp, in T. 9 N., R. 2 E., near the $\frac{1}{4}$ sec. cor. of secs. 28 and 33, lat. $35^{\circ} 5'$ N., long. $112^{\circ} 10'$ W., at 8 hrs. 8.8 m. p.m., l.m.t., observe Polaris at western elongation, in accordance with the Manual of Instructions and turn an angle of $65^{\circ} 20'$ from north to east, to a nail in a hub, 8 chs. NE. of station. As the azimuth of Polaris at elongation is $1^{\circ} 22'$, the bearing of the reference line is N. $63^{\circ} 58'$ E.

5 mile Transfer this meridian, by careful foresights and backsights, to the standard cor. of secs. 31 and 32, on the S. bdy. of the Tp., and thence N. $0^{\circ} 3'$ W. along the meridional section line, from which turn the proper deflection lines to determine the bearings of all other subdivisional lines.

From the standard cor. of Ts. 9 N., Rs. 1 and 2 E., described in Book "G",

North on retracement, along W. bdy. of sec. 31.

39.90 Fall 18 lks. W. of the original $\frac{1}{4}$ sec. cor., which is a granite stone, 10 X 8 X 8 ins. above ground, firmly set, marked and witnessed as described by the Surveyor-General.

Continue same line and measurement.

79.19 Fall 27 lks. W. of the cor. of secs. 25, 30, 31 and 36, which is a granite stone, 8 X 7 X 6 ins. above ground, firmly set, marked and witnessed as described by the Surveyor-General.

As no subdivisional lines have been tied on this boundary from either side, and as it appears to be out of limits for measurement, I resurvey this line, destroying all trace of the original cors. on this boundary.

Independent Resurvey of the
 West Boundary of T. 9 N., R. 2 E.

From the standard cor. of Ts. 9 N., Rs. 1 and 2 E., described in Book "G",

North on true line, bet. secs. 31 and 36.


Over mountainous land, through scattering undergrowth.

Desc. 90 ft.

7.34 Creek, 10 lks. wide, 10 ins. deep, course SE. Asc. 375 ft.

23.55 Spur, slopes E. Thence along E. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap




And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Desc. 410 ft.

56.29 Slate Creek, 6 lks. wide, 5 ins. deep, course E. Asc. 155 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 25, 30, 31 and 36, marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, rough mountainous.

2.


Independent Resurvey of the
West Boundary of T. 9 N., R. 2 E.

Chains.

Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde and mesquite.

39.69
40.00

North on true line, bet. secs. 25 and 30.
Over mountainous land, through scattering undergrowth.
Asc. 255 ft.
Spur, slopes E. Desc. 520 ft.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass
cap




56.97

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
of cor.

80.00


Creek, 10 lks. wide, 11 ins. deep, course N.78°E. Asc.
520 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for reestablished cor. of secs. 19, 24, 25 and
30, marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
of cor.
Land, rough mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, paloverde, and cat claw.

2.46
13.62
40.00

North on true line, bet. secs. 19 and 24.
Over mountainous land, through scattering undergrowth.
Asc. 25 ft.
Spur, slopes E. Desc. 280 ft.
Gulch, course E. Asc. 590 ft.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass
cap




44.91
54.77
56.74
63.85
67.70
80.00

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
of cor.
Spur, slopes E. Desc. 95 ft.
Small wash, course E. Asc. 25 ft.
Spur, slopes E. Desc. 240 ft.
Gulch, course NE. Asc. 70 ft.
Desc. 170 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for reestablished cor. of secs. 13, 18, 19 and
24, marked on brass cap

Independent Resurvey of the West Boundary of T. 9 N., R. 2 E.

3.

Chains.




And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde and cat claw.

North on true line, bet. secs. 13 and 18.
 Over rough mountainous land, through dense undergrowth.
 Desc.

3.00
 11.21
 36.86
 40.00

Gulch, course E. Asc. 240 ft.
 Spur, slopes E. Desc. 490 ft.
 Creek, 7 lks. wide, 1 ft. deep, course SE. Asc. 245 ft.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished ¼ sec. cor., marked on brass cap



50.33
 59.91
 62.31
 80.00

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Spur, slopes E. Desc. 165 ft.
 Gulch, course NE. Asc. 45 ft.
 Spur, slopes E. Desc. 255 ft.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 7, 12, 13 and 18, marked on brass cap




And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, alder and mesquite.

North, on true line bet. secs. 7 and 12.
 Over rocky mountainous land, through scattering undergrowth.
 Desc.

2.40
 11.44
 38.11
 40.00

Creek, 7 lks. wide, 8 ins. deep, course SE. Asc. 345 ft.
 Spur, slopes SE. Desc. 490 ft.
 Creek, 5 lks. wide, 6 ins. deep, course E. Asc. 160 ft.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished ¼ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Independent Resurvey of the
West Boundary of T. 9 N., R. 2 E.

4.

Chains.	
53.22	Desc. 35 ft.
55.25	Draw, course E. Asc. 80 ft.
59.50	Desc. 125 ft.
63.50	Small creek, 3 lks. wide, 3 ins. deep, course E. Asc. 145 ft.
71.61	Spur, slopes E. Desc. 95 ft.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 1, 6, 7 and 12, marked on brass cap

T9N	
R1E	R2E
S 1	S 6
S12	S 7
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
Land, rough mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde and cat claw.

	North on true line, bet. secs. 1 and 6. Over mountainous land, through scattering undergrowth. Asc. 30 ft.
3.97	Spur, slopes E. Desc. 35 ft.
9.94	Gulch, course E. Asc. 45 ft.
14.89	Spur, slopes N.65°E. Desc. 250 ft.
29.88	Creek, 4 lks. wide, 3 ins. deep, course E. Asc. 80 ft.
39.29	Spur, slopes E. Desc. 45 ft.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished ¼ sec. cor., marked on brass cap

¼	
S 1	S 6
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

42.40	Draw, course S.85°E. Asc. 45 ft.
50.00	Desc. 90 ft.
56.51	Creek, 10 lks. wide, 8 ins. deep, course S.80°E. Asc. 145 ft.
68.46	Wire fence, brs. E. and W.
80.00	Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for reestablished cor. of Ts. 9 and 9½ N., Rs. 1 and 2 E., marked on brass cap


T9½N	
R1E	R2E
S36	S71
S 1	S 6
T9N	
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, S. of cor.
Land, mountainous and rolling.
Soil, rocky, 3rd and 4th rates.
No timber.
Undergrowth, palo verde and mesquite.


Completion of
Survey of the East Boundary of T. 9 N., R. 2 E. 5.

Chains.

From the cor. of secs. 1, 6, 7 and 12, which is an iron post, firmly set, marked and witnessed as described by the Surveyor-General,
North, on true line, bet. secs. 1 and 6.
Over mountainous land, through scattering undergrowth.
Desc. 370 ft.
28.00 Gulch, course W., containing small stream of water, 7 lks. wide, 5 ins. deep, Asc. 590 ft.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




80.00 And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of Ts. 9 and 9 1/2 N., Rs. 2 and 3 E., marked on brass cap



And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, S. of cor.
Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde, mesquite and cactus.

Survey of
North Boundary of T. 9 N., R. 2 E.

From the cor. of Ts. 9 and 9 1/2 N., Rs. 2 and 3 E., hereinbefore described,
West on a random line, along the N. bdy. of T. 9 N., R. 2 E. setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs.; and at 479.27 chs., intersect W. bdy. of T. 9 N., R. 2 E., 43 lks. S. of the reestablished corner of Ts. 9 and 9 1/2 N., Rs. 1 and 2 E., hereinbefore described. The falling answers to a correction of 0° 03', of 7 lks. N. per mile, counting from the NE. cor. of the Tp.; therefore
S. 89° 57' E., on a true line, bet. secs. 6 and 31.
Over very rough hills, through scattering undergrowth.
Desc. 140 ft.
10.06 Creek, 5 lks. wide, 6 ins. deep, course S. 10° W. Asc. 395 ft.
13.22 Fence, brs. NE. and SW.
29.78 Ridge, brs. N. and S. Desc. 275 ft.
39.27 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor;
42.90 Gulch, course S. Asc. 265 ft.
57.14 Spur, slopes S. Desc. 255 ft.
77.02 Gulch, course S. Asc. 70 ft.
79.27 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the

6.

Survey of the
North Boundary of T. 9 N., R. 2 E.

Chains.

ground, for cor. of secs. 5, 6, 31 and 32, marked on brass cap

T9¹/₂N R2E
S31|S32
S 6|S 5
T9N
1917

And raise a mound of stone, 2 ft. base, 1¹/₂ ft. high, W. of cor.

Land, very rough hills.

Soil, very rocky clay, 4th rate.

No timber.

Undergrowth, scattering cat claw and palo verde.

S. 89° 57' E., on a true line, bet. secs. 5 and 32. Over rough mountainous land, through scattering undergrowth. Asc. 115 ft.

9.24
13.56
29.18
40.00

Spur, slopes S. Desc. 425 ft.

Gulch, course S. 25° W. Asc. 140 ft.

Spur, slopes S. Desc. 465 ft.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¹/₄ sec. cor., marked on brass cap

¹/₄ S32
S 5
1917

And raise a mound of stone, 2 ft. base, 1¹/₂ ft. high, N. of cor.

58.90

Black Canyon Creek, 25 lks. wide, 1 ft. deep, course S. 10° W. Asc. 225 ft.

78.32

Low spur, slopes SW. Desc. 15 ft.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, marked on brass cap

T9¹/₂N R2E
S32|S33
S 5|S 4
T9N
1917

And raise a mound of stone, 2 ft. base, 1¹/₂ ft. high, W. of cor.

Land, rough mountainous.

Soil, rocky, 4th rate.

No timber.

Undergrowth, palo verde, mesquite and cactus.

S. 89° 57' E., on a true line, bet. secs. 4 and 33. Over rolling land, through scattering undergrowth. Desc. 30 ft.

10.30
15.28

Small stream, 2 lks. wide, 2 ins. deep, course SW. Asc. 140 ft.

23.02

Road, brs. N. to Mayer and S. to Phoenix.

32.40

Spur, slopes SW. Desc. 65 ft.

39.54

Gulch, course SW. Asc. 270 ft.

40.00

Set an iron post, 3 ft long, 1 in. diam., 26 ins. in the ground, for ¹/₄ sec. cor., marked on brass cap


¹/₄ S33
S 4
1917

And raise a mound of stone, 2 ft. base, 1¹/₂ ft. high, N. of cor.

Survey of the North Boundary of T. 9 N., R. 2 E. 7.

Chains.
80.00


Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 33 and 34, marked on brass cap



And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
Land, rolling and broken.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde, mesquite and cat claw.


-
11.15
13.16
30.00
40.00

S.89°57'E., on a true line, bet. secs. 3 and 34.
Over rolling land, through scattering undergrowth.
Desc. 20 ft.
Gulch, course SW. Asc. 430 ft.
Top of ascent; thence over rolling land.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



45.11
47.13
52.50
80.00


And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
Desc. 65 ft.
Head of wash, course SW. Asc. 70 ft.
Thence over rolling top of Black Mesa.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, marked on brass cap



And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
Land, rolling mesa and steep mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde, mesquite and cactus.

2.56
7.06
10.00
40.00

S.89°57'E., on a true line, bet. secs. 2 and 35.
Over rolling mesa, through scattering undergrowth.
Desc. 35 ft.
Head of wash, course SW. Asc. 40 ft.
Thence over Black Mesa.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



76.55
80.00

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
Rim rock, brs. N. and S.10°E. Desc. 225 ft.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 2, 35 and 36, marked on brass cap

8.

Survey of the
North Boundary of T. 9 N., R. 2 E.

Chains.

T9 $\frac{1}{2}$ N R2E
S35 | S36
S 2 | S 1
T9N
1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
Land, rolling mesa and steep mountainous.
Soil, sandy loam, 7 ins. deep, 3rd rate; gravelly subsoil.
No timber.
Undergrowth, cactus.

S.89°57'E., on a true line, bet. secs. 1 and 36.
Over rough mountainous land, through scattering undergrowth.

Desc. 705 ft.

30.00 Agua Fria River, 60 lks. wide, 14 ins. deep, course S.10°W.
Asc. 555 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S36
S 1
1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

Continue ascent.

80.00 The cor. of Ts. 9 and 9 $\frac{1}{2}$ N., Rs. 2 and 3 E., hereinbefore described.

Land, rough mountainous.

Soil, rocky, 4th rate.

No timber.

Undergrowth, palo verde, mesquite and cactus.

Independent Resurvey of the West Boundary of Fractional T. 9 1/2 N., R. 2 E.

Chains.

From the reestablished cor. of Ts. 9 and 9 1/2 N., Rs. 1 and 2 East, hereinbefore described, North on true line, bet. secs. 31 and 36, destroying all the original cors. Over rolling mountainous land, through scattering undergrowth.

10.00
40.00

Asc. 40 ft.
Thence over rolling land.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished 1/4 sec. cor., marked on brass cap



48.00
80.00

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Creek, 8 lks. wide, 6 ins. deep, course S.15°E. Asc. 280 ft.
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 25, 30, 31 and 36, marked on brass cap.



And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Land, rolling mountainous.
Soil, rocky, 3rd and 4th rates.
No timber.
Undergrowth, palo verde, cat claw and cactus.

11.98
15.00
20.00
25.00
37.92
40.00

North on true line, bet. secs. 25 and 30.
Over rolling mountainous land, through scattering undergrowth.

Asc. 55 ft.
Ridge, brs. N.10°W. and S.10°E. Desc.
Asc. 25 ft.
Desc. 25 ft.
Asc. 55 ft.
Ridge, brs. NE. and S.25°W. Desc. 40 ft.
Small draw, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished 1/4 sec. cor., marked on brass cap



49.88
54.77
59.73
80.00

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Asc. 90 ft.
Spur, slopes W. Desc. 70 ft.
Wash, course NW. Asc. 40 ft.
Spur, slopes NW. Desc. 140 ft.
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 24, 25 and 30, and frac. sec. 19, marked on brass cap,

Independent Resurvey of the West Boundary of Fractional T. 9 1/2 N., R. 2 E.

Chains.

T9 1/2 N	
R1E	R2E
S24	S19
S25	S30
1917	

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
 Land, rolling mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde and mesquite.

North on true line, bet. fractional secs. 19 and 24.
 Over broken mountainous land, through dense undergrowth.
 Desc. 25 ft.

- 2.97 Gulch, course N.30°E. Asc. 55 ft.
- 8.66 Spur, slopes NW. Desc. 120 ft.
- 13.11 Creek, with running water, 5 lks. wide, 3 ins. deep, course N. 15°E. Ascend 40 ft.
- 16.76 Spur, slopes E. Desc. 75 ft.
- 21.62 Along E. bank of creek.
- 25.62 Creek, water 8 lks. wide, 8 ins. deep, course NW. Asc. 125 ft.
- 27.61 Spur, slopes W. Desc. 75 ft.
- 36.53 Thence along creek, water 10 lks. wide, 9 ins. deep, course N.
- 40.00 Leave creek, course N.20°E.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished 1/4 sec. cor., marked on brass cap

1/4	
S24	S19
1917	

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

- 47.12 Intersect E. and W. line, 1.20 chs. W. of true point for cor. of T. 9 1/2 N. and 10 N., Range 2 East, 1/4 sec. cor. and witnessed 80 lks. E. E. by an iron post, properly set, cor. marked and witnessed as described by the Surveyor, is general. Do not destroy all traces of this witness, as described by the Surveyor-General. Do not destroy all trace of this cor.

At the point of intersection,
 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for reestablished cor. of Ts. 9 1/2 and 10 N., Range 2 East, marked on brass cap.

T10 N	
R1E	R2E
S24	S19
1917	

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, E. of cor.
 Land, rolling mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw and mesquite.

Resurvey of part of S. bdy. of Township 10 North, Range 2 East 11

Chains.

From reestablished cor. of Ts. 9 $\frac{1}{2}$ and 10 N., R.2 E., here-
 inbefore described,
 East, on random line, on south bdy. of sec. 31 (W. $\frac{1}{2}$).
 73.03 Fall 10 lks. N. of original $\frac{1}{4}$ sec. cor. of sec. 31, which is
 a 1 in. iron post, 10 ins. above ground, firmly set,
 marked on brass cap.

$\frac{1}{4}$ S 31
 1911

and witnessed by mound of stone, N. of cor. No bearing
 trees.

Thence,
 N. 89° 55' W., on true line, on S. bdy. of sec. 31 (W. $\frac{1}{2}$).
 Over mountainous land, thru scattering undergrowth.
 Descend 125 ft.
 10.12 Creek, with running water, 10 lks. wide, 1 ft. deep, course
 SE. Ascend 510 ft.
 38.55 Spur, slopes N. Descend 190 ft.
 48.07 Gulch, course NW. Ascend 170 ft.
 57.61 Spur, slopes N. Descend 135 ft.
 63.48 Draw, course SW. Ascend.
 64.93 Spur, slopes S. Descend 190 ft.
 71.86 Creek, with running water, 10 lks. wide, 7 ins. deep, course
 N. 10° E. Ascend 20 ft. to
 73.03 Intersect reestablished cor. of Ts. 9 $\frac{1}{2}$ and 10 N., R. 2 E.,
 hereinbefore described.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, scattering palo verde and mesquite.
 No grass.

Completion of the
survey of Subdivision of T. 9 N., R. 2 E.

Chains.

From the cor. of secs. 1, 2, 11 and 12, which is an iron post, properly set, marked and witnessed as described by the Surveyor-General,
 N.0°1'W., on a random line, bet. secs. 1 and 2.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.72 Intersect N. bdy. of Tp., 19 lks. W. of the cor. of secs. 1, 2, 35 and 36, hereinbefore described.
 Thence
 S.0°7'W., on a true line, bet. secs. 1 and 2.
 Over mountainous land, through scattering undergrowth.
 Asc. 230 ft.
 19.70 Edge of mesa, brs. NW. and SE. Thence over rolling Black Mesa.
 39.72 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 2 | S 1
 |
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 79.72 The cor. of secs. 1, 2, 11 and 12.
 Land, mountainous and rolling mesa.
 Soil, rocky, 3rd and 4th rates.
 No timber.
 Undergrowth, cactus.
 Good grass.

From the cor. of secs. 22, 23, 26 and 27, which is an iron post, properly set, marked and witnessed as described by the Surveyor-General,
 N.0°1'W., bet. secs. 22 and 23.
 Over rolling mountainous land, through dense undergrowth.
 Desc. 50 ft.
 4.94 Wash, course W. Asc. 220 ft.
 23.49 Spur, slopes W. Desc. 40 ft.
 34.40 Wash, course W. Asc. 70 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S22 | S23
 |
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 48.45 Desc. 90 ft.
 59.83 Wash, course W. Asc. 30 ft.
 64.78 Spur, slopes W. Desc. 175 ft.
 71.35 Wash, course W. Asc. 70 ft.
 75.23 Spur, slopes W. Desc. 70 ft.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap

T9N R2E
 S15 | S14
 S22 | S23
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, rolling mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, mesquite and cactus.

1014 Completion of Survey of Subdivision of T. 9 N., R. 2 E.

Chains.

40.00 S. 89°55'E., on a random line, bet. secs. 14 and 23.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.95 Intersect N. and S. line, 5 lks. S. of the cor. of secs. 13, 14, 23 and 24, which is an iron post, properly set, marked and witnessed as described by the Surveyor-General.
 Thence
 N. 89°57'W., on a true line, bet. secs. 14 and 23.
 Over rough mountainous land, through scattering undergrowth.
 Asc. 25 ft., over Black Mesa.
 16.67 Edge of mesa, brs. NW. and SE. Desc. 460 ft.
 32.38 Creek, 2 lks. wide, 3 ins. deep, course S. Asc. 275 ft.
 39.97 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S14
 $\frac{1}{4}$ S23
 1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
 44.83 Spur, slopes S. Desc. 130 ft.
 55.63 Wash, course SE. Asc. 70 ft.
 60.52 Ridge, brs. NE. and S. 15°W. Desc. 285 ft.
 79.95 The cor. of secs. 14, 15, 22 and 23.
 Land, rough mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, mesquite and cactus.

N. 0°1'W., bet. secs. 14 and 15.
 Over mountainous land, through scattering undergrowth.
 Desc. 65 ft.
 5.81 Creek, 7 lks. wide, 5 ins. deep, course SW. Asc. 520 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S15 | S14
 1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 47.23 Spur, slopes SE. Desc. 100 ft.
 64.24 Head of draw, course SE. Asc. 230 ft.
 78.64 Edge of Black Mesa, brs. NW. and E. Thence over rolling mesa.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap

T9N R2E
 S10 | S11
 S15 | S14
 1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Land, rolling mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, mesquite and cactus.

40.00 S. 89°57'E., on a random line, bet. secs. 11 and 14.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect N. and S. line, 5 lks. S. of the cor. of secs.

Completion of Survey of Subdivision of T. 9 N., R. 2 E.

Chains. 11, 12, 13 and 14, which is an iron post, properly set, marked and witnessed as described by the Surveyor-General.

Thence N. 89° 59' W., on a true line, bet. secs. 11 and 14. Over rolling mesa, through scattering undergrowth. Desc. 25 ft.

11.00 Head of wash, course SW. Asc. 25 ft.

25.00 Thence over Black Mesa.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 11
 $\frac{1}{4}$ S 14
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

80.00 The cor. of secs. 10, 11, 14 and 15. Land, rolling mesa. Soil, rocky, 4th rate. No timber. Undergrowth, palo verde and cactus. Fair Grass.

N. 0° 1' W., bet. secs. 10 and 11. Over rolling mesa, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 10 | S 11
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

60.00 Desc. 80 ft.

67.87 Gulch, course NW. Asc. 70 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap

T 9 N R 2 E
 S 3 | S 2
 S 10 | S 11
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling mesa. Soil, rocky, 3th rate; sandy loam, 8 ins. deep, on gravelly subsoil. No timber. Undergrowth, cactus.

S. 89° 59' E., on a random line, bet. secs. 2 and 11. Set temp. $\frac{1}{4}$ sec. cor.

40.00 Intersect N. and S. line, 7 lks. S. of the cor. of secs. 1, 2, 11 and 12, hereinbefore described.

80.12 Thence S. 89° 58' W., on a true line, bet. secs. 2 and 11. Over rolling mesa, through scattering undergrowth.

40.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap


$\frac{1}{4}$ S 2
 $\frac{1}{4}$ S 11
 1917

16 12. survey of Completion of the Subdivision of T. 9 N., R. 2 E.

Chains.


80.12 And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 The cor. of secs. 2, 3, 10 and 11.
 Land, rolling mesa.
 Soil, sandy loam, 7 ins. deep, non gravelly subsoil; 3rd rate.
 No timber.
 Undergrowth, cactus.
 Fair grass.

40.00 N.0°1'W., on a random line, bet. secs. 2 and 3.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.90 Intersect N. bdy. of Tp., 21 lks. W. of the cor. of secs. 2, 3, 34 and 35, hereinbefore described.
 Thence
 S.0°8'W., on a true line, bet. secs. 2 and 3.
 Over rolling mountainous land, through scattering undergrowth.
 Desc. 120 ft.
 5.65 Asc. 95 ft.
 20.50 Desc. 225 ft.
 39.90 Wash, course N.80°W.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Asc. 210 ft.
 50.00 Spur, slopes N. Desc. 25 ft.
 54.93 Wash, course NW. Asc. 35 ft.
 57.90 Thence over rolling mesa.
 79.90 The cor. of secs. 2, 3, 10 and 11.
 Land, rolling mesa and rolling mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cactus.

From the cor. of secs. 21, 22, 27 and 28, which is an iron post, properly set, marked and witnessed as described by the Surveyor-General,
 N.0°2'W., bet. secs. 21 and 22.
 Over rolling land, through scattering undergrowth.
 9.00 Desc. 45 ft.
 11.40 Gulch, containing small stream of water, 3 lks. wide, 2 ins. deep, course W. Asc. 45 ft.
 19.00 Desc. 40 ft.
 22.37 Canyon Creek, course SW. Asc. 10 ft.
 26.00 Desc.
 28.28 Canyon Creek, course SE. Asc. 55 ft.
 35.08 Spur, slopes SW. Desc. 45 ft.
 37.48 Gulch, course SW. Asc. 60 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Completion of the
Survey of Subdivision of T. 9 N., R. 2 E.

Chains.

40.97 Spur, slopes SW. Desc. 45 ft.
 47.37 Gulch, course SW. Asc. 45 ft.
 50.00 Desc. 30 ft.
 51.40 Gulch, course SE. Asc. 185 ft., in gulch.
 53.30 Leave gulch, from NW. Continue ascent.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, marked on brass cap




And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, rolling and rolling mountainous.
 Soil, rocky, 3rd and 4th rates.
 No timber.
 Undergrowth, palo verde, mesquite and cactus.

40.00 S. 89°50'E., on a random line, bet. secs. 15 and 22.
 80.00 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 23 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence
 N. 89°40'W., on a true line, bet. secs. 15 and 22.
 Over rolling mountainous land, through scattering undergrowth.

8.59 Desc. 215 ft.
 Creek, 5 lks. wide, 4 ins. deep, course S. 25°W. Asc. 280 ft.

21.79 Spur, slopes S. Desc. 280 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

54.64 Wash, course SW. Asc. 15 ft.
 57.13 Spur, slopes S. Desc. 230 ft.
 74.28 Gulch, course S. 20°W. Asc. 60 ft.
 78.34 Road, brs. N. 10°W. to Mayer and S. to Phoenix.
 80.00 The cor. of secs. 15, 16, 21 and 22.
 Land, rolling mountainous.
 Soil, rocky, 3rd and 4th rates.
 No timber.
 Undergrowth, palo verde, mesquite and cactus.

N. 0°2'W., bet. secs. 15 and 16.
 Over mountainous land, through dense undergrowth.
 Asc. 165 ft.

9.99 Road, brs. N. 10°W. to Mayer and S. 20°E. to Phoenix.
 31.24 Same road, brs. N. 10°W. and S. 10°W.

32.74 Spur, slopes E. Desc. 85 ft.
 37.05 Gulch, course SE. Asc. 370 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap



18 14. Survey of Subdivision of T. 9 N., R. 2 E. Completion of the

Chains.

45.03 And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 55.03 Road, brs. NE. to Mayer and SW. to Phoenix,
 72.76 Road, brs. NW. to Mayer and SE. to Phoenix.
 80.00 Spur, slopes SW. Desc. 35 ft.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on brass cap

T9N	R2E
S 9	S10
S16	S15
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, mesquite and cactus.

40.00 S. 89°40'E., on a random line, bet. secs. 10 and 15.
 80.12 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 7 lks. S. of the cor. of secs. 10, 11, 14 and 15.
 Thence
 N. 89°43'W., on a true line, bet. secs. 10 and 15.
 Over rolling mesa, through scattering undergrowth.
 10.00 Desc. 45 ft.
 20.00 Asc. 15 ft.
 32.97 Desc. 205 ft.
 40.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

1	S10
4	S15
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 42.45 Head of wash, course N. 80°W.
 47.85 Wash, course SW. Asc. 125 ft.
 64.55 Spur, slopes SW. Desc. 310 ft.
 80.12 The cor. of secs. 9, 10, 15 and 16.
 Land, rolling mesa and broken mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, mesquite and cactus.

N. 0°2'W., bet. secs. 9 and 10.
 Over broken mountainous land, through scattering undergrowth.
 Desc. 125 ft.
 20.37 Creek, 4 lks. wide, 5 ins. deep, course W.
 24.87 Arastra Creek, 10 lks. wide, 8 ins. deep, course SW.
 Asc. 195 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

S 9	S10
1917	

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 47.92 Spur, slopes E. Desc. 35 ft.
 53.89 Wash, course SE. Asc. 30 ft.

Completion of the
Survey of Subdivision of T. 9 N., R. 2 E.

<p>Chains. 64.86 65.16 77.35 80.00</p>	<p>Spur, slopes E. Desc. 20 ft. Mine brs. N. $57\frac{1}{2}^{\circ}$ E., 17 chs. dist. Small draw, course SE. Asc. 20 ft. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap</p> <div style="text-align: center;"> <table border="0"> <tr><td>T9N</td><td>R2E</td></tr> <tr><td>S 4</td><td>S 3</td></tr> <tr><td>S 9</td><td>S 10</td></tr> <tr><td colspan="2">1917</td></tr> </table> </div> <p>And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Land, rolling mountainous. Soil, rocky, 4th rate. No timber. Undergrowth, palo verde, mesquite and cactus.</p>	T9N	R2E	S 4	S 3	S 9	S 10	1917	
T9N	R2E								
S 4	S 3								
S 9	S 10								
1917									
<p>40.00 80.07</p>	<p>S. $89^{\circ}43'$ E., on a random line, bet. secs. 3 and 10. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 23 lks. S. of the cor. of secs. 2, 3, 10 and 11. Thence N. $89^{\circ}53'$ W., on a true line, bet. secs. 3 and 10. Over mountainous land, through scattering undergrowth. Desc. 205 ft. 9.88 Gulch, course NW. Asc. 100 ft. 14.64 Spur, slopes N. Desc. 435 ft. 40.03$\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <div style="text-align: center;"> <table border="0"> <tr><td>$\frac{1}{4}$ S 3</td></tr> <tr><td>S 10</td></tr> <tr><td>1917</td></tr> </table> </div> <p>And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p>	$\frac{1}{4}$ S 3	S 10	1917					
$\frac{1}{4}$ S 3									
S 10									
1917									
<p>64.13 70.10 74.50 76.77 78.19 80.07</p>	<p>Arastra Creek, dry, course S. 5° W. Asc. 35 ft. Spur, slopes S. Desc. 25 ft. Wash, course S. 10° E. Asc. 25 ft. Spur, slopes SE. Desc. 20 ft. Wash, course SE. Asc. 20 ft. The cor. of secs. 3, 4, 9 and 10. Land, mountainous. Soil, rocky, 4th rate. No timber. Undergrowth, palo verde, mesquite and cactus.</p>								
<p>40.00 79.96</p>	<p>N. $0^{\circ}2'$ W., on a random line, bet. secs. 3 and 4. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. bdy. of Tp., 16 lks. W. of the cor. of secs. 3, 4, 33 and 34, hereinbefore described. Thence S. $0^{\circ}5'$ W., on a true line, bet. secs. 3 and 4. Over broken mountainous land, through scattering undergrowth. Desc. 175 ft.</p>								
<p>25.25 37.05 39.96</p>	<p>Creek, 5 lks. wide, 3 ins. deep, course W. Asc. 110 ft. Spur, slopes W. Desc. 70 ft. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>								

20 . Completion of the Survey of Subdivision of T. 9 N., R. 2 E.

Chains.

$\frac{1}{4}$
 S 4 | S 3
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 41.13 Gulch, course N.85°W. Asc. 75 ft.
 48.54 Low ridge, brs. NE. and SW. Desc. 95 ft.
 78.27 Wash, course SE. Asc. 10 ft.
 79.96 The cor. of secs. 3, 4, 9 and 10.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde and mesquite.

From the cor. of secs. 28, 29, 32 and 33, which is a malpais stone, firmly set, marked and witnessed as described by the Surveyor-General, N.0°2'W., bet. secs. 28 and 29.
 Over mountainous land, through dense undergrowth.
 Desc. 280 ft.
 14.30 Head of wash, course NE. Asc. 30 ft.
 19:28 Spur, slopes NE. Desc. 240 ft.
 38.13 Creek, 7 lks. wide, 5 ins. deep, course E. Asc. 150 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S29 | S28
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 51.74 Spur, slopes E. Desc. 115 ft.
 55.33 Gulch, course E. Asc. 320 ft.
 69.76 Spur, slopes E. Desc. 60 ft.
 77.66 Wash, course E. Asc. 35 ft.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, marked on brass cap

T9N R2E
 S20 | S21
 S29 | S28
 1918

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, rough mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, dense palo verde, mesquite and cactus.

40.00 N.89°54'E., on a random line, bet. secs. 21 and 28.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.07 Intersect N. and S. line, 33 lks. S. of the cor. of secs. 21, 22, 27 and 28, hereinbefore described.
 Thence
 S.89°40'W., on a true line, bet. secs. 21 and 28.
 Over rough mountainous land, through scattering undergrowth.
 Desc. 55 ft.
 7.14 Black Canyon Creek, 60 lks. wide, 1 ft. deep, course S.
 Asc. 230 ft.

Completion of the
Survey of Subdivision of T. 9 N., R. 2 E.

Chains.
22.85 Spur, slopes S. Reiza Martin's house brs. S.34°10'E.
Desc. 75 ft.
30.25 Gulch, course SE. Asc. 180 ft.
40.03¹/₂ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¹/₄ sec. cor., marked on brass cap


S21
¹/₄ S28
1917

And raise a mound of stone, 2 ft. base, 1¹/₂ ft. high, N.
of cor.

48.33 Spur, slopes SE. Desc. 15 ft.
50.81 Draw, course SE. Asc. 145 ft.
68.06 Spur, slopes SE. Desc. 105 ft.
73.66 Gulch, course SE. Asc. 180 ft.
80.07 The cor. of secs. 20, 21, 28 and 29.
Land, rough mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde, mesquite and cactus.


N.0°2'W., bet. secs. 20 and 21.
Over mountainous land, through dense undergrowth.
Asc. 75 ft.

5.87 Spur, slopes E. Desc. 50 ft.
9.80 Wash, course SE. Asc. 130 ft.
24.39 Top of ascent; thence over rolling E. slope.
34.39 Desc. 220 ft.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¹/₄ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1¹/₂ ft. high, W.
of cor.

54.86 Wash, course E. Asc. 50 ft.
59.51 Spur, slopes NE. Desc. 225 ft.
74.46 Gulch, course N.20°E. Asc. 25 ft.
78.22 Spur, slopes E. Desc. 60 ft.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 16, 17, 20 and 21, marked on
brass cap



And raise a mound of stone, 2 ft. base, 1¹/₂ ft. high, W.
of cor.

Land, rolling mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde, mesquite and cactus.

40.00 N.89°40'E., on a random line, bet. secs. 16 and 21.
Set temp. ¹/₄ sec. cor.
80.06 Intersect N. and S. line, 11 lks. N. of the cor. of secs.
15, 16, 21 and 22.
Thence
S.89°45'W., on a true line, bet. secs. 16 and 21.
Over mountainous land, through scattering undergrowth.
Asc. 85 ft.
8.35 Spur, slopes S. Desc. 105 ft.

Completion of
22. Survey of Subdivision of T. 9 N., R. 2 E.

Chains.
 17.61 Gulch, course S.10°W. Asc. 170 ft.
 23.87 Spur, slopes S. Reiza Martin's house brs. S.9°47'E. Desc. 175 ft.
 28.92 Gulch, course S. Asc. 205 ft.
 36.84 Spur, slopes N. Desc. 70 ft.
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S16
 $\frac{1}{4}$ S21
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N of cor.

41.98 Gulch, course N.80°E. Asc. 135 ft.
 45.95 Spur, slopes S. Desc. 395 ft.
 57.07 Black Canyon Creek, 20 lks. wide, 1 ft. deep, course S.25°E. Asc. 330 ft.
 74.64 Spur, slopes N. Desc. 110 ft.
 78.04 Gulch, course NE. Asc. 40 ft.
 80.06 The cor. of secs. 16, 17, 20 and 21.
 Land, rough mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, mesquite and cat claw.

N.0°2'W., bet. secs. 16 and 17.
 Over broken mountainous land, through scattering undergrowth.
 Desc. 55 ft.
 Asc. 130 ft.

4.92 Spur, slopes E. Desc. 305 ft.
 14.69 Black Canyon Creek, 35 lks. wide, 1 ft. deep, course SE. Asc. 425 ft.
 23.12 Spur, slopes SE. Desc. 60 ft.
 36.44 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S17 | S16
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

54.96 Asc. 220 ft.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on brass cap

T9N R2E
 S 8 | S 9
 S17 | S16
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, broken mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde and cat claw.

40.00 N.89°45'E., on a random line, bet. secs. 9 and 16.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.21 Intersect N. and S. line, 11 lks. N. of the cor. of secs. 9, 10, 15 and 16.
 Thence
 S.89°50'W., on a true line, bet. secs. 9 and 16.

Completion of
Survey of Subdivision of T. 9 N., R. 2 E.

Chains.

Over rolling mountainous land, through scattering undergrowth.
 Desc. 175 ft.
 10.34 Arastra Creek, 8 lks. wide, 3 ins. deep, course SW. Asc. 60 ft.
 12.91 Spur, slopes S. Desc. 30 ft.
 14.55 Draw, course S. Asc. 90 ft.
 21.86 Spur, slopes S. Desc. 35 ft.
 25.31 Gulch, course SW. Asc. 100 ft.
 31.15 Desc. 100 ft.
 34.84 Gulch, course S. Asc. 115 ft.
 40.10 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S 9 \\ \hline \frac{1}{4} S 16 \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

40.30 Low ridge, brs. NE. and SW. Desc. 215 ft.
 59.86 Road, brs. N. to Mayer and S. to Phoenix.
 66.66 Gulch, course S. Asc. 175 ft.
 80.21 The cor. of secs. 8, 9, 16 and 17.
 Land, rolling mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, mesquite and palo verde.

N.0°2'W., bet. secs. 8 and 9.
 Over rolling mountainous land, through scattering undergrowth.

3.95 Spur, slopes NE. Desc. 425 ft.
 24.71 Spur, slopes NW. Continue descent.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \\ S 8 | S 9 \\ \hline 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

56.33 Small Creek, 3 lks. wide, 3 ins. deep, course NW. Asc. 110 ft.
 63.21 Spur, slopes W. Desc. 140 ft.
 66.60 Black Canyon Creek, 60 lks. wide, 1 ft. deep, course SW. Asc. 60 ft.
 71.27 Desc. 60 ft.
 74.12 Black Canyon Creek, 60 lks. wide, 1 ft. deep, course S.20°E. Asc. 75 ft.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, marked on brass cap

$$\begin{array}{r} T9N R2E \\ S 5 | S 4 \\ \hline S 8 | S 9 \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, rolling mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, mesquite and palo verde.

Completion of
Survey of Subdivision of T. 9 N., R. 2 E.

Chains.

N.89°50'E., on a random line, bet. secs. 4 and 9.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.21 Intersect N. and S. line, 28 lks. N. of the cor. of secs.
3, 4, 9 and 10.
Thence
N.89°58'W., on a true line, bet. secs. 4 and 9.
Over rolling mountainous land, through scattering under-
growth.
Asc. 190 ft.
18.74 Ridge, brs. N. and S. Desc. 485 ft.
40.10 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S 4
 $\frac{1}{4}$ S 9
1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N.
of cor.
49.10 Road, brs. N. and S.
56.65 Wash, course N.5°W. Asc. 35 ft.
59.60 Spur, slopes N. Desc. 250 ft.
80.21 The cor. of secs. 4, 5, 8 and 9.
Land, rolling mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde and mesquite.

N.0°2'W., on a random line, bet. secs. 4 and 5.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.92 Intersect N. bdy. of Tp., 30 lks. W. of the cor. of secs.
4, 5, 32 and 33, which is an iron post, hereinbefore
described.
Thence
S.0°11'W., on a true line, bet. secs. 4 and 5.
Over rolling mountainous land, through scattering under-
growth.
Desc. 180 ft.
39.92 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S 5 | S 4
1917

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W.
of cor.
42.04 Small creek, 5 lks. wide, 4 ins. deep, course W. Asc. 15
ft.
43.62 Desc. 40 ft.
44.58 Small creek, course S.20°E. Asc. 10 ft.
45.57 Spur, slopes E. Desc. 20 ft.
46.68 Small creek, 6 lks. wide, 6 ins. deep, course SW. Asc.
50 ft.
48.82 Desc. 95 ft.
51.68 Black Canyon Creek, course S.15°E.
57.58 Black Canyon Creek, 35 lks. wide, 1 ft. deep, course SW.
Asc. 110 ft.
74.00 Spur, slopes N.70°W. Desc. 60 ft.
79.92 The cor. of secs. 4, 5, 8 and 9.
Land, rolling mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde and mesquite.

Completion of
Subdivision of T. 9 N., R. 2 E.

Chains.

From the reestablished standard cor. of secs. 31 and 32, on the S. bdy. of T. 9 N. (2nd Standard Parallel N.) described in N. O. Book. "Cont. Secs. 31 and 32.

N. 0° 30' W., bet. secs. 31 and 32, thru dense undergrowth. Over mountainous land, thru dense undergrowth; ascend 340 ft.

- 4.79 Wash, course S. 10° E. Continue ascent.
- 19.23 Ridge, brs. NE. and SW. Desc. 130 ft.
- 28.92 Gulch, course NW. Asc. 60 ft.
- 38.86 Spur, slopes W. Desc. 85 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S31 | S32
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

- 49.92 Wash, course SW. Asc. 70 ft.
- 55.83 Spur, slopes SW. Desc. 15 ft.
- 59.82 Wash, course SW. Asc. 235 ft.
- 69.76 Wash, course S. 5° E. Continue ascent.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap

T9N R2E
 S30 | S29
 S31 | S32
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde, mesquite and cactus.

- 40.00 S. 89° 47' E., on a random line, bet. secs. 29 and 32. Set temp. $\frac{1}{4}$ sec. cor.
- 80.31 Intersect N. and S. line, 5 lks. N. of the cor. of secs. 28, 29, 32 and 33, hereinbefore described.
Thence
N. 89° 45' W., on a true line, bet. secs. 29 and 32.
Over mountainous land, through dense undergrowth.
Desc. 220 ft.
- 18.27 Gulch, course NE. Asc. 300 ft.
- 40.15 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S29
 S32
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

- 41.90 Spur, slopes N. Desc. 50 ft.
- 51.37 Wash, course N. Asc. 330 ft.
- 75.66 Top of ascent; desc. 115 ft.
- 80.31 The cor. of secs. 29, 30, 31 and 32.
Land, mountainous.
soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde and mesquite.

26 22. Survey of Completion of Subdivision of T. 9 N., R. 2 E.

Chains.

40.00 N. 89° 47' W., on a random line, bet. secs. 30 and 31.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.85 Intersect W. bdy. of Tp. 2 lks. N. of reestablished cor. of secs. 25, 30, 31 and 36, hereinbefore described.
 Thence
 S. 89° 48' E., on a true line, bet. secs. 30 and 31.
 Over rough mountainous land, through scattering undergrowth.
 Desc. 540 ft.
 22.73 Gulch, course S. Asc. 130 ft.
 31.75 Spur, slopes S. Desc. 205 ft.
 38.85 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S30
 $\frac{1}{4}$ S31
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 40.20 Gulch, course S. Asc. 455 ft.
 60.40 Spur, slopes SE. Desc. 385 ft.
 74.70 Gulch, course S. 10° E. Asc. 115 ft.
 78.85 The cor. of secs. 29, 30, 31 and 32.
 Land, rough mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde and cactus.

N. 0° 3' W., bet. secs. 29 and 30.
 Over mountainous land, through scattering undergrowth.
 Asc. 20 ft.
 2.98 Ridge, brs. NW. and SE. Desc. 105 ft.
 8.68 Gulch, course E. Asc. 65 ft.
 10.91 Spur, slopes E. Desc. 175 ft.
 19.17 Gulch, course E. Asc. 215 ft.
 33.00 Desc. 200 ft.
 39.11 Gulch, course E. Asc. 55 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S30 | S29
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 41.87 Spur, slopes E. Desc. 270 ft.
 59.30 Gulch, course E. Asc. 65 ft.
 64.20 Spur, slopes NE. Desc. 80 ft.
 69.05 Wash, course SE. Asc. 20 ft.
 71.02 Low spur, slopes E. Desc. 30 ft.
 77.49 Creek, 10 lks. wide, 7 ins. deep, course SE. Asc. 30 ft.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap

T9N R2E
 S19 | S20
 S30 | S29
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, rough mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, mesquite and cactus.

Completion of
Survey of Subdivision of T. 9 N., R. 2 E.

Chains.

40.00 S. 89°45'E., on a random line, bet. secs. 20 and 29.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.36 Intersect N. and S. line, 7 lks. N. of the cor. of secs.
 20, 21, 28 and 29.
 Thence
 N. 89°42'W., on a true line, bet. secs. 20 and 29.
 Over mountainous land, through dense undergrowth.
 Asc. 25 ft.
 1.45 Ridge, brs. N. and S. Desc. 95 ft.
 13.79 Gulch, course S. Asc. 385 ft.
 32.76 Spur, slopes S. Desc. 295 ft.
 40.18 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S20
 $\frac{1}{4}$ S29
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 47.72 Gulch, course S. Asc. 265 ft.
 55.40 Spur, slopes S. Desc. 400 ft.
 80.36 The cor. of secs. 19, 20, 29 and 30.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, mesquite, cat claw and cactus.

40.00 N. 89°48'W., on a random line, bet. secs. 19 and 30.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.17 Intersect W. bdy. of Tp., 33 lks. N. of the reestablished
 cor. of secs. 19, 24, 25 and 30, hereinbefore described.
 Thence
 N. 89°58'E., on a true line, bet. secs. 19 and 30.
 Over rough mountainous land, through scattering undergrowth.
 Desc. 655 ft.
 27.89 Wash, course S. 85°E. Asc.
 29.37 Desc. 130 ft.
 34.22 Wash, course N. 85°E.
 38.17 Wash, course SE. Asc.
 39.17 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap


$\frac{1}{4}$ S19
 $\frac{1}{4}$ S30
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.
 Desc. 120 ft.
 63.40 Wash, course SE. Asc. 30 ft.
 65.34 Spur, slopes SE. Desc. 40 ft.
 69.29 Gulch, course S. 20°E. Asc. 20 ft.
 74.28 Low spur, slopes SE. Desc. 70 ft.
 78.77 Creek, 2 lks. wide, 2 ins. deep, course SE. Asc.
 79.17 The cor. of secs. 17, 18, 19 and 20.
 Land, rough mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, cat claw, mesquite and mountain alder.

40.00 N. 0°3'W., bet. secs. 19 and 20.
 Over mountainous land, through scattering undergrowth.
 Asc. 150 ft.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

28 24. Survey of Completion of Subdivision of T. 9 N., R. 2 E.

Chains.



And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.


- 46.88 Spur, slopes W. Desc. 30 ft.
- 48.30 Wash, course W. Asc. 45 ft.
- 51.54 Spur, slopes W. Desc. 65 ft.
- 58.16 Wash, course W. Asc. 35 ft.
- 69.57 Spur, slopes W. Desc. 55 ft.
- 74.49 Wash, course NW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Land, rough mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde and mesquite.

- 40.00 S. 89°42'E., on a random line, bet. secs. 17 and 20. Set temp. ¼ sec. cor.
- 80.18 Intersect N. and S. line, 14 lks. S. of the cor. of secs. 16, 17, 20 and 21.
Thence
N. 89°48'W., on a true line, bet. secs. 17 and 20.
Over rough mountainous land, through scattering undergrowth.
Asc. 160 ft.
- 9.65 Spur, slopes NE. Desc. 110 ft.
- 13.28 Wash, course N. Asc. 65 ft.
- 16.36 Spur, slopes N. Desc. 220 ft.
- 25.76 Gulch, course NE. Asc. 790 ft.
- 40.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

- 49.41 Spur, slopes SE. Continue ascent.
- 66.98 Ridge, brs. N. 15°E. and S. 10°W. Desc. 285 ft.
- 80.18 The cor. of secs. 17, 18, 19 and 20.
Land, rough mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde, mesquite, cat claw and cactus.

- 40.00 S. 89°58'W., on a random line, bet. secs. 18 and 19. Set temp. ¼ sec. cor.
- 79.18 Intersect W. bdy. of Tp., 7 lks. S. of the reestablished cor. of secs. 13, 18, 19 and 24, hereinbefore described.
Thence
S. 89°59'E., on a true line, bet. secs. 18 and 19.
Over rough mountainous land, through scattering undergrowth.

Completion of
Survey of Subdivision of T. 9 N., R. 2 E.

chains.

19.40 Desc. 390 ft.
 Asc. 25 ft.
 29.34 Spur, slopes N. Desc. 115 ft.
 36.36 Gulch, course NE. Asc. 70 ft.
 39.18 Spur, slopes N.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \text{ S18} \\ \hline \frac{1}{4} \text{ S19} \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
of cor.

69.33 Desc. 385 ft.
 79.18 Gulch, course N. Asc. 105 ft.
 The cor. of secs. 17, 18, 19 and 20.
 Land, rough mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, mesquite and cat claw.

N.0°3'W., bet. secs. 17 and 18.
 Over mountainous land, through scattering undergrowth.
 Asc. 105 ft.

17.85 Spur, slopes W. Desc. 150 ft.
 26.03 Draw, course W. Asc. 200 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \\ \hline \text{S18} | \text{S17} \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
of cor.

42.88 Spur, slopes W. Desc. 190 ft.
 54.41 Wash, course W. Asc. 120 ft.
 64.22 Spur, slopes W. Desc. 485 ft.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 7, 8, 17 and 18, marked on
 brass cap

$$\begin{array}{r} \text{T9N R2E} \\ \hline \text{S 7 | S 8} \\ \hline \text{S18 | S17} \\ 1917 \end{array}$$

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
of cor.

Land, rough mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde and mesquite.

40.00 S.89°48'E., on a random line, bet. secs. 8 and 17.
 80.32 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 19 lks. N. of the cor. of secs.
 8, 9, 16 and 17.

Thence
 N.89°40'W., on a true line, bet. secs. 8 and 17.
 Over rough mountainous land, through scattering under-
 growth.

6.85 Asc. 85 ft.
 Ridge, brs. NE. and SW. Desc. 565 ft.
 28.45 House--Goat Farm--brs. N.14 $\frac{1}{2}$ °E., 27 chs. dist.

30 survey of Completion of
Subdivision of T. 9 N., R. 2 E.

Chains.	
40.16	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4} S 8 \\ \hline S 17 \\ 1917 \end{array}$
	And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
42.00	Black Canyon Creek, 60 lks. wide, 1 ft. deep, course S. As Asc. 255 ft.
62.77	Spur, slopes N. Desc. 180 ft.
72.94	Asc. 20 ft.
80.32	The cor. of secs. 7, 8, 17 and 18. Land, rough mountainous. Soil, rocky, 4th rate. No timber. Undergrowth, palo verde, mesquite and cactus.
40.00	N. $89^{\circ}59'$ W., on a random line, bet. secs. 7 and 18. Set temp. $\frac{1}{4}$ sec. cor.
79.12	Intersect W. bdy. of Tp., 37 lks. N. of the reestablished cor. of secs. 7, 12, 13 and 18, hereinbefore described. Thence N. $89^{\circ}45'$ E., on a true line, bet. secs. 7 and 18. Over rough mountainous land, through scattering undergrowth. Desc. 15 ft.
2.32	Creek, 6 lks. wide, 4 ins. deep, course S. 25° E. Asc. 175 ft.
7.16	Spur, slopes S. Desc. 400 ft.
27.82	Draw, course S. Asc. 160 ft.
33.31	Spur, slopes SE. Desc. 675 ft.
39.12	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4} S 7 \\ \hline S 18 \\ 1917 \end{array}$
	And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
65.93	Creek, 6 lks. wide, 4 ins. deep, course N. 80° E. Thence over rolling land.
79.12	The cor. of secs. 7, 8, 17 and 18. Land, rough mountainous and rolling. Soil, rocky, 4th rate. No timber. Undergrowth, palo verde, mesquite, mountain alder and cactus.
0.36	N. $0^{\circ}3'$ W., bet. secs. 7 and 8. Over rough mountainous land, through scattering undergrowth. Desc. 10 ft.
21.93	Creek, 7 lks. wide, 5 ins. deep, course E. Asc. 655 ft.
37.44	Spur, slopes W. Desc. 120 ft.
39.90	Draw, course W. Asc. 30 ft.
40.00	Thence over rolling land. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} S 7 \frac{1}{4} S 8 \\ \\ 1917 \end{array}$
	And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Completion of
Survey of Subdivision of T. 9 N., R. 2 E.

Chains.

50.00 Asc. 70 ft.
 57.38 Spur, slopes W. Desc. 30 ft.
 59.84 Head of draw, course W. Asc. 115 ft.
 79.70 Ridge, brs. SE. and NW. Desc.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap

T9N R2E
 S 6 | S 5
 S 7 | S 8
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, mountainous and rolling.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, mesquite and cactus.

40.00 S.89°40'E., on a random line, bet. secs. 5 and 8.
 Set temp. ¼ sec. cor.
 80.30 Intersect N. and S. line, 5 lks. S. of the cor. of secs. 4, 5, 8 and 9.
 Thence
 N.89°42'W., on a true line, bet. secs. 5 and 8.
 Over rough mountainous land, through scattering undergrowth.
 Desc.
 2.80 Black Canyon Creek, 40 lks. wide, 2 ft. deep, course S.
 Asc. 195 ft.
 8.00 Desc. 155 ft.
 25.50 Creek, course NE., from NW. Asc. 260 ft.
 40.15 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

S 5
 ¼ S 8
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.

50.30 Ridge, brs. SE. and SW. Desc. 90 ft.
 53.95 Gulch, course NE. Asc. 485 ft.
 80.30 The cor. of secs. 5, 6, 7 and 8.
 Land, rough mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, mesquite and cactus.

40.00 S.89°45'W., on a random line, bet. secs. 6 and 7.
 Set temp. ¼ sec. cor.
 79.15 Intersect W. bdy. of Tp., 14 lks. S. of the reestablished cor. of secs. 1, 6, 7 and 12, hereinbefore described.
 Thence
 N.89°51'E., on a true line, bet. secs. 6 and 7.
 Over broken mountainous land, through scattering undergrowth.
 Desc. 105 ft.
 10.27 Wash, course SE. Asc. 35 ft.
 13.73 Spur, slopes SE. Desc. 210 ft.
 28.95 Gulch, course S.20°E. Asc. 300 ft.
 39.15 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

S 6
 ¼ S 7
 1917

And raise a mound of stone, 2 ft. base, 1½ ft. high, N.

32 28. Completion of survey of Subdivision of T. 9 N., R. 2 E.

Chains.	of cor. 49.35 Spur, slopes SW. Desc. 35 ft. 51.28 Head of gulch, course SW. Asc. 55 ft. 54.67 Ridge, brs. NE. and SW. Desc. 160 ft. 66.46 Gulch, course S. Asc. 170 ft. 78.05 Ridge, brs. NW. and SE. Desc. 79.15 The cor. of secs. 5, 6, 7 and 8. Land, broken mountainous. Soil, rocky, 4th rate. No timber. Undergrowth, palo verde, cactus and mountain alder.
40.00	N.0°3'W., on a random line, bet. secs. 5 and 6. Set temp. $\frac{1}{4}$ sec. cor.
79.62	Intersect N. bdy. of Tp., 40 lks. W. of the cor. of secs. 5, 6, 31 and 32, hereinbefore described. Thence S.0°14'W., on a true line, bet. secs. 5 and 6. Over mountainous land, through scattering undergrowth. Desc. 90 ft. 3.86 Creek, 4 lks. wide, 3 ins. deep, course SE. Asc. 80 ft. 14.21 Spur, slopes E. Desc. 100 ft. 18.44 Draw, course E. Asc. 220 ft. 34.97 Ridge, brs. NW. and SE. Desc. 555 ft. 39.62 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S 6 S 5 1917
54.52	And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Creek, 7 lks. wide, 5 ins. deep, course SE. Asc. 510 ft.
79.62	The cor. of secs. 5, 6, 7 and 8. Land, rocky, 4th rate. No timber. Undergrowth, palo verde, mesquite and cactus. Soil, rocky, 4th rate.

Boundaries of that part of T.9 N., R. 2 E. subdivided under this Group.

Latitudes, departures and closing errors.

Line designated.	True bearing.	Dist. chs.	Latitudes.		Departures.	
			N. chs.	S. chs.	E. chs.	W. chs.
South Boundary (2nd Std. Par. N.)	N.89°47'W.	158.90	.60			158.90
West Boundary.	North	480.00	480.00			
North Boundary.	S.89°57'E.	479.27		.43	479.27	
East Boundary.	South	80.00		80.00		
Subdivisional Boundary.	N.89°41'W.	80.12	.44			80.12
	S. 0° 1'E.	240.00		240.00	.07	
	N.89°55'W.	80.16	.11			80.16
	N.89°50'W.	80.06	.23			80.06
	S. 0° 2'E.	180.00		80.00	.04	
	S.89°54'W.	80.02		.14		80.02
	S. 0° 2'E.	80.80		80.00	.04	
Convergency					.38	
Totals			481.38 480.57	480.57	479.80 479.26	479.26
Error in latitude			.81			
Error in departure					.54	

General Description.

This township lies on the east slope of the Bradshaw mountains, taking in Black Canyon and reaching east to the Agua Fria River. It is exceptionally rough and broken. There is no timber except a few cottonwoods and sycamores along the creeks, but there is quite a thick growth of palo verde and mesquite brush, giant cactus and mahogany brush on the high hills.

The soil is a red clay and is first rate on the few level places where there is no rock. At the confluence of Black Canyon Creek with the Agua Fria River, there are perhaps two sections, in all, of fairly level land, without rock, but all the balance is very rocky. There are about four sections of level mesa between the Agua Fria River and Black Canyon Creek, but it is thickly covered with lava rock. This township has many indications of copper and gold deposits, and is being prospected considerably, but there have been no paying mines discovered as yet.

The township is exceptionally well watered by the Agua Fria River and Black Canyon Creek and many small streams flowing out of the Bradshaws. There seems to be a very good growth of forage, which supports many cattle and many bands of sheep on the annual drive to the north.

The Canyon Supply Station, on the main road from Prescott to Phoenix, is in this township; there is one settler in sec. 28, a goat ranch in sec. 8 and one settler in secs. 13 and 24. There are several small shacks along Black Canyon Creek, but they seem to be temporary, built by prospectors.

Book "I"
Group 61 - - - Arizona.

DATE DIAGRAM.

T. 10 N. - R. 2 E.

RESURVEY 4-6-17 31 32 33						
RESURVEY 4-6-17	19	20	21	22	23	24
RESURVEY 4-6-17	30	Frac'l T. 9 1/2 N. - R. 2 E.				25
RESURVEY 4-5-17	31					36
RESURVEY 4-5-17	4-4-17	4-4-17	4-4-17	4-4-17	4-3-17	4-3-17
RESURVEY 4-5-17	6	5	4	3	2	1
RESURVEY 4-5-17	4-14-17	4-14-17	4-11-17	4-10-17	4-9-17	3-28-17
RESURVEY 4-5-17	7	8	9	10	11	12
RESURVEY 4-5-17	4-13-17	4-13-17	4-13-17	4-10-17	4-10-17	
RESURVEY 4-4-17	18	17	16	15	14	13
RESURVEY 4-4-17	3-21-17	3-21-17	T. 9 N. 3-16-17	P. 2 E. 3-16-17	3-16-17	
RESURVEY 3-20-17	19	20	21	22	23	24
RESURVEY 3-20-17	3-20-17	3-20-17	3-15-17	3-16-17		
RESURVEY 3-14-17	30	29	28	27	26	25
RESURVEY 3-14-17	3-13-17	3-13-17				
RESURVEY 3-13-17	31	32	33	34	35	36
RESURVEY 3-13-17	3-17-17	3-17-17				
RESURVEY 3-17-17	3-17-17	3-17-17				

2nd. Standard Parallel North.

Lines surveyed on dates shown above by George F. Rigby,
U. S. Surveyor.

For **CERTIFICATE OF UNITED STATES SURVEYOR.**
See Book "E" of this Group.

I, Geo. F. Rigby, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for Group 61, Arizona, bearing date of the 14th day of October, 1915, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of ^{re} the West boundary of Township 9 North, Range 2 East, and all those parts or portions of the West boundary, and part of the North boundary of fracl. Township 9 1/2 North, Range 2 East, and SURVEY of Part of the East bdy., North boundary, and part of the Subdivision lines of TOWNSHIP 9 NORTH, RANGE 2 EAST, of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor

APPROVAL.


OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, May 14, 1920

re-
The foregoing field notes of the survey of the West boundary of Township 9 North, Range 2 East; West boundary of Frac'l Township 9 1/2 North, Range 2 East, and Part of South boundary of Township 10 North, Range 2 East, and SURVEY of part of the East bdy., North boundary, and part of the Subdivision lines of Township 9 North, Range 2 East, of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by Geo. F. Rigby, U. S. Surveyor,

under ~~his~~ special instructions dated Jan. 20, 1916, for Group 61, Arizona, ~~re~~ having been critically examined, and the necessary corrections and explanations made, the said field notes, and the ^{re} ~~surveys~~ and surveys they describe, are hereby approved.


U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in _____

_____, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.