

3347

Book "E"

4-679

1

Original

BOOK 3347

FIELD NOTES

OF THE SURVEY OF THE

South, West and North boundaries, and

subdivision lines of

TOWNSHIP 14 SOUTH, RANGE 5 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

W. H. Thorn, U. S. Surveyor, Engineer,

and

Loyd E. Sechrist, U.S. Transitman,

In the capacity of U.S. Surveyors

~~In the capacity of U. S. Surveyor~~, under Special Instructions dated July 12, 1917,

issued by the United States Surveyor General to govern surveys included in Group

No. 84, Arizona, which were approved by the Commissioner of the General Land

Office, July 25, 1917, and Assignment Instructions dated Dec. 20, 1917.

Survey commenced March 15, 1918

Survey completed April 2, 1918

3347

3347


BOOK 3347

3347
Book "B"

Group 84 - - - Arizona.


Township 14 South, Range 5 West.

INDEX DIAGRAM.



———— Lines surveyed under this group.

----- Unsurveyed.

 Areas embraced in Papago Indian Reservation.
Executive Order of Feb. 1, 1917.

3347
Book "E"

Group 84 - - - - Arizona.
Township 14 South, Range 5 West.

DATE DIAGRAM.

BOOK 3347

	3-23-18	3-23-18	3-23-18	3-23-18	3-23-18	3-15-18
3-25-18	6	5	4	3	2	1
4-2-18	4-2-18	4-2-18	3-29-18	3-30-18	4-2-18	3-28-18
3-25-18	7	8	9	10	11	12
4-2-18	4-2-18	4-1-18	3-29-18	3-30-18	3-27-18	3-27-18
3-25-18	18	17	16	15	14	13
4-1-18	4-1-18	4-1-18	3-29-18	3-30-18	3-27-18	3-26-18
3-25-18	19	20	21	22	23	24
4-1-18	4-1-18	4-30-18	3-28-18	3-29-18	3-26-18	3-26-18
3-25-18	30	29	28	27	26	25
3-30-18	3-30-18	3-30-18	3-28-18	3-29-18	3-26-18	3-21-18
3-25-18	31	32	33	34	35	36
3-23-18	3-23-18	3-23-18	3-23-18	3-23-18	3-23-18	3-21-18

Lines surveyed on dates shown in black on above diagram, by William H. Thorn, U.S. Surveyor.

Lines surveyed on dates shown in red on above diagram, by Loyd E. Sechrist, U.S. Transitman.

Survey of South bdy. of Township 14 South, Range 5 West.

Chains.

Survey executed by Wm. H. Thorn, U. S. Surveyor and Loyd E. Sechrist, U. S. Transitman, on dates shown on page 1 hereof, using respectively Young and Sons light mountain transit No. 8592 and Buff solar transit No. 10125, each instrument being equipped with Smith solar attachment. For description of instruments, certificate of approval and field tests of adjustments, see Book "C".

31.40 From the cor. of Ts. 14 and 15 S., Rs. 4 and 5 W., described in Book "D",
 40.00 West bet. secs. 1 and 36.
 Over level land, through dense undergrowth.
 Wash, 12 lks. wide, course S.70°W.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S36
 $\frac{1}{4}$ S1
 1918

From which

77.60 A palo verde, 7 ins. diam., brs. N.36°W.,
 39 lks. dist., marked $\frac{1}{4}$ S36 BT.
 80.00 A palo verde, 12 ins. diam., brs. S.21 $\frac{1}{2}$ °W.,
 180 lks. dist., marked $\frac{1}{4}$ S1 BT.
 Dim road, brs. N.70°W. and S.60°E.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, marked on brass cap

T14S R5W
 S35 | S36
 $\frac{1}{4}$ S2 | S1
 T15S
 1918

From which

A palo verde, 10 ins. diam., brs. N.83°E.,
 117 lks. dist., marked T14S R5W S36 BT.
 An ironwood, 24 ins. diam., brs. S.72°E.,
 160 lks. dist., marked T15S R5W S1 BT.
 A mesquite, 12 ins. diam., brs. S.33 $\frac{1}{2}$ °W.,
 117 lks. dist., marked T15S R5W S2 BT.
 An ironwood, 10 ins. diam., brs. N.42°W.,
 184 lks. dist., marked T14S R5W S35 BT.
 Land, level.
 Soil, sandy and gravelly adobe, 1st and 2nd rates.
 No timber.
 Undergrowth, palo verde, ironwood, mesquite, greasewood,
 rosin brush, ocotillo and giant cactus.
 Poor growth of grass.

5.00 West bet. secs. 2 and 35.
 40.00 Over level land, through dense undergrowth.
 Wash, 12 lks. wide, course N.70°W.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S35
 $\frac{1}{4}$ S2
 1918

From which

An ironwood, 8 ins. diam., brs. N.41 $\frac{1}{2}$ °E.,
 98 lks. dist., marked $\frac{1}{4}$ S35 BT.
 An ironwood, 6 ins. diam., brs. S.35°E.,
 32 lks. dist., marked $\frac{1}{4}$ S2 BT.

Survey of the South
Boundary of T. 14 S., R. 5 W.

4

Chains.

75.00
80.00

Dim road, brs. N.85°E. and S.85°W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, marked on brass cap

T14S R5W
S34 | S35
S 3 | S 2
T15S
1918

From which

- A palo verde, 10 ins. diam., brs. N.79½°E., 181 lks. dist., marked T14S R5W S35 BT.
- A palo verde, 10 ins. diam., brs. S.70°E., 197 lks. dist., marked T15S R5W S2 BT.
- An ironwood, 14 ins. diam., brs. S.80½°W., 218 lks. dist., marked T15S R5W S3 BT.
- An ironwood, 6 ins. diam., brs. N.31°W., 201 lks. dist., marked T14S R5W S34 BT.

Land, level.

Soil, sandy and gravelly; 1st and 2nd rates.

No timber.

Undergrowth, palo verde, ironwood, mesquite, greasewood, rosin brush, ocotillo and giant cactus.

Poor growth of grass.

10.00
25.80
40.00

West bet. secs. 3 and 34.

Over level land, through dense undergrowth.

Dim road, brs. N.70°W. and S.70°E.

Dim road, brs. N.85°E. and S.75°W.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼ S34
S 3
1918

From which

- An ironwood, 12 ins. diam., brs. N.70½°E., 98 lks. dist., marked ¼S34 BT.
- A giant cactus, 25 ft. high, 20 ins. diam., brs. S.55°E., 144 lks. dist., marked ¼S3 BT.

From this cor., Montezuma Head brs. S.52°10'E.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 33 and 34, marked on brass cap

T14S R5W
S33 | S34
S 4 | S 3
T15S
1918

From which

- An ironwood, 12 ins. diam., brs. S.58°E., 135 lks. dist., marked T15S R5W S3 BT.
- An ironwood, 24 ins. diam., brs. S.54½°W., 160 lks. dist., marked T15S R5W S4 BT.

No other trees within limits. Dig pits, 18 X 18 X 12 ins. in each sec., 5½ ft. dist.

Land, level.

Soil, sandy and gravelly adobe, 1st and 2nd rates.

No timber.

Undergrowth, palo verde, ironwood, mesquite, greasewood, rosin brush, ocotillo and giant cactus.

Poor growth of grass.

Survey of the South
Boundary of T. 14 S., R. 5 W.

Chains.

West bet. secs. 4 and 33.
Over level land, through dense undergrowth.
38.40 Wash, 15 lks. wide, course S.75°W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S33
S 4
1918

From which

A mesquite, 14 ins. diam., brs. N.89°E.,
111 lks. dist., marked $\frac{1}{4}$ S33 BT.
A palo verde, 12 ins. diam., brs. S.62°E.,
63 lks. dist., marked $\frac{1}{4}$ S4 BT.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 4, 5, 32 and 33, marked on
brass cap

T14S R5W
S32 | S33
S 5 | S 4
T15S
1918

From which

A mesquite, 7 ins. diam., brs. S.61°E.,
17 lks. dist., marked T15S R5W S4 BT.
An ironwood, 16 ins. diam., brs. S.42 $\frac{1}{2}$ °W.,
42 lks. dist., marked T15S R5W S5 BT.
A mesquite, 8 ins. diam., brs. N.71 $\frac{1}{2}$ °W.,
58 lks. dist., marked T14S R5W S32 BT.
No other trees within limits. Raise a mound of stone, 2
ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
Land, level.
Soil, sandy and gravelly clay, 1st and 2nd rates.
No timber.
Undergrowth, palo verde, ironwood, mesquite, greasewood,
rosin brush, ocotillo and giant cactus.

West bet. secs. 5 and 32.
Over level land, through dense undergrowth.
0.50 Wash, 10 lks. wide, course NW.
2.10 Same wash, 12 lks. wide, course SW.
4.40 Same wash, 12 lks. wide, course N.70°W.
34.50 Wash, 8 lks. wide, course N.70°W.
40.00 Set an iron post, 3 ft. 1 in. diam., 26 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S32
S 5
1918

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 5, 6, 31 and 32, marked on
brass cap

T14S R5W
S31 | S32
S 6 | S 5
T15S
1918

From which

A palo verde, 6 ins. diam., brs. S.47°W.,
188 lks. dist., marked T15S R5W S6 BT.
A mesquite, 10 ins. diam., brs. N.15 $\frac{1}{2}$ °W.,
64 lks. dist., marked T14S R5W S31 BT.
No other trees within limits. Dig pits, 18 X 18 X 12 ins.,

Survey of the
South Boundary of T. 14 S., R. 5 W.

6
Chains.

in each sec., 5½ ft. dist.
Land, level.
Soil, sandy and gravelly adobe, 1st and 2nd rate.
No timber.
Undergrowth, palo verde, mesquite, ironwood, greasewood,
and rosin brush.
Poor growth of grass.

25.70 West bet. secs. 6 and 31.
40.00 Over level land, through dense undergrowth.
Road, brs. N. and S.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap

 S31
 ¼ S 6
 1918

72.60 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
79.54 dist.
Road, brs. N. and S.
Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the
ground, for cor. of Ts. 14 and 15 S., Rs. 5 and 6 W.,
marked on brass cap

 T14S
 R6W | R5W
 S36 | S31
 S 1 | S 6
 T15S
 1918

From which
 A mesquite, 6 ins. diam., brs. N.40°W.,
 138 lks. dist., marked T14S R6W S36 BT.
No other trees within limits. Dig pits, 24 X 24 X 12 ins.
on each line, N., E., and W., 4 ft., and S. of post,
8 ft. dist.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, and greasewood.

Survey of the
West Boundary of T. 14 S., R. 5 W.

Chains.

From the cor. of Ts. 14 and 15 S., Rs. 5 and 6 W., herein-
before described,
North bet. secs. 31 and 36.
Over level land, through dense undergrowth.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S36 | S31
 1918

51.60 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
Road, brs. N.15°W., and S.15°E. Wash, 20 lks. wide, course
W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 25, 30, 31 and 36, marked on
brass cap

T14S
 R6W | R5W
 S25 | S30
 S36 | S31
 1918

From which
A mesquite, 7 ins. diam., brs. S.57 $\frac{1}{2}$ °E.,
128 lks. dist., marked T14S R5W S31 BT.
Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, greasewood, mesquite, palo verde.
Good growth of grass.

20.35 North bet. secs. 25 and 30.
Over level land, through dense undergrowth.

22.60 Wash, 12 lks. wide, course W.

40.00 Wash, 20 lks. wide, course W.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S25 | S30
 1918

From which

A mesquite, 6 ins. diam., brs. N.58 $\frac{1}{2}$ °E.,
121 lks. dist., marked $\frac{1}{4}$ S30 BT.

No other trees within limits. Dig pits, 18 X 18 X 12 ins.,
N. and S. of post, 3 ft. dist.

44.30 Wash, 20 lks. wide, 1 ft. deep, course W.

54.70 Road, brs. N.25°W. and S.25°E.

64.50 Wash, 8 lks. wide, course W.

72.70 Wash, 50 lks. wide, 2 ft. deep, course W.

76.00 Wash, 15 lks. wide, 2 ft. deep, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 19, 24, 25 and 30, marked on
brass cap

T14S
 R6W | R5W
 S24 | S19
 S25 | S30
 1918

Survey of the
West Boundary of T. 14 S. R. 5 W.

Chains.

From which
A palo verde, 14 ins. diam., brs. S. 51° E.,
397 lks. dist., marked T14S R5W S30 BT.
A mesquite, 9 ins. diam., brs. S. $43^{\frac{1}{4}}$ W.,
210 lks. dist., marked T14S R6W S25 BT.
No other trees within limits. Dig pits, 18 X 18 X 12 ins.,
in each sec., $5^{\frac{1}{2}}$ ft. dist.
Land, level.
Soil, sandy and adobe, 1st rate.
No timber.
Undergrowth, mesquite, palo verde, ironwood, greasewood.
Good growth of grass.

North bet. secs. 19 and 24.
Over level land, through dense undergrowth.
5.00 Wash, 20 lks. wide, course W.
29.40 Wash, 40 lks. wide, course W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S24 | S19
 1918

44.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
80.00 Wash, 10 lks. wide, course N. 70° W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 13, 18, 19 and 24, marked on
brass cap

T14S
 R6W | R5W
 S13 | S18
 S24 | S19
 1918

From which
A mesquite, 7 ins. diam., brs. N. 57° E.,
88 lks. dist., marked T14S R5W S18 BT.
A mesquite, 6 ins. diam., brs. S. 85° E.,
216 lks. dist., marked T14S R5W S19 BT.
A mesquite, 6 ins. diam., brs. S. $75^{\frac{1}{2}}$ W.,
157 lks. dist., marked T14S R6W S24 BT.
A mesquite, 14 ins. diam., brs. N. 41° W.,
107 lks. dist., marked T14S R6W S13 BT.
Land, level.
Soil, 1st rate, sandy adobe.
No timber.
Undergrowth, palo verde, mesquite, ironwood, greasewood.
Good growth of grass.

North bet. secs. 13 and 18.
Over level land, through dense undergrowth.
17.20 Road, brs. E. and W.
25.00 Wash, 10 lks. wide, 2 ft. deep, course N. 75° W.
39.20 Wash, 8 lks. wide, 1 ft. deep, course NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S13 | S18
 1918

Survey of the West Boundary of T. 14 S., R. 5 W.

Chains.

From which
 A mesquite, 10 ins. diam., brs. N.30°W.,
 278 lks. dist., marked $\frac{1}{4}$ S13 BT.
 No other trees within limits. Dig pits, 18 X 18 X 12 ins.,
 N. and S. of post, 3 ft. dist.
 50.75 Wash, 12 lks. wide, course N.70°W.
 78.30 Wash, 8 lks. wide, 1 ft. deep, course N.60°W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 7, 12, 13 and 18, marked on
 brass cap

T14S	
R6W	R5W
S12	S 7
S13	S18
1918	

From which
 A mesquite, 8 ins. diam., brs. N.39°E.,
 161 lks. dist., marked T14S R5W S7 BT.
 A mesquite, 6 ins. diam., brs. S.14 $\frac{1}{2}$ °E.,
 186 lks. dist., marked T14S R5W S18 BT.
 A mesquite, 6 ins. diam., brs. S.85°W.,
 161 lks. dist., marked T14S R6W S13 BT.
 A mesquite, 7 ins. diam., brs. N.27°W.,
 193 lks. dist., marked T14S R6W S12 BT.
 Land, level.
 Soil, sandy adobe, 1st rate.
 No timber.
 Undergrowth, greasewood, mesquite,
 Good growth of grass.

North bet. secs. 7 and 12.
 Over level land, through dense undergrowth.
 2.30 Wash, 16 lks. wide, 2 ft. deep, course W.
 3.50 Wash, 24 lks. wide, 2 ft. deep, course W.
 36.70 Wash, 12 lks. wide, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S12	
↑	S 7
1918	

From which
 A mesquite, 12 ins. diam., brs. S.21 $\frac{1}{4}$ °W.,
 201 lks. dist., marked $\frac{1}{4}$ S12 BT.
 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
 No other trees within limits.
 41.60 Road, brs. N.70°W. and SE.
 54.40 Wash, 16 lks. wide, course W.
 60.85 Wash, 10 lks. wide, course SW.
 68.70 Road, brs. E. and W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 1, 6, 7 and 12, marked on brass
 cap

T14S	
R6W	R5W
S 1	S 6
S12	S 7
1918	

From which
 A mesquite, 8 ins. diam., brs. N.45 $\frac{1}{2}$ °E.,
 139 lks. dist., marked T14S R5W S6 BT.
 A mesquite, 6 ins. diam., brs. S.74°E.,
 109 lks. dist., marked T14S R5W S7 BT.
 A mesquite, 14 ins. diam., brs. S.9 $\frac{1}{2}$ °W.,
 175 lks. dist., marked T14S R6W S12 BT.
 A mesquite, 7 ins. diam., brs. N.81 $\frac{1}{4}$ °W.,
 295 lks. dist., marked T14S R6W S1 BT.

Survey of the West Boundary of T. 14 S., R. 5 W.

Chains.

Land, level.
Soil, sandy loam and adobe, 1st rate.
No timber.
Undergrowth, mesquite, greasewood.
Good growth of grass.

11.50 North bet. secs. 1 and 6.
18.40 Over level land, through dense undergrowth.
33.00 Wash, 8 lks. wide, 2 ft. deep, course SW.
40.00 Wash, 20 lks. wide, course W.
Road, brs. S.70°E. and W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

S 1 | S 6
1918

Dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

From which

A mesquite, 5 ins. diam., brs. N.12 1/2°W.,
75 lks. dist., marked 1/4 S1 BT.

45.00 Wash, 10 lks. wide, course W.
53.40 Road, brs. E. and W.
75.95 Wash, 60 lks. wide, 6 ft. deep, course SW.
80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of Ts. 13 and 14 S., Rs. 5 and 6 W., marked on brass cap

T13S
R6W | R5W
S36 | S31
S 1 | S 6
T14S
1918

From which

A mesquite, 16 ins. diam., brs. N.88 1/2°E.,
274 lks. dist., marked T13S R5W S31 BT.
A mesquite, 14 ins. diam., brs. S.81 1/2°E.,
197 lks. dist., marked T14S R5W S6 BT.
A palo verde, 6 ins. diam., brs. S.83°W.,
168 lks. dist., marked T14S R6W S1 BT.
A cat claw, 4 ins. diam., brs. N.70 1/2°W.,
59 lks. dist., marked T13S R6W S36 BT.

Land, level.
Soil, sandy clay, 1st rate.
No timber.
Undergrowth, greasewood, palo verde, mesquite and cat claw.

Survey of the
North Boundary of T. 14 S., R. 5 W.

11

Chains.

From the cor. of Ts. 13 and 14 S., Rs. 4 and 5 W., described in Book "D",
West on a random line, along the N. bdy. of T. 14 S., R. 5 W., setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs.; and at 479.76 chs., fall 53 lks. N. of the cor. of Ts. 13 and 14 S., Rs. 5 and 6 W., hereinbefore described. The falling answers to a correction of 9 lks., or $0^{\circ}4'$ S. per mile, counting from the NE. cor. of the Tp.; therefore

4.85 N. $89^{\circ}56'E.$, on a true line, bet. secs. 6 and 31.
39.76 Over level land, through dense undergrowth.
Wash, 60 lks. wide, 6 ft. deep, course SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S31 \\ \hline S6 \\ 1918 \end{array}$$

79.76 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, marked on brass cap

$$\begin{array}{r} T13S R5W \\ S31 | S32 \\ \hline S6 | S5 \\ T14S \\ 1918 \end{array}$$

From which
A mesquite, 10 ins. diam., brs. N. $14^{\circ}E.$,
40 lks. dist., marked T13S R5W S32 BT.
A mesquite, 15 ins. diam., brs. S. $44^{\circ}40'E.$,
310 lks. dist., marked T14S R5W S5 BT.
No other trees within limits. Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy and gravelly, 3rd rate.
No timber.
Undergrowth, greasewood, mesquite and palo verde.

19.15 N. $89^{\circ}56'E.$, on a true line, bet. secs. 5 and 32.
33.25 Over level land, through dense undergrowth.
40.00 Road, brs. NE. and SW.
Road, brs. N. $20^{\circ}W.$ and S. $20^{\circ}E.$
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S32 \\ \hline S5 \\ 1918 \end{array}$$

80.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, marked on brass cap

$$\begin{array}{r} T13S R5W \\ S32 | S33 \\ \hline S5 | S4 \\ T14S \\ 1918 \end{array}$$

Survey of the
North Boundary of T. 14 S., R. 5 W.

Chains.

From which

- An ironwood, 15 ins. diam., brs. N.16 $\frac{1}{2}$ °E.,
171 lks. dist., marked T13S R5W S33 BT.
- A mesquite, 16 ins. diam., brs. S.5°E.,
130 lks. dist., marked T14S R5W S4 BT.
- A mesquite, 6 ins. diam., brs. S.42°W.,
154 lks. dist., marked T14S R5W S5 BT.
- An ironwood, 12 ins. diam., brs. N.33 $\frac{1}{2}$ °W.,
170 lks. dist., marked T13S R5W S32 BT.

Land, level.

Soil, sandy and gravelly, 3rd rate.

No timber.

Undergrowth, greasewood and mesquite.

- 16.50 N.89°56'E., on a true line, bet. secs. 4 and 33.
Over level land, through dense undergrowth.
- 18.90 Enter wash, course N.60°W., from E.
- 18.90 Leave wash, 20 lks. wide, 3 ft. deep, course W., from
N.85°E.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \text{ S33} \\ \hline \text{S 4} \\ 1918 \end{array}$$

- 80.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 3, 4, 33 and 34, marked on
brass cap

$$\begin{array}{r} \text{T13S R5W} \\ \text{S33 | S34} \\ \hline \text{S 4 | S 3} \\ \text{T14S} \\ 1918 \end{array}$$

- Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.
- Land, level.
- Soil, sandy and gravelly clay, 2nd rate.
- No timber.
- Undergrowth, greasewood, mesquite and ironwood.

- 40.00 N.89°56'E., on a true line, bet. secs. 3 and 34.
Over level land, through dense undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \text{ S34} \\ \hline \text{S 3} \\ 1918 \end{array}$$

- 46.95 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
- 54.58 Wash, 130 lks. wide, 6 ft. deep, course NW.
- 80.00 Wash, 35 lks. wide, 3 ft. deep, course NW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 2, 3, 34 and 35, marked on
brass cap

$$\begin{array}{r} \text{T13S R5W} \\ \text{S34 | S35} \\ \hline \text{S 3 | S 2} \\ \text{T14S} \\ 1918 \end{array}$$

From which

Survey of the
North Boundary of T. 14 S., R. 5 W.

Chains.

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, level.
Soil, sandy and gravelly, 2nd rate.
No timber.
Undergrowth, greasewood, mesquite and ironwood.

26.45
40.00

N.89°56'E., on a true line, bet. secs. 2 and 35.
Over level land, through dense undergrowth.
Road to Lewis Well, brs. NW. and SE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap

¼ S35
S 2
1918

78.00
80.00

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
Road, to Lewis Well, brs. N. and S.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 1, 2, 35 and 36, marked on
brass cap

T13S R5W
S35 | S36
S 2 | S 1
T14S
1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, level.
Soil, gravelly and rocky, 3rd rate.
No timber.
Undergrowth, greasewood, mesquite and ironwood.

7.50
40.00

N.89°56'E., on a true line, bet. secs. 1 and 36.
Over level land, through dense undergrowth.
New road, brs. NW. and SE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap

¼ S36
S 1
1918

80.00

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of Ts. 13 and 14 S., Rs. 4 and 5 W.
Land, level.
Soil, gravelly and rocky, 3rd rate.
No timber.
Undergrowth, greasewood, mesquite and ironwood.

14

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of Tp., hereinbefore described, N.0°1'W., bet. secs. 35 and 36.
Over level land, through dense undergrowth.
Dim road, brs. N.70°W. and S.70°E.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

0.65
40.00

$\frac{1}{4}$
S35 | S36
1918

From which

A mesquite, 16 ins. diam., brs. N.41°E.,
151 lks. dist., marked $\frac{1}{4}$ S36 BT.
An ironwood, 5 ins. diam., brs. S.60°W.,
104 lks. dist., marked $\frac{1}{4}$ S35 BT.
48.00 Wash, 3 chs. wide, 2 ft. deep, course W.
54.50 Wash, 25 lks. wide, 2 ft. deep, course W.
57.00 Wash, 60 lks. wide, 2 ft. deep, course N.75°W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap

T14S R5W
S26 | S25
S35 | S36
1918

From which

An ironwood, 8 ins. diam., brs. N.87 $\frac{1}{2}$ °E.,
49 lks. dist., marked T14S R5W S25 BT.
A palo verde, 6 ins. diam., brs. S.70°E.,
133 lks. dist., marked T14S R5W S36 BT.
An ironwood, 12 ins. diam., brs. S.9 $\frac{1}{2}$ °W.,
210 lks. dist., marked T14S R5W S35 BT.
A mesquite, 12 ins. diam., brs. N.63 $\frac{1}{2}$ °W.,
124 lks. dist., marked T14S R5W S26 BT.
Land, level.
Soil, sandy loam, 1st rate.
No timber.
Undergrowth, palo verde, mesquite, ironwood, cat claw, greasewood, rabbit brush, ocotillo and giant cactus.
Poor growth of grass.

40.00 East on a random line, bet. secs. 25 and 36.
80.02 Set temp. $\frac{1}{4}$ sec. cor.
Intersect E. bdy. of Tp., 6 lks. S. of the cor. of secs. 25, 30, 31 and 36, described in Book "D".

Thence
S.89°57'W., on a true line, bet. secs. 25 and 36.
Over level land, through dense undergrowth.
3.25 Dim road, brs. NW. and SE.
19.20 Wash, 15 lks. wide, course N.75°W.
40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S25
S36
1918


From which

A palo verde, 8 ins. diam., brs. N.65 $\frac{1}{2}$ °W.,
87 lks. dist., marked $\frac{1}{4}$ S25 BT.
An ironwood, 10 ins. diam., brs. S.14°W.,
42 lks. dist., marked $\frac{1}{4}$ S36 BT.
46.40 Wash, 12 lks. wide, course N.75°W.
74.25 Wash, 12 lks. wide, course N.75°W.
80.02 The cor. of secs. 25, 26, 35 and 36.


Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.
Land, level.
Soil, sandy and gravelly loam, 1st and 2nd rates.
No timber.
Undergrowth, palo verde, ironwood, mesquite, greasewood,
rosin brush, ocotillo and giant cactus.
Poor growth of grass.

N.0°1'W., bet. secs. 25 and 26.
Over level land, through dense undergrowth.
3.60 Wash, 15 lks. wide, 1 ft. deep, course NW.
18.20 Wash, 25 lks. wide, 1 ft. deep, course W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
47.30 Wash, 35 lks. wide, 1 ft. deep, course NW.
75.80 Wash, 25 lks. wide, 1 ft. deep, course NW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 23, 24, 25 and 26, marked on
brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, level.
Soil, gravelly and rocky, 3rd rate.
No timber.
Undergrowth, greasewood, mesquite, palo verde and ironwood.

40.00 East on a random line, bet. secs. 24 and 25.
Set temp. $\frac{1}{4}$ sec. cor.
80.24 Intersect E. bdy. of Tp., 12 lks. S. of the cor. of secs.
19, 24, 25 and 30, described in Book "D".
Thence
S.89°55'W., on a true line, bet. secs. 24 and 25.
Over broken land, through dense undergrowth.

Desc. 150 ft.
15.00 Thence over level land.
24.75 Wash, 25 lks. wide, 3 ft. deep, course NW.
40.12 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
44.40 Wash, 35 lks. wide, 2 ft. deep, course NW.
58.15 Wash, 15 lks. wide, 1 ft. deep, course NW.
80.24 The cor. of secs. 23, 24, 25 and 26.
Land, broken and level.
Soil, gravelly and rocky, 4th rate.
No timber.
Undergrowth, greasewood, cactus, mesquite, palo verde and
ironwood.


16

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.	
	N.0°1'W., bet. secs. 23 and 24.
	Over level land, through dense undergrowth.
8.40	Wash, 15 lks. wide, 2 ft. deep, course NW.
16.30	Wash, 25 lks. wide, 1 ft. deep, course NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} \\ S23 \mid S24 \\ 1918 \end{array}$
	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
44.40	Wash, 50 lks. wide, 1 ft. deep, course NW.
72.80	Wash, 15 lks. wide, 1 ft. deep, course NW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap
	$\begin{array}{c} T14S R5W \\ S14 \mid S13 \\ \hline S23 \mid S24 \\ 1918 \end{array}$
	Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
	Land, level.
	Soil, gravelly and rocky, 4th rate.
	No timber.
	Undergrowth, greasewood, cactus, palo verde and ironwood.
	East on a random line, bet. secs. 13 and 24.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.27	Intersect E. bdy. of Tp., 8 lks. S. of the cor. of secs. 13, 18, 19 and 24, described in Book "D".
	Thence
	S.89°57'W., on a true line, bet. secs. 13 and 24.
	Over mountainous land, through dense undergrowth.
	Asc. 30 ft.
3.80	Desc. 255 ft.
18.40	Asc. 40 ft.
23.35	Spur, slopes NE. Desc. 115 ft.
27.00	Asc. 280 ft.
40.13 $\frac{1}{2}$	Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} S13 \\ \frac{1}{4} S24 \\ 1918 \end{array}$
	And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
43.80	Ridge, brs. N. and S. Desc. 700 ft.
80.27	The cor. of secs. 13, 14, 23 and 24.
	Land, mountainous.
	Soil, rocky, 4th rate.
	No timber.
	Undergrowth, mesquite, palo verde and cactus.
	N.0°1'W., bet. secs. 13 and 14.
	Over rolling land, through dense undergrowth.
12.40	Wash, 35 lks. wide, 6 ft. deep, course SW. Asc. 550 ft.
40.00	Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap


Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.


41.92 Spur, slopes W. Desc. 180 ft.
59.17 Asc. 145 ft.
64.71 Granite ridge, brs. N.10°E. and S.20°E. Desc. 135 ft.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 11, 12, 13 and 14, marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, greasewood, cactus and palo verde.

40.00 East on a random line, bet. secs. 12 and 13.
Set temp. $\frac{1}{4}$ sec. cor.
80.32 Intersect E. bdy. of Tp., 4 lks. S. of the cor. of secs. 7, 12, 13 and 18, described in Book "D".
Thence
S.89°58'W., on a true line, bet. secs. 12 and 13.
Over level and rolling land, through medium undergrowth.
35.30 Wash, 100 lks. wide, 3 ft. deep, course NW.
40.16 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



56.95 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
Asc. 325 ft.
79.35 Ridge, brs. N.15°W. and S.15°E. Desc. 20 ft.
80.32 The cor. of secs. 11, 12, 13 and 14.
Land, level, rolling and mountainous.
Soil, gravelly and rocky, 3rd rate.
No timber.
Undergrowth, greasewood, mesquite, cactus and palo verde.

8.24 N.0°1'W., bet. secs. 11 and 12.
Over mountainous land, through scattering undergrowth.
Asc. 90 ft.
40.00 Ridge, brs. N.15°W. and S.15°E. Desc. 305 ft.
Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

44.90 Thence along E. slope.
56.57 Desc. 85 ft.

18

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

77.29

80.00

Foot of descent; thence over level land.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap

T14S R5W
S 2 | S 1

S11 | S12
1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, level and mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde, ironwood and cactus.

40.00

80.34

East on a random line, bet. secs. 1 and 12.
Set temp. ¼ sec. cor.
Intersect E. bdy. of Tp., 16 lks. S. of the cor. of secs. 1, 6, 7 and 12, described in Book "D".

Thence
S.89°53'W., on a true line, bet. secs. 1 and 12.
Over level land, through dense undergrowth.

19.95

38.55

40.17

Old road, brs. NW. and SE. to Gunsight Mine.
Dim road, brs. NW. and SE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

1/4 S 1

1/4 S12
1918

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

53.95

56.24

73.25

80.34

Wash, 35 lks. wide, 3 ft. deep, course NW.
Same wash, course S.60°W.
Wash, 110 lks. wide, 2 ft. deep, course NW.
The cor. of secs. 1, 2, 11 and 12.

Land, level.
Soil, sandy and gravelly, 3rd rate.
No timber.
Undergrowth, greasewood, mesquite and cactus.

40.00

80.18

N.0°1'W., on a random line, bet. secs. 1 and 2.
Set temp. ¼ sec. cor.
Intersect N. bdy. of Tp., 37 lks. W. of the cor. of secs. 1, 2, 35 and 36, hereinbefore described.

Thence
S.0°15'W., on a true line, bet. secs. 1 and 2.
Over level land, through dense undergrowth.

5.00

34.45

Two strand wire fence, brs. N.70°E. and S.70°W.
Lewis Well brs. West about 1 ch. dist.
Two tent houses br. East 0.15 chs. dist.
Corral, brs. West about 2 chs. dist.

37.20

40.18

Wash, 120 lks. wide, 2 ft. deep, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

1/4 S 1

1/4 S1
1918

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

47.70


56.80

Enter wash, course N.30°W., from S.5°W.
Leave wash, course N.5°E., from SW.


Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.
 69.70 Same wash, 2 chs. wide, 2 ft. deep, course NW.
 71.70 Three strand wire fence, brs. N.70°E. and S.70°W.
 80.18 The cor. of secs. 1, 2, 35 and 36.
 Land, level.
 Soil, sandy clay, 2nd rate.
 No timber.
 Undergrowth, greasewood, mesquite, cat claw and palo verde.

From the cor. of secs. 2, 3, 34 and 35, hereinbefore described,
 N.0°1'W., bet. secs. 34 and 35.
 Over level land, through dense undergrowth.
 12.20 Wash, 10 lks. wide, course N.70°W.
 26.40 Wash, 12 lks. wide, course W.
 29.60 Dim road, brs. E. and W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



From which
 An ironwood, 6 ins. diam., brs. N.55°E.,
 110 lks. dist., marked $\frac{1}{4}$ S35 BT.
 A palo verde, 8 ins. diam., brs. N.32 $\frac{1}{2}$ °W.,
 70 lks. dist., marked $\frac{1}{4}$ S34 BT.
 72.40 Wash, 30 lks. wide, 3 ft. deep, course W.
 80.00 Wash, 45 lks. wide, 2 ft. deep, course N.70°W.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, marked on brass cap



From which
 A palo verde, 14 ins. diam., brs. S.73°W.,
 83 lks. dist., marked T14S R5W S34 BT.
 A mesquite, 10 ins. diam., brs. N.74°W.,
 195 lks. dist., marked T14S R5W S27 BT.
 No other trees within limits. Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Land, level.
 Soil, sandy and adobe, 1st rate.
 No timber.
 Undergrowth, palo verde, ironwood, mesquite, greasewood, rosin brush, ocotillo and giant cactus.
 Good growth of grasses.

40.00 East on a random line, bet. secs. 26 and 35.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.10 Intersect N. and S. line, 11 lks. S. of the cor. of secs. 25, 26, 35 and 36.
 Thence
 S.89°55'W., on a true line, bet. secs. 26 and 35.
 Over level land, through dense undergrowth.
 22.90 Wash, 28 lks. wide, 2 ft. deep, course N.70°W.
 40.05 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

20

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

$$\begin{array}{r} \frac{1}{4} S26 \\ \frac{1}{4} S35 \\ \hline 1918 \end{array}$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
64.50 Wash, 28 lks. wide, 2 ft. deep, course N.70°W.
80.10 The cor. of secs. 26, 27, 34 and 35.
Land, level.
Soil, sandy, 1st rate.
No timber.
Undergrowth, palo verde, mesquite, ironwood, greasewood, rosin brush, giant cactus and ocotillo.

N.0°1'W., bet. secs. 26 and 27.
Over level land, through dense undergrowth.
7.40 Wash, 25 lks. wide, 2 ft. deep, course N.70°W.
10.50 Wash, 25 lks. wide, 2 ft. deep, course N.70°W.
35.95 Wash, 16 lks. wide, 2 ft. deep, course W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \\ S27 | S26 \\ \hline 1918 \end{array}$$

From which
A palo verde, 12 ins. diam., brs. N.47 $\frac{1}{2}$ °E.,
114 lks. dist., marked $\frac{1}{4}$ S26 BT.
54.00 Wash, 15 lks. wide, 1 ft. deep, course W.
76.50 Wash, 16 lks. wide, course W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on brass cap

$$\begin{array}{r} T14S R5W \\ S22 | S23 \\ \hline S27 | S26 \\ \hline 1918 \end{array}$$

From which
A mesquite, 8 ins. diam., brs. N.10 $\frac{1}{2}$ °E.,
147 lks. dist., marked T14S R5W S23 BT.
A palo verde, 10 ins. diam., brs. S.25°E.,
29 lks. dist., marked T14S R5W S26 BT.
No other trees within limits. Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy, 1st rate.
No timber.
Undergrowth, palo verde, mesquite, ironwood, giant cactus, greasewood, rosin brush, and ocotillo.
Good growth of grass.

40.00 East on a random line, bet. secs. 23 and 26.
79.95 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, at the cor. of secs. 23, 24, 25 and 26.
Thence
West on a true line, bet. secs. 23 and 26.
Over level land, through dense undergrowth.
3.15 Wash, 16 lks. wide, course NW.
17.55 Wash, 12 lks. wide, 3 ft. deep, course NW.
31.95 Wash, 10 lks. wide, 1 ft. deep, course NW.
39.97 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

$\frac{1}{4}$ S23
 $\frac{1}{4}$ S26
1918

From which

A palo verde, 6 ins. diam., brs. N.60°W.,

92 lks. dist., marked $\frac{1}{4}$ S23 BT.

An ironwood, 9 ins. diam., brs. S.31°W.,

113 lks. dist., marked $\frac{1}{4}$ S26 BT.

55.35 Wash, 24 lks. wide, 2 ft. deep, course NW.

79.95 The cor. of secs. 22, 23, 26 and 27.

Land, level.

Soil, sandy adobe, 1st rate.

No timber.

Undergrowth, palo verde, greasewood, mesquite, rosin brush,
ocotillo and giant cactus.

Good growth of grass.

N.0°1'W., bet. secs. 22 and 23.

Over level land, through dense undergrowth.

13.70 Wash, 12 lks. wide, 2 ft. deep, course NW.

26.60 Wash, 10 lks. wide, 1 ft. deep, course NW.

39.10 Wash, 14 lks. wide, course N.70°W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S22 | S23
1918

From which

A mesquite, 16 ins. diam., brs. S.37°E.,

75 lks. dist., marked $\frac{1}{4}$ S23 BT.

A mesquite, 20 ins. diam., brs. S.71 $\frac{1}{2}$ °W.,

71 lks. dist., marked $\frac{1}{4}$ S22 BT.

48.50 Wash, 16 lks. wide, 1 ft. deep, course NW.

57.60 Wash, 12 lks. wide, 3 ft. deep, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 14, 15, 22 and 23, marked on
brass cap

T14S R5W
S15 | S14
S22 | S23
1918

From which

An ironwood, 18 ins. diam., brs. S.2 $\frac{1}{2}$ °E.,

280 lks. dist., marked T14S R5W S23 BT.

An ironwood, 12 ins. diam., brs. S.42°W.,

181 lks. dist., marked T14S R5W S22 BT.

An ironwood, 7 ins. diam., brs. N.46 $\frac{1}{2}$ °W.,

73 lks. dist., marked T14S R5W S15 BT.

No other trees within limits. Raise a mound of stone, 2 $\frac{1}{2}$
ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy, 1st rate.

No timber.

Undergrowth, palo verde, mesquite, ironwood, greasewood,
rosin brush, ocotillo and giant cactus.

Good growth of grass.

East on a random line, bet. secs. 14 and 23.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect N. and S. line, 2 lks. S. of the cor. of secs.
13, 14, 23 and 24,

Thence

Survey of the
Subdivision of T. 14 S., R. 5 W.

22
chains.

8.60 S.89°59'W., on a true line, bet. secs. 14 and 23.
Over level land, through dense undergrowth.
16.70 Wash, 16 lks. wide, course NW.
39.99 Wash, 24 lks. wide, 3 ft. deep, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S14
 $\frac{1}{4}$ S23
1918

From which

An ironwood, 14 ins. diam., brs. S.11°E.,
31 lks. dist., marked $\frac{1}{4}$ S23 BT.
No other trees within limits. Raise a mound of stone, 2
ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
40.60 Wash, 12 lks. wide, course NW.
79.98 The cor. of secs. 14, 15, 22 and 23.
Land, level.
Soil, sandy, gravelly and rocky, 1st and 3rd rates.
No timber.
Undergrowth, greasewood, palo verde, mesquite, ironwood,
ocotillo and giant cactus.

39.50 N.0°1'W., bet. secs. 14 and 15.
Over level land, through dense undergrowth.
40.00 Wash, 20 lks. wide, 2 ft. deep, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S15 | S14
1918

From which

A palo verde, 12 ins. diam., brs. S.27°E.,
35 lks. dist., marked $\frac{1}{4}$ S14 BT.
A palo verde, 5 ins. diam., brs. N.47°W.,
52 lks. dist., marked $\frac{1}{4}$ S15 BT.
51.60 Wash, 12 lks. wide, 2 ft. deep, course NW.
58.60 Wash, 12 lks. wide, course NW.
74.00 Wash, 10 lks. wide, 2 ft. deep, course NW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 10, 11, 14 and 15, marked on
brass cap

T14S R5W
S10 | S11
 $\frac{1}{4}$ S15 | S14
1918

From which

A mesquite, 6 ins. diam., brs. S.51 $\frac{1}{2}$ °W.,
119 lks. dist., marked T14S R5W S15 BT.
No other trees within limits. Dig pits, 18 X 18 X 12 ins.,
in each sec., 5 $\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy and gravelly, 1st and 2nd rates.
No timber.
Undergrowth, palo verde, mesquite, ironwood, greasewood,
rosin brush, giant cactus and ocotillo.
Good growth of grass.

40.00 East on a random line, bet. secs. 11 and 14.
Set temp. $\frac{1}{4}$ sec. cor.
80.06 Intersect N. and S. line, at the cor. of secs. 11, 12, 13

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains

and 14.
Thence
West on a true line, bet. secs. 11 and 14.
Over mountainous land, through dense undergrowth.
Desc. 140 ft.
8.25 Ravine, course N.70°W. Asc.
8.75 Desc. 285 ft.
40.03 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
ground, in a mound of stone, 3½ ft. base, 2 ft. high,
for ¼ sec. cor., marked on brass cap

$$\frac{1}{4} \frac{S11}{S14}$$
 1918

And raise a mound of stone, 2 ft. base, 1½ ft. high, N.
of cor.
46.45 Wash, 12 lks. wide, course N. Asc. 45 ft.
53.40 Top of knoll. Desc. 60 ft.
66.65 Wash, 10 lks. wide, course NW. Thence over level land.
80.06 The cor. of secs. 10, 11, 14 and 15.
Land, level and mountainous.
Soil, W. 20 chs., 1st rate; remainder, rocky, 4th rate.
No timber.
Undergrowth, palo verde, mesquite, ironwood, ocotillo,
giant cactus and cholla.
Good growth of grass.

N.0°1'W., bet. secs. 10 and 11.
Over level land, through dense undergrowth.
6.40 Wash, 24 lks. wide, 2 ft. deep, course W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap

$$S10 \mid S11$$
 1918

From which
A palo verde, 9 ins. diam., brs. N.58½°E.,
78 lks. dist., marked ¼S11 BT.
An ironwood, 12 ins. diam., brs. S.17°W.,
135 lks. dist., marked ¼S10 BT.
69.20 Wash, 8 lks. wide, 1 ft. deep, course SW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 2, 3, 10 and 11, marked on
brass cap

$$\begin{array}{c} T14S R5W \\ S 3 \mid S 2 \\ \hline S10 \mid S11 \\ 1918 \end{array}$$

From which
A palo verde, 5 ins. diam., brs. N.64°E.,
79 lks. dist., marked T14S R5W S2 BT.
An ironwood, 8 ins. diam., brs. S.73°E.,
164 lks. dist., marked T14S R5W S11 BT.
A screw bean, 8 ins. diam., brs. S.64½°W.,
114 lks. dist., marked T14S R5W S10 BT.
A mesquite, 14 ins. diam., brs. N.68½°W.,
56 lks. dist., marked T14S R5W S3 BT.
Land, level.
Soil, sandy, 1st rate.
No timber.
Undergrowth, palo verde, ironwood, mesquite, greasewood,
rosin brush, ocotillo and giant cactus.
Good growth of grass.

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.	East on a random line, bet. secs. 2 and 11. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 7 lks. N. of the cor. of secs. 1, 2, 11 and 12. Thence N. $89^{\circ}57'W.$, on a true line, bet. secs. 2 and 11. Over mountainous land, through dense undergrowth. Asc. 130 ft. 5.57 Ridge, brs. N. and S. Desc. 155 ft. 16.14 Foot of descent; thence over level land. 40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} S 2 \\ \hline S 11 \\ 1918 \end{array}$
80.02	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. The cor. of secs. 2, 3, 10 and 11. Land, mountainous and level. Soil, rocky, 4th rate; and gravelly, 3rd rate. No timber. Undergrowth, greasewood, mesquite, cactus and palo verde.
40.00	N. $0^{\circ}1'W.$, on a random line, bet. secs. 2 and 3. Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. bdy. of Tp., 42 lks. W. of the cor. of secs. 2, 3, 34 and 35, hereinbefore described. Thence S. $0^{\circ}17'W.$, on a true line, bet. secs. 2 and 3. Over level land, through dense undergrowth. 12.50 Wash, 270 lks. wide, 4 ft. deep, course W. 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} \\ S 3 \mid S 2 \\ 1918 \end{array}$
75.80	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist. Wash, 20 lks. wide, 2 ft. deep, course SW.
80.00	The cor. of secs. 2, 3, 10 and 11. Land, level. Soil, sandy and gravelly clay, 2nd rate. No timber. Undergrowth, greasewood, mesquite, palo verde, and iron-wood.
4.70	From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of Tp., hereinbefore described, N. $0^{\circ}2'W.$, bet. secs. 33 and 34. Over level land, through dense undergrowth.
39.70	Wash, 20 lks. wide, 1 ft. deep, course SW.
40.00	Wash, 20 lks. wide, 1 ft. deep, course W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

$\frac{1}{4}$
S33 | S34
1918

80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap

T14S R5W
S28 | S27
S33 | S34
1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, level.
Soil, sandy and gravelly, 3rd rate.
No timber.
Undergrowth, palo verde, ironwood, greasewood, mesquite and cactus.

40.00 East on a random line, bet. secs. 27 and 34.
Set temp. $\frac{1}{4}$ sec. cor.
80.18 Intersect N. and S. line, 15 lks. N. of the cor. of secs. 26, 27, 34 and 35.

Thence
N.89°54'W., on a true line, bet. secs. 27 and 34.
Over level land, through dense undergrowth.
37.50 Enter wash, 25 lks. wide, 3 ft. deep, course S.70°W.
39.85 Leave wash, course N.80°W.
40.09 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S27
S34
1918

80.18 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 27, 28, 33 and 34,
Land, level.
Soil, sandy and gravelly, 3rd rate.
No timber.
Undergrowth, greasewood, mesquite, palo verde and ironwood.

N.0°2'W., bet. secs. 27 and 28.
Over level land, through dense undergrowth.
13.80 Wash, 35 lks. wide, 3 ft. deep, course W.
37.20 Wash, 25 lks. wide, 1 ft. deep, course NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S28 | S27
1918

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
41.50 Wash, 30 lks. wide, 2 ft. deep, course NW.
73.60 Wash, 30 lks. wide, 2 ft. deep, course NW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on brass cap

26

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

T14S	R5W
S21	S22
S28	S27
1918	

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, gently rolling and level.
Soil, sandy and gravelly, 2nd rate.
No timber.
Undergrowth, greasewood, mesquite, palo verde and ironwood.

40.00 East on a random line, bet. secs. 22 and 27.
Set temp. ¼ sec. cor.
80.21 Intersect N. and S. line, at the cor. of secs. 22, 23, 26
and 27.
Thence
West on a true line, bet. secs. 22 and 27.
Over level land, through dense undergrowth.
23.90 Wash, 40 lks. wide, 1 ft. deep, course NW.
40.10½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap

¼	S22
¼	S27
1918	

80.21 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of secs. 21, 22, 27 and 28.
Land, level.
Soil, sandy, 2nd rate.
No timber.
Undergrowth, greasewood, mesquite, palo verde, ironwood
and cactus.

18.80 N.0°2'W., bet. secs. 21 and 22.
Over level land, through dense undergrowth.
Wash, 20 lks. wide, 1 ft. deep, course W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap

¼	S21	¼	S22
1918			

51.90 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
Wash, 15 lks. wide, 1 ft. deep, course NW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 15, 16, 21 and 22, marked on
brass cap

T14S	R5W
S16	S15
S21	S22
1918	

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, level.
Soil, sandy and gravelly, 3rd rate.
No timber.
Undergrowth, greasewood, mesquite and ironwood.

Survey of the
Subdivision of T. 14 S., R. 5 W.

BOOK 3347

Chains.	<p>East on a random line, bet. secs. 15 and 22. 40.00 Set temp. $\frac{1}{4}$ sec. cor. 80.16 Intersect N. and S. line, 6 lks. N. of the cor. of secs. 14, 15, 22 and 23. Thence N. $89^{\circ}57'$ W., on a true line, bet. secs. 15 and 22. Over level land, through dense undergrowth. 2.25 Wash, 20 lks. wide, 1 ft. deep, course NW. 40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$ S15 $\frac{1}{4}$ S22 1918</p> <p>Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. 72.95 Wash, 40 lks. wide, 2 ft. deep, course NW. 80.16 The cor. of secs. 15, 16, 21 and 22. Land, level. Soil, sandy and gravelly, 3rd rate. No timber. Undergrowth, greasewood, mesquite, cactus, palo verde and ironwood. Fair growth of grass.</p>
4.60 32.80 40.00	<p>N. $0^{\circ}2'$ W., bet. secs. 15 and 16. Over level land, through dense undergrowth. Wash, 30 lks. wide, 2 ft. deep, course NW. Wash, 15 lks. wide, 1 ft. deep, course NW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$ S16 S15 1918</p> <p>Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.</p>
40.70 60.20 75.25 80.00	<p>Wash, 15 lks. wide, 1 ft. deep, course NW. Wash, 30 lks. wide, 3 ft. deep, course N. 60° W. Wash, 50 lks. wide, 1 ft. deep, course W. Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on brass cap</p> <p style="text-align: center;"> T14S R5W S 9 S10 S16 S15 1918</p> <p>Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist. Land, level. Soil, sandy and gravelly, 3rd rate. No timber. Undergrowth, greasewood, mesquite, cat claw, palo verde and ironwood.</p>
40.00 80.17	<p>East on a random line, bet. secs. 10 and 15. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, at the cor. of secs. 10, 11, 14 and 15. Thence West on a true line, bet. secs. 10 and 15. Over level land, through dense undergrowth.</p>

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

2.95 Wash, 15 lks. wide, 1 ft. deep, course NW.
13.05 Wash, 20 lks. wide, 2 ft. deep, course N.20°W.
33.05 Wash, 35 lks. wide, 2 ft. deep, course NW.
40.08 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S10 \\ \frac{1}{4} S15 \\ \hline 1918 \end{array}$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

46.85 Same wash, 30 lks. wide, 2 ft. deep, course S.50°W.
72.35 Same wash, 20 lks. wide, 2 ft. deep, course N.75°W.
79.45 Wash, 15 lks. wide, 2 ft. deep, course N.65°W.
80.17 The cor. of secs. 9, 10, 15 and 16.
Land, gently rolling.
Soil, sandy and gravelly, 3rd rate.
No timber.
Undergrowth, greasewood, mesquite, cat claw, palo verde and ironwood.

N.0°2'W., bet. secs. 9 and 10:

Over level land, through dense undergrowth.

0.50 Wash, 15 lks. wide, 2 ft. deep, course N.65°W.
1.50 Wash, 35 lks. wide, 2 ft. deep, course W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \\ S 9 | S10 \\ \hline 1918 \end{array}$$

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

70.85 Wash, 15 lks. wide, 2 ft. deep, course W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 3, 4, 9 and 10, marked on
brass cap

$$\begin{array}{r} T14S R5W \\ S 4 | S 3 \\ \hline S 9 | S10 \\ \hline 1918 \end{array}$$

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy and gravelly, 2nd rate.
No timber.
Undergrowth, greasewood, mesquite and ironwood.
Fair growth of grass.

40.00 East on a random line, bet. secs. 3 and 10.
Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line, 5 lks. N. of the cor. of secs.
2, 3, 10 and 11.

Thence

N.89°58'W., on a true line, bet. secs. 3 and 10.
Over level land, through dense undergrowth.

1.10 Wash, 20 lks. wide, 2 ft. deep, course S.20°W.
11.00 Wash, 15 lks. wide, 3 ft. deep, course S.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

$\frac{1}{4}$ S 3
~~S 10~~
1918

59.90 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3
80.00 ft. dist.
Wash, 15 lks. wide, 2 ft. deep, course SW.
The cor. of secs. 3, 4, 9 and 10.
Land, level.
Soil, sandy and gravelly, 3rd rate.
No timber.
Undergrowth, greasewood, mesquite, palo verde and ironwood.

40.00 N.0°2'W., on a random line, bet. secs. 3 and 4.
79.85 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. bdy. of Tp., 35 lks. W. of the cor. of secs.
3, 4, 33 and 34, hereinbefore described.
Thence
39.85 S.0°13'W., on a true line, bet. secs. 3 and 4.
Over level land, through dense undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S 4 | S 3
1918

79.85 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
The cor. of secs. 3, 4, 9 and 10.
Land, level.
Soil, sandy and gravelly clay, 2nd rate.
No timber.
Undergrowth, greasewood, mesquite and ironwood.

31.50 From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of
40.00 the Tp., hereinbefore described,
N.0°2'W., bet. secs. 32 and 33.
Over level land, through dense undergrowth.
Wash, 10 lks. wide, 1 ft. deep, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S 32 | S 33
1918

49.30 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
72.90 dist.
Wash, 16 lks. wide, 2 ft. deep, course NW.
80.00 Wash, 14 lks. wide, course W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 28, 29, 32 and 33, marked on
brass cap

T14S R5W
S29 | S28
S32 | S33
1918

From which
An ironwood, 8 ins. diam., brs. N.4°E.,
228 lks. dist., marked T14S R5W S28 BT.
A mesquite, 8 ins. diam., brs. S.15°E.,
179 lks. dist., marked T14S R5W S33 BT.

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

A palo verde, 10 ins. diam., brs. S. 58 $\frac{1}{2}$ ° W.,
169 lks. dist., marked T14S R5W S32 BT.
An ironwood, 8 ins. diam., brs. N. 26° W.,
185 lks. dist., marked T14S R5W S29 BT.

Land, level.
Soil, sandy and gravelly adobe, 1st and 2nd rates.
No timber.
Undergrowth, palo verde, greasewood, ironwood, mesquite
and rosin brush.
Good growth of grass.

40.00 East on a random line, bet. secs. 28 and 33.
79.78 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 19 lks. S. of the cor. of secs.
27, 28, 33 and 34.
Thence
8.30 S. 89° 52' W., on a true line, bet. secs. 28 and 33.
48.00 Over level land, through dense undergrowth.
9.10 Wash, 10 lks. wide, course NW.
36.30 Wash, 8 lks. wide, course SW.
38.20 Same wash, course NW.
39.89 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S28
 $\frac{1}{4}$ S33
1918

79.78 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of secs. 28, 29, 32 and 33.
Land, level.
Soil, sandy and gravelly adobe, 1st and 2nd rates.
No timber.
Undergrowth, greasewood, rosin brush, giant cactus, ocotillo,
palo verde, ironwood and mesquite.
Good growth of grass.

2.20 N. 0° 2' W., bet. secs. 28 and 29.
16.50 Over level land, through dense undergrowth.
27.10 Wash, 8 lks. wide, course W.
40.00 Wash, 16 lks. wide, 2 ft. deep, course W.
Wash, 12 lks. wide, 2 ft. deep, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S29 | S28
1918

62.30 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
80.00 dist.
Wash, 28 lks. wide, 4 ft. deep, course W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 20, 21, 28 and 29, marked on
brass cap

T14S R5W
S20 | S21
S29 | S28
1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy adobe, 1st rate.

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.


No timber.
Undergrowth, greasewood, palo verde, ironwood, mesquite,
rosin brush and giant cactus.
Good growth of grass.

40.00
79.84

East on a random line, bet. secs. 21 and 28.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 20 lks. S. of the cor. of secs.
21, 22, 27 and 28.

2.80
8.85
39.92

Thence
S. $89^{\circ}51'W.$, on a true line, bet. secs. 21 and 28.
Over level land, through dense undergrowth.
Wash, 12 lks. wide, course NW.
Wash, 12 lks. wide, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



From which

An ironwood, 7 ins. diam., brs. N. $39^{\circ}W.$,
155 lks. dist., marked $\frac{1}{4}S21$ BT.
A palo verde, 6 ins. diam., brs. S. $10^{\circ}E.$,
137 lks. dist., marked $\frac{1}{4}S28$ BT.

49.85
79.84

Wash, 12 lks. wide, course N. $70^{\circ}W.$
The cor. of secs. 20, 21, 28 and 29.
Land, level.
Soil, sandy and gravelly, 1st and 2nd rates.
No timber.
Undergrowth, palo verde, ironwood, mesquite, greasewood,
rosin brush and giant cactus.

20.00
40.00

N. $0^{\circ}2'W.$, bet. secs. 20 and 21.
Over level land, through dense undergrowth.
Wash, 12 lks. wide, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




From which

An ironwood, 15 ins. diam., brs. N. $50^{\circ}E.$,
183 lks. dist., marked $\frac{1}{4}S21$ BT.

No other trees within limits. Dig pits, 18 X.18 X 12 ins.,
N. and S. of post, 3 ft. dist.

42.60
71.80
80.00

Wash, 12 lks. wide, course NW.
Wash, 12 lks. wide, course N. $70^{\circ}W.$
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 16, 17, 20 and 21, marked on
brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.

Survey of the
Subdivision of T. 14 S., R. 5 W.

32

chains.

Undergrowth, palo verde, greasewood, mesquite, ironwood.
Good growth of grass.

40.00 East on a random line, bet. secs. 16 and 21.
Set temp. $\frac{1}{4}$ sec. cor.
79.92 Intersect N. and S. line, 15 lks. S. of the cor. of secs.
15, 16, 21 and 22.

Thence
23.20 S. $89^{\circ}54'$ W., on a true line, bet. secs. 16 and 21.
Over level land, through dense undergrowth.
Wash, 8 lks. wide, course NW.
39.96 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S16
 $\frac{1}{4}$ S21
1918

From which

A mesquite, 16 ins. diam., brs. N. 21° W.,
89 lks. dist., marked $\frac{1}{4}$ S16 BT.

A mesquite, 8 ins. diam., brs. S. 34° W.,
158 lks. dist., marked $\frac{1}{4}$ S21 BT.

79.92 The cor. of secs. 16, 17, 20 and 21.
Land, level.
Soil, sandy adobe, 1st and 2nd rates.
No timber.
Undergrowth, mesquite, palo verde, ironwood, greasewood.
Good growth of grass.

18.80 N. $0^{\circ}2'$ W., bet. secs. 16 and 17.
Over level land, through dense undergrowth.
34.30 Wash, 10 lks. wide, course NW.
40.00 Wash, 10 lks. wide, course EW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S17 | S16
1918

45.70 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
57.80 Wash, 18 lks. wide, 2 ft. deep, course N. 70° W.
80.00 Wash, 50 lks. wide, 3 ft. deep, course W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 8, 9, 16 and 17, marked on
brass cap

T14S R5W
S 8 | S 9
S17 | S16
1918

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, palo verde, ironwood and greasewood.
Good growth of grass.

East on a random line, bet. secs. 9 and 16.

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.89 Intersect N. and S. line, 18 lks. S. of the cor. of secs.
9, 10, 15 and 16.
Thence
S. $89^{\circ}52'W.$, on a true line, bet. secs. 9 and 16.
Over level land, through dense undergrowth.
11.10 Wash, 48 lks. wide, course S. $80^{\circ}W.$
39.94 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S 9
 $\frac{1}{4}$ S 16
1918

79.89 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of secs. 8, 9, 16 and 17.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, palo verde, cat claw, greasewood
and cactus.
Good growth of grass.

25.40 N. $0^{\circ}2'W.$, bet. secs. 8 and 9.
Over level land, through dense undergrowth.
40.00 Wash, 10 lks. wide, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S 8 | S 9
1918

From which
A mesquite, 10 ins. diam., brs. N. $22^{\circ}E.$,
160 lks. dist., marked $\frac{1}{4}$ S9 BT.
A mesquite, 9 ins. diam., brs. N. $15\frac{1}{2}^{\circ}W.$,
100 lks. dist., marked $\frac{1}{4}$ S8 BT.
49.50 Wash, 10 lks. wide, course W.
76.90 Wash, 10 lks. wide, course SW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 4, 5, 8 and 9, marked on brass
cap

T14S R5W
S 5 | S 4
S 8 | S 9
1918

From which
A mesquite, 6 ins. diam., brs. N. $22\frac{1}{2}^{\circ}E.$,
45 lks. dist., marked T14S R5W S4 BT.
A mesquite, 8 ins. diam., brs. S. $21^{\circ}E.$,
277 lks. dist., marked T14S R5W S9 BT.
A mesquite, 8 ins. diam., brs. S. $18\frac{1}{2}^{\circ}W.$,
93 lks. dist., marked T14S R5W S8 BT.
No other trees within limits. Dig pits, 18 X 18 X 12 ins.,
in each sec., $5\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, greasewood, mesquite, and palo verde.
Good growth of grass.

East on a random line, bet. secs. 4 and 9.

Survey of the
Subdivision of T. 14 S., R. 5 W.

34

Chains.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.92 Intersect N. and S. line, 18 lks. S. of the cor. of secs.
3, 4, 9 and 10.
Thence
S. $89^{\circ}52'W.$, on a true line, bet. secs. 4 and 9.
Over level land, through dense undergrowth.
37.30 Wood road, brs. N. and S.
39.96 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} S 4 \\ \frac{1}{4} S 9 \\ \hline 1918 \end{array}$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
67.40 Wood road, brs. NW. and SE.
75.70 Wash, 8 lks. wide, course SW.
79.92 The cor. of secs. 4, 5, 8 and 9.
Land, level.
Soil, sandy and gravelly adobe, 1st and 2nd rates.
No timber.
Undergrowth, mesquite, palo verde, greasewood and rosin
brush.

40.00 N. $0^{\circ}2'W.$, on a random line, bet. secs. 4 and 5.
80.06 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. bdy. of Tp., 21 lks. W. of the cor. of secs.
4, 5, 32 and 33, hereinbefore described.
Thence
S. $0^{\circ}7'W.$, on a true line, bet. secs. 4 and 5.
Over level land, through dense undergrowth.
36.25 Wood road, brs. E. and W.
36.95 Wash, 12 lks. wide, course W.
40.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ S 5 | S 4 \\ \hline 1918 \end{array}$$

From which
An ironwood, 16 ins. diam., brs. N. $7\frac{1}{2}^{\circ}W.$,
364 lks. dist., marked $\frac{1}{4}S 5 BT.$
No other trees within limits. Dig pits, 18 X 18 X 12 ins.,
N. and S. of post, 3 ft. dist.
47.95 Wash, 10 lks. wide, course W.
65.05 Wash, 8 lks. wide, course W.
76.75 Wood road, brs. NE. and SW.
80.06 The cor. of secs. 4, 5, 8 and 9.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, greasewood, mesquite, ironwood, and palo -
verde.

12.40 From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of
31.20 Tp., hereinbefore described,
40.00 N. $0^{\circ}3'W.$, bet. secs. 31 and 32.
Over level land, through dense undergrowth.
Wash, 35 lks. wide, 1 ft. deep, course W.
Wash, 8 lks. wide, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the

Survey of the
Subdivision of T. 14 S., R. 5 W.

chains.

ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S31 | S32
1918

From which

An ironwood, 8 ins. diam., brs. N.9°E.,
147 lks. dist., marked $\frac{1}{4}$ S32 BT.
A mesquite, 12 ins. diam., brs. N.31°W.,
128 lks. dist., marked $\frac{1}{4}$ S31 BT.

47.50
65.00
70.00
80.00

Wash, 16 lks. wide, course W.
Wash, 12 lks. wide, course W.
Wash, 12 lks. wide, course W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 29, 30, 31 and 32, marked on
brass cap

T14S R5W
S30 | S29
S31 | S32
1918

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, palo verde, ironwood, greasewood
and rosin brush.
Good growth of grass.

40.00
80.15
37.75
40.07 $\frac{1}{2}$

East on a random line, bet. secs. 29 and 32.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 9 lks. S. of the cor. of secs.
28, 29, 32 and 33.

Thence
S.89°56'W., on a true line, bet. secs. 29 and 32.

Wash, 10 lks. wide, course SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S29
S32
1918

From which

An ironwood, 7 ins. diam., brs. N.30°W.,
107 lks. dist., marked $\frac{1}{4}$ S29 BT.
A mesquite, 15 ins. diam., brs. S.62 $\frac{1}{2}$ °E.,
70 lks. dist., marked $\frac{1}{4}$ S32 BT.

47.15
48.65
80.15

Same wash, 10 lks. wide, course N.85°W.
Wash, 10 lks. wide, course S.70°W.
The cor. of secs. 29, 30, 31 and 32.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, ironwood, palo verde and greasewood.
Good growth of grass.

40.00
79.54

West on a random line, bet. secs. 30 and 31.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect W. bdy. of Tp., 2 lks. S. of the cor. of secs.
25, 30, 31 and 36, hereinbefore described.

36

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

32.35 39.54	<p>Thence S.89°59'E., on a true line, bet. secs. 30 and 31. Over level land, through dense undergrowth. Road, brs. NW. and SE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> $\begin{array}{r} \frac{1}{4} S30 \\ \frac{1}{4} S31 \\ \hline 1918 \end{array}$
79.54	<p>From which An ironwood, 28 ins. diam., brs. N.65°E., 145 lks. dist., marked $\frac{1}{4}$S30 BT. No other trees within limits. Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. The cor. of secs. 29, 30, 31 and 32. Land, level. Soil, sandy adobe, 1st rate. No timber. Undergrowth, mesquite, palo verde, ironwood, and greasewood. Good growth of grass.</p>
22.30 40.00	<p>N.0°3'W., bet. secs. 29 and 30. Over level land, through dense undergrowth. Wash, 12 lks. wide, course W. Wash, 8 lks. wide, course W. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> $\begin{array}{c} \frac{1}{4} \\ S30 \uparrow S29 \\ \hline 1918 \end{array}$
62.10 80.00	<p>From which A mesquite, 9 ins. diam., brs. S.45°E., 12 lks. dist., marked $\frac{1}{4}$S29 BT. An ironwood, 8 ins. diam., brs. N.74°W., 61 lks. dist., marked $\frac{1}{4}$S30 BT. Wash, 45 lks. wide, 2 ft. deep, course W. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap</p> $\begin{array}{r} T14S R5W \\ S19 S20 \\ \hline S30 S29 \\ \hline 1918 \end{array}$
40.00 80.07	<p>From which An ironwood, 30 ins. diam., brs. N.1°W., 489 lks. dist., marked T14S R5W S19 BT. No other trees within limits. Dig pits, 18 X 18 X 12 ins., in each sec., 5$\frac{1}{2}$ ft. dist. Land, level. Soil, sandy adobe, 1st rate. No timber. Undergrowth, mesquite, ironwood, palo verde and greasewood. Good growth of grass.</p> <p>East on a random line, bet. secs. 20 and 29. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 15 lks. S. of the cor. of secs. 20, 21, 28 and 29. Thence S.89°54'W., on a true line, bet. secs. 20 and 29.</p>

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

40.03½ Over level land, through dense undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap

1/4 S20
4 S29
1918

From which
An ironwood, 7 ins. diam., brs. N.76°E.,
112 lks. dist., marked 1/4 S20 BT.
An ironwood, 10 ins. diam., brs. S.0°30'E.,
56 lks. dist., marked 1/4 S29 BT.

71.45 Wash, 30 lks. wide, 2 ft. deep, course N.70°W.
80.07 The cor. of secs. 19, 20, 29 and 30.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, palo verde, ironwood, mesquite, greasewood.
Good growth of grass.

40.00 West on a random line, bet. secs. 19 and 30.
Set temp. 1/4 sec. cor.
79.56 Intersect W. bdy. of Tp., at the cor. of secs. 19, 24, 25
and 30, hereinbefore described.

Thence
East on a true line, bet. secs. 19 and 30.
Over level land, through dense undergrowth.
39.56 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap

1/4 S19
4 S30
1918

From which
An ironwood, 9 ins. diam., brs. N.15½°E.,
183 lks. dist., marked 1/4 S19 BT.
An ironwood, 12 ins. diam., brs. S.73½°E.,
208 lks. dist., marked 1/4 S30 BT.

44.56 Wash, 12 lks. wide, course N.85°W.
49.05 Same wash, 12 lks. wide, course S.85°W.
57.55 Same wash, 12 lks. wide, course N.80°W.
79.56 The cor. of secs. 19, 20, 29 and 30.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, ironwood, palo verde, greasewood
and rabbit brush.

5.20 N.0°3'W., bet. secs. 19 and 20.
Over level land, through dense undergrowth.
40.00 Wash, 30 lks. wide, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap

S19 | S20
1918

Digpits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.

Survey of the
Subdivision of T. 14 S., R. 5 W.

38

Chains.
65.60 Wash, 10 lks. wide, course S.80°W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19, and 20, marked on brass cap

$$\begin{array}{r} T14S R5W \\ S18 | S17 \\ \hline S19 | S20 \\ 1918 \end{array}$$

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, ironwood, palo verde and greasewood.
Good growth of grass.

40.00 East on a random line, bet. secs. 17 and 20.
80.03 Set temp. ¼ sec. cor.
Intersect N. and S. line, 14 lks. S. of the cor. of secs. 16, 17, 20 and 21.
Thence
S.89°54'W., on a true line, bet. secs. 17 and 20.
Over level land, through dense undergrowth.
31.65 Wash, 8 lks. wide, 3 ft. deep, course NW.
40.01½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S17 \\ \hline S20 \\ 1918 \end{array}$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

61.75 Wash, 12 lks. wide, course NW.
80.03 The cor. of secs. 17, 18, 19 and 20.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, ironwood, palo verde and greasewood.
Good growth of grass.

40.00 West on a random line, bet. secs. 18 and 19.
79.53 Set temp. ¼ sec. cor.
Intersect W. bdy. of Tp., 10 lks. S. of the cor. of secs. 13, 18, 19 and 24, hereinbefore described.
Thence
S.89°56'E., on a true line, bet. secs. 18 and 19.
Over level land, through dense undergrowth.
39.53 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S18 \\ \hline S19 \\ 1918 \end{array}$$


From which
A mesquite, 12 ins. diam., brs. N.63°W.,
130 lks. dist., marked ¼ S18 BT.
No other trees within limits. Dig pits, 18 X 18 X 12 ins.,
E. and W. of post, 3 ft. dist.

79.53 The cor. of secs: 17, 18, 19 and 20.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, ironwood, palo verde and greasewood.


Survey of the
Subdivision of T. 14 S., R. 5 W.

chains.

23.60 N.0°3'W., bet. secs. 17 and 18.
Over level land, through dense undergrowth.
Wash, 12 lks. wide, 1 ft. deep, course SW.
28.90 Wash, 12 lks. wide, course W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




74.80 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.
80.00 Wood road, brs. E. and W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 7, 8, 17 and 18, marked on
brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, greasewood.
Good growth of grass.

40.00 East on a random line, bet. secs. 8 and 17.
Set temp. $\frac{1}{4}$ sec. cor.
80.03 Intersect N. and S. line, 12 lks. S. of the cor. of secs.
8, 9, 16 and 17.


Thence
S.89°55'W., on a true line, bet. secs. 8 and 17.
Over level land, through dense undergrowth.
40.01 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.03 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of secs. 7, 8, 17 and 18.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, and greasewood.
Good growth of grass.

40.00 West on a random line, bet. secs. 7 and 18.
Set temp. $\frac{1}{4}$ sec. cor.
79.47 Intersect W. bdy. of Tp., 2 lks. N. of the cor. of secs.
7, 12, 13 and 18, hereinbefore described.

Thence
N.89°59'E., on a true line, bet. secs. 7 and 18.
Over level land, through dense undergrowth.
Wash, 14 lks. wide, 2 ft. deep, course NW.
4.75 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
39.47 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



Survey of the
Subdivision of T. 14 S., R. 5 W.

40

Chains.

69.45 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
79.47 dist.
Road, brs. NW. and SE.
The cor. of secs. 7, 8, 17 and 18.
Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite, and greasewood.
Good growth of grass.

13.00 N.0°3'W., bet. secs. 7 and 8.
26.50 Over level land, through dense undergrowth.
35.75 Wash, 8 lks. wide, course W.
40.00 Wash, 10 lks. wide, course W.
Wash, 10 lks. wide, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ S 7 | S 8 \\ 1918 \end{array}$$

50.35 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
71.70 dist.
80.00 Wash, 8 lks. wide, 1 ft. deep, course W.
Wash, 10 lks. wide, course SW.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 5, 6, 7 and 8, marked on brass
cap

$$\begin{array}{c} T14S R5W \\ S 6 | S 5 \\ \hline S 7 | S 8 \\ 1918 \end{array}$$

From which

- A mesquite, 9 ins. diam., brs. N.47°E.,
130 lks. dist., marked T14S R5WS5 BT.
- A mesquite, 16 ins. diam., brs. S.81°E.,
126 lks. dist., marked T14S R5W S8 BT.
- A mesquite, 16 ins. diam., brs. S.58°W.,
138 lks. dist., marked T14S R5W S7 BT.
- A mesquite, 8 ins. diam., brs. N.29 $\frac{1}{2}$ °W.,
81 lks. dist., marked T14S R5W S6 BT.

Land, level.
Soil, sandy adobe, 1st rate.
No timber.
Undergrowth, mesquite and greasewood.
Good growth of grass.

40.00 East on a random line, bet. secs. 5 and 8.
80.08 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 10 lks. S. of the cor. of secs.
4, 5, 8 and 9.

6.40 Thence
40.04 S.89°56'W., on a true line, bet. secs. 5 and 8.
Over level land, through dense undergrowth.
Wood road, brs. NE. and SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} S 5 \\ \frac{1}{4} S 8 \\ 1918 \end{array}$$

Survey of the
Subdivision of T. 14 S., R. 5 W.

Chains.

60.10 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 80.08 Wood road, brs. N. and S.
 The cor. of secs. 5, 6, 7 and 8.
 Land, level.
 Soil, sandy adobe, 1st rate.
 No timber.
 Undergrowth, mesquite and greasewood.
 Good growth of grass.

40.00 West on a random line, bet. secs. 6 and 7.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.45 Intersect W. bdy. of Tp., 3 lks. S. of the cor. of secs. 1, 6, 7 and 12, hereinbefore described.
 Thence
 S. 89° 59' E., on a true line, bet. secs. 6 and 7.
 Over level land, through dense undergrowth.
 5.45 Wash, 10 lks. wide, course SW.
 31.15 Road, brs. NW. and SE.
 39.45 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \text{ S } 6 \\ \text{S } 7 \\ 1918 \end{array}$$

79.45 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 The cor. of secs. 5, 6, 7 and 8.
 Land, level.
 Soil, sandy adobe, 1st rate.
 No timber.
 Undergrowth, mesquite and greasewood.

40.00 N. 0° 3' W., bet. secs. 5 and 6.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.15 Intersect N. bdy. of Tp., 28 lks. W. of the cor. of secs. 5, 6, 31 and 32, hereinbefore described.
 Thence
 S. 0° 9' W., on a true line, bet. secs. 5 and 6.
 Over level land, through dense undergrowth.
 12.15 Wash, 10 lks. wide, 2 ft. deep, course W.
 20.65 Wash, 8 lks. wide, course SW.
 40.15 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 6 \text{ | } \text{S } 5 \\ 1918 \end{array}$$

57.35 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
 Wash, 10 lks. wide, course W.
 76.35 Dim road, brs. NE. and SW.
 80.15 The cor. of secs. 5, 6, 7 and 8.
 Land, level.
 Soil, sandy adobe, 1st rate.
 No timber.
 Undergrowth, greasewood and mesquite.

Boundaries of T. 14 S., R. 5 W.

Latitudes, departures and closing errors.

Line designated.	True bearing.	Dist. chs.	Latitudes.		Departures.	
			N. chs.	S. chs.	E. chs.	W. chs.
South Boundary.	West.	479.54				479.54
West Boundary.	North.	480.00	480.00			
North Boundary.	N.89°56'E.	479.76	.56		479.76	
East Boundary.	South.	480.00		480.00		
Convergency.					.46	
Totals.			480.56	480.00	480.22	479.54
Error in latitude			480.00		479.54	
Error in departure			.56		.68	

GENERAL DESCRIPTION.

This township is level, rolling and hilly. Soil, 1st, 2nd and 4th rate. Good natural grasses on the level land. Most of the township is covered with greasewood, mesquite, ironwood, cholla, ocotilla, giant cactus, etc. E. A. Lewis has a homestead in secs. 1, 2, 11 and 12, and has a good well of water 100 feet deep. No other settlers in township.

CERTIFICATE OF UNITED STATES ~~SURVEYOR~~ ^{TRANSITMAN.}

I, Loyd E. Sechrist, ~~U. S. Surveyor~~ ^{Transitman.}, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 84, Arizona.

bearing date of the 12th day of July, 191 7, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the
North boundary and subdivision lines of
TOWNSHIP 14 SOUTH, RANGE 5 WEST.

of the Gila and Salt
River Base & Meridian, in the State of Arizona, which are represented in the foregoing field notes ^{and by diagram on page 1 hereof} as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 84, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

*St. Michaels, Ariz.
June 4, 1920.*

Loyd E. Sechrist
U. S. ~~Surveyor~~ ^{Transitman.}

~~APPROVAL.~~

~~OFFICE OF THE UNITED STATES SURVEYOR GENERAL,~~

~~101~~

~~The foregoing field notes of the survey of~~

~~executed by~~
~~under his special instructions dated~~ ~~101~~ ~~having been~~
~~critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys~~
~~they describe, are hereby approved.~~

~~U. S. Surveyor General.~~

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~
~~has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General.~~

CERTIFICATE OF UNITED STATES SURVEYOR

I, William H. Thorn, U.S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 84, Arizona, bearing date of the 12th day of July, 1917, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of South and West boundaries and subdivision lines of

TOWNSHIP 14 SOUTH, RANGE 5 WEST,

of the Gila and Salt River Base & Meridian, in the State of Arizona, which are represented in the foregoing field notes and by diagram on page 1 hereof as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 84, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Phoenix, Arizona, June 8, 1920.

William H. Thorn, U.S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, June 18, 1920.

The foregoing field notes of the survey of the South, West and North boundaries, and subdivision lines of TOWNSHIP 14 SOUTH, RANGE 5 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by W.H. Thorn, U.S. Surveyor, and Loyd E. Sechrist, U.S. Transitman, under special instructions dated July 12, 1917, for Group 84, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Fred A. Smith, U.S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in has been correctly copied from the original notes on file in this office.