

3348

Book "F"  
4-678

Original

47

BOOK 3348

# FIELD NOTES

OF THE SURVEY OF THE

South, West and North boundaries, and

subdivision lines of

TOWNSHIP 14 SOUTH, RANGE 6 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

W. H. Thorn, U. S. Surveyor,

and

Loyd E. Sechrist, U.S. Transitman,

*In the capacity of U.S. Surveyors*

~~In the capacity of U. S. Surveyor~~, under Special Instructions dated July 12, 1917,

issued by the United States Surveyor General to govern surveys included in Group

No. 84, which were approved by the Commissioner of the General Land

Office, July 25, 1917, and Assignment Instructions dated Dec. 20, 1917

Survey commenced April 10, 1918

Survey completed April 18, 1918

3348

3348

48  
1A

BOOK 3348

3348  
Book "F"

Group 84 - - - Arizona.

Township 14 south, Range 6 West.

INDEX DIAGRAM.

	Township				Range						
	10	10	11	11	12	12	12	12			
9	6	39	5	31	4	26	8	21	2	17	1
	38	38	31	26	21	16					
8	7	37	8	30	9	25	10	21	11	16	12
	37	36	30	25	20	16					
8	18	36	17	30	16	24	15	20	14	16	13
	36	35	29	24	19	15					
7	19	35	20	29	21	24	22	19	23	15	24
	34	34	28	23	19	14					
7	30	33	29	28	28	23	27	18	26	14	25
	33	32	27	22	18	15					
6	31	32	32	27	33	22	34	17	35	13	36
	5	5	4	4	3	3					

T.14S. R.6W.

———— Lines surveyed under this group.

----- Unsurveyed.

3348  
Book "F"

Group 84 - - -Arizona.

Township 14 South, Range 6 West.

DATE DIAGRAM.

BOOK 3348

	<del>4-13-18</del>	<del>4-10-18</del>	<del>4-10-18</del>	<del>4-10-18</del>	<del>4-10-18</del>	<del>4-10-18</del>
<del>4-12-18</del>	6	5	4	3	2	1
<del>4-18-18</del>	<del>4-18-18</del>	<del>4-18-18</del>	<del>4-17-18</del>	<del>4-16-18</del>	<del>4-16-18</del>	<del>4-12-18</del>
<del>4-12-18</del>	7	8	9	10	11	12
<del>4-18-18</del>	<del>4-18-18</del>	<del>4-17-18</del>	<del>4-17-18</del>	<del>4-16-18</del>	<del>4-16-18</del>	<del>4-12-18</del>
<del>4-12-18</del>	18	17	16	15	14	13
<del>4-17-18</del>	<del>4-17-17</del>	<del>4-17-18</del>	<del>4-15-18</del>	<del>4-15-18</del>	<del>4-16-18</del>	<del>4-12-18</del>
<del>4-12-18</del>	19	20	21	22	23	24
<del>4-17-18</del>	<del>4-17-17</del>	<del>4-16-18</del>	<del>4-15-18</del>	<del>4-15-18</del>	<del>4-15-18</del>	<del>4-11-18</del>
<del>4-11-18</del>	30	29	28	27	26	25
<del>4-16-18</del>	<del>4-16-18</del>	<del>4-16-18</del>	<del>4-15-18</del>	<del>4-15-18</del>	<del>4-15-18</del>	<del>4-11-18</del>
<del>4-11-18</del>	31	32	33	34	35	36
<del>4-16-18</del>	<del>4-16-18</del>	<del>4-15-18</del>	<del>4-15-18</del>	<del>4-15-18</del>	<del>4-11-18</del>	<del>4-11-18</del>
	<del>4-11-18</del>	<del>4-11-18</del>	<del>4-10-18</del>	<del>4-10-18</del>	<del>4-10-18</del>	<del>4-10-18</del>

Lines surveyed on dates shown in black on above diagram by William H. Thorn, U.S. Surveyor.

Lines surveyed on dates shown in red on above diagram by Loyd E. Sechrist, U.S. Transitman.

Survey of the South bdy. of Township 14 South, Range 6 West. 3

Chains.

Survey executed by Wm. H. Thorn, U. S. Surveyor and Loyd E. Sechrist, U. S. Transitman, on dates shown on page 1 hereof, using respectively Young and Sons light mountain transit No. 8592 and Buff solar transit No. 10125, each instrument being equipped with Smith solar attachment. For description of instruments, certificate of approval and field tests of adjustments, see Book "C".

25.00 From the cor. of Ts. 14 and 15 S., Rs. 5 and 6 W., described in Book "E",  
40.00 West bet. secs. 1 and 36.  
Over level land, through dense undergrowth.  
Wash, 12 lks. wide, course N.80°W.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S36  
S 1  
1918

80.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.  
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, marked on brass cap

T14S R6W  
S35 | S36  
S 2 | S 1  
T15S  
1918

From which  
A mesquite, 15 ins. diam., brs. S.59 1/4°W.,  
298 lks. dist., marked T15S R6W S2 BT.  
No other trees within limits. Dig pits, 18 X 18 X 12 ins.,  
in each sec., 5 1/2 ft. dist.  
Land, level.  
Soil, sandy adobe, 1st rate.  
No timber.  
Undergrowth, greasewood and mesquite,  
Poor growth of grass.

40.00 West bet. secs. 2 and 35.  
Over level land, through dense undergrowth.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S35  
S 2  
1918

47.50 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.  
80.00 Wash, 8 lks. wide, course SW.  
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, marked on brass cap

T14S R6W  
S34 | S35  
S 3 | S 2  
T15S  
1918

From which  
A mesquite, 8 ins. diam., brs. S.35 1/2°E.,  
100 lks. dist., marked T15S R6W S2 BT.  
A mesquite, 8 ins. diam., brs. N.2°W.,  
258 lks. dist., marked T14S R6W S34 BT.

Survey of the  
South Boundary of T.14 S., R. 6 W.

Chains.

No other trees within limits. Dig pits, 18 X 18 X 12 ins.,  
in each sec., 5½ ft. dist.  
Land, level.  
Soil, sandy adobe, 1st rate.  
No timber.  
Undergrowth, mesquite and greasewood.

West bet. secs. 3 and 34.  
Over level land, through dense undergrowth.  
35.00 Wash, 6 lks. wide, course S.80°W.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for ¼ sec. cor., marked on brass cap

1 S34  
4 S 3  
1918

From which

A mesquite, 12 ins. diam., brs. N.58°W.,  
58 lks. dist., marked ¼S34 BT.  
A mesquite, 6 ins. diam., brs. S.28°W.,  
12 lks. dist., marked ¼S3 BT.

43.40 Wash, 8 lks. wide, course SW.  
44.10 Road, brs. N. and S.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 3, 4, 33 and 34, marked on  
brass cap

T14S R6W  
S33|S34  
S 4|S 3  
T15S  
1918

From which

A mesquite, 12 ins. diam., brs. S.4½°E.,  
96 lks. dist., marked T15S R6W S3 BT.

No other trees within limits. Dig pits, 18 X 18 X 12 ins.,  
in each sec., 5½ ft. dist.  
Land, level.  
Soil, sandy adobe, 1st rate.  
No timber.  
Undergrowth, mesquite and greasewood.

West bet. secs. 4 and 33.  
Over level land, through dense undergrowth.  
25.00 Wash, 8 lks. wide, course N.75°W.  
40.00 Road, brs. N.85°W. and S.85°E.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for ¼ sec. cor., marked on brass cap

1 S33  
4 S 4  
1918

From which

A mesquite, 14 ins. diam., brs. N.83½°E.,  
95 lks. dist., marked ¼S33 BT.  
A mesquite, 12 ins. diam., brs. S.83½°E.,  
161 lks. dist., marked ¼S4 BT.

64.20 Wash, 8 lks. wide, course N.60°W.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 4, 5, 32 and 33, marked on  
brass cap

Survey of the South Boundary of T. 14 S., R. 6 W.

Chains.

T14S	R6W
S32	S33
S 5	S 4
T15S	
1918	

From which

- A mesquite, 16 ins. diam., brs. S.  $59\frac{1}{2}^{\circ}$  E., 154 lks. dist., marked T15S R6W S4 BT.
- A mesquite, 10 ins. diam., brs. S.  $82\frac{1}{2}^{\circ}$  W., 263 lks. dist., marked T15S R6W S5 BT.
- A mesquite, 15 ins. diam., brs. N.  $81^{\circ}$  W., 153 lks. dist., marked T14S R6W S32 BT.

No other trees within limits. Dig pits, 18 X 18 X 12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist.

Land, level.

Soil, sandy adobe, 1st rate.

No timber.

Undergrowth, mesquite and greasewood.

10.00  
40.00

West bet. secs. 5 and 32.

Over level land, through dense undergrowth.

Draw, course N.  $85^{\circ}$  W.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$	S32
$\frac{1}{4}$	S 5
1918	

From which

- A mesquite, 4 ins. diam., brs. N.  $61\frac{1}{2}^{\circ}$  E., 10 lks. dist., marked  $\frac{1}{4}$ S32 BT.
- A mesquite, 7 ins. diam., brs. S.  $13\frac{1}{2}^{\circ}$  E., 18 lks. dist., marked  $\frac{1}{4}$ S5 BT.

62.40  
76.70  
80.00

Draw, course NW.

Road, brs. NW. and SE.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, marked on brass cap

T14S	R6W
S31	S32
S 6	S 5
T15S	
1918	

Dig pits, 18 X 18 X 12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist.

Land, level.

Soil, sandy adobe, 1st rate.

No timber.

Undergrowth, mesquite and greasewood.

17.00  
40.00

West bet. secs. 6 and 31.

Over level land, through dense undergrowth.

Wash, 30 lks. wide, 5 ft. deep, course N.  $60^{\circ}$  W.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$	S31
$\frac{1}{4}$	S 6
1918	

6

Survey of the  
South Boundary of T. 14 S., R. 6 W.

Chains.

From which  
 A mesquite, 14 ins. diam., brs. N.72°W.,  
 19 lks. dist., marked  $\frac{1}{2}$ S31 BT.  
 A mesquite, 7 ins. diam., brs. S.53°E.,  
 40 lks. dist., marked  $\frac{1}{2}$ S6 BT.

41.20 Wash, 60 lks. wide, 3 ft. deep, course NW.  
 50.00 Leave level, enter mountainous land, brs. NW. and SE.  
 Asc. 290 ft.  
 79.54 Set an iron post, 3 ft. long, 3 ins. diam., 6 ins. in the  
 ground, in a mound of stone, 4 ft. base, 2 $\frac{1}{2}$  ft. high,  
 for cor. of Ts. 14 and 15 S., Rs. 6 and 7 W., marked on  
 brass cap

T14S  
 R7W | R6W  
 S36 | S31  
 ---  
 S 1 S 6  
 T15S  
 1918

And raise a mound of stone, 2 $\frac{1}{2}$  ft. base, 2 ft. high, S.  
 of cor.  
 Land, level and mountainous.  
 Soil, sandy adobe, 1st rate: and rocky, 4th rate.  
 No timber.  
 Undergrowth, mesquite, palo verde, ironwood, greasewood,  
 rosin brush and cactus.

Survey of the  
West Boundary of T. 14 S., R. 6 W.

From the cor. of Ts. 14 and 15 S., Rs. 6 and 7 W., here-  
 inbefore described,  
 North bet. secs. 31 and 36.  
 Over mountainous land, through dense undergrowth.  
 Desc. 295 ft.

23.38 Wash, 80 lks. wide, course N.70°W. Asc. gradually.  
 26.78 Road, brs. N.70°W. to Growler Pass and S.85°E.  
 36.88 Road, brs. N.80°W. and S.80°E. Leave rolling land, brs.  
 N.75°W. and S.75°E. Asc. 255 ft.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of  
 stone, 4 ft. base, 3 ft. high, for  $\frac{1}{4}$  sec. cor., marked  
 on brass cap

T14S  
 S36 | S31  
 S  
 1918

And raise a mound of stone, 2 $\frac{1}{2}$  ft. base, 2 ft. high, W.  
 of cor.  
 46.66 Desc. 95 ft.  
 66.57 Canyon, course S.15°W. Asc. 210 ft.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the  
 ground, in a mound of stone, 3 ft. base, 2 ft. high,  
 for cor. of secs. 25, 30, 31 and 36, marked on brass cap


T14S  
 R7W | R6W  
 S25 | S30  
 ---  
 S36 | S31  
 1918

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, W.  
 of cor.  
 Land, mountainous and rolling.  
 Soil, rocky, 4th rate.  
 No timber.  
 Undergrowth, palo verde, mesquite, ironwood, greasewood,  
 rosin brush and cactus.


Survey of the  
West Boundary of T. 14 S., R. 6 West.

Chains.

North bet. secs. 25 and 30.  
Over mountainous land, through dense undergrowth.  
Asc. 375 ft.  
19.39 Spur, slopes SE. Continue ascent.  
29.32 Desc. 675 ft.  
32.91 Cliff, 20 ft. high, brs. E. and W.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap




And raise a mound of stone, 2 $\frac{1}{2}$  ft. base, 2 ft. high, W.  
of cor.  
63.89 Wash, 8 lks. wide, course W. Asc. 30 ft.  
65.60 Road, brs. E. and W.  
69.97 Desc. 15 ft.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the  
ground, in a mound of stone, 2 ft. base, 1 ft. high,  
for cor. of secs. 19, 24, 25 and 30, marked on brass cap




And raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$  ft. high, W.  
of cor.  
Land, mountainous.  
Soil, rocky and gravelly, 4th rate.  
No timber.  
Undergrowth, palo verde, ironwood, greasewood, rosin brush  
and cactus.

North bet. secs. 19 and 24.  
Over rolling land, through dense undergrowth.  
Asc. 145 ft.  
24.98 Thence along W. slope.  
35.00 Asc. 260 ft., over mountainous land.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap



And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, W.  
of cor.  
67.23 Spur, slopes E. Desc. 90 ft.  
79.37 Road, brs. N.10°W. and S.20°E. Asc. 15 ft.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the  
ground, in a mound of stone, 2 ft. base, 1 ft. high,  
for cor. of secs. 13, 18, 19 and 24, marked on brass  
cap



And raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$  ft. high, W.  
of cor.  
Land, rolling and mountainous.  
Soil, gravelly and rocky, 3rd and 4th rates.  
No timber.



Survey of the West Boundary of T. 14 S., R. 6 W.

Chains.

Undergrowth, palo verde, ironwood, greasewood, rosin brush and cactus.

North bet. secs. 13 and 18.

Over mountainous land, through dense undergrowth. Asc. 335 ft.


9.94 Divide, brs. N.10°E. and S.10°W. Continue ascent.

12.12 Prospect hole brs. West 0.50 chs. dist.

24.23 Same divide, brs. NW. and SE. Desc. 45 ft.

29.19 Asc. 65 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for 1/4 sec. cor., marked on brass cap




And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Desc. 300 ft.

45.83 Top of mountain brs. West about 600 ft. above this point.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, marked on brass cap



And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, mountainous.

Soil, rocky, 4th rate.

No timber.

Undergrowth, palo verde, ironwood, greasewood, rosin brush and cactus.

North bet. secs. 7 and 12.


Over rolling land, through dense undergrowth.

Desc. 55 ft.

19.30 Wash, 20 lks. wide, course E. Thence over level land.

28.40 Wash, 8 lks. wide, course NE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



Dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.

58.80 Wash, 40 lks. wide, 2 ft. deep, course E.

75.00 Wash, 14 lks. wide, course SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, marked on brass cap



Survey of the  
West Boundary of T. 14 S., R. 6 W.

Chains.

From which

A mesquite, 6 ins. diam., brs. S.37°W.,  
53 lks. dist., marked T14S R7W S12 BT.

A mesquite, 12 ins. diam., brs. N.43°W.,  
70 lks. dist., marked T14S R7W S1 BT.

No other trees within limits. Raise a mound of stone, 2  
ft. base, 1½ ft. high, W. of cor.

Land, rolling and level.

Soil, sandy, gravelly and rocky, 2nd and 3rd rates.

No timber.

Undergrowth, mesquite, greasewood, ironwood, palo verde,  
and cactus.


North bet. secs. 1 and 6.

Over level land, through dense undergrowth.

35.40 Wash, 30 lks. wide, course °E.

37.30 Wash, 20 lks. wide, course SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the  
ground, in a mound of stone, 3 ft. base, 2½ ft. high,  
for ¼ sec. cor., marked on brass cap



And raise a mound of stone, 3 ft. base, 2 ft. high, W.  
of cor.

66.00 Wash, 60 lks. wide, course SE. Asc. 150 ft.

76.49 Desc. 60 ft.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., on bed rock,  
in a mound of stone, 6 ft. base, 3 ft. high, for cor.  
of Ts. 13 and 14 S., Rs. 6 and 7 W., marked on brass  
cap



And raise a mound of stone, 5 ft. base, 3 ft. high, S.  
of cor.

Land, level and mountainous.

Soil, gravelly and rocky, 2nd and 4th rates.

No timber.

Undergrowth, palo verde, mesquite, ironwood and greasewood.

Survey of the North Boundary of T. 14 S., R. 6 W.

Chains.

From the cor. of Ts. 13 and 14 W., Rs. 5 and 6 W., described in Book "E", West on a random line, along the N. bdy. of T. 14 S., R. 6 W., setting temp. 1/4 sec. and sec. cors. at intervals of 40.00 chs.; and at 479.12 chs., fall 9 lks. N. of the cor. of Ts. 13 and 14 S., Rs. 6 and 7 W., hereinbefore described. The falling answers to a correction of 0°1', or 2 lks. S. per mile, counting from the NE. cor. of the Tp. Therefore

4.60  
23.20  
28.20  
39.12

N.89°59'E., on a true line, bet. secs. 6 and 31. Over rolling land, through dense undergrowth. Asc. 90 ft. Desc. 120 ft.

Draw, course N. Asc. 25 ft.

Low ridge, brs. NE. and SW. Desc. 85 ft.

Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for 1/4 sec. cor., marked on brass cap

1/4 S31  
S 6  
1918

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

Asc. 190 ft.

56.20  
79.12

Desc. 200 ft.

Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground, in a mound of stone, for cor. of secs. 5, 6, 31 and 32, marked on brass cap

T13S R6W  
S31 | S32  
S 6 | S 5  
T14S  
1918

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Land, rolling.

Soil, rocky, 4th rate.

No timber.

Undergrowth, greasewood, mesquite, cactus and palo verde.

8.03  
40.00

N.89°59'E., on a true line, bet. secs. 5 and 32. Over rolling land, through dense undergrowth.

Wash, 40 lks. wide, 6 ft. deep, course S. Asc. very gradually.

Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, for 1/4 sec. cor., marked on brass cap

1/4 S32  
S 5  
1918

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

79.30  
80.00

Wash, 30 lks. wide, 3 ft. deep, course S.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, marked on brass cap

T13S R6W  
S32 | S33  
S 5 | S 4  
T14S  
1918

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Land, rolling.

Survey of the  
North Boundary of T. 14 S., R. 6 W.

Chains.

Soil, gravelly and rocky, 3rd rate.  
No timber.  
Undergrowth, greasewood, mesquite, palo verde and cactus.

N. 89° 59' E., on a true line, bet. secs. 4 and 33.  
Over level land, through dense undergrowth.  
13.80 Wash, 170 lks. wide, 2 ft. deep, course S. 20° W.  
16.90 Wash, 50 lks. wide, 2 ft. deep, course S.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for 1/4 sec. cor., marked on brass cap

1/4 S 33  
S 4  
1918

From which

A mesquite, 12 ins. diam., brs. N. 10° W.,  
118 lks. dist., marked 1/4 S 33 BT.  
A mesquite, 6 ins. diam., brs. S. 28 1/2° W.,  
121 lks. dist., marked 1/4 S 4 BT.  
49.80 Wash, 20 lks. wide, 5 ft. deep, course S. 10° W.  
78.00 Wash, 15 lks. wide, 3 ft. deep, course S.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
ground, for cor. of secs. 3, 4, 33 and 34, marked on  
brass cap

T 13 S R 6 W  
S 33 | S 34  
S 4 | S 3  
T 14 S  
1918

From which

A mesquite, 18 ins. diam., brs. N. 65° E.,  
158 lks. dist., marked T 13 S R 6 W S 34 BT.  
A mesquite, 7 ins. diam., brs. S. 54 1/2° E.,  
130 lks. dist., marked T 14 S R 6 W S 3 BT.  
A mesquite, 17 ins. diam., brs. S. 67 1/2° W.,  
113 lks. dist., marked T 14 S R 6 W S 4 BT.  
A mesquite, 12 ins. diam., brs. N. 30 1/2° W.,  
269 lks. dist., marked T 13 S R 6 W S 33 BT.

Land, level.  
Soil, gravelly clay, 3rd rate.  
No timber.  
Undergrowth, greasewood, mesquite and palo verde.

N. 89° 59' E., on a true line, bet. secs. 3 and 34.  
Over level land, through dense undergrowth.  
0.70 Wash, 15 lks. wide, 2 ft. deep, course S.  
6.80 Road, brs. N. 20° E. and S. 20° W.  
38.95 Wash, 15 lks. wide, 1 ft. deep, course S.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for 1/4 sec. cor., marked on brass cap

1/4 S 34  
S 3  
1918

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.  
dist.

65.20 Road, brs. N. and S.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
ground, for cor. of secs. 2, 3, 34 and 35, marked on  
brass cap

Survey of the North Boundary of T. 14 S., R. 6 W.

Chains.

T13S R6W  
 S34 | S35  
 ---  
 S 31 S 2  
 T14S  
 1918

From which

A mesquite, 10 ins. diam., brs. S.68 $\frac{1}{2}$ °E.,  
 247 lks. dist., marked T14S R6W S2 BT.  
 No other trees within limits. Dig pits, 18 X 18 X 12 ins.,  
 in each sec., 5 $\frac{1}{2}$  ft. dist.  
 Land, level.  
 Soil, sandy and gravelly clay, 2nd rate.  
 No timber.  
 Undergrowth, greasewood, mesquite and palo verde.

N.89°59'E., on a true line, bet. secs. 2 and 35.  
 Over level land, through dense undergrowth.

- 2.60 Wash, 25 lks. wide; 2 ft. deep, course S.
- 9.50 Wash, 100 lks. wide, 4 ft. deep, course S.10°W.
- 20.70 Wash, 15 lks. wide; 2 ft. deep; course S.
- 28.20 Road, brs. NW. and SE.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S35  
 ---  
 S 2  
 1918

From which

- A mesquite, 7 ins. diam., brs. N.5 $\frac{1}{4}$ °E.,  
 126 lks. dist., marked  $\frac{1}{4}$ S35 BT.
- A mesquite, 10 ins. diam., brs. S.17 $\frac{1}{2}$ °E.,  
 174 lks. dist., marked  $\frac{1}{4}$ S2 BT.
- 49.10 Wash, 30 lks. wide; 3 ft. deep, course S.
- 58.10 Wash, 35 lks. wide; 3 ft. deep, course S.30°W.
- 80.00 Set an iron post; 3 ft. long, 2 ins. diam., 26 ins. in the  
 ground, for cor. of secs. 1, 2, 35 and 36, marked on  
 brass cap

T13S R6W  
 S35 | S36  
 ---  
 S 2 | S 1  
 T14S  
 1918

From which

A mesquite, 14 ins. diam., brs. N.48 $\frac{1}{2}$ °W.,  
 165 lks. dist., marked T13S R6W S35 BT.  
 No other trees within limits. Dig pits; 18 X 18 X 12 ins.,  
 in each sec., 5 $\frac{1}{2}$  ft. dist.  
 Land, level.  
 Soil, sandy and gravelly clay, 3rd rate.  
 No timber.  
 Undergrowth, mesquite, greasewood and palo verde.

N.89°59'E., on a true line, bet. secs. 1 and 36.  
 Over level land, through dense undergrowth.

- 36.00 Road, brs. NW. and SE.
- 37.10 Wash, 30 lks. wide, 4 ft. deep, course S.10°W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S36  
 ---  
 S 1  
 1918

Survey of the  
North Boundary of T. 14 S., R. 6 W.

Chains.

From which

A mesquite, 7 ins. diam., brs. N.32 $\frac{1}{2}$ °W.,  
240 lks. dist., marked  $\frac{1}{4}$ S36 BT.

A mesquite, 10 ins. diam., brs. S.65 $\frac{3}{4}$ °E.,  
59 lks. dist., marked  $\frac{1}{4}$ S1 BT.

78.10 Wash, 15 lks. wide, 2 ft. deep, course S.  
80.00 The cor. of Ts. 13 and 14 S., Rs. 5 and 6 W.  
Land, level.  
Soil, gravelly, 3rd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

Survey of the  
Subdivision of T. 14 S., R. 6 W.


From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of  
Tp., hereinbefore described,  
N.0°1'W., bet. secs. 35 and 36.

Over level land, through dense undergrowth.

7.65 Wash, 15 lks. wide, 2 ft. deep, course W.


23.40 Wash, 15 lks. wide, 2 ft. deep, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.  
dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
ground, for cor. of secs. 25, 26, 35 and 36, marked on  
brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$  ft. dist.

Land, level.

Soil, sandy and gravelly clay, 2nd rate.

No timber.

Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 25 and 36.

80.04 Set temp.  $\frac{1}{4}$  sec. cor.

Intersect E. bdy. of Tp., 3 lks. N. of the cor. of secs.  
25, 30, 31 and 36, described in Book "E".


Thence

N.89°59'W., on a true line, bet. secs. 25 and 36.

Over level land, through dense undergrowth.

3.55 Road, brs. N.10°W. and S.10°E.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.  
dist.

76.25 Wash, 20 lks. wide, 1 ft. deep, course N.70°W.

80.04 The cor. of secs. 25, 26, 35 and 36.

Land, level.

Soil, sandy and gravelly clay, 2nd rate.

14

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

No timber.  
Undergrowth, greasewood, mesquite and palo verde.  
Sparse growth of grass.

	N.0°1'W., bet. secs. 25 and 26.
	Over level land, through dense undergrowth.
2.10	Wash, 15 lks. wide, 1 ft. deep, course W.
34.80	Wash, 40 lks. wide, 2 ft. deep, course NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

	$\frac{1}{4}$
S26	S25
	1918

From which

	A mesquite, 10 ins. diam., brs. N.26°E., 34 lks. dist., marked $\frac{1}{4}$ S25 BT.
	A mesquite, 10 ins. diam., brs. N.71°W., 9 lks. dist., marked $\frac{1}{4}$ S26 BT.
75.90	Wash, 10 lks. wide, 1 ft. deep, course W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap

T14S	R6W
S23	S24
S26	S25
	1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$  ft. dist.  
Land, level.  
Soil, sandy and gravelly clay, 3rd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00	East on a random line, bet. secs. 24 and 25.
	Set temp. $\frac{1}{4}$ sec. cor.
80.01	Intersect E. bdy. of Tn., 5 lks. N. of the cor. of secs. 19, 24, 25 and 30, described in Book "B".

Thence

	N.89°58'W., on a true line, bet. secs. 24 and 25.
	Over level land, through dense undergrowth.
3.10	Wash, 20 lks. wide, 4 ft. deep, course NW.
40.00 $\frac{1}{2}$	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S24
	S25
	1918

From which

	A mesquite, 6 ins. diam., brs. N.81 $\frac{1}{2}$ °W., 185 lks. dist., marked $\frac{1}{4}$ S24 BT.
	A mesquite, 10 ins. diam., brs. S.76°E., 87 lks. dist., marked $\frac{1}{4}$ S25 BT.
80.01	The cor. of secs. 23, 24, 25 and 26.


Land, level.  
Soil, sandy clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

N.0°1'W., bet. secs. 23 and 24.

Survey of the  
Subdivision of T. 14 S., R. 6 W.


Chains.

6.75 Over level land, through dense undergrowth.  
40.00 Wash, 40 lks. wide, 8 ft. deep, course N.70°W.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for 1/4 sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

54.10 Wash, 12 lks. wide, 4 ft. deep, course N.60°W.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
ground, cor. cor. of secs. 13, 14, 23 and 24, marked on  
brass cap




Dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.  
Land, level.  
Soil, sandy clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 13 and 24.  
80.00 Set temp. 1/4 sec. cor.  
Intersect E. bdy. of Tp., 15 lks. N. of the cor. of secs.  
13, 18, 19 and 24, described in Book "E".

Thence  
N.89°54'W., on a true line, bet. secs. 13 and 24.


40.00 Over level land, through dense undergrowth.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for 1/4 sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

80.00 The cor. of secs. 13, 14, 23 and 24.  
Land, level.  
Soil, sandy clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

26.50 N.0°1'W., bet. secs. 13 and 14.  
40.00 Over level land, through dense undergrowth.  
Wash, 20 lks. wide, 4 ft. deep, course N.70°W.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for 1/4 sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

70.10 Wash, 45 lks. wide, 2 ft. deep, course W.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
ground, for cor. of secs. 11, 12, 13 and 14, marked on  
brass cap



Survey of the  
Subdivision of T. 14 S., R. 6 W.

16  
chains.

T14S R6W  
S11 | S12  
S14 | S13  
1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.  
Land, level.  
Soil, sandy clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 12 and 13.  
80.00 Set temp. ¼ sec. cor.  
Intersect E. bdy. of Tp., 12 lks. N. of the cor. of secs.  
7, 12, 13 and 18, described in Book "E".  
Thence  
N.89°55'W., on a true line, bet. secs. 12 and 13.  
Over level land, through dense undergrowth.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for ¼ sec. cor., marked on brass cap

1 S12  
4 S13  
1918

44.65 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.  
80.00 dist.  
Wash, 25 lks. wide, 3 ft. deep, course SW.  
The cor. of secs. 11, 12, 13 and 14.  
Land, level.  
Soil, sandy clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

32.70 N.0°1'W., bet. secs. 11 and 12.  
40.00 Over level land, through dense undergrowth.  
Wash, 20 lks. wide, 1 ft. deep, course W.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for ¼ sec. cor., marked on brass cap

1  
S11 | S12  
1918

49.50 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.  
80.00 dist.  
Wash, 20 lks. wide, 4 ft. deep, course S.80°W.  
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
ground, for cor. of secs. 1, 2, 11 and 12, marked on  
brass cap

T14S R6W  
S 2 | S 1  
S11 | S12  
1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.  
Land, level.  
Soil, sandy and gravelly clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 1 and 12.  
Set temp. ¼ sec. cor.

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.  
80.00 Intersect E. bdy. of Tp., 5 lks. N. of the cor. of secs. 1, 6, 7 and 12, described in Book "E".  
Thence  
N.89°58'W., on a true line, bet. secs. 1 and 12.  
Over level land, through dense undergrowth  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S1  
S12  
1918

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.  
57.00 Wash, 30 lks. wide, 2 ft. deep, course SW.  
80.00 The cor. of secs. 1, 2, 11 and 12.  
Land, level.  
Soil, sandy clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00 N.0°1'W., on a random line, bet. secs. 1 and 2.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.01 Intersect N. bdy. of Tp., 5 lks. E. of the cor. of secs. 1, 2, 35 and 36, hereinbefore described.  
Thence  
S.0°3'E., on a true line, bet. secs. 1 and 2.  
Over level land, through dense undergrowth.  
40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
S 2 | S 1  
1918

From which  
A mesquite, 8 ins. diam., brs. N.89 $\frac{1}{2}$ °E.,  
176 lks. dist., marked  $\frac{1}{4}$ S1 BT.  
A mesquite, 12 ins. diam., brs. N.83 $\frac{3}{4}$ °W.,  
77 lks. dist., marked  $\frac{1}{4}$ S2 BT.  
71.80 Wash, 260 lks. wide, 6 ft. deep, course SW.  
80.01 The cor. of secs. 1, 2, 11 and 12.  
Land, level.  
Soil, sandy clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

18.80 From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of  
40.00  $\frac{1}{4}$  Tp., hereinbefore described,  
N.0°1'W., bet. secs. 34 and 35.  
Over level land, through dense undergrowth.  
Wash, 15 lks. wide, 1 ft. deep, course W.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
S34 | S35  
1918

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, marked on brass cap

Survey of the  
Subdivision of T. 14 S., R. 6 W.

18

Chains.

T14S R6W	
S27	S26
S34	S35
1918	

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$  ft. dist.  
 Land, level.  
 Soil, sandy clay, 2nd rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 26 and 35.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.02 Intersect N. and S. line, 4 lks. N. of the cor. of secs.  
 25, 26, 35 and 36.

Thence  
 N. 89° 58' W., on a true line, bet. secs. 26 and 35.  
 Over level land, through dense undergrowth.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$ S26
$\frac{1}{4}$ S35
1918

80.02 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.  
 dist.  
 The cor. of secs. 26, 27, 34 and 35.  
 Land, level  
 Soil, sandy and gravelly clay, 2nd rate.  
 No timber.  
 Undergrowth, palo verde, mesquite and greasewood.

40.00 N. 0° 1' W., bet. secs. 26 and 27.  
 Over level land, through dense undergrowth.  
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

S27	S26
1918	

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.  
 dist.  
 41.50 Wash, 35 lks. wide, 6 ft. deep, course W.  
 50.45 Wash, 20 lks. wide, 2 ft. deep, course W.  
 67.00 Wash, 20 lks. wide, 2 ft. deep, course W.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
 ground, for cor. of secs. 22, 23, 26 and 27, marked on  
 brass cap

T14S R6W	
S22	S23
S27	S26
1918	

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$  ft. dist.  
 Land, level.  
 Soil, sandy and gravelly loam, 2nd rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.	<p>East on a random line, bet. secs. 23 and 26.          40.00 Set temp. <math>\frac{1}{4}</math> sec. cor.          80.04 Intersect N. and S. line, at the cor. of secs. 23, 24, 25 and 26.          Thence          West on a true line, bet. secs. 23 and 26.          Over level land, through dense undergrowth.          18.05 Wash, 40 lks. wide, 3 ft. deep, course S.30°W.          36.55 Wash, 15 lks. wide, 1 ft. deep, course N.70°W.          40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., marked on brass cap</p> <div style="text-align: center;"> <math display="block">\begin{array}{r} \frac{1}{4} S23 \\ \frac{1}{4} S26 \\ \hline 1918 \end{array}</math> </div> <p>Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.</p> <p>80.04 The cor. of secs. 22, 23, 26 and 27.          Land, level.          Soil, sandy clay, 2nd rate.          No timber.          Undergrowth, greasewood and mesquite.</p>
<p>12.50          40.00</p>	<p>N.0°1'W., bet. secs. 22 and 23.          Over level land, through dense undergrowth.          Wash, 15 lks. wide, 1 ft. deep, course W.          Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., marked on brass cap</p> <div style="text-align: center;"> <math display="block">\begin{array}{r} \frac{1}{4} \\ S22 \mid S23 \\ \hline 1918 \end{array}</math> </div> <p>Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.</p>
<p>80.00</p>	<p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap</p> <div style="text-align: center;"> <math display="block">\begin{array}{r} T14S R6W \\ S15 \mid S14 \\ \hline S22 \mid S23 \\ \hline 1918 \end{array}</math> </div> <p>Dig pits, 18 X 18 X 12 ins., in each sec., 5<math>\frac{1}{2}</math> ft. dist.          Land, level.          Soil, sandy clay, 2nd rate.          No timber.          Undergrowth, greasewood and mesquite.</p>
<p>40.00          80.07          40.03<math>\frac{1}{2}</math></p>	<p>East on a random line, bet. secs. 14 and 23.          Set temp. <math>\frac{1}{4}</math> sec. cor.          Intersect N. and S. line, 3 lks. S. of the cor. of secs. 13, 14, 23 and 24.          Thence          S.89°59'W., on a true line, bet. secs. 14 and 23.          Over level land, through dense undergrowth.          Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., marked on brass cap</p> <div style="text-align: center;"> <math display="block">\begin{array}{r} \frac{1}{4} S14 \\ \frac{1}{4} S23 \\ \hline 1918 \end{array}</math> </div> <p>Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.</p>

chains.

80.07 The cor. of secs. 14, 15, 22 and 23.  
 Land, level.  
 Soil, sandy clay, 2nd rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

39.63 N.0°1'W., bet. secs. 14 and 15.  
 Over level land, through dense undergrowth.  
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for witness cor. to  $\frac{1}{4}$  sec. cor., marked on  
 brass cap

W C  
 $\frac{1}{4}$   
 S15 | S14  
 1918

From which  
 A mesquite, 12 ins. diam., brs. N.70°E., 31 lks.  
 dist., marked WC  $\frac{1}{4}$ S14 BT.  
 A mesquite, 16 ins. diam., brs. N.82°W., 16 lks.  
 dist., marked WC  $\frac{1}{4}$ S15 BT.

40.00 The true point for  $\frac{1}{4}$  sec. cor. falls in wash, 80 lks. wide,  
 7 ft. deep, course S.70°W.

50.10 Wash, 160 lks. wide, 4 ft. deep, course SW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
 ground, for cor. of secs. 10, 11, 14 and 15, marked on  
 brass cap

T14S R6W  
 S10 | S11  
 S15 | S14  
 1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$  ft. dist.  
 Land, level.  
 Soil, sandy and gravelly clay, 2nd rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 11 and 14.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.02 Intersect N. and S. line, 2 lks. S. of the cor. of secs.  
 11, 12, 13 and 14.

Thence  
 S.89°59'W., on a true line, bet. secs. 11 and 14.  
 Over level land, through dense undergrowth.

33.50 Wash, 30 lks. wide, 4 ft. deep, course SW.

39.70 Wash, 25 lks. wide, 4 ft. deep, course S.20°W.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S11  
 $\frac{1}{4}$  S14  
 1918

From which  
 A mesquite, 8 ins. diam., brs. N.60°E.,  
 85 lks. dist., marked  $\frac{1}{4}$ S11 BT.  
 A mesquite, 10 ins. diam., brs. S.7°W.,  
 43 lks. dist., marked  $\frac{1}{4}$ S14 BT.

47.60 Wash, 60 lks. wide, 5 ft. deep, course S.30°W.

74.05 Wash, 20 lks. wide, 2 ft. deep, course S.

80.02 The cor. of secs. 10, 11, 14 and 15.

Land, level.  
 Soil, sandy clay, 2nd rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

N.0°1'W., bet. secs. 10 and 11.  
Over level land, through dense undergrowth.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
 S10 | S11  
 1918

From which  
 A mesquite, 5 ins. diam., brs. S.20 $\frac{3}{4}$ °E.,  
 72 lks. dist., marked  $\frac{1}{4}$ S11 BT.  
 A mesquite, 12 ins. diam., brs. N.58°W.,  
 143 lks. dist., marked  $\frac{1}{4}$ S10 BT.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
ground, for cor. of secs. 2, 3, 10 and 11, marked on  
brass cap

T14S R6W  
 S 3 | S 2  
 S10 | S11  
 1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$  ft. dist.  
 Land, level.  
 Soil, sandy and gravelly clay, 2nd rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 2 and 11.  
Set temp.  $\frac{1}{4}$  sec. cor.  
79.94 Intersect N. and S. line, 2 lks. S. of the cor. of secs.  
1, 2, 11 and 12.

Thence  
 S.89°59'W., on a true line, bet. secs. 2 and 11.  
 Over level land, through dense undergrowth.

2.75 Wash, 35 lks. wide, 4 ft. deep, course SW.  
 5.55 Wash, 70 lks. wide, 6 ft. deep, course SW.  
 11.75 Wash, 30 lks. wide, 4 ft. deep, course S.20°W.  
 39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S 2  
 S11  
 1918

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.  
dist.

76.15 Wash, 15 lks. wide, 1 ft. deep, course S.  
79.94 The cor. of secs. 2, 3, 10 and 11.  
Land, level.  
Soil, sandy and gravelly clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00 N.0°1'W., on a random line, bet. secs. 2 and 3.  
Set temp.  $\frac{1}{4}$  sec. cor.  
79.91 Intersect N. bdy. of Tp., 9 lks. E. of the cor. of secs.  
2, 3, 34 and 35, hereinbefore described.

Thence  
 S.0°5'E., on a true line, bet. secs. 2 and 3.  
 Over level land, through dense undergrowth.

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

39.91 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
S 3 | S 2  
1918

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

71.50 Wash, 20 lks. wide, 1 ft. deep, course S.20°E.

79.91 The cor. of secs. 2, 3, 10 and 11.

Land, level.

Soil, sandy and gravelly clay, 3rd rate.

No timber.

Undergrowth, greasewood and mesquite.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of Tp., hereinbefore described,

N.0°2'W., bet. secs. 33 and 34.

Over level land, through dense undergrowth.

30.00 Wash, 6 lks. wide, course S.75°W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
S33 | S34  
1918

From which

A mesquite, 6 ins. diam., brs. N.37°E.,  
96 lks. dist., marked  $\frac{1}{4}$ S34 BT.

A mesquite, 12 ins. diam., brs. N.18 $\frac{1}{2}$ °W.,  
131 lks. dist., marked  $\frac{1}{4}$ S33 BT.

50.30 Wash, 8 lks. wide, course S.80°W.

73.30 Wash, 12 lks. wide, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap

T14S R6W  
S28 | S27  
S33 | S34  
1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$  ft. dist.

Land, level.

Soil, 1st rate.

No timber.

Undergrowth, greasewood and mesquite.

East on a random line, bet. secs. 27 and 34.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.99 Intersect N. and S. line; at the cor. of secs. 26, 27, 34 and 35.

Thence

West on a true line, bet. secs. 27 and 34.

Over level land, through dense undergrowth.

37.85 Road, brs. N. and S.

39.99 $\frac{1}{2}$  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap


$\frac{1}{4}$  S27  
S34  
1918

Survey of the  
Subdivision of T. 14 S., R. 6 W.


Chains

79.99 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.  
The cor. of secs. 27, 28, 33 and 34.  
Land, level.  
Soil, sandy and gravelly clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

6.70 N.0°2'W., bet. secs. 27 and 28.  
Over level land, through dense undergrowth.  
Wash, 8 lks. wide, course W.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap




75.30 From which  
80.00 A mesquite, 14 ins. diam., brs. N.34°W.,  
25 lks. dist., marked  $\frac{1}{4}$ S28 BT.  
No other trees within limits. Dig pits, 18 X 18 X 12 ins.,  
N. and S. of post, 3 ft. dist.  
Wash, 20 lks. wide, 2 ft. deep, course W.  
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 21, 22, 27 and 28, marked on  
brass cap



Dig pits, 18 X 18 X 12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist.  
Land, level.  
Soil, 1st rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 22 and 27.  
Set temp.  $\frac{1}{4}$  sec. cor.  
79.95 Intersect N. and S. line, at the cor. of secs. 22, 23, 26  
and 27.

30.65 Thence  
39.97 $\frac{1}{2}$  West on a true line, bet. secs. 22 and 27.  
Over level land, through dense undergrowth.  
Road, brs. N. and S.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap




73.60 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.  
79.95 dist.  
Wash, 15 lks. wide, 2 ft. deep, course N.60°W.  
The cor. of secs. 21, 22, 27 and 28.  
Land, level.  
Soil, sandy clay, 2nd rate.  
No timber.  
Undergrowth, greasewood and mesquite.




Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

N.0°2'W., bet. secs. 21 and 22.  
 Over level land, through dense undergrowth.  
 2.40 Wash, 10 lks. wide, 1 ft. deep, course W.  
 8.00 Wash, 12 lks. wide, 1 ft. deep, course W.  
 30.30 Wash, 20 lks. wide, 2 ft. deep, course SW.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.  
 dist.  
 60.00 Wash, 60 lks. wide, 6 ft. deep, course SW.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground, for cor. of secs. 15, 16, 21 and 22, marked on  
 brass cap




From which

- A mesquite, 5 ins. diam., brs. N.79°E.,  
104 lks. dist., marked T14S R6W S15 BT.
- A mesquite, 9 ins. diam., brs. S.32°E.,  
77 lks. dist., marked T14S R6W S22 BT.
- A mesquite, 12 ins. diam., brs. S.53°W.,  
32 lks. dist., marked T14S R6W S21 BT.
- A mesquite, 10 ins. diam., brs. N.57°W.,  
21 lks. dist., marked T14S R6W S16 BT.

Land, level.  
 Soil, 1st rate.  
 No timber.  
 Undergrowth, mesquite, palo verde, cat claw and greasewood.

40.00 East on a random line, bet. secs. 15 and 22.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.91 Intersect N. and S. line, at the cor. of secs. 14, 15, 22  
 and 23.

Thence  
 West on a true line, bet. secs. 15 and 22.  
 Over level land, through dense undergrowth.  
 21.90 Road, brs. N. and S.  
 39.95 $\frac{1}{2}$  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap




Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.  
 dist.  
 48.90 Wash, 40 lks. wide, 4 ft. deep, course SW.  
 56.60 Wash, 150 lks. wide, 4 ft. deep, course SW.  
 79.91 The cor. of secs. 15, 16, 21 and 22.


Land, level.  
 Soil, sandy clay, 2nd rate.  
 No timber.  
 Undergrowth, mesquite and greasewood.

40.00 N.0°2'W., bet. secs. 15 and 16.  
 Over level land, through dense undergrowth.  
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

Chains.




From which  
 A mesquite, 8 ins. diam., brs. N.67 $\frac{1}{2}$ °W.,  
 149 lks. dist., marked  $\frac{1}{4}$ S16 BT.  
 No other trees within limits. Dig pits, 18 X 18 X 12 ins.,  
 N. and S. of post, 3 ft. dist.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground, for cor. of secs. 9, 10, 15 and 16, marked on  
 brass cap



From which  
 A mesquite, 8 ins. diam., brs. S.46 $\frac{1}{2}$ °W.,  
 128 lks. dist., marked T14S R6W S16 BT.  
 A mesquite, 12 ins. diam., brs. N.57°W.,  
 157 lks. dist., marked T14S R6W S9 BT.  
 No other trees within limits. Dig pits, 18 X 18 X 12 ins.,  
 in each sec., 5 $\frac{1}{2}$  ft. dist.  
 Land, level.  
 Soil, 1st rate.  
 No timber.  
 Undergrowth, mesquite and greasewood.

40.00 East on a random line, bet. secs. 10 and 15.  
 79.97 Set temp.  $\frac{1}{4}$  sec. cor.  
 Intersect N. and S. line, 2 lks. S. of the cor. of secs.  
 10, 11, 14 and 15.

Thence  
 S.89°59'W., on a true line, bet. secs. 10 and 15.  
 Over level land, through dense undergrowth.  
 15.00 Road, brs. N. and S.  
 39.98 $\frac{1}{2}$  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap



From which  
 A mesquite, 10 ins. diam., brs. N.79 $\frac{1}{4}$ °W.,  
 20 lks. dist., marked  $\frac{1}{4}$ S10 BT.  
 A mesquite, 4 ins. diam., brs. S.73 $\frac{1}{2}$ °W.,  
 107 lks. dist., marked  $\frac{1}{4}$ S15 BT.  
 79.97 The cor. of secs. 9, 10, 15 and 16.  
 Land, level.  
 Soil, sandy and gravelly clay, 2nd rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

10.00 N.0°2'W., bet. secs. 9 and 10.  
 20.00 Over level land, through dense undergrowth.  
 31.60 Wash, course S.5°W., from N.  
 40.00 Leave wash, course S., from N.5°W.  
 Same wash, 16 lks. wide, course S.5°W.  
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

S 9 | S10  
1918

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

- 57.10 Wash, 24 lks. wide, 3 ft. deep, course S.5°E.
- 63.00 Same wash, 20 lks. wide, 4 ft. deep, course SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap

T14S R6W  
S 4 | S 3  
S 9 | S10  
1918

From which

- A mesquite, 14 ins. diam., brs. N.79 $\frac{1}{2}$ °E., 154 lks. dist., marked T14S R6W S3 BT.
- A mesquite, 10 ins. diam., brs. S.82°E., 76 lks. dist., marked T14S R6W S10 BT.
- A mesquite, 8 ins. diam., brs. S.61°W., 119 lks. dist., marked T14S R6W S9 BT.
- A mesquite, 12 ins. diam., brs. N.29 $\frac{1}{2}$ °W., 138 lks. dist., marked T14S R6W S4 BT.

Land, level.  
Soil, sandy loam and adobe, 1st rate.  
No timber.  
Undergrowth, greasewood and mesquite.

- 40.00 East on a random line, bet. secs. 3 and 10.
- 80.03 Set temp.  $\frac{1}{4}$  sec. cor. Intersect N. and S. line, 8 lks. S. of the cor. of secs. 2, 3, 10 and 11. Thence, S.89°57'W., on a true line, bet. secs. 3 and 10. Over level land, thru dense undergrowth.
- 13.38 Road, brs. N. and S. through dense undergrowth.
- 34.08 Wash, 15 lks. wide, 1 ft. deep, course S.
- 40.01 $\frac{1}{2}$  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S 3  
S10  
1918

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

- 75.18 Wash, 25 lks. wide, 4 ft. deep, course S.
- 80.03 The cor. of secs. 3, 4, 9 and 10.

Land, level.  
Soil, sandy and gravelly clay, 3rd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

- 40.00 N.0°2'W., on a random line, bet. secs. 3 and 4.
- 79.97 Set temp.  $\frac{1}{4}$  sec. cor. Intersect N. bdy. of Tp., 5 lks. E. of the cor. of secs. 3, 4, 33 and 34, hereinbefore described. Thence S.0°4'E., on a true line, bet. secs. 3 and 4. Over level land, through dense undergrowth.
- 14.05 Wash, 12 lks. wide, course S.15°E.

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

14.35 Ajo and Bates well road, brs. NE. and SW.  
22.25 Wash, 12 lks. wide, course S.15°E.  
39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

S 4<sup>1</sup>/<sub>4</sub> S 3

1918

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.  
dist.

42.95 Dim road, brs. NW. and SE.  
79.97 The cor. of secs. 3, 4, 9 and 10.  
Land, level.  
Soil, sandy loam, 1st rate.  
No timoer.  
Undergrowth, greasewood and mesquite.

From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of  
Tp., hereinbefore described,  
N.0°2'W., bet. secs. 32 and 33.

Over level land, through dense undergrowth.  
2.00 Wash, 6 lks. wide, course W.  
7.75 Road, brs. E. and W.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

S32<sup>1</sup>/<sub>4</sub> S33

1918

From which

A mesquite, 7 ins. diam., brs. N.26°E.,  
187 lks. dist., marked  $\frac{1}{4}$ S33 BT.

A mesquite, 10 ins. diam., brs. N.31 $\frac{1}{2}$ °W.,  
150 lks. dist., marked  $\frac{1}{4}$ S32 BT.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 28, 29, 32 and 33, marked on  
brass cap

T14S R6W  
S29|S28

S32|S33  
1918

From which

A mesquite, 10 ins. diam., brs. N.29°E.,  
148 lks. dist., marked T14S R6W S28 BT.

A mesquite, 16 ins. diam., brs. S.29 $\frac{1}{2}$ °E.,  
62 lks. dist., marked T14S R6W S33 BT.

A mesquite, 6 ins. diam., brs. S.31°W.,  
111 lks. dist., marked T14S R6W S32 BT.

A mesquite, 9 ins. diam., brs. N.42°W.,  
51 lks. dist., marked T14S R6W S29 BT.

Land, level.  
Soil, 1st rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 28 and 33.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.05 Intersect N. and S. line, 2 lks. N. of the cor. of secs.  
27, 28, 33 and 34.  
Thence  
N.89°59'W., on a true line, bet. secs. 28 and 33.  
Over level land, through dense undergrowth.

Chains.

40.02 $\frac{1}{2}$  Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S28  
 $\frac{1}{4}$  S33  
1918

From which

A mesquite, 8 ins. diam., brs. N.25 $\frac{1}{2}$ °W.,  
21 lks. dist., marked  $\frac{1}{4}$ S28 BT.

A mesquite, 8 ins. diam., brs. S.28 $\frac{1}{2}$ °W.,  
39 lks. dist., marked  $\frac{1}{4}$ S33 BT.

80.05 The cor. of secs. 28, 29, 32 and 33.

Land, level.

Soil, 1st rate.

No timber.

Undergrowth, greasewood and mesquite.

N.0°2'W., bet. secs. 28 and 29.

Over level land, through dense undergrowth.

35.00 Wash, 45 lks. wide, 6 ft. deep, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
S29 | S28  
1918

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

58.00 Wash, 60 lks. wide, 6 ft. deep, course SW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, marked on brass cap.

T14S R6W  
S20 | S21  
~~S29 | S28~~  
1918

From which

A mesquite, 6 ins. diam., brs. N.72 $\frac{1}{2}$ °E.,  
180 lks. dist., marked T14S R6W S21 BT.

No other trees within limits. Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$  ft. dist.

Land, level.

Soil, sandy loam and adobe, 1st rate.

No timber.

Undergrowth, greasewood and mesquite.

East on a random line, bet. secs. 21 and 28.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line, 5 lks. S. of the cor. of secs. 21, 22, 27 and 28.

Thence

S.89°58'W., on a true line, bet. secs. 21 and 28.

Over level land, through dense undergrowth.

9.40 Wash, 30 lks. wide, 2 ft. deep, course N.80°W.

22.80 Wash, 45 lks. wide, 5 ft. deep, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S21  
 $\frac{1}{4}$  S28  
1918


Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains. Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.  
 51.40 Wash, 60 lks. wide, 6 ft. deep, course SW.  
 59.75 Wash, 12 lks. wide, 6 ft. deep, course S.15°W.  
 80.00 The cor. of secs. 20, 21, 28 and 29.  
 Land, level.  
 Soil, sandy loam and adobe, 1st rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

40.00 N.0°2'W., bet. secs. 20 and 21.  
 Over level land, through dense undergrowth.  
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



80.00 From which  
 A mesquite, 8 ins. diam., brs. S.19°E.,  
 123 lks. dist., marked 1/4 S21 BT.  
 A mesquite, 7 ins. diam., brs. N.22 1/4°W.,  
 150 lks. dist., marked 1/4 S20 BT.  
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap



From which  
 A mesquite, 5 ins. diam., brs. N.25°W.,  
 159 lks. dist., marked T14S R6W S17 BT.  
 No other trees within limits. Dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.  
 Land, level.  
 Soil, sandy loam and adobe, 1st rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 16 and 21.  
 79.98 Set temp. 1/4 sec. cor.  
 Intersect N. and S. line, 10 lks. S. of the cor. of secs. 15, 16, 21 and 22.

39.99 Thence  
 S.89°56'W., on a true line, bet. secs. 16 and 21.  
 Over level land, through dense undergrowth.  
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



79.98 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.  
 The cor. of secs. 16, 17, 20 and 21.  
 Land, level.  
 Soil, sandy loam and adobe, 1st rate.  
 No timber.  
 Undergrowth, greasewood and mesquite.

78

Survey of the  
Subdivision of T. 14 S., R. 6 W.

30

Chains

N.0°2'W., bet. secs. 16 and 17.  
Over level land, through dense undergrowth.  
24.20 Wash, 35 lks. wide, 4 ft. deep, course SW.  
27.20 Wash, 40 lks. wide, course SW.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
S17 | S16  
1918

From which

A mesquite, 10 ins. diam., brs. N.40°E.,  
42 lks. dist., marked  $\frac{1}{4}$ S16 BT.

A mesquite, 12 ins. diam., brs. S.59 $\frac{1}{2}$ °W.,  
108 lks. dist., marked  $\frac{1}{4}$ S17 BT.

72.00 Ajo, Bates well and Growler mine road, brs. N.20°E. and SW  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 8, 9, 16 and 17, marked on  
brass cap

T14S. R6W  
S 8 | S 9  
S17 | S16  
1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$  ft. dist.  
Land, level.  
Soil, sandy loam, 1st rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00 East on a random line, bet. secs. 9 and 16.  
Set temp.  $\frac{1}{4}$  sec. cor.  
79.96 Intersect N. and S. line, 7 lks. S. of the cor. of secs.  
9, 10, 15 and 16.

Thence

S.89°57'W., on a true line, bet. secs. 9 and 16.  
Over level land, through dense undergrowth.

4.95 Wash, course S.  
39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S 9  
S16  
1918

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.  
dist.

65.85 Wash, 30 lks. wide, 4 ft. deep, course S.  
69.95 Wash, 25 lks. wide, 2 ft. deep, course SE.  
76.75 Road, to Ajo and Bates well, brs. N.15°E. and S.20°W.  
79.96 The cor. of secs. 8, 9, 16 and 17.

Land, level.

Soil, sandy loam and adobe, 1st rate.  
No timber.  
Undergrowth, greasewood and mesquite.

16.80 N.0°2'W., bet. secs. 8 and 9.  
Over level land, through dense undergrowth.  
22.90 Wash, 25 lks. wide, 3 ft. deep, course SE.  
37.40 Same wash, 25 lks. wide, 3 ft. deep, course SW.  
40.00 Same wash, 20 lks. wide, 2 ft. deep, course SE.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

S 8<sup>1</sup>/<sub>4</sub> S 9  
1918

From which

A mesquite, 6 ins. diam., brs. S.48°W.,  
47 lks. dist., marked <sup>1</sup>/<sub>4</sub>S8 BT.

No other trees within limits. Dig pits, 18 X 18 X 12 ins.,  
N. and S. of post, 3 ft. dist.

43.30  
80.00

Same wash, 30 lks. wide, 2 ft. deep, course SW.  
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 4, 5, 8 and 9, marked on brass  
cap

T14S R6W  
S 5 S 4  
S 8 S 9  
1918

Dig pits, 18 X 18 X 12 ins., in each sec., 5<sup>1</sup>/<sub>2</sub> ft. dist.  
Land, level.  
Soil, sandy loam and adobe, 1st rate.  
No timber.  
Undergrowth, greasewood, mesquite and palo verde.

40.00  
80.00

East on a random line, bet. secs. 4 and 9.  
Set temp. <sup>1</sup>/<sub>4</sub> sec. cor.  
Intersect N. and S. line, 2 lks. N. of the cor. of secs.  
3, 4, 9 and 10.

31.70  
40.00

Thence  
N.89°59'W., on a true line, bet. secs. 4 and 9.  
Over level land, through dense undergrowth.  
Adje and Bates Well road, brs. NE. and SW.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for <sup>1</sup>/<sub>4</sub> sec. cor., marked on brass cap

<sup>1</sup>/<sub>4</sub> S 4  
S 9  
1918

48.00  
75.20  
80.00

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.  
dist.  
Wash, 20 lks. wide, 3 ft. deep, course S.  
Wash, 25 lks. wide, 2 ft. deep, course S.  
The cor. of secs. 4, 5, 8 and 9.  
Land, level.  
Soil, sandy loam and adobe, 1st rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00  
80.10

N.0°2'W., on a random line, bet. secs. 4 and 5.  
Set temp. <sup>1</sup>/<sub>4</sub> sec. cor.  
Intersect N. bdy. of Tp., 16 lks. E. of the cor. of secs.  
4, 5, 32 and 33, hereinbefore described.

16.50  
27.30  
36.50  
40.10

Thence  
S.0°9'E., on a true line, bet. secs. 4 and 5.  
Over level land, through dense undergrowth.  
Wash, 16 lks. wide, 3 ft. deep, course SE.  
Wash, 20 lks. wide, 3 ft. deep, course S.10°W.  
Wash, 20 lks. wide, 2 ft. deep, course SE.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for <sup>1</sup>/<sub>4</sub> sec. cor., marked on brass cap



32

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

S 5<sup>1/4</sup> S 4  
1918

From which

A palo verde, 10 ins. diam., brs. N.85°E.,  
65 lks. dist., marked <sup>1</sup>/<sub>4</sub>S4 BT.

No other trees within limits. Dig pits, 18 X 18 X 12 ins.,  
N. and S. of post, 3 ft. dist.

45.10 Wash, 70 lks. wide, course S.10°W.

67.60 Same wash, 30 lks. wide, course S.10°E.

80.10 The cor. of secs. 4, 5, 8 and 9.

Land, level.

Soil, sandy loam, 1st rate.

No timber.

Undergrowth, palo verde, mesquite and ironwood.

From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of  
Tp., hereinbefore described,

N.0°3'W., bet. secs. 31 and 32.

Over level land, through dense undergrowth.

2.50 Road, brs. NW. and SE.

11.40 Wash, 10 lks. wide, 3 ft. deep, course W.

14.60 Road, brs. E. to Wall's Well and W. to Bates Well and  
Growler Mine.

23.50 Wash, 15 lks. wide, 3 ft. deep, course W.

29.60 Wash, 30 lks. wide, 3 ft. deep, course W.

35.00 Wash, 60 lks. wide, 4 ft. deep, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for <sup>1</sup>/<sub>4</sub> sec. cor., marked on brass cap.

S31<sup>1/4</sup> S32  
1918

From which

A mesquite, 26 ins. diam., brs. S.81<sup>1</sup>/<sub>4</sub>°E.,  
99 lks. dist., marked <sup>1</sup>/<sub>4</sub>S32 BT.

A mesquite, 14 ins. diam., brs. S.18°W.,  
59 lks. dist., marked <sup>1</sup>/<sub>4</sub>S31 BT.

51.20 Wash, 45 lks. wide, course S.5°W.

70.00 Asc. 25 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground, for cor. of secs. 29, 30, 31 and 32, marked on  
brass cap.

T14S R6W  
S30 | S29  
S31 | S32  
1918

And raise a mound of stone, 3 ft. base, 2<sup>1</sup>/<sub>2</sub> ft. high, W.  
of cor.

Land, level and rolling.

Soil, sandy loam and adobe, 1st rate; malpais formation,  
4th rate.

40.00 East on a random line, bet. secs. 29 and 32.

80.08 Set temp. <sup>1</sup>/<sub>4</sub> sec. cor.

Intersect N. and S. line, at the cor. of secs. 28, 29, 32  
and 33.

Thence

West on a true line, bet. secs. 29 and 32.

Over level land, through dense undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the

Survey of the  
Subdivision of T. 14 S., R. 6 W.

chains.

ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S29  
 $\frac{1}{4}$  S32  
 1918

From which

A mesquite, 12 ins. diam., brs. N.28°W.,  
114 lks. dist., marked  $\frac{1}{4}$ S29 BT.

A mesquite, 7 ins. diam., brs. S.46°W., 68 lks. dist. mkd  $\frac{1}{4}$ S32BT

45.08 Wash, SW., 120 lks. wide., marked  $\frac{1}{4}$ S32 BT.

57.70 Wash, 12 lks. wide, 3 ft. deep, course S.

65.40 Wash, 40 lks. wide, 5 ft. deep, course SW.

77.00 Wash, 10 lks. wide, course SW.

80.08 The cor. of secs. 29, 30, 31 and 32.  
Land, level.  
Soil, sandy loam and adobe, 1st rate, E. 70 chs.; remainder,  
rocky, 3rd rate.  
No timber.  
Undergrowth, mesquite and greasewood.

40.00 West on a random line, bet. secs. 30 and 31.  
Set temp.  $\frac{1}{4}$  sec. cor.

79.54 Intersect W. bdy. of Tp., at the cor. of secs. 25, 30, 31  
and 36, hereinbefore described.

Thence

East on a true line, bet. secs. 30 and 31.  
Over mountainous land, through dense undergrowth.  
Desc. 115 ft.

4.80 Wash, course S. Asc. 295 ft.

18.05 Ridge, brs. NW. and SE. Desc. 235 ft.

25.80 Asc. 135 ft.

35.45 Desc. 490 ft.

39.54 Set an iron post, 3 ft. long, 1 in. diam., on bed rock, in  
a mound of stone, 4 ft. base, 3 ft. high, for  $\frac{1}{4}$  sec. cor.,  
marked on brass cap

$\frac{1}{4}$  S30  
 $\frac{1}{4}$  S31  
 1918

And raise a mound of stone, 2 $\frac{1}{2}$  ft. base, 2 ft. high, N.  
of cor.

79.54 Continue descent.  
The cor. of secs. 29, 30, 31 and 32.  
Land, mountainous.  
Soil, rocky, malpais formation, 4th rate.  
No timber.  
Undergrowth, greasewood, palo verde, ironwood, rosin brush  
and cactus.

N.0°3'W., bet. secs. 29 and 30.  
Over level land, through dense undergrowth.

2.20 Wash, 20 lks. wide, course S.70°E.

15.00 Foot of mountain, brs. NE. and SW. Asc. 180 ft.

29.52 Point of spur, slopes NE. Desc. 170 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., on bed rock, in  
a mound of stone, 4 ft. base, 3 ft. high, for  $\frac{1}{4}$  sec. cor.,  
marked on brass cap

$\frac{1}{4}$   
 S30 | S29  
 1918

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

47.45 And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  
Foot of mountain, brs. W. and SE. Wash, course SE. Thence over level land.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap

T14S R6W  
S19 | S20  
-----  
S30 | S29  
1918

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  
Land, level and mountainous.  
Soil, gravelly and rocky, 2nd and 4th rates.  
No timber.  
Undergrowth, palo verde, mesquite, greasewood, ironwood and rosin brush.

40.00 East on a random line, bet. secs. 20 and 29.  
Set temp.  $\frac{1}{4}$  sec. cor.

80.18 Intersect N. and S. line, at the cor. of secs. 20, 21, 28 and 29.  
Thence  
West on a true line, bet. secs. 20 and 29.  
Over level land, through dense undergrowth.

8.90 Wash, 50 lks. wide, 6 ft. deep, course SW.

40.09 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S20  
-----  
S29  
1918

80.18 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.  
The cor. of secs. 19, 20, 29 and 30.  
Land, level.  
Soil, sandy loam and adobe, 1st rate.  
No timber.  
Undergrowth, mesquite and greasewood.

40.00 West on a random line, bet. secs. 19 and 30.  
Set temp.  $\frac{1}{4}$  sec. cor.

79.34 Intersect W. bdy. of Tp., 3 lks. N. of the cor. of secs. 19, 24, 25 and 30, hereinbefore described.  
Thence  
N. 89° 59' E., on a true line, bet. secs. 19 and 30.  
Over rolling land, through dense undergrowth.  
Asc. 65 ft.

19.35 Low ridge, brs. N. and S. Desc. 30 ft.

26.75 Wash, 20 lks. wide, 2 ft. deep, course S. 10° E.  
Thence over gently rolling land.

39.34 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S19  
-----  
S30  
1918

53.05 And raise a mound of stone, 2 ft. base, 1  $\frac{1}{2}$  ft. high, N. of cor.  
Road, brs. N. 60° E. and S. 60° W.

55.15 Wash, 30 lks. wide, 6 ft. deep, course S. 80° E.


79.34 The cor. of secs. 19, 20, 29 and 30.

Survey of the  
Subdivision of T. 14 S., R. 6 W.


Chains.

Land, rolling and gently rolling.  
Soil, gravelly and rocky, 3rd and 4th rates.  
No timber.  
Undergrowth, palo verde, greasewood, cactus and mesquite.

17.60 N.0°3'W., bet. secs. 19 and 20.  
32.50 Over rolling land, through dense undergrowth.  
40.00 Road, brs. N.60°E. and S.60°W.  
Wash, 25 lks. wide, 1 ft. deep, course SE. Asc. 230 ft.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap




64.30 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.  
75.15 Desc. 180 ft.  
80.00 Wash, 15 lks. wide, 3 ft. deep, course E. Asc. 10 ft.  
Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for cor. of secs. 17, 18, 19 and 20, marked on brass cap



And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.  
Land, rolling and mountainous.  
Soil, gravelly and rocky, 4th rate.  
No timber.  
Undergrowth, greasewood and cactus.

40.00 East on a random line, bet. secs. 17 and 20.  
80.19 Set temp. 1/4 sec. cor.  
Intersect N. and S. line, at the cor. of secs. 16, 17, 20 and 21.

Thence  
7.30 West on a true line, bet. secs. 17 and 20.  
9.55 Over level land, through dense undergrowth.  
12.00 Wash, 40 lks. wide, 1 ft. deep, course S.  
14.00 Wash, 50 lks. wide, 2 ft. deep, course S.  
18.70 Wash, 90 lks. wide, 6 ft. deep, course S.  
34.40 Wash, 50 lks. wide, 3 ft. deep, course S.  
40.09 1/2 Wash, 50 lks. wide, 2 ft. deep, course S.20°W.  
Road, brs. N.15°E. and S.15°W.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



42.10 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.  
80.19 Wash, 25 lks. wide, 2 ft. deep, course S.30°E.  
The cor. of secs. 17, 18, 19 and 20.  
Land, level.  
Soil, sandy and gravelly clay, 2nd and 3rd rates.  
No timber.  
Undergrowth, greasewood and mesquite.

36

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

West on a random line, bet. secs. 18 and 19.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.31 Intersect W. bdy. of Tp.; 2 lks. S. of the cor. of secs.  
 13, 18, 19 and 24, hereinbefore described.  
 Thence  
 S.  $89^{\circ}59'$  E., on a true line, bet. secs. 18 and 19.  
 Over rolling land, through dense undergrowth.  
 Asc. gradually.  
 10.05 Spur, slopes SE. Desc. 45 ft.  
 18.00 Wash, 20 lks. wide, 2 ft. deep, course SE.  
 26.90 Wash, 50 lks. wide, 1 ft. deep, course S.  $20^{\circ}$  W. Asc. 25  
 ft.  
 30.40 Desc. 55 ft.  
 34.70 Asc. 125 ft.  
 39.31 Set an iron post, 3 ft. long, 1 in. diam., in a mound of  
 stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \text{ S18} \\ \frac{1}{4} \text{ S19} \\ \hline 1918 \end{array}$$

And raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N.  
 of cor.

41.35 Spur, slopes S.  $15^{\circ}$  E. Desc. 185 ft.  
 75.70 Wash, 20 lks. wide, 5 ft. deep, course S.  
 79.31 The cor. of secs. 17, 18, 19 and 20.  
 Land, rolling and mountainous.  
 Soil, rocky, 4th rate.  
 No timber.  
 Undergrowth, greasewood, cactus and palo verde.

N.  $0^{\circ}3'$  W., bet. secs. 17 and 18.  
 Over mountainous land, through dense undergrowth.  
 Asc. 165 ft.  
 11.07 Top of hill. Desc. 120 ft.  
 20.54 Wash, 30 lks. wide, 8 ft. deep, course E. Asc. 155 ft.  
 28.14 Top of hill. Desc. 155 ft.  
 38.58 Wash, 30 lks. wide, 3 ft. deep, course E. Thence over  
 gently rolling land.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \\ \text{S18} \mid \text{S17} \\ \hline 1918 \end{array}$$

And raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W.  
 of cor.

57.20 Wash, 30 lks. wide, 5 ft. deep, course E. Asc. 30 ft.  
 68.00 Low ridge, brs. E. and S.  $75^{\circ}$  W. Desc. 30 ft.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
 ground, for cor. of secs. 7, 8, 17 and 18, marked on  
 brass cap

$$\begin{array}{r} \text{T14S R6W} \\ \text{S 7} \mid \text{S 8} \\ \hline \text{S18} \mid \text{S17} \\ \hline 1918 \end{array}$$

Dig pits, 18 X 18 X 12 ins., in each sec.,  $5\frac{1}{2}$  ft. dist.  
 Land, gently rolling and mountainous.  
 Soil, gravelly and rocky, 3rd and 4th rates.  
 No timber.  
 Undergrowth, greasewood, cactus, mesquite and palo verde.

East on a random line, bet. secs. 8 and 17.

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.25 Intersect N. and S. line, 2 lks. N. of the cor. of secs.  
8, 9, 16 and 17.  
Thence  
N.  $89^{\circ}59'W.$ , on a true line, bet. secs. 8 and 17.  
Over level land, through dense undergrowth.  
17.55 Wash, 80 lks. wide, 4 ft. deep, course  $S.20^{\circ}E.$   
37.95 Enter wash, course  $SE.$ , from W.  
40.12 $\frac{1}{2}$  Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the  
ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on  
brass cap

$\frac{1}{4}$  S 8  
SI 7  
1918

From which  
A palo verde, 12 ins. diam., brs.  $N.40\frac{1}{2}^{\circ}W.$ ,  
48 lks. dist., marked  $\frac{1}{4}$ S8 BT.  
A mesquite, 10 ins. diam., brs.  $S.5^{\circ}E.$ ,  
10 lks. dist., marked  $\frac{1}{4}$ SI7 BT.

53.85 Leave wash, course  $E.$ , from NW.  
78.05 Wash, 80 lks. wide, 2 ft. deep, course  $SE.$   
80.25 The cor. of secs. 7, 8, 17 and 18.  
Land, level.  
Soil, sandy and gravelly clay, 2nd rate.  
No timber.  
Undergrowth, greasewood, mesquite, cat claw and palo verde.

40.00 West on a random line, bet. secs. 7 and 18.  
Set temp.  $\frac{1}{4}$  sec. cor.  
79.23 Intersect W. bdy. of Tp., 6 lks. N. of the cor. of secs.  
7, 12, 13 and 18, hereinbefore described.  
Thence  
N.  $89^{\circ}57'E.$ , on a true line, bet. secs. 7 and 18.  
Over gently rolling land, through dense undergrowth.  
Desc. very gradually.  
37.55 Wash, 60 lks. wide, 6 ft. deep, course  $NE.$   
39.23 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the  
ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked  
on brass cap

$\frac{1}{4}$  S 7  
SI 8  
1918

And raise a mound of stone,  $2\frac{1}{2}$  ft. base, 2 ft. high, N.  
of cor.

79.23 The cor. of secs. 7, 8, 17 and 18.  
Land, gently rolling.  
Soil, gravelly and rocky, 4th rate.  
No timber.  
Undergrowth, greasewood, cactus and palo verde.

2.70 N.  $0^{\circ}3'W.$ , bet. secs. 7 and 8.  
12.90 Over level land, through dense undergrowth.  
Wash, 80 lks. wide, 2 ft. deep, course  $SE.$   
40.00 Wash, 60 lks. wide, 6 ft. deep, course  $SE.$   
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

S 7  $\frac{1}{4}$  S 8  
1918

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.  
dist.

38

Survey of the  
Subdivision of T. 14 S., R. 6 W.

Chains.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap

$$\begin{array}{r} \text{T14S R6W} \\ \text{S } 6 \text{ | S } 5 \\ \hline \text{S } 7 \text{ | S } 8 \\ 1918 \end{array}$$

Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist. Land, level.  
Soil, sandy and gravelly, 3rd rate.  
No timber.  
Undergrowth, greasewood and mesquite.

40.00

East on a random line, bet. secs. 5 and 8.

Set temp. ¼ sec. cor.

80.19 Intersect N. and S. line, 3 lks. N. of the cor. of secs. 4, 5, 8 and 9.

Thence

N. 89° 59' W., on a true line, bet. secs. 5 and 8.

Over level land, through dense undergrowth.

4.30 Wash, 45 lks. wide, 4 ft. deep, course S.

25.20 Wash, 20 lks. wide, 6 ft. deep, course S. 30° W.

35.70 Wash, course SW.

39.20 Enter wash, course N. 70° W.

40.09½ Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \text{ S } 5 \\ \hline \frac{1}{4} \text{ S } 8 \\ 1918 \end{array}$$

From which

A mesquite, 6 ins. diam., brs. N. 23° E.,  
17 lks. dist., marked ¼ S 5 BT.

A palo verde, 18 ins. diam., brs. S. 89° W.,  
98 lks. dist., marked ¼ S 8 BT.

41.10 Leave wash, 25 lks. wide, 3 ft. deep, course S.

80.19 The cor. of secs. 5, 6, 7 and 8.

Land, level.

Soil, gravelly and rocky, 3rd rate.

No timber.

Undergrowth, greasewood, mesquite and palo verde.

40.00

West on a random line, bet. secs. 6 and 7.

Set temp. ¼ sec. cor.

79.21 Intersect W. bdy. of Tp., 11 lks. N. of the cor. of secs. 1, 6, 7 and 12, hereinbefore described.

Thence

N. 89° 55' E., on a true line, bet. secs. 6 and 7.

Over level land, through dense undergrowth.

12.10 Asc. gradually, 30 ft.

32.10 Desc. 65 ft.

39.21 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap


$$\begin{array}{r} \frac{1}{4} \text{ S } 6 \\ \hline \frac{1}{4} \text{ S } 7 \\ 1918 \end{array}$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

Survey of the  
Subdivision of T. 14 S., R. 6 W.

chains.  
48.50 Wash, 25 lks. wide, 6 ft. deep, course S.30°E. Thence  
over level land.  
79.21 The cor. of secs. 5, 6, 7 and 8.  
Land, level and rolling.  
Soil, gravelly and rocky, 3rd and 4th rates.  
No timber.  
Undergrowth, greasewood, cactus and palo verde.

40.00 N.0°3'W., on a random line, bet. secs. 5 and 6.  
Set temp. 1/4 sec. cor.  
79.94 Intersect N. bdy. of Tp., at the cor. of secs. 5, 6, 31 and  
32, hereinbefore described.  
Thence  
S.0°3'E., on a true line, bet. secs. 5 and 6.  
Over level land, through dense undergrowth.  
27.14 Wash, 20 lks. wide, 3 ft. deep, course SE.  
39.94 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the  
ground, in a mound of stone, for 1/4 sec. cor., marked on  
brass cap



And raise a mound of stone, 2 1/2 ft. base, 2 ft. high, W.  
of cor.  
55.15 Wash, 20 lks. wide, 3 ft. deep, course S.60°E.  
79.94 The cor. of secs. 5, 6, 7 and 8.  
Land, level.  
Soil, gravelly and rocky, 3rd rate.  
No timber.  
Undergrowth, greasewood, mesquite, cactus and palo verde.

Boundaries of T. 14 S., R. 6 W.

Latitudes, departures and closing errors.

Line designated.	True bearing	Dist. chs.	Latitudes.		Departures.	
			N. chs.	S. chs.	E. chs.	W. chs.
South Boundary.	West.	479.54				479.54
West Boundary.	North.	480.00	480.00			
North Boundary.	N. 89°59'E.	479.12	.14		479.12	
East Boundary	South	480.00		480.00		
Convergency.					.46	
Totals.			480.14	480.00	479.58	479.54
Error in latitude			480.00		479.54	
Error in departure			.14		.04	



GENERAL DESCRIPTION.

This township is mostly level and gently rolling, except in SW. and western portions, the level land is 1st class. Traces of Indian farms are throughout the township. There are no other grasses; large mesquite, palo verde and iron wood along the washes. Greasewood and mesquite, ocotillo, cholla and giant cactus. No settlers or water in Township.

---



CERTIFICATE OF UNITED STATES ~~SURVEYOR.~~ <sup>TRANSITMAN.</sup>

I, Loyd E. Sechrist, <sup>Transitman</sup> ~~U. S. Surveyor~~, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 84, Arizona, bearing date of the 12th day of July, 1917, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the

North boundary and

Subdivision lines of

TOWNSHIP 14 SOUTH, RANGE 6 WEST,

of the Gila and Salt

River Base & Meridian, in the State of Arizona, which are represented in the foregoing field notes <sup>and by diagram on page 1 hereof</sup> as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 84, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

*St. Michaels, Ariz.  
June 4, 1920.*

*Loyd E. Sechrist*  
U. S. ~~Surveyor~~  
Transitman.

**APPROVAL.**

~~OFFICE OF THE UNITED STATES SURVEYOR GENERAL,~~

~~101~~

~~The foregoing field notes of the survey of~~

~~executed by~~

~~under his special instructions dated~~ ~~101~~ ~~having been~~  
~~critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys~~  
~~they describe, are hereby approved.~~

~~U. S. Surveyor General.~~

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~  
~~has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General.~~



CERTIFICATE OF UNITED STATES SURVEYOR.

I, William Hawthorn, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 84, Arizona, bearing date of the 12th day of July, 1917, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the South and West boundaries, and subdivision lines of TOWNSHIP 14 SOUTH, RANGE 6 WEST,

of the Gila and Salt River Base & Meridian, in the State of Arizona, which are represented in the foregoing field notes <sup>and by diagram on page 1 hereof</sup> as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 84, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Phoenix, Arizona,  
June 8, 1920.

*William H. Thorn*  
U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, June 18, 1920.

The foregoing field notes of the survey of the South, West and North boundaries, and subdivision lines of TOWNSHIP 14 SOUTH, RANGE 6 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by W. H. Thorn, U. S. Surveyor, and Loyd E. Sechrist, U. S. Transitman, under ~~his~~ special instructions dated July 12, 1917, for Group 84, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

*Frank A. Frost*  
U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~ BOOK 3348 ~~of Group 84,~~ has been correctly copied from the original notes on file in this office.