

3399

"I"

4-679

BOOK 3399

FIELD NOTES

OF THE RESURVEY OF

Part of the South Boundary of

TOWNSHIP 1 SOUTH, RANGE 14 EAST,

and of the SURVEY of

Part of the North Boundary and

All of the Subdivisional lines of,

TOWNSHIP 2 SOUTH, RANGE 14 EAST

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

WILLIAM B. KIMMEL,

U. S. Cadastral Engineer

In the capacity of U. S. Surveyor, under Special Instructions dated October 31, 1917,

issued by the United States Surveyor General to govern surveys included in Group

No. 71, which were approved by the Commissioner of the General Land

Office, November 16, 1917, and Assignment Instructions dated November 19, 1917.

Resurvey and Survey commenced August 2nd, 1918

Resurvey and Survey completed August 14th, 1919

3399

3399

53

(1)

4 (1A)

3399


Book "1"






BOOK 3399

Group 71 - Arizona.

INDEX DIAGRAM.

FRAC.
T. 15.
R. 14 1/2 E.



-  Lines surveyed under this group.
-  Lines resurveyed under this group.
-  Accepted surveys.
-  Unsurveyed.
-  Areas surveyed as per accepted plats on file.

3399
Book "I"
Group 71- Arizona.

BOOK 3399

4-679 b

DATE DIAGRAM.

| | 32 | 33 | 34 | 35 | 36 | |
|---|---------------|---------------|---------------|---------------|---------------|---------------|
| | 8-8-19 | 8-11-19 | 8-12-19 | 8-13-19 | 8-13-19 | 8-13-19 |
| For dates of execution of survey of this line see book "B" | 6 9-26-18 | 5 8-7-19 | 4 8-9-19 | 3 8-14-19 | 2 8-5-19 | 1 8-4-19 |
| | 7 9-24-18 | 8 8-6-19 | 9 7-30-19 | 10 7-29-19 | 11 7-28-19 | 12 7-25-19 |
| | 13 9-23-18 | 17 9-21-18 | 16 9-7-18 | 15 8-19-18 | 14 8-12-18 | 13 7-10-19 |
| | 19 9-20-18 | 20 9-20-18 | 21 9-5-18 | 22 8-17-18 | 23 8-10-18 | 24 7-9-19 |
| | 30 9-18-18 | 29 9-17-18 | 28 9-4-18 | 27 8-16-18 | 26 8-9-18 | 25 7-8-19 |
| | 31 9-17-18 | 32 9-2-18 | 33 8-16-18 | 34 8-9-18 | 35 8-3-18 | 36 |
| for dates of execution of survey of this line see book "H" 6-4817 | | | | | | |

For dates of execution of survey of this line see book "K"

Surveys executed on dates shown on above diagram, by
William B. Kimmel, U.S. Cadastral Engineer.

Chains.

Resurveys and Surveys hereinafter described, executed on dates shown on diagram on page 1, hereof by William B. Kimmel, U. S. Cadastral Engineer, using a Young and Sons light mountain transit No. 8540, described, with record of test and certificate of approval in book "G". Unless otherwise specified all measurements are made with a Lufkin 5 chain steel tape, found correct by comparison with a Lufkin standard steel tape. The measurements are made on the slope, the vertical angles determined with transit or clinometer and the slope measurements properly reduced to true horizontal distances. The instrument was maintained in adjustment throughout the survey by frequent tests.

RESURVEY OF PART OF SOUTH BDY. OF T. 1 S. R. 14 E.

Retracement for Resurvey.

The orig. $\frac{1}{4}$ sec. cor. of secs 5 and 32, Ts. 1 and 2 S., R. 14 E., was changed to refer to sec. 32 only, as described in book "B" of this group, and is a schist stone, 10x8x9 ins. exposed above a md of stone in which it is firmly set. Stone is marked " $\frac{1}{4}$ " on N. face and witnessed by a mound of stone N. of cor. and one bearing tree SE. of cor. mkd " $\frac{1}{4}$ S BT".

- Thence
- 40.00 East, on random line, on S. bdy. of sec. 32 ($E\frac{1}{4}$) Make diligent search in this vicinity for the orig. cor. of secs. 4, 5, 32 and 33, but fail to find any trace of same.
 - 80.00 Continue line and measurment on S. bdy. of sec. 33 Make diligent search in this vicinity for the orig. $\frac{1}{4}$ sec. cor. of secs. 4 and 33, but fail to find any trace of same.
 - 119.94 Fall 64 lks. N. of orig. cor. of secs. 3, 4, 33 and 34, which is a schist stone 12x7x4 ins. above ground, firmly set, mkd. with 3 notches on each of E. and W. edges, and witnessed by a mound of stone W. of cor. and one bearing tree properly mkd, SE. of cor.
True course and dist. of line from $\frac{1}{4}$ sec. cor. of sec. 32 to this cor. are therefore N. $89^{\circ} 42'$ W., 119.94 chs., which determines as the proper interval for the reestablished cors., 39.98 chs.

-
- 40.09 East, on random line, on S. bdy. of sec. 34 ($W\frac{1}{4}$) Fall 46 lks. N. of orig. $\frac{1}{4}$ sec. cor. of secs. 3 and 34, which is a schist stone 10x5x5 ins. above ground, firmly set, marked " $\frac{1}{4}$ " on N. face and witnessed by md. of stone N. of cor. No bearing trees.
True course and dist. of $W\frac{1}{4}$ of S. bdy. of sec. 34 are therefore, N. $89^{\circ} 20'$ W., 40.09 chs.

- 40.03 Thence East, on random line on S. bdy. of sec. 34 ($E\frac{1}{4}$) Fall 25 lks. N. of orig. cor. of secs. 2, 3, 34 and 35, which is a quartz stone 9x7x6 ins. above ground, firmly set, marked with 4 notches on W. and 2 notches on E. face, and witnessed by md of stone W. of cor. No bearing trees.
True course and dist. of $E\frac{1}{4}$ of S. bdy. of sec. 34 are therefore, N. $89^{\circ} 38'$ W., 40.03 chs..

-
- 39.94 East, on random line on S. bdy of sec. 35 ($W\frac{1}{4}$) Fall 17 lks. S. of the orig. $\frac{1}{4}$ sec. cor. of secs. 2 and 35, which is a schist stone 15x10x6 ins. exposed above

RETRACEMENT for Resurvey. (continued)

Chains. a mound of stone in which it is firmly set. Stone is mkd. "1/4" on N. face and witnessed by md of stone N. of cor. No bearing trees.
 True course and dist. of W. 1/4 of S. bdy of sec. 35 are therefore S. 89° 45' W., 39.94 chs.
 Thence
 East, on random line, on S. bdy of sec. 35 (E 1/4)
 40.02 Fall 33 lks. N. of orig. cor. of secs. 1, 2, 35 and 36, which is a basalt stone, 10x6x5 ins. above ground, firmly set, mkd. with 1 notch on E. edge and 5 notches on W. edge and witnessed by a mound of stone W. of cor. No bearing trees.
 True course and dist. of E. 1/4 of S. bdy of sec. 35 are therefore N. 89° 32' W., 40.02 chs..

 East, on random line, on S. bdy of sec. 36 (W 1/4)
 40.24 Fall 9 lks. N. of orig. 1/4 sec. cor. of secs. 1 and 36, which is a schist stone, 9x8x5 ins. above ground, firmly set, marked "1/4" on N. face and witnessed by 2 bearing trees properly mkd. one each NW. and SE. of cor.
 True course and dist. of W 1/4 of S. bdy of sec. 36 are therefore N. 89° 52' W., 40.24 chs.

Thence
 East, on random line, on S. bdy of sec. 36 (E 1/4)
 39.71 Fall 12 lks. N. of original cor. of Ts. 1 and 2 S., Rs. 14 and 15 E., which is a basalt stone, 8x7x7 ins. above ground, firmly set, mkd. with 6 notches on each of N., S., E. and W. edges and witnessed by 4 bearing trees, properly mkd., one each NE., SE., SW. and NW., of cor.
 True course and dist. of E. 1/4 of S. bdy. of sec. 36 are therefore N. 89° 50' W., 39.71 chs.

Resurvey

Change the orig. cor. of Ts. 1 and 2 S., Rs. 14 and 15 E., hereinbefore described to refer to Ts. 1 S., R 14 E., and Frac. T. 1 S. R. 14 1/2 E., by obliterating notches on S. edge of stone, and marking on SE. and SW. bearing trees and changing marking on NE. bearing tree to read "T 1 S R 14 1/2 E., BT"

Thence
 N. 89° 50' W., on true line, on S. bdy of sec. 36 (E 1/4)
 Over mountainous land, thru scattering timber and dense undergrowth.

Desc. 65 ft. over W. slope.
 2.00 Gulch, 25 lks. wide, course SW. Asc. 30 ft. over SE. slope.
 7.40 Spur, slopes S. Desc. 145 ft. over SW. slope.
 11.50 Gulch, 15 lks. wide, course S. Asc. 15 ft. over SE. slope.
 17.35 Spur, slopes S., Desc. 350 ft. over W. slope to
 39.71 Intersect original 1/4 sec. cor. of secs. 1 and 36, hereinbefore described. Change this cor. to refer to sec. 36 only by changing marking on SE. bearing tree to read "1/4 SBT"

Thence
 N. 89° 52' W., on true line, on S. bdy. of sec. 36 (W 1/4)
 Over mountainous land, thru dense undergrowth. Desc. 15 ft. over W. slope.

1.60 Gulch, 25 lks. wide, course N.W. Asc. 25 ft. over NE. slope.
 4.50 Point of spur, slopes N. Desc. 75 ft. over NW. slope.
 11.52 Same gulch, course SW. asc. 45 ft. over S. slope
 20.44 Spur, slopes SW. Desc. 295 ft. over NW. slope to
 40.24 Intersect orig. cor. of secs. 1, 2, 35 and 36, hereinbefore described. Change this cor. to refer to secs. 35 and 36 only by destroying old md. of stone and raising a new md. of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.
 Land, mountainous.

Resurvey of part of S. bdy. of T. 1 S. R. 14 E.

RESURVEY.

Soil, gravelly and rocky, 3rd and 4th rates.
 Timber, very scattering oak, pine and juniper.
 Undergrowth, dense, catclaw, manzanita, mahogany, mesquite,
 wild cherry, coffee eldrado and scrub oak.

N. 89° 32' W., on true line, on S. bdy of sec. 35 (E. 1/4)
 Over mountainous land, thru scattering timber and dense
 undergrowth.

Desc. 20 ft. over W. slope.

- .58 Gulch, 15 lks. wide, course SW. Asc. 95 ft. over E. slope.
- 9.60 Spur, slopes S. Desc. 200 ft. over W. slope.
- 25.85 Gulch, 25 lks. wide, course SW. Asc.
- 31.80 Gulch, 15 lks. wide, course S. Asc. 130 ft. over SE. slope
- 40.02 Spur, slopes S. Intersect the original 1/4 sec. cor. of
 secs. 2 and 35, hereinbefore described.
 This cor. now refers to sec. 35 only. No change in
 markings or accessory is required.

Thence

S. 89° 45' W., on true line, on S. bdy of sec. 35 (W. 1/2)
 Over mountainous land, thru scattering timber and dense
 undergrowth.

Desc. 60 ft. over W. slope.

- 3.00 Gulch, 15 lks. wide, course S. Asc. 90 ft. over SE. slope.
- 7.13 Spur, slopes SW. Heist on mine shaft bears S. 12° W.,
 about 8 chs. dist., desc. 270 ft. over W. slope.
- 19.75 Draw, course S. Asc. 85 ft. over E. slope.
- 23.94 Spur, slopes S. Desc. 15 ft. over W. slope.
- 26.22 Draw, course S. Asc. 45 ft. over E. slope.
- 29.34 Spur, slopes S. Desc. 100 ft. over W. slope.
- 33.00 Gulch, 15 lks. wide, course S. Asc. 35 ft. over SE. slope.
- 36.52 Spur, slopes SW. Desc. 70 ft. over NW. slope to
- 39.94 Intersect orig. cor. of secs. 2, 3, 34 and 35, hereinbe-
 fore described. Change this cor. to refer to secs.
 34 and 35, only, by destroying old md. of stone
 and raising a new md. of stone, 2 ft. base, 1 1/2 ft. high
 N. of cor.

Land, mountainous.

Soil, gravelly and rocky, 3rd and 4th rate.

Timber, very scattering cedar.

Undergrowth, dense catclaw, mesquite, manzanita, mahogany,
 spanish dagger, mescal, coffee, scrub oak and wild
 cherry.

Fair grass.

N. 89° 38' W., on true line, on S. bdy. of sec. 34 (E. 1/4)
 Over mountainous land, thru scattering timber and dense
 undergrowth.

Desc. 115 ft. over NW. slope.

- 4.70 Gulch, 20 lks. wide, course SW. Asc. 95 ft. over E. slope.
- 14.89 Spur, slopes S. Desc. 45 ft. over W. slope.
- 16.80 Gulch, 10 lks. wide, course S. Asc. 25 ft. over E. slope.
- 22.00 Top of round hill. Desc. 30 ft. over W. slope.
- 25.00 Gulch, 10 lks. wide, course S. Asc. 110 ft. over SE. slope.
- 31.70 Ridge, bears NE. and SW. Desc. 130 ft. over NW. slope to
- 40.03 Intersect the original 1/4 sec. cor. of secs. 3 and 34,
 hereinbefore described. This cor. now refers to sec.
 34 only. No change in markings or accessory is required.

Thence

N. 89° 20' W., on true line, on S. bdy. of sec. 34 (W. 1/2)
 Over mountainous land, thru scattering timber and dense
 undergrowth.

Desc. 355 ft. over NW. slope.

- 12.60 Enter bottom of canyon, 80 lks. wide, course W., from NE.
 Thence in bottom of canyon to
- 17.50 Leave bottom of canyon course SW. Asc. 75 ft. over SE.
 slope.

Resurvey of part of S. bdy. of T. 1 S. R. 14 E.

Chains.

RESURVEY

21.84 Spur, slopes S. Desc. 150 ft. over SW. slope.
 27.04 Bottom of same canyon, course NW. Asc. 80 ft. over NE. slope.
 32.00 Point of spur, slopes N. Desc. 135 ft. over NW. slope.
 38.00 Lyons Canyon, course SW. Asc. 130 ft. over SE. slope to
 40.09 Intersect the orig. cor. of secs. 3, 4, 33 and 34, hereinbefore described. Change this cor. to refer to secs. 33 and 34 only, by destroying old md. of stone and marking on bearing tree, and raising a new md. of stone, 2 ft. base, 1½ ft. high, N. of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, very scattering cedar, cottonwood, sycamore and ash.
 Undergrowth, dense catclaw, mesquite, scrub oak, coffee, cacti, spanish dagger, eldrade, manzanita, and mahogany.
 Fair grass.

N. 89° 42' W., on a true line along S. bdy. of sec. 33. Over mts. land, thru scattering undergrowth. Asc. 30 ft. over SE. slope.
 3.50 Point of spur, slopes SW. Desc. 125 ft. over W. slope.
 7.52 Gulch, course S., with small stream of clear water. Asc. 120 ft. over E. slope.
 11.20 Spur, slopes S. Desc. 85 ft. over W. slope.
 13.60 Gulch, course S. Asc. 270 ft. over E. slope.
 24.80 Old road, bears NE. and SW.
 31.30 Spur, slopes SW., Desc. 310 ft. over W. slope to ¼ sec. cor.
 33.50 Road, bears NE. and SW.
 39.90 Old road, bears N. and S.
 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for reestablished ¼ sec. cor. of sec. 33 only, with brass cap marked

$$\frac{S33}{\frac{1}{4} 1919}$$

from which
 A cedar, 9 ins. diam., bears N. 52° W., 272 lks. dist., marked "¼ S 33 BT", no other tree available, and raise a mound of stone, 2½ ft. base, 1½ ft. high, N. of cor. Desc. 60 ft. over W. slope.
 41.90 Gulch, course SW., Asc. 190 ft. over SE. slope.
 45.00 Old road, bears N. and S.
 53.00 Ridge, bears NE. and SW. Desc. 310 ft. over NW. slope.
 71.20 Center of wash, 300 lks. wide, 4 ft. deep, course SW. Asc. 80 ft. over SE. slope to
 79.96 Point of spur, slopes S., set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for reestablished cor. of secs. 32 and 33, with brass cap marked

$$\frac{T1S R14E}{S32 | S33}$$

1919
 and raise a mound of stone, 2½ ft. base, 1½ ft. high, N. of cor.
 Land, mountainous.
 Soil, stony, 3rd and 4th rate, igneous formation.
 Undergrowth, scattering catclaw, mesquite, coffee, eldrade, scrub oak and wild cherry. Dense in patches.
 Timber, very scattering cedar.
 Fair grass.

N. 89° 42' W., on a true line, on S. bdy. of sec. 32 (E½)
 Over mountainous land, thru scattering undergrowth.
 Desc. 20 ft. over W. slope.

6.

Resurvey of part of the S. bdy. of T. 1 S. R. 14 E.

Chains.

RESURVEY

- 2.55 Gulch, course S. Asc. 80 ft. over E. slope.
 10.50 Spur, slopes S. Desc. 160 ft. over W. slope.
 15.40 Wash, 100 lks. wide, 4 ft. deep, course S. Asc. 380 ft.
 over E. slope.
 31.30 Ridge, bears N. and S., desc. 175 ft. over W. slope to
 39.98 Intersect the reestablished $\frac{1}{4}$ sec. cor. of sec. 32, here-
 inbefore described.
 Land, mountainous.
 Soil, stony, 3rd and 4th rate, igneous formation.
 Undergrowth, scattering catclaw, mesquite, eldrado and
 scrub oak. Dense in patches.
 Timber, very scattering cedar.
 Fair grass.
 Resurvey of W. $\frac{1}{4}$ of S. bdy. of sec. 32, described in
 book "B" of this group.

SURVEY OF PART OF NORTH BDY. OF T 2 S. R. 14 E.

Chains.

9.78
16.74

From the closing cor. of secs. 1 and 2, T. 2 S. R. 14 E., hereinafter described.

West, on true line on part of N. bdy of sec. 2.

Over mountainous land, thru scattering timber and dense undergrowth.

Desc. 315 ft. over W. slope to

Desc. 135 ft. over NW. slope to

Intersect the reestablished cor. of T. 1 S. R. 14 E. and Frac. T. 1 S. R. 14 $\frac{1}{2}$ E., hereinbefore described in notes of Resurvey of Part of South Bdy. of T. 1 S. R. 14 E.

Land, mountainous.

Soil, rocky, 4th rate.

Timber, scattering oak, pine, juniper, cedar and sycamore.

Undergrowth, dense catclaw, manzanita, mahogany, mesquite, wild cherry, coffee, eldrado, and scrub oak.



SURVEY OF THE SUBDIVISION OF T. 2 S. R. 14E.

Chains.

- From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., described in Book "H".
- N. 0° 01' W., bet. secs. 35 and 36.
- Over mts. land, thru scattering undergrowth. Asc. 20 ft. over S. slope.
- 1.30 Spur, slopes W. Desc. 95 ft. over NW. slope.
- 6.70 Head of draw, course W. Asc. 210 ft. over SW. slope.
- 22.00 Recky point of spur, slopes NW. Desc. 65 ft. over N. slope to
- 23.80 Top of cliff, 60 ft. high, bears E. and W., facing N. From foot of cliff desc. 145 ft. over N. slope.
- 26.80 Bottom of canyon, course SW. Asc. 205 ft. over S. slope to
- 34.50 Point of spur, slopes SE. Asc. 35 ft. over E. slope to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$
S35 | S36

1918

- and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
- Asc. 360 ft. over E. slope.
- 69.00 Ridge, bears NE. and SW. Desc. 65 ft. over NW. slope.
- 74.50 Head of gulch, course SW. Asc. 80 ft. over S. slope to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, to bed rock, supported by a mound of stone, for the cor. of secs. 25, 26, 35 and 36, with brass cap marked

T2S | R14E
S26 | S25
S35 | S36
1918

and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

Land, mountainous.
Soil, stony, 4th rate, lime and igneous formation.
Undergrowth, scattering catclaw, mesquite, scrub oak and eldrado. Dense in patches.
Timber, very scattering cottonwood, walnut and sycamore.
Fair grass.

-
- 40.00 N. 89° 50' E., on a random line bet. secs. 25 and 36. Set temp. $\frac{1}{4}$ sec. cor.
 - 80.12 Fall 14 lks. N. of the ^{true point for} cor. of secs. 25 and 36 on the E. bdy. of the Tp., described in book "K".
 - Thence
 - S. 89° 56' W., on true line bet. secs. 25 and 36.
 - Over mts. land, thru dense undergrowth. Asc. 155 ft. over NE. slope.
 - 15.10 Spur, slopes NW., desc. 255 ft. over SW. slope to
 - 40.06 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$ S25

S36
1919

- from which
- A cedar, 10 ins. diam., bears S. 84° W., 35 lks. dist., marked "1/4 S 36 BT", no other tree available, and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.. Desc. 70 ft. over SW. slope.
- 42.20 Gulch, course SW., with a small spring of clear water in same, about 50 lks. NNE, asc. 85 ft. over SE. slope to
- 52.00 Asc. 135 ft. over E. slope.
- 61.00 Spur, slopes S. Desc. 120 ft. over SW. slope.
- 64.80 Draw, course S. Asc. 290 ft. over E. slope.
- 77.50 Ridge, bears N. and S. Desc. 5 ft. over SW. slope to


Subdivision of T. 2 S. R. 14 E.

Chains.


80.12 The cor. of secs. 25, 26, 35 and 36.
 Land, mountainous.
 Soil, stony, 3rd and 4th rate, lime and igneous formation.
 Undergrowth, dense catclaw, mesquite, scrub oak and eldrado.
 Timber, very scattering oak, sycamore and cedar.
 Fair grass.

N. 0° 01' W., bet. secs. 25 and 26.
 Over mts. land, thru scattering undergrowth. Asc. 185 ft. over SW. slope.

10.70 Ridge, bears E. and W., desc. 440 ft. over N. slope.
 27.30 Gulch, course SW., with a small spring of clear water in same about 50 lks. NE. a small grove of cottonwood trees on line, asc. 275 ft. over S. slope to
 40.00 Spur, slopes SW., set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap marked




and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor., a vacant house, bears N. 47° W., about 16 chs. dist. Desc. 140 ft. over NW. slope.
 50.00 Head of draw, course W. Asc. 45 ft. over SW. slope.
 52.00 Spur, slopes W., Desc. 150 ft. over NW. slope
 57.10 Gulch, course W., with a spring of clear water in same about 70 lks. E.: a small grove of sycamore and willow trees on line, Asc. 210 ft. over S. slope.
 64.60 Spur, slopes SW. Desc. 30 ft. over NW. slope.
 68.70 Head of draw, course SW., asc. 205 ft. over S. slope.
 79.50 Spur, slopes W. Desc. 10 ft. over N. slope to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for the cor. of secs. 23, 24, 25 and 26, with brass cap marked



and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.
 Land, mountainous.
 Soil, stony, 4th rate, lime and igneous formation.
 Undergrowth, scattering catclaw, mesquite, scrub oak and eldrado. Dense in patches.
 Timber very scattering cedar, cottonwood, sycamore and willow.
 Fair grass.

40.00 N. 89° 56' E., on a random line bet. secs. 24 and 25
 Set temp. 1/4 sec. cor.
 80.07 Fall 28 lks. N. of the cor. of secs. 24 and 25 on the E. bdy. of the Tp., described in book "K"
 Thence
 N. 89° 52' W., on a true line bet. secs. 24 and 25.
 Over mts. land, thru dense undergrowth. Desc. 5 ft. over NW. slope.
 .25 Gulch, course SW., with a small stream of clear water. Asc. 450 ft. over SE. slope.
 30.80 Ridge, bears N. and S. Desc. 100 ft. over SW. slope to
 40.03 1/4 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap marked



Subdivision of T. 2 S., R. 14 E.

Chains.

from which
A mesquite, 4 ins. diam., bears S. 73° E., 59 lks. dist.,
marked "1/4 S 25 BT", no other tree available, and raise
a mound of stone 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.
Desc. 155 ft. over SW. slope.

- 47.60 Draw, course S. Asc. 135 ft. over SE. slope.
- 57.00 Spur, slopes SW. Desc. 25 ft. over W. slope to
- 62.00 Desc. 5 ft. over S. slope to
- 66.00 Spur, slopes SW. Desc. 200 ft. over NW. slope to
- 77.00 Desc. 25 ft. over N. slope to
- 80.07 The cor. of secs. 23, 24, 25 and 26.

Land, mountainous.
Soil, stony, 4th rate, igneous formation.
Undergrowth, dense catclaw, mesquite, scrub oak and
eldrado.
Timber, very scattering oak and cedar.
Fair grass.

N. 0° 01' W. bet. secs. 23 and 24.
Over mts. land, thru scattering undergrowth. Desc. 210
ft. over N. slope.

- 6.00 Gulch, course W. Asc. 165 ft. over SW. slope.
- 14.25 Spur, slopes W., desc. 140 ft. over NW. slope.
- 20.00 Gulch, course S. 25° W. Asc. 160 ft. over SE. slope to
- 28.50 Asc. 55 ft. over E. slope to
- 34.50 Desc. 60 ft. over NE. slope.
- 38.25 Head of draw, course E. Asc. 10 ft. over S. slope to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground for 1/4 sec. cor., with brass cap marked

1/4
S23 | S24
1918

from which
A cedar, 9 ins. diam., bears S. 2° E., 312 lks. dist.,
marked "1/4 S 24 BT", no other tree available, and raise
a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.
Asc. 250 ft. over S. slope.

- 50.50 Ridge, bears NE. and SW. Desc. 360 ft. over NW. slope:
enter dense undergrowth, bears NE. and SW.
- 70.90 Gulch, course SW. Asc. 140 ft. over S. slope.
- 77.40 Spur, slopes W. Desc. 45 ft. over NW. slope to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground, for the cor. of secs. 13, 14, 23 and 24,
with brass cap marked

T2S R14E
S14 | S13
S23 | S24
1918

and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high,
W. of cor.

Land, mountainous.
Soil, stony 4th rate, igneous formation
Undergrowth, cat, claw mesquite, manzanita and scrub oak.
Scattering and dense as noted.
Timber, very scattering cedar, oak and cottonwood.
Fair grass:

- 40.00 S. 89° 52' E., on a random line bet. secs. 13 and 24.
Set temp. 1/4 sec. cor.

- 80.24 Fall 14 lks. S. of the cor. of secs. 13 and 24 on the
E. bdy. of the tp., described in Book "K".

Thence
N. 89° 58' W., on a true line bet. secs. 13 and 24.
Over mtsl land, thru dense undergrowth. Desc. 120 ft. over
NW. slope. to

Subdivision of T. 2 S. R. 14 E.

Chains.

- 7.40 Gulch, course SW. Desc. 180 ft. over S. slope.
- 33.50 Same gulch, course NW. Asc. 30 ft. over NE. slope.
- 38.00 Spur, slopes NW. Desc. 20 ft. over W. slope to
- 40.12 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap marked

S13
 $\frac{1}{4}$ ———
 S24
 1919

and raise a mound of stone $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

- 58.00 Spring, bears S. about 12 chs. dist.
- 60.30 Head of draw, course N. Asc. 120 ft. over NE. slope.
- 63.25 Junction of two spurs, one sloping NW. and one sloping S. 80° W. Desc. 225 ft. over NW. slope to
- 80.24 The cor. of secs. 13, 14, 23 and 24.

Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, manzanita and scrub oak.
 Timber, very scattering oak, cedar and cottonwood.
 Fair grass.

 N. 0° $01'$ W., bet. secs. 13 and 14.
 Over mts. land, thru dense undergrowth. Desc. 65 ft. over NW. slope.

- 10.60 Gulch, course SW., with a small stream of clear water. Asc. 75 ft. over S. slope.
- 20.00 Spur, slopes W. Desc. 120 ft. over NW. slope.
- 33.70 Cedar Creek, with stream of clear water, 3 lks. wide, 4 ins. deep, course SW. Asc. 50 ft. over S. slope to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$
 S14 | S13
 1919

from which
 A walnut, 10 ins. diam., bears S. $82\frac{3}{4}^\circ$ E., 357 lks. dist. marked " $\frac{1}{4}$ S 13 BT", no other tree available, and raise a mound of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Asc. 210 ft. over S. slope.

- 61.60 Ridge, bears E. and SW. Desc. 345 ft. over NW. slope.
- 74.85 Trail, bears E. and W.
- 76.00 Mineral Creek, with stream of clear running water, 5 lks. wide, 4 ins. deep, course W., Asc. 145 ft. over S. slope to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for the cor. of secs. 11, 12, 13 and 14, with brass cap marked

T2S | R14E
 S11 | S12
 S14 | S13
 1919

from which
 A mesquite, limb, 10 ins. diam., bears N. 72° W., 54 lks. dist., marked "T2 S R 14 E S 11 BT", no other tree available, and raise a mound of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, scrub oak, manzanita, wild cherry and coffee.
 Timber, very scattering oak, cedar and cottonwood.
 Fair grass.

Subdivision of T. 2 S. R. 14 E.

Chains.

40.00 S. 89° 58' E., on random line bet. secs. 12 and 13.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.01 Fall 14 lks. S. of the cor. of secs. 12 and 13 on the
 E. bdy. of the tp., described in book "K".
 Thence
 S. 89° 56' W., on a true line bet. secs. 12 and 13.
 Over mts. land, thru dense undergrowth, Desc. 320 ft.
 over N. slope to
 18.45 Spur, slopes NW. Post Office at the mining camp of Deak,
 bears N. 32° W., about 15 chs. dist., desc. 355 ft. over
 W. slope to $\frac{1}{4}$ sec. cor.
 26.30 Trail bears N. and S.
 40.00 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., with brass cap marked

S12
 $\frac{1}{4}$ ———
 S13
 1919

from which

A mahogany, 5 ins. diam., bears N. 11 $\frac{1}{4}$ ° W., 116 lks. dist.,
 marked " $\frac{1}{4}$ S 12 BT", no other tree available, and raise
 a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
 Desc. 105 ft. over W. slope.
 45.80 Mineral Creek, with stream of clear running water, 5 lks.
 wide, 5 ins. deep, course SW., asc. 125 ft. over S. slope.
 48.00 Trail, bears NE. and SW.
 62.00 Spur, slopes SW. Desc. 270 ft. over W. slope.
 70.70 Gulch, course SW., with a small stream of clear water.
 Asc. 50 ft. over S. slope to
 80.01 The cor. of secs. 11, 12, 13 and 14.
 Land, mountainous.
 Soil, stony, 4th rate.
 Undergrowth, dense catclaw, mesquite, manzanita, wild
 cherry, scrub oak, mahogany, coffee, eldrado and scrub
 oak.
 Timber, very scattering, oak, cedar, sycamore and cotton-
 wood,
 Fair grass.

 N. 0° 01' W., bet. secs. 11 and 12.
 Over mts. land, thru scattering undergrowth. Asc. 135 ft.
 over S. slope.

6.25 Ridge, bears NE. and SW., desc. 160 ft. over NW. slope.
 13.6 $\frac{1}{2}$ Gulch, course SW. Asc. 475 ft. over SE. slope to
 40.00 Ridge, bears NE. and SW., set an iron post, 3 ft. long,
 1 in. diam., 16 ins. in the ground, to bed rock, support-
 ed by a mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap
 marked

$\frac{1}{4}$
 S11 | S12
 1919

from which

A cedar, 10 ins. diam., bears N. 39° W., 345 lks. dist.,
 marked " $\frac{1}{4}$ S 11 BT".
 A cedar, 9 ins. diam., bears N. 28° E., 422 lks. dist.,
 marked " $\frac{1}{4}$ S 12 BT".
 Asc. 250 ft. over W. slope to
 78.00 Draw, course SW. Asc. 30 ft. over SE. slope to
 80.00 Set an iron post, 3 ft. long, 2 in. diam., 18 ins. in
 the ground for bed rock, supported by a mound of stone,
 for cor. of secs. 12, 11 and 12, with brass cap marked

T2S | R14E
 S 2 | S 1
 S11 | S12
 1919

from which

Subdivision of T. 2 S. R. 14 E.

Chains.

An oak, 6 ins. diam., bears S. 19° E., 19 lks. dist., marked "T 2 S R 14 E S 12 BT"
 An oak, 6 ins. diam., bears S. 47½° W., 59 lks. dist., marked "T 2 S R 14 E S 11 BT"
 An oak, 12 ins. diam., bears N. 70° W., 18 lks. dist., marked T. 2 S. R. 14 E. S 2 BT"
 An oak, 6 ins. diam., bears N. 23½° E., 19 lks. dist., marked "T 2 S. R 14 E S 1 BT".
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, scattering catclaw, mesquite, manzanita, mahogany, wild cherry, coffee and scrub oak. Dense in patches.
 Timber, very scattering cedar, pine, oak and cottonwood.

 N. 89° 56' E., on random line bet. secs. 1 and 12.
 40.00 Set temp. ¼ sec. cor.
 80.16 Fall 26 lks. N. of the cor. of secs. 1 and 12 on the E. bdy. of the Tp., described in book "K".
 Thence
 N. 89° 53' W., on a true line bet. secs. 1 and 12
 Over mts. land, thru dense undergrowth. Asc. 10 ft. over SE. slope.
 2.50 Ridge, bears NE. and SW. Desc. 380 ft. over W. slope .
 11.90 Globe-Deak, road, bears N. and S.
 17.80 Gulch, course SW. Asc. 60 ft. over SE. slope.
 34.00 Spur, slopes SW., Desc. 160 ft. over W. slope to
 40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor., with brass cap marked

S 1
 ¼ ———
 S 12

from which 1919
 A juniper, 60 ins. diam., bears N. 25° E., 18 lks. dist., marked "¼ S 1 BT".
 An oak, 6 ins. diam., bears S. ½° W., 180 lks. dist., marked "¼ S 12 BT".
 Desc. 310 ft. over SW. slope.
 54.40 Gulch, course SE. Asc. 355 ft. over E. slope.
 66.25 Ridge, bears N. and S. Desc. 45 ft. to
 70.00 Spur, slopes SW. Desc. 175 ft. over NW. slope.
 79.25 Draw, course S. Asc. 10 ft. over SE. slope to
 80.16 The cor. of secs. 1, 2, 11 and 12.
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, manzanita, mahogany, mesquite, coffee, eldrade, wild cherry and scrub oak.
 Timber, very scattering oak, pine, juniper and cedar.
 Fair grass.

 N. 0° 01' W., on true line bet. secs. 1 and 2.
 Over mts. land, thru dense undergrowth. Asc. 90 ft. over SE. slope.
 3.20 Telephone line, bears NE. and SW.
 3.70 Ridge, bears NE. and SW., trail, bears NE. and SW., desc. 170 ft. over NW. slope.
 6.30 Trail, bears NE. and SW.
 17.85 Gulch, course SW., with a small stream of clear water. Asc. 525 ft. over SE. slope to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor., with brass cap marked

¼
 S 2 | S 1
 1919

Subdivision of T. 2 S. R. 14 E.

Chains.

from which

A juniper, 18 ins. diam., bears S. 48° E., 113 lks. dist., marked "1/4 S 1 BT"

An oak, 12 ins. diam., bears N. 39 1/4 ° W., 185 lks. dist., marked "1/4 S 2 BT"

Asc. 410 ft. over SE. slope.

63.00 Ridge, bears NE. and SW., enter heavy timber, bears E. and W., Asc. 130 ft. over steep rolling W. slope to closing cor.

63.15 Wire fence, bears NE. and SW.

71.44 Intersect the N. bdy. of the Tp. at a point 16.74 chs. East of the reestablished cor. of T_s. 1 S., R_s. 14 and 14 1/2 E., hereinbefore described; at point of intersection set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for the closing cor. of secs. 1 and 2, with brass cap marked

| | |
|-----|------|
| S 2 | S 1 |
| T2S | R14E |
| C | C |

1919

from which

An oak, 10 ins. diam., bears S. 61° W., 27 lks. dist., marked "T 2 S R 14 E S 2 CC BT"

An oak, 9 ins. diam., bears S. 57 1/2 ° E., 77 lks. dist., marked "T 2 S R 14 E S 1 CC BT"

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, manzanita, mahogany, mesquite, wild cherry, coffee, eldrado and scrub oak.

Timber, oak, pine, juniper, cedar and sycamore.

No grass.

From the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the Tp., described in Book "H"

N. 0° 01' W., bet. secs. 34 and 35.

Over mts. land, thru dense undergrowth. Desc. 35 ft. over W. slope near foot of same.

8.00 Road, bears N. 20° E. and S. 20° W.

10.00 Wash, 20 lks wide, 6 ft deep, course S. 20° W. Asc. 355 ft. over SE. slope to 1/4 sec. cor.

20.00 Leave dense and enter scattering undergrowth, bears NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap marked

| | |
|-----|-----|
| 1/4 | |
| S34 | S35 |

1918

and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Asc. 110 ft. over SE. slope.

49.00 Top of ridge, bears N. 20° E. and S. 20° W., Thence along rolling W. slope of same near top. Asc. 35 ft. to

64.00 Top of same ridge, bears S. 20° E., and N. Thence along top of ridge, asc. 50 ft. to

75.00 Leave top of ridge at point from which spur extends SE. Thence along W. slope of ridge near top bearing N. and S. Asc. 20 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for the cor. of secs. 26, 27, 34 and 35, with brass cap marked

| | |
|-----|------|
| T2S | R14E |
| S27 | S26 |
| S34 | S35 |

1918

and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Land, mountainous.

Soil, stony, 4th rate, conglomerate formation.

Subdivision of T. 2 S. R. 14 E.

Chains.

Undergrowth, catclaw, mesquite, cacti, eldrado, coffee and scrub oak, scattering and dense as noted. Timber, very scattering cedar. Fair grass.

N. 89° 50' E., on a random line bet. secs. 26 and 35.

40.00

Set temp. 1/4 sec. cor.

80.01

Full 14 lks. S. of the cor. of secs. 25, 26, 35 and 36.

Thence

S. 89° 44' W., on a true line bet. secs. 26 and 35.

Over mountainous land, thru scattering undergrowth. Desc. 30 ft. over SW slope to

3.70

Desc. 85 ft. over S. slope to

12.00

Ridge, bears NE. and SW. Desc. 190 ft. over W. slope.

25.80

Head of draw, course SW., asc. 120 ft. over SE. slope.

38.00

Spur, slopes SW., desc. 40 ft. over W. slope to

40.00 1/2

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap marked.

S26

1/4

S35

1918

and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.

Desc. 395 ft. over W. slope

55.00

Gulch, course S., a spring, brs. N. about 8 chs. dist. and another spring brs. S. about 10 chs. dist., asc. 415 ft. over E. slope.

77.00

Ridge, bears N. and S., desc. 10 ft. over W. slope to

80.01

The cor. of secs. 26, 27, 34 and 35.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, scattering catclaw, mesquite, scrub oak, eldrado, cacti, coffee and wild cherry. Dense in patches.

Timber, very scattering cedar.

Fair grass.

N. 0° 01' W., bet. secs. 26 and 27.

Over mts. land, thru scattering undergrowth. Desc. 65 ft. over rolling W. slope to

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap marked

1/4

S27 | S26

1918

from which

A cedar limb, 5 ins. diam., bears N. 38 1/2° E., 217 lks. dist., marked "1/4 S 26 BT", no other tree available, and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Desc. 30 ft. over W. slope.

44.00

Gulch, course S. 20° W., asc. 290 ft. over rolling E. slope

61.50

Ridge, bears N. 20° E. and S. 20° W., old road, bears

N. 20° E. and S. 20° W. Desc. 100 ft. over W. slope.

76.50

Enter dense undergrowth, bears NE. and SW.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground, to bed rock, supported by a mound of stone, for the cor. of secs. 22, 23, 26 and 27, with brass cap marked

T2S R14E

S22 | S23

S27 | S26

1918

and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high,

Subdivision of T. 2 S. R. 14 E.

Chains.

W. of cor.
 Land, mountainous.
 Soil, stony, 4th rate, conglomerate formation.
 Undergrowth, catclaw, mesquite, scrub oak, aldrado, cacti,
 coffee, spanish dagger and mescal. Scattering and dense
 as noted.
 Timber, very scattering cedar and oak.
 Fair grass.

-
- N. 89° 44' E., on a random line bet. secs. 23 and 26.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.01 Fall 9 lks. S. of the cor. of secs. 23, 24, 25 and 26.
 Thence
 S. 89° 40' W., on a true line bet. secs. 23 and 26.
 Over mts. land, thru dense undergrowth. Desc. 10 ft.
 over N. slope to
 2.00 Desc. 280 ft. over NW. slope to
 13.00 Desc. 70 ft. over W. slope, a spring bears N. about 150
 lks. dist..
 15.60 Gulch, course S., from NE., asc. 180 ft. over E. slope.
 20.50 Spur, slopes S. Desc. 155 ft. over W. slope.
 26.50 Gulch, course S., asc. 155 ft. over E. slope.
 33.00 Spur, slopes S., an old road, bears N. and S., desc. 145
 ft. over W. slope to
 40.00 $\frac{1}{4}$ Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in
 the ground to bed rock, supported by a mound of stone
 for $\frac{1}{4}$ sec. cor., with brass cap marked

S23
 $\frac{1}{4}$
 S26
 1918

- and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
 N. of cor.
 Desc. 5 ft. over W. slope.
 40.80 Gulch, course S. Asc. 165 ft. over E. slope.
 47.50 Spur, slopes S. Desc. 175 ft. over W. slope.
 53.50 Gulch, course S. Asc. 205 ft. over E. slope to
 64.50 Spur, slopes S. Desc. 20 ft. over SW. slope to
 67.20 Asc. 25 ft. over SE. slope to
 71.90 Ridge, bears NE. and SW.; old road, bears NE. and SW.
 Desc. 140 ft. over NW. slope to
 80.01 The cor. of secs. 22, 23, 26, and 27.

Land, mountainous.
 Soil, stony, 4th rate, conglomerate formation.
 Undergrowth, dense catclaw, mesquite, scrub oak, coffee
 and cacti.
 Timber, very scattering cedar.
 Fair grass.

-
- N. 0° 01' W., bet. secs. 22 and 23.
 Over mts. land, thru dense undergrowth. Desc. 85 ft. over
 W. slope.
 6.10 Draw, course SW. Asc. 220 ft. over SE. slope.
 16.70 Ridge, bears NE. and SW. Desc. 390 ft. over NW. slope.
 38.70 Gulch, course SW. Asc. 45 ft. over SE. slope to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$
 S22 | S23
 1918

from which
 A cedar, 16 ins. diam., bears S. 40 $\frac{1}{2}$ ° E., 222 lks. dist.,
 marked " $\frac{1}{4}$ S 23 BT", no other tree available, and raise
 a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Subdivision of T. 2 S. R. 14 E.

Chains.

53.50 Asc. 310 ft. over SE. slope.
 60.10 Ridge, bears NE. and SW. Desc. 140 ft. over NW. slope.
 70.30 Draw, course SW. Asc. 220 ft. over SE. slope.
 78.00 Spur, slopes SW. Desc. 170 ft. over NW. slope to
 80.00 Desc. 10 ft. over W. slope to
 Set an iron post, 3 ft. long, 2 ins. diam., on bed rock,
 supported by a mound of stone, for the cor. of secs. 14,
 15, 22 and 23, with brass cap marked

| | |
|------|------|
| T2S | R14E |
| S15 | S14 |
| S22 | S23 |
| 1918 | |

from which
 A cedar, 6 ins. diam., bears N. 13° E., 60 lks. dist.,
 marked "T 2 S R 14 E S 14 BT", no other trees availa-
 ble, and raise a mound of stone, 2½ ft. base, 1½ ft.
 high, W. of cor.
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catelaw, mesquite, scrub oak, spanish
 dagger, cacti, mesqal, mahogany, manzanita, eldrado and
 coffee.
 Timber, very scattering cedar, oak and pine.
 Fair grass.

40.00 N. 89° 40' E., on a random line bet. secs. 14 and 23.
 Set temp. ¼ sec. cor.
 80.24 Fall 3 lks. N. of the cor. of secs. 13, 14, 23 and 24.
 Thence
 S. 89° 41' W., on a true line bet. secs. 14 and 23.
 Over mts. land, thru dense undergrowth. Desc. 290 ft.
 over NW. slope.
 12.00 Spring, bears N. about 150 lks. dist.
 13.25 Gulch, course SW., Desc. 30 ft. over S. slope to
 18.35 Bend in same gulch, course SW, from SE., at junction with
 a gulch from N. Asc. 180 ft, over SE. slope to
 31.75 Desc. 20 ft. over rolling S. slope to
 40.12 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for ¼ sec, cor., with brass cap marked

| |
|------|
| S14 |
| ¼ |
| S23 |
| 1918 |

and raise a mound of stone, 2½ ft. base, 1½ ft. high,
 N. of cor.
 Asc. 10 ft. over S. slope to
 41.00 Ridge, bears W. and NE. Asc. 35 ft. on top of ridge to
 50.00 Leave top of ridge, bears E. and SW. Desc. 235 ft. over
 W. slope.
 66.15 Head of draw, course N. Asc. 130 ft. over E. slope.
 73.50 Spru, slopes NW. from S. Desc. 120 ft. over W. slope to
 80.24 The cor. of secs. 14, 15, 22 and 23.
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catelaw, mesquite, mahogany, manzanita,
 cacti, mesqal, scrub oak, coffee and eldrado.
 Timber, very scattering cedar and oak.
 Fair grass.

N. 0° 01' W., bet. secs. 14 and 15.
 Over mts. land, thru dense undergrowth. Asc. 15 ft. over
 SW. slope.
 3:00 Point of spur, slopes W. Desc. 140 ft. over NW. slope.
 6.75 Gulch, course SW. with a small stream of clear water;
 a prospect hole, bears W., about 25 lks. dist., asc.
 135 ftl over SE. slope.

Subdivision of T. 2 S. R. 14 E.

- Chains.
 14.70 Ridge, bears NE. and SW. Desc. 335 ft. over rolling NW. slope.
 16.35 Old road, bears NE. and SW.
 35.15 Mineral Creek, with a stream of clear running water, 4 lks. wide, 4 ins. deep, course W. Asc. 140-ft. over S. slope to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$
 S15 | S14
 1919

- from which
 A cottonwood, 8 ins. diam., bears S. $31\frac{1}{2}^\circ$ E., 114 lks. dist., marked " $\frac{1}{4}$ S 14 BT"
 A mesquite, 22 ins. diam., bears N. 10° W., 96 lks. dist. marked " $\frac{1}{4}$ S 15 BT"
 Asc. 230 ft. over S. slope
 47.75 Spr. slopes W., from NE., desc. 335 ft. over rolling NW. slope.
 66.40 Gulch, course SW. Asc. 300 ft. over S. slope, to
 80.00 Set an iron post, 3 ft. long, 2 in. diam., 10 ins. in the ground to bed rock, supported by a mound of stone for the cor. of secs. 10, 11, 14 and 15, with brass cap marked

T2S | R14E
 S10 | S11
 S15 | S14
 1919

- from which
 A mesquite, 12 ins. diam., bears N. $58\frac{1}{2}^\circ$ E., 141 lks. dist., marked "T 2 S R 14 E S 11 BT"
 A cedar, 6 ins. diam., bears S. $64\frac{3}{4}^\circ$ E., 190 lks. dist. marked "T 2 S R 14 E S 14 BT", no other trees available, and raise a mound of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, mountainous.
 Soil, stony, 3rd rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, manzanita mahogany, wild cherry, scrub oak, eldrado and coffee.
 Timber, very scattering cedar and oak.
 Fair grass.

- N. $89^\circ 41'$ E., on a random line bet. secs. 11 and 14.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.06 Fall 26 lks. N. of the cor. of secs. 11, 12, 13 and 14. Thence
 S. $89^\circ 52'$ W., on a true line bet. secs. 11 and 14.
 Over mts. land, thru dense undergrowth. Desc. 50 ft. over S. slope to
 14.00 Ridge, bears NE. and SW., desc. 270 ft. over NW. slope.
 34.00 Gulch, course SW. Asc. 20 ft. over S. slope to
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground to bed rock, supported by a mound of stone for $\frac{1}{4}$ sec. cor., with brass cap marked

S11
 $\frac{1}{4}$
 S14
 1919

- from which
 A sycamore, 12 ins. diam., bears S. 30° W., 148 lks. dist., marked " $\frac{1}{4}$ S 14 BT", no other tree available, and raise a mound of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 Desc. 70 ft. over SW. slope.
 44.00 Same gulch, course NW. Asc. 175 ft. over NE. slope.

Subdivision of T. 2 S. R. 14 E.

Chains


57.20
66.80
80.06

Point of spur, slopes N. Desc. 325 ft. over NW. slope.
Gulch, course SW. Asc. 195 ft. over rolling SE. slope to
The cor. of secs. 10, 11, 14 and 15.
Land, mountainous.
Soil, stony, 4th rate, igneous formation.
Undergrowth, dense catclaw, mesquite, manzanita, mahogany,
cacti, scrub oak, wild cherry and coffee.
Timber, very scattering cedar, sycamore and oak.
Fair grass.

N. 0° 01' W., bet. secs. 10 and 11.
Over mts. land, thru dense undergrowth. Asc. 35 ft. over
SE. slope.

4.50
10.85
24.75
31.50
39.95
40.00

Spur, slopes W., from NE. Desc. 35 ft. over NW. slope.
Draw, course SW. Asc. 310 ft. over S. slope.
Spur, slopes SW. Desc. 120 ft. over W. slope to
Asc. 55 ft. over W. slope to 1/4 sec. cor.
Ray- Globe Telephone line, bears NE. and SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground for 1/4 sec. cor., with brass cap marked




1919

from which

A mesquite, 6 ins. diam., bears N. 40 3/4° W., 63 lks. dist.,
marked "1/4 S 10 BT".
A wild cherry tree, 4 ins. diam., bears N. 53° E., 128
lks. dist., marked "1/4 S 11 BT".
Desc. 10 ft. over W. slope.

41.30
43.10
45.45
56.60
63.35
80.00

Head of gulch, course W. Asc. 65 ft. over S. slope.
Ridge, bears NE. and SW.; trail, bears NE. and SW. Desc.
50 ft. over NW. slope.
Gulch, course SW. Asc. 215 ft. over SE. slope.
Spur, slopes SW.; wire fence, bears NE. and SW., desc.
60 ft. over W. slope.
Gulch, course SW. Asc. 270 ft. over SW. slope to
Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in
the ground to bed rock, supported by a mound of stone,
for the cor. of secs. 2, 3, 10 and 11, with brass cap
marked



1919

from which

A cedar, 12 ins. diam., bears N. 46 1/4° W., 56 lks. dist.,
marked "T 2 S R 14 E S 3 BT"., no other trees avail-
able, and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft.
high, W. of cor.

Land, mountainous.
Soil, stony, 4th rate, igneous formation.
Undergrowth, dense catclaw, mesquite, manzanita, mahog
any, scrub oak, wild cherry and coffee.
Timber, very scattering, cedar, pine, oak, sycamore and
cottonwood.
Fair grass.

40.00
79.64

N. 89° 52' E., on a random line bet. secs. 2 and 11.
Set temp. 1/4 sec. cor.
Fall 7 lks. S. of the cor. of secs. 1, 2, 11 and 12
Thence
S. 89° 49' W., on a true line bet. secs. 2 and 11.
Over mts. land, thru dense undergrowth. Asc. 60 ft. over
SE. slope.

Subdivision of T. 2^d. R. 14 E.

Chains.

- 5.20 Ray-Globe telephone line, bears NE. and SW.
 5.70 Ridge, bears NE. and SW.; trail, bears NE. and SW.;
 Desc. 535 ft. over NW. slope to $\frac{1}{4}$ sec. cor.
 23.10 Trail, bears NE. and SW.
 39.40 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground for witness cor. to the $\frac{1}{4}$ sec. cor., with brass
 cap marked

S 2
 WC $\frac{1}{4}$ ———
 S 11
 1919

- from which
 A sycamore, 12 ins. diam., bears N. 41° W., 68 lks. dist.,
 marked " $\frac{1}{4}$ S 2 WC BT"
 An oak, 10 ins. diam., bears S. 9° E., 19 lks. dist.,
 marked " $\frac{1}{4}$ S 11 WC BT"
 And raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high; N.
 of cor.
 39.82 True point for $\frac{1}{4}$ sec. cor. impracticable to set monument
 here.
 39.68 Trail, bears NE. and SW.
 40.30 Gulch, course SW. Asc. 335 ft. over rolling SE. slope.
 46.40 A point from which M. Mays house, bears S. 16° W., about
 18 chs. dist.
 56.10 Prospect hole on line.
 58.10 Prospect hole on line.
 60.80 Ridge, bears N. and S. Desc. 65 ft. over SW. slope.
 66.50 Asc. 35 ft. over SE. slope.
 73.40 Spur, slopes SW., from N. Desc. 180 ft. over W. slope to
 79.64 The cor. of secs. 2, 3, 10 and 11.
 Land, mountainous.
 Soil, stony 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, manzanita, mahogany,
 scrub oak, coffee and eldrades.
 Timber, very scattering pine, oak; cedar, juniper, sycamore
 and cottonwood.
 Fair grass.

- N. 0° 01' W., on true line bet. secs. 2 and 3.
 Over mts. land, thru dense undergrowth. Asc. 175 ft.
 over S. slope.
 6.40 Ridge, bears E. and W., Desc. 390 ft. over NW. slope.
 36.25 Gulch, course W. Asc. 150 ft. over S. slope to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$
 S 3 | S 2
 1919

- from which
 An oak, 10 ins. diam., bears N. 11 $\frac{1}{4}$ ° W., 136 lks. dist.,
 marked " $\frac{1}{4}$ S 3 BT."
 An oak, 10 ins. diam., bears N. 19 $\frac{1}{2}$ ° E., 95 lks. dist.,
 marked " $\frac{1}{4}$ S 2 BT."
 Asc. 150 ft. over S. slope.
 45.50 Spur, slopes W., from NE. Desc. 70 ft. over NW. slope.
 49.00 Head of draw, course W. Asc. 170 ft. over S. slope.
 57.75 Ridge, bears E. and W. Desc. 130 ft. over N. slope.
 61.80 Gulch, course W. Asc. 145 ft. over S. slope to
 71.98 Intersect the N. bdy. of Tp. at a point S. 89° 52' E.
 16.80 chs. from the reestablished cor. of secs. 35
 and 36, T, 1 S., R. 14 E., hereinbefore described,
 at point of intersection, set an iron post, 3 ft. long
 , 2 ins. diam., 10 ins. in the ground to bed rock, sup-
 ported by a mound of stone for the closing cor. of secs.
 2 and 3 with brass cap marked

Chains.

| | |
|----------|------|
| T1S R14E | |
| S36 | |
| S 3 | S 2 |
| T2S | R14E |
| C C | |
| 1919 | |

from which,
 A cedar, 10 ins. in diam., brs. S.25°W., 206 lks.
 dist., marked "T2S R14ES3CCBT."

No other tree available, and raise mound of stone, 2½ ft.
 base, 1½ ft. high, S. of cor.

Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, manzanita, scrub oak,
 mahogany, eldrado, and coffee.
 Timber, very scattering pine, oak, cedar and juniper.
 Fair grass.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of Tp.,
 described in Book "H,"
 N.0°02'W., bet. secs. 33 and 34.

8.00
 28.00
 40.00

Over mountainous land, thru. scattering undergrowth; ascend
 35 ft., over SE. slope.
 Spur, slopes SW.; descend 60 ft., over rolling W. slope.
 Wash, 15 lks. wide, 1 ft. deep, course S.20°W.; ascend 100 ft.
 over rolling E. slope, to
 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for ¼ sec. cor., with brass cap, marked

| | |
|------|--|
| S33 | |
| S34 | |
| 1918 | |

and raise a mound of stone, 2½ ft. base, 1½ ft. high, W.
 of cor.

49.40
 54.50
 59.00
 63.00
 68.00
 77.50
 80.00

Ascend 90 ft., over SE. slope.
 Top of spur, slopes SW. from N.; thence along W. slope of
 spur, near top; descend 15 ft. to
 Ascend 35 ft., over SW. slope.
 Top of same spur, slopes SE. from N.; thence along E. slope
 of spur near top.; ascend slightly to
 Top of same spur, slopes SW. from N.; thence along W. slope
 of spur, near top; ascend 25 ft. to
 Top of same spur slopes SE. from N.; thence along E. slope
 of same spur near top. Ascend 65 ft. to
 Spur, slopes SW. At a point about 100 lks. SW., the above
 described spur joins this spur; descend 45 ft., over NW.
 slope, to
 Set an iron post, 3 ft. long, 2 ins. in diam., 22 ins. in
 the ground, to bed rock, supported by a mound of stone
 for the cor. of secs. 27, 28, 33 and 34, with brass cap,
 marked

| | |
|----------|--|
| T2S R14E | |
| S28 | |
| S27 | |
| S33 | |
| S34 | |
| 1918 | |

and raise a mound of stone, 2½ ft. base, 1½ ft. high, W.
 of cor.

Land, mountainous.
 Soil, stony, 4th rate, conglomerate formation.
 Undergrowth, scattering catclaw, mesquite, cacti, scrub oak,
 coffee, eldrado and wild cherry; dense in patches.
 Timber, very scattering cedar. Fair grass.

40.00
 80.22

N.89°50'E., on a random line, bet. secs. 27 and 34.
 Set temp. ¼ sec. cor.
 Fall 9 lks. S. of the cor. of secs. 26, 27, 34 and 35.
 Thence,
 S.89°40'W., on a true line, bet. secs. 27 and 34.
 Over mountainous land, thru. scattering undergrowth; descend
 255 ft., over W. slope.

22 Subdivision of Township 2 South, Range 14 East.

Chains.
 9.45 Gulch, course S.; ascend 235 ft., over E. slope.
 19.90 Ridge, brs. N. and S.; old road brs. N. and S.; descend 260 ft., over W. slope.
 34.60 Gulch, course S. 25° W.; ascend 70 ft., over SE. slope, to
 40.11 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$ S 27

 S 34
 1918

and raise mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
 Ascend 125 ft., over E. slope.
 45.70 Ridge, brs. N. and S.; descend 220 ft., over W. slope.
 57.80 Gulch, course S. 30° W.; ascend 110 ft., over SE. slope.
 62.50 Point of spur, slopes S.; descend 95 ft., over SW. slope.
 68.40 Head of draw, course SE.; ascend 85 ft., over E. slope.
 71.90 Spur, slopes S.; descend 20 ft., over SW. slope.
 73.40 Ascend 15 ft. over SE. slope.
 78.00 Spur, slopes SW.; descend 50 ft., over NW. slope, to
 80.22 The cor. of secs. 27, 28, 33 and 34.
 Land, mountainous.
 Soil, stony, 4th rate, conglomerate formation.
 Undergrowth, scattering catclaw, mesquite, scrub oak, eldrado, manzanita, cacti, Spanish dagger and coffee; dense in patches.
 Timber, very scattering cedar. Fair grass.

N. 0° 02' W., bet. secs. 27 and 28.
 Over mountainous land, thru. scattering undergrowth; descend 50 ft., over NW. slope.
 3.40 Head of draw, course W.; ascend 95 ft., over S. slope.
 6.75 Point of spur, slopes SW.; descend 100 ft., over rolling W. slope.
 17.80 Gulch, course SW.; ascend 225 ft., over SE. slope.
 34.50 Ridge, brs. NE. and SW.; descend 40 ft., over NW. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground to bed rock, supported by a mound of stone for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$
 S28 | S27

 1918

from which,
 A mahogany, 5 ins. in diam., brs. N. 85° W., 95 lks. dist., marked "S28BT."
 No other tree available, and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Descend 140 ft., over NW. slope, to
 47.00 Gulch, course SW.; ascend 20 ft., over SW. slope, to
 52.70 Gulch, course S. 25° W.; ascend 240 ft., over SE. slope.
 69.50 Point of spur, slopes SW.; descend 5 ft. to
 71.00 Ascend 10 ft. to
 72.25 Ridge, brs. NE. and SW.; descend 145 ft., over NW. slope.
 79.85 Head of draw, course W.; ascend slightly over S. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for the cor. of secs. 21, 22, 27 and 28, with brass cap, marked

T2S R14E
 S21 | S22

 S28 | S27
 1918

and raise mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Land, mountainous.
 Soil, stony, 4th rate, conglomerate formation.
 Undergrowth, scattering catclaw, mesquite, scrub oak, manzanita, mahogany, cacti, Spanish dagger and coffee; dense in patches.

| | |
|---------|---|
| Chains. | Timber, very scattering cedar. Fair grass. |
| ----- | |
| 40.00 | N.89°46'E., on a random line, bet. secs.22 and 27. Set temp. $\frac{1}{4}$ sec.cor. |
| 80.38 | Fall 14 lks.S.of the cor.of secs.22,23,26 and 27. Thence, S.89°40'W.,on a true line, bet.secs.22 and 27. Over mountainous land,thru.dense undergrowth;descend 140 ft.,over NW.slope. |
| 5.80 | Gulch,course SW.; ascend 145 ft.,over SE.slope. |
| 14.90 | Point of spur,slopes S.; descend 115 ft.,over SW.slope. |
| 19.50 | Head of draw, course S.; ascend 180 ft.,over SE.slope. |
| 26.90 | Ridge, brs.NE. and SW.; descend 225 ft.,over NW.slope,to |
| 40.19 | Set an iron post, 3 ft.long, 1 in. in diam., 26 ins.in the ground,for $\frac{1}{4}$ sec.cor., with brass cap, marked |
| | S 22 $\frac{1}{4}$ ----- S 27 1918 |
| | and raise a mound of stone,2 $\frac{1}{2}$ ft.base,1 $\frac{1}{2}$ ft.high,N.of cor. Descend 30 ft.,over NW.slope. |
| 41.30 | Gulch,course SW.; ascend 160 ft.,over SE.slope. |
| 58.63 | Spur,slopes SW.from N.;descend 175 ft.,over W. slope. |
| 65.50 | Gulch, course S.30°W.; ascend 135 ft.,over SE.slope. |
| 73.90 | Ridge,brs.NE. and SW. From this point on ridge,a spur, extends NW.; descend 170 ft.,over SW. slope, to |
| 80.38 | The cor.of secs. 21,22,27 and 28. Land,mountainous. Soil,stonny, 4th rate, conglomerate formation. Undergrowth, dense catclaw, mesquite, manzanita,scrub oak,cacti,aeldrado,coffee and mahogany. Timber,very scattering cedar. Fair grass. |
| ----- | |
| | N.0°02'W., bet. secs. 21 and 22. Over mountainous land, thru.dense undergrowth; ascend 75 ft.,over SW.slope. |
| 3.25 | Point of spur,slopes NW.; descend 155 ft.,over N.slope. |
| 10.90 | Draw, course W.; ascend 75 ft.,over S.slope. |
| 13.80 | Spur,slopes SW.; descend 400 ft.,over NW.slope. |
| 33.00 | Gulch, course W.; ascend 110 ft.over S.slope,to $\frac{1}{4}$ sec.cor. |
| 34.00 | A spring brs.E.,about 4 chs.dist. |
| 40.00 | Set an iron post,3 ft.long,1 in.in diam.,26 ins.in the ground,for $\frac{1}{4}$ sec.cor.,with brass cap,marked |
| | $\frac{1}{4}$ S21 S22 1918 |
| | from which, A cedar,16 ins.in diam.,brs.N.50 $\frac{1}{2}$ °E.,193 lks. dist.,marked $\frac{1}{4}$ S22BT." |
| | No other tree available;and raise a mound of stone,2 $\frac{1}{2}$ ft. base,1 $\frac{1}{2}$ ft.high,W.of cor.Asc.330 ft.over S.slope. |
| 58.75 | Spur,from N.slopes W.for about 5 chs.;thence SW.;desc.190 ft.over NW.slope. |
| 67.30 | Draw, course S.70°W.;asc.110 ft.over S.slope. |
| 71.50 | Road, brs.E.and W. |
| 71.70 | Ridge,brs.N.70°E.and S.70°W.,from which a spur extends NW.from a point about 100 lks.W.of line, Descend 130 ft.,over NE.slope,to |
| 80.00 | Set an iron post, 3 ft.long, 2 ins. in diam., 24 ins. in the ground for the cor.of secs.15, 16, 21 and 22, with brass cap, marked |

24 Subdivision of Township 2 South, Range 14 East.

Chains.

T2S R14E
S16 S15
S21 S22
1918

from which,

- A cedar, 12 ins. in diam., brs. S. 55 $\frac{3}{4}$ ° E., 95 lks. dist., marked "T2S R14E S22 BT."
- A cedar, 16 ins. in diam., brs. N. 31° E., 100 lks. dist., marked "T2S R14E S15 BT."
- A cedar limb, 8 ins. in diam., brs. S. 59 $\frac{1}{4}$ ° W., 145 lks. dist., marked, marked "T2SR14ES21BT."
- A cedar, 16 ins. in diam., brs. N. 79 $\frac{3}{4}$ ° W., 72 lks. dist., marked "T2S R14E S16 BT."

Raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor. Land, mountainous.

Soil, stony, 4th rate, conglomerate formation.

Undergrowth, dense catclaw, mesquite, scrub oak, cacti, coffee, wild cherry and eldrado.

Timber, scattering cedar.

Fair grass.

40.00 N. 89° 40' E., on a random line, bet. secs. 15 and 22.
Set temp. $\frac{1}{4}$ sec. cor.

80.16 Fall 1 lk. N. of the cor. of secs. 14, 15, 22 and 23.

Thence,

S. 89° 40' W., on a true line, bet. secs. 15 and 22.

Over mountainous land, thru. dense undergrowth; descend 180 ft. over W. slope.

8.15 Gulch, course SW.; ascend 110 ft. over SE. slope, to

15.00 Ascend 140 ft. over rolling, broken S. slope, to

40.08 Set an iron post 3 ft. long, 1 in. in diam., 20 ins. in the ground, to bed rock, supported by a mound of stone for $\frac{1}{4}$ sec. cor., with brass cap, marked

S 15
 $\frac{1}{4}$ S 22
1918

and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

46.65 Descend 35 ft. over S. slope, to

Ridge, brs. N. 70° E. and S. 70° W.; road brs. N. 70° E. and S 70° W.; descend 270 ft. over rolling N. slope, to

76.65 Ascend 20 ft. over NE. slope, to

80.16 The cor. of secs. 15, 16, 21 and 22.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, manzanita, mahogany, eldrado, Spanish dagger, coffee and cacti.

Timber, very scattering cedar.

Fair grass.

N. 0° 02' W., bet. secs. 15 and 16.

Over mountainous land, thru. dense undergrowth; descend 85 ft. over NE. slope, to

3.00 Descend 30 ft. over N. slope, to

8.00 Descend 270 ft. over NW. slope.

25.70 Mineral Creek, 50 lks. wide, 2 ft. deep, course W., with a small stream of clear water; ascend 310 ft. over S. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap, marked

S16 S15
1919

Subdivision of Township 2 South, Range 14 East.

| | | | | | | | | | | | | | |
|---------|---|-----|------|-----|-----|-----|-----|------|--|------|-----|------|------|
| Chains. | <p>from which, A wild cherry, 6 ins. diam., brs. S. 26° E., 114 lks. dist., marked "1/4 S15 BT."</p> <p>No other tree available, and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor. Asc. 165 ft. over SE. slope.</p> <p>49.50 Spur, slopes SW.; descend 105 ft., over rolling W. slope.</p> <p>61.90 Draw, course W.; ascend 315 ft., over S. slope.</p> <p>78.00 Ridge, brs. E. and W.; descend 50 ft., over N. slope, to</p> <p>80.00 Set an iron post 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bed rock, supported by a mound of stone, for the cor. of secs. 9, 10, 15 and 16, with brass cap, marked</p> <div style="text-align: center;"> <table border="1"> <tr><td>T2S</td><td>R14E</td></tr> <tr><td>S 9</td><td>S10</td></tr> <tr><td>S16</td><td>S15</td></tr> <tr><td colspan="2">1919</td></tr> </table> </div> <p>from which, A cedar, 5 ins. in diam., brs. N. 41 1/8° W., 240 lks. dist., marked "T2S R14E S9 BT."</p> <p>No other trees available; and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.</p> <p>Land, mountainous. Soil, stony, 4th rate, igneous formation. Undergrowth, dense catclaw, mesquite, manzanita, scrub oak, mahogany, wild cherry, coffee and eldrado. Timber, very scattering cedar. Fair grass.</p> <hr/> <p>40.00 N. 89° 40' E., on a random line, bet. secs. 10 and 15. Set temp. 1/4 sec. cor.</p> <p>80.11 Fall 26 lks. N. of the cor. of secs. 10, 11, 14 and 15 Thence, S. 89° 51' W., on a true line, bet. secs. 10 and 15. Over mountainous land thru dense undergrowth; ascend 10 ft. over SE. slope.</p> <p>4.75 Spur, slopes S.; descend 200 ft., over W. slope.</p> <p>10.70 Draw, course SW.; ascend 50 ft., over SE. slope.</p> <p>13.50 Spur, slopes S.; descend 110 ft., over W. slope.</p> <p>16.85 Gulch, course SE., with a small spring of clear water at this point; ascend 205 ft., over rolling NE. slope.</p> <p>37.00 Spur, slopes SE. from N.; desc. 30 ft., over SW. slope, to</p> <p>40.05 1/2 Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in the ground, to bed rock, supported by a mound of stone, for 1/4 sec. cor., with brass cap, marked</p> <div style="text-align: center;"> <table border="1"> <tr><td>S 10</td></tr> <tr><td>1/4</td></tr> <tr><td>S 15</td></tr> <tr><td>1919</td></tr> </table> </div> <p>from which, A mesquite, 4 ins. in diam., brs. N. 89° E., 82 lks. dist., marked "1/4 S10 BT."</p> <p>No other tree available; and raise mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.</p> <p>47.40 Descend 150 ft., over rolling SW. slope. Draw, course S. from NE.; ascend 220 ft., over rolling SE. slope.</p> <p>61.00 Ridge, brs. N. and S.; descend 140 ft., over rolling N. slope to</p> <p>80.11 The cor. of secs. 9, 10, 15 and 16. Land, mountainous. Soil, stony, 4th rate, igneous formation. Undergrowth, dense catclaw, mesquite, scrub oak, manzanita, mahogany, coffee, eldrado, wild cherry and cacti. Timber, very scattering cedar. Fair grass.</p> | T2S | R14E | S 9 | S10 | S16 | S15 | 1919 | | S 10 | 1/4 | S 15 | 1919 |
| T2S | R14E | | | | | | | | | | | | |
| S 9 | S10 | | | | | | | | | | | | |
| S16 | S15 | | | | | | | | | | | | |
| 1919 | | | | | | | | | | | | | |
| S 10 | | | | | | | | | | | | | |
| 1/4 | | | | | | | | | | | | | |
| S 15 | | | | | | | | | | | | | |
| 1919 | | | | | | | | | | | | | |

26 Subdivision of Township 2 South, Range 14 East.

Chains.

N.0°02'W., bet. secs.9 and 10.
 Over mountainous land, thru.dense undergrowth;descend 95 ft.,over N.slope.
 3.90 Gulch,course W.; ascend 150 ft.,over S.slope.
 9.80 Ray-Globe Telephone line, brs.E.and W.
 13.90 Trail, brs.E.and W.
 14.50 Ridge, brs.E.and W.;wire fence, brs.E.and W.;descend 264 ft.,over rolling NW.slope.
 39.00 Gulch, course W.,with a small stream of clear water;asc. 30 ft.,over S.slope,to
 40.00 Set an iron post,3 ft.long, 1 in. indiam.,18 ins.in the ground,to bed rock,supported by a mound of stone,for $\frac{1}{4}$ sec.cor.,with brass cap, marked

$\frac{1}{4}$
 S 9 | S10
 1919

from which,
 A cottonwood,24. ins.in diam.,brs.S.65 $\frac{1}{2}$ °E.,103 lks.dist., marked " $\frac{1}{4}$ S10BT."
 A mesquite,5 ins.in diam.,brs.S.22 $\frac{1}{2}$ °W.,40 lks.dist.,marked " $\frac{1}{4}$ S9BT."

Ascend 525 ft.over S.slope.
 60.00 Spur,slopes W.;descend 95 ft.,over NW.slope,to
 70.00 Spur,slopes N.from SE.;descend 205 ft.,over NE.slope near top to
 80.00 Set an iron post, 3 ft.long, 2 ins. in diam.,20 ins.in the ground to bed rock, supported by a mound of stone for the cor.of secs.3,4,9 and 10, with brass cap, marked

T2S R14E
 S 4 | S 3
 S 9 | S10
 1919

from which,
 A cedar, 5 ins. in diam.,brs.N.57 $\frac{1}{2}$ °W.,51 lks. dist.,marked "T2SR14ES4BT."
 A cottonwood,10 ins.in diam.,brs.N.31°E.,107 lks. dist., marked "T2S R14E S3 BT."
 A wild cherry tree,8 ins.in diam.,brs.S.75°E.,201 lks.dist.,marked "T2SR14ES10BT."

No other tree available; and raise a mound of stone 2 $\frac{1}{2}$ ft.base, 1 $\frac{1}{2}$ ft.high,W.of cor.

Land,mountainous.
 Soil,stonny,4th rate,igneous formation.
 Undergrowth, dense catclaw, mesquite,manzanita,mahogany, coffee, scrub oak,wild cherry,cacti and eldrado.
 Timber, very scattering cedar, cottonwood and oak.
 Fair grass.

40.00 N.89°51'E., on a random line, bet. secs.3 and 10.
 Set temp. $\frac{1}{4}$ sec.cor.
 80.18 Fall 17 lks.S.of the cor.of secs.2,3,10 and 11.
 Thence,
 S.89°44'W.,on a true line,bet.secs.3 and 10.
 Over mountainous land, thru. dense undergrowth;ascend 20 ft.,over SE.slope.
 4.70 Spur,slopes S.; descend 365 ft.,over SW.slope to $\frac{1}{4}$ sec. cor.
 33.60 Prospect hole on line.
 40.09 Set an iron post 3 ft.long,1 in. in diam.,18 ins. in the ground, to bed rock, supported by a mound of stone for $\frac{1}{4}$ sec.cor., with brass cap, marked


$\frac{1}{4}$ S 3
 S 10
 1919

and raise mound of stone,2 $\frac{1}{2}$ ft.base,1 $\frac{1}{2}$ ft.high,


Chains.

N. of cor.
 Descend slightly, over SW. slope, to
 40.70 Ravine, course SW.; ascend 30 ft. over SW. slope, to
 44.50 Descend 45 ft., over S. slope, to
 46.80 Ascend 35 ft., over SE. slope.
 51.00 Spur, slopes SW.; descend 320 ft., over W. slope.
 61.65 Trail, brs. NE. and SW.
 62.25 Gulch, course S.; water in holes in this gulch; ascend
 145 ft., over SE. slope.
 65.70 Mouth of Copper Vault tunnel, brs. N. 52° E. about 4 chs.
 dist.; Sherwin's cabin about 3 chs. S.; old road brs.
 N. and S.
 71.70 Point of spur, slopes S.; descend 350 ft., over SW. slope.
 79.10 Same gulch, as crossed at 62.25 ch. station, course NW.,
 water in holes. Asc. 40 ft., over NE. slope, to
 80.18 The cor. of secs. 3, 4, 9 and 10.
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, scrub oak, manzanita,
 mahogany, eldrado, mescal, cacti, Spanish dagger and cof-
 fee.
 Timber, very scattering cedar, cottonwood and oak.
 Fair grass.

N. 0° 02' W., on true line, bet. secs. 3 and 4.
 Over mountainous land, thru. dense undergrowth; desc. 60
 ft. over N. slope.
 1.05 Gulch, course NW. turns SW. at about 2 lks. NW.; water in
 holes in this gulch; ascend 500 ft., over S. slope.
 14.70 Prospect hole on line.
 16.40 Ridge, brs. NE. and SW.; descend 90 ft. over W. slope.
 20.70 Head of draw, course W.; ascend 160 ft., over SW. slope.
 22.10 Wire fence brs. NW. and SE.
 33.60 Spur, slopes W.; descend 90 ft., over N. slope to $\frac{1}{4}$ sec. cor.
 35.35 Wire fence brs. E. and W.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 15 ins. in
 the ground, to bed rock, supported by a mound of stone
 for $\frac{1}{4}$ sec. cor., with brass cap, marked



and raise mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Descend 220 ft., over N. slope.
 51.10 Gulch, course W.; ascend 235 ft., over S. slope, to
 59.60 Point of spur, sloping S., brs. W. about 30 lks. dist. Thence
 along E. slope of spur, near top. Ascend 140 ft. to
 closing cor.
 61.65 Prospect hole on line.
 72.46 Intersect N. bdy. of the Tp., N. 89° 45' E., 16.46 chs. from
 the reestablished cor. of secs. 34 and 35, T. 1 S., R. 14
 E., hereinbefore described. At point of intersection,
 set an iron post, 3 ft. long, 2 ins. in diam., 20 ins.
 in the ground to bed rock, supported by a mound of
 stone for the closing cor. of secs. 3 and 4, with
 brass cap, marked



and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, S.
 of cor.
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, manzanita, mahogany,
 Spanish dagger, mescal, coffee, scrub oak and wild
 cherry.
 Timber, very scattering cedar. Fair grass.

28 Subdivision of Township 2 South, Range 14 East.

Chains.

From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., described in Book "H,"

N. 0° 02' W., bet. secs. 32 and 33.

Over mountainous land, thru. dense undergrowth; descend 95 ft., over NE. slope.

4.00 Gulch, course S. 70° E.; ascend 155 ft., over S. slope.


10.70 Spur, slopes SE.; descend 155 ft., over NE. slope.

19.30 Gulch, course SE.; ascend 125 ft., over S. slope.

25.00 Spur, slopes SE.; descend 115 ft., over NE. slope.

36.40 Draw, course E.; ascend 70 ft., over SE. slope, to

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap, marked



from which,

A cedar, 18 ins. in diam., brs. S. 86° W., 215 lks. dist., marked "1/4 S32 BT."

No other tree available; and raise a mound of stone 2 1/2 ft. base, 1 1/2 ft. high, W. of cor. Asc. 15 ft. over SE. slope.

45.00 Low spur, slopes SE.; descend 55 ft., over NE. slope.

51.40 Draw, course SE.; ascend 100 ft., over S. slope.

58.20 Ridge, brs. E. and W.; descend 85 ft., over N. slope.


58.55 Wire fence, brs. E. and W.

61.30 Head of gulch, course NE.; ascend 50 ft., over E. slope.

68.75 Top of spur, slopes NW. from SW.; descend 170 ft., over NE. slope.

78.30 Same gulch as at 61.30 ch. station, course N. 20° W.; ascend 10 ft., over W. slope, to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for the cor. of secs. 28, 29, 32 and 33, with brass cap,



and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Land, mountainous.

Soil, stony, 4th rate, conglomerate formation.

Undergrowth, dense catclaw, mesquite, scrub oak, manzanita, mahogany, eldrado, Spanish dagger, mescal, cacti and coffee.

Timber, very scattering cedar. Fair grass.

N. 89° 50' E., on a random line, bet. secs. 28 and 33.

40.00 Set temp. 1/4 sec. cor.

80.12 Fall 5 lks. N. of the cor. of secs. 27, 28, 33 and 34.

Thence,

S. 89° 52' W., on a true line, bet. secs. 28 and 33.

Over mountainous land, thru. dense undergrowth; desc. 130 ft. over NW. slope.

8.90 Gulch, course SW.; ascend 50 ft., over SE. slope.

11.10 Point of spur, slopes S.; descend 65 ft., over SW. slope.

14.20 Draw, course S.; ascend 115 ft., over E. slope.

18.60 Spur, slopes S.; descend 110 ft., over W. slope.

22.90 Draw, course SW.; ascend 30 ft., over SE. slope.

24.50 Point of spur, slopes S.; descend 40 ft., over SW. slope.

26.30 Draw, course SE.; ascend 90 ft., over E. slope.

31.50 Spur, slopes S.; descend 110 ft., over SW. slope.

39.00 Head of draw, course S.; ascend 25 ft. over SE. slope, to

40.06 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in

Subdivision of T. 2 S. R. 14 E.

Chains.

the ground for 1/4 sec. cor., with brass cap marked

S28
1/4
S33
1918

and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.

Asc. 55 ft. over SE. slope

- 45.60 Ridge, bears NE. and SW. Desc. 120 ft. over NW. slope
- 56.50 Wash, 15 lks. wide, 2 ft. deep, course NW. Desc. slightly along rolling N. slope.
- 56.90 Road, bears NW. and SE.
- 78.50 Spur, slopes NW. Desc. 80 ft. over W. slope to
- 80.12 The cor. of secs. 28, 29, 32 and 33.

Land, mountainous.
 Soil, stony, 4th rate, conglomerate formation.
 Undergrowth, dense catclaw, mesquite, hackberry, eldrado, cacti, manzanita, spanish dagger, mescal, coffee and wild cherry.
 Timber, very scattering cedar.
 Fair grass.

 N. 0° 02' W., bet. secs. 28 and 29.
 Over mts. land, thru dense undergrowth. Asc. 10 ft. over W. slope.

- .60 Point of spur, slopes NW. Desc. 25 ft. over N. slope.
- 2.20 Wash, course W., 100 lks. wide, 2 ft. deep, Asc. 185 ft. over S. slope.
- 21.30 Road, bears E. and W.
- 19.00 Spur, slopes W. Desc. 115 ft. over NW. slope
- 28.00 Head of draw, course W. Asc. 50 ft. over S. slope.
- 31.75 Ridge, bears E. and W. Walnut Spring bears S. 55° W., about 25 chs. dist., desc. 160 ft. over rolling N. slope to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported by a mound of stone for 1/4 sec. cor., with brass cap marked

1/4
S29 | S28
1918

from which
 A cedar, 8 ins. diam., bears S. 43 1/2° E., 320 lks. dist. marked "1/4 S 28 BT", no other tree available, and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor. Desc. 100 ft. over N. slope

- 53.00 Wash, 30 lks. wide, 1 ft. deep, course W., turns to NW. about 3 chs. W. Asc. 190 ft. over SW. slope.
- 53.20 Road, bears NW. and SE.
- 67.60 Spur, slopes NW., from E. Desc. 225 ft. over N. slope
- 77.50 Gulch, course W. Asc. 115 ft. over S. slope to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for the cor. of secs. 20, 21, 28 and 29 with brass cap marked

T2S | R14E
S20 | S21
S29 | S28
1918

from which
 A cedar limb, 5 ins. diam., bears S. 76 3/4° W., 85 lks. dist., marked "T 2 S R 14 E S 29 BT", no other trees available and raise a mound of stone, 2 1/2 ft. base. 1 1/2 ft. high, W. of cor.
 Land, mountainous.
 Soil, stony, 4th rate, conglomerate formation.
 Undergrowth, dense catclaw, mesquite, scrub oak, manzanita, mahogany, eldrado, corona criste, spanish dagger, cacti,

Subdivision of T. 2 S., R. 14 E.

| | |
|---------|--|
| Chains. | <p>mescal, palo verde, coffee and wild cherry. Timber, very scattering cedar. Fair grass .</p> <hr/> <p>N. 89° 52' E., on a random line bet. secs. 21 and 28. Set temp. $\frac{1}{4}$ sec. cor. 40.00 Fall 14 lks. N. of the cor. of secs. 21, 22, 27 and 28. 80.00 Thence S. 89° 58' W., on a true line bet. secs. 21 and 28. Over mts. land, thru dense undergrowth. Desc. 20 ft. over SW. slope to 1.50 Draw, course N. 75° W., desc. 145 ft. over NW. slope. 11.90 Gulch, course SW. Asc. 165 ft. over SE. slope. 22.00 Spur, slopes SW. Desc. 180 ft. over W. slope. 28.60 Head of draw, course SW. Asc. 105 ft. over SE. slope. 36.20 Top of ridge, bears NE. and SW. Thence along N. slope of ridge, near top. Desc. 65 ft. to 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap marked</p> <div style="text-align: center;"> $\frac{1}{4}$ S21 <hr style="width: 20px; margin: 0 auto;"/> S28 1918 </div> <p>and raise a mound of stone, 2$\frac{1}{2}$ ft. base, 1$\frac{1}{2}$ ft. high, N. of cor. Asc. 30 ft. over NE. slope. 41.70 Top of same ridge, bears NW. and SE. Desc. 25 ft. over S. slope to 45.80 Spur, slopes SW. Desc. 270 ft. over W. slope. 61.35 Head of gulch, course SW. Asc. 70 ft. over rolling S. slope to 67.50 Desc. 120 ft. over rolling S. slope to 80.00 The cor. of secs. 20, 21, 28 and 29: Land, mountainous. Soil, stony, 4th rate, conglomerate formation. Undergrowth, dense catclaw, mesquite, manzanita, mahogany, scrub oak, mescal, spanish dagger, cacti, corona cristo and coffee. Timber, very scattering cedar. Fair grass.</p> <hr/> <p>N. 0° 02' W., bet secs. 20 and 21. Over mts. land, thru dense undergrowth. Asc. 55 ft. over S. slope. 1.60 Spur, slopes NW., from E. Desc. 210 ft. over NW. slope. 16.00 Wash, 100 lks. wide, 2 ft. deep, course SW. Asc. 100 ft. over S. slope. 20.10 Spur, slopes SW.; road, bears NE. and SW.; desc. 40 ft. over NW. slope. 22.90 Draw, course SW. Asc. 225 ft. over S. slope. 39.80 Ridge, bears NE. and SW. Desc. slightly over NW. slope to 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap marked</p> <div style="text-align: center;"> $\frac{1}{4}$ S 20 S21 <hr style="width: 20px; margin: 0 auto;"/> 1918 </div> <p>and raise a mound of stone, 2$\frac{1}{2}$ ft. base, 1$\frac{1}{2}$ ft. high, W. of cor. Desc. 245 ft. over NW. slope. 56.00 Draw, course NW. Asc. 95 ft. over SW. slope. 60.00 Spur, slopes NW. Desc. 270 ft. over rolling N. slope 72.90 Mineral Creek, dry at this point, 150 lks. wide, 2 ft. deep, course W. Asc. 100 ft. over S. slope to 80.00 Point of spur, slopes SW., set an iron post, 3 ft. long, 2</p> |
|---------|--|

Subdivision of T. 2 S. R. 14 E.

Chains.

ins. diam., 20 ins. in the ground to bed rock, supported by a mound of stone for the cor. of secs. 16, 17, 20 and 21, with brass cap marked

T2S R14E
S17 S16
S20 S21
1918

from which

A cedar, 4 ins. diam., bears N. 59° E., 18 lks. dist., marked "T2S R14E S16 BT", no other trees available; and raise a mound of stone, 2½ ft. base, 1½ ft. high, W. of cor.

Land, mountainous.

Soil, stony, 4th rate, conglomerate formation.

Undergrowth, dense catclaw, mesquite, manzanita, scrub oak, mahogany, spanish dagger, soto, coffee, eldrado and cacti.

Timber, very scattering cedar and oak.

Fair grass.

40.00
80.14

3.00
12.88
40.07

N. 89° 58' E., on a random line bet. secs. 16 and 21.

Set temp. ¼ sec. cor.

Fall 10 lks. S. of the cor. of secs. 15, 16, 21 and 22.

Thence

S. 89° 54' W., on a true line bet. secs. 16 and 21.

Over mtl. land, thru dense undergrowth. Asc. 10 ft. over NE. slope to

Point of spur, slopes NW. Desc. 175 ft. over NW. slope to

Desc. 160 ft. over N. slope to

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor., with brass cap marked

S16
¼
S21
1918

and raise a mound of stone, 2½ ft. base, 1½ ft. high, N. of cor.

Desc. 210 ft. over N. slope to

55.00
70.75
80.14

Desc. 180 ft. over NW. slope.

Mineral Creek, dry at this point, 200 lks. wide; 1 ft. deep, course SW. Asc. 85 ft. over SE. slope to

The cor. of secs. 16, 17, 20 and 21.

Land, mountainous.

Soil, stony, 4th rate, conglomerate formation.

Undergrowth, dense catclaw, mesquite, manzanita, scrub oak, mahogany, eldrado, cacti, mesoal, soto, spanish dagger, coffee, palo verde, corona cristo, wild cherry and cedar.

Timber, very scattering cedar oak.

Fair grass.

2.50
11.50
22.60
33.45
37.30
39.25
40.00

N. 0° 02' W., bet. secs. 16 and 17.

Over mts. land, thru dense undergrowth. Asc. 15 ft. over SE. slope.

Spur, slopes SW. Desc. 30 ft. over W. slope.

Draw, course SW., asc. 215 ft. over SE. slope.

Spur, slopes SW. Desc. 145 ft. over NW. slope.

Gulch, course SW. Asc. 80 ft. over SE. slope.

Spur, slopes SW. Desc. 30 ft. over NW. slope.

Ravine, course SW. Asc. 5 ft. over SE. slope to

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor., with brass cap marked

¼
S17 S16
1919

Subdivision of T. 2 S., R. 14 E.

Chains.

from which

A cedar, 4 ins. diam., bears S. 4 1/2° E., 240 lks. dist., marked "1/4 S 16 BT", no other tree available; and raise a mound of stone 2 1/2 ft. base, 1 1/2 ft. high, W. of cor. Asc. 110 ft. over SE. slope.

- 44.40 Telephone line, bears NE. and SW.
- 47.00 Trail, bears NE. and SW.
- 47.20 Ridge, bears NE. and SW. Desc. 60 ft. over W. slope
- 47.50 Wire fence, bears NE. and SW.
- 57.10 Ravine, course W. Asc. 50 ft. over S. slope.
- 60.50 Spur, slopes W. Desc. 100 ft. over N. slope.
- 65.00 Ravine, course W. Asc. 115 ft. over S. slope.
- 68.00 Spur, slopes W. Desc. 85 ft. over N. slope.
- 73.00 Ravine, course W. Asc. 80 ft. over S. slope.
- 78.60 Spur, slopes W. Desc. 30 ft. over N. slope to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for the cor. of secs. 8, 9, 16 and 17, with brass cap marked

| | |
|-----|------|
| T2S | R14E |
| S 8 | S 9 |
| S17 | S16 |

1919

from which

A cedar, 4 ins. diam., bears N. 24 1/2° W., 231 lks. dist., marked "T 2 S R 14 E S 8 B T", no other trees available, and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, manzanita, scrub oak, wild cherry, palo verde, cacti, eldrado and coffee.

Timber, very scattering cedar and oak.

Fair grass.

- 40.00 N. 89°54' E., on a random line bet. secs. 9 and 16.
- Set temp. 1/4 sec. cor.
- 80.20 Fall 26 lks. S. of the cor. of secs. 9, 10, 15 and 16.

Thence

S. 89° 43' W., on a true line bet. secs. 9 and 16.

Over mts. land, thru dense undergrowth. Asc. 20 ft. over N. slope to

- 8.00 Desc. 290 ft. over NW. slope:
- 23.80 Gulch, course SW. Asc. 70 ft. over rolling SE. slope to 1/4 sec. cor.
- 39.50 Telephone line, bears NE. and SW.
- 40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap marked

| |
|-----|
| S 9 |
| 1/4 |
| S16 |

1919

and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.

Asc. 20 ft. over SE. slope.

- 42.30 Ridge, bears NE. and SW.; trail, bears NE. and SW.; desc. 400 ft. over rolling NW. slope to sec. cor.
- 43.40 Wire fence, bears NE. and SW.
- 80.20 The cor. of secs. 8, 9, 16 and 17.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, wild cherry, manzanita, mahogany, coffee, eldrado and corona cristo.

Timber, very scattering cedar.

Fair grass.

Subdivision of T. 2 S., R. 14 E.

Chains.

N. 0° 02' W., bet. secs. 8 and 9.
Over mts. land, thru dense undergrowth. Desc. 80 ft. over N. slope.

- 8.73 Gulch, course W. Asc. 70 ft. over SW. slope.
- 13.20 Spur, slopes W. Desc. 80 ft. over NW. slope.
- 19.00 Gulch, course W. Asc. 85 ft. over S. slope.
- 22.20 Spur, slopes W. Desc. 100 ft. over N. slope.
- 26.00 Ravine, course W. Asc. 45 ft. over S. slope.
- 30.00 Spur, slopes W. Desc. 125 ft. over NW. slope.
- 34.20 Wash, 100 lks. wide, 3 ft. deep, course SW. Asc. 50 ft over E. slope to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground to bed rock, supported by a mound of stone for $\frac{1}{4}$ sec. cor. with brass cap marked

$\frac{1}{4}$
S 8 | S 9

1919

from which

A Cat claw, 12 ins. diam., bears S. 20° E., 9 lks. dist., marked " $\frac{1}{4}$ S 9 BT", no other tree available, and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, 10 ft. W. of cor.; a prospect tunnel, bears N. 29° E., about 2 chs. dist..

Asc. 30 ft. over E. slope to

- 45.00 Bend in Gulch, course SE., from NE., with a small stream of clear water. A small gulch from NW. joins at this point. Asc. 115 ft. over SE. slope to

- 62.00 Ravine, course SE. Asc. 280 ft. over SE. slope to

- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bed rock, supported by a mound of stone for the cor. of secs. 4, 5, 8 and 9, with brass cap marked

T2S | R14E
S 5 | S 4
S 8 | S 9
1919

from which

A mesquite, 4 ins. diam., bears S. 48 $\frac{1}{2}$ ° E., 169 lks. dist., marked "T 2 S R 14 E S 9 BT".

A mesquite, 6 ins. diam., bears N. 70 $\frac{1}{2}$ ° W., 123 lks. dist., marked "T 2 S R 14 E S 5 BT", no other trees available, and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, cherry, cacti, spanish dagger, mescal, coffee and eldrado.

Timber, very scattering cedar, cottonwood, and sycamore. Fair grass.

- 40.00 N. 89° 43' E., on a random line bet. secs. 4 and 9. Set temp. $\frac{1}{4}$ sec. cor.
- 80.27 Fall 3 lks. S. of the cor. of secs. 3, 4, 9 and 10. Thence

S. 89° 42' W., on a true line bet. secs. 4 and 9. Over mts. land, thru dense undergrowth. Desc. 5 ft. over N. slope to

- 1.00 Desc. 95 ft. over NW. slope
- 4.00 Gulch, course SW., water in holes in this gulch, Asc. 250 ft. over S. slope.
- 29.60 Spur, slopes SW. Desc. 300 ft. over W. slope to
- 40.13 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bed rock, supported by a mound of stone for $\frac{1}{4}$ sec. cor., with brass cap marked

S 4
 $\frac{1}{4}$ ———
S 9
1919

34.

Subdivision of T. 2 S. R. 14 E.

Chains.

from which

A mahogany, 5 ins. diam., bears N. 1° W., 48 lks. dist., marked "1/4 S 4 BT"

A wild cherry, 6 ins. diam., bears S. 55 1/2° E., 42 lks. dist., marked "1/4 S 9 BT"

Desc. 425 ft. over W. slope.

51.50 Gulch, course S. Asc. 270 ft. over E. slope.

62.00 Spur, slopes S. Desc. 245 ft. over W. slope.

67.80 Gulch, course SW. Asc. 145 ft. over E. slope to

80.27 The cor. of secs. 4, 5, 8 and 9.

Land, mountainous.

Soil, stone, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, manzanita, mahogany, wild cherry, coffee and eldrado.

Timber, very scattering cedar, cottonwood and sycamore

Fair grass.

N. 0° 02' W. on a true line bet secs. 4 and 5.

Over mts. land, thru scattering undergrowth. Asc. 290 ft. over E. slope to

30.50 Top of ridge, bears NE. and SW. Asc. 40 ft. over W. slope

31.40 Prospect hole on line.

35.00 Desc. 30 ft. over W. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, supported by a mound of stone for 1/4 sec. cor., with brass cap marked

1/4
S 5 | S 4
1919

from which

An oak, 4 ins. diam., bears N. 46° E., 142 lks. dist., marked "1/4 S 4 BT", no other tree available, and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor. Desc. 25 ft. over NW. slope.

41.00 Draw, course SW. Asc. 115 ft. over SE. slope.

45.80 Ridge, bears NE. and SW. Desc. 35 ft. over NW. slope.

50.75 Asc. 45 ft. over SW. slope.

56.00 Spur, slopes W. Desc. 450 ft. over N. slope.

63.00 Prospect hole in line.

70.00 Gulch, course NW. from NE., Asc. 100 ft. over SW. slope to

73.45 Intersect the N. bdy. of the Tp. 16.33 chs. S. 89° 20' E. from the reestablished cor. of secs. 33 and 34, T 1 S. R. 14 E., hereinbefore described; At intersection set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bed rock, supported by amount of stone, for the closing cor. of secs. 4 and 5 with brass cap marked

T 1 S R 14 E
33 34
S 5 | S 4
T 2 S R 14 E
C C
1919

from which

A cedar, 8 ins. diam., bears S. 26 1/2° E., 86 lks. dist., marked "T 2 S R 14 E S 4 CC BT"

An ash, 11 ins. diam., bears S. 33 1/2° W., 114 lks. dist., marked "T 2 S R 14 E S 5 CC BT"

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, scattering catclaw, mesquite, scrub oak, coffee, cacti, spanish dagger, eldrado, manzanita and mahogany. Dense in patches.

Timber, very scattering cedar, cottonwood, sycamore and ash.

Fair grass.

Subdivision of T. 2 S. R. 14 E.

BOOK 3399

Chains.

From the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the Tp., described in Book "H".

N0° 03' W., bet secs. 31 and 32.

Over mts. land, thru dense undergrowth. Asc. 5 ft. over S. slope.


1.00 Ridge, bears E. and W., desc. 120 ft. over NW. slope.

12.90 Draw, course NE., asc. 45 ft. over E. slope to

20.00 Desc. 50 ft. over E. slope.

31.50 Draw, course SE., asc. 125 ft. over SW. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported by a mound of stone for 1/4 sec. cor., with brass cap marked



1918

and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Asc. 5 ft. over SW. slope to


42.00 Spur, slopes SE., asc. 100 ft. over E. slope to

54.00 Desc. 105 ft. over E. slope to

67.00 Spur, slopes NE. Desc. 240 ft. over NW. slope to

75.00 Desc. 95 ft. over N. slope to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for the cor. of secs. 29, 30, 31 and 32, with brass cap marked



and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, eldrado, cacti, mahogany, manzanita, soto, spanish dagger, coffee, corona cristo, ocotillo, mescal and hackberry.

Timber, very scattering cedar and oak.

Fair grass.

N. 89° 50' E., on a random line bet. secs. 29 and 32.

40.00 Set temp. 1/4 sec. cor.

80.02 Fall 21 lks. S. of the cor. of secs. 28, 29, 32 and 33.

Thence

S. 89° 41' W., on a true line bet. secs. 29 and 32.

Over mts. land, thru dense undergrowth. Desc. 10 ft. over W. slope.

1.00 Draw, course NW., asc. 70 ft. over NE. slope.


7.00 Point of spur, slopes NW., desc. 85 ft. over SW. slope.

10.20 Gulch, course NW., from SW., asc. 315 ft. over SE. slope.

29.00 Spur, slopes NE., desc. 115 ft. over NW. slope

38.40 Draw, course NE., asc. 40 ft. over S. slope to

40.01 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported by a mound of stone for 1/4 sec. cor., with brass cap marked



and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.

Desc. 5 ft. over S. slope

44.65 Same draw, as at 38.40 ch. station, course SE., asc. 275 ft. over E. slope


61.00 Spur, slopes NE., a prospect hole bears N. about 50 lks. dist. Desc. 90 ft. over NW. slope.

Subdivision of T. 2.S. R. 14 E.

Chains.

64.25 Prospect hole about 50 lks. dist. N.
 66.00 Desc. 60 ft. over broken N. slope to
 80.02 The cor. of secs. 29, 30, 31 and 32.
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, scrub oak, ocotillo,
 spanish dagger, cacti, soto, manzanita, mahogany, coffee,
 palo verde, corona cristo, aldrado and mescal.
 Timber, very scattering cedar, oak and juniper.
 Fair grass.


 S. 89° 50' W., on a random line bet. secs. 30 and 31.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 77.81 Fall 23 lks. N. of the cor. of secs. 25, 30, 31 and 36
 on the W. bdy. of the Tp. described in book "B"
 Thence
 N. 89° 40' E. on a true line bet. secs. 30 and 31.
 Over mts. land, thru dense undergrowth. Asc. 545 ft. over
 W. slope
 16.00 Ridge, bears N. and S., desc. 525 ft. over E. slope to
 37.81 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in.
 the ground for $\frac{1}{4}$ sec. cor., with brass cap marked



and raise a mound of stone, 2½ ft. base, 1½ ft. high,
 N. of cor.
 Desc. 20 ft. over E. slope.
 38.80 Gulch, course NE., asc. 130 ft. over NW. slope.
 41.00 Ray-Globe trail, bears N. and S., general bearing NE.
 and SW.
 48.30 Telephone line, bears NE. and SW.
 48.80 Spur, slopes NE., desc. 250 ft. over SE. slope.
 65.30 Gulch, course NE., asc. 90 ft. over N. slope to
 77.81 The cor. of secs. 29, 30, 31 and 32.

Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, scrub oak, manzanita,
 mahogany, cacti, mescal, aldrado, coffee and spanish
 dagger.
 Timber, very scattering cedar and oak.
 Fair grass.

 N. 0° 03' W. bet. secs. 29 and 30.
 Over mts. land, thru dense undergrowth. Desc. 200 ft.
 over N. slope.
 10.40 Gulch, course E. for about 2 chs., thence NE. A spring
 bears W. about 1 ch. dist.. Asc. 150 ft. over SE. slope.
 25.50 Spur, slopes NE., desc. 200 ft. over NW. slope to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., with brass cap marked



and raise a mound of stone, 2½ ft. base, 1½ ft. high,
 W. of cor.
 Desc. 155 ft. over NW. slope.
 47.60 Telephone line, bears NE. and SW. ; Ray-Globe trail,
 bears NE. and SW.
 48.60 Gulch, course NE., asc. 125 ft. over E. slope.
 53.60 Desc. 225 ft. over NE. slope.
 65.50 A point about 40 lks. W. of bend in same gulch, course
 NE. from SE., asc. 185 ft. over rolling SE. slope.

Subdivision of T. 2 S. R. 14 E.

Chains.

77.80 Spur, slopes E., desc. 45 ft. over NE. slope to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground for the cor. of secs. 19, 29, 29 and 30
 with brass cap marked

| | |
|------|------|
| T2S | R14E |
| S19 | S20 |
| S30 | S29 |
| 1918 | |

and raise a mound of stone, 2½ ft. base, 1½ ft. high,
 W. of cor.
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, scrub oak, manzanita,
 mahogany, eldrado, coffee, cacti, spanish dagger and
 mescal.
 Timber, very scattering cedar and oak.
 Fair grass.

40.00 N. 89° 41' E., on a random line bet. secs. 20 and 29.
 80.34 Set temp. ¼ sec. cor.
 Fall 10 lks. N. of the cor. of secs. 20, 21, 28 and 29.
 Thence

S. 89° 45' W., on a true line bet. secs. 20 and 29.
 Over mts. land, thru dense undergrowth. Desc. 150 ft.
 over S. slope.

11.25 Draw, course NW., asc. 40 ft. over NE. slope.
 20.00 Spur, slopes NW., desc. 100 ft. over SW. slope.

24.80 Wash, 25 lks. wide, 5 ft. deep, course NW.; road, bears
 NW. and SE.; Asc. slightly over rolling N. slope to.

40.17 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground for ¼ sec. cor., with brass cap marked

| |
|------|
| S20 |
| ¼ |
| S29 |
| 1918 |

from which
 A cedar limb, 9 ins. diam., bears S. 30° W., 273 lks.
 dist., marked "¼ S 29 BT", no other tree available,
 and raise a mound of stone, 2½ ft. base, 1½ ft. high,
 N. of cor.

55.70 Asc. 250 ft. over NE. slope.
 Spur, slopes NW., for about 5 chs., thence N. Desc. 290 ft.
 over SW. slope.

67.80 Gulch, course N.; Ray-Globe-trail, bears N. and S.; asc.
 335 ft. over broken NE. slope to sec. cor.

69.00 Telephone line, bears N. and S.

80.34 The cor. of secs. 19, 20, 29 and 30.
 Land, mountainous.

Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, manzanita, mahogany,
 scrub oak, eldrado, cacti, spanish dagger, mescal and
 coffee.
 Timber, very scattering cedar and oak.
 Fair grass.

40.00 S. 89° 40' W., on a random line bet. secs. 19 and 30.
 77.69 Set temp. ¼ sec. cor.

Fall 3 lks. N. of the cor. of secs. 19, 24, 25 and 30 on
 the W. bdy. of the Tp., described in book "B"

Thence
 N. 89° 39' E., on a true line bet. secs. 19 and 30.

Over mts. land, thru dense undergrowth. Desc. 80 ft. over
 E. slope to

2.00 Head of draw, course SE.; prospect tunnel about 75 lks.
 S.; desc. 405 ft. over S. slope to

Subdivision of T. 2 S. R. 14 E.

Chains.

36.00 Point of spur, slopes SE., desc. 50 ft. over SE. slope to
37.69 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground for 1/4 sec. cor., with brass cap marked

S19
1/4
S30
1918

and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high,
N. of cor.

Desc. 125 ft. over E. slope.

41.15 Gulch, course S., from NW., asc. 125 ft. over W. slope.

44.90 Spur, slopes SE., desc. 375 ft. over broken SE. slope.

66.50 Gulch, course NE., asc. 240 ft. over NW. slope.

74.00 Spur, slopes NE., desc. 105 ft. over E. slope to

77.69 The cor. of secs. 19, 20, 29 and 30.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, manzanita,
eldrado, spanish dagger, coffee, mahogany and corona
cristo.

Timber, very scattering cedar and oak.

Fair grass.

N. 0° 03' W., bet secs. 19 and 20.

Over mts. land, thru dense undergrowth. Desc. 15 ft. over
NE. slope.

.65 Head of draw, course E., asc. 50 ft. over E. slope to

2.60 Desc. 25 ft. over E. slope to

7.60 Rocky spur, slopes NE., desc. 325 ft. over NW. slope.

24.30 Gulch, course NE., asc. 295 ft. over SE. slope.

36.50 Rocky spur, slopes E. for about 2 chs., thence NE., desc.
80 ft. over broken NE. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground for 1/4 sec. cor., with brass cap marked

1/4
S19 | S20
1918

from which

A cedar, 12 ins. diam., bears S. 86° E., 173 lks. dist.
marked "1/4 S20 BT", no other tree available, and raise
a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.
Desc. 210 ft. over N. slope.

53.50 Draw, course NE., asc. 110 ft. over SE. slope.

57.75 Point of spur, slopes NE., desc. 390 ft. over broken NE.
slope.

76.00 Vacant cabin, bears E., about 2 chs. dist.

79.00 Enter channel of Mineral Creek, course N. 15° W., with a
small intermittent stream, of clear water in center
of channel.

80.00 The true point for the cor. of secs. 17, 18, 19 and 20
falls in channel of Mineral Creek, course NW., an
unsuitable place for permanent cor., therefore estab-
lish witness cor. to this cor at a point 30 lks. S.
89° 40' W., from cor. point as hereinafter described.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, mahogany,
corona cristo, cacti, spanish dagger, manzanita and
coffee.

Timber, very scattering cedar, sycamore, walnut, oak
and cottonwood.

From true point for cor. of secs. 17, 18, 19 and 20,
N. 89° 45' E., on random line, bet. secs. 17 and 20.

40.00 Set temp. 1/4 sec. cor. for the cor. of secs. 17, 18, 19 and 20
80.40 Fall 5 lks. N. of cor. of secs. 16, 17, 20 and 21.

Thence,

BOOK 8888

Subdivision of T. 2 S. R. 14 E.

Chains

S. 89° 47' W., on a true line bet. secs. 17 and 20.
 Over mts. land, thru dense undergrowth, along S. slope to
 Desc. 75 ft. over W. slope.
 3.40 Draw, course SW., asc. 90 ft. over SE. slope.
 3.60 Spur, slopes S., desc. 175 ft. over rolling SW. slope.
 77.90 Wash, 40 lks. wide, 4 ft. deep, course SW., desc. slightly
 30.70 to
 32.80 Wash, 40 lks. wide, 4 ft. deep, course SW., asc. 50 ft.
 over rolling S. slope to
 40.20 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground for 1/4 sec. cor., with brass cap marked

S17
 1/4
 S20
 1918

from which
 A cedar, 7 ins. diam., bears N. 21° W., 29 lks. dist.,
 marked "1/4 S 17 BT", no other tree available, and raise
 a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.
 Asc. 55 ft. over SE. slope.

44.90 Ray-Globe trail, bears NE. and SW.
 45.00 Spur, slopes SW., desc. 130 ft. over NW. slope.
 45.10 Telephone line, bears NE. and SW.
 53.60 Draw, course SW., asc. 80 ft. over SE. slope.
 63.70 Spur, slopes SW., desc. 155 ft. over broken NW. slope to
 73.90 Bend in gulch, course NW. from NE., Desc. 40 ft. over NW.
 slope to Mineral Creek.
 77.65 Wire fence, bears NW. and SE.
 79.10 Brush fence, bears N. and S.
 79.40 Enter channel of Mineral Creek, course NW., with a small
 intermittent stream of clear water in center of channel.
 79.80 Road, bears N. and S.
 80.40 The true point for the cor. of secs. 17, 18, 19 and 20,
 in channel of Mineral Creek, course NW.
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, dense catclaw, mesquite, scrub oak, eldrado,
 spanish dagger, mescal, coffee, soto, ocotillo and
 mahogany,
 Timber, very scattering cedar, cottonwood, sycamore,
 oak and walnut.
 Fair grass.

 From the true point for the cor. of secs. 17, 18, 19 and 20.

40.00 S. 89° 39' W., on a random line bet. secs. 18 and 19.
 Set temp. 1/4 sec. cor.
 77.78 Fall 3 lks. S. of the cor. of secs. 13, 18, 19 and 24,
 on the W. bdy. of the Tp., described in Book "B".
 Thence
 N. 89° 40' E., on a true line bet. secs. 18 and 19.
 Over mts. land, thru dense undergrowth, desc. 535 ft.
 over NE. slope.
 31.00 Gulch, course N., asc. 160 ft. over W. slope to
 37.78 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground for 1/4 sec. cor., with brass cap marked

S 18
 1/4
 S 19
 1918

from which,
 A cedar, 8 ins. in diam., brs. N. 47° W., 96 lks.
 dist., marked "S19 BT." No other tree avail-
 able, and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high,
 N. of cor. Ascend 5 ft. over W. slope.
 A mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor.

38.80 Rocky spur, slopes N., desc. 70 ft. over E. slope.
 44.20 Head of draw, course NE., asc. 80 ft. over NW. slope.
 50.80 Spur, slopes NE., desc. 190 ft. over E. slope.
 56.60 Head of draw, course NE., asc. 130 ft. over NW. slope.

Subdivision of T. 2 S., R. 14 E.

Chains.

62.30 Spur, slopes NE., desc. 315 ft. over broken NE. slope to
77.48 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground for the witness cor. to the cor. of secs.
17, 18, 19 and 20, with brass cap marked

T2S R14E
S18 | S17 WC
S19 | S20
1918

from which

A sycamore, 16 ins. diam., bears N. 65° E., 70 lks. dist.,
marked "T 2 S R 14 E S 17 WC BT".

A sycamore, 24 ins. diam., bears S. 61° E., 127 lks. dist.,
marked "T 2 S R 14 E S 20 W C BT", no other trees avail-
able, and raise a mound of stone, 2½ ft. base, 1½ ft.
high, W. of cor.

77.78 The true point for the cor. of secs. 17, 18, 19 and 20,
in channel of Mineral Creek.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, mahogany,
soto, coffee, corona cristo, eldrado, palo verde, cacti,

Timber, very scattering cedar, sycamore, cottonwood and
Walnut.

Fair grass.

From the true point for the cor. of secs. 17, 18, 19 and
20.

N. 0° 03' W., bet. secs. 17 and 18., in channel of Miner-
al Creek, course NW, with a small intermittent stream
of clear water, in center of channel.

3.00 Road, bears NW. and SE.

3.40 Right edge of channel of Mineral Creek, bears NW. and SE.
Leave Mineral Creek. Enter mountainous land, asc.
65 ft. over SW. slope thru dense undergrowth to

4.10 Point of rocky spur, slopes W., desc. 20 ft. over NW.
slope.

4.90 Ravine, course W., Asc. 55 ft. over SW. slope.

12.00 Point of spur, slopes W., desc. 20 ft. over NW. slope.

13.10 Ravine, course SW. Asc. 125 ft. over S. slope.

23.00 Spur, slopes W., desc. 190 ft. over broken NW. slope.

23.10 Wire fence, bears E. and W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
ground to bed rock, supported by a mound of stone for ¼
sec. cor., with brass cap marked

¼
S18 | S17
1919

from which

A cedar 15 ins. diam., bears S. 82° E., 114 lks. dist.,
marked "¼ S17 BT", no other tree available, and raise
a mound of stone 2½ ft. base, 1½ ft. high, W. of cor.
Asc. 45 ft. over W. slope.

47.70 Desc. 55 ft. over NW. slope.

53.00 Wash, 100 lks. wide, 2 ft. deep, course SW. Desc. 25 ft. to

55.50 Same wash, course SE. Asc. 30 ft. over W. slope to

58.25 Same wash, course SW. Asc. 170 ft. over SE. slope to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in
the ground to bed rock, supported by a mound of stone
for the cor. of secs. 7, 8, 17 and 18, with brass cap
marked

T2S R14E
S 7 | S 8
S18 | S17
1918

from which

A cedar, 26 ins. diam., bears S. 70° E., 148 lks. dist.,

Subdivision of T. 2 S., R. 14 E.

Chains.

marked " T 2 S R 14 E S 17 BT", no other trees available, and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, mahogany, corona cristo, cacti, eldrado, soto, coffee and palo verde.

Timber, very scattering cedar, sycamore, cottonwood and walnut.

Fair grass.

- 40.00 N. 89° 47' E., on a random line bet. secs. 8 and 17.
- 80.38 Set temp. 1/4 sec. cor.
- Fall 17 lks. S. of the cor. of secs. 8, 9, 16 and 17.
- Thence
- S. 89° 40' W., on a true line bet. secs. 8 and 17.
- Over mts. land, thru dense undergrowth. Desc. 75 ft. over N. slope to
- 8.50 Top of spur, slopes W., from SE. Thence along top of spur. Desc. 65 ft. to
- 18.80 Leave top of spur, slopes SW., from E. Desc. 130 ft. over N. slope to
- 31.10 Gulch, course SW., desc. 25 ft. over S. slope to
- 40.19 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap marked

S 8
 1/4
 S 17
 1919.

from which

A cedar, 4 ins. diam., bears N. 65 1/4° E., 96 lks. dist., marked "1/4 S 8 BT", no other tree available, and raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, N. of cor. Desc. 30 ft. over S. slope to

- 48.00 Same gulch, course NW. Desc. 100 ft. over N. slope.
- 58.50 Trail, bears N. and S.
- 63.70 Wash, course SW., 100 lks. wide, 3 ft. deep, asc. 50 ft. over E. slope.
- 65.00 Spur, slopes SW., desc. 40 ft. over W. slope.
- 67.80 Wash, 40 lks. wide, 4 ft. deep, course S., asc. 200 ft. over SE. slope to
- 80.38 The cor. of secs. 7, 8, 17 and 18.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, mahogany, cacti, coffee, eldrado, palo verde and corona cristo.

Timber, very scattering cedar, sycamore and cottonwood.

Fair grass.

- 40.00 S. 89° 40' W., on a random line bet. secs. 7 and 18.
- 77.65 Set temp. 1/4 sec. cor.
- Fall 2 lks. N. of the cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., described in Book "B".
- Thence
- N. 89° 39' E., on a true line bet. secs. 7 and 18
- Over mts. land; thru dense undergrowth. Asc. 200 ft. over W. slope.
- 8.65 Spur, slopes SW., desc. 215 ft. over SE. slope.
- 23.15 Gulch, course SW., asc. 180 ft. over NW. slope to 1/4 sec. cor.
- 25.00 Spring bears N., about 3 chs. dist.
- 37.65 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap marked

S 7
 1/4
 S 18
 1918

Subdivision of T. 2 S. R. 14 E.

Chains.

from which

A cedar, 6 ins. diam., bears N. 39° W., 215 lks. dist., marked "¼ S 7 BT", no other tree available, and raise a mound of stone, 2½ ft. base, 1½ ft. high, N. of cor.

Asc. 185 ft. over NW. slope.

- 43.00 Wire fence, bears NE. and SW
- 43.10 Ridge, bears NE. and SW., desc. 140 ft. over SE. slope to
- 51.00 Asc. 35 ft. over SW. slope to
- 57.00 Desc. 55 ft. over S. slope to
- 62.00 Asc. 85 ft. over SW. slope
- 68.65 Spur, slopes S., desc. 35 ft. to
- 74.50 Spur, slopes S., desc. 50 ft. over SE. slope to
- 77.65 The cor. of secs. 7, 8, 17 and 18.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, mahogany, palo verde, corona cristo, cacti, eldrado and coffee.

Timber, very scattering cedar.

Fair grass.

N. 0° 03' W., bet. secs. 7 and 8.

Over mts. land, thru dense undergrowth. Asc. 40 ft. over SE. slope to

- 3.00 Spur, slopes E., desc. 20 ft. over NE. slope .
- 7.20 Asc. 85 ft. over SE. slope.
- 12.75 Spur, slopes E., desc. 40 ft. over NE. slope.
- 15.60 Asc. 50 ft. over SE. slope.
- 18.50 Spur, slopes E., desc. 125 ft. over N. slope.
- 23.80 Gulch, course E., asc. 190 ft. over S. slope.
- 30.85 Spur, slopes SE., desc. 120 ft. over NE. slope to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor., with brass cap marked

¼
S 7 | S 8
1918

from which

A cedar, 10 ins. diam., bears N. 25° W., 20 lks. dist., marked "¼ S 7 BT".

A cedar, 14 ins. diam., bears S. 35° E., 79 lks. dist., marked "¼ S 8 BT".

and raise a mound of stone, 2½ ft. base, 1½ ft. high, W. of cor.

Desc. 30 ft. over E. slope.

- 41.50 Gulch, course SE., asc. 125 ft. over SW. slope to
- 51.00 Spur, slopes SE., asc. 320 ft. over E. slope to
- 80.00 Ridge, bears NE. and SW., set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for the cor. of secs. 5, 6, 7 and 8, with brass cap marked.

T2S R14E
S6 | S5
S7 | S8
1918

from which

A cedar, 9 ins. diam., bears S. 45° W., 17 lks. dist., marked "T 2 S R 14 E S 7 BT", no other trees available, and raise a mound of stone, 2½ ft. base, 1½ ft. high, W. of cor.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, mahogany, cacti, palo verde, corona cristo, coffee and eldrado.

Timber, very scattering cedar.

Fair grass.

Subdivision of Township 2 South, Range 14 East. 43

Chains.

40.00 N. 89°40'E., on a random line, bet. secs. 5 and 8.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.17 Fall 2 lks. S. of the cor. of secs. 4, 5, 8 and 9.
 Thence,
 S. 89°39'W. on a true line, bet. secs. 5 and 8.
 Over mountainous land, thru. scattering undergrowth; ascend
 105 ft., over E. slope.
 9.25 Ridge, brs. NE. and SW.; descend 250 ft., over NW. slope.
 20.80 Gulch, course SW.; ascend 290 ft., over SE. slope.
 23.25 Cabin, about 8 chs. S.
 38.00 Ridge, brs. NE. and SW.; descend 25 ft., over NW. slope, to
 40.08 $\frac{1}{2}$ Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$$\frac{1}{4} \frac{S \ 5}{S \ 8}$$

1919

46.15 Raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
 Descend 175 ft., over NW. slope.
 61.00 Gulch, course SW.; ascend 250 ft., over SE. slope.
 74.50 Spur, slopes S.; descend 220 ft., over SW. slope.
 80.17 Foot of descent; ascend 40 ft., over SE. slope, to
 The cor. of secs. 5, 6, 7 and 8, on top of ridge, bearing NE.
 and W.
 Land, mountainous.
 Soil, stony, 4th rate, igneous formation.
 Undergrowth, scattering catclaw, mesquite, mahogany, scrub
 oak, palo verde, eldrado, coffee and cacti; dense in
 patches.
 Timber, very scattering cedar.
 Fair grass.

40.00 S. 89°39'W., on a random line, bet. secs. 6 and 7.
 Set temp. $\frac{1}{4}$ sec. cor.
 77.57 Fall 2 lks. S. of the cor. of secs. 1, 6, 7 and 12, on the W.
 bdy. of the Tp., described in Book "B."
 Thence,
 N. 89°40'E., on a true line, bet. secs. 6 and 7.
 Over rolling land, thru. dense undergrowth; descend slight-
 ly, over S. slope, to
 3.20 Wash, 30 lks. wide, 1 ft. deep, course S.; ascend slightly
 over SW. slope, to
 8.00 Wash, 80 lks. wide, 3 ft. deep, course SW.; ascend slightly
 over NW. slope.
 8.35 Road brs. NE. and SW.
 8.80 Leave rolling land, and enter mountainous land; ascend
 260 ft., over broken, rolling NW. slope.
 34.00 Spur, slopes N. from SE.; descend 30 ft., over NE. slope.
 37.00 Ravine, course NW.; ascend 10 ft., over W. slope, to
 37.57 Set an iron post 3 ft. long, 1 in. in diam., 6 ins. in
 the ground to bed rock, supported by a mound of stone
 for the $\frac{1}{4}$ sec. cor.; with brass cap, marked

$$\frac{1}{4} \frac{S \ 6}{S \ 7}$$

1918

from which,
 A cedar, 12 ins. in diam., brs. S. 44 $\frac{1}{2}$ E., 41 lks. dist.,
 marked " $\frac{1}{4}$ S7BT."
 No other tree available; and raise a mound of stone, 2 $\frac{1}{2}$ ft.
 base, 1 $\frac{1}{2}$ ft. high, N. of cor.
 Ascend 500 ft., over W. slope.
 70.00 Spur, slopes NW.; thence along N. slope of ridge, bear top;
 descend 50 ft., over N. slope, to
 77.57 The cor. of secs. 5, 6, 7 and 8,
 Land, rolling and mountainous.
 Soil, stony, 4th rate, igneous formation.

44 Subdivision of Township 2 South, Range 14 East.

Chains.

Undergrowth, dense catclaw, mesquite, scrub oak, mahogany, palo verde, eldrado, cacti, coffee and corona christi. Timber, very scattering cedar. Fair grass.

N.0°03'W., on true line, bet, secs.5 and 6. Over mountainous land, thru, dense undergrowth; descend 30 ft., over N.slope.

- 4.50 Head of draw, course NW.; ascend 130 ft., over SW.slope.
- 12.30 Spur, slopes NW.from E.; descend 610 ft., over NW.slope.
- 36.50 Vacant house, brs.S.52°W., about 3 chs.dist.
- 38.00 Corn's house, brs.S.48°W., about 15 chs.dist.
- 38.00 South edge of wash, brs.NE. and SW.; thence across wash, course SW.
- 38.50 Road, brs.NE. and SW.
- 39.00 Mouth of tunnel, about 250 lks.west.
- 39.25 North edge of wash, brs.NE. and SW. Leave wash; ascend 70 ft., over SE.slope to $\frac{1}{4}$ sec.cor.
- 39.95 Trail, brs.NE. and SW.
- 40.00 Set an iron post, 3 ft.long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec.cor., with brass cap, marked

$\frac{1}{4}$
 S 6 | S 5
 1919

from which,

A cottonwood, 12 ins.in diam., brs.S.80 $\frac{1}{4}$ °E., 220 lks.dist., marked "T2S R14E S5BT."

No other tree available; and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft.high, W.of cor.

Vacant house brs.N.57°E., about 7 chs.dist.

Ascend 445 ft.over rolling SE.slope.

46.00 Prospect dump on line.

65.30 Ridge, brs.NE. and SW.; descend 170 ft., over NW.slope, to

74.60 Intersect the N. bdy.of the Tp., S.89°42'E., 16.35 chs. from the reestablished cor.of secs.32 and 33, T.1 S., R.14 E., hereinbefore described. At point of intersection, set an iron post, 3 ft.long, 2 ins. in diam., 24 ins. in the ground for the closing cor.of secs.5 and 6, with brass cap, marked

T1S R14E
 S33
 S 6 | S 5
 T2S R14E
 C | C
 1919

and raise a mound of stone, 2 $\frac{1}{2}$ ft.base, 1 $\frac{1}{2}$ ft.high, S.of cor.

Land, mountainous.

Soil, stony, 4th rate, igneous formation.

Undergrowth, dense catclaw, mesquite, scrub oak, palo verde, eldrado, coffee, cacti, corona christo and mahogany.

Timber, very scattering cedar, cottonwood and sycamore.

Fair grass.

GENERAL DESCRIPTION.

This township is rough, broken and mountainous. There are several springs and small streams of clear water. There is very little land suitable for cultivation. A very scattering growth of timber and dense undergrowth is prevalent in all parts.

The mining camp of Doak is in the SE. $\frac{1}{4}$ of sec.12; the township is well mineralized.

Boundaries of that part of Township 2 South, Range
14 East, surveyed under this Group (35 secs.)

Latitudes, departures, and closing errors.

| Line designated. | True bearing. | Dist. | Latitudes. | | Departures. | |
|-------------------------|---------------|--------|------------|--------|-------------|--------|
| | | | N. | S. | E. | W. |
| South boundary, | S.89°50'W. | 477.65 | | 1.39 | | 477.65 |
| West boundary, | North, | 475.63 | 475.63 | | | |
| North boundary, | N.89°55'E. | 21.31 | .03 | | 21.31 | |
| | S.89°42'E. | 119.94 | | .63 | 119.94 | |
| | S.89°20'E. | 40.09 | | .47 | 40.09 | |
| | S.89°38'E. | 40.03 | | .26 | 40.03 | |
| | N.89°45'E. | 39.94 | .17 | | 39.94 | |
| | S.89°32'E. | 40.02 | | .33 | 40.02 | |
| | S.89°52'E., | 40.24 | | .09 | 40.24 | |
| | S.89°50'E. | 39.71 | | .12 | 39.71 | |
| East, | 16.74 | | | 16.74 | | |
| Subdivisional boundary, | S.0°1'E. | 71.44 | | 71.44 | .02 | |
| | S.89°53'E. | 80.16 | | .16 | 80.16 | |
| East boundary, | South, | 400.00 | | 400.00 | | |
| Convergency, | | | | | .46 | |
| Totals, | | | 475.83 | 474.89 | 478.66 | 477.65 |
| | | | 474.89 | | 477.65 | |
| Error in latitude, | | | 0.94 | | | |
| Error in departure, | | | | | 1.01 | |

102
48
BOOK 3399

CERTIFICATE OF UNITED STATES CADASTRAL ENGINEER.

I, William B. Kimmel, U.S. Cadastral Engineer,
of special instructions received from the U. S. Surveyor General, for Group 71, Arizona,
bearing date of the 31st day of October, 1917, I have well, faithfully, and truly
in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instruc-
tions, and the laws of the United States, ^{re} surveyed all those parts or portions of ~~part of the south~~
boundary of Township 1 South, Range 14 East, and Surveyed all those
parts or portions of the Subdivisional Lines of
TOWNSHIP 2 SOUTH, RANGE 14 EAST,

of the Gila and Salt River
Base and Meridian, in the State of Arizona, which are represented in
the foregoing field notes ^{and the diagram on page 1 hereof} as having been executed by me, ~~and~~ under my direction; and that all the corners of
said ^{resurvey and} survey have been established and perpetuated in strict accordance with the Manual of Surveying Instruc-
tions, and the special written instructions of the U. S. Surveyor General, for ^{Group 71} Arizona
and in the specific manner described in the field notes, and that the foregoing are the original field notes of
such ^{re} survey and survey.

*San Francisco, Calif.
January 10, 1920.*

William B. Kimmel,
U. S. Surveyor

U. S. Cadastral Engineer.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, *February 7*, 1921.

The foregoing field notes of the ^{re} survey of part of the south boundary of Township
1 South, Range 14 East, and Survey of the
Subdivisional Lines of
TOWNSHIP 2 SOUTH, RANGE 14 EAST

of the Gila and Salt River Base and Meridian, in the State of Arizona.

executed by William B. Kimmel, U. S. Cadastral Engineer,
under ~~his~~ special instructions dated October 31, 1917 for Group 71, Arizona. having been
critically examined, and the necessary corrections and explanations made, the said field notes, and the ^{re} surveys
~~and surveys~~ they describe, are hereby approved.

Frank B. Frost
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in _____
_____, has been correctly copied from the original notes on file in this office.