

3429

227

Book "C"

4-679

BOOK 3429

FIELD NOTES

RE-
OF THE SURVEY OF THE

FEB 5 192

MAR 21 192

West boundary of Township 9 South, Range 11 East (2nd. Guide Meridian E.),

and of the SURVEY of the

East and North boundaries, and

Subdivision lines of

TOWNSHIP 9 SOUTH, RANGE 11 EAST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona,

EXECUTED BY

William H. Thorn, U.S. Cadastral Engineer

and

Horace M. Muscott, U.S. Transitman

~~In the capacity of United States Surveyors~~ ~~and~~ ~~U.S. Transitman, respectively,~~ under Special Instructions dated February 6, 1918, issued by the United States Surveyor General to govern surveys included in Group No. 81, which were approved by the Commissioner of the General Land Office, February 27, 1918, and Assignment Instructions dated December 18, 1918.

Resurvey and Survey commenced February 22, 1919.

Resurvey and Survey completed March 25, 1919.

3429


10






Book "C"

Group 81 - - - Arizona.

BOOK 3429

INDEX DIAGRAM.



-  Lines surveyed under this group.
-  Lines resurveyed under this group.
-  Accepted surveys.
-  Unsurveyed.
-  Areas surveyed as per accepted plats on file.

Book "C"

Group 81 - - - Arizona.

4-679 b

DATE DIAGRAM.

Township 9 South, Range 11 East

	3-19-19	3-19-19	3-19-19	3-19-19	3-19-19	2-25-19
East	3-25-19	3-25-19	3-25-19	3-25-19	3-21-19	3-21-19
	6	5	4	3	2	1
Meridian	3-25-19	3-22-19	3-22-19	3-22-19	3-21-19	3-4-19
	7	8	9	10	11	12
Guide	3-18-19	3-21-19	3-20-19	3-18-19	3-4-19	3-3-19
	13	14	15	16	17	18
2nd	3-21-19	3-21-19	3-20-19	3-18-19	3-4-19	3-3-19
	19	20	21	22	23	24
	3-18-19	3-20-19	3-19-19	3-5-19	3-3-19	3-1-19
	25	26	27	28	29	30
	3-20-19	3-20-19	3-19-19	3-5-19	3-3-19	3-1-19
	31	32	33	34	35	36
	3-18-19	3-20-19	3-19-19	3-5-19	3-3-19	3-1-19
	3-18-19	3-20-19	3-19-19	3-5-19	3-3-19	3-1-19

For dates of execution of survey of this line see book "B"

6-4817

Black lines on above diagram indicate surveys executed by William H. Thorn, U. S. Cadastral Engineer, on dates shown thereon.

Red lines on above diagram indicate surveys executed by Horace M. Muscott, U.S. Transitman, on dates shown thereon.

Resurvey and survey hereinafter described executed by William H. Thorn, U. S. Cadastral Engineer and Horace M. Muscott, U. S. Transitman, on dates shown on diagram on page 1 hereof, using respectively Young and Sons' light mountain transits Nos. 8592 and 8248, described with certificate of approval by the Assistant Supervisor of Surveys, in Book "A".

We examine the adjustments of the transits and correct all errors; then, to test the solar apparatus, by comparing their indications resulting from solar observations made during a.m. and p.m. hours, with a meridian determined by observations on Polaris at elongation, we proceed as follows:

Mar. 2, 1919: At our camp in sec. 31, T. 9 S., R. 12 E., G. and S. R. B. and M., in lat. $32^{\circ} 36' N.$, long. $111^{\circ} 8' W.$, at 9 hrs. 0 m., a.m., l.m.t., using the meridian established by observation on Polaris at elongation, as described in Book "B", we set off $32^{\circ} 36' N.$ on the lat. arcs; $7^{\circ} 24' S.$ on the decl. arcs; and determine a meridian with each solar, which in each case agrees with the true meridian.

At apparent noon, with the lat. arcs unchanged, we observe the sun on the meridian with each transit; the resulting readings of the decl. arcs are $7^{\circ} 21\frac{1}{2}' S.$, which agrees with the computed decl. of the sun.

At 3 hrs. 0 m. p.m., l.m.t., with the lat. arcs unchanged, we set off $7^{\circ} 18\frac{1}{2}' S.$ on the decl. arcs, and determine a meridian with each solar, which in each case agrees with the true meridian.

As all of the solar observations during the usual hours of solar work come within $1' 30''$ of the true meridian, we conclude that the adjustments of the instruments are satisfactory.

Resurvey of West boundary of Township 9 South, Range 11 East
(2nd Guide Meridian East.)

Chains.

Retracement for Resurvey.

This line was originally surveyed in 1871, by S.W. Foreman, U.S.D.S. In 1883, the line was resurveyed by R.C. Powers, U.S.D.S., who reported all original corners missing, and reestablished all corners thereon, which corners are those found as described in the following notes:

From the corner of sections 25, 30, 31 and 36, Ts. 9 S., Rs. 10 and 11 E., described in Book "B,"
 N.0° 5' E. (flag at objective cor. being visible), on a random line on E. bdy. of sec. 25 (S. 1/2).
 39.95 Intersect the 1/4 sec. cor. of secs. 25 and 30, hereinafter described.
 True course and dist. of S. 1/2 of E. bdy. of sec. 25 are therefore N.0° 5' E., 39.95 chs.
 Thence,
 N.0° 5' E. (flag at objective cor. being visible) on a random line on E. bdy. of sec. 25 (N. 1/2).
 39.88 Intersect the cor. of secs. 19, 24, 25 and 30, hereinafter described.
 True course and dist. of N. 1/2 of E. bdy. of sec. 25 are therefore N.0° 5' E., 39.88 chs.

N.0° 6' E., on a random line on E. bdy. of sec. 24 (S. 1/2).
 39.51 Fall 15 lks. W. of 1/4 sec. cor. of secs. 19 and 24, hereinafter described.
 True course and dist. of S. 1/2 of E. bdy. of sec. 24 are therefore N.0° 19' E., 39.51 chs.
 Thence,
 N.0° 19' E. (flag at objective cor. being visible), on a random line, on E. bdy. of sec. 24 (N. 1/2).
 40.01 Intersect the cor. of secs. 13, 18, 19 and 24, hereinafter described.
 True course and dist. of N. 1/2 of E. bdy. of sec. 24 are therefore N.0° 19' E., 40.01 chs.

North, on random line, on E. bdy. of sec. 13.
 40.00 No trace of 1/4 sec. cor. of secs. 13 and 18 can be found. Set temp. 1/4 sec. cor.
 80.00 No trace of original cor. of secs. 7, 12, 13 and 18 can be found. Set temp. cor. for secs. 12 and 13.
 Continue line and measurement.
 119.88 Intersect point of original location of 1/4 sec. cor. of secs. 7 and 12, hereinafter described.
 True course and dist. from old cor. of secs. 13, 18, 19 and 24 to this cor., are therefore, North 119.88 chs. giving for each interval 39.96 chs.
 Thence,
 N.0° 30' E. (flag at objective cor. being visible), on random line, on E. bdy. of sec. 12 (N. 1/2).
 40.17 Intersect the cor. of secs. 1, 6, 7 and 12, hereinafter described.
 True course and dist. of N. 1/2 of E. bdy. of sec. 12 are therefore N.0° 30' E., 40.17 chs.

N.0° 30' E., on a random line on E. bdy. of sec. 1.
 40.00 No trace of 1/4 sec. cor. of secs. 1 and 12 can be found. Set temp. 1/4 sec. cor.
 79.83 Fall 121 lks. W. of cor. of Ts. 8 and 9 S., Rs. 10 and 11 E. hereinafter described.
 True course and dist. of E. bdy. of sec. 1 are therefore N. 1° 22' E., 79.84 chs.

Resurvey of W. bdy. of Township 9 South, Range 11 East,
(2nd Guide Meridian East).

4.

Chains.

Retracement for Resurvey (cont'd.)

From cor. of Ts. 8 and 9 S., Rs. 10 and 11 E.,

North, on random line, searching diligently at record intervals for the old cors., and setting temp. cors. at such intervals. No trace of any old cor. can be found, until at

400.50 Fall 12 lks. W. of cor. of secs. 1, 6, 7 and 12, which is a mesquite post, 3 ins. in diam., 3 ft. above ground, firmly set, with marks destroyed and witnessed by 4 pits, one each NE., SE., SW. and NW. of cor. No bearing trees.

True course and dist. of line from cor. of Ts. 8 and 9 S., Rs. 10 and 11 E. to this cor. are therefore N. 0° 1' E., 400.50 chs., which gives an equal cor. interval of 40.05 chs. for the E. bdy. of T. 8 S., R. 10 E.

RESURVEY.


From the reestablished cor. of Ts. 9 and 10 S., R. 11 E., described in Book "B,"

N. 0° 8' W., on true line, on W. bdy. of sec. 31.

Over nearly level land, thru. medium undergrowth. Along fence parallel to line.

25.20 (39.95 chs. N. 0° 8' W., from $\frac{1}{4}$ sec. cor. of sec. 36), Intersect the cor. of secs. 25, 30, 31 and 36, described in Book "B."

Reestablish this cor. as follows: Obliterate marking on NE. and SE. faces of old post, and alongside of old wood post, set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for reestablished cor. of secs. 25 and 36 only, with brass cap, marked



In addition to the old NW. bearing tree, dig pits 24x24x12 ins. NW. and SW. of post, 4 ft. dist., and destroy all trace of old pits.

Thence, N. 0° 5' E., on true line, continuing measurement of W. bdy. of sec. 31. Along fence parallel to line.

31.70 Ravine, 40 lks. wide, 10 ft. deep, course S. 80° W.

37.20 Road, Red Rock to Ray, brs. S. 60° W. and N. 70° E.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 31 only, with brass cap, marked



1919

64.90 Dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.
Wash, 40 lks. wide, 3 ft. deep, course S. 80° W.

65.15 (39.95 chs. N. 0° 5' E. from cor. of secs. 25 and 36) Intersect $\frac{1}{4}$ sec. cor. of secs. 25 and 30, which is a mesquite post, 4 ins. in diam., 3 ft. above ground, firmly set, marked " $\frac{1}{4}$ S" on W. face, and witnessed by stump of record bearing tree, an ironwood, 8 ins. in diam., S. 15 lks. dist. No trace of old pits. Reestablish this cor. as follows: Alongside old wood post, set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 25 only, with brass cap, marked

Resurvey of West bdy. of Township 9 South, Range 11 East
(2nd Guide Meridian East)

Chains.

1
4
S25
1919

from which,

An ironwood, 6 ins. in diam., brs. S. 41° W., 39 lks. dist., marked "1/4 S25 BT."

No other trees available; dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist.

Thence,

N. 0° 5' E., on true line, continuing measurement of W. bdy. of sec. 31. Along fence parallel to line.

68.15

Wash, 30 lks. wide, 1 ft. deep, course W.

78.15

Wash, 30 lks. wide, 3 ft. deep, course S. 80° W.

80.00

Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground; for reestablished cor. of secs. 30 and 31 only, with brass cap, marked

T9S
S30
S31
R11E

1919

Dig pits 24x24x12 ins. NE. and SE. of post, 4 ft. dist. Land, nearly level.

Soil, sandy loam, 2nd and 3rd rate.

Small timber, palo verde, mesquite and ironwood.

Undergrowth, greasewood, sage brush, catclaw and cholla cactus.

N. 0° 5' E., on true line, on W. bdy. of sec. 30.

Over nearly level land, thru. very scattered small timber and medium undergrowth. Along fence parallel to line.

6.15

Wash, 20 lks. wide, 2 ft. deep, course W.

15.15

Wash, 20 lks. wide, 2 ft. deep, course W.

24.05

Wash, 30 lks. wide, 3 ft. deep, course W.

25.03

(39.88 chs. N. 0° 5' E. from 1/4 sec. cor. of sec. 25), Intersect the cor. of secs. 19, 24, 25 and 30, which is a mesquite post, 3 ins. in diam., 3 ft. above ground, firmly set, but marking almost obliterated by decay. The record bearing tree, an ironwood, 27 ins. in diam., S. 43° E., 71 lks. dist., marked "T9S R11E S30 BT," remains, and slight trace of mound of earth around post, but no trace of old pits is visible. Reestablish this cor. as follows: Alongside old wood post, set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for reestablished cor. of secs. 24 and 25 only, with brass cap, marked

T9S
S24
S25
R10E

1919

Destroy marking on old bearing tree, and on

An ironwood, 14 ins. in diam., S. 34 1/2° W., 91 lks. dist., mark "T9S R10E S25 BT."

No other tree available; dig pits 24x24x12 ins. NW and SW. of post, 4 ft. dist.

Thence,

N. 0° 19' E., on true line, continuing measurement of W. bdy. of sec. 30, along fence parallel to line.

26.00

Wash, 20 lks. wide, 2 ft. deep, course W.

36.80

Wash, 30 lks. wide, 3 ft. deep, course S. 80° W.


40.00

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in

6 Resurvey of West bdy. of Township 9 South, Range 11 East. (2nd G.M.E.)


Chains.

the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 30 only, with brass cap, marked




43.70
55.00
64.54

Dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist., Continue along fence, parallel to line.
Wash, 20 lks. wide, 2 ft. deep, course W.
Wash, 20 lks. wide, 3 ft. deep, course W.
(39.51 chs. N. 0° 19' E. from cor. of secs. 24 and 25). Intersect $\frac{1}{4}$ sec. cor. of secs. 19 and 24, which is the mound of earth recorded as having been raised around the ~~marked~~ cor. post. The old cor. post, badly decayed is lying on the ground alongside the mound. The record bearing tree, a palo verde, 8 ins. in diam., S 60 lks. dist., marked "SBT" is dead. No trace of old pits is visible. Reestablish this cor. in the original position as follows: Destroy old mound of earth, and Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 24, with brass cap, marked



80.00

Dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist. Thence, N. 0° 19' E., on true line, continuing measurement of W. bdy. of sec. 30; along fence parallel to line.
Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for reestablished cor. of secs. 19 and 30 only, with brass cap, marked



Dig pits, 24x24x12 ins. NE. and SE. from post 4 ft. dist. Land, nearly level. Soil, 2nd and 3rd rate, sandy. Small timber, scattering mesquite and ironwood. Undergrowth, greasewood, sage brush and catclaw; and sahuaro and cholla cactus.

2.90
16.84
24.55

N. 0° 19' E., on true line, on W. bdy. of sec. 19. Over nearly level land, thru. very scattering small timber and medium undergrowth; along fence parallel to line.
Wash, 15 lks. wide, 2 ft. deep, course W.
Wash, 30 lks. wide, 3 ft. deep, course W.
(40.01 chs. N. 0° 19' E. from $\frac{1}{4}$ sec. cor. of sec. 24), Intersect cor. of secs. 13, 18, 19 and 24, which is a mesquite post $\frac{3}{4}$ ins. in diam., 3 ft. above ground, firmly set in mound of earth, marked "T9S S18" on NE., "R11E S19" on SE., "R10E S24" on SW., and "S13" on NW. faces, and 3 notches on each of N. and S. edges, and witnessed by stump of record bearing tree, a mesquite 8 ins. in diam., N. 14 lks. dist., marking destroyed. No trace of old pits. Reestablish this cor. as follows. Destroy marking on NE. and SE. faces of old wood post, and alongside same, set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for reestablished cor. of secs. 13 and 24 only, with brass cap, marked

Resurvey of West bdy. of Township 9 South, Range 11 East, (2nd Guide Meridian East).

Chains.

T9S	
S13	
S24	
R10E	
1919	

40.00 Dig pits, 24x24x12 ins., NW. and SW. of post, 4 ft. dist. Thence, North, on true line, continuing measurement of W. bdy. of sec. 19, along fence parallel to line. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 19 only, with brass cap, marked

$\frac{1}{4}$	
S19	
1919	

45.55 Dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. Wash, 30 lks. wide, 2 ft. deep, course W. 64.51 (Proportional dist. of 39.96 chs. North from cor. of secs. 13 and 24) Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 13 only, with brass cap, marked

$\frac{1}{4}$	
S13	
1919	

65.00 Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist. Thence, North, on true line, continuing measurement of W. bdy. of sec. 19, along fence parallel to line. 80.00 Wash, 20 lks. wide, 1 ft. deep, course W. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for reestablished cor. of secs. 18 and 19, only, with brass cap, marked

T9S	
S18	
S19	
R11E	
1919	

Dig pits, 24x24x12 ins., NE. and SE. from post, 4 ft. dist. Land, nearly level. Soil, sandy, 3rd rate. Small timber, scattering ironwood and palo verde. Undergrowth, sage brush, greasewood, catclaw and cholla and sahuaro cactus.

24.47 North, on true line, on W. bdy. of sec. 18. Over gently rolling land, thru. very scattered small timber and medium undergrowth, along fence parallel to line. (Proportional dist. of 39.96 chs. North from $\frac{1}{4}$ sec. cor. of sec. 13), Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for reestablished cor. of secs. 12 and 13, only, with brass cap, marked

T9S	
S12	
S13	
R10E	
1919	

from which,
A mesquite, 10 ins. in diam., brs. N. $21\frac{1}{2}^{\circ}$ W., 42 lks. dist., marked "T9S R10E S12 BT."

8 Resurvey of West bdy. of Township 9 South, Range 11 East,
(2nd Guide Meridian East)

Chains.

No other tree available; dig pits 24x24x12 ins. NW. and SW. from post, 4 ft. dist.

Thence,

North, on true line, continuing measurement of W. bdy. of sec. 18, along fence parallel to line.

25.70 Wash, 30 lks. wide, 3 ft. deep, course S. 70° W.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 18 only, with brass cap, marked

$\frac{1}{4}$
 | S18
 1919

Dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

Continue along fence parallel to line.

48.70 Wash, 20 lks. wide, 3 ft. deep, course W.

64.43 (39.96 chs. North from cor. of secs. 12 and 13), Intersect the point of former location of $\frac{1}{4}$ sec. cor. of secs. 7 and 12 in center of mound of earth. No trace of old wood post can be found, but stump of the record bearing tree, a mesquite, 8 ins. in diam., S. 20 lks. dist. is found. Marking on this stump is destroyed. No trace of old pits is visible. Reestablish this cor. in its original position, as follows: Destroy old mound of earth, and set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 12 only, with brass cap, marked

$\frac{1}{4}$
 | S12
 1919

Dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

Thence N. 0° 30' E., on true line, continuing measurement of W. bdy. of sec. 18, along fence parallel to line.

78.00 Wash, 20 lks. wide, 2 ft. deep, course W.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for reestablished cor. of secs. 7 and 18 only, with brass cap, marked

| T9S
 | S 7
 | S18
 | R11E

1919

Dig pits, 24x24x12 ins., NE. and SE. of post, 4 ft. dist.

Land, gently rolling.

Soil, sandy loam, 2nd rate.

Small timber, scattering mesquite, ironwood and palo verde.

Undergrowth, greasewood, sage brush and sahuaro, and cholla cactus.

N. 0° 30' E., on true line, on W. bdy. of sec. 7.

Over nearly level land, thru. medium heavy brush, along fence parallel to line.

6.60 Wash, 20 lks. wide, 3 ft. deep, course S. 80° W.

24.60 (40.17 chs. N. 0° 30' E. from $\frac{1}{4}$ sec. cor. of sec. 12), Intersect the cor. of secs. 1, 6, 7 and 12, which is a mesquite post, 3 ins. in diam., 3 ft. above ground, firmly set in mound of earth, marked "T9S S6" on NE., "R11ES7" on SE., "R10ES12" on SW., and "S1" on NW. face, and 1 notch on N. edge, and 5 notches on S. edge. No trace of old pits is visible. No bearing trees.

Reestablish this cor. as follows: Destroy marking on NE. and SE. faces of old post; destroy old mound of earth, and alongside old wood post, set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for reestablished cor. of secs. 1 and 12 only, with brass cap, marked

Resurvey of West bdy. of Township 9 South, Range 11 East.
(2nd Guide Meridian East).

Chains.

T9S
S 1
S12
R10E
1919

Dig pits 24x24x12 ins. NW. and SW. of post, 4 ft. dist.
Thence, N.1°22'E., on true line, continuing measurement of W. bdy.
of sec.7, along fence parallel to line.
33.70 Wash 20 lks.wide, 3 ft. deep, course S.80°W.
40.01 (40.00 chs.northing from cor.of secs.7 and 12) Set an
iron post 3 ft.long, 1 in. in diam., 26 ins. in the
ground for reestablished $\frac{1}{4}$ sec.cor.of sec.7 only, with
brass cap, marked

$\frac{1}{4}$
S 7
1919

Dig pits, 18x18x12 ins., N.and S.of post, 3 ft. dist.
Continue line and measurement, along fence parallel to
line.
51.80 Wash, 25 lks.wide, 3 ft. deep, course S.80°W.
64.52 (Proportional dist.of 39.92 chs. N.1°22'E. from cor.of
secs.1 and 12) Set an iron post 3 ft. long, 1 in.
in diam., 26 ins. in the ground for reestablished $\frac{1}{4}$
sec.cor. of sec.1 only, with brass cap, marked

$\frac{1}{4}$
S. 1
1919

Dig pits, 18x18x12 ins., N.and S. of post, 3 ft. dist.
Thence, N.1°22'E., continuing measurement of W.bdy, of
sec.7; along fence, parallel to line.
80.02 (80.00 chs.northing from cor.of secs.7 and 12), Set an
iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
the ground, for reestablished cor.of secs. 6 and 7
only, with brass cap, marked

T9S
S 6
S 7
R11E
1919


Dig pits 24x24x12 ins. NE. and SE of post, 4 ft. dist.
Land, nearly level,
Soil, sandy loam, 2nd rate.
Undergrowth, greasewood, sage brush, catclaw and sahuaro
and cholla cactus.
No timber.

N.1°22' E.; on true line, on W. bdy. of sec.6.
Over nearly level land, thru. very scattered small timber
and medium heavy undergrowth; along fence parallel to
line.
24.42 (Proportional dist.of 39.92 chs., N.1°22'E. from $\frac{1}{4}$ sec.cor.
of sec.1,) Intersect the cor. of Ts.8 and 9 S., Rs.10
and 11E., which is a mesquite post, 3 ft. above ground,
firmly set in mound of earth, marked "BSS31" on NE.,
"R11E" "S6" on SE., "T9SS1" on SW. and "S30" on NW. face, and
6 notches on each of N., S.E. and W. edges, and witnessed
by the record bearing tree, a palo verde 8 ins. in
diam., N.48°E., 127 lks. dist., marked "T8SR11ES31BT",

Resurvey of West bdy. of Township 9 South, Range 11 East.
(2nd Guide Meridian East)

Chains.

Erroneously described in official notes as a mesquite. Slight traces of old pits are visible. Reestablish this cor. as follows:
Destroy old mound of earth, marking on NE. and SE. faces of old post, and on old bearing tree, and alongside old wood post, set an iron post, 3 ft. long, 3 ins. in diam., 24 ins. in the ground, for reestablished cor. of Ts. 8 and 9 S., R. 10 E. only, with brass cap, marked




Dig pits, 30x24x12 ins., N., S. and W. of post, 5 ft. dist. Thence,

N. 0° 1' E., on true line, continuing measurement of W. bdy. of sec. 6; along fence parallel to line.

39.70 Wash, 15 lks. wide, 2 ft. deep, course N. 70° W.


40.00 Set an iron post 3 ft. long; 1 in. in diam., 26 ins. in the ground, for reestablished 1/4 sec. cor. of sec. 6 only, with brass cap, marked



Dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist. Continue line and measurement along fence parallel to line.

60.10 Wash, 20 lks. wide, 2 ft. deep, course W.
64.47 (Proportional dist. of 40.05 chs. N. 0° 1' E. from cor. of Ts. 8 and 9 S., R. 10 E.)

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for reestablished 1/4 sec. cor. of sec. 36, T. 8 S., R. 10 E. only, with brass cap, marked



Dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist. Continue line and measurement along fence parallel to line.

77.50 Wash, 20 lks. wide, 2 ft. deep, course W.


80.08 Intersect the reestablished cor. of Ts. 8 and 9 S., R. 11 E., hereinafter described, in connection with notes of survey of North bdy. of T. 9 S., R. 11 E.

Land, nearly level.
Soil, sandy, 2nd rate.
Small timber, scattering palo verde and mesquite.
Undergrowth, greasewood, sage brush and catclaw, and sahuaro and cholla cactus.


Survey of East bdy. of Township 9 South, Range 11 East. 11

Chains.

From the cor. of Ts. 9 and 10 S., Rs. 11 and 12 E., described in Book "A", North, bet. secs. 31 and 36.
 Over nearly level land, thru. heavy undergrowth.
 8.70 Wash, 10 lks. wide, 2 ft. deep, course N. 80° W.
 13.00 Wash, 10 lks. wide, 2 ft. deep, course W.
 14.40 Wash, 35 lks. wide, 2 ft. deep, course S. 85° W.
 35.90 Wash, 15 lks. wide, 4 ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked




from which,
 An ironwood, 10 ins. in diam., brs. N. 50° 15' W., 218 lks. dist., marked $\frac{1}{4}$ S 36 BT.
 An ironwood, 4 ins. in diam., brs. N. 71° 30' E., 66 lks. dist., marked $\frac{1}{4}$ S 31 BT.
 48.50 Wash, 50 lks. wide, 2 ft. deep, course S. 80° W.
 76.40 Wash, 30 lks. wide, 1 ft. deep, course S. 85° W.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap, marked



from which,
 A mesquite, 5 ins. in diam., brs. N. 17° E., 41 lks. dist., marked T9S R12E S30 BT.
 An ironwood, 8 ins. in diam., brs. N. 47° W., 147 lks. dist., marked T9S R11E S25 BT.
 No other tree available; dig pits, 18x18x12 ins. in each section, $5\frac{1}{2}$ ft. dist. from post.
 Land, nearly level.
 Soil, sandy and gravelly clay, 3rd rate.
 Small timber, scattering palo verde, ironwood and mesquite.
 Undergrowth, greasewood, catclaw, ocotilla, sage brush and sahuaro and cholla cactus.

North, bet. secs. 25 and 30.
 Over gently rolling land, thru. very scattered small timber and heavy undergrowth.
 7.30 Wash, 30 lks. wide, 1 ft. deep, course S. 80° W.
 21.40 Wash, 10 lks. wide, 1 ft. deep, course S. 80° W.
 30.60 Wash, 15 lks. wide, 2 ft. deep, course S. 85° W.
 32.10 Road from Guild's Ranch to Red Rock, brs. E. and W.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked




Dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.
 50.00 Wash, 50 lks. wide, 1 ft. deep, course W.
 63.00 Wash, 10 lks. wide, 1 ft. deep, course S. 70° W.
 63.50 Four wire fence brs. E and W.
 79.40 Wash, 15 lks. wide, 1 ft. deep, course S. 70° W.

12 Survey of East boundary of Township 9 South, Range 11 East.

Chains.


80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, with brass cap, marked



Dig pits, 18x18x12 ins., in each sec. 5½ ft. dist.
 Land, gently rolling.
 Soil, sandy loam, 2nd rate.
 Small timber, scattering ironwood, mesquite and palo verde.
 Undergrowth, greasewood, catclaw, ocotilla, sage brush and sahuaro and cholla cactus.

North, bet. secs. 19 and 24.
 Over nearly level land, thru. very scattered small timber, and heavy undergrowth.

9.20 Wash, 15 lks. wide, 3 ft. deep, course S. 80° W.
 18.70 Wash, 100 lks. wide, 1 ft. deep, course S. 80° W.
 24.50 Wash, 100 lks. wide, 1 ft. deep, course S. 80° W.
 27.30 Wash, 120 lks. wide, 2 ft. deep, course S. 80° W.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked




from which,

A mesquite, 4 ins. in diam., brs. S. 76° W., 35 lks. dist., marked ¼ S 24 B T.

A palo verde, 5 ins. in diam., brs. N. 71° E., 30 lks. dist., marked ¼ S 19 B T.


52.80 Wash, 15 lks. wide, 1 ft. deep, course W.
 65.90 Wash, 25 lks. wide, 2 ft. deep, course S. 50° W.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, with brass cap, marked



Dig pits, 18x18x12 ins. in each sec. 5½ ft. dist.
 Land, level.
 Soil, sandy and gravelly, 3rd rate.
 Small timber, scattering palo verde, mesquite and ironwood.
 Undergrowth, greasewood, catclaw, sage brush, and cholla and sahuaro cactus.

North, bet. secs. 13 and 18.
 Over nearly level land, thru. very scattered small timber and heavy undergrowth.

7.60 Wash, 15 lks. wide, 1 ft. deep, course W.
 21.40 Wash, 220 lks. wide, 2 ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap, marked



Chains.

from which,

An ironwood, 8 ins. in diam., brs. N. 66° 45' W., 112 lks. dist., marked $\frac{1}{4}$ S 13 BT.

No other tree available; dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

43.80 Old road, brs. E and W.

47.90 4-wire fence brs. E. and W.

68.60 Wash, 10 lks. wide, 1 ft. deep, course W.

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, with brass cap, marked

T9S	
R11E	R12E
S12	S 7
S13	S18
1919	

Dig pits, 18x18x12 ins., in each sec. $5\frac{1}{2}$ ft. dist.

Land, nearly level.

Soil, sandy and gravelly, 3rd rate.

Small timber, scattering palo verde, mesquite and ironwood.

Undergrowth, sahuaro, club and cholla cactus.

North, bet. secs. 7 and 12.

Over nearly level land, thru. very scattered small timber and heavy undergrowth.

10.60 Wash, 10 lks. wide, 1 ft. deep, course W.

15.80 Wash, 10 lks. wide, 1 ft. deep, course W.

24.80 Wash, 20 lks. wide, 2 ft. deep, course N. 70° W.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

$\frac{1}{4}$	
S12	S 7
1919	

from which,

A mesquite, 12 ins. in diam., brs. N. 7° E., 27 lks. dist., marked $\frac{1}{4}$ S 7 BT.

A mesquite, 8 ins. in diam., brs. S. 3° W., 107 lks. dist., marked $\frac{1}{4}$ S 12 BT.

41.10 Road brs. N. 60° W. and S. 60° E.

43.30 Wash, 80 lks. wide, 2 ft. deep, course N. 70° W.

74.70 Left bank of wash, brs. S. 70° W. and N. 70° W.

79.80 Right bank of wash, brs. S. 70° W. and N. 70° W.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, with brass cap, marked

T9S	
R11E	R12E
S 1	S 6
S12	S 7
1919	

from which,

A mesquite, 10 ins. in diam., brs. N. 2° E., 197 lks. dist., marked T9S R12 E S 6 BT.

A mesquite, 8 ins. in diam., brs. S. 3° E., 47 lks. dist., marked T9S R12E S7 BT.

No other trees available; raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.


14. East boundary of Township 9 South, Range 11 East.

Chains.


Land, level.
 Soil, sandy and gravelly, 3rd rate.
 Small timber, scattering mesquite, ironwood and palo verde.
 Undergrowth, sahuaro, club and cholla cactus.

North, bet. secs. 1 and 6.
 Over nearly level land, thru. very scattered small timber
 and heavy undergrowth.

- 3.30 Wash, 20 lks.wide, 2 ft. deep, course N.70°W.
- 11.00 Wash, 15 lks.wide, 1 ft. deep, course W.
- 30.00 Wash, 10 lks.wide, 1 ft. deep, course W.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked



- 52.80 Dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.
- 56.10 Wash, 10 lks.wide, 2 ft. deep, course N.70° W.
- 56.10 Road from Ray to Red Rock, brs. N.30°E. and S.30°W.
- 60.80 Wash, 20 lks.wide, 2 ft. deep, course N. 60°W.
- 78.10 Wash, 10 lks.wide, 1 ft. deep, course W.
- 80.00 Set an iron post, 3 ft. long, 3 ins. in diam., 24 ins. in
 the ground, for cor. of Ts. 8 and 9 S., Rs. 11 and 12
 E., with brass cap, marked



Dig pits, 24x24x12 ins. on each line, N., E., S. and W. of
 post, 5 ft. dist.
 Land, nearly level.
 Soil, sandy clay.
 Small timber, scattering palo verde, mesquite and iron-
 wood.
 Undergrowth, greasewood, catclaw, sage brush and sahuaro,
 club and cholla cactus.

Survey of North bdy. of Township 9 South, Range 11 East. 15

Chains.

From the cor. of Ts. 8 and 9 S., Rs. 11 and 12 E., hereinbefore described,
West, on true line, bet. secs. 1 and 36.
Over level land, thru scattering small timber and undergrowth.

8.10 Left bank of wash, brs. N. 80° E. & S. 80° W. Thence across wash.
14.00 Leave wash at right bank, 1 ft. deep, course S. 70° W.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground, for 1/4 sec. cor., with brass cap, marked

S 36
1/4
S 1
1919

58.80 Dig pits, 18x18x12 ins., E. and W. of cor. 3 ft. dist.
80.00 Wash, 20 lks. wide, 2 ft. deep, course S. 70° W.
Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, with brass cap, marked

T8S | R11E
S35 | S36
S 2 | S 1
T9S
1919

Dig pits, 18x18x12 ins. in each sec. 5 1/2 ft. dist.
Land, level.
Soil, sandy and gravelly loam, 3rd rate.
Small timber, very scattering palo verde, mesquite and ironwood.
Undergrowth, greasewood, catclaw, sage brush, and club sahuaro and cholla cactus.

9.10 West, on true line, bet. secs. 2 and 35.
40.00 Over level land, thru medium heavy undergrowth.
Wash, 10 lks. wide, 1 ft. deep, course S. 70° W.
Set an iron post 3 ft. long, 1 in. in diam., 20 ins. in the ground, for 1/4 sec. cor., with brass cap, marked

S 35
1/4
S 2
1919

49.40 Dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
80.00 Road, brs. N. 40° W. and S. 40° E.
Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, with brass cap, marked

T8S | R11E
S34 | S35
S 3 | S 2
T9S
1919

Dig pits, 18x18x12 ins., in each sec. 5 1/2 ft. dist.
Land, level.
Soil, sandy clay, gravelly, 3rd rate.
Small timber, very scattered mesquite and palo verde.
Undergrowth, greasewood, catclaw, sage brush and club sahuaro and cholla cactus.

16 Survey of North bdy. of Township 9 South, Range 11 East.

Chains.

West, on true line, bet. secs. 3 and 34.
 Over level land, thru. very scattered small timber and medium undergrowth.
 33.10 Wash, 20 lks. wide, 1 ft. deep, course SW.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

S. 34
 $\frac{1}{4}$
 S. 3
 1919

80.00 Dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 3, 4, 33 and 34, with brass cap, marked

T8S | R11E
 S33 | S34
 S 4 | S 3
 T9S
 1919

from which,
 A mesquite, 8 ins. in diam., brs. S. 89° W., 109 lks. dist., marked T9S R11E S4 BT.
 No other trees available; dig pits, 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist.

Land, level.
 Soil, sandy loam, 2nd rate.
 Small timber, scattering palo verde and mesquite.
 Undergrowth, greasewood, catclaw, sage brush and cholla, club and sahuaro cactus.

West, on true line, bet. secs. 4 and 33.
 Over level land, thru. very scattered small timber and medium undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked

S. 33
 $\frac{1}{4}$
 S. 4
 1919

75.90 Dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
 80.00 Wash, 20 lks. wide, 1 ft. deep, course S. 80° W.
 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, with brass cap, marked


T8S | R11E
 S32 | S33
 S 5 | S 4
 T9S
 1919

from which,
 A mesquite, 10 ins. in diam., brs. N. 73° W., 140 lks. dist., marked T8S R11E S32 BT.
 No other trees available; dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist.


Land, level.
 Soil, sandy loam, 2nd rate.
 Small timber, very scattered palo verde and mesquite.
 Undergrowth, greasewood, catclaw, sage brush and sahuaro, club and cholla cactus.

Chains.

West, on true line, bet. secs. 5 and 32.
 Over level land, thru. very scattered small timber and medium undergrowth.
 37.50 Wash, 70 lks. wide, 2 ft. deep, course N. 80° W.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked




70.90 Dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.
 74.50 Wash, 20 lks. wide, 1 ft. deep, course NW.
 80.00 Wash, 80 lks. wide, 3 ft. deep, course N. 80° W.
 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, with brass cap, marked



from which,
 An ironwood, 12 ins. in diam., brs. N. 68° E., 127 lks. dist., marked T8S R11E S32 BT.
 An ironwood, 18 ins. in diam., brs. N. 61° W., 156 lks. dist., marked T8S R11E S31 BT.
 No other trees available; dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist.


Land, level.
 Soil, sandy loam, 3rd rate.
 Small timber, palo verde and mesquite.
 Undergrowth, greasewood, sage brush, catclaw and cholla and sahuaro cactus.

West, on true line, bet. secs. 6 and 31.
 Over level land, thru. very scattering small timber and heavy undergrowth.
 5.50 Wash, 40 lks. wide, 2 ft. deep, course N. 70° W.
 39.80 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., with brass cap, marked



from which,
 An ironwood, 10 ins. in diam., brs. N. 20° W., 38 lks. dist., marked $WC\frac{1}{4}$ S31 BT.
 An ironwood, 12 ins. in diam., brs. S. 89° W., 168 lks. dist., marked $WC\frac{1}{4}$ S 6 BT.
 Dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.

40.00 True point for $\frac{1}{4}$ sec. cor. comes in wash.
 40.20 Wash, 40 lks. wide, 2 ft. deep, course N. 70° W.
 76.51 Intersect the E. bdy. of T. 8 S., R. 10 E. (2nd Guide Meridian East), 15.61 chs. N. 0° 1' E. from reestablished $\frac{1}{4}$ sec. cor. of sec. 36, hereinbefore described.
 At point of intersection,
 Set an iron post, 3 ft. long, 3 ins. in diam., 24 ins. in the ground, for reestablished cor. of Ts. 8 and 9 S., R. 11 E., with brass cap, marked,



18 Survey of North boundary of Township 9 South Range 11 East Chains.

each
 Dig pits, 30x24x12 ins., on line, N., E. and S. of post 5 ft. dist.
 Land, level.
 Soil, sandy loam, 2nd rate.
 Small timber, scattering ironwood and palo verde.
 Undergrowth, catclaw, greasewood, sage brush and sahuaro cholla and club cactus.

Boundaries of Township 9 South, Range 11 East.
 Latitudes, departures, and closing errors.


Line designated.	True bearing.	Dist.	Latitudes.		Departures.	
			N.	S.	E.	W.
South boundary,	West,	480.60				480.60
West boundary, (2nd Guide Mer.E)	N.0°8'W.	25.20	25.20			.06
	N.0°5'E.	79.83	79.83		.12	
	N.0°19'E.	79.52	79.52		.44	
	North,	119.88	119.88			
	N.0°30'E.	40.17	40.17		.35	
	N.1°22'E.	79.84	79.82		1.91	
	N.0°1'E.	55.66	55.66		.02	
North boundary,	East,	476.51			476.51	
East boundary,	South,	480.00		480.00		
Convergency,					.46	
Totals,			480.08	480.00	479.81	480.66
			480.00			479.81
Error in latitude:			.08			
Error in departure:					.85	

Survey of Subdivision lines of Township 9 South, Range 11 East.

Chains.


From the corner of secs. 1, 2, 35 and 36, on S. bdy. of Tp., described in Book "B,"
 N.0°1'W., bet. secs. 35 and 36.
 Over gently rolling land, thru. very scattered small timber and heavy undergrowth.

4.00 Wash, 15 lks. wide, 1 ft. deep, course N. 60°W.
 12.00 Wash, 200 lks. wide, 2 ft. deep, course W.
 16.70 Wash, 20 lks. wide, 1 ft. deep, course W
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked




dig pits, 18x18x12 ins., N. and S. of cor., 3 ft. dist.

40.50 Wash, 20 lks. wide, 2 ft. deep, course W.
 48.00 Wash, 30 lks. wide, 2 ft. deep, course W.
 58.00 Wash, 10 lks. wide, 1 ft. deep, course S. 70°W.
 63.00 Wash, 10 lks. wide, 1 ft. deep, course W.
 67.70 Wash, 20 lks. wide, 1 ft. deep, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap, marked



Dig pits 18x18x12 ins., in each sec. $5\frac{1}{2}$ ft. dist.
 Land, gently rolling.
 Soil; sandy; 1st and 2nd rate.
 Small timber; ironwood, mesquite and palo verde.
 Undergrowth, catclaw, greasewood, sahuaro and cholla cactus.

East, on random line, bet. secs. 25 and 36.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.06 Intersect the E. bdy. of the Tp., 12 lks. N. of the cor. of secs. 25, 30, 31 and 36, hereinbefore described.
 Thence,
 N. 89° 55' W., on a true line, bet. secs. 25 and 36.
 21.05 Enter wash, 20 lks. wide, 2 ft. deep, Over gently rolling land, thru. scattering timber and dense undergrowth.
 21.05 Enter wash, 20 lks. wide, course W. from NE.
 25.00 Leave same wash, course NW. from E., course to course W.
 40.03 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked



Dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist.


45.00 Same wash. 20 lks. wide, 2 ft. deep, course S. 70°W.
 53.05 Same wash, 20 lks. wide, 2 ft. deep, course N. 60° W.
 80.06 The cor. of secs. 25, 26, 35 and 36.
 Land, gently rolling.
 Soil, sandy loam, 1st and 2nd rate.
 Small timber, scattering ironwood, mesquite and palo verde.
 Undergrowth, greasewood and sahuaro and cholla cactus.

Chains.

N.0° 1' W., bet. secs. 25 and 26.


Over gently rolling land, thru. very scattering small timber and heavy undergrowth.

- 6.80 Wash, 40 lks. wide, 2 ft. deep, course W.
- 25.00 Road, brs. E. and S., 60°W.
- 28.00 Wash, 30 lks. wide, 2 ft. deep, course S.70° W.
- 32.00 Wash, 60 lks. wide, 2 ft. deep, course S.80°W.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, marked



Dig pits, 18x18x12 ins., N. and S. of post, 3 ft. dist.

- 56.60 Wash, 30 lks. wide, 1 ft. deep, course S.70° W.
- 61.70 Wash, 30 lks. wide, 2 ft. deep, course SW.
- 66.30 Wash, 250 lks. wide, 3 ft. deep, course S.70°W.
- 67.20 A 4-wire fence, bears E. and W.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, with brass cap, marked



Dig pits, 18x18x12 ins., in each sec. $5\frac{1}{2}$ ft. dist.

Land, gently rolling.

Soil, sandy, 1st and 2nd rate.

Small timber, scattering palo verde and mesquite.

Undergrowth, greasewood, sage brush and sahuaro and cholla cactus.

S.89°55'E., on a random line, bet. secs. 24 and 25.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.08 Intersect the E. bdy. of the township, 2 lks. S. of the corner of secs. 19, 24, 25 and 30, hereinbefore described.

Thence,

N.89°56'W., on a true line, bet. secs. 24 and 25.

Over gently rolling land, thru. very scattering small timber and heavy undergrowth.

- 7.75 Wash, 20 lks. wide, 1 ft. deep, course N.
- 30.05 Enter wash, course S. 85° W. (left bank).
- 37.25 Leave wash, course S. 85° W. (right bank).
- 37.33 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground, for witness corner to $\frac{1}{4}$ sec. cor., with brass cap, marked

Subdivision of T. 9 S. R. 11 E.

Chains.

S 24
 WC $\frac{1}{4}$ ———
 S 25
 1919

dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.

37.60 Left bank and enter wash, course S. 85° W.

40.04 True point for $\frac{1}{4}$ sec. cor. of secs. 24 and 25 falls in wash.

45.60 Right bank, leave wash, course S. 85° W.

64.20 Left bank of wash, course SW.

69.15 Right bank of wash, course SW.

75.10 Wash, course S. 10° W., 100 lks. wide, 2 ft. deep.

80.08 The cor. of secs. 23, 24, 25 and 26.

Land, gently rolling:
 Soil, sandy loam, 1st and 2nd rate:
 Small timber, scattering ironwood and palo verde.
 Undergrowth, greasewood, and sahuaro and cholla cactus.

N. 0° 1' W., bet. secs. 23 and 24.
 Over gently rolling land; thru very scattered small timber and heavy undergrowth.

12.00 Wash, 10 lks. wide, 1 ft. deep, course SW.

23.50 Small knoll bears W., 6 chs. dist.

37.00 Wash, 10 lks. wide, 1 ft. deep, course S. 60° W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. for secs. 23 and 24, with brass cap marked

$\frac{1}{4}$
 S 23 | S 24
 1919

dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.

54.00 Wash, 50 lks wide, 3 ft. deep, course W.

70.00 Wash, 380 lks. wide, 3 ft. deep, course S. 70° W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam, 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, with brass cap marked

T 9S R11E
 S 14 | S 13
 S 23 | S 24
 1919

dig pits, 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist.

Land, gently rolling.
 Soil, sandy, 1st and 2nd rate.
 Small timber, scattering ironwood, mesquite and palo verde
 Undergrowth, cat claw, greasewood; sage brush, and sahuaro, club and cholla cactus.

S. 89° 56' E., on a random line bet. secs. 13 and 24.

40.00 Set a temp. $\frac{1}{4}$ sec. cor.

80.08 Intersect the E. bdy. of the Tp., 2 lks. N. of the cor. of secs. 13; 18, 19 and 24, hereinbefore described:
 Thence
 N. 89° 55' W., on true line bet. secs. 13 and 24.
 Over nearly level land; thru very scattered small timber and heavy undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S 13
 $\frac{1}{4}$ ———
 S 24
 1919

dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.

57.00 Wash, 60 lks. wide, 3 ft. deep, course SW.

Subdivision of T. 9 S. R. 11 E.

Chains.

65.00 Wash, 20 lks. wide, 2 ft. deep, course SW.
 80.08 The cor. of secs. 13, 14, 23 and 24.
 Land, nearly level.
 Soil, sandy, 2nd rate.
 Small timber, very scattered mesquite, palo verde and ironwood.
 Undergrowth, sage brush, greasewood, cat claw, and sahuaro and cholla cactus.

 N. 0° 1' W., bet. secs. 13 and 14.
 Over gently rolling land; thru very scattered small timber and heavy undergrowth.

10.70 A 4 wire fence, bears N. 12° E. and S. 12° W.
 11.50 Wash, 50 lks. wide, 2 ft. deep, course N. 50° W.
 13.50 Wash, 70 lks. wide, 2 ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S. 14 | S 13

1919

dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
 45.40 Old road, bears E. and W.
 48.60 Old road, bears NE. and SW.
 57.00 Wash, 10 lks. wide, 1 ft. deep, course N. 80° W.
 75.00 Wash, 20 lks. wide, 1 ft. deep, course N. 80° W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, with brass cap marked

T 9S R11E

S 11 | S 12

S 14 | S 13

1919

dig pits, 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist.
 Land, nearly level.
 Soil, 1st and 2nd rate.
 Small timber, very scattering palo verde, mesquite and ironwood.
 Undergrowth, greasewood, sage brush and sahuaro and cholla cactus.

 S. 89° 55' E., on a random line bet. secs. 12 and 13.
 40.00 Set a temp. $\frac{1}{4}$ sec. cor.
 80.14 Intersect the E. bdy. of the Tp., 14 lks. N. of the cor. of secs. 7, 12, 13 and 18, hereinbefore described.

Thence
 N. 89° 49' W., on a true line bet. secs. 12 and 13.
 Over nearly level land; thru very scattered small timber and heavy undergrowth.

32.20 Wash, 10 lks. wide, 1 ft. deep, course N. 20° W.
 33.95 Wash, 10 lks. wide, 1 ft. deep, course N. 20° W.
 40.07 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S 12

$\frac{1}{4}$

S 13

1919

80.14 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
 The cor. of secs. 11, 12, 13 and 14.
 Land, nearly level.
 Soil, sandy loam, 2nd rate.
 Small timber, scattering palo verde, mesquite and ironwood
 Undergrowth, sage brush, greasewood, cat claw, and sahuaro and cholla cactus.

Subdivision of T. 9 S. R. 11 E.

Chains.

- N. 0° 1' W., bet. secs. 11 and 12.
Over nearly level land; thru very scattered small timber
and heavy undergrowth.
- 17.50 Wash, 15 lks. wide, 2 ft. deep, course N. 50° W.
19.90 Wash, 25 lks. wide, 2 ft. deep, course W.
27.10 Main road to Red Rock, bears NE. and SW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
- S 11 | S 12
1919
- dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
- 45.00 Wash, 15 lks. wide, 2 ft. deep, course W.
53.00 Wash, 80 lks. wide, 2 ft. deep, course W.
61.00 Wash, 20 lks. wide, 1 ft. deep, course W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground, for cor. of secs. 1, 2, 11 and 12, with
brass cap marked
- T9 S | R11 E
S 2 | S 1
S 11 | S 12
1919
- dig pits, 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. from cor.
Land, nearly level.
Soil, sandy, 1st and 2nd rate.
Small timber, scattering palo verde, ironwood, and mesquite
Undergrowth, sage brush, cat claw, and sahuaro and cholla
cactus.
-
- S. 89° 49' E., on random line bet. secs. 1 and 12.
40.00 Set a temp. $\frac{1}{4}$ sec. cor.
80.14 Intersect the E. bdy. of the Tp., 3 lks. N. of the cor.
of secs. 1, 6, 7 and 12, hereinbefore described.
Thence
N. 89° 48' W., on true line bet. secs. 1 and 12.
Over gently rolling land; thru scattering small timber
and heavy undergrowth.
- 2.65 Wash, 250 lks. wide, 3 ft. deep, course NW.
6.15 Right bank of wash, 3 ft. deep, course NW.
10.15 Left bank of wash, 3 ft. deep, course NW.
27.10 Main road to Red Rock, bears NE. and SW.
40.07 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
- S 1
 $\frac{1}{4}$
S 12
1919
- dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
- 50.80 Road, bears SE and NW.
80.14 The cor. of secs. 1, 2, 11 and 12.
Land, gently rolling.
Soil, sandy, 2nd rate.
Small timber, mesquite, ironwood and palo verde.
Undergrowth, sage brush, greasewood, and sahuaro and
cholla cactus.
-
- N. 0° 1' W., on random line bet. secs. 1 and 2.
40.00 Set a temp. $\frac{1}{4}$ sec. cor.
79.74 Intersect the N. bdy. of the Tp., 6 lks. W. of the cor.
of secs. 1, 2, 35 and 36, hereinbefore described.
Thence
S. 0° 2' W., on a true line bet. secs. 1 and 2.

Subdivision of T. 9 S. R. 11 E.

Chains.

- 8.75 Wash, 20 lks. wide, 2 ft. deep, course W.
- 19.75 Wash, 10 lks. wide, 1 ft. deep, course W.
- 27.50 Wash, 15 lks. wide, 2 ft. deep, course W.
- 30.25 Wash, 10 lks. wide, 2 ft. deep, course S. 70° W.
- 39.74 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S 2 | S 1

1919

- dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
- 49.75 Road, bears N. 50° W. and S. 50° E.
- 57.25 Wash, 300 lks. wide, 3 ft. deep, course W.
- 61.75 Wash, 15 lks. wide, 2 ft. deep, course N. 80° W.
- 63.80 Wash, 30 lks. wide, 3 ft. deep, course W.
- 79.74 The cor. of secs. 1, 2, 11 and 12.
Land, gently rolling.
Soil, sandy loam, 2nd and 3rd rate.
Small timber, palo verde, ironwood, and mesquite.
Undergrowth, sage brush, sahuaro and cholla cactus.

From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., described in Book "B,"

- N. 0° 1' W., bet. secs. 34 and 35.
Over nearly level land; thru scattering small timber and heavy undergrowth.
- .80 Wash, 10 lks. wide, 1 ft. deep, course W.
- 8.10 Wash, 20 lks. wide, 2 ft. deep, course W.
- 30.00 Wash, 30 lks. wide, 3 ft. deep, course W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S 34 | S 35

1919

- dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
- 43.60 Wash, 15 lks. wide, 1 ft. deep, course W.
- 63.20 Wash, 20 lks. wide, 2 ft. deep, course W.
- 75.00 Wash, 30 lks. wide, 2 ft. deep, course S. 70° W.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, with brass cap marked

T 9 S | R 11 E

S 27 | S 26

S 34 | S 35

1919

from which

- An ironwood, 8 ins. diam., bears S. 7° E., 90 lks. dist., marked T 9 S. R 11 E S 35 B T.
- An ironwood, 5 ins. diam., bears S. 25 $\frac{1}{2}$ ° W., 120 lks. dist., marked T. 9 S R 11 E S 34 B T.
- No other trees are available; dig pits., 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. from cor.
- Land, nearly level.
Soil, sandy loam, 2nd rate.
Small timber, scattering palo verde, mesquite and ironwood
Undergrowth, greasewood, cat claw, sage brush, and sahuaro, club and cholla cactus.

East, on a random line bet. secs. 26 and 35.

- Over level land; thru scattering small timber and heavy undergrowth.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.94 Intersect the N. and S. line, 7 lks. S. of the cor. of

Subdivision of T. 9 S. R. 11 E.

Chains.

secs. 25, 26, 35 and 36.

Thence

S. 89° 57' W., on true line bet. secs. 26 and 35.

Over level land; thru scattering small timber and dense undergrowth.

22.05 Wash, 20 lks. wide, 1 ft. deep, course S. 85° W.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., for secs. 26 and 35, with brass cap marked

S 26

1/4

S 35

1919

from which

A mesquite, 6 ins. diam., bears S. 76° E., 107 lks dist., marked 1/4 S 35 B T.

No other tree available; dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.

56.74 Wash, 20 lks. wide, 1 ft. deep, course S. 85° W.

59.45 Wash, 20 lks. wide, 1 ft. deep, course N. 70° W.

74.45 Wash, 20 lks. wide, 1 ft. deep; course S. 60° W.

79.94 The cor. of secs. 26, 27, 34 and 35.

Land, level.

Soil, sandy loam, 2nd rate.

Small timber, scattering palo verde, ironwood and mesquite

Undergrowth, sage brush, greasewood, cat claw, and club sahuaro and cholla cactus.

N. 0° 1' W., bet. secs. 26 and 27.

Over level land; thru scattering small timber and dense undergrowth.

7.30 Wash, 50 lks. wide, 2 ft. deep, course S. 80° W.

7.50 Road from Guilds ranch to Red Rock, bears E. and W.

11.60 Wash, 35 lks. wide, 2 ft. deep, course W.

15.00 Wash, 100 lks. wide, 2 ft. deep, course S. 85° W.

19.00 Wash, 120 lks. wide, 2 ft. deep, course S. 80° W.

32.10 Wash, 15 lks. wide, 1 ft. deep, course S. 80° W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the ground, for 1/4 sec. cor., with brass cap marked.

1/4

S 27 | S 26

1919

from which

An ironwood, 10 ins. diam., bears S. 40° E., 60 lks. dist., marked 1/4 S 26 B T.

An ironwood, 5 ins. diam., bears S. 47° W., 27 lks. dist., marked 1/4 S 27 B T.

46.00 Wash, 15 lks. wide, 1 ft. deep, course S. 80° W.

68.70 Wash, 15 lks. wide, 1 ft. deep; course S. 70° W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap marked

T 9S | R11E

S 22 | S 23

S 27 | S 26

1919

dig pits, 18x18x12 ins. in each sec. 5 1/2 ft. from cor.

Land, level.

Soil, sandy loam, 2nd rate.


Small timber, palo verde, ironwood and mesquite.

Undergrowth, greasewood, cat claw, sage brush, and sahuaro, club and cholla cactus.

N. 89° 57' E., on a random line bet. secs. 23 and 26.

Chains.

40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.84 Intersect the N. and S. line, at the cor. of secs. 23,
 24, 25 and 26.
 Thence
 S. $89^{\circ} 57'$ W., on a true line bet. secs. 23 and 26
 Over level land; thru scattering small timber and dense
 undergrowth.
 7.85 Wash, 20 lks. wide, 1 ft. deep, course SW.
 20.45 A 4 wire fence, bears N. 30° E. and S. 30° W.
 39.92 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked




from which

An ironwood, 5 ins. diam., bears S. 75° W., 66
 lks. dist., marked $\frac{1}{4}$ S 26 B T.
 No other tree available; dig pits, 18x18x12 ins.
 E. and W. of post, 3 ft. dist.
 67.05 Wash, 10 lks. wide, 1 ft. deep, course N. 85° W.
 79.84 The cor. of secs. 22, 23, 26 and 27.
 Land, level.
 Soil, sandy loam, 2nd rate.
 Small timber, scattering palo verde, ironwood and mesquite.
 Undergrowth, greasewood, cat claw, sage brush, and
 sahuaro, club and cholla cactus.


N. $0^{\circ} 1'$ W., bet secs. 22 and 23.
 Over level land; thru scattering small timber and heavy
 undergrowth.

2.60 Wash, 10 lks. wide, 1 ft. deep, course W.
 8.90 Wash, 40 lks. wide, 2 ft. deep, course S. 80° W.
 23.50 Wash, 60 lks. wide, 1 ft. deep, course S. 80° W.
 Rocky knoll bears W., about 20.00 chs. dist.
 25.60 Wash, 40 lks. wide, 2 ft. wide, course S. 80° W.
 30.20 Wash, 40 lks. wide, 2 ft. deep, course S. 80° W.
 36.60 Wash, 30 lks. wide, 2 ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked



from which

An ironwood, 6 ins. diam., bears S. 3° E., 94 lks.
 dist., marked $\frac{1}{4}$ S 23 B T.
 No other tree available; dig pits, 18x18x12 ins.
 N. and S. of post, 3 ft. dist.,
 49.40 Wash, 40 lks. wide, 2 ft. deep, course W.
 66.90 Wash, 20 lks. wide, 2 ft. deep, course N. 80° W.
 76.40 Wash, 10 lks. wide, 2 ft. deep, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground, for cor. of secs. 14, 15, 22 and 23, with
 brass cap marked



dig pits, 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. from cor.
 Land, level.
 Soil, sandy loam, 2nd rate.
 Small timber, scattering palo verde, ironwood, and mesquite
 Undergrowth, greasewood, cat claw, sage brush, and sahu-
 aruo, club and cholla cactus.


Subdivision of T. 9 S. R. 11 E.

Chains.

N. 89° 57' E., on random line bet. secs. 14 and 23.
40.00 Set temp. 1/4 sec. cor.
79.90 Intersect the N. and S. line, 9 lks. S. of the cor. of
secs. 13, 14, 23 and 24.

Thence
S. 89° 53' W.; on true line bet. secs. 14 and 23.
Over nearly level land; thru scattering small timber
and dense undergrowth.

2.50 A 4 wire fence, bears NE. and SW.
39.95 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for 1/4 sec. cor., with brass cap marked



from which

A mesquite, 8 ins. diam., bears S. 64° W., 127
lks. dist., marked 1/4 S 23 B T.


A palo verde, 6 ins. diam., bears N. 49 1/2° W., 27
lks. dist., marked 1/4 S 14 B T.

44.30 Wash, 60 lks. wide, 1 ft. deep, course S. 80° W.
54.00 Wash, 30 lks. wide, 1 ft. deep, course N. 85° W.
56.00 Rocky hill bears North, 35 chs. dist., 30 chs. in diam.,
312 ft. high.
65.40 Wash, 20 lks. wide, 2 ft. deep, course S. 85° W.
72.00 Wash, 20 lks. wide, 2 ft. deep, course N. 85° W.
79.90 The cor. of secs. 14, 15, 22 and 23.

Land, level.
Soil, sandy loam, 2nd rate.
Small timber, scattering palo verde, ironwood, and mes-
quite.
Undergrowth, dense undergrowth, greasewood, cat claw,
sage brush, and sahuaro and cholla cactus.


N. 0° 1' W., bet. secs. 14 and 15.
Over nearly level land; thru scattering small timber
and dense undergrowth.

5.70 Wash, 80 lks. wide, 3 ft. deep, course W.
17.60 Wash, 50 lks. wide, 3 ft. deep, course W.
36.30 Road, bears N. 40° E. and S. 40° W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for 1/4 sec. cor., with brass cap marked



dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.

45.00 Rocky knoll, bears W. 15 chs. dist.
74.00 Wash, 10 lks. wide, 6 ins. deep, course W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground, for cor. of secs. 10, 11, 14 and 15, with
brass cap marked



from which

A mesquite, 8 ins. diam., bears S. 65 1/2° W., 85
lks. dist., marked T 9 S R 11 E S 15 B T.

A mesquite, 6 ins. diam., bears N. 49 1/2° W., 122
lks. dist., marked T 9 S R 11 E S 10 B T.

No other trees are available; dig pits, 18x18x12
ins. in each sec. 5 1/2 ft. from cor.

Land, nearly level.
Soil, sandy loam, 2nd rate.
Small timber, scattering palo verde and mesquite.

Chains.

Undergrowth, greasewood, cat claw, and sahuaro and cholla cactus.

N. 89° 53' E., on a random line bet. secs. 11 and 14.

40.00
79.80

Set a temp. $\frac{1}{4}$ sec. cor.
Intersect the N. and S. line, 9 lks. N. of the cor. of secs. 11, 12, 13 and 14.

Thence

S. 89° 57' W., on true line bet secs. 11 and 14.
Over nearly level land; thru scattering small timber and heavy undergrowth.

9.80
26.30
39.90

Wash, 35 lks. wide, 2 ft. deep, course NW.
Road, (Main road to Red Rock), bears N. 50° E. and S. 50° W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S 11'
 $\frac{1}{4}$
S 14'
1919

79.80

dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
The cor. of secs. 10, 11, 14 and 15.
Land, nearly level.
Soil, sandy, 2nd and 3rd rate.
Small timber, scattering mesquite, palo verde and ironwood.
Undergrowth, sage brush, greasewood, and sahuaro and cholla, cactus.

N. 0° 1' W., bet. secs. 10 and 11.

Over nearly level land; thru scattering small timber and heavy undergrowth.

.60
10.00
14.00
40.00

Wash, 15 lks. wide, 2 ft. deep, course W.
Wash, 10 lks. wide, 1 ft. deep, course W.
Wash, 30 lks. wide, 1 ft. deep, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S 10' | S 11'
1919

45.00
62.00
67.20
80.00

dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
Wash, 10 lks. wide, 1 ft. deep, course S. 80° W.
Wash, 25 lks. wide, 2 ft. deep, course N. 80° W.
Wash, 20 lks. wide, 1 ft. deep, course S. 80° W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap marked

T 9 S | R 11 E
S 3 | S 2
S 10 | S 11
1919

dig pits, 18x18x12 ins in each sec. 5 $\frac{1}{2}$ ft. from cor.
Land, nearly level.
Soil, sandy loam, 2nd rate.
Small timber, scattering ironwood and palo verde.
Undergrowth, greasewood, sage brush and cholla cactus.

40.00
79.90

N. 89° 57' E., on random line bet, secs. 2 and 11.
Set a temp. $\frac{1}{4}$ sec. cor.
Intersect the N. and S. line, 7 lks. S. of the cor. of secs. 1, 2, 11 and 12.
Thence
S. 89° 54' W., on true line bet. secs. 2 and 11.

Subdivision of T. 9 S. R. 11 E.

- Chains.
- Over nearly level land; thru very scattered small timber and heavy undergrowth.
- 39.95 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked.
- S 2
 $\frac{1}{4}$ ———
S 11
1919
- 79.90 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist. The cor. of secs. 2, 3, 10 and 11.
Land, nearly level.
Soil, sandy, 2nd and 3rd rate.
Small timber, mesquite, ironwood and palo verde.
Undergrowth, greasewood, sage brush, sahuaro and cholla cactus.
-
- 40.00 N. 0° 2' E., on a random line bet. secs. 2 and 3. Set a temp. $\frac{1}{4}$ sec. cor.
- 79.92 Intersect the N. bdy. of the Tp., 7 lks. E., of the cor. of secs. 2, 3, 34 and 35, hereinbefore described.
Thence
S, 0° 1' E., on true line bet. secs. 2 and 3.
Over nearly level land; thru scattering small timber and heavy undergrowth.
- 14.90 Wash, 30 lks. wide, 2 ft. deep, course W.
- 39.92 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked.
- S 35 2
|
1919
- 42.90 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist. Wash, 25 lks. wide, 2 ft. deep, course W.
- 50.00 Wash, 60 lks. wide, 2 ft. deep, course W.
- 53.15 Wash, 150 lks. wide, 2 ft. deep, course W.
- 67.30 Wash, 100 lks. wide, 2 ft. deep, course W.
- 79.92 The cor. of secs. 2, 3, 10 and 11.
Land, nearly level.
Soil, sandy, loam, 2nd and 3rd rate.
Small timber, scattering ironwood and palo verde.
Undergrowth, greasewood, sage brush, and sahuaro and cholla cactus.
-
- From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., described in Book "B,"
N. 0° 2' W., bet. secs. 33 and 34.
Over gently rolling land; thru scattering small timber and heavy undergrowth.
- 2.80 Wash, 20 lks. wide, 1 ft. deep, course S. 70° W.
- 4.30 Wash, 35 lks. wide, 2 ft. deep, course S. 70° W.
- 18.20 Wash, 20 lks. wide, 3 ft. deep, course S. 70° W.
- 27.00 Wash, 10 lks. wide, 1 ft. deep, course S. 70° W.
- 36.00 Wash, 15 lks. wide, 1 ft. deep, course W.
- 37.00 Wash, 60 lks. wide, 1 ft. deep, course S. 70° W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked.
- S 33 | S 34
|
1919
- 45.00 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist. Wash, 10 lks. wide, 1 ft. deep, course S. 60° W.
- 46.80 Wash, 20 lks. wide, 2 ft. deep, course S. 60° W.

Subdivision of T. 9 S. R. 11E

Chains.
 68.80 Wash, 20 lks. wide, 2 ft. deep, course S. 70° W.
 78.00 Road, from Guilds ranch to Red Rock, bears S. 65° W. and
 N. 75° E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground, for cor. of secs. 27, 28, 33 and 34, with
 brass cap marked

T 9S R11E
 S 28 | S 27
 S 33 | S 34
 1919

dig pits, 18x18x12 ins. in each sec. 5½ ft. from cor.
 Land, gently rolling.
 Soil, sandy, 2nd rate.
 Small timber, scattering ironwood, palo verde and mesquite.
 Undergrowth, greasewood, sage brush, and sahuaro and
 cholla cactus.

40.00 East, on a random line bet. secs. 27 and 34.
 Set temp. ¼ sec. cor.
 80.00 Intersect the N. and S. line, 9 lks. S. of the cor. of
 secs. 26, 27, 34 and 35.
 Thence
 S. 89° 56' W., on true line bet. secs. 27 and 34.
 Over nearly level land; thru scattering small timber
 and heavy undergrowth.
 12.40 Wash, 25 lks. wide, 2 ft. deep, course SW.
 32.70 Wash, 40 lks. wide, 1 ft. deep, course S. 50° W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for ¼ sec. cor., with brass cap marked

S 27
 ¼
 S 34
 1919

53.20 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
 Road, from Guilds ranch to Red rock, bears S. 87° W. and
 N. 87° E.
 80.00 The cor. of secs. 27, 28, 33 and 34.
 Land, gently rolling.
 Soil, sandy loam, 1st and 2nd rate.
 Small timber, palo verde, mesquite and ironwood.
 Undergrowth, greasewood, sage brush, and sahuaro and
 cholla cactus.

N. 0° 2' W., bet. secs. 27 and 28.
 Over nearly rolling land; thru scattering small timber
 and heavy undergrowth.
 6.00 Wash, 40 lks. wide, 1 ft. deep, course W.
 18.60 Wash, 30 lks. wide, 2 ft. deep, course S. 80° W.
 20.00 Wash, 20 lks. wide, 1 ft. deep, course W.
 22.40 Wash, 100 lks. wide, 2 ft. deep, course W.
 30.00 Wash, 20 lks. wide, 1 ft. deep, course W.
 32.30 Wash, 15 lks. wide, 1 ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for ¼ sec. cor., with brass cap marked

¼
 S 28 | S 27
 1919

53.80 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
 Wash, 10 lks. wide, 1 ft. deep, course N. 70° W.
 66.30 Wash, 20 lks. wide, 2 ft. deep, course SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground, for cor. of secs. 21, 22, 27 and 28, with
 brass cap marked

Subdivision of T. 9 S. R. 11 E.

Chains.

T. 9 S	R 11 E
S 21	S 22
S 28	S 27

1919.

dig pits, 18x18x12 ins. in each sec. 5 1/2 ft. from cor. Land, nearly level. Soil, sandy, 1st and 2nd rate. Small timber, scattering mesquite, ironwood and palo verde. Undergrowth, greasewood, sage brush, and sahuaro and cholla cactus.

40.00 N. 89° 56' E., on random line bet. secs. 22 and 27. Set temp. 1/4 sec. cor.
 80.06 Intersect the N. and S. line, 21 lks. N. of the cor. of secs. 22, 23, 26 and 27.
 Thence
 N. 89° 55' W., on true line bet. secs. 22 and 27. Over gently rolling; thru scattering small timber and heavy undergrowth.
 8.05 Wash, 10 lks. wide, 1 ft. deep, course S. 70° W.
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap marked

S 22	
1/4	
S 27	

1919

65.00 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist. Enter wash, 40 lks. wide, 1 ft. deep, from NE., and thence along same, course W.
 75.00 Same wash, 40 lks. wide, 1 ft. deep, turns to NW.
 80.06 The cor. of secs. 21, 22, 27 and 28. Land, nearly level. Soil, sandy, 2nd rate. Small timber, scattering mesquite, ironwood and palo verde. Undergrowth, sage brush, greasewood, and cholla cactus.

N. 0° 2' W., bet. secs. 21 and 22. Over gently rolling land; thru scattering small timber and heavy undergrowth.
 3.00 Wash, 20 lks. wide, 2 ft. deep, course S. 70° W.
 5.00 Wash, 40 lks. wide, 1 1/2 ft. deep, course W.
 12.00 Wash, 50 lks. wide, 2 ft. deep, course W.
 23.40 Wash, 20 lks. wide, 1 1/2 ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap marked

S 21	S 22
------	------

1919

45.00 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist. Road, to Red Rock, bears NE. and SW.
 54.20 Wash, 20 lks. wide, 2 ft. deep, course W.
 55.50 Wash, 15 lks. wide, 1 ft. deep, course W.
 74.10 Wash, 20 lks. wide, 2 ft. deep, course N. 70° W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, with brass cap marked.

T. 9 S	R 11 E
S 16	S 15
S 21	S 22

1919

from which
 An ironwood, 7 ins. diam., bears N. 51° E., 40 lks. dist., marked T 9 S. R 11 E S 15 B T.

Subdivision of T. 9 S. R. 11 E.

A palo verde, 4 ins. diam., bears S. $27\frac{1}{2}^{\circ}$ E., 45 lks, dist., marked T 9 S R 11 E S 22 B T.
 A palo verde, 6 ins. diam., bears S. $69\frac{1}{2}^{\circ}$ W., 27 lks., dist., marked T 9 S R 11 E S 21 B T.
 An ironwood, 7 ins. diam., bears N. 29° W., 10 lks. dist., marked T 9 S R 11 E S 16 B T.
 Dig pits, 18x18x12 ins. in each, sec. $5\frac{1}{2}$ ft. from cor.

Land, gently rolling.
 Soil, sandy 2nd and 3rd rate.
 Small timber, palo verde, mesquite and ironwood.
 Undergrowth, greasewood, sage brush, and sahuaro and cholla cactus.

-
- S. $89^{\circ} 55'$ E., on random line bet. secs. 15 and 22.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect the N. and S. line, 5 lks. N. of the cor. of secs. 14, 15, 22 and 23.
 Thence
 N. $89^{\circ} 53'$ W., on true line bet. secs. 15 and 22.
 Over gently rolling land; thru scattering small timber and heavy undergrowht.
 30.08 Wash, 20 lks. wide, 2 ft. deep, course N.
 38.00 Main road to Red Rock, bears NE and SW.
 40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

- S 15
 $\frac{1}{4}$
 S 22
 1919
- 80.08 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
 The cor. of secs. 15, 16, 21 and 22.
 Land, gently rolling.
 Soil, sandy, 2nd and 3rd rate.
 Small timber, scattering ironwood, mesquite and palo verde.
 Undergrowth, sage brush, greasewood, sahuaro and cholla cactus.

-
- N. $0^{\circ} 2'$ W., bet. secs. 15 and 16.
 Over nearly level land; thru scattering small timber and undergrowth.
 14.30 Wash, 20 lks. wide, 2 ft. deep, course W.
 25.50 Drain, 20 lks. wide, 10 ft. deep, course W.
 27.50 Wash, 20 lks. wide, 3 ft. deep, course W.
 31.00 Wash, 20 lks. wide, 3 ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

- S 16 | S 15
 1919
- dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
 46.40 Wash, 25 lks. wide, 2 ft. deep, course W.
 53.60 Wash, 20 lks. wide, 1 ft. deep, course S. 80° W.
 55.00 Wash, 20 lks. wide, 1 ft. deep, course S. 70° W.
 66.00 Wash, 10 lks. wide, 1 ft. deep, course S. 70° W.
 79.30 Wash, 10 lks. wide, 1 ft. deep, course S. 70° W.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap marked

T 9 S R 11 E
 S 9 | S 10
 S 16 | S 15
 1919


Subdivision of T. 9 S. R. 11 E.

Chains.

- from which
- A mesquite, 6 ins. diam., bears N. 55 $\frac{1}{2}$ ° E., 65 lks. dist., marked T 9 S R 11 E S 10 B T.
- A palo verde, 5 ins. diam., bears S. 81° E., 106 lks., dist., marked T 9 S R 11 E S 15 B T.
- A mesquite, 6 ins. diam., bears S. 74° W., 67 lks. dist., marked T 9 S R 11 E S 16 B T.
- A palo verde, 6 ins. diam., bears N. 33° W., 147 lks. dist., marked T 9 S R 11 E S 9 B T.
- Dig pits, 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. from cor.


Land, gently rolling.
 Soil, sandy 2nd and 3rd rate.
 Small timber, scattering palo verde, ironwood and mesquite
 Undergrowth, greasewood, sage brush and cholla cactus.

- S. 89° 53' E., on a random line bet. secs. 10 and 15.
- 40.00 Set a temp. $\frac{1}{4}$ sec. cor.
- 80.10 Intersect the N. and S. line, 5 lks. S. of the cor. of secs. 10, 11, 14 and 15.
- Thence
- N. 89° 55' W., on true line bet. secs. 10 and 15.
- Over nearly level land; thru scattering small timber and heavy undergrowth.
- 5.00 Wash, 25 lks. wide, 2 ft. deep, course S. 80° W.
- 40.05 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked




- 80.10 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
- The cor. of secs. 9, 10, 15 and 16.
- Land, gently rolling.
- Soil, sandy, 2nd and 3rd rate.
- Small timber, scattering palo verde ironwood and mesquite.
- Undergrowth, greasewood, sage brush and cholla cactus.

- N. 0° 2' W., bet. secs. 9 and 10.
- Over gently rolling land; thru scattering small timber and heavy undergrowth.
- 26.80 Wash, 10 lks. wide, 1 ft. deep, course N. 70° W.
- 28.00 Wash, 10 lks. wide, 1 ft. deep, course W.
- 38.50 Wash, 10 lks. wide, 1 ft. deep, course S. 70° W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked



- 46.80 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
- Wash, 25 lks. wide, 2 ft. deep, course W.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, with brass cap marked



- dig pits, 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. from cor.
- Land, gently rolling.
- Soil, sandy, 2nd and 3rd rate.
- Small timber, scattering mesquite, ironwood and palo verde.
- Undergrowth, heavy greasewood, sage brush and cholla cactus.

Chains.

S. 89° 55' E., on random line bet. secs. 3 and 10.
 40.00 Set a temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect the N. and S. line, 3 lks. N. of the cor. of
 secs. 2, 3, 10 and 11.
 Thence
 N. 89° 54' W., on true line bet. secs. 3 and 10.
 Over nearly level land; thru scattering small timber and
 heavy undergrowth.
 40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S. 3
 $\frac{1}{4}$ —————
 S 10
 1919

dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
 80.08 The cor. of secs. 3, 4, 9 and 10.
 Land, nearly level.
 Soil, sandy 2nd rate.
 Small timber, scattering palo verde and ironwood.
 Undergrowth, sage brush, greasewood, and sahuaro and
 cholla cactus.

N. 0° 2' W., on random line bet. secs. 3 and 4.
 40.00 Set a temp. $\frac{1}{4}$ sec. cor.
 79.91 Intersect the N. bdy. of the Tp., 12 lks. W. of the cor.
 of secs. 3, 4, 33 and 34, hereinbefore described.
 Thence
 S. 0° 3' W., on true line bet. secs. 3 and 4.
 4.90 Wash, 10 lks. wide, 1 ft. deep, course S. 80° W.
 13.60 Wash, 20 lks. wide, 2 ft. deep, course S. 70° W.
 26.80 Wash, 25 lks. wide, 1 ft. deep, course W.
 39.91 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S 4 | S 3
 1919

dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
 41.60 Wash, 150 lks. wide, 2 ft. deep, course W.
 44.50 Wash, 60 lks. wide, 2 ft. deep, course W.
 54.40 Wash, 100 lks. wide, 2 ft. deep, course W.
 68.50 Wash, 20 lks. wide, 2 ft. deep, course W.
 79.91 The cor. of secs. 3, 4, 9 and 10.
 Land, gently rolling.
 Soil, sandy, 2nd rate.
 Small timber, scattering palo verde, ironwood and mesquite.
 Undergrowth, greasewood, sage brush, and cholla cactus.

From the cor. of secs. 4, 5, 32 and 33, on the S. bdy.
 of the Tp., described in Book "B".
 N. 0° 2' W., bet. secs. 32 and 33.
 Over nearly level land; thru scattering small timber and
 heavy undergrowth.
 6.50 Wash, 20 lks. wide, 2 ft. deep, course S. 70° W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S 32 | S 33
 1919

dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
 47.10 Wash, 15 lks. wide, 1 ft. deep, course W.
 50.00 Small drain, course S. 80° W.

Subdivision of T. 9 S. R. 11 E.

Chains.

54.80 Road, Guilds ranch to Red Rock, bears N. 80° E. and S. 70° W.
 70.00 Wash, 20 lks. wide, 1 ft. deep, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, with brass cap marked

T 9S	R11E
S 29	S 28
S 32	S 33

1919

dig pits, 18x18x12 ins. in each sec. 5½ ft. from cor. Land, nearly level.
 Soil, sandy, 2nd and 3rd rate.
 Small timber, palo verde, mesquite and ironwood.
 Undergrowth, sage brush, greasewood, and cholla cactus.

 East, on random line bet. secs. 28 and 33.
 40.00 Set temp. ¼ sec. cor.
 79.96 Intersect the N. and S. line, 2 lks. N. of the cor. of secs. 27, 28, 33 and 34.

Thence
 N. 89° 59' W., on true line bet. secs. 28 and 33.
 Over nearly level land; thru scattering small timber and heavy undergrowth.

15.00 Wash, 50 lks. wide, 2 ft. deep, course S. 60° W.
 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap marked

S 28
¼
S 33

1919

dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
 49.95 Wash, 50 lks. wide, 2 ft. deep, course N. 70° W.
 79.96 The cor. of secs. 28, 29, 32 and 33.

Land, nearly level.
 Soil, sandy, 2nd rate.
 Small timber, ironwood, mesquite and palo verde.
 Undergrowth, greasewood, sage brush and cholla cactus.

 N. 0° 2' W., bet. secs. 28 and 29.
 Over gently rolling land; thru scattering small timber and heavy undergrowth.

2.70 Wash, 10 lks. wide, 1 ft. deep, course W.
 6.80 Wash, 30 lks. wide, 3 ft. deep, course W.
 18.30 Wash, 15 lks. wide, 2 ft. deep, course N. 80° W.
 21.20 Wash, 20 lks. wide, 1 ft. deep, course W.
 27.10 Wash, 50 lks. wide, 1½ ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground; for ¼ sec. cor., with brass cap marked.

S 29	S 28
------	------

1919

dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
 53.70 Wash, 20 lks. wide, 2 ft. deep, course W.
 57.60 Main road to Red Rock, bears NE. and SW.
 62.90 Wash, 10 lks. wide, 2 ft. deep, course W.
 75.00 Wash, 30 lks. wide, 2 ft. deep, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap marked

Chains.

T 9S | R11E
 S 20 | S 21
 S 29 | S 28
 1919

dig pits, 18x18x12 ins. in each sec. 5½ ft. from cor.
 Land, nearly level.
 Soil, sandy loam, 2nd and 3rd rate.
 Small timber, scattering mesquite, ironwood and palo verde.
 Undergrowth, greasewood, sage brush and cholla cactus.

40.00 S. 89° 59' E., on random line bet. secs. 21 and 28.
 Set a temp. ¼ sec. cor.
 79.96 Intersect the N. and S. line, 5 lks. N. of the cor. of
 secs. 21, 22, 27 and 28.

Thence

N. 89° 57' W., on true line bet. secs. 21 and 28.

Over nearly level land; thru scattering small timber and
 heavy undergrowth.

4.00 Wash, 30 lks. wide, 1 ft. deep, course S. 70° W.
 28.50 Wash, 30 lks. wide, 2 ft. deep, course S. 80° W.
 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for ¼ sec. cor., with brass cap marked

S 21
 ¼
 S 28
 1919

64.50 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
 Main road to Red Rock, bears NE. and SW.

79.96 The cor. of secs. 20, 21 28 and 29.

Land, nearly level.
 Soil, sandy, 2nd rate.
 Small timber, mesquite, ironwood and palo verde, scattering.
 Undergrowth, greasewood, sage brush, greasewood, and cholla
 cactus.

N. 0° 2' W., bet. secs. 20 and 21.

Over gently rolling land; thru scattering small timber
 and heavy undergrowth.

1.80 Wash, 15 lks. wide, 1 ft. deep, course W.
 5.50 Wash, 15 lks. wide, 1 ft. deep, course W.
 11.10 Wash, 20 lks. wide, 1 ft. deep, course W.
 35.70 Wash, 15 lks. wide, 1 ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for ¼ sec. cor., with brass cap marked

¼
 S 20 | S 21
 1919

dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.

44.50 Wash, 10 lks. wide, 1 ft. deep, course N. 80° W.
 48.60 Wash, 10 lks. wide, 1 ft. deep, course N. 80° W.
 77.80 Wash, 10 lks. wide, 2 ft. deep, course S. 70° W.
 80.00 Set an iron post, 3 ft. long, 2 in. diam., 24 ins. in
 the ground, for cor. of secs. 16, 17, 20 and 21, with
 brass cap marked

T 9S | R11E
 S 17 | S 16
 S 20 | S 21
 1919

dig pits, 18x18x12 ins. in each sec. 5½ ft. from cor.
 Land, gently rolling.
 Soil, sandy, 2nd and 3rd rate.
 Small timber, scattering mesquite, ironwood and palo verde.
 Undergrowth, greasewood, sage brush, and sahuaro cactus.


Subdivision of T. 9 S. R. 11 E.

Chains.

S. 89° 57' E., on random line bet. secs. 16 and 21.
40.00 Set a temp. 1/4 sec. cor.
80.00 Intersect the N. and S. of line, 14 lks. S. of the cor. of secs. 15, 16, 21 and 22.

Thence


S. 89° 57' W., on true line bet. secs. 16 and 21.
Over gently rolling land; thru scattering small timber and heavy undergrowth.
8.00 Wash, 15 lks. wide, 1 ft. deep, course N. 80° W.
9.50 Wash, same, 15 lks. wide, 1 ft. deep, course S. 80° W.
10.00 Same wash, 15 lks. wide, 1 ft. deep, course N. 80° W.
12.30 Same wash, 15 lks. wide, 1 ft. deep, course S. 80° W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap marked




dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
76.00 Wash, 10 lks. wide, 2 ft. deep, course N. 70° W.
80.00 The cor. of secs. 16, 17, 20 and 21.
Land, gently rolling.
Soil, sandy, 2nd and 3rd rate.
Small timber, scattering mesquite, palo verde and ironwood
Undergrowth, greasewood, sage brush, and cholla and sahuaro cactus.

N. 0° 2' W., bet. secs. 16 and 17.
Over gently rolling land; thru very scattering small timber and heavy undergrowth.

.80 Wash, 20 lks. wide, 2 ft. deep, course W.
11.70 Wash, 10 lks. wide, 2 ft. deep, course W.
24.20 Wash, 15 lks. wide, 2 ft. deep, course W.
31.00 Wash, 20 lks. wide, 1 ft. deep, course W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor. with brass cap marked



dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
46.50 Wash, 10 lks. wide, 2 ft. deep, course W.
50.00 Wash, 20 lks. wide, 1 ft. deep, course W.
51.20 Wash, 10 lks. wide, 1 ft. deep, course W.
60.50 Wash, 15 lks. wide, 1 ft. deep, course W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, with brass cap marked




dig pits, 18x18x12 ins. in each sec. 5 1/2 ft. from cor. Land from cor.

- A palo verde, 4 ins. diam., bears N. 72° E., 47 lks. dist., marked T 9 S R 11 E S 9 B T.
- A palo verde, 4 ins. diam., bears S. 38° E., 69 lks. dist., marked T 9 S R 11 E S 16 B T.
- A mesquite, 10 ins. diam., bears S. 39 1/2° W., 36 lks. dist., marked T 9 S R 11 E S 17 B T.
- A palo verde, 4 ins. diam., bears N. 13° W., 148 lks. dist., marked T 9 S R 11 E S 8 B T.


Land, gently rolling.
Soil, sandy, 2nd and 3rd rate.
Undergrowth, greasewood, sage brush, and cholla cactus.
Small timber, mesquite, palo verde and ironwood.

Chains.
 N. 89° 57' E., on random line bet. secs. 9 and 16.
 40.00 Set a temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect the N. and S. line, 7 lks. N. of the cor. of secs. 9, 10, 15 and 16.
 Thence
 West, on a true line bet. secs. 9 and 16.
 Overnearly level land; thru very scattered small timber and heavy undergrowth.
 40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked.




dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
 46.20 Drain, course S. 80° W.
 60.00 Wash, 10 lks. wide, 1 ft. deep, course S. 30° W.
 80.02 The cor. of secs. 8, 9, 16 and 17.
 Land, nearly level.
 Soil, sandy, 2nd rate.
 Small timber, scattering palo verde, mesquite and ironwood.
 Undergrowth, heavy greasewood, sage brush, sahuaro and cholla cactus.

N. 0° 2' W., bet. secs. 8 and 9.
 Over nearly level land; thru very scattered small timber and heavy undergrowth.
 25.00 Wash, 15 lks. wide, 1 ft. deep, course W.
 30.60 Wash, 30 lks. wide, $1\frac{1}{4}$ ft. deep, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked.



dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
 48.52 Wash, 10 lks. wide, 1 ft. deep, course N. 80° W.
 58.10 Wash, 10 lks. wide, 1 ft. deep, course W.
 65.00 Wash, 100 lks. wide, 1 ft. deep, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, with brass cap marked.



from which
 A palo verde, 4 ins. diam., bears N. 67 $\frac{1}{2}$ ° E., 63 lks. dist., marked T 9 S R 11 E S 4 B T.
 A palo verde, 4 ins. diam., bears S. 18 $\frac{1}{2}$ ° E., 54 lks. dist., marked T 9 S R 11 E S 9 B T.
 A palo verde, 6 ins. diam., bears S. 26 $\frac{1}{2}$ ° W., 37 lks. dist., marked T 9 S R 11 E S 8 B T.
 A palo verde, 4 ins. diam., bears N. 9° W., 103 lks. dist., marked T 9 S R 11 E S 5 B T.
 Dig pits, 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. from cor.

Land, nearly level.
 Soil, sandy, 2nd and 3rd rate.
 Undergrowth, sage brush, greasewood, and sahuaro and cholla cactus.
 Small timber, scattering mesquite, palo verde and ironwood.

Subdivision of T. 9 S. R. 11 E.

Chains.
 40.00 East, on random line bet. secs. 4 and 9.
 Set a temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect the N. and S. line, 5 lks. S. of the cor. of
 secs. 3, 4, 9 and 10.
 Thence
 S. $89^{\circ} 58'$ W., on true line bet. secs. 4 and 9.
 Over level land; thru scattering small timber and heavy
 undergrowth.
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$ S 4
 S 9
 1919

79.98 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
 The cor. of secs. 4, 5, 8 and 9.
 Land, level.
 Soil, sandy, 2nd and 3rd rate.
 Small timber, scattering ironwood and palo verde.
 Undergrowth, heavy greasewood, sage brush, sahuaro and
 cholla cactus.

40.00 N. $0^{\circ} 3'$ E., on a random line bet. secs. 4 and 5.
 Set a temp. $\frac{1}{4}$ sec. cor.
 80.15 Intersect the N. bdy. of the Tp., 5 lks. E. of the cor.
 of secs. 4, 5, 32 and 33, herinbefore described.
 Thence
 S. $0^{\circ} 1'$ W., on true line bet. secs. 4 and 5.
 Over nearly level land; thru scattering small timber and
 heavy undergrowth.

1.45 Wash, 80 lks. wide, 2 ft. deep, course W.
 21.85 Wash, 100 lks. wide, 2 ft. deep, course W.
 35.15 Wash, 100 lks. wide, 1 ft. deep, course W.
 37.30 Wash, 80 lks. wide, 2 ft. deep, course W.
 39.45 Wash, 25 lks. wide, 1 ft. deep, course W.
 40.15 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$
 S 5 | S 4
 1919

46.10 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
 Wash, 40 lks. wide, 2 ft. deep, course W.
 70.15 Wash, 100 lks. wide, 1 ft. deep, course W.
 80.15 The cor. of secs. 4, 5, 8 and 9.
 Land, level.
 Soil, sandy loam, 2nd rate.
 Small timber, scattering palo verde and ironwood.
 Undergrowth, sage brush, greasewood and cholla cactus.

From the cor. of secs. 5, 6, 31 and 32, on the S. bdy.
 of the Tp., described in Book "B."
 N. $0^{\circ} 3'$ W., bet. secs. 31 and 32.
 Over gently rolling land; thru scattering small timber
 and heavy undergrowth.
 Desc. 71 ft. over and along E. slope.
 33.70 Wash, 15 lks. wide, 2 ft. deep, course N. 20° W., thence
 over nearly level land.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$ I
 S 31 | S 32
 1919

Subdivision of T. 9 S. R. 11 E.

Chains.
 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
 45.90 Wash, 15 lks. wide, 2 ft. deep, course N. 80° W.
 48.10 Road, from Guilds ranch to Red Rock, bears E. and W.
 60.70 Wash, 15 lks. wide, 2 ft. deep, course W.
 64.80 Wash, 25 lks. wide, 2 ft. deep, course S. 80° W.
 71.10 Main road, from Ray to Red Rock, bears N. 50° E., and
 S. 50° W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground, for cor. of secs. 29, 30, 31 and 32, with
 brass cap marked.

T 9S | R11E
 S 30 | S 29
 S 31 | S 32
 1919

dig pits, 18x18x12 ins. in each sec. 5½ ft. from cor.
 Land, hilly, 1st, 30 chs. and gently rolling balance.
 Soil, rocky granite formation, 4th rate, 1st 30 chs. ;
 sandy loam, 3rd rate the balance of mile.
 Small timber, scattering palo verde, mesquite and ironwood
 Undergrowth, greasewood, cat claw and sage brush.

 East, on a random line bet. secs. 29 and 32.
 40.00 Set a temp. ¼ sec. cor.
 79.94 Intersect the N. and S. line, 9 lks. S. of the cor. of secs
 28, 29, 32 and 33.
 Thence
 S. 89° 56' W., on true line bet. secs. 29 and 32.
 Over nearly level land; thru medium heavy undergrowth.
 29.95 Strike wash, 20 lks. wide, 2 ft. deep, and follow along
 same, course W., from N. 70° W.
 35.90 Same wash, turns to course S. 60° W.
 39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in.
 the ground, for ¼ sec. cor., with brass cap marked.

S 29
 ¼
 S 32
 1919

dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
 69.20 Main road, from Ray to Red Rock, bears N. 50° E. and
 S. 50° W.
 79.94 The cor. of secs. 29, 30, 31 and 32.
 Land, nearly level.
 Soil, sandy and gravelly loam, 2nd rate.
 Small timber; scattering palo verde, ironwood and mesquite
 Undergrowth, sage brush, ocotilla, greasewood, cat claw,
 and sahuaro and cholla cactus.

 West, on a random line bet. secs. 30 and 31.
 40.00 Set a temp. ¼ sec. cor.
 80.43 Intersect the W. bdy. of the Tp., (2nd Guide Mer. East), 5
 lks. S. of the established cor. of secs. 30 and 31, here-
 inbefore described. Thence,
 S. 89° 58' E., on true line bet. secs. 30 and 31.
 Over level land; thru scattering small timber and medium
 heavy undergrowth.
 38.03 Wash, 15 lks. wide, 2 ft. deep, course S. 80° W.
 40.43 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for ¼ sec. cor., with brass cap marked

S 30
 ¼
 S 31
 1919

dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
 80.43 The cor. of secs. 29, 30, 31 and 32.


Subdivision of T. 9 S. R. 11 E.

Chains.


Land, level.
Soil, sandy loam, 2nd rate.
Small timber, scattering palo verde, ironwood and mesquite.
Undergrowth, sage brush, cat claw, greasewood, and cholla and sahuaro cactus.

N. 0° 3' W., bet. secs. 29 and 30.
Over nearly level land; thru scattering small timber and medium heavy undergrowth.

- 7.40 Wash, 50 lks. wide, 2 ft. deep, course N. 80° W.
- 27.30 Wash, 20 lks. wide, 1 ft. deep, course W.
- 32.10 Wash, 20 lks. wide, 1 ft. deep, course W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked



- 1919 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
- 43.00 Wash, 15 lks. wide, 1 ft. deep, course W.
- 58.20 Wash, 30 lks. wide, 2 ft. deep, course N. 80° W.
- 63.40 Wash, 15 lks. wide, 1 ft. deep, course W.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, with brass cap marked




from which
An ironwood, 12 ins. diam., bears S. 26° W., 45 lks. dist., marked T 9 S R 11 E S 30 B T.
No other trees available; dig pits, 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. from cor.

Land, nearly level.
Soil, sandy loam, 2nd rate.
Small timber, scattering palo verde, mesquite and ironwood.
Undergrowth, sage brush, greasewood, cat claw, and cholla and sahuaro cactus.

- 40.00 N. 89° 56' E., on random line bet. secs. 20 and 29. Set a temp. $\frac{1}{4}$ sec. cor.
- 79.86 Intersect the N. and S. line, 5 lks. N. of the cor. of secs. 20, 21, 28 and 29.

Thence
S. 89° 58' W., on true line bet. secs. 20 and 29.
Over nearly level land; thru scattering small timber and undergrowth.

- .9.45 Wash, 15 lks. wide, 1 ft. deep, course N. 85° W.
- 15.45 Wash, 20 lks. wide, 2 ft. deep, course N. 85° W.
- 20.55 Wash, 30 lks. wide, 3 ft. deep, course S. 80° W.
- 39.93 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked



- 79.86 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist. The cor. of secs. 19, 20, 29 and 30.
- Land, nearly level.
- Soil, sandy loam, 2nd rate.
- Small timber, scattering palo verde, ironwood and mesquite.

Subdivision of T. 9 S. R. 11 E.

Chains.

Undergrowth, sage brush, greasewood, cat claw, and cholla, sahuaro and club cactus.

40.00 N. 89° 58' W., on random line bet. secs. 19 and 30
Set a temp. $\frac{1}{4}$ sec. cor.

79.94 Intersect the W. bdy. of the Tp., (2nd Guide Mer. East) 3 lks. N. of the re-established cor. of secs. 19 and 30, Thence

S. 89° 59' E., on true line bet. secs. 19 and 30. Over level land; thru scattering small timber and undergrowth.

39.94 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked.

S 19
 $\frac{1}{4}$
S 30
1919

79.94 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist. The cor. of secs. 19, 20, 29 and 30, .

Land, level.
Soil, sandy loam, 2nd rate.
Small timber, palo verde, ironwood and mesquite.
Undergrowth, greasewood, cat claw, sage brush, and club sahuaro and cholla cactus.

N. 0° 3' W., bet. secs. 19 and 20.

Over nearly level land; thru scattering small timber and undergrowth.

14.50 Wash, 20 lks. wide, 1 ft. deep, course W.

27.00 Wash, 15 lks. wide, 1 ft. deep, course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$
S 19 | S 20
1919

dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.

54.20 Wash, 15 lks. wide, 1 ft. deep, course W.

63.90 Wash, 20 lks. wide, 1 ft. deep, course W.

78.20 Wash, 15 lks. wide, 1 ft. deep, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, with brass cap marked

T 9S | R 11E
S 18 | S 17
S 19 | S 20
1919

dig pits, 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. from cor. Land, nearly level.

Soil, sandy loam, 2nd rate.
Small timber, scattering small timber, mesquite, ironwood, and palo verde.
Undergrowth, greasewood, cat claw, sage brush, and cholla, club and sahuaro cactus.

40.00 N. 89° 58' E., on random line bet. secs. 17 and 20.
Set a temp. $\frac{1}{4}$ sec. cor.

79.84 Intersect the N. and S. line, 12 lks. N. of the cor. of secs. 16, 17, 20 and 21.

Thence
N. 89° 57' W., on true line bet. secs. 17 and 20.

Subdivision of T. 9 S. R. 11 E.

Chains.

Over nearly level land; thru scattering timber and medium undergrowth.

- 3.35 Wash, 20 lks. wide, 2 ft. deep, course S. 80° W.
- 22.00 Wash, 20 lks. wide, 2 ft. deep, course N. 85° W.
- 39.92 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap marked.

S 17
 1/4
 S 20
 1919

- 42.05 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
- Wash, 30 lks. wide, 2 ft. deep, course S. 85° W.
- ~~37.65~~ Wash, 30 lks. wide, 2 ft. deep, course N. 80° W.
- 67.60 Wash, 15 lks. wide, 1 ft. deep, course S. 85° W.
- 79.84 The cor. of secs. 17, 18, 19 and 20.

Land, nearly rolling.
 Soil, sandy loam, 2nd rate.
 Small timber, scattering palo verde, ironwood and mesquite,
 Undergrowth, greasewood, cat claw, sage brush, and cholla,
 sahuaro and club cactus.

- 40.00 N. 89° 59' W., on random line bet. secs. 18 and 19.
- Set a temp. 1/4 sec. cor.

- 79.36 Intersect the W. bdy. of the Tp., (2nd Guide Meridian East) 2 lks. N. of the reestablished cor. of secs. 18 and 19, hereinbefore described. Thence,

East, on a true line bet. secs. 18 and 19.
 Over nearly rolling land; thru scattering small timber and medium undergrowth.

- 34.25 Wash, 20 lks. wide, 2 ft. deep, course S. 70° W.
- 39.36 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap marked

S 18
 1/4
 S 19
 1919

- 79.36 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
- The cor. of secs. 17, 18, 19 and 20.

Land, nearly level.
 Soil, sandy loam, 2nd rate.
 Small timber, scattering palo verde, mesquite and ironwood.
 Undergrowth, greasewood, cat claw, sage brush, and sahuaro,
 cholla and club cactus.

- N. 0° 3' W., bet. secs. 17 and 18.
- Over nearly level land; thru scattering small timber and undergrowth.

- 5.60 Wash, 20 lks. wide, 2 ft. deep, course N. 80° W.
- 17.90 Wash, 20 lks. wide, 3 ft. deep, course W.
- 36.80 Wash, 25 lks. wide, 2 ft. deep, course W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap marked

1/4
 S 18 | S 17
 1919

- 80.00 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.
- Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, with brass cap marked

T 9S | R11E
 S 7 | S 8
 S 18 | S 17
 1919

Subdivision of T. 9 S. R. 11 E.

Chains.

from which

An ironwood, 10 ins. diam., bears S. $4\frac{1}{2}^{\circ}$ W., 107 lks. dist., marked T. 9 S R. 11 E S 18 B T.
No other trees available; dig pits, 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. from cor.

Land, nearly level.
Soil, sandy, 2nd rate.
Small timber, palo verde, ironwood and mesquite.
Undergrowth, heavy greasewood, and sahuaro and cholla cactus.

40.00 S. $89^{\circ} 57'$ E., on random line bet. secs. 8 and 17.
79.90 Set temp. $\frac{1}{4}$ sec. cor.
Intersect the N. and S. line, 3 lks. S. of the cor. of secs. 8, 9, 16 and 17.

Thence
N. $89^{\circ} 58'$ W., on true line bet. secs. 8 and 17.
Over level land; thru scattering small timber and medium heavy undergrowth.
9.90 Wash, 15 lks. wide, 1 ft. deep, course S. 70° W.
39.95 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S 8
 $\frac{1}{4}$ -----
S 17
1919

49.20 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
79.90 Wash, 20 lks. wide, 1 ft. deep, course S. 70° W.
The cor. of secs. 7, 8, 17 and 18.
Land, nearly level.
Soil, sandy 2nd rate.
Small timber, scattering palo verde, ironwood and mesquite
Undergrowth, cat claw, greasewood, and ocotilla brush, and, sahuaro and cholla cactus.

40.00 West, on random line bet. secs. 7 and 18.
79.18 Set a temp. $\frac{1}{4}$ sec. cor.
Intersect the W. bdy. of the Tp., (2nd Guide Meridian East), at the re-established cor. of secs. 7 and 18, hereinbefore described. Thence,

East, on a true line bet. secs. 7 and 18
Over level land; thru scattering small timber and heavy undergrowth.
39.18 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

S 7
 $\frac{1}{4}$ -----
S 18
1919

68.78 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.
79.18 Wash, 15 lks. wide, 1 ft. deep, course S. 80° W.
The cor. of secs. 7, 8, 17 and 18.
Land, level.
Soil, sandy loam, 1st rate.
Small timber, palo verde, ironwood and mesquite,
Undergrowth, greasewood, cat claw, sage brush, and cholla, sahuaro and club cactus.

N. $0^{\circ} 3'$ W., bet. secs. 7 and 8.
Over level land; thru very scattered small timber and medium heavy undergrowth.
20.00 Wash, 25 lks. wide, 1 ft. deep, course W.
29.30 Wash, 15 lks. wide, 1 ft. deep, course S. 80° W.

Chains

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap marked




1919

49.20 dig pits, 18x18x12 ins. N. and S. of post, 3 ft. dist.

Wash, 15 lks. wide, 1 ft. deep, course W.

74.40 Wash, 15 lks. wide, 1 ft. deep, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8., with brass cap marked



1919

dig pits, 18x18x12 ins. in each sec. 5 1/2 ft. from cor. Land, level.

Soil, sandy loam, 2nd rate.

Small timber, scattering palo verde, ironwood and mesquite.

Undergrowth, greasewood, cat claw, sage brush, and sahuaro, club and cholla cactus.

S. 89° 58' E., on random line bet. secs. 5 and 8.

40.00 Set temp. 1/4 sec. cor.


79.84 Intersect the N. and S. line, 7 lks. S. of the cor. of secs. 4, 5, 8 and 9.

Thence, S

S. 89° 59' W., on true line bet. secs. 5 and 8.

Over nearly level land; thru very scattered small timber and medium heavy undergrowth.

39.92 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap marked



64.85 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.

Wash, 20 lks. wide, 1 ft. deep, course S. 70° W.

79.84 The cor. of secs. 5, 6, 7 and 8.

Land, nearly level.

Soil, sandy loam, 2nd rate.

Small timber, scattering palo verde, ironwood and mesquite.

Undergrowth, greasewood, sage brush, cat claw and cholla cactus.

West, on a random line bet. secs. 6 and 7.


40.00 Set a temp. 1/4 sec. cor.

77.29 Intersect the W. bdy. of the Tp., (2nd Guide Meridian East), at the reestablished cor. of secs. 6 and 7, hereinbefore described. Thence,

East, on true line bet. secs. 6 and 7.

Over level land; thru scattering small timber and undergrowth.

37.29 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap marked



77.29 dig pits, 18x18x12 ins. E. and W. of post, 3 ft. dist.

The cor. of secs. 5, 6, 7 and 8.


Land, level.

Soil, sandy loam, 2nd rate.

Chains.

Small timber, scattering palo verde, ironwood and mesquite. Undergrowth, greasewood, cat claw and cholla cactus.

- 40.00 North, on random line bet. secs. 5 and 6.
- 80.12 Set a temp. $\frac{1}{4}$ sec. cor.
- 80.12 Intersect the N. bdy. of the Tp., 15 lks. E. of the cor. of secs. 5, 6, 31 and 32, hereinbefore described.
- Thence
- S. $0^{\circ} 6'$ E., on true line bet. secs. 5 and 6.
- Over nearly level land; thru scattering small timber and medium heavy undergrowth.
- 1.80 Wash, 40 lks. wide, 3 ft. deep, course N. 70° W.
- 15.70 Wash, 20 lks. wide, 3 ft. deep, course W.
- 32.30 Wash, 25 lks. wide, 3 ft. deep, course W.
- 40.12 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked



- 64.10 dig pits, 18x18x12 ins N. and S. of post, 3 ft. dist.
- 80.12 Wash, 15 lks. wide, 1 ft. deep, course W.
- 80.12 The cor. of secs. 5, 6, 7 and 8.
- Land, nearly level.
- Soil, sandy, 2nd rate.
- Small timber, scattering palo verde, mesquite and ironwood.
- Undergrowth, ocotilla, greasewood, and sahuaro and cholla cactus.

The continued satisfactory adjustment of the solar apparatus during the survey of this township is indicated from field tests as described in Books "D" and "F."

GENERAL DESCRIPTION

The entire township is nearly level, all washes draining to the west. The approximate elevation is 2000 ft. above sea level.

The soil, is a sandy loam, 2nd and 3rd rate.

The timber is small scattering palo verde, mesquite and ironwood, from 4 to 12 inches in diam., and the undergrowth is greasewood, cat claw, ocotilla, sage brush, and sahuaro, cholla and club cactus.

There is no evidence of any mineral deposits.

There are no settlers or no water of any kind in the township.

The wagon road from Ray to Red Rock enters the township in sec. 1 and leaves in sec. 31. The road from Guilds ranch to Red Rock enters in sec. 25 and leaves in sec. 31.

BOOK 3429

CERTIFICATE OF UNITED STATES ~~SURVEYOR~~ TRANSITMAN

I, Horace M. Muscott, U. S. ~~Surveyor~~ ^{Transitman}, hereby certify upon honor that, in pursuance

of special instructions received from the U. S. Surveyor General, for Group 81, Arizona

bearing date of the 6th day of February, 1921, I have well, faithfully, and truly

in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

the subdivision lines of

Township 9 South, Range 11 East

of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented in

the foregoing field notes ^{and by diagram on page 1 hereof} as having been executed by me, and under my direction; and that all the corners of

said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 81, Arizona

and in the specific manner described in the field notes, and that the foregoing are the original field notes of

such survey.

Date February 12, 1921

Horace M. Muscott

Place Sec. 20 T. 12 N. R. 20 E. S. 5 B. Y. M.

U. S. ~~Surveyor~~ ^{Transitman}

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

191

The foregoing field notes of the survey of

executed by

under his special instructions dated _____, 191____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in

_____ has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.

CERTIFICATE OF UNITED STATES SURVEYOR.

CADASTRAL ENGINEER.

I, William H. Thorn, U. S. Cadastral Engineer, hereby certify upon honor that, in pursuance

of special instructions received from the U. S. Surveyor General, for Group 81, Arizona

bearing date of the 6th day of February, 1918, I have well, faithfully, and truly

in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instruc-

tions, and the laws of the United States, surveyed all those parts or portions of the West

boundary of Twp. 9 S., R. 11 E. (2nd Guide Meridian East) and

Surveyed all those parts or portions of the

East and north boundaries and

Subdivision lines of

Township 9 South, range 11 East of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented in

the foregoing field notes and by diagram on page 1 hereof

and as having been executed by me, and under my direction; and that all the corners of

said resurvey and survey have been established and perpetuated in strict accordance with the Manual of Surveying Instruc-

tions, and the special written instructions of the U. S. Surveyor General, for Group 81, Arizona

and in the specific manner described in the field notes, and that the foregoing are the original field notes of

such survey, resurvey and survey.

Date May 16 1921

William H. Thorn, U.S. Cadastral Engineer.

Place T2S R29E GSR B4M

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix Arizona May 23, 1921.

The foregoing field notes of the survey of resurvey of the West boundary (2nd

Guide Meridian East) of Township 9 South, range 11 East

and of the survey of the

East and north boundaries and subdivision lines of

Township 9 South, Range 11 East

of the Gila and Salt River Base and Meridian, in the State of Arizona

executed by William H. Thorn, U.S. Cadastral Engineer and

executed by Horace M. Muscott U.S. Transitman

under special instructions dated Feb. 6, 1918 for Group 81, Arizona, having been

critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys

and surveys they describe, are hereby approved.

Francis P. Troth, U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys and surveys

in book "C" of Grp 81, Ariz, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.