

3449

"B"

4-679

BOOK 3449

AUG 19 1920

57
①

FIELD NOTES

OF THE RESURVEY OF THE

North Boundary

West Boundary

East Boundary and

South Boundary

AND OF THE SURVEY OF THE

Subdivision Lines of

Township 10 South, Range 22 West

Of the *Gila and Salt River Base and Meridian,*

In the State of *ARIZONA*

EXECUTED BY

William H. Thorn - U.S. Cadastral Engineer

and

William D. Wilson, ^{Temporary} U.S. Transitman

In the capacity of U. S. Surveyors, under Special Instructions dated *March 10*, 1919, issued by the United States Surveyor General to govern surveys included in Group No. *95*, which were approved by the Commissioner of the General Land Office, *May 13*, 1919, and Assignment Instructions dated *Jan. 6*, 1920.

Resurvey and
Survey commenced *January 31*, 1920.


Resurvey and
Survey completed *February 9*, 1920.

BOOK 3449

Book "B"

Group 95- - - Arizona.

INDEX DIAGRAM.




- Lines surveyed under this group.
- - - - Lines resurveyed under this group.
- Accepted surveys.
- Areas surveyed as per accepted plats on files.

Group 95 - - - -Arizona.

Book "B"

Township 10 South, Range 22 West.

DATE DIAGRAM.



Black lines indicate surveys by William H. Thorn, U.S. Cadastral Engineer on dates shown thereon.

Red lines indicate surveys by William D. Wilson, Temporary U.S. Transitman, on dates shown thereon.

Resurveys and surveys hereinafter described executed by William H. Thorn, U. S. Cadastral Engineer, and William D. Wilson, Temporary U. S. Transitman, on dates shown on diagram on page 1 hereof, using respectively Young and Sons' light mountain transits Nos. 8592 and 8148. For description of instruments and certificate of approval, see Book "A".

Unless otherwise specified, all measurements are made with a Lufkin steel tape, 5 chs. in length, compared with a Chesterman standard steel tape and found correct. The measurements are made on the slope, the vertical angles determined and the slope measurements properly reduced to true horizontal distances.

We examine the adjustments of the transits and correct all errors; then, to test the solar apparatus, by comparing their indications, resulting from solar observations, made during a.m. and p.m. hours, with a meridian determined by observations on Polaris at elongation, we proceed as follows:

Feb. 1, 1920: At our camp in sec. 16, T. 10 S., R. 22 W., G. and S. R. B. and M., lat. $32^{\circ}33\frac{1}{2}'$ N., long. $114^{\circ}31'$ W., at 4 hrs. 0 m., p.m., l.m.t., we set off $32^{\circ}33\frac{1}{2}'$ N. on the lat. arcs; $17^{\circ}12\frac{1}{2}'$ S. on the decl. arcs; and determine a meridian with each solar.

At 10 hrs. 44.3 m., p.m., l.m.t., we observe Polaris at western elongation, in accordance with the Manual of Instructions, and mark a point in the line thus determined by a tack in a stake, driven firmly in the ground, 5 chs. N. of our station.

Feb. 2, 1920: At 7 hrs. 0 m., a.m., l.m.t., we lay off the azimuth of Polaris, $1^{\circ}19\frac{1}{2}'$ to the east, and mark a point in the true meridian thus determined by a tack in a stake, firmly driven in the ground, 5 chs. N. of our station.

At 8 hrs. 0 m., a.m., l.m.t., we set off $32^{\circ}33\frac{1}{2}'$ N. on the lat. arcs; $17^{\circ}01'$ S. on the decl. arcs; and determine a meridian with each solar.

As all of the solar observations during the usual hours of solar work come within $1'30''$ of the true meridian, we conclude that the adjustments of the solars are satisfactory.

Resurvey of North Boundary of T. 10 S., R. 22 W.

The boundaries of T. 10 S., R. 22 W. were surveyed in January 1874 by Theo. F. White, U. S. D. S., and no subsequent retracement or resurvey of these lines is of record.

Retracement for Resurvey.

- 40.08 From the reestablished cor. of Ts. 9 and 10 S., Rs. 21 and 22 W. described in book "A" S.89°51'W., on retracement, along the S. bdy. of sec.36(E½) Fall 9 lks. N. of the ¼ sec. cor., hereinafter described. The true course and distance of this half mile are therefore S.89°43'W., 40.08 chs.
- 40.09 From the ¼ sec. cor., S.89°51'W., on retracement, along the S. bdy. of sec.36(W½) Fall 21 lks. N. of the cor. of secs. 1, 2, 35 and 36, hereinafter described. The true course and distance of this half mile are therefore S.89°33'W., 40.09 chs.
- 40.00 From the cor. of secs. 1, 2, 35 and 36, S.89°51'W., on retracement, along the S. bdy. of sec.35(E½) Diligent search in this vicinity failed to reveal any trace of the original ¼ sec. cor.
- 80.18 Fall 26 lks. N. of true point for cor. of secs. 2, 3, 24 and 35, determined as hereinafter described. The true course and distance of this half mile are therefore S.89°40'W., 80.18 chs.
- 40.18 From the true point for cor. of secs. 2, 3, 34 and 35, S.89°51'W., on retracement, along the S. bdy. of sec.34(E½) Fall 19 lks. N. of the ¼ sec. cor., hereinafter described. The true course and distance of this half mile are therefore S.89°35'W., 40.18 chs.
- 40.02 From the ¼ sec. cor., S.89°51'W., on retracement, along the S. bdy. of sec.34(W½) Fall 18 lks. N. of the cor. of secs. 3, 4, 33 and 34, hereinafter described. The true course and distance of this half mile are therefore S.89°35'W., 40.02 chs.
- 40.25 From the cor. of secs. 3, 4, 33 and 34, S.89°51'W., on retracement, along the S. bdy. of sec.33(E½) Fall 21 lks. N. of the ¼ sec. cor., hereinafter described. The true course and distance of this half mile are therefore S.89°33'W., 40.25 chs.
- 40.05 From the ¼ sec. cor., S.89°51'W., on retracement, along the S. bdy. of sec.33(W½) Fall 29 lks. N. of the cor. of secs. 4, 5, 32 and 33, hereinafter described. The true course and distance of this half mile are therefore S.89°26'W., 40.05 chs.
- 40.15 From the cor. of secs. 4, 5, 32 and 33, S.89°51'W., on retracement, along the S. bdy. of sec.32(E½) Fall 26 lks. N. of the true point for ¼ sec. cor., determined as hereinafter described. The true course and distance of this half mile are therefore S.89°29'W., 40.15 chs.
- 40.16 From the true point for ¼ sec. cor., S.89°51'W., on retracement, along the S. bdy. of sec.32(W½) Fall 25 lks. N. of the true point for cor. of secs. 5, 6, 31 and 32, determined as hereinafter described. The true course and distance of this half mile are therefore S.89°30'W., 40.16 chs.
- 40.22 From the true point for cor. of secs. 5, 6, 31 and 32, S.89°51'W., on retracement, along the S. bdy. of sec.31(E½) Fall 83 lks. N. of the true point for ¼ sec. cor., determined as hereinafter described.

Resurvey of North Bdy. of T. 10 S., R. 22 W.

Chains.

The true course and distance of this half mile are there-
fore S.88°40'W., 40.23 chs.

39.69 From the true point for 1/4 sec. cor.,
S.89°51'W., on retracement, along the S. bdy. of sec. 31(W 1/2)
Fall 83 lks. N. of the point for cor. of Ts. 9 and 10 S.,
Rs. 22 and 23 W., determined as hereinafter described.
The true course and distance of this half mile are there-
fore S.88°40'W., 39.70 chs.

RESURVEY.

40.08 From the reestablished cor. of Ts. 9 and 10 S., Rs. 21 and
22 W., described in Book "A",
S.89°43'W., on a true line, along the N. bdy. of sec. 1.
Over rolling land, through scattering undergrowth.

The original 1/4 sec. cor., which is a mound of gravel and
sand, with remains of old post in mound, and four pits,
NE., SE., NW. and SW., plainly visible. I reestablish
this cor. in the same place as follows:-
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for reestablished 1/4 sec. cor. of secs. 1 and 6,
marked on brass cap

1/4 S36
1/4 S 1
1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.

Thence
S.89°33'W., on a true line, along the N. bdy. of sec. 1,
continuing measurement.

80.17 The original cor. of secs. 1, 2, 35 and 36, which is a
mound of sand and gravel, with pits N., S., E. and W.,
and original mesquite post, properly marked, in E. pit.
I reestablish this cor. in the same place as follows:
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for reestablished cor. of secs. 1, 2, 35 and 36,
marked on brass cap

T9S R22W
S35 | S36
S 2 | S 1
T10S
1920

Dig pits, 18 X 18 X 12 ins., in each sec., 3 ft. dist.
Land, rolling.

Soil, sand and beach stones; 3rd rate.
No timber.

Undergrowth, greasewood and sagebrush.
Fair growth of Indian wheat and galletta grass.

15.00 S.89°40'W., on a true line, along the N. bdy. of sec. 2.
Over rolling land, through scattering undergrowth.
40.09 Shallow draw, course NW.

(Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 26
ins. in the ground, for reestablished 1/4 sec. cor. of
secs. 2 and 35, marked on brass cap

1/4 S35
1/4 S 2
1920

80.18 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.

The true point for cor. of secs. 2, 3, 34 and 35, as
determined from stake with faint markings, lying in E.
pit. I reestablish this cor. in its original position
as follows:

Resurvey of the North Bdy. of T. 10 S., R. 22 W.

Chains.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 2, 3, 34 and 35, marked on brass cap

T9S R22W	
S34	S35
S 3	S 2
T10S	
1920	

Dig pits, 18 X 18 X 12 ins., in each sec., 3 ft. dist.
Land, rolling.
Soil, sandy and rocky; 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of Indian wheat and galletta grass.

39.78

S.89°35'W., on a true line, along the N. bdy. of sec. 3. Over rolling land, through scattering undergrowth. (Mid-point between the reestablished cor. of secs. 2, 3, 34 and 35, and the closing cor. of secs. 3 and 4, T. 10 S., R. 22 W., hereinafter described) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished 1/4 sec. cor. of sec. 3, T. 10 S., R. 22 W., marked on brass cap

1/4 S 3
1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

40.18

The original 1/4 sec. cor. of secs. 3 and 34, which is a charred stake, in a mound of gravel and sand, witnessed by pits. I reestablish this cor. to refer to sec. 34, T. 9 S., R. 22 W., in the same place, as follows: Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished 1/4 sec. cor. of sec. 34, T. 9 S., R. 22 W., marked on brass cap

1/4 S34
1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

79.56

(A point N.0°2'W. of the cor. of secs. 3, 4, 9 and 10, hereinafter described.) Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 3 and 4, T. 10 S., R. 22 W., marked on brass cap

T9S R22W	
S34	
S 4	S 3
T10S	R22W
C	C
1920	

Dig pits, 18 X 18 X 12 ins., on each line; E., W. and S. of, post, 3 ft. dist.

Land, rolling.
Soil, sandy loam and beach stones, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass and Indian wheat.

S.89°35'W., on a true line, along the N. bdy. of sec. 4.

Resurvey of North Bdy. of T. 10 S., R. 22 W.

Chains.

0.64

Over rolling land, through scattering undergrowth.
 The original cor. of secs. 3, 4, 33 and 34, a charred post, witnessed by pits, N., S., E. and W., with stake in E. pit, properly marked. I reestablish this cor. in its original position, to refer to secs. 33 and 34, T. 9 S., R. 22 W., only, as follows:
 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for reestablished cor. of secs. 33 and 34, T. 9 S., R. 22 W., marked on brass cap

T9S R22W
S33 | S34
 S4
 T10S R22W
 1920

Dig pits, 18 X 18 X 12 ins. NE and NW of post, 3 ft. dist. Thence S. 89° 33' W., on a true line, along the N. bdy. of sec. 4, continuing measurement.

35.65
39.91

Sand ridge, brs. NW. and SE. Desc. gradually.
 (Mid-point between the closing cor. of secs. 3 and 4 and the closing cor. of secs. 4 and 5, T. 10 S., R. 22 W.) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 4, T. 10 S., R. 22 W., marked on brass cap

$\frac{1}{4}$ S 4
 1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

40.89

The original $\frac{1}{4}$ sec. cor. of secs. 4 and 33, which is a charred stake, in a mound of stone and sand, with original pits still visible. I reestablish this cor. to refer to sec. 33 only, in the same place, as follows:
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 33, T. 9 S., R. 22 W., marked on brass cap

$\frac{1}{4}$ S33
 1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

Thence S. 89° 26' W., on a true line, along the N. bdy. of sec. 4, continuing measurement.

79.82

(A point N. 0° 2' W. of the cor. of secs. 4, 5, 8 and 9, hereinafter described.) Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 4 and 5, T. 10 S., R. 22 W., marked on brass cap

T9S R22W
S33
 S 5 | S 4
 T10S | R22W
 C C
 1920

Dig pits, 18 X 18 X 12 ins. on each line, E, W. and S. of post, 3 ft. dist.

Land, rolling.
 Soil, sandy, beach stones on surface, 2nd rate. Subsoil, sandy loam, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass and Indian wheat.

Resurvey of North Bdy. of T. 10 S., R. 22 W.

Chains.

1.12 S.89°26'W., on a true line, along the N. bdy. of sec. 5. Over slightly rolling land, through scattering undergrowth. The original cor. of secs. 4, 5, 32 and 33, which is a charred stake, in a mound of earth, with faint trace of pits, and redwood post, 4 ins. square, 16 ins. above ground, properly marked. I reestablish this cor. to refer to secs. 32 and 33, T. 9 S., R. 22 W. only, in the original position, as follows:
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 32 and 33, T. 9 S., R. 22 W., marked on brass cap

T9S R22W
S32 | S33
 S 5
 T10S R22W
 1920

Dig pits, 18 X 18 X 12 ins. NE and NW of post, 3 ft. dist. Thence

40.02 S.89°29'W., on a true line, along the N. bdy. of sec. 5, continuing measurement. (Mid-point between closing cor. of secs. 4 and 5 and closing cor. of secs. 5 and 6, T. 10 S., R. 22 W.) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 5, T. 10 S., R. 22 W., marked on brass cap

$\frac{1}{4}$ S 5
 1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

41.27 The true point for $\frac{1}{4}$ sec. cor. of secs. 5 and 32, as determined from redwood post, 4 ins. sq., 16 ins. above ground, properly marked. I reestablish this cor. to refer to sec. 32, T. 9 S., R. 22 W. only, in the same place, as follows:
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 32, T. 9 S., R. 22 W., marked on brass cap

$\frac{1}{4}$ S32
 1920

Dig pits, 18 X 18 x 12 ins., E. and W. of post, 3 ft. dist.

80.04 Thence S.89°30'W., on a true line, along the N. bdy. of sec. 5, continuing measurement. (A point N.0°3'W. of the cor. of secs. 5, 6, 7 and 8, hereinafter described.) Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 5 and 6, T. 10 S., R. 22 W., marked on brass cap

T9S R22W
S32
S 6 | S 5
 T10S R22W
 C C
 1920

Dig pits, 18 X 18 X 12 ins. on each line, E, W and S of post, 3 ft. dist.

Land, slightly rolling.
 Soil, sandy loam, 2nd and 3rd rates.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.

Resurvey of the North Bdy. of T. 10 S., R. 22 W.

Chains.

1.39 S.89°30'W., on a true line, along the N. bdy. of sec. 6. Over slightly rolling land, through scattering undergrowth. The true point for cor. of secs. 5, 6, 31 and 32, as determined from redwood post, 4 ins. square, 14 ins. above ground, properly marked. I reestablish this cor. to refer to secs. 31 and 32, T. 9 S., R. 22 W. only, in the same place, as follows:
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 31 and 32, T. 9 S., R. 22 W., marked on brass cap

T9S R22W
S31 | S32

S 6
T10S R22W
1920

Dig pits, 18 X 18 X 12 ins. NE and NW of post, 3 ft. dist. Thence

40.01 S.88°40'W., on a true line, along the N. bdy. of sec. 6, continuing measurement.
(40.00 chs. westing from closing cor. of secs. 5 and 6, T. 10 S., R. 22 W.) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 6, T. 10 S., R. 22 W., marked on brass cap

$\frac{1}{4}$ S6
1920

41.62 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. (41.61 chs. westing.)

41.62 The true point for $\frac{1}{4}$ sec. cor. of secs. 6 and 31, as determined from redwood post, 4 ins. square, 14 ins. above ground, properly marked. I reestablish this cor. to refer to sec. 31, T. 9 S., R. 22 W. only, in the same place, as follows:
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 31, T. 9 S., R. 22 W., marked on brass cap

$\frac{1}{4}$ S31

1920

81.32 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

81.32 (81.30 chs. westing.) The point for cor. of Ts. 9 and 10 S., Rs. 22 and 23 W., determined from redwood post, 4 ins. square, 14 ins. above ground, properly marked. Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for reestablished cor. of Ts. 9 and 10 S., Rs. 22 and 23 W., marked on brass cap

T9S
R23W | R22W
S36 | S31

S 1 | S 6
T10S
1920

Dig pits, 18 X 18 X 12 ins. on each line, N, S, E and W of post, 3 ft. dist. Land, slightly rolling.

Soil, sandy loam, 2nd rate.

No timber.

Undergrowth, greasewood and sagebrush.

Fair growth of galletta grass and Indian wheat.

Resurvey of the West Bdy. of T. 10 S., R. 22 W.

Chains.	Retracement for Resurvey.
40.35	<p>From the reestablished cor. of Ts. 9 and 10 S., Rs. 22 and 23 W., hereinbefore described, South on retracement, along the E. bdy. of sec. 1 (N$\frac{1}{2}$) Fall 28 lks. W. of point for $\frac{1}{4}$ sec. cor., determined as hereinafter described. The true course and distance of this half mile are therefore N.0°24'W., 40.35 chs.</p>
40.35	<p>From the true point for $\frac{1}{4}$ sec. cor., South on retracement, along the E. bdy. of sec. 1 (S$\frac{1}{2}$) Fall 26 lks. W. of point for cor. of secs. 1, 6, 7 and 12, determined as hereinafter described. The true course and distance of this half mile are therefore N.0°22'W., 40.35 chs.</p>
40.35	<p>From the true point for cor. of secs. 1, 6, 7 and 12, South on retracement, along the E. bdy. of sec. 12 (N$\frac{1}{2}$) Fall 25 lks. W. of point for $\frac{1}{4}$ sec. cor., determined as hereinafter described. The true course and distance of this half mile are therefore N.0°21'W., 40.35 chs.</p>
40.36	<p>From the true point for $\frac{1}{4}$ sec. cor., South on retracement, along the E. bdy. of sec. 12 (S$\frac{1}{2}$) Fall 27 lks. W. of point for cor. of secs. 7, 12, 13 and 18, determined as hereinafter described. The true course and distance of this half mile are therefore N.0°23'W., 40.36 chs.</p>
40.23	<p>From the true point for cor. of secs. 7, 12, 13 and 18, South on retracement, along the E. bdy. of sec. 13 (N$\frac{1}{2}$) Fall 47 lks. W. of point for $\frac{1}{4}$ sec. cor., determined as hereinafter described. The true course and distance of this half mile are therefore N.0°40'W., 40.23 chs.</p>
40.22	<p>From the true point for $\frac{1}{4}$ sec. cor., South on retracement, along the E. bdy. of sec. 13 (S$\frac{1}{2}$) Fall 47 lks. W. of point for cor. of secs. 13, 18, 19 and 24, determined as hereinafter described. The true course and distance of this half mile are therefore N.0°40'W., 40.22 chs.</p>
39.47	<p>From the true point for cor. of secs. 13, 18, 19 and 24, South on retracement, along the E. bdy. of sec. 24 (N$\frac{1}{2}$) Fall 47 lks. W. of point for $\frac{1}{4}$ sec. cor., determined as hereinafter described. The true course and distance of this half mile are therefore N.0°40'W., 39.47 chs.</p>
41.01	<p>From the point for $\frac{1}{4}$ sec. cor., South on retracement, along the E. bdy. of sec. 24 (S$\frac{1}{2}$) Fall 47 lks. W. of point for cor. of secs. 19, 24, 25 and 30, determined as hereinafter described. The true course and distance of this half mile are therefore N.0°40'W., 41.01 chs.</p>
40.00	<p>From the true point for cor. of secs. 19, 24, 25 and 30, South on retracement, along the E. bdy. of sec. 25. Diligent search in this vicinity failed to reveal any trace of the original $\frac{1}{4}$ sec. cor.</p>
80.28	<p>Fall 82 lks. W. of the cor. of secs. 25, 30, 31 and 36, hereinafter described. The true course and distance of this mile are therefore N.0°35'W., 80.28 chs.</p>
40.00	<p>From the cor. of secs. 25, 30, 31 and 36, South on retracement, along the E. bdy. of sec. 36. Diligent search in this vicinity failed to reveal any trace of the original $\frac{1}{4}$ sec. cor.</p>
80.42	<p>Fall 65 lks. W. of the original standard cor. of Ts. 10 S., Rs. 22 and 23 W., hereinafter described.</p>

Resurvey of the West Boundary of T. 10 S., R. 22 W.

Chains.

The true course and distance of this mile are therefore N.0°28'W., 80.42 chs.

Resurvey

The standard cor. of Ts. 10 S., Rs. 22 and 23 W. is a mesquite post, well preserved and properly marked, with U. S. G. S. B. M., Elevation 285 ft. above sea level, Datum "Y", alongside. I reestablish this cor. as the cor. of Ts. 10 and 11 S., Rs. 22 and 23 W., in the same place as follows:

Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for reestablished cor. to Ts. 10 and 11 S., Rs. 22 and 23 W., marked on brass cap

T10S	
R23W	R22W
S36	S31
<hr/>	
S 1	S 6
T11S	
1920	

Dig pits, 18 X 18 X 12 ins., on each line, N., S., E. and W. of post, 3 ft. dist. Thence

N.0°28'W., on a true line, along the W. bdy. of sec. 31. Over level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., of sec. 31, T. 10 S., R. 22 W., marked on brass cap.

| $\frac{1}{4}$ S31

1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

40.21 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 36, T. 10 S., R. 23 W., marked on brass cap

| $\frac{1}{4}$ S36

1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 30 and 31, T. 10 S., R. 22 W., marked on brass cap

T10S	
T10S	S30
S36	S31
<hr/>	
R23W	R22W
1920	

Dig pits, 18 X 18 X 12 ins., NE. and SE. of cor., 3 ft. dist.


Land, level.
Soil, sandy, 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

0.42 N.0°28'W., on a true line, along the W. bdy. of sec. 30. Overlevel land, through scattering undergrowth. The original cor. of secs. 25, 30, 31 and 36, which is a charred stake, set in a mound of earth and gravel, with indications of original pits, and old stake, 2 ins. square, 12 ins. above ground, properly marked, in NE. pit.

Resurvey of the West Boundary of T. 10 S., R. 22 W.

Chains.


I reestablish this cor. to refer to secs. 25 and 36 only, in the same place, as follows:
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 25 and 36, T. 10 S., R. 23 W., marked on brass cap



Dig pits, 18 X 18 X 12 ins., NW and SW of post, 3 ft. dist.

Thence N.0°35'W., on a true line, along the W. bdy. of sec. 30.


40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 30, T. 10 S., R. 22 W., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.


Thence over rolling land.

40.56 (40.14 chs. N.0°35'W. of the reestablished cor. of secs. 25 and 36, T. 10 S., R. 23 W.) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 25, T. 10 S., R. 23 W., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 19 and 30, marked on brass cap



Dig pits, 18 X 18 X 12 ins., NE and SE of post, 3 ft. dist.

Land, S. $\frac{1}{2}$, level; N. $\frac{1}{2}$, rolling.
Soil, sandy, 3rd rate, strewn with beach stones.
No timber.
Undergrowth, greasewood and sagebrush.

0.70 N.0°35'W., on a true line, along the W. bdy. of sec. 19. Over rolling land, through scattering undergrowth. (80.28 chs. N.0°35'W. of the reestablished cor. of secs. 25 and 36, T. 10 S., R. 23 W.) The original cor. of secs. 19, 24, 25 and 30, as evidenced by original mound of earth and gravel, in correct position between witness pits; with 4 in. square redwood post, correctly marked, in center of original mound. I reestablish this cor. to refer to secs. 24 and 25 only, in the same place as follows:
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 24 and 25, T. 10 S., R. 23 W., marked on brass cap

Resurvey of the West Boundary of T. 10 S., R. 22 W.

Chains.

T10S	T10S
S24	S19
S25	R21W
R23W	
1920	

Dig pits, 18 X 18 X 12 ins., in each sec., SW. and NW. of post, 3 ft. dist.

Thence N.0°40'W., on a true line, along the W. bdy. of sec. 19, continuing measurement.

6.70 Sand rim, brs. NNW. and SE. Desc. 75 ft., over gradual slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 19, T. 10 S., R. 22 W., marked on brass cap

|
 $\frac{1}{4}$ S19

1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

41.61 U. S. G. S. Signal Tower, elevation 291 ft., brs. N.83° 25'W.

41.71 (41.01 chs. N.0°40'W. of the reestablished cor. of secs. 24 and 25, T. 10 S., R. 23 W.) The point for original $\frac{1}{4}$ sec. cor. of secs. 19 and 24, as determined from original mound of sand and gravel, with redwood post, 4 ins. square, properly marked, set in mound. I reestablish this cor. to refer to sec. 24 only, in the same place as follows:

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 24, T. 10 S., R. 23 W., marked on brass cap

|
 $\frac{1}{4}$ S24

1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

51.20 Shallow drain, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 18 and 19, T. 10 S., R. 22 W., marked on brass cap

T10S	T10S
S24	S18
R23W	S19
	R22W
1920	

Dig pits, 18 X 18 X 12 ins., In each sec., NE. and SE. of post, 3 ft. dist.

Land, rolling.

Soil, sandy, 3rd rate; strewn with beach stones.

No timber.

Undergrowth, greasewood and sagebrush.

Fair growth of galletta grass.

1.18 N.0°40'W., on a true line, along the W. bdy. of sec. 18. Over slightly rolling land, through scattering undergrowth. (80.48 chs. N.0°40'W. of the reestablished cor. of secs. 24 and 25, T. 10 S., R. 23 W.) The true point for cor. of secs. 13, 18, 19 and 24, as determined from redwood post, 4 ins. square, 14 ins. above ground, properly marked. I reestablish this cor. to refer to secs. 13 and 24 only, in the same place; as follows:
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 13 and 24, T. 10 S., R. 23 W., marked on brass cap

Resurvey of the West Boundary of T. 10 S., R. 22 W.

Chains.

T10S	
S13	T10S
S24	S18
R23W	R22W
1920	

Dig pits, 18 X 18 X 12 ins., in each sec., SW. and NW. of post, 3 ft. dist.

Thence

N.0°40'W., on a true line, along the W. bdy. of sec. 18, continuing measurement.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished 1/4 sec. cor. of sec. 18, T. 10 S., R. 22 W., marked on brass cap

1/4 S18

1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

41.40

(40.22 chs. N.0°40'W. of the reestablished cor. of secs. 13 and 24, T. 10 S., R. 23 W.) The true point for 1/4 sec. cor. of secs. 13 and 18, as determined from redwood post, 4 ins. square, 14 ins. above ground, properly marked. I reestablish this cor. to refer to sec. 13 only, in the same place, as follows:

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished 1/4 sec. cor. of sec. 13, T. 10 S., R. 23 W., marked on brass cap

1/4 S13

1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

46.65

From this cor., U. S. G. S. Signal Tower brs. S.13°50'W. End of ridge from E.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 7 and 18, T. 10 S., R. 22 W., marked on brass cap

T10S		T10S
S13		S 7
R23W		S18
		R22W
1920		

Dig pits, 18 X 18 X 12 ins., in each sec., NE. and SE. of post, 3 ft. dist.

Land, slightly rolling.

Soil, sandy, 3rd rate.

No timber.

Undergrowth, greasewood and sagebrush.

1.63

N.0°40'W., on a true line, along the W. bdy. of sec. 7. Over rolling land, through low undergrowth.

(80.45 chs. N.0°40'W. of the reestablished cor. of secs. 13 and 24, T. 10 S., R. 23 W.) The true point for cor. of secs. 7, 12, 13 and 18, as determined from redwood post, 4 ins. square, 14 ins. above ground, properly marked. I reestablish this cor. to refer to secs. 12 and 13 only, in the same place as follows:

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 12 and 13, T. 10 S., R. 23 W., marked on brass cap

Resurvey of the West Boundary of T. 10 S., R. 22 W.

Chains.

T10S	T10S
S12	S 7
S13	R22W
R23W	R22W
1920	

Dig pits, 18 X 18 X 12 ins., in each sec., SW. and NW. of post, 3 ft. dist.

Thence

N.0°23'W., on a true line, along the W. bdy. of sec. 7, continuing measurement.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 7, T. 10 S., R. 22 W., marked on brass cap

$\frac{1}{4}$ S 7	
1920	

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

41.99 (40.36 chs. N.0°23'W. of the reestablished cor. of secs. 12 and 13, T. 10 S., R. 23 W.) The true point for $\frac{1}{4}$ sec. cor. of secs. 7 and 12, as determined from a redwood post, 4 ins. square, 14 ins. above ground, properly marked. I reestablish this cor. to refer to sec. 12 only, in the same place as follows:

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 12, T. 10 S., R. 23 W., marked on brass cap

$\frac{1}{4}$ S12	
1920	

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

Thence

N.0°21'W., on a true line, along the W. bdy. of sec. 7, continuing measurement.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 6 and 7, T., 10 S., R. 22 W., marked on brass cap

T10S	T10S
S12	S 6
R23W	S 7
	R22W
1920	

Dig pits, 18 X 18 X 12 ins., in each sec., NE. and SE. of post, 3 ft. dist.

Land, slightly rolling.

Soil, sandy, 3rd rate.

No timber.

Undergrowth, greasewood and sagebrush.

Fair growth of galletta grass.

2.34 N.0°21'W., on a true line, along the W. bdy. of sec. 6. Over nearly level land, through scattering undergrowth. (40.35 chs. N.0°21'W. of the reestablished $\frac{1}{4}$ sec. cor. of sec. 12, T. 10 S., R. 23 W.) The true point for cor. of secs. 1, 6, 7 and 12, as determined from redwood post, 4 ins. square, 14 ins. above ground, properly marked. I reestablish this cor. to refer to secs. 1 and 12 only, in the same place as follows:
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 1 and 12, T. 10 S., R. 23 W., marked on brass cap

Resurvey of the West Boundary of T. 10 S., R. 22 W.

Chains.

T10S	T10S
S 1	S 6
S12	R22W
R23W	
1920	

Dig pits, 18 X 18 X 12 ins., in each sec., SW. and NW. of post, 3 ft. dist.

Thence

N.0°22'W., on a true line, along the W. bdy. of sec. 6, continuing measurement.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 6, T. 10 S., R. 22 W., marked on brass cap

$\frac{1}{4}$ S 6
1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

42.69 (40.35 chs. N.0°22'W. of the reestablished cor. of secs. 1 and 12, T. 10 S., R. 23 W.) The true point for $\frac{1}{4}$ sec. cor. of secs. 1 and 12, as determined from a redwood post, 4 ins. square, 14 ins. above ground, properly marked. I reestablish this cor. to refer to sec. 1 only, in the same place, as follows:

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor. of sec. 1, T. 10 S., R. 23 W., marked on brass cap

$\frac{1}{4}$ S 1
1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

Thence

N.0°24'W., on a true line, along the W. bdy. of sec. 6, continuing measurement.

83.04 The reestablished cor. of Ts. 9 and 10 S., Rs. 22 and 23 W., hereinbefore described.

Land, nearly level.

Soil, sandy, 3rd rate.

No timber.


Undergrowth, greasewood and sagebrush.

Fair growth of galletta grass and Indian wheat.

Independant Resurvey of the E. Bdy. of T. 10 S., R. 22 W.

Chains.

From the reestablished cor. of Ts. 9 and 10 S., Rs. 21 and 22 W., described in Book "A", South on a random line, along the E. Bdy. of Tp. 10 S., R. 22 W., setting temp $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs.; and at 487.95 chs., a point due East of the SW. cor. of Tp., reestablished as hereinbefore described, as determined by the survey of the S. Bdy. of the Tp., hereinafter described; thence
 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for reestablished cor. of Ts. 10 and 11 S., Rs. 21 and 22 W., marked on brass cap




Dig pits, 18 X 18 X 12 ins. on each line, N., S., E. and W. of post, 3 ft. dist.

Thence

North on a true line, along the E. bdy. of sec. 36. Over rolling land, through scattering undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.


Diligent search in this vicinity failed to reveal any trace of the original $\frac{1}{4}$ sec. cor.

50.00

Leave rolling, enter gently rolling land, draining W.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 25, 30, 31 and 36, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.

Land, rolling and gently rolling.

Soil, sandy, 3rd rate; 1st 50 chs.; remainder, sandy loam, 2nd rate.

No timber.

Undergrowth, greasewood and sagebrush.

Fair growth of grass.

North on a true line, along the E. bdy. of sec. 25.


Over rolling land, through scattering undergrowth.

4.18

The original cor. of secs. 25, 30, 31 and 36 brs. East 4.42 chs. dist. I destroy all trace of this cor.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

Independent Resurvey of the E. Bdy. of T. 10 S., R. 22 W.

Chains. Diligent search in this vicinity failed to reveal any trace of the original $\frac{1}{4}$ sec. cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 19, 24, 25 and 30, marked on brass cap

T10S	
R22W	R21W
S24	S19
S25	S30
1920	

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.

Land, rolling.
Soil, sandy, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.

5.05 North on a true line, along the E. bdy. of sec. 24. Over rolling land, through scattering undergrowth. The original cor. of secs. 19, 24, 25 and 30, brs. East 3.43 chs. dist. I destroy all trace of this cor.


40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	
S24	S19
1920	

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

45.35 The original $\frac{1}{4}$ sec. cor. of secs. 19 and 24 brs. East 3.00 chs. dist. I destroy all trace of this cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 13, 18, 19 and 24, marked on brass cap




Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.

Land, rolling.
Soil, sandy, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.

5.75 North on a true line, along the E. bdy. of sec. 13. Over rolling land, through scattering undergrowth. The original cor. of secs. 13, 18, 19 and 24 brs. East 250 lks. dist. I destroy all trace of this cor.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap



Independent Resurvey of the E. Bdy. of T. 10 S., R. 22 W.

Chains.	<p>Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.</p> <p>Diligent search in this vicinity failed to reveal any trace of the original $\frac{1}{4}$ sec. cor.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 7, 12, 13 and 18, marked on brass cap</p> <div style="text-align: center;"> <table border="1"> <tr><td colspan="2">T10S</td></tr> <tr><td>R22W</td><td>R21W</td></tr> <tr><td>S12</td><td>S 7</td></tr> <tr><td>S13</td><td>S18</td></tr> <tr><td colspan="2">1920</td></tr> </table> </div> <p>Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.</p> <p>Land, rolling.</p> <p>Soil, sandy, 2nd rate.</p> <p>No timber.</p> <p>Undergrowth, greasewood and sagebrush.</p> <p>Fair growth of grass.</p>	T10S		R22W	R21W	S12	S 7	S13	S18	1920	
T10S											
R22W	R21W										
S12	S 7										
S13	S18										
1920											
6.52	<p>North on a true line, along the E. bdy. of sec. 12.</p> <p>Over rolling land, through scattering undergrowth.</p> <p>The original cor. of secs. 7, 12, 13 and 18 hrs. East 1.55 chs. dist. I destroy all trace of this cor.</p>										
28.00	<p>Desc. gradual N. slope.</p>										
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap</p> <div style="text-align: center;"> <table border="1"> <tr><td colspan="2">$\frac{1}{4}$</td></tr> <tr><td>S12</td><td>S 7</td></tr> <tr><td colspan="2">1920</td></tr> </table> </div> <p>Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.</p> <p>Diligent search in this vicinity failed to reveal any trace of the original $\frac{1}{4}$ sec. cor.</p>	$\frac{1}{4}$		S12	S 7	1920					
$\frac{1}{4}$											
S12	S 7										
1920											
48.00	<p>Center of draw, 9 chs. wide, course W.</p>										
62.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 1, 6, 7 and 12, marked on brass cap</p> <div style="text-align: center;"> <table border="1"> <tr><td colspan="2">T10S</td></tr> <tr><td>R22W</td><td>R21W</td></tr> <tr><td>S 1</td><td>S 6</td></tr> <tr><td>S12</td><td>S 7</td></tr> <tr><td colspan="2">1920</td></tr> </table> </div> <p>Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW., 3 ft. dist.</p> <p>Land, rolling.</p> <p>Soil, sandy and gravelly; 2nd rate.</p> <p>No timber.</p> <p>Undergrowth, greasewood and sagebrush.</p> <p>Fair growth of grass.</p>	T10S		R22W	R21W	S 1	S 6	S12	S 7	1920	
T10S											
R22W	R21W										
S 1	S 6										
S12	S 7										
1920											
31.50	<p>North on a true line, along the E. bdy. of sec. 1.</p> <p>Over rolling land, through scattering undergrowth.</p> <p>Diligent search in this vicinity failed to reveal any trace of the original cor. of secs. 1, 6, 7 and 12.</p> <p>Enter draw, course W. Wash in bottom, 20 lks. wide, 1 ft. deep, course W.</p>										
37.00	<p>Wash, 20 lks. wide, 2 ft. deep, course W.</p>										
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap</p>										

Independent Resurvey of the E. Bdy. of T. 10 S., R. 22 W.

Chains.

S 1 ^{1/4} S 6
1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

Diligent search in this vicinity failed to reveal any trace of the original ^{1/4} sec. cor.

47.77 Wash, 30 lks. wide, 1 ft. deep, course W.

55.00 Leave draw, course W. Thence over rolling sand hills.

87.95 The reestablished cor. of Ts. 9 and 10 S., Rs. 21 and 22 W., described in Book "A."

Land, rolling.

Soil, sandy and gravelly, 2nd rate.

No timber.

Undergrowth, greasewood and sagebrush.

Fair growth of grass.

Independent Resurvey of the S. Bdy. of T. 10 S., R. 22 W.

Chains.

From the reestablished cor. of Ts. 10 and 11 S., Rs. 22 and 23 W., hereinbefore described,
Run East on a random line along the S. bdy. of T. 10 S., R. 22 W. to a point due South of the reestablished cor. of Ts. 9 and 10 S., Rs. 21 and 22 W., as determined by the resurvey of the E. bdy. of Tp., as hereinbefore described. The reestablishment of the cor. of Ts. 10 and 11 S., Rs. 21 and 22 W. is described hereinbefore, at this intersection. Diligent search in this vicinity failed to reveal any trace of the original standard cor. of Ts. 10 S., Rs. 21 and 22 W. Since the International Boundary between United States and Mexico prevents the running of a Standard Parallel south of the S. Bdy. of T. 10 S., R. 22 W., this boundary is run in the ordinary manner, with corners common to 4 secs. established on it, in order to permit subdivision from it.
From the reestablished cor. of Ts. 10 and 11 S., Rs. 21 and 22 W., hereinbefore described.

40.00

West on a true line, along the S. bdy. of sec. 36.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{S36}{\frac{1}{4} S 1}$$

1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

80.00

Diligent search in this vicinity failed to reveal any trace of the original standard $\frac{1}{4}$ sec. cor.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 1, 2, 35 and 36, marked on brass cap

$$\begin{array}{c} T10S R22W \\ \hline S35 | S36 \\ \hline S 2 | S 1 \\ T11S \\ 1920 \end{array}$$

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.

Diligent search in this vicinity failed to reveal any trace of the original standard cor.

Land, gently rolling.

Soil, sandy, 2nd and 3rd rates.

No timber.

Undergrowth, greasewood and sagebrush.

Fair growth of grass.

40.00

West on a true line, along the S. bdy. of sec. 35.
Over nearly level land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{S35}{\frac{1}{4} S 2}$$

1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

75.28

Diligent search in this vicinity failed to reveal any trace of the original standard $\frac{1}{4}$ sec. cor.

The original standard cor. of secs. 34 and 35 brs. North 2.57 chs. dist. I destroy all trace of this cor.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 2, 3, 34 and 35, marked on brass cap

Independent Resurvey of the S. Bdy. of T. 10 S., R. 22 W.

Chains.

T10S R22W
S34 | S35
 S 3 | S 2
 T11S
 1920

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
 Land, nearly level.
 Soil, sandy, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of grass.

40.00 West on a true line, along the S. bdy. of sec. 34.
 Over nearly level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S34
 S 3
 1920

76.10 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 Diligent search in this vicinity failed to reveal any trace of the original standard $\frac{1}{4}$ sec. cor.
 The original standard cor. of secs. 33 and 34 brs. North 1.99 chs. dist. I destroy all trace of this cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 3, 4, 33 and 34, marked on brass cap

T10S R22W
S33 | S34
 S 4 | S 3
 T11S
 1920

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
 Land, nearly level.
 Soil, sandy loam, 1st rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of grass.

40.00 West on a true line along the S. bdy. of sec. 33.
 Over nearly level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S33
 S 4
 1920

65.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 Diligent search in this vicinity failed to reveal any trace of the original standard $\frac{1}{4}$ sec. cor.
 Leave level, enter rolling land.
 76.30 The original standard cor. of secs. 32 and 33 brs. North 1.40 chs. dist. I destroy all trace of this cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 4, 5, 32 and 33, marked on brass cap

Independent Resurvey of the S. Bdy. of T. 10 S., R. 22 W.

Chains.

T10S R22W
S32 | S33
 S 5 | S 4
 T11S
 1920

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
 Land, East 65 chs., nearly level; remainder rolling.
 Soil, sandy loam, 2nd rate for W. 15 chs.; remainder, sandy loam, 1st rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of grass.

40.00

West on a true line, along the S. bdy. of sec. 32.
 Over rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S32
 S 5
 1920

Dig pits, 18 X 18 x 12 ins., E. and W. of post, 3 ft. dist.

80.00

Diligent search in this vicinity failed to reveal any trace of the original standard $\frac{1}{4}$ sec. cor.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for reestablished cor. of secs. 5, 6, 31 and 32, marked on brass cap

T10S R22W
S31 | S32
 S 6 | S 5
 T11S
 1920

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
 Diligent search in this vicinity failed to reveal any trace of the original standard cor. of secs. 31 and 32.
 Land, rolling.; drains N.
 Soil, sandy and gravelly surface, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of grass.

40.00

West on a true line, along the S. bdy. of sec. 31.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for reestablished $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S31
 S 6
 1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

77.53

Diligent search in this vicinity failed to reveal any trace of the original standard $\frac{1}{4}$ sec. cor.
 The reestablished cor. of Ts. 10 and 11 S., Rs. 22 and 23 W., hereinbefore described.
 Land, gently rolling.
 Soil, sandy and gravelly surface, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of grass.

Boundaries of T. 10 S., R. 22 W.
 Latitudes, departures and closing errors.

Line designated.	True bearing.	Dist. chs.	Latitudes.		Departures.	
			N. chs.	S. chs.	E. chs.	W. chs.
South Boundary	West.	477.53				477.53
West Boundary	N. 0°28'W.	80.42	80.42			.65
	N. 0°35'W.	80.28	80.28			.82
	N. 0°40'W.	160.93	160.93			1.86
	N. 0°23'W.	40.36	40.36			.27
	N. 0°21'W.	40.35	40.35			.25
	N. 0°22'W.	40.35	40.35			.26
	N. 0°24'W.	40.35	40.35			.28
North Boundary	N. 88°40'E.	79.93	1.87		79.91	
	N. 89°30'E.	40.16	.35		40.16	
	N. 89°29'E.	40.15	.36		40.15	
	N. 89°26'E.	40.05	.40		40.05	
	N. 89°33'E.	40.25	.31		40.25	
	N. 89°35'E.	80.20	.58		80.20	
	N. 89°40'E.	80.18	.47		80.18	
	N. 89°33'E.	40.09	.31		40.09	
N. 89°43'E.	40.08	.20		40.08		
East Boundary	South	487.95		487.95		
Convergency.					.47	
Totals.			487.89	487.95	481.54	481.92
Error in lat.				487.89		481.54
Error in dep.				.06		.38

Subdivision of T. 10 S., R. 22 W.

Chains.	From the reestablished cor. of secs. 1, 2, 35 and 36, on the S. bdy. of Tp., hereinafore described, N.0°1'W., bet. secs., 35 and 36.
40.00	Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} \\ \text{S35} \text{S36} \\ 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap
	$\begin{array}{c} \text{T10S R22W} \\ \hline \text{S26} \text{S25} \\ \hline \text{S35} \text{S36} \\ 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
	Land, gently rolling.
	Soil, sandy, 2nd rate.
	No timber.
	Undergrowth, greasewood and sagebrush.
	East on a random line, bet. secs. 25 and 36.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Fall 2 lks. S. of the reestablished cor. of secs. 25, 30, 31 and 36, on E. bdy. of Tp., hereinafore described, N. 89°59'W., Thence,
	S.89°59'W., on a true line, bet. secs. 25 and 36.
	Over nearly level land, through scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} \text{ S25} \\ \hline \text{S36} \\ 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
80.00	The cor. of secs. 25, 26, 35 and 36.
	Land, gently rolling.
	Soil, sandy, 2nd rate.
	No timber.
	Undergrowth, greasewood and sagebrush.
	N.0°1'W., bet. secs. 25 and 26.
	Over level land, through scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} \\ \text{S26} \text{S25} \\ 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap

Subdivision of T. 10 S., R. 22 W.

Chains.

T10S R22W	
S23	S24
S26	S25
1920	

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW,
and NW. of post, 3 ft. dist.
Land, level.
Soil, sandy, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.

40.00 N.89°59'E., on a random line, bet. secs. 24 and 25.
Set temp. $\frac{1}{4}$ sec. cor.
79.98 Fall 5 lks. N. of the reestablished cor. of secs. 19, 24,
25 and 30, hereinbefore described, on the E. bdy. of Tp.
Thence
N.89°59'W., on a true line, bet. secs. 24 and 25.
Over nearly level land, through scattering undergrowth.
Desc. gradual W. slope.
15.00 Thence over level land.
39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S24
$\frac{1}{4}$	S25
1920	

79.98 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.
The cor. of secs. 23, 24, 25 and 26.
Land, level and nearly level.
Soil, sandy loam, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.

40.00 N.0°1'W., bet. secs. 23 and 24.
Over nearly level land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S23	S24
1920		

80.00 Dig pits, 24 X 24 X 12 ins., N. and S. of post, 3 ft.
dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 13, 14, 23 and 24, marked on
brass cap

T10S R22W	
S14	S13
S23	S24
1920	

Dig pits, 24 X 24 X 12 ins., in each sec., NE., SE., SW.
and NW. of post, 3 ft. dist.
Land, nearly level.
Soil, sandy, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.

s.89°59'E., on a random line, bet. secs. 13 and 24.

Subdivision of T. 10 S., R. 22 W.

Chains.	
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	Fall 7 lks. E. of reestablished cor. of secs. 13, 18, 19 & 24 on the E. bdy. of Tp., hereinbefore described.
	Thence
	S.89°58'W., on a true line, bet. secs. 13 and 24.
	Over nearly level land, through scattering undergrowth.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4} \text{ S13} \\ \frac{1}{4} \text{ S24} \\ \hline 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
79.98	The cor. of secs. 13, 14, 23 and 24.
	Land, nearly level.
	Soil, sandy, 2nd rate.
	No timber.
	Undergrowth, greasewood and sagebrush.
<hr/>	
	N.0°1'W., bet. secs. 13 and 14.
	Over gently rolling land, through scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} \\ \text{S14} \mid \text{S13} \\ \hline 1920 \end{array}$
	Dig pits, 24 X 24 X 12 ins., N. and S. of post, 3 ft. dist.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, marked on brass cap
	$\begin{array}{r} \text{T10S R22W} \\ \text{S11} \mid \text{S12} \\ \hline \text{S14} \mid \text{S13} \\ \hline 1920 \end{array}$
	Dig pits, 24 X 24 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
	Land, gently rolling.
	Soil, sandy loam, 2nd rate.
	No timber.
	Undergrowth, greasewood and sagebrush.
	Fair growth of grass.
<hr/>	
	N.89°58'E., on a random line, bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	Intersect the reestablished cor. of secs. 7, 12, 13 and 18 on the E. bdy. of Tp., hereinbefore described.
	Thence
	S.89°58'W., on a true line, bet. secs. 12 and 13.
	Over gently rolling land, through scattering undergrowth.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4} \text{ S12} \\ \frac{1}{4} \text{ S13} \\ \hline 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.


Subdivision of T. 10 S., R. 22 W.

Chains.
79.98

The cor. of secs. 11, 12, 13 and 14.
Land, gently rolling.
Soil, sandy, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.


40.00

N.0°1'W., bet. secs. 11 and 12.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



80.00

Dig pits, 24 X 24 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap



Dig pits, 24 X 24 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
Land, gently rolling.
Soil, sandy loam, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.

40.00


N.89°58'E., on a random line, bet. secs. 1 and 12.
Set temp. 1/4 sec. cor.

80.00

Fall 7 lks. N. of the reestablished cor. of secs. 1, 6, 7 and 12, on the E. bdy. of Tp., hereinbefore described.
Thence

40.00

N.89°59'W., on a true line, bet. secs. 1 and 12.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



80.00

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 1, 2, 11 and 12.
Land, gently rolling.
Soil, sandy loam, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.

40.00

N.0°1'W., on a random line, bet. secs. 1 and 2.
Set temp. 1/4 sec. cor.

87.31

Fall 15 lks. E. of the reestablished cor. of secs. 1, 2, 35 and 36, on the N. bdy. of Tp., hereinbefore described.
Thence
S.0°7'E., on a true line, bet. secs. 1 and 2.

Subdivision of T. 10 S., R. 22 W.

Chains.

- Over rolling land, through scattering undergrowth.
 27.30 Desc. gradual S. slope.
 37.30 Thence over gently rolling land, across draw, course W.
 47.31 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 2 \mid \text{S } 1 \\ 1920 \end{array}$$

- Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.
 48.30 Wash, 20 lks. wide, 1 ft. deep, course W.
 58.90 Wash, 10 lks. wide, 1 ft. deep, course W.
 62.30 Leave draw, course W. Continue over gently rolling land.
 87.31 The cor. of secs. 1, 2, 11 and 12.
 Land, rolling and gently rolling.
 Soil, sandy, 2nd and 3rd rates.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of grass.

- From the reestablished cor. of secs. 2, 3, 34 and 35, on
 the S. bdy. of Tp., hereinbefore described,
 N.0°1'W., bet. secs. 34 and 35.
 40.00 Over nearly level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \text{S34} \mid \text{S35} \\ 1920 \end{array}$$

- Dig pits, 24 X 24 X 12 ins., N. and S. of post, 3 ft.
 dist.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 26, 27, 34 and 35, marked on
 brass cap

$$\begin{array}{c} \text{T10S } \mid \text{R22W} \\ \text{S27} \mid \text{S26} \\ \hline \text{S34} \mid \text{S35} \\ 1920 \end{array}$$

- Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW.
 and NW. of post, 3 ft. dist.
 Land, nearly level.
 Soil, sandy, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of grass.

- East on a random line, bet. secs. 26 and 35.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect the cor. of secs. 25, 26, 35 and 36, hereinbe-
 fore described.
 Thence
 West on a true line, bet. secs. 26 and 35.
 Over level land, through scattering undergrowth.
 40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap


$$\begin{array}{c} \frac{1}{4} \text{S26} \\ \frac{1}{4} \text{S35} \\ 1920 \end{array}$$

Subdivision of T. 10 S., R. 22 W.


Chains.

80.02 Dig pits, 24 X 24 X 12 ins., E. and W. of post, 3 ft. dist.
 The cor. of secs. 26, 27, 34 and 35.
 Land, level.
 Soil, sandy loam, 1st rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of grass.

40.00 N.0°1'W., bet. secs. 26 and 27.
 Over level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap




80.00 Dig pits, 24 X 24 X 12 ins., N. and S. of post, 3 ft. dist.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on brass cap



Dig pits, 24 X 24 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
 Land, level.
 Soil, sandy loam, 1st rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of grass.

40.00 East on a random line, bet. secs. 23 and 26.
 Set temp. 1/4 sec. cor.
 80.00 Intersect N. and S. line, 4 lks. S. of the cor. of secs. 23, 24, 25 and 26, hereinbefore described.

40.00 Thence S.89°58'W., on a true line, bet. secs. 23 and 26.
 Over level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam. 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap




80.00 Dig pits, 24 X 24 X 12 ins., E. and W. of post, 3 ft. dist.
 The cor. of secs. 22, 23, 26 and 27.
 Land, level.
 Soil, sandy loam, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.


40.00 N.0°1'W., bet. secs. 22 and 23.
 Over nearly level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

Subdivision of T. 10 S. R. 22 W.

Chains.




80.00 Dig pits, 24 X 24 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap



Dig pits, 24 X 24 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
Land, nearly level.
Soil, sandy loam, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.


40.00 N.89°58'E., on a random line, bet. secs. 14 and 23.
79.96 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 5 lks. S. of the cor. of secs. 13, 14, 23 and 24, hereinbefore described.

39.98 Thence S.89°56'W., on a true line, bet. secs. 14 and 23.
Over nearly level land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




79.96 Dig pits, 24 X 24 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 14, 15, 22 and 23.
Land, nearly level.
Soil, sandy, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.

40.00 N.0°1'W., bet. secs. 14 and 15.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.


Subdivision of T. 10 S. R. 22 W.

Chains.

Land, gently rolling.
Soil, sandy loam, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.

40.00 N.89°56'E., on a random line, bet. secs. 11 and 14.
Set temp. 1/4 sec. cor.
79.96 Intersect the cor. of secs. 11, 12, 13 and 14, hereinbefore described.


Thence
39.98 S.89°56'W., on a true line, bet. secs. 11 and 14.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap




79.96 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

The cor. of secs. 10, 11, 14 and 15.
Land, gently rolling.
Soil, sandy loam, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.

40.00 N.0°1'W., bet. secs. 10 and 11.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
Land, gently rolling.
Soil, sandy loam, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.

40.00 N.89°56'E., on a random line, bet. secs. 2 and 11.
Set temp. 1/4 sec. cor.
80.00 Intersect N. and S. line, 5 lks. N. of the cor. of secs. 1, 2, 11 and 12, hereinbefore described.

Thence
S.89°58'W., on a true line, bet. secs. 2 and 11.
Over gently rolling land, through scattering undergrowth.

Chains. 40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} \text{ S } 2 \\ \hline \text{S11} \\ 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
80.00	The cor. of secs. 2, 3, 10 and 11. Land, gently rolling. Soil, sandy loam, gravelly surface, 2nd rate. No timber. Undergrowth, greasewood and sagebrush. Fair growth of grass.
40.00	N.0°7'W., on a random line, bet. secs. 2 and 3. Set temp. $\frac{1}{4}$ sec. cor.
87.07	Run 30 lks. E. of the reestablished cor. of secs. 2, 3, 34 and 35, on the N. bdy. of Tp., hereinbefore described. Thence
	S.0°19'E., on a true line, bet. secs. 2 and 3. Over nearly level land, through scattering undergrowth.
47.07	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 3 \text{ S } 2 \\ \hline 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
57.35	Wash, 10 lks. wide, 1 ft. deep, course W.
87.07	The cor. of secs. 2, 3, 10 and 11. Land, nearly level. Soil, sandy loam, 2nd rate. No timber. Undergrowth, greasewood and sagebrush. Fair growth of grass.
40.00	From reestablished cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp., hereinbefore described, N.0°2'W., bet. secs. 33 and 34. Over slightly rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4} \\ \text{S33 S34} \\ \hline 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap
	$\begin{array}{c} \text{T10S R22W} \\ \text{S28 S27} \\ \hline \text{S33 S34} \\ 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist. Land, slightly rolling, drains W. Soil, sandy, 3rd rate. No timber.

Subdivision of T. 10 S., R. 22 W.


Chains.

Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

40.00 East on a random line, bet. secs. 27 and 34.
Set temp. $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 26, 27, 34 and 35, hereinbefore described.
Thence
N.89°59'W., on a true line, bet. secs. 27 and 34.
Over level land, through scattering undergrowth.


39.95 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.


79.90 The cor. of secs. 27, 28, 33 and 34.
Land, level; drains SW.
Soil, sandy, 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

40.00 N.0°2'W., bet. secs. 27 and 28.
Over level land, through thick low undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
Land, level.
Soil, sandy and gravelly; 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

40.00 S.89°59'E., on a random line, bet. secs. 22 and 27.
Set temp. $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line, 5 lks. S. of the cor. of secs. 22, 23, 26 and 27, hereinbefore described.
Thence

39.97 S.89°59'W., on a true line, bet. secs. 22 and 27.
Over level land, through thick low undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

Subdivision of T. 10 S., R. 22 W.

Chains.

$$\frac{1}{4} \frac{S22}{S27}$$
 1920

79.94 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 21, 22, 27 and 28.
Land, level; drains SW.
Soil, sandy, 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

40.00 N.0°2'W., bet. secs. 21 and 22.
Over level land, through thick low undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap

$$S21 \left| \frac{1}{4} S22 \right.$$
 1920

80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, marked on brass cap

$$\begin{array}{c} T10S R22W \\ \frac{S16}{S21} \left| \frac{S15}{S22} \right. \\ 1920 \end{array}$$

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
Land, level, drains SW.
Soil, sandy loam, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

40.00 N.89°59'E., on a random line, bet. secs. 15 and 22.
Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 14, 15, 22 and 23, hereinbefore described.

Thence
West on a true line, bet. secs. 15 and 22.
40.00 Over level land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap


$$\frac{1}{4} \frac{S15}{S22}$$
 1920

80.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 15, 16, 21 and 22.
Land, level; drains SW.
Soil, sandy, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.


Subdivision of T. 10 S., R. 22 W.

Chains.

40.00 N.0°2'W., bet. secs. 15 and 16.
 Over level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap




80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 9, 10, 15 and 16, marked on
 brass cap



Dig pits, 24 X 24 X 12 ins., in each sec., NE., SE., SW.
 and NW. of post, 3 ft. dist.
 Land, level.
 Soil, sandy loam, gravelly surface; 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.


40.00 East on a random line, bet. secs. 10 and 15.
 Set temp. 1/4 sec. cor.
 79.98 Intersect N. and S. line, 5 lks. S. of the cor. of secs.
 10, 11, 14 and 15, hereinbefore described.

Thence
 S.89°58'W., on a true line, bet. secs. 10 and 15.
 39.99 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap



79.98 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 The cor. of secs. 9, 10, 15 and 16.
 Land, gently rolling.
 Soil, sandy loam, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.

40.00 N.0°2'W., bet. secs. 9 and 10.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap



80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 3, 4, 9 and 10, marked on
 brass cap

Subdivision of T. 10 S., R. 22 W.

Chains.

$$\begin{array}{r} \text{T10S R22W} \\ \text{S 4 | S 3} \\ \hline \text{S 9 | S10} \\ \text{1920} \end{array}$$

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
Land, gently rolling.
Soil, sandy, gravelly surface, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.

40.00 N.89°58'E., on a random line, bet. secs. 3 and 10.
Set temp. $\frac{1}{4}$ sec. cor.
79.88 Intersect the cor. of secs. 2, 3, 10 and 11, hereinbefore described.

Thence
S.89°58'W., on a true line, bet. secs. 3 and 10.
Over rolling land, through scattering undergrowth.
39.94 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \text{ S 3} \\ \hline \frac{1}{4} \text{ S10} \\ \text{1920} \end{array}$$

79.88 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 3, 4, 9 and 10.
Land, rolling.
Soil, gravelly, 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.

40.00 Knowing from my resurvey of the N. bdy. of Tp., that a closing cor. will be required,
N.0°2'W., on a true line, bet. secs. 3 and 4.
Over rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap


$$\begin{array}{r} \frac{1}{4} \\ \text{S 4 | S 3} \\ \hline \text{1920} \end{array}$$

65.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Leave rolling, thence over level land.
86.28 The closing cor. of secs. 3 and 4, established as hereinbefore described, 0.64 chs. N.89°35'E. of the reestablished cor. of secs. 33 and 34, T. 9 S., R. 22 W.
Land, rolling and level.
Soil, first 65 chs., gravelly, 3rd rate; remainder, sandy, 2nd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of grass.


40.00 From the reestablished cor. of secs. 4, 5, 32 and 33, on the S. bdy. of Tp., hereinbefore described.,
N.0°2'W., bet. secs. 32 and 33.
Over level land, through thick low undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

Subdivision of T. 10 S., R. 22 W.

Chains.



80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on brass cap




Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
Land, level.
Soil, sandy, 2nd and 3rd rates.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

40.00 East on a random line, bet. secs. 28 and 33.
Set temp. $\frac{1}{4}$ sec. cor.
80.06 Intersect the cor. of secs. 27, 28, 33 and 34, hereinbefore described.


Thence
West on a true line, bet. secs. 28 and 33.
Over level land, through thick low undergrowth.

40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




80.06 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
The cor. of secs. 28, 29, 32 and 33.
Land, level; drains W.
Soil, sandy and gravelly, 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

40.00 N. 0° 2' W., bet. secs. 28 and 29.
Over nearly level land, through thick low undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, marked on brass cap




Chains.	<p>Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist. Land, nearly level. Soil, sandy, 3rd rate; drains WNW. No timber. Undergrowth, greasewood and sagebrush. Fair growth of galletta grass.</p>
<p>40.00 80.06 40.03 80.06</p>	<p>East on a random line, bet. secs. 21 and 28. Set temp. $\frac{1}{4}$ sec. cor. Intersect the cor. of secs. 21, 22, 27 and 28, hereinbefore described. Thence West on a true line, bet. secs. 21 and 28. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> $\begin{array}{c} \frac{1}{4} \text{ S21} \\ \frac{1}{4} \text{ S28} \\ 1920 \end{array}$ <p>Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. ft. dist. The cor. of secs. 20, 21, 28 and 29. Land, level; drains WSW. Soil, sandy, 3rd rate. No timber Undergrowth, greasewood and sagebrush. Fair growth of galletta grass.</p>
<p>40.00 80.00</p>	<p>N.0°2'W., bet. secs. 20 and 21. Over nearly level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> $\begin{array}{c} \dagger \\ \text{S20} \text{S21} \\ 1920 \end{array}$ <p>Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist. Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap</p> $\begin{array}{c} \text{T10S, R22W} \\ \hline \text{S17} \text{S16} \\ \hline \text{S20} \text{S21} \\ 1920 \end{array}$ <p>Dig pits, 18 X 18 X 12 ins., In each sec., NE., SE., SW. and NW. of cor., 3 ft. dist. Land, level. Soil, sandy, 2nd and 3rd rates. No timber. Undergrowth, greasewood and sagebrush. Fair growth of galletta grass.</p>
<p>40.00 80.04</p>	<p>S.89°59'E., on a random line for distance only, the cor. of secs. 15, 16, 21 and 22 being plainly visible. Set temp. $\frac{1}{4}$ sec. cor. Intersect the cor. of secs. 15, 16, 21 and 22, hereinbefore described.</p>

Subdivision of T. 10 S. R. 22 W.


Chains.

Thence
 N. 89° 59' W., on a true line, bet. secs. 16 and 21.
 Over level land, through thick low undergrowth.
 40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap




80.04 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 The cor. of secs. 16, 17, 20 and 21.
 Land, level; drains WSW.
 Soil, sandy loam, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.

N. 0° 2' W., bet. secs. 16 and 17.
 Over nearly level land, through thick low undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground for 1/4 sec. cor., marked on brass cap




80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 8, 9, 16 and 17, marked on
 brass cap



Dig pits 18 X 18 X 12 ins., in each sec., NE., SE., SW.
 and NW. of post, 3 ft. dist.
 Land, nearly level.
 Soil, sandy, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.

S. 89° 59' E., on a random line, bet. secs. 9 and 16.
 40.00 Set temp. 1/4 sec. cor.
 79.94 Intersect N. and S. line, 7 lks. S. of the cor. of secs.
 9, 10, 15 and 16, hereinbefore described.

Thence
 S. 89° 58' W., on a true line, bet. secs. 9 and 16.
 Over gently rolling land, through scattering undergrowth.
 39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap




79.94 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 The cor. of secs. 8, 9, 16 and 17.
 Land, Gently rolling.
 Soil, sandy loam, gravelly surface, 2nd rate.
 No timber.

Subdivision of T. 10 S., R. 22 W.


Chains.

Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

N.0°2'W., bet. secs. 8 and 9.
Over slightly rolling land, through scattering low undergrowth.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
43.00 Shallow draw, course W. Asc. gradually.
46.50 Low sand ridge, brs. NW. and SE. Desc.
50.00 Thence across bottom of draw, course NW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW., of post, 3 ft. dist.
Land, slightly rolling.
Soil, sandy, 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

N.89°58'E., on a random line, bet. secs. 4 and 9.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.90 Intersect the cor. of secs. 3, 4, 9 and 10, hereinbefore described.
Thence
S.89°58'W., on a true line, bet. secs. 4 and 9.
Over rolling land, through scattering undergrowth.
39.95 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
79.90 The cor. of secs. 4, 5, 8 and 9.
Land, rolling.
Soil, sandy and gravelly, 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

N.0°2'W., on a true line, bet. secs. 4 and 5.
40.00 Over level land, through scattering short undergrowth.
25.00 Center of draw; course WNW. Asc. gradually.
38.00 Low spur, brs. NE. and SW. Desc.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

Subdivision of T. 10 S., R. 22 W.


Chains.



60.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.


85.60 Asc. gradually.
 Low sand ridge, brs. E. and W. Desc. gradually.
 The closing cor. of secs. 4 and 5, established as here-
 inbefore described, 1.12 chs. N.89°26'E. of the reestab-
 lished cor. of secs. 32 and 33, hereinbefore described.
 Land, level and rolling.
 Soil, sandy, 3rd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.

40.00 From reestablished cor. of secs. 5, 6, 31, & 32, on S. bdy. of T. 10 S., hereinbefore described, N.0°3'W., bet. secs. 31 and 32.
 Over level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



75.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.


80.00 Begin gradual descent.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
 Land, nearly level; drains N.
 Soil, sandy and rocky; 3rd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass and Indian wheat.

40.00 East on a random line, bet. secs. 29 and 32.
 80.00 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 28, 29, 32 and 33, hereinbefore described.

40.00 Thence S.89°59'W., on a true line, bet. secs. 29 and 32.
 Over nearly level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.00 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. Asc. gradually.
 The cor. of secs. 29, 30, 31 and 32.
 Land, level. Soil, level. Soil, level.

Chains.

Soil, sandy and rocky, 3rd and 4th rates.
No timber.
Undergrowth, greasewood, sagebrush.
Fair growth of galletta grass.

West on a random line, bet. secs. 30 and 31.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
78.13 Fall 4 lks. N. of the reestablished cor. of secs. 30 and 31, on the W. bdy. of Tp., hereinbefore described.
Thence
N. 89° 58' E., on a true line, bet. secs. 30 and 31.
Over level land, through low undergrowth.
38.13 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S30
 $\frac{1}{4}$ S31
1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.

65.00 Enter draw, course NE.
73.00 Leave draw, asc. gradually.
78.13 The cor. of secs. 29, 30, 31 and 32.
Land, level and rolling.
Soil, sandy and gravelly, 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of Indian wheat and galletta grass.

N. 0° 3' W., bet. secs. 29 and 30.
Over slightly rolling land, through scattering low undergrowth.
Desc. gradually.
10.00 Shallow draw, course NE. Asc.
16.00 End of sand spur, slopes NE. Desc. gradually.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S30 | S29
1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.

Thence over level land.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap

T10S R22W
S19 | S20
S30 | S29
1920

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.
Land, slightly rolling and level.
Soil, sandy; beach stones on slopes; 3rd rate.
No timber.
Undergrowth, greasewood and sagebrush.
Fair growth of galletta grass.

N. 89° 59' E., on a random line, bet. secs. 20 and 29.

Subdivision of T. 10 S., R. 22 W.

Chains.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.04 Intersect the cor. of secs. 20, 21, 28 and 29, hereinbefore described.
 Thence
 S.89°59'W., on a true line, bet. secs. 20 and 29.
 Over level land, through short thick undergrowth.
 40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S20
 $\frac{1}{4}$ S29
 1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 80.04 The cor. of secs. 19, 20, 29 and 30.
 Land, level.
 Soil, sandy, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.

40.00 S.89°58'W., on a random line, bet. secs. 19 and 30.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.83 Fall 2 lks. S. of the reestablished cor. of secs. 19 and 30, on the W. bdy. of Tp., hereinbefore described.
 Thence
 N.89°59'E., on a true line, bet. secs. 19 and 30.
 Over rolling land, through scattering undergrowth.
 Desc. gradually, 95 ft.
 32.85 Shallow draw, course NE. Asc. gradually.
 38.83 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S19
 $\frac{1}{4}$ S30
 1920

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 43.85 Sand rim, brs. NW. and SE. Desc. 105 ft., over gradual slope.
 78.83 The cor. of secs. 19, 20, 29 and 30.
 Land, rolling.
 Soil, sandy and rocky, 3rd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.

40.00 N.0°3'W., bet. secs. 19 and 20.
 Over level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S19 | S20
 1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
 Asc. gradually.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on brass cap

T10S R22W
 $\frac{1}{4}$ S18 | S17
 $\frac{1}{4}$ S19 | S20

Subdivision of T. 10 S., R. 22 W.

Chains.

Dig pits 18x18x12 ins. in each sec., NE., SE., SW. and NW. of
 post, 3 ft. dist.
 Land, slightly rolling.
 Soil, sandy and rocky, 4th rate. No timber.
 Undergrowth, greasewood and sage brush,
 Fair growth of galletta grass.

40.00 N. 89°59'E., on a random line, bet. secs. 17 and 20.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.04 Intersect N. and S. line, 2 lks. N. of the cor. of secs.
 16, 17, 20 and 21, hereinbefore described.

Thence
 West on a true line, bet. secs. 17 and 20.
 Over level land, through short thick undergrowth.
 40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S17
 $\frac{1}{4}$ S20
 1920

80.04 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 The cor. of secs. 17, 18, 19 and 20.
 Land, level.
 Soil, sandy loam, 2nd and 3rd rates.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.

40.00 S. 89°59'W., on a random line, bet. secs. 18 and 19.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.66 Intersect the reestablished cor. of secs. 18 and 19, on
 the W. bdy. of Tp., hereinbefore described.

Thence
 N. 89°59'E., on a true line, bet. secs. 18 and 19.
 Over gently rolling land, through scattering undergrowth.
 39.66 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S18
 $\frac{1}{4}$ S19
 1920

79.66 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.
 The cor. of secs. 17, 18, 19 and 20.
 Land, gently rolling.
 Soil, sandy, 3rd rate.
 No timber.
 Undergrowth, greasewood and sagebrush,
 Fair growth of galletta grass.

40.00 N. 0°3'W., bet. secs. 17 and 18.
 Over slightly rolling land, through low undergrowth.
 Asc. gradually, 95 ft.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S18 | S17
 1920

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.

Subdivision of T. 10 S., R. 22 W.

Chains.

Continue gradual ascent, 20 ft.

50.00 Low ridge, brs. ENE. and W. Desc. slightly.

60.00 Draw, course NW. Asc. 20 ft.

67.00 Spur, slopes W. Desc. 20 ft.

70.00 Draw, course NW. Asc. gradually.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, marked on brass cap

$$\begin{array}{r} T10S R22W \\ \hline S 7 | S 8 \\ \hline S18 | S17 \\ 1920 \end{array}$$

Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist.

Land, rolling.

Soil, sandy, 3rd rate; beach stones on slopes.

No timber.

Undergrowth, greasewood and sagebrush.

Fair growth of galletta grass.

40.00 East on a random line, bet. secs. 8 and 17.

Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect the cor. of secs. 8, 9, 16 and 17, hereinbefore described.

Thence

West on a true line, bet. secs. 8 and 17.

Over slightly rolling land, through scattering low undergrowth.

Asc. gradually.

40.00 Low ridge, brs. N.70°W. and S.70°E.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S 8 \\ \hline \frac{1}{4} S17 \\ 1920 \end{array}$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. Desc. gradually.

55.00 Head of draw, course NW.

65.00 Head of draw, course SW.

80.02 The cor. of secs. 7, 8, 17 and 18.

Land, slightly rolling.

Soil, sandy, 3rd rate.

No timber.

Undergrowth, greasewood and sagebrush.

Fair growth of galletta grass.

40.00 S.89°59'W., on a random line, bet. secs. 7 and 18.

Set temp. $\frac{1}{4}$ sec. cor.

80.44 Intersect the reestablished cor. of secs. 7 and 18, on the W. bdy. of Tp., hereinbefore described.

Thence

N.89°59'E., on a true line, bet. secs. 7 and 18.

Over slightly rolling land, through scattering undergrowth. Asc. slightly.

8.00 Thence over nearly level land.

40.44 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S 7 \\ \hline \frac{1}{4} S18 \\ 1920 \end{array}$$

Subdivision of T. 10 S., R. 22 W.

Chains.	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
41.00	Sand spur, slopes N. 5 chs. Desc. slightly.
80.44	The cor. of secs. 7, 8, 17 and 18. Land, slightly rolling. Soil, sandy and gravelly, 3rd rate. No timber. Undergrowth, greasewood and sagebrush. Fair growth of galletta grass.
15.00	N.0°3'W., bet. secs. 7 and 8. Over rolling land, through scattering low undergrowth. Desc. gradually.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap $\begin{array}{c} \uparrow \\ \text{S } 7 \mid \text{S } 8 \\ \downarrow \\ 1920 \end{array}$
80.00	Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap $\begin{array}{c} \text{T10S R22W} \\ \text{S } 6 \mid \text{S } 5 \\ \hline \text{S } 7 \mid \text{S } 8 \\ 1920 \end{array}$
	Dig pits, 18 X 18 X 12 ins., in each sec., NE., SE., SW. and NW. of post, 3 ft. dist. Land, rolling and gently rolling. Soil, sandy, 3rd rate. No timber. Undergrowth, greasewood and sagebrush. Fair growth of galletta grass.
40.00	East on a random line, bet. secs. 5 and 8. Set temp. $\frac{1}{4}$ sec. cor.
79.98	Intersect N. and S. line, 2 lks. S. of the cor. of secs. 4, 5, 8 and 9, hereinbefore described. Thence S.89°59'W., on a true line, bet. secs. 5 and 8. Over level land, through scattering short undergrowth.
20.00	Asc. gradual NE. slope, 50 ft.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap $\begin{array}{c} \frac{1}{4} \text{ S } 5 \\ \hline \text{S } 8 \\ 1920 \end{array}$
60.00	Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist. Cor falls on wide sand spur, slopes NW. Desc. 50 ft. over SW. slope.
60.00	Foot of descent; thence over level land.
79.98	The cor. of secs. 5, 6, 7 and 8. Land, level and rolling. Soil, sandy and gravelly, 3rd rate. No timber. Undergrowth, greasewood and sagebrush. Fair growth of galletta grass.

Subdivision of T. 10 S., R. 22 W.

Chains.
 40.00 S.89°59'W., on a random line, bet. secs. 6 and 7.
 Set temp. 1/4 sec. cor.
 80.87 Fall 2 lks. N. of the reestablished cor. of secs. 6 and 7, on the W. bdy. of Tp., hereinbefore described.
 Thence
 N.89°58'E., on a true line, bet. secs. 6 and 7.
 Over level land, through low thick undergrowth.
 40.87 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \text{ S } 6 \\ \text{S } 7 \\ 1920 \end{array}$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.
 80.87 The cor. of secs. 5, 6, 7 and 8.
 Land, level.
 Soil, sandy, 2nd rate.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.

40.00 N.0°3'W., on a true line, bet. secs. 5 and 6.
 Over nearly level land, through thick low undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 6 \text{ | } \text{S } 5 \\ 1920 \end{array}$$

84.87 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.
 The closing cor. of secs. 5 and 6, established as hereinbefore described, 1.39 chs. N.89°30'E. of the reestablished cor. of secs. 31 and 32, T. 9 S., R. 22 W., hereinbefore described.
 Land, nearly level
 Soil, sandy, 2nd and 3rd rates.
 No timber.
 Undergrowth, greasewood and sagebrush.
 Fair growth of galletta grass.

The continued satisfactory adjustment of the solar apparatus during the survey of this township is indicated from field tests as described in Book "C".

GENERAL DESCRIPTION.

The greater part of this Tp. consists of level and gently rolling land, draining into a low area, or basin, between sand ridges, in the SW. quarter, and thence north-westerly out of the Tp. The north tier of secs. drains west, being cut off from the basin by a low sand ridge extending westward from the Gila Mountains. The extreme south west cor. is a flat mesa, strewn with beach stones, which breaks to the north into sand spurs, forming the south rim of the basin. Sec. 36 is covered with sand dunes.
 The soil is sandy, 2nd and 3rd rates, with some 1st rate soil in scattered localities, principally in the large draw bottoms in secs. 1, 2 and 3. The mesa and the slopes of low ridges are covered with beach stones.

There is no timber in the Tp., unless scattered iron-wood trees can be called such. Undergrowth consists of low greasewood and sagebrush. A good growth of Indian wheat and galletta grass is found over most of the Tp. There are no settlers and no roads. The nearest water is found at Blaisdell on the Southern Pacific R. R.

TEMPORARY CERTIFICATE OF UNITED STATES TRANSITMAN.

I, William D. Wilson, Temporary U.S. Transitman, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 95, Arizona bearing date of the 10th day of March, 1919, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, RESURVEYED ~~surveyed~~ all those parts or portions of the East and South boundaries and surveyed all those parts or portions of the Subdivision lines of Township 10 South, Range 22 West of the Gila and Salt River

Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes and by diagram on page 1 hereof as having been executed by me, and under my direction; and that all the corners of said resurvey and survey said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 95 Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey, resurvey and survey.

Place, Parkland Wash. Date, Aug 15, 1921.

William D. Wilson Temporary U.S. Transitman.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

1921.

The foregoing field notes of the survey of

executed by

under his special instructions dated, 191, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General

I certify that the foregoing transcript of the field notes of the above-described surveys in, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General

52

BOOK 3449

CERTIFICATE OF UNITED STATES CADASTRAL ENGINEER.

I, William H. Thorn U.S. Cadastral Engineer, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 95 Arizona bearing date of the 10th day of March, 1919, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, ~~surveyed~~ ^{RESURVEYED} all those parts or portions of the
North and West boundaries
and Surveyed all those parts or portions of the
Subdivision lines of
Township 10 South, Range 22 West
of the Gila and Salt River

Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes ^{and by diagram on page 1 hereof} as having been executed by me, and under my direction; and that all the corners of ~~said survey~~ ^{said resurvey and survey} have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 95, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such ~~survey~~ ^{resurvey and survey}.

Place, Phoenix Ariz.
Date, July 16 1921

William H. Thorn
U.S. Cadastral Engineer

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, Aug. 20, 1921.

The foregoing field notes of the RESURVEY of the
North, West, East and South boundaries
and of the Survey of the
Subdivision Lines of
Township 10 South, Range 22 West
of the Gila and Salt River Base and Meridian, in the State of Arizona.
executed by William H. Thorn, U.S. Cadastral Engineer,
and William D. Wilson, Temporary U.S. Transitman,
under special instructions dated March 10, 1919 for Group 95 Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the ^{re} surveys they describe, are hereby approved.

Frederick A. Frost
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in
, has been correctly copied from the original notes on file in this office.