

BOOK 3467

# FIELD NOTES

OF ~~THE SURVEY OF~~ THE

SURVEY OF

Subdivision Lines in

TOWNSHIP 2 SOUTH RANGE 4 EAST

Within the Gila River Indian Reservation

Of the Gila & Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

Guy P. Harrington,

In the capacity of U. S. Surveyor, under instructions dated Oct. 11, 1910,

Commissioner of the General Land Office to A.F. Dunnington,  
issued by the ~~United States Surveyor General to govern surveys instructed in~~  
Topographer in Charge of Indian Surveys  
~~Group No.~~, which were approved by the Commissioner of the General Land

~~Office,~~ 1910, pursuant to authority contained in the Act of

~~Congress dated~~ 1910

Survey commenced March 3, 1910

Survey completed March 10, 1910

1A


BOOK 3467

# INDEX DIAGRAM.

Township 2 South, Range 4 East

153	151	106	81	56	30
6 153	5 150	4 105	3 80	2 55	1 29
152 148	149 103	104 78	79 53	54 27	28
145	141	100	75	50	23
147	144	102	78	52	26
7 146	6 143	5 102	4 77	3 51	2 25
145 140	142 97	101 74	76 49	51 22	24
137	133	96	71	46	18
139	136	98	73	48	21
18 138	17 135	16 97	15 72	14 47	13 20
137 132	134 95	97 70	71 45	46 17	19
127	124	91	66	41	13
131	127	94	69	44	16
19 129	20 126	21 93	22 68	23 43	24 15
128 123	125 90	92 65	67 40	42 12	14
119	116	87	62	37	7
122	118	89	64	39	11
30 121	29 117	28 89	27 63	26 38	25 10
120 115	117 86	88 61	63 36	38 6	8
111	108	83	58	32	2
114	110	85	60	35	5
31 113	32 109	33 84	34 59	35 34	36 4
112 107	108 82	84 57	58 31	33 1	3

Diagram of a section showing the position of the 1/16 section corners.



Subdivision of T. 3 S., R. 4 E.

Chains

Survey commenced March 3, 1911, by Guy P. Harrington, U. S. Surveyor, and executed with Young & Sons light mountain transits Nos. 8388 and 8394, with solar attachments. The horizontal limbs are provided with two double verniers placed opposite to each other reading to single minutes of arc, which is also the least count of the verniers of the latitude and declination arcs.

The iron posts used in this survey are 3 ft. long, 1 inch in diameter, and are set 26 ins. in the ground. The posts are filled with cement and fitted with brass caps.

The instruments were examined and tested on a meridian at Sacaton, Arizona, in T. 3 S., R. 5 E., and found correct.

The SE. cor. of this township is in lat. 33° 12' N., Long. 111° 54' W.

March 3, 1911. At 8 a.m., l.m.t., I set off 33° 12' on the lat. arc, 7° 03' S. on the decl. arc, and determine a meridian with the solar, at the cor. of secs. 1, 2, 35 and 36, on S. bdy. of Tp., previously described.

Thence I run

N. 0° 1' W. bet. secs. 35 and 36.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 35 and 36, (S 1/2), with cap stamped

1/16 S 35 in W. half  
S 36 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 35 and 36, with cap stamped

1/4 S 35 in W. half  
S 36 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 35 and 36 (N 1/2), with cap stamped

1/16 S 35 in W. half  
S 36 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.



## Subdivision of T. 2 S., R. 4 E.

## Chains

75.00 Road, brs. NW. and SE.

80.00 Set an iron post for the cor. of secs. 25, 26, 35 and 36, with cap stamped

T 2 S S 25 in NE. quadrant  
R 4 E S 36 in SE. "  
S 35 in SW. "  
S 26 in NW. "

1911 in S,  
1 notch on S. and 1 notch on E. edge

Dig pits 18x18x12 ins. in each sec. 5½ ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full dist.

-----  
East on a true line bet. secs. 25 and 36.

Over level land, through brush.

19.50 Road, brs. N. and S.

20.00 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 25 and 36 (W½), with cap stamped

1/16 S 25 in N. half  
S 36 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

39.80 Road, brs. N. and S.

40.00 Set an iron post for ¼ sec. cor. bet. secs. 25 and 36, with cap stamped

¼ S 25 in N. half  
S 36 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

59.70 Road, brs. N. 30° E. and S. 30° W.

60.00 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 25 and 36 (E½), with cap stamped

1/16 S 25 in N. half  
S 36 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

68.00 Road, brs. NW. and SW.

76.00 Road, brs. N. and S.

76.48 Intersect the Gila River Indian Reservation boundary 7.63

1007

Subdivision of T. 2 S., R. 4 E.

Chains


chs.  
^ N. 0° 3' W. of the old cor. of secs. 25, 30, 31 and 36,  
which now refers to secs. 30 and 31 only.

Set an iron post for the cor. of secs. 25 and 36, with  
cap stamped

T 2 S S 36 in SW.  
R 4 E S 25 in NW.  
G R I R in W.  
P L in E.  
1911 in S.  
5 notches on N. and 1 notch on S. edge

Dig pits 24x24x12 ins. in each sec., 6 ft. dist.; and  
raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.



From the 1/16 sec. cor. No. 12, bet. secs. 35 and 36 (S $\frac{1}{2}$ )  
I run

East on a random line through the middle of the S. half  
of sec. 36, setting temp. cors. at intervals of 20.00  
chs.

76.71 Falls 5 lks. S. of point for 1/16 sec. cor. No. 12, on  
the E. bdy. of sec. 36, (which is also the reservation  
bdy.,) which point is 20.01 chs. N. 0° 12' W. of the  
cor. of Tps. 2 and 3 S., R. 4 E.

Set an iron post for 1/16 sec. cor. No. 12, on E. bdy. of  
sec. 36, with cap stamped

1/16 S 36 G R I R No 12 on W.  
P L on E.  
1911 on S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.

Thence I run

S. 89° 58' W. on a true line through the middle of the S.  
half of sec. 36.

Over level land, through open brush.

2.96 Road, brs. N. 20° E. and S. 20° W.

16.21 Road, brs. N. 20° E. and S. 20° W.

16.71 Set an iron post for 1/16 sec. cor. No. 11, in the center  
of the SE $\frac{1}{4}$  of sec. 36, with cap stamped

1/16 S 36 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

24.71 Road, brs. N. 45° W. and S. 45° E.

Subdivision of T. 2 S., R. 4 E.

Chains

36.71 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 36, with cap stamped

1/16 S 36 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

43.71 Road, brs. N. 45° W. and S. 45° E.

54.70 Road, brs. N. 20° E. and S. 20° W.

56.71 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW 1/4 of sec. 36, with cap stamped

1/16 S 36 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

72.70 Road, brs. N. 20° E. and S. 20° W.

76.71 The 1/16 sec. cor. No. 12, bet. secs. 35 and 36 (S 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/4 sec. cor. bet. secs. 35 and 36, I run

East on a random line through the middle of sec. 36, setting temp. cors. at intervals of 20.00 chs.

76.71 Falls 5 lks. S. of point for the 1/4 sec. cor. on the E. bdy. of sec. 36 (which is also the Gila River Indian Reservation bdy.) and which point is 40.02 chs. Northerly of the cor. of Tps. 2 and 3 S., R. 4 E.; and 7.55 chs. N. 0° 27' W. of the old 1/4 sec. cor. bet. secs. 31 and 36, which now refers to sec. 31 only.

Set an iron post for 1/4 sec. cor. on E. bdy. of sec. 36, with cap stamped

1/4 S 36 G R I R on W.  
P L on E.  
1911 on S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Thence I run

S. 89° 58' W. on a true line through the middle of sec. 36.

Over level land, through brush.

1.35 Road, brs. N. and S.

12.00 Road, brs. N. and S.

16.71 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.

Subdivision of T. 2 S., R. 4 E.

Chains

and SE. quarters of sec. 36, with cap stamped

1/16 S 36 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3½ ft. base, 1½ ft. high,  
N. of cor.

33.00 Road, brs. N. 20° E. and S. 20° W.

36.71 Set an iron post for center ¼ sec. cor. of sec. 36, with  
cap stamped

C ¼ S 36 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth 4 ft. base,  
2 ft. high, N. of cor.

52.00 Road, brs. N. 45° E. and S. 45° W.

54.00 Road, brs. N. 45° W. and S. 45° E.

56.71 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW.  
and SW. quarters of sec. 36, with cap stamped

1/16 S 36 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3½ ft. base, 1½ ft. high,  
N. of cor.

63.50 Road, brs. N. 20° E. and S. 20° W.

76.71 The ¼ sec. cor. bet. secs. 35 and 36.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral, and greasewood,  
full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 35 and 36, (N¼)  
I run

East on a random line through the middle of the N. half  
of sec. 36, setting temp. cors. at intervals of 20.00  
chs.

76.49 Falls 2 lks. S. of point for 1/16 sec. cor. No. 6, on E.  
bdy. of sec. 36 (which is also the Gila River Indian  
Reservation bdy.) which point is 60.03 chs. Northerly  
from the cor. of Tps. 2 and 3 S., R. 4 E.

Set an iron post for 1/16 sec. cor. No. 6, on E. bdy. of  
sec. 36, with cap stamped

1/16 S 36 G R I R No 6 on W.  
P L on E.  
1911 on S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3½ ft. base, 1½ ft. high,  
W. of cor.

Thence I run

Subdivision of T. 2 S., R. 4 E.

Chains

S. 89° 59' W. on a true line through the middle of the N. half of sec. 36.

Over level land, through open brush.

3.00 Road, brs. N. 60° E. and S. 60° W.

6.00 Road, brs. N. and S.

16.49 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE $\frac{1}{4}$  of sec. 36, with cap stamped

No 5 in N.  
1/16 S 36 in center  
1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

36.49 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 36, with cap stamped

No 4 in N.  
1/16 S 36 in center  
1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

37.00 Road, brs. N. 30° E. and S. 30° W.

38.55 Road, brs. N. 30° W. and S.

43.00 Road, brs. NW. and SE.

56.49 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW $\frac{1}{4}$  of sec. 36, with cap stamped

No 3 in N.  
1/16 S 36 in center  
1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

57.50 Road, brs. N. 30° W. and S. 30° E.

76.49 The 1/16 sec. cor. No. 6, bet. secs. 35 and 36 (N $\frac{1}{2}$ ).

Land, level.  
Soil, sandy, loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
From the cor. of secs. 25, 26, 35 and 36, I run

N. 0° 01' W. bet. secs. 25 and 26.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 25 and 26, (S $\frac{1}{2}$ ), with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 25 in W. half  
 S 25 in E. half  
 No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
 and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
 W. of cor.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 25 and 26,  
 with cap stamped

1/4 S 26 in W. half  
 S 25 in E. half  
 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
 and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
 W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 25  
 and 26 (N 1/2), with cap stamped

1/16 S 26 in W. half  
 S 25 in E. half  
 No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
 and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
 W. of cor.

64.00 Road, brs. N. 30° E. and S. 30° W.

80.00 Set an iron post for the cor. of secs. 23, 24, 25 and 26,  
 with cap stamped

T 2 S S 24 in NE. quadrant  
 R 4 E S 25 in SE. "  
 S 26 in SW. "  
 S 23 in NW. "  
 1911 in S.  
 2 notches on S. and 1 notch on E. edge

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist.; and  
 raise a mound of earth 4 ft. base, 2 ft. high, W. of  
 cor.

Land, level.  
 Soil, sandy loam, 1st rate.  
 Open brush of sage, mesquite, chaparral and greasewood,  
 full distance.

-----

East on a true line bet. secs. 24 and 25.  
 Over level land, through open brush.

9.00 Cross roads, bear NE. and SW. and NW. and SE.

20.00 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 24  
 and 25 (W 1/2), with cap stamped

1/16 S 24 in N. half  
 S 25 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
 N. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

28.50 Road, brs. N. and S.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 24 and 25, with cap stamped

1/4 S 24 in N. half  
S 25 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

47.00 Road, brs. NW. and SE.

60.00 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 24 and 25 (E 1/4), with cap stamped

1/16 S 24 in N. half  
S 25 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

75.40 Road, brs. N. 20° E. and S. 20° W.

76.26 Intersect the Gila River Indian Reservation boundary 7.86 chs. N. 0° 22' W. of the old cor. of secs. 19, 24, 25 and 30, which now refers to secs. 19 and 30 only.

Set an iron post for the cor. of secs. 24 and 25, with cap stamped

T 2 S S 25 in SW.  
R 4 E S 24 in NW.  
G R I R in W.  
P L in E.  
1911 in S.

4 notches on N. and 2 notches on S. edge

Dig pits 24x24x12 ins. in each sec., 6 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral, greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 25 and 26 (S 1/4) I run

East on a random line through the middle of the S. half of sec. 25, setting temp. cors. at intervals of 20.00 chs.

76.55 Falls 4 lks. S. of point for 1/16 sec. cor. No. 12, on the E. bdy. of sec. 25 (which is also the reservation bdy.) which point is 19.99 chs. N. 0° 03' W. of the cor. of secs. 25 and 26.

Set an iron post for 1/16 sec. cor. No. 12, on E. bdy. sec. 25, and E. bdy. of Gila River Indian Reservation, with cap stamped

1/16 S 25 G R I R No 12 on W.  
P L on E.  
1911 on S.

## Subdivision of T. 2 S., R. 4 E.

## Chains

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.

Thence I run

S.  $89^{\circ} 58'$  W. on a true line through the S. half of sec. 25.

Through brush, over level land.

4.00 Wagon road, brs. N. and S.

16.55 Set an iron post for  $1/16$  sec. cor. No. 11, in the center  
of the  $SE\frac{1}{4}$  of sec. 25, with cap stamped

$1/16$  S 25 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

26.50 Wagon road, brs. NE. and SW.

36.55 Set an iron post for  $1/16$  sec. cor. No. 10, bet. the SE.  
and SW. quarters of sec. 25, with cap stamped

$1/16$  S 25 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

56.55 Set an iron post for  $1/16$  sec. cor. No. 9, in the center  
of the  $SW\frac{1}{4}$  of sec. 25, with cap stamped

$1/16$  S 25 in center  
No 9 1911 in S.

57.55 Wagon road, brs. N. and S.

76.55 The  $1/16$  sec. cor. No. 12, bet. secs. 25 and 26 ( $8\frac{1}{2}$ ) -.

Land, level.

Soil, sandy loam, 1st rate.

Open brush, sage and mesquite, chaparral and greasewood,  
full distance.



Subdivision of T. 2 S., R. 4 E.

Chains

From the  $\frac{1}{4}$  sec. cor. bet. secs. 25 and 26, I run

East on a random line through the middle of sec. 25, setting temp. cors. at intervals of 20.00 chs.

76.44 Falls 9 lks. S. of point for  $\frac{1}{4}$  sec. cor. on E. bdy. of sec. 25, (which is also the reservation bdy.), which point is 39.98 chs. N.  $0^{\circ} 03'$  W. of the cor. of secs. 25 and 36.

Set an iron post for  $\frac{1}{4}$  sec. cor. on E. bdy. of sec. 25, and E. bdy. of Gila River Indian Reservation, with cap stamped

$\frac{1}{4}$  S 25 G R I R on W.  
P L on E.  
1911 on S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

Thence I run

S.  $89^{\circ} 56'$  W. on a true line through the middle of sec. 25.

Over level land, through open brush.

8.44 Road, brs. N.  $30^{\circ}$  E. and S.  $30^{\circ}$  W.

16.44 Set an iron post for  $1/16$  sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 25, with cap stamped

$1/16$  S 25 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

36.44 Set an iron post for the center  $\frac{1}{4}$  sec. cor. of sec. 25, with cap stamped

C  $\frac{1}{4}$  S 25 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

47.94 Road, brs. N.  $50^{\circ}$  E. and S.  $50^{\circ}$  W.

54.19 Road, brs. N.  $10^{\circ}$  E. and S.  $10^{\circ}$  W.

56.44 Set an iron post for  $1/16$  sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 25, with cap stamped

$1/16$  S 25 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

76.44 The  $\frac{1}{4}$  sec. cor. bet. secs. 25 and 26.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral, and greasewood, full distance.

## Subdivision of T. 2 S., R. 4 E.

## Chains

From the 1/16 sec. cor. No. 6, bet. secs. 25 and 26 ( $N\frac{1}{2}$ ),  
I run

East on a random line through the middle of the N. half  
of sec. 25, setting temp. co<sup>rs</sup>. at intervals of 20.00  
chs.

76.38 Falls 9 lks. S. of point for 1/16 sec. cor. No. 6, on E.  
bdy. of sec. 25, (which is also the reservation bdy.)  
which point is 59.97 chs. N.  $0^{\circ} 03'$  W. of the cor. of  
secs. 25 and 36.

Set an iron post for 1/16 sec. cor. No. 6, on the E. bdy.  
of sec. 25 ( $N\frac{1}{2}$ ), and E. bdy. of Gila River Indian  
Reservation, with cap stamped

1/16 S 25 G R I R No 6 on W.  
P L on E.  
1911 on S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.

Thence I run

S.  $89^{\circ} 56'$  W. on a true line through the middle of the  
N. half of sec. 25,

Over level land, through open brush.

3.00 Road, brs. N.  $40^{\circ}$  E. and S.  $40^{\circ}$  W.

12.50 Road, brs. N.  $40^{\circ}$  W. and S.  $40^{\circ}$  E.

16.38 Set an iron post for 1/16 sec. cor. No. 5, in the center  
of the  $NE\frac{1}{4}$  of sec. 25, with cap stamped

No 5 in N.  
1/16 S 25 in center  
1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

36.38 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE.  
and NW. quarters of sec. 25, with cap stamped

No 4 in N.  
1/16 S 25 in center  
1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

52.30 Road, brs. N. and S.; branches to N.  $10^{\circ}$  W. and N.  $20^{\circ}$  E.

56.38 Set an iron post for 1/16 sec. cor. No. 3, in the center  
of the  $NW\frac{1}{4}$  of sec. 25, with cap stamped

No 3 in N.  
1/16 S 25 in center  
1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

76.38 The 1/16 sec. cor. No. 6, bet. secs. 25 and 26 (N $\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
March 3, 1911. At the cor. of secs. 23, 24, 25 and 26,  
I set off 7° 00' S. on the decl. arc, and at apparent  
noon, observe the sun on the meridian; the resulting  
lat. is 33° 13', which is within one minute of the pro-  
per lat.

-----  
From the cor. of secs. 23, 24, 25 and 26, I run  
N. 0° 01' W. bet. secs. 23 and 24.  
Over level land, through open brush.

4.00 Road, brs. NE. and SW.

10.00 Road, brs. NW. and SE.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 23  
and 24, (S $\frac{1}{2}$ ), with cap stamped

1/16 S 23 in W. half  
S 24 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.

40.00 Set an iron post for  $\frac{1}{4}$ sec. cor. bet. secs. 23 and 24,  
with cap stamped

$\frac{1}{4}$  S 23 in W. half  
S 24 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 23  
and 24 (N $\frac{1}{2}$ ), with cap stamped

1/16 S 23 in W. half  
S 24 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.

68.00 Road, brs. N. 45° W. and S. 45° E.

80.00 Set an iron post for the cor. of secs. 13, 14, 23 and 24,  
with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

T 2 S S 13 in NE. quadrant  
 R 4 E S 24 in SE. "  
           S 23 in SW. "  
           S 14 in NW. "

1911 in S.  
 3 notches on S. and 1 notch on E. edge

Dig pits 18x18x12 ins. in each sec. 5½ ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
 Soil, sandy loam, 1st rate.  
 Open brush of mesquite, sage, chaparral and greasewood, full distance.

-----  
 East on a true line bet. secs. 13 and 24.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 13 and 24 (W½), with cap stamped

1/16 S 13 in N. half  
 S 24 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

40.00 Set an iron post for ¼ sec. cor. bet. secs. 13 and 24, with cap stamped

¼ S 13 in N. half  
 S 24 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

48.78 Road, brs. N. 15° E. and S. 15° W.

60.00 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 13 and 24 (E½), with cap stamped

1/16 S 13 in N. half  
 S 24 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

75.93 Intersect the Gila River Indian Reservation boundary 47.73 chs. N. 0° 18' W. of the old ¼ sec. cor. bet. secs. 19 and 24, which now refers to sec. 19 only.

Set an iron post for the cor. of secs. 13 and 24, with cap stamped

T 2 S S 24 in SW.  
 R 4 E S 13 in NW.  
 G R I R in W.  
 P L in E.  
 1911 in S.  
 3 notches on N. and S. edges

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 24x24x12 ins. in each sec. 6 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 23 and 24 (S $\frac{1}{2}$ ) I run

East on a random line through the middle of the S. half of sec. 24, setting temp. cors. at intervals of 20.00 chs.

76.18 Intersect the Gila River Indian Reservation boundary at the true point for 1/16 sec. cor. No. 12, on E. bdy. of sec. 24, (S $\frac{1}{2}$ ), which point is 20.00 chs. N. 0° 22' W., of the cor. of secs. 24 and 25.

Set an iron post for 1/16 sec. cor. No. 12, on E. bdy. of sec. 24, and E. bdy. of Gila River Indian Reservation, with cap stamped

1/16 S 24 G R I R No 12 on W.  
P L on E.  
1911 on S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

Thence I run

West on a true line through the middle of the S. half of sec. 24.

Over level land, through open brush.

0.68 Road, brs. N. 30° W. and S. 30° E.

16.18 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 24, with cap stamped

1/16 S 24 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

36.18 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 24, with cap stamped

1/16 S 24 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

39.66 Road, brs. N. and S.

45.18 Road, brs. N. and S.

56.18 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 24, with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 24 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

56.78 Road, brs. N. 30° E. and S. 30° W.

76.18 The 1/16 sec. cor. No. 12, bet. secs. 23 and 24 (8 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood,  
full distance.

-----

From the 1/4 sec. cor. bet. secs. 23 and 24, I run  
East on a random line through the middle of sec. 24,  
setting temp. cors. at intervals of 20.00 chs.

76.06 Intersect the Gila River Indian Reservation boundary at  
true point for 1/4 sec. cor. of sec. 24, which point is  
40.00 chs. Northerly of the cor. of secs. 24 and 25, and  
7.73 chs. N. 0° 18' W. of the old 1/4 sec. cor. bet. secs.  
19 and 24, which now refers to sec. 19 only.

Set an iron post for 1/4 sec. cor. on E. bdy. of sec. 24,  
and E. bdy. of Gila River Indian Reservation, with cap  
stamped

1/4 S 24 G R I R in W.  
P L in E.  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
W. of cor.

Thence I run  
West on a true line through the middle of sec. 24.  
Over level land, through open brush.

1.50 Road, brs. N. and S.

16.06 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 24, with cap stamped

1/16 S 24 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

36.06 Set an iron post for center 1/4 sec. cor. of sec. 24, with  
cap stamped

C 1/4 S 24 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth 4 ft. base,  
2 ft. high, N. of cor.

2007 0407

Subdivision of T. 2 S., R. 4 E.

Chains

44.00 Road, brs. N. 30° W. and S. 30° E.

56.06 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 24, with cap stamped

1/16 S 24 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

76.06 The 1/4 sec. cor. bet. secs. 23 and 24.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 23 and 24, (N 1/2) I run

East on a random line through the middle of the N. half of sec. 24, setting temp. cors. at intervals of 20.00 chs.

75.96 Intersect the Gila River Indian Reservation boundary at true point for 1/16 sec. cor. No. 6, on the E. bdy. of sec. 24, which point is 60.00 chs. Northerly of cor. of secs. 24 and 25.

Set an iron post for 1/16 sec. cor. No. 6, on E. bdy. of sec. 24, and E. bdy. of Gila River Indian Reservation, with cap stamped

1/16 S 24 G R I R No 6 in W.  
P L in E.  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Thence I run

West on a true line through the middle of the N. half of sec. 24.

Over level land, through open brush.

1.15 Road, brs. N. and S.

15.96 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE 1/4 of sec. 24, with cap stamped

1/16 S 24 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

35.96 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 24, with cap stamped

1/16 S 24 in center  
No 4 1911 in S.

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

36.21 Road, brs. N. 40° E. and S. 40° W.

55.96 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 24, with cap stamped

1/16 S 24 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

75.96 The 1/16 sec. cor. No. 6, bet. secs. 23 and 24, (N 1/4).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the cor. of secs. 13, 14, 23 and 24, I run  
N. 0° 01' W. bet. secs. 13 and 14.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 13 and 14, (S 1/4), with cap stamped

1/16 S 14 in W. half  
S 13 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 13 and 14, with cap stamped

1/4 S 14 in W. half  
S 13 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 13 and 14, (N 1/4), with cap stamped

1/16 S 14 in W. half  
S 13 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

66.00 Wagon road, brs. N. 30° E. and S. 30° W. 12, 13 and 14.  
80.00 Set an iron post for the cor. of secs. 12, 13 and 14, with cap stamped



Subdivision of T. 2 S., R. 4 E.

Chains

T 2 S S 12 in NE. quadrant  
 R 4 E S 13 in SE. "  
           S 14 in SW. "  
           S 11 in NW. "

1911 in S.  
 4 notches on S. and 1 notch on E. edge

Dig pits 18x18x12 ins. in each sec. 5½ ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
 Soil, sandy loam, 1st rate.  
 Open brush of sage, chaparral, mesquite and greasewood, full distance.

-----  
 East on a true line bet. secs. 12 and 13.

Over level land, through open brush.

1.00 Road, brs. N. and S.  
 9.46 Road, brs. NW. and S.E.

20.00 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 12 and 13, (W½), with cap stamped

1/16 S 12 in N. half  
 S 13 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

20.21 Road, brs. N. and S.

40.00 Set an iron post for ¼ sec. cor. bet. secs. 12 and 13, with cap stamped

¼ S 12 in N. half  
 S 13 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

59.00 Road, brs. W. and S.  
 60.00 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 12 and 13 (E½), with cap stamped

1/16 S 12 in N. half  
 S 13 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

65.46 Road, brs. N. 10° W. and S. 10° E.

75.46 Intersect the Gila River Indian Reservation boundary 7.35 chs. N. 0° 37' W. of the old cor. of secs. 7, 12, 18 and 18, which now refers to secs. 7 and 18 only.

Set an iron post for the cor. of secs. 12 and 13, with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

T 2 S S 13 in SW.  
R 4 E S 12 in NW.  
G R I R in W.  
P L in E.  
1911 in S.  
4 notches on S. and 2 notches on N. edge

Dig pits 24x24x12 ins. in each sec., 6 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, chaparral, mesquite and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 13 and 14, (S $\frac{1}{2}$ ) I run

East on a random line through the middle of the S. half of sec. 13, setting temp. cors. at intervals of 20.00 chs.

75.73 Falls 2 lks. N. of point for 1/16 sec. cor. No. 12, on E. bdy. of sec. 13, and E. bdy. of Gila River Indian Reservation, which point is 20.00 chs. N. 0° 18' W. of the cor. of secs. 13 and 24.

Set an iron post for 1/16 sec. cor. No. 12, on E. bdy. of sec. 13, (S $\frac{1}{2}$ ), with cap stamped

1/16 S 13 G R I R No 12 in W.  
P L in E.  
1911 in S.

Dig pits 18x16x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

Thence I run

N. 89° 59' W. on a true line through the middle of the S. half of sec. 13.

Over level land, through open brush.

5.73 Road, brs. N. and S.

15.73 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 13, with cap stamped

1/16 S 13 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

24.00 Road, brs. N. and S.

35.73 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 13, with cap stamped

1/16 S 13 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;

Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

55.73 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW 1/4 of sec. 13, with cap stamped

1/16 S 13 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

75.73 The 1/16 sec. cor. No. 12, bet. secs. 13 and 14 (S 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----

From the 1/4 sec. cor. bet. secs. 13 and 14, I run

East on a random line through the middle of sec. 13, setting temp. cors. at intervals of 20.00 chs.

75.69 Falls 2 lks. S. of point for 1/4 sec. cor. on E. bdy. of sec. 13, and E. bdy. of Gila River Indian Reservation, which point is 40.00 chs. Northerly of cor. of secs. 13 and 24, and 7.45 chs. N.0°15'W. of the old 1/4 sec. cor. bet. secs. 13 and 18, which now refers to sec. 18 only.

Set an iron post for 1/4 sec. cor. of sec. 13, with cap stamped

1/4 S 13 G R I R in W.  
P L in E.  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Thence I run

S. 89° 59' W. on a true line through the middle of sec.13.

Over level land, through open brush.

7.00 Road, (well travelled) brs. N. and S.

15.69 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 13, with cap stamped

1/16 S 13 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

22.00 Road, brs. N. 30° W. and S. 30° E.

28.00 Road, brs. N. 30° E. and S. 30° W.

35.69 Set an iron post for center 1/4 sec. cor. of sec. 13, with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

C 1/4 S 13 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

55.69 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 13, with cap stamped

1/16 S 13 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

75.69 The 1/4 sec. cor. bet. secs. 13 and 14.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 13 and 14 (N 1/2) I run

East on a random line through the middle of the N. half of sec. 13, setting temp. cors. at intervals of 20.00 chs.

75.64 Falls 10 lks. N. of true point for 1/16 sec. cor. No. 6, on E. bdy. of sec. 13 (N 1/2), and E. bdy. of Gila River Indian Reservation, which point is 60.00 chs. Northerly of cor. of secs. 13 and 24.

Set an iron post for 1/16 sec. cor. No. 6, on E. bdy. of sec. 13 (N 1/2), with cap stamped

1/16 S 13 G R I R No 6 in W.  
P L in E.  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

Thence I run

N. 89° 56' W. on a true line through the middle of the N. half of sec. 13.

Over level land, through open brush.

15.64 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE 1/4 of sec. 13, with cap stamped

No 5 1911. in S.  
1/16 S 13 in center

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

15.84 Road, brs. N. 20° E. and S. 20° W.

34.14 Road, brs. N. 30° W. and S. 30° E.

Subdivision of T. 2 S., R. 4 E.

Chains

35.64 Set an iron post for 1/16 sec. cor. No. 4, bet. the NW. and NE. quarters of sec. 13, with cap stamped

1/16 S 13 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

55.64 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 13, with cap stamped

1/16 S 13 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

75.64 The 1/16 sec. cor. No. 6, bet. secs. 13 and 14 (N 1/4).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, chaparral, mesquite and greasewood, full distance.

March 3, 1911.

March 4, 1911. At 8 a.m., l.m.t., I set off 33° 15' on the lat. arc, 6° 40' S. on the decl. arc, and determine a meridian with the solar, at the cor. of secs. 11, 12, 13 and 14,

Thence I run

N. 0° 1' W. bet. secs. 11 and 12.

Over level land, through open brush.

11.00 Road, brs. N. 40° E. and S. 40° W.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 11 and 12 (S 1/4), with cap stamped

1/16 S 11 in W. half  
S 12 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

34.00 Wagon road, brs. N. 30° E. and S. 30° W.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 11 and 12, with cap stamped

1/4 S 11 in W. half  
S 12 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 11

## Subdivision of T. 2 S., R. 4 E.

## Chains

and 12, ( $N\frac{1}{2}$ ), with cap stamped

1/16 S 11 in W. half  
S 12 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.

68.00 Road, brs. NW. and SE.

80.00 Set an iron post for the cor. of secs. 1, 2, 11 and 12,  
with cap stamped

T 2 S S 1 in NE. quadrant  
R 4 E S 12 in SE. "  
S 11 in SW. "  
S 2 in NW. "

1911 in S.

5 notches on S. and 1 notch on E. edge

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist.; and  
raise a mound of earth 4 ft. base, 2 ft. high, W. of  
cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush, of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
East on a true line bet. secs. 1 and 12.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 1  
and 12 ( $W\frac{1}{2}$ ), with cap stamped

1/16 S 1 in N. half  
S 12 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 1 and 12,  
with cap stamped

$\frac{1}{4}$  S 1 in N. half  
S 12 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 1  
and 12 ( $E\frac{1}{2}$ ), with cap stamped

1/16 S 1 in N. half  
S 12 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

74.34 Road, brs. N. and S.

Subdivision of T. 2 S., R. 4 E.

Chains

74.54 Intersect the Gila River Indian Reservation 7.50 chs. N. 0° 05' W. of the old cor. of secs. 1, 6, 7 and 12, which now refers to secs. 6 and 7 only.

Set an iron post for cor. of secs. 1 and 12, with cap stamped

T 2 S S 12 in SW.  
R 4 E S 1 in NW.  
G R I R in W.  
P L in E.  
1911 in S.  
5 notches on S. and 1 notch on N. edge

Dig pits 24x24x12 ins. in each sec., 6 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 11 and 12 (S $\frac{1}{2}$ ), I run

East on a random line through the middle of the S. half of sec. 12, setting temp. cors. at intervals of 20.00 chs.

75.17 Falls 6 lks. N. of true point for 1/16 sec. cor. No. 12, on E. bdy. of sec. 12 (S $\frac{1}{2}$ ) and E. bdy. of Gila River Indian Reservation, which point is 20 chs. N. 0° 37' W. of the cor. of secs. 12 and 13.

Set an iron post for 1/16 sec. cor. No. 12, on E. bdy. of sec. 12 (S $\frac{1}{2}$ ), with cap stamped

1/16 S 12 G R I R No 12 in W.  
P L in E.  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

Thence I run

N. 89° 57' W. on a true line through the middle of the S. half of sec. 12.

Over level land, through dense brush.

9.17 Road, brs. N. and S.

15.17 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 12, with cap stamped

1/16 S 12 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

25.17 Leave dense brush, enter open brush, brs. N. and S.

## Subdivision of T. 2 S., R. 4 E.

## Chains

- 35.17 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 12, with cap stamped
- 1/16 S 12 in center  
No 10 1911 in S.
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.
- 36.17 Road, brs. NE. and SW.
- 52.17 Road, brs. N. and S.
- 55.17 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW¼ of sec. 12, with cap stamped
- 1/16 S 12 in center  
No 9 1911 in S.
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.
- 68.17 Road, brs. NE. and SW.
- 75.17 The 1/16 sec. cor. No. 12, bet. secs. 11 and 12 (S½).
- Land, level.  
Soil, sandy loam, 1st rate.  
Open and dense brush of sage, mesquite, chaparral and greasewood, full distance.
- 
- From the ¼ sec. cor. bet. secs. 11 and 12, I run East on a random line through the middle of sec. 12, setting temp. cors. at intervals of 20.00 chs.
- 74.90 Falls 2 lks. N. of point for ¼ sec. cor. on E. bdy. of sec. 12, and E. bdy. of Gila River Indian Reservation, which point is 40.00 chs. N. 0° 37' W. of the cor. of secs. 12 and 13, on E. bdy. of Tp.
- Set an iron post for ¼ sec. cor., with cap stamped
- ¼ S 12 G R I R in W.  
P L in E.  
1911 in S.
- Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor.
- Thence I run
- N. 89° 59' W. on a true line through the middle of sec. 12.
- Over level land, through open brush.
- 3.00 Road, brs. N. and S.
- 12.00 Road, brs. NE. and SW.
- 14.90 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 12, with cap stamped



Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 12 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

34.90 Set an iron post for center 1/4 sec. cor. of sec. 12, with  
cap stamped

C 1/4 S 12 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth 4 ft. base,  
2 ft. high, N. of cor.

54.90 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW.  
and SW. quarters of sec. 12, with cap stamped

1/16 S 12 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

56.00 Road, brs. N. 30° W. and S. 30° E.

60.00 Road, brs. N. 30° W. and S. 30° E.

70.00 Road, brs. N. 30° E. and S. 30° W.

74.90 The 1/4 sec. cor. bet. secs. 11 and 12.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood.

-----  
From the 1/16 sec. cor. No. 6, bet. secs. 11 and 12, (N 1/2)  
I run .

East on a random line through the middle of the N. half of  
sec. 12, setting temp. cors. at intervals of 20.00 chs.

74.73 Falls 11 lks. N. of point for 1/16 sec. cor. No. 6, on  
E. bdy. of sec. 12 (N 1/2), and E. bdy. of Gila River  
Indian Reservation, which point is 60.00 chs. N. 0° 37' W.  
of the cor. of secs. 12 and 13.

Set an iron post for 1/16 sec. cor. No. 6, on E. bdy. of  
sec. 12 (N 1/2), with cap stamped

1/16 S 12 G R I R No 6 in W.  
P L in E.  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
W. of cor.

Thence I run

N. 89° 55' W. on a true line through the middle of the  
N. half of sec. 12.

Over level land, through open brush.

1.83 Road, brs. N. and S.

## Subdivision of T. 2 S., R. 4 E.

## Chains

- 14.73 Set an iron post for  $1/16$  sec. cor. No. 5, in the center of the  $NE\frac{1}{4}$  of sec. 12, with cap stamped

$1/16$  S 12 in center  
No 5 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

- 34.73 Set an iron post for  $1/16$  sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 12, with cap stamped

$1/16$  S 12 in center  
No 4 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

- 54.73 Set an iron post for  $1/16$  sec. cor. No. 3, in the center of the  $NW\frac{1}{4}$  of sec. 12, with cap stamped

$1/16$  S 12 in center  
No 3 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

- 67.73 Road, brs. N.  $10^\circ$  W. and S.  $10^\circ$  E.

- 74.73 The  $1/16$  sec. cor. No. 6, bet. secs. 11 and 12 ( $N\frac{1}{4}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the cor. of secs. 1, 2, 11 and 12, I run

N.  $0^\circ 01'$  W. bet. secs. 1 and 2.

Over level land, through open brush.

- 20.00 Set an iron post for  $1/16$  sec. cor. No. 12, bet. secs. 1 and 2 ( $S\frac{1}{4}$ ), with cap stamped

$1/16$  S 2 in W. half  
S 1 in E. half  
No 12 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

- 40.00 Set an iron post for the  $\frac{1}{4}$  sec. cor. bet. secs. 1 and 2, with cap stamped

$\frac{1}{4}$  S 2 in W. half  
S 1 in E. half  
1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

60.00 Set an iron post for the 1/16 sec. cor. No. 6, bet. secs. 1 and 2 (N $\frac{1}{2}$ ), with cap stamped

1/16 S 2 in W. half  
S 1 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

75.90 Intersect the N. bdy. of the Tp., which is also the N. bdy. of Gila River Indian Reservation, 74.30 chs. S. 88° 40' W. of the old cor. of Tps. 1 and 2 S., Rgs. 4 and 5 E., which now refers to T. 1 S. only.

Set an iron post for the cor. of secs. 1 and 2, with cap stamped

P L in N.  
T 2 S S 2 in SW.  
R 4 E S 1 in SE.  
G R I R 1911 in S.  
1 notch on E. and 5 notches on W. edges

Dig pits 24x24x12 ins. in each sec. 6 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, S. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 1 and 2 (S $\frac{1}{2}$ ), I run

East on a random line through the middle of the S. half of sec. 1, setting temp. cors. at intervals of 20.00 chs.

74.40 Falls 11 lks. N. of point for 1/16 sec. cor. No. 12, on E. bdy. of sec. 1, and E. bdy. of Gila River Indian Reservation, which point is 20.00 chs. N. 0° 05' W., of the cor. of secs. 1 and 12.

Set an iron post for 1/16 sec. cor. No. 12, on E. bdy. of sec. 1 (S $\frac{1}{2}$ ) with cap stamped

1/16 S 1 G R I R No 12 in W.  
P L in E.  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

Thence I run

N. 89° 55' W. on a true line through the middle of the S. half of sec. 1.

Over level land, through open brush.

0.10 Road, brs. N. and S.

14.40 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 1, with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 1 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

34.40 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE.  
and SW. quarters of sec. 1, with cap stamped

1/16 S 1 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

54.40 Set an iron post for 1/16 sec. cor. No. 9, in the center  
of the SW 1/4 of sec. 1, with cap stamped

1/16 S 1 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

74.40 The 1/16 sec. cor. No. 12, bet. secs. 1 and 2 (S 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the 1/4 sec. cor. bet. secs. 1 and 2, I run  
East on a random line through the middle of sec. 1, setting  
temp. cors. at intervals of 20.00 chs.

74.32 Falls 9 lks. N. of point for 1/4 sec. cor. on E. bdy. of  
sec. 1, and E. bdy. of Gila River Indian Reservation,  
which point is 40.00 chs. N. 0° 5' W. of the cor. of secs.  
1 and 12.

Set an iron post for 1/4 sec. cor. on E. bdy. of sec. 12,  
with cap stamped

1/4 S 1 G R I R in W.  
P L in E.  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
W. of cor.

Thence I run  
N. 89° 56' W. on a true line through the middle of sec. 1.  
Over level land, through open brush.

1.00 Road, brs. N. and S.

14.32 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 1, with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 1 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

34.32 Set an iron post for center 1/4 sec. cor. of sec. 1, with  
cap stamped

C 1/4 S 1 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth 4 ft. base,  
2 ft. high, N. of cor.

54.32 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW.  
and SW. quarters of sec. 1, with cap stamped

1/16 S 1 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

74.32 The 1/4 sec. cor. bet. secs. 1 and 2.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 1 and 2 (N 1/2),  
I run

East on a random line through the middle of the N. half  
of sec. 1, setting temp. cor. at intervals of 20.00 chs.

74.33 Falls 4 lks. N. of the point for 1/16 sec. cor. No. 6, on  
E. bdy. of sec. 1 (N 1/2), and E. bdy. of Gila River Indian  
Reservation, which point is 60.00 chs. N. 0° 5' W. of  
the cor. of secs. 1 and 12.

Set an iron post for 1/16 sec. cor. No. 6, on E. bdy. of  
sec. 1 (N 1/2), with cap stamped

1/16 S 1 G R I R No 6 in W.  
P L in E.  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
W. of cor.

Thence I run

N. 89° 58' W. on a true line through the middle of the  
N. half of sec. 1.

Over level land, through open brush.

0.33 Road, brs. N. and S.

17.33 Road, brs. N. 10° W. and S. 10° E.

14.33 Set an iron post for 1/16 sec. cor. No. 5, in the center

## Subdivision of T. 2 S., R. 4 E.

## Chains

of the NE $\frac{1}{4}$  of sec. 1, with cap stamped

1/16 S 1 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

- 34.33 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE.  
and NW. quarters of sec. 1, with cap stamped

1/16 S 1 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and  
raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

- 54.33 Set an iron post for 1/16 sec. cor. No. 3, in the center  
of the NW $\frac{1}{4}$  of sec. 1, with cap stamped

1/16 S 1 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

- 74.33 The 1/16 sec. cor. No. 6, bet. secs. 1 and 2 (N $\frac{1}{2}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, chaparral, and greasewood, full  
distance.

March 4, 1911.

-----  
March 4, 1911. At 8 a.m., l.m.t., I set off 33° 12' on  
the lat. arc, 6° 40' S. on the decl. arc, and deter-  
mine a meridian with the solar, at the cor. of secs. 2,  
3, 34 and 35, on S. bdy. of Tp., previously described.

Thence I run

N. 0° 1' W. bet. secs. 34 and 35.

Over level land, through scattered mesquite and sage brush.

- 20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 34  
and 35 (S $\frac{1}{2}$ ), with cap stamped

1/16 S 34 in W. half  
S 35 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.

- 40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 34 and 35,  
with cap stamped

$\frac{1}{4}$  S 34 in W. half  
S 35 in E. half  
1911 in S.

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 34 and 35 (N 1/2), with cap stamped

1/16 S 34 in W. half  
S 35 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

80.00 Set an iron post for the cor. of secs. 26, 27, 34 and 35, with cap stamped

T 2 S S 26 in NE. quadrant  
R 4 E S 35 in SE. "  
S 34 in SW. "  
E 27 in NW. "

1911 in S.  
1 notch on S. and 2 notches on E. edges

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Timber, mesquits.  
Brush, sage.

-----  
East on a random line bet. secs. 26 and 35, setting temp. cors. at intervals of 20.00 chs.

79.96 Intersect the cor. of secs. 25, 26, 35 and 36.

Thence I run

West on a true line bet. secs. 26 and 35.

Over level land, through open mesquite and chaparral brush.

3.50 Road, brs. NW. and SE.

19.99 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 26 and 35 (S 1/2), with cap stamped

1/16 S 26 in N. half  
S 35 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

23.50 Road, brs. N. 30° W. and S. 30° E.

26.00 Road, brs. N. 30° E. and S. 30° W.

39.98 Set an iron post for 1/4 sec. cor. bet. secs. 26 and 35, with cap stamped

1/4 S 26 in N. half  
S 35 1911 in S. half

4401 2407

Subdivision of T. 2 S., R. 4 E.

Chains	
	Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.
52.00	Road, brs. N. and S.
59.97	Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 26 and 35 (W¼), with cap stamped  1/16 S 26 in N. half S 35 No 2 1911 in S. half  Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.
62.00	Road, brs. N. 30° W. and S. 30° E.
76.50	Road, brs. N. 30° W. and S. 30° E.
79.96	The cor. of secs. 26, 27, 34 and 35.  Land, level. Soil, sandy loam, 1st rate. Scattered brush of mesquite and sage, 79.96 chs.
-----	
	From the 1/16 sec. cor. No. 12, bet. secs. 34 and 35 (S¼), I run  East on a random line through the middle of the S. half of sec. 35, setting temp. cors. at intervals of 20.00 chs.
80.08	Intersect the 1/16 sec. cor. No. 12, bet. secs. 35 and 36 (S¼).  Thence I run  West on a true line through the middle of the S. half of sec. 35.  Over level land, through scattered mesquite and sage brush.
20.02	Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE¼ of sec. 35, with cap stamped  1/16 S 35 in center No 11 1911 in S.  Dig pits 18x16x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.
26.00	Road, brs. N. and S.
40.04	Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 35, with cap stamped  1/16 S 35 in center No 10 1911 in S.  Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.
42.50	Road, brs. N. 35° E. and S. 35° W.
52.00	Road, brs. N. 20° E. and S. 20° W.



## Subdivision of T. 2 S., R. 4 E.

Chains	
54.00	Road, brs. N. and S.
60.06	Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$ of sec. 35, with cap stamped  1/16 S 35 in center No 9 1911 in S.  Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
80.08	The 1/16 sec. cor. No. 12, bet. secs. 34 and 35 (S $\frac{1}{2}$ ).  Land, level. Soil, 1st rate, sandy loam. Scattered brush of mesquite and sage, full distance.  -----  From the $\frac{1}{4}$ sec. cor. bet. secs. 34 and 35, I run  East on a random line through the middle of sec. 35, setting temp. cors. at intervals of 20.00 chs.
79.96	Falls 2 lks. S. of the $\frac{1}{4}$ sec. cor. bet. secs. 35 and 36.  Thence I run  S. 89° 59' W. on a true line through the middle of sec. 35.  Over level land, through scattered mesquite and sage brush.
19.99	Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 35, with cap stamped  1/16 S 35 in center No 7 1911 in S.  Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
23.00	Road, brs. N. and S.
37.00	Road, brs. N. and S.
39.98	Set an iron post for center $\frac{1}{4}$ sec. cor. of sec. 35, with cap stamped  C $\frac{1}{4}$ S 35 in center 1911 in S.  Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.
50.00	Road, brs. N. 60° W. and S. 60° E.
54.00	Road, brs. N. and S.
59.00	Road, brs. N. 20° W. and S. 20° E.
59.97	Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 35, with cap stamped  1/16 S 35 in center No 8 1911 in S.

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

79.96 The 1/4 sec. cor. bet. secs. 34 and 35.

Land, level.  
Soil, sandy loam, 1st rate.  
Scattered brush of mesquite, and sage, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 34 and 35, (N 1/2), I run

East on a random line through the middle of the N. half of sec. 35, setting temp. cors. at intervals of 20.00 chs.

79.96 Falls 4 lks. N. of the 1/16 sec. cor. No. 6, bet. secs. 35 and 36, (N 1/2).

Thence I run

N. 89° 58' W. on a true line through the middle of the N. half of sec. 35.

Over level land, through scattered sage and mesquite brush.

19.99 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE 1/4 of sec. 35, with cap stamped

1/16 S 35 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

22.00 Road, brs. N. and S.

31.00 Road, brs. N. 60° W. and S. 60° E.

32.00 Road, brs. N. 30° E. and S. 30° W.

39.98 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 35, with cap stamped

1/16 S 35 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

57.00 Road, brs. N. and S.

59.97 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 35, with cap stamped

1/16 S 35 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

68.00 Road, brs. NE. and SW.

Subdivision of T. 2 S., R. 4 E.

Chains

79.96 The 1/16 sec. cor. No. 6, bet. secs. 34 and 35 (N $\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Scattered brush of mesquite and sage, full distance.

Cloudy at Noon today; no observation for lat. March 4, 1911.

-----  
From the cor. of secs. 26, 27, 34 and 35, I run

N. 0° 1' W. bet. secs. 26 and 27.

Over level land, through scattered mesquite and sage.

8.25 Road, brs. NW. and SE.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 26 and 27 (S $\frac{1}{2}$ ), with cap stamped

1/16 S 27 in W. half  
S 26 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 26 and 27, with cap stamped

$\frac{1}{4}$  S 27 in W. half  
S 26 in E. half  
1911 in S., from which

A mesquite 8 ins. dia. brs. S. 10 $\frac{1}{4}$ ° E., 39 lks. dist.  
Mkd.  $\frac{1}{4}$  S 26 B T.

No other B.T. available.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 26 and 27, with cap stamped

1/16 S 27 in W. half  
S 26 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

74.25 Road, brs. NW. and SE.

80.00 Set an iron post for the cor. of secs. 22, 23, 26 and 27, with cap stamped

T 2 S S 23 in NE. quadrant  
R 4 E S 26 in SE. "  
S 27 in SW. "  
S 22 in NW. "

1911 in S.  
2 notches on S. and 2 notches on E. edge

## Subdivision of T. 2 S., R. 4 E.

## Chains

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Scattered brush, mesquite, and sage, full distance.

-----

East on a random line bet. secs. 23 and 26, setting temp. coss. at intervals of 20.00 chs.

79.84 Falls 2 lks. S. of the cor. of secs. 23, 24, 25 and 26.

Thence I run

S.  $89^{\circ} 59'$  W. on a true line bet. secs. 23 and 26.

Over level land, through scattered mesquite and sage brush.

18.00 Road, brs. N.  $30^{\circ}$  W. and S.  $30^{\circ}$  E.

19.96 Set an iron post for  $1/16$  sec. cor. No. 1, bet. secs. 23 and 26 ( $E\frac{1}{2}$ ), with cap stamped

$1/16$  S 23 in N. half  
S 26 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

28.00 Road, brs. N.  $30^{\circ}$  E. and S.  $30^{\circ}$  W.

39.92 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 23 and 26, with cap stamped

$\frac{1}{4}$  S 23 in N. half  
S 26 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

59.88 Set an iron post for  $1/16$  sec. cor. No. 2, bet. secs. 23 and 26 ( $W\frac{1}{2}$ ), with cap stamped

$1/16$  S 23 in N. half  
S 26 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

79.84 The cor. of secs. 22, 23, 26 and 27.

Land, level.

Soil, sandy loam, 1st rate.

Brush of mesquite, sage and scattered growth of cactus, full distance.

-----

From the  $1/16$  sec. cor. No. 12, bet. secs. 26 and 27 ( $S\frac{1}{2}$ ) I run

East on a random line through the middle of the S. half of sec. 26, setting temp. cors. at intervals of 20.00

Subdivision of T. 2 S., R. 4 E.

Chains

chs.

79.92 Falls 5 lks. S. of 1/16 sec. cor. No. 12, bet. secs. 25 and 26 (S $\frac{1}{4}$ ).

Thence I run

S. 89° 58' W. on a true line through the middle of the S. half of sec. 26.

Over level land, through scattered sage and mesquite brush.

18.00 Road, brs. N. 30° E. and S. 30° W.

19.00 Road, brs. N. 30° W. and S. 30° E.

19.98 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 26, with cap stamped

1/16 S 26 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

22.00 Road, brs. N. and S.

39.96 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 26, with cap stamped

1/16 S 26 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

50.00 Road, brs. N. and S.

59.94 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 26, with cap stamped

1/16 S 26 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

79.92 The 1/16 sec. cor. No. 12, bet. secs. 26 and 27 (S $\frac{1}{4}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Scattered brush of mesquite, sage and cactus.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 26 and 27, I run

East on a random line through the middle of sec. 26, setting temp. cors. at intervals of 20.00 chs.

79.96 Intersect the  $\frac{1}{4}$  sec. cor. bet. secs. 25 and 26.

Thence I run

West on a true line through the middle of sec. 26.

Subdivision of T. 2 S., R. 4 E.

Chains	
	Over level land, through scattered mesquite and sage brush.
10.00	Road, brs. N. 30° E. and S. 30° W.
19.99	Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 26, with cap stamped  1/16 S 26 in center No 7 1911 in S.  Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.
20.25	Road, brs. N. and S.
34.00	Road, brs. NW. and SE.
39.98	Set an iron post for center 1/4 sec. cor. of sec. 26, with cap stamped  C 1/4 S 26 in center 1911 in S.  Dig pits 18x18x12 ins. E., W., and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.
47.50	Road, brs. N. 20° E. and S. 20° W.
59.97	Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 26, with cap stamped  1/16 S 26 in center No 8 1911 in S.  Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.
70.00	Road, brs. N. 60° W. and S. 60° E.
79.96	The 1/4 sec. cor. bet. secs. 26 and 27.  Land, level. Soil, sandy loam, 1st rate. Brush, mesquite, sage and cactus, full distance.  -----  From the 1/16 sec. cor. No. 6, bet. secs. 26 and 27, (N 1/4), I run  East on a random line through the middle of the N. half of sec. 26, setting temp. cors. at intervals of 20.00 chs.
79.96	Falls 23 lks. S. of the 1/16 sec. cor. No. 6, bet. secs. 25 and 26 (N 1/4).  Thence I run  S. 89° 50' W. on a true line through the middle of the N. half of sec. 20.  Over level land, through mesquite and sage brush.
1.75	Road, brs. NE. and SW.
17.50	Road, brs. NE. and SW.

Subdivision of T. 2 S., R. 4 E.

Chains	
19.99	Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE $\frac{1}{4}$ of sec. 26, with cap stamped
	<p style="text-align: center;">1/16 S 26 in center No 5 1911 in S.</p>
	Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
39.98	Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 26, with cap stamped
	<p style="text-align: center;">1/16 S 26 in center No 4 1911 in S.</p>
	Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
43.00	Road, brs. N. 10° E. and S. 10° W.
59.97	Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW $\frac{1}{4}$ of sec. 26, with cap stamped
	<p style="text-align: center;">1/16 S 26 in center No 3 1911 in S.</p>
	Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
79.96	The 1/16 sec. cor. No. 6, bet. secs. 26 and 27 (N $\frac{1}{2}$ ).
	<p>Land, level. Soil, sandy loam, 1st rate. Brush of mesquite, sage and cactus, full distance.</p>
-----	
	From the cor. of secs. 22, 23, 26 and 27, I run
	N. 0° 1' W. bet. secs. 22 and 23.
	Over level land, through scattered brush.
2.25	Road, brs. NE. and SW.
20.00	Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 22 and 23 (S $\frac{1}{2}$ ), with cap stamped
	<p style="text-align: center;">1/16 S 22 in W. half S 23 in E. half No 12 1911 in S.</p>
	Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
40.00	Set an iron post for the $\frac{1}{4}$ sec. cor. bet. secs. 22 and 23, with cap stamped
	<p style="text-align: center;"><math>\frac{1}{4}</math> S 22 in W. half S 23 in E. half 1911 in S.</p>
	Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 22 and 23 (N $\frac{1}{2}$ ), with cap stamped

1/16 S 22 in W. half  
S 23 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post for the cor. of secs. 14, 15, 22 and 23, with cap stamped

T 2 S S 14 in NE. quadrant  
R 4 E S 23 in SE. "  
S 22 in SW. "  
S 15 in NW. "  
1911 in S.

3 notches on S. and 2 notches on E. edge

Dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$  ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Scattered brush of mesquite, sage, and cactus, full distance.

N. 89° 59' E. on a random line bet. secs. 14 and 23, setting temp. cors. at intervals of 20.00 chs.

79.88 Falls 5 lks. N. of the cor. of secs. 13, 14, 23 and 24.

Thence I run

N. 89° 59' W. on a true line bet. secs. 14 and 23.

Over level land, through scattered mesquite and sage brush.

19.97 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 14 and 23 (E $\frac{1}{2}$ ), with cap stamped

1/16 S 14 in N. half  
S 23 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

21.25 Road, brs. N. 15° E. and S. 15° W.

26.25 Road, brs. N. 20° W. and S. 20° E.

30.00 Road, brs. N. 10° W. and S. 10° E.

39.94 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 14 and 23, with cap stamped

$\frac{1}{4}$  S 14 in N. half  
S 23 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.



Subdivision of T. 2 S., R. 4 E.

Chains

59.91 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 14 and 23 (W $\frac{1}{2}$ ), with cap stamped

1/16 S 14 in N. half  
S 23 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

72.00 Road, brs. N. and S.

79.88 The cor. of secs. 14, 15, 22 and 23.

Land, level.  
Soil, sandy loam, 1st rate.  
Brush, mesquite sage and cactus.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 22 and 23 (S $\frac{1}{2}$ ) I run

N. 89° 59' E. on a random line through the middle of the S. half of sec. 23, setting temp. cors. at intervals of 20.00 chs.

79.92 Falls 2 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 23 and 24 (S $\frac{1}{2}$ ).

Thence I run

S. 89° 58' W. on a true line through the middle of the S. half of sec. 26.

Over level land, through dense and scattered brush.

19.98 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 23, with cap stamped

1/16 S 23 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

21.00 Road, brs. N. and S. Thence thick mesquite, brs. N. and S.

24.00 Road, brs. NW. and SE.

32.00 Road, brs. N. 30° W. and S. 30° E.

39.96 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 23, with cap stamped

1/16 S 23 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

A mesquite 8 ins. dia. brs. S. 18° 15' ? 49 lks. dist.  
Mkd. 1/16 E 23 B T.

(E. or W. not given).

41.50 Road, brs. N. and S.

59.94 Set an iron post for 1/16 sec. cor. No. 9, in the center

## Subdivision of T. 2 S., R. 4 E.

## Chains

of the SW $\frac{1}{4}$  of sec. 23, with cap stamped

1/16 S 23 in center  
No 9 1911 in S., from which

A mesquite 10 ins. dia. brs. S. 18° 30' W., 16 lks. dist.  
Mkd. 1/16 S 23 B T.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

68.00 Leave thick mesquite, brs. N. and S.

78.00 Road, brs. S. 30° W. and N. 30° E.

79.92 The 1/16 sec. cor. No. 12, bet. secs. 22 and 23 (S $\frac{1}{2}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Brush, mesquite, sage and cactus, full distance.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 22 and 23, I run

N. 89° 59' E. on a random line through the middle of  
sec. 23, setting temp. cors. at intervals of 20.00 chs.

79.84 Falls 14 lks. N. of the  $\frac{1}{4}$  sec. cor. bet. secs. 23 and 24.

Thence I run

N. 89° 55' W. on a true line through the middle of sec.  
23.

Over level land, through mesquite and sage.

10.00 Road, brs. N. 30° W. and S. 30° E.

19.96 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 23, with cap stamped

1/16 S 23 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

26.00 Road, brs. N. 30° W. and S. 30° E.

39.92 Set an iron post for center  $\frac{1}{4}$  sec. cor. of sec. 23, with  
cap stamped

C  $\frac{1}{4}$  S 23 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth 4 ft. base,  
2 ft. high, N. of cor.

59.88 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW.  
and SW. quarters of sec. 23, with cap stamped

1/16 S 23 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;

Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

76.00 Road, brs. N. and S.

79.84 The ¼ sec. cor. bet. secs. 22 and 23.

Land, level.  
Soil, sandy loam, 1st rate.  
Brush, mesquite, sage and cactus.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 22 and 23, (N½), I run

N. 89° 59' E. on a random line through the middle of the N. half of sec. 23, setting temp. cors. at intervals of 20.00 chs.

79.92 Falls 2 lks. N. of the 1/16 sec. cor. No. 6, bet. secs. 23 and 24 (N½).

Thence I run

West on a true line through the middle of the N. half of sec. 23.

Over level land, through open and dense brush of sage and mesquite.

19.98 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE¼ of sec. 23, with cap stamped

1/16 S 23 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

21.00 Road, brs. N. 10° W. and S. 10° E.

32.00 Road, brs. N. 10° W. and S. 10° E.

39.96 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 23, with cap stamped

1/16 S 23 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

59.94 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW¼ of sec. 23, with cap stamped

1/16 S 23 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

72.00 Road, brs. N. and S.

79.92 The 1/16 sec. cor. No. 6, bet. secs. 22 and 23 (N½).

Land, level.

Subdivision of T. 2 S., R. 4 E.

Chains

Soil, sandy loam, 1st rate.  
Brush, mesquite, sage and cactus.

March 4, 1911.

-----  
March 5, 1911. At 8 a.m., l.m.t., I set off 33° 14½' on the lat. arc, 6° 17' E. on the decl. arc, and determine a meridian with the solat, at the cor. of secs. 14, 15, 22 and 23.

Thence I run

N. 0° 1' W. bet. secs. 14 and 15.

Over level land, through mesquite and sage brush.

17.00 Road, brs. N. 30° W. and S. 30° E.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 14 and 15, (S½), with cap stamped

1/16 S 15 in W. half  
S 14 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor.

40.00 Set an iron post for ¼ sec. cor. bet. secs. 14 and 15, with cap stamped

¼ S 15 in W. half  
S 14 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 14 and 15 (N½), with cap stamped

1/16 S 15 in W. half  
S 14 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor.

80.00 Set an iron post for the cor. of secs. 10, 11, 14 and 15, with cap stamped

T 2 S S 11 in NE. quadrant  
R 4 E S 14 in SE. "  
S 15 in SW. "  
S 10 in NW. "  
1911 in S.  
4 notches on S. and 2 notches on E. edge

Dig pits 18x18x12 ins. in each sec. 5½ ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Brush, mesquite, sage and cactus.

-----

## Subdivision of T. 2 S., R. 4 E.

## Chains

- S. 89° 59' E. on a random line bet. secs. 11 and 14,  
setting temp. cors. at intervals of 20.00 chs.
- 79.92 Falls 14 lks. N. of the cor. of secs. 11, 12, 13 and 14.  
Thence I run  
N. 89° 53' W. on a true line bet. secs. 11 and 14.  
Over level land, through scattered brush.
- 6.50 Road, brs. NE. and SW.
- 14.25 Road, brs. N. 10° E. and S. 10° W.
- 19.98 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 11  
and 14 (E $\frac{1}{2}$ ), with cap stamped  
1/16 S 11 in N. half  
S 14 No 1 1911 in S. half  
Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.
- 39.96 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 11 and 14,  
with cap stamped  
 $\frac{1}{4}$  S 11 in N. half  
S 14 1911 in S. half  
Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.
- 50.50 Road, brs. NW. and SE.
- 59.94 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 11  
and 14 (W $\frac{1}{2}$ ), with cap stamped  
1/16 S 11 in N. half  
S 14 No 2 1911 in S. half  
Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.
- 79.92 The cor. of secs. 10, 11, 14 and 15.  
Land, level.  
Soil, 1st rate, sandy loam.  
Brush of mesquite, sage and cactus.
- 
- From the 1/16 sec. cor. No. 12, bet. secs. 14 and 15 (S $\frac{1}{2}$ ),  
I run  
S. 89° 59' E. on a random line through the middle of the  
S. half of sec. 14, setting temp. cors. at intervals of  
20.00 chs.
- 79.88 Falls 7 lks. N. of the 1/16 sec. cor. No. 12, bet. secs.  
13 and 14 (S $\frac{1}{2}$ ).  
Thence I run  
N. 89° 56' W. on a true line through the middle of the  
S. half of sec. 14.

Subdivision of T. 2 S., R. 4 E.

Chains

10.00 Over level land, through scattered brush.  
Road, brs. N. 30° E. and S. 30° W.

19.97 Set an iron post for 1/16 sec. cor. No. 11, in the center  
of the SE $\frac{1}{4}$  of sec. 14, with cap stamped

1/16 S 14 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

24.00 Road, brs. N. 30° W. and S. 30° E.

39.94 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE.  
and SW. quarters of sec. 14, with cap stamped

1/16 S 14 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

44.00 Road, brs. North and South.

59.91 Set an iron post for 1/16 sec. cor. No. 9, in the center  
of the SW $\frac{1}{4}$  of sec. 14, with cap stamped

1/16 S 14 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

79.88 The 1/16 sec. cor. No. 12, bet. secs. 14 and 15 (S $\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Brush, mesquite, sage and cactus.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 14 and 15, I run  
S. 89° 59' E. on a random line through the middle of sec.  
14, setting temp. cors. at intervals of 20.00 chs.

79.80 Falls 5 lks. N. of the  $\frac{1}{4}$  sec. cor. bet. secs. 13 and 14.

Thence I run  
N. 89° 57' W. on a true line through the middle of sec.  
14.

Over level land, through open and scattered brush.

17.00 Road, brs. N. and S.

19.95 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 14, with cap stamped

1/16 S 14 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

38.50 Road, brs. NW. and SE.

39.90 Set an iron post for center  $\frac{1}{4}$  sec. cor. of sec. 14, with cap stamped

C  $\frac{1}{4}$  S 14 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

44.50 Road, brs. N. and S.

59.85 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 14, with cap stamped

1/16 S 14 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

79.80 The  $\frac{1}{4}$  sec. cor. bet. secs. 14 and 15.

Land, level.  
Soil, 1st rate, sandy loam.  
Brush, mesquite, sage and cactus.

-----

From the 1/16 sec. cor. <sup>No. 6</sup> bet. secs. 14 and 15 (N $\frac{1}{2}$ ), I run S. 89° 59' E. on a random line through the middle of the N. half of sec. 14, setting temp. cors. at intervals of 20.00 chs.

79.92 Falls 18 lks. N. of the 1/16 sec. cor. No. 6, bet. secs. 13 and 14 (N $\frac{1}{2}$ ).

Thence I run N. 89° 51' W. on a true line through the middle of the N. half of sec. 14.

Over level land, through dense and scattered brush.

14.00 Road, brs. N. 10° E. and S. 10° W.

19.98 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE $\frac{1}{4}$  of sec. 14, with cap stamped

1/16 S 14 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

39.96 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 14, with cap stamped

1/16 S 14 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;

Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

47.50 Road, brs. N. and S.

59.94 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 14, with cap stamped

1/16 S 14 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

79.92 The 1/16 sec. cor. <sup>No. 6</sup> bet. secs. 14 and 15 (N 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Brush, mesquite, sage and cactus.

From the cor. of secs. 10, 11, 14 and 15, I run N. 0° 1' W. bet. secs. 10 and 11.

Over level land, through scattered brush.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 10 and 11 (S 1/2), with cap stamped

1/16 S 10 in W. half  
S 11 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 10 and 11, with cap stamped

1/4 S 10 in W. half  
S 11 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 10 and 11, (N 1/2), with cap stamped

1/16 S 10 in W. half  
S 11 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

80.00 Set an iron post for the cor. of secs. 2, 3, 10 and 11, with cap stamped

T 2 S S 2 in NE. quadrant  
R 4 E S 11 in SE. "  
S 10 in SW. "  
S 3 in NW. "  
1911 in S.

5 notches on S. and 2 notches on E. edge



Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Brush, mesquite, sage and cactus.

S. 89° 53' E. on a random line bet. secs. 2 and 11, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 3 lks. N. of the cor. of secs. 1, 2, 11 and 12.

Thence I run

N. 89° 52' W. on a true line bet. secs. 2 and 11.

Over level land, through sage and mesquite brush.

10.00 Road, brs. N. and S.

20.00 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 2 and 11 (E 1/4), with cap stamped

1/16 S 2 in N. half  
S 11 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 2 and 11, with cap stamped

1/4 S 2 in N. half  
S 11 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 2 and 11 (W 1/4), with cap stamped

1/16 S 2 in N. half  
S 11 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

63.50 Road, brs. N. 30° E. and S. 30° W.

80.00 The cor. of secs. 2, 3, 10 and 11.

Land, level.  
Soil, sandy loam, 1st rate.  
Brush, mesquite, sage and cactus.

From the 1/16 sec. cor. No. 12, bet. secs. 10 and 11, (S 1/4) I run

S. 89° 53' E. on a random line through the middle of the S. half of sec. 11, setting temp. cors. at intervals of 20.00 chs.

Subdivision of T. 2 S., R. 4 E.

Chains

79.96 Falls 3 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 11 and 12 (S $\frac{1}{2}$ ).

Thence I run

N. 89° 54' W. on a true line through the middle of the S. half of sec. 11.

Over level land, through sage and mesquite brush.

14.00 Road, brs. NE. and SW.

19.99 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 11, with cap stamped

1/16 S 11 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

39.98 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 11, with cap stamped

1/16 S 11 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

50.00 Enter mesquite thicket, brs. N. and S.

57.00 Leave mesquite thicket, brs. N. 30° W. and S. 30° E. Road, brs. N. 30° W. and S. 30° E.


59.97 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 11, with cap stamped

1/16 S 11 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

79.96 The 1/16 sec. cor. No. 12, bet. secs. 10 and 11 (S $\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Brush, mesquite, sage and cactus.



From the  $\frac{1}{4}$  sec. cor. bet. secs. 10 and 11, I run

S. 89° 53' E. through the middle of sec. 11, setting temp. cors. at intervals of 20.00 chs.

79.88 Falls 5 lks. S. of the  $\frac{1}{4}$  sec. cor. bet. secs. 11 and 12.

Thence I run

N. 89° 55' W. on a true line through the middle of sec. 11.

Over level land, through scattered brush.

## Subdivision of T. 2 S., R. 4 E.

## Chains

14.00 Road, brs. N. and S.

19.97 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 11, with cap stamped

1/16 S 11 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

39.94 Set an iron post for center ¼ sec. cor. of sec. 11, with cap stamped

C ¼ S 11 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

59.00 Road, brs. N. 30° W. and S. 30° E.

59.91 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 11, with cap stamped

1/16 S 11 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

64.00 Road, brs. N. 30° W. and S. 30° E.

79.88 The ¼ sec. cor. bet. secs. 10 and 11.

Land, level.  
Soil, sandy loam, 1st rate.  
Brush of mesquite, sage and cactus.

-----  
From the 1/16 sec. cor. No. 6, bet. secs. 10 and 11 (N½), I run

S. 89° 53' E. on a random line through the middle of the N. half of sec. 11, setting temp. cors. at intervals of 20.00 chs.

79.92 Falls 4 lks. N. of the 1/16 sec. cor. No. 6, bet. secs. 11 and 12 (N½).

Thence I run

N. 89° 51' W. on a true line through the middle of the N. half of sec. 11.

Over level land, through scattered sage and mesquite.

12.00 Road, brs. NE. and SW.

19.98 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE¼ of sec. 11, with cap stamped

1/16 S 11 in center  
No 5 1911 in S.

1000 800

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

39.96 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 11, with cap stamped

1/16 S 11 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

59.94 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 11, with cap stamped

1/16 S 11 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

66.00 Road, brs. N. and S.

79.92 The 1/16 sec. cor. No. 6, bet. secs. 10 and 11 (N 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Brush of mesquite, sage and cactus.

-----

From the cor. of secs. 2, 3, 10 and 11, I run N. 0° 1' W. on a true line bet. secs. 2 and 3.

Over level land, through dense and scattered brush.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 2 and 3, (S 1/2), with cap stamped

1/16 S 3 in W. half  
S 2 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 2 and 3, with cap stamped

1/4 S 3 in W. half  
S 2 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 2 and 3 (N 1/2), with cap stamped

1/16 S 3 in W. half  
S 2 in E. half  
No 6 1911 in S.

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

64.00 Road, brs. N. 45° W. and S. 45° E.

74.65 Intersect the N. bdy. of the Tp., which is also the N. bdy. of the Gila River Indian Reservation, 33.74 chs. S. 89° 53' W. of the old 1/4 sec. cor. bet. secs. 2 and 35, which now refers to sec. 35 only.

Set an iron post for the cor. of secs. 2 and 3, with cap stamped

PL in N.  
T 2 S S 3 in SW.  
R 4 E S 2 in SE.  
G R I R 1911 in S.  
2 notches on E. and 4 notches on W. edge

Dig pits 24x24x12 ins. in each sec. 6 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, S. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Open and dense brush of sage and mesquite.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 2 and 3 (S 1/2), I run

S. 89° 52' E. on a random line through the middle of the S. half of sec. 2, setting temp. cors. at intervals of 20.00 chs.

79.96 Falls 2 lks. N. of the 1/16 sec. cor. No. 12, bet. secs. 1 and 2 (S 1/2).

Thence I run

N. 89° 51' W. on a true line through the middle of the S. half of sec. 2.

Over level land, through dense and scattered brush.

12.00 Road, brs. N. and S.

19.99 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE 1/4 of sec. 2, with cap stamped

1/16 S 2 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

39.98 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 2, with cap stamped

1/16 S 2 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

59.97 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW 1/4 of sec. 2, with cap stamped

1/16 S 2 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

62.00 Road, brs. N. and S.

79.96 The 1/16 sec. cor. No. 12, bet. secs. 2 and 3 (S 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Brush, mesquite, sage and cactus.

-----  
From the 1/4 sec. cor. bet. secs. 2 and 3, I run  
S. 89° 52' E. on a random line through the middle of sec. 2, setting temp. cors. at intervals of 20.00 chs.

79.96 Falls 7 lks. S. of the 1/4 sec. cor. bet. secs. 1 and 2.

Thence I run  
N. 89° 55' W. on a true line through the middle of sec. 2.  
Over level land, through mesquite and sage brush.

10.00 Road, brs. NW. and SE.

19.99 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 2, with cap stamped

1/16 S 2 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

30.00 Road, brs. N. and S.

39.98 Set an iron post for center 1/4 sec. cor. of sec. 2, with cap stamped

C 1/4 S 2 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

55.00 Road, brs. N. 20° E. and S. 20° W.

59.97 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 2, with cap stamped

1/16 S 2 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

64.00 Road, brs. N. 30° E. and S. 30° W.

## Subdivision of T. 2 S., R. 4 E.

## Chains

68.00 Road, brs. NW. and SE.

79.96 The  $\frac{1}{4}$  sec. cor. bet. secs. 2 and 3.

Land, level.  
Soil, sandy loam, 1st rate.  
Brush of mesquite, sage and cactus.

-----  
From the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 2 and 3 ( $N\frac{1}{2}$ ),  
I run

S.  $89^{\circ} 52'$  E. on a random line through the middle of the  
N. half of sec. 2, setting temp. cors. at intervals of  
20.00 chs.

80.00 Intersect the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 1 and 2 ( $N\frac{1}{2}$ )

Thence I run

N.  $89^{\circ} 52'$  W. on a true line through the middle of the  
N. half of sec. 2.

8.00 Road, brs. N. and S.

20.00 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 5, in the center  
of the  $NE\frac{1}{4}$  of sec. 2, with cap stamped

$\frac{1}{16}$  S 2 in center  
No 5 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

40.00 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 4, bet. the NE.  
and NW. quarters of sec. 2, with cap stamped

$\frac{1}{16}$  S 2 in center  
No 4 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

47.00 Road, brs. N.  $30^{\circ}$  E. and S.  $30^{\circ}$  W.

60.00 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 3, in the center  
of the  $NW\frac{1}{4}$  of sec. 2, with cap stamped

$\frac{1}{16}$  S 2 in center  
No 3 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

78.00 Road, brs. N.  $20^{\circ}$  W. and S.  $20^{\circ}$  E.

80.00 The  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 2 and 3 ( $N\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Brush, mesquite and sage and cactus.

-----

## Subdivision of T. 2 S., R. 4 E.

## Chains

March 5, 1911. At the cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp., I set off  $6^{\circ} 14'$  S. on the decl. arc, and at apparent noon, observe the sun on the meridian; the resulting lat. is  $33^{\circ} 12'$ , which is the proper lat.

Thence I run

N.  $0^{\circ} 2'$  W. bet. secs. 33 and 34.

Over level land, through open brush.

16.00 Road, brs. S.  $60^{\circ}$  E. and N.  $60^{\circ}$  W.

20.00 Set an iron post for  $1/16$  sec. cor. No. 12, bet. secs. 33 and 34, ( $8\frac{1}{2}$ ), with cap stamped

$1/16$  S 33 in W. half  
S 34 in E. half  
No 12 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 33 and 34, with cap stamped

$\frac{1}{4}$  S 33 in W. half  
S 34 in E. half  
1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

60.00 Set an iron post for  $1/16$  sec. cor. No. 6, bet. secs. 33 and 34, ( $N\frac{1}{2}$ ), with cap stamped

$1/16$  S 33 in W. half  
S 34 in E. half  
No 6 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post for the cor. of secs. 27, 28, 33 and 34, with cap stamped

T 2 S S 27 in NE. quadrant  
R 4 E S 34 in SE. "  
S 33 in SW. "  
S 28 in NW. "  
1911 in S.

1 notch on S. and 3 notches on E. edges

Dig pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
East on a random line bet. secs. 27 and 34, setting temp. cors. at intervals of 20.00 chs.



Subdivision of T. 2 S., R. 4 E.

Chains

80.04 Falls 2 lks. S. of the cor. of secs. 26, 27, 34 and 35.

Thence I run

S. 89° 59' W. on a true line bet. secs. 27 and 34.

Over level land, through open brush.

20.01 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 27 and 34 (E½) with cap stamped

1/16 S 27 in N. half  
S 34 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

40.02 Set an iron post for ¼ sec. cor. bet. secs. 27 and 34, with cap stamped

¼ S 27 in N. half  
S 34 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

60.03 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 27 and 34 (W½), with cap stamped

1/16 S 27 in N. half  
S 34 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

61.00 Road, brs. N. 30° E. and S. 30° W.

80.04 The cor. of secs. 27, 28, 33 and 34.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 12, bet. secs. 33 and 34 (S½), I run

East on a random line through the middle of the S. half of sec. 34, setting temp. cors. at intervals of 20.00 chs.

80.04 Falls 5 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 34 and 35 (S½).

Thence I run

S. 89° 58' W. on a true line through the middle of the S. half of sec. 34.

Over level land, through open brush.

20.01 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE¼ of sec. 34, with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 34 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

24.00 Road, brs. N. 45° W. and S. 45° E.

40.02 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE.  
and SW. quarters of sec. 34, with cap stamped

1/16 S 34 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

49.00 Road, brs. N. 25° W. and S. 25° E.

60.03 Set an iron post for 1/16 sec. cor. No. 9, in the center  
of the SW 1/4 of sec. 34, with cap stamped

1/16 S 34 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

80.04 The 1/16 sec. cor. No. 12, bet. secs. 33 and 34 (S 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the 1/4 sec. cor. bet. secs. 33 and 34, I run

East on a random line through the middle of sec. 34,  
setting temp. cors. at intervals of 20.00 chs.

80.08 Falls 5 lks. N. of the 1/4 sec. cor. bet. secs. 34 and 35.

Thence I run

N. 89° 58' W. on a true line through the middle of sec. 34.

Over level land, through open brush.

20.02 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 34, with cap stamped

1/16 S 34 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

35.00 Road, brs. N. 45° W. and S. 45° E.

40.04 Set an iron post for center 1/4 sec. cor. of sec. 34, with  
cap stamped

C 1/4 S 34 in center  
1911 in S.

## Subdivision of T. 2 S., R. 4 E.

## Chains

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

57.00 Road, brs. N. and S.

60.06 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 34, with cap stamped

1/16 S 34 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

80.08 The ¼ sec. cor. bet. secs. 33 and 34.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 33 and 34 (N½), I run

East on a random line through the middle of sec. 34, setting temp. cors. at intervals of 20.00 chs.

80.08 Falls 5 lks. N. of the 1/16 sec. cor. No. 6, bet. secs. 34 and 35 (N½).

Thence I run

N. 89° 58' W. on a true line through the middle of the N. half of sec. 34.

Over level land, through open brush.

7.00 Road, brs. N. 60° W. and S. 60° E.

19.00 Dim road, brs. N. and S.

20.02 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE¼ of sec. 34, with cap stamped

1/16 S 34 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

40.04 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 34, with cap stamped

1/16 S 34 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

47.00 Road, brs. NW. and SE.

57.00 Road, brs. N. 30° W. and S. 30° E.

Subdivision of T. 2 S., R. 4 E.

Chains


60.06 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 34, with cap stamped

1/16 S 34 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.08 The 1/16 sec. cor. No. 6, bet. secs. 33 and 34 (N 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.



From the cor. of secs. 27, 28, 33 and 34, I run N. 0° 2' W. bet. secs. 27 and 28.  
Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 27 and 28 (S 1/2), with cap stamped

1/16 S 28 in W. half  
S 27 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 27 and 28, with cap stamped

1/4 S 28 in W. half  
S 27 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

52.00 Road, brs. N. 45° W. and S. 45° E.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 27 and 28 (N 1/2), with cap stamped

1/16 S 28 in W. half  
S 27 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

75.00 Road, brs. NW. and SE.

80.00 Set an iron post for the cor. of secs. 21, 22, 27 and 28, with cap stamped

T 2 S S 22 in NE. quadrant  
R 4 E S 27 in SE. "  
S 28 in SW. "  
S 21 in NW. "  
1911 in S., 2 notches on S. and 3 notches on

Subdivision of T. 2 S., R. 4 E.

Chains

E. edge.

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage and mesquite, chaparral and greasewood, full distance.

N. 89° 59' E. on a random line bet. secs. 22 and 27, setting temp. cors. at intervals of 20.00 chs.

80.12 Falls 10 lks. N. of the cor. of secs. 22, 23, 26 and 27.

Thence I run

N. 89° 57' W. on a true line bet. secs. 22 and 27.

Over level land, through open brush.

2.00 Road, brs. NE. and SW.

8.00 Road, brs. N. 30° W. and S. 30° E.

19.00 Road, brs. N. 30° W. and S. 30° E.

20.03 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 22 and 27 (E 1/2), with cap stamped

1/16 S 22 in N. half  
S 27 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

40.06 Set an iron post for 1/4 sec. cor. bet. secs. 22 and 27, with cap stamped

1/4 S 22 in N. half      Dig pits 18x18x12 ins. E. and W. of post  
S 27 1911 in S. half 3 ft. dist.; and

raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

60.09 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 22 and 27 (W 1/2), with cap stamped

1/16 S 22 in N. half  
S 27 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

68.00 Road, brs. NE. and SW.

80.12 The cor. of secs. 21, 22, 27 and 28.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

From the 1/16 sec. cor. No. 12, bet. secs. 27 and 28 (S 1/2), I run

Subdivision of T. 2 S., R. 4 E.

Chains

N. 89° 59' E. on a random line through the middle of the S. half of sec. 27, setting temp. cors. at intervals of 20.00 chs.

80.08 Falls 5 lks. N. of the 1/16 sec. cor. No. 12, bet. secs. 26 and 27 (S½).

Thence I run

N. 89° 59' W. on a true line through the middle of the S. half of sec. 27.

Over level land, through open brush.

6.00 Road, brs. NW. and SE.

20.02 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE¼ of sec. 27, with cap stamped

1/16 S 27 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

40.04 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 27, with cap stamped

1/16 S 27 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

58.00 Road, brs. N. and S.

60.06 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW¼ of sec. 27, with cap stamped

1/16 S 27 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

80.08 The 1/16 sec. cor. No. 12, bet. secs. 27 and 28 (S½).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----

From the ¼ sec. cor. bet. secs. 27 and 28, I run

N. 89° 59' E. on a random line through the middle of sec. 27, setting temp. cors. at intervals of 20.00 chs.

80.12 Falls 7 lks. N. of the ¼ sec. cor. bet. secs. 26 and 27.

Thence I run

N. 89° 58' W. on a true line through the middle of sec. 27.

Over level land, through open brush.

Book 607

Subdivision of T. 2 S., R. 4 E.

Chains

19.50 Road, brs. N. 30° E. and S. 30° W.

20.03 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 27, with cap stamped

1/16 S 27 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

39.00 Road, brs. N. 45° E. and S. 45° W.

40.06 Set an iron post for the center 1/4 sec. cor. of sec. 27, with cap stamped

0 1/4 S 27 in center  
1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

60.09 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 27, with cap stamped

1/16 S 27 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

69.50 Road, brs. N. 10° W. and S. 10° E.

80.12 The 1/4 sec. cor. bet. secs. 26 and 27.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 27 and 28 (N 1/2), I run

N. 89° 59' E. on a random line through the middle of the N. half of sec. 27, setting temp. cors. at intervals of 20.00 chs.

80.12 Falls 10 lks. N. of the 1/16 sec. cor. No. 6, bet. secs. 26 and 27 (N 1/2).

Thence I run

N. 89° 57' W. on a true line through the middle of the N. half of sec. 27.

Over level land, through open brush.

18.50 Road, brs. NW. and SE.

20.03 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE 1/4 of sec. 27, with cap stamped

1/16 S 27 in center  
No 5 1911 in S.

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

40.06 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 27, with cap stamped

1/16 S 27 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

60.09 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 27, with cap stamped

1/16 S 27 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

76.00 Road, brs. N. 45° E. and S. 45° W.

80.12 The 1/16 sec. cor. No. 6, bet. secs. 27 and 28, (N 1/4).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

March 5, 1911.

March 6, 1911. At 8 a.m., l.m.t., I set off 33° 13 1/2' on the lat. arc, 5° 55' S. on the decl. arc, and determine a meridian with the solar, at the cor. of secs. 21, 22, 27 and 28.

Thence I run

N. 0° 2' W. bet. secs. 21 and 22.

Over level land, through open brush.

16.00 Road, brs. N. 10° E. and S. 10° W.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 21 and 22, (S 1/4), with cap stamped

1/16 S 21 in W. half  
S 22 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 21 and 22, with cap stamped

1/4 S 21 in W. half  
S 22 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;



Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 21 and 22 (N 1/2), with cap stamped

1/16 S 21 in W. half  
S 22 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

66.00 Road, branching from E. to W. and S. 60° W.

80.00 Set an iron post for the cor. of secs. 15, 16, 21 and 22, with cap stamped

T 2 S S 15 in NE. quadrant  
R 4 E S 22 in SE. "  
S 21 in SW. "  
S 16 in NW. "  
1911 in S.

3 notches on S. and 3 notches on E. edge

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.



S. 89° 57' E. on a random line bet. secs. 15 and 22, setting temp. cors. at intervals of 20.00 chs.

80.12 Falls 2 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence I run

N. 89° 56' W. on a true line bet. secs. 15 and 22.

Over level land, through open brush.

20.03 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 15 and 22 (E 1/2), with cap stamped

1/16 S 15 in N. half  
S 22 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

29.00 Road, brs. N. 10° W. and S. 10° E.

40.06 Set an iron post for 1/4 sec. cor. bet. secs. 15 and 22, with cap stamped

1/4 S 15 in N. half  
S 22 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

43.00 Road, brs. N. 30° E. and S. 30° W.

60.09 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 15 and 22 (W $\frac{1}{4}$ ), with cap stamped

1/16 S 15 in N. half  
S 22 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

80.12 The cor. of secs. 15, 16, 21 and 22.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 21 and 22, (S $\frac{1}{2}$ ) I run

S. 89° 57' E. on a random line through the middle of the S. half of sec. 22, setting temp. cors. at intervals of 20.00 chs.

80.12 Falls 2 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 22 and 23 (S $\frac{1}{2}$ ).

Thence I run

N. 89° 58' W. on a true line through the middle of the S. half of sec. 22.

Over level land, through open brush.

4.00 Road, brs. N. and S.

12.00 Road, brs. NW. and SE.

18.00 Road, brs. N. and S.

20.03 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 22, with cap stamped

1/16 S 22 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

40.06 Set an iron post for the 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 22, with cap stamped

1/16 S 22 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

60.09 Set an iron post for the 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 22, with cap stamped

1/16 S 22 in center  
No 9 1911 in S.

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

62.00 Road, brs. N. 60° E. and S. 60° W.

78.00 Road, brs. N. and S.

80.12 The 1/16 sec. cor. No. 12, bet. secs. 21 and 22 (S 1/4).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/4 sec. cor. bet. secs. 21 and 22, I run

S. 89° 57' E. on a random line through the middle of sec. 22, setting temp. cors. at intervals of 20.00 chs.

80.20 Falls 2 lks. S. of the 1/4 sec. cor. bet. secs. 22 and 23.

Thence I run

N. 89° 58' W. on a true line through the middle of sec. 22.

Over level land, through dense brush.

4.00 Main. travelled road, brs. N. and S.

18.00 Road, brs. N. and S.

20.05 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 22, with cap stamped

1/16 S 22 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

26.00 Old Indian cabin, on line.

28.00 Old Indian cabin, brs. S., 1.00 ch. dist.

34.00 Leave dense brush, brs. N. and S.

40.10 Set an iron post for center 1/4 sec. cor. of sec. 22, with cap stamped

C 1/4 S 22 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

60.15 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 22, with cap stamped

1/16 S 22 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

75.00 Road, brs. NE. and SW.

## Subdivision of T. 2 S., R. 4 E.

## Chains

- 78.00 Road, brs. N. 30° E. and S. 30° W.
- 80.20 The  $\frac{1}{4}$  sec. cor. bet. secs. 21 and 22.  
 Land, level.  
 Soil, sandy loam, 1st rate.  
 Open and dense brush of sage, mesquite, ~~and~~ chaparral  
 and greasewood, full distance.
- 
- From the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 21 and 22 ( $N\frac{1}{2}$ ),  
 I run  
 S. 89° 57' E. on a random line through the middle of the  
 N. half of sec. 22, setting temp. cors. at intervals of  
 20.00 chs.
- 80.08 Intersect the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 22 and 23  
 ( $N\frac{1}{2}$ ).  
 Thence I run  
 N. 89° 57' W. on a true line through the middle of the  
 N. half of sec. 22.  
 Over level land, through open brush.
- 18.50 Road, brs. N. and S.
- 20.02 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 5, in the center  
 of the  $NE\frac{1}{4}$  of sec. 22, with cap stamped  
 $\frac{1}{16}$  S 22 in center  
 No 5 1911 in S.  
 Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 N. of cor.
- 40.04 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 4, bet. the NE.  
 and NW. quarters of sec. 22, with cap stamped  
 $\frac{1}{16}$  S 22 in center  
 No 4 1911 in S.  
 Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 N. of cor.
- 60.06 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 3, in the center  
 of the  $NW\frac{1}{4}$  of sec. 22, with cap stamped  
 $\frac{1}{16}$  S 22 in center  
 No 3 1911 in S.  
 Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 N. of cor.
- 68.00 Road, brs. N. and S.
- 80.08 The  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 21 and 22 ( $N\frac{1}{2}$ ).  
 Land, level.  
 Soil, sandy loam, 1st rate.  
 Open brush of sage, mesquite, chaparral and greasewood,  
 full distance.

## Subdivision of T. 2 S., R. 4 E.

## Chains

From the cor. of secs. 15, 16, 21 and 22, I run

N.  $0^{\circ} 02'$  W. bet. secs. 15 and 16.

Over level land, through open brush.

14.00 Road, brs. NE. and SW.

20.00 Set an iron post for  $1/16$  sec. cor. No. 12, bet. secs. 15 and 16, ( $S\frac{1}{2}$ ), with cap stamped

$1/16$  S 16 in W. half

S 15 in E. half

No 12 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 15 and 16, with cap stamped

$\frac{1}{4}$  S 16 in W. half

S 15 in E. half

1911 in S.

Dig pits  $18 \times 18 \times 12$  ins, N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

60.00 Set an iron post for  $1/16$  sec. cor. No. 6, bet. secs. 15 and 16 ( $N\frac{1}{2}$ ), with cap stamped

$1/16$  S 16 in W. half

S 15 in E. half

No 6 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post for the cor. of secs. 9, 10, 15 and 16, with cap stamped

T 2 S S 10 in NE. quadrant

R 4 E S 15 in SE. "

S 16 in SW. "

S 9 in NW. "

4 notches on S. and 3 notches on E. edge  
1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

S.  $89^{\circ} 56'$  E. on a random line bet. secs. 10 and 15, setting temp. cors. at intervals of 20.00 chs.

80.04 Falls 2 lks. N. of the cor. of secs. 10, 11, 14 and 15.

Thence I run

Subdivision of T. 2 S., R. 4 E.

Chains

N. 89° 55' W. on a true line bet. secs. 10 and 15.  
Over level land, through open brush.

14.00 Road, brs. N. and S.

16.00 Road, brs. N. and S.

20.01 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 10 and 15 (E½), with cap stamped

1/16 S 10 in N. half  
S 15 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

22.00 Road, brs. N. and S.

40.02 Set an iron post for ¼ sec. cor. bet. secs. 10 and 15, with cap stamped

¼ S 10 in N. half  
S 15 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

44.25 Road, brs. N. 30° W. and S. 30° E.

60.03 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 10 and 15 (W½), with cap stamped

1/16 S 10 in N. half  
S 15 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

80.04 The cor. of secs. 9, 10, 15 and 16.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquitem, chaparral and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 15 and 16 (S½)  
I run

S. 89° 56' E. on a random line through the middle of the S. half of sec. 15, setting temp. cors. at intervals of 20.00 chs.

80.16 Falls 2 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 14 and 15 (S½).

Thence I run

N. 89° 57' W. on a true line through the middle of the S. half of sec. 15.

Over level land, through open brush.

1.50 Road, brs. NW. and SE.

BOOK 2001

Subdivision of T. 2 S., R. 4 E.

Chains

12.00 Road, brs. NW. and SE.

20.04 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 15, with cap stamped

1/16 S 15 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

23.00 Road, brs. N. and S.

40.08 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 15, with cap stamped

1/16 S 15 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

60.12 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 15, with cap stamped

1/16 S 15 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

72.00 Road, brs. NE. and SW.

75.00 Road, brs. NE. and SW.

80.16 The 1/16 sec. cor. No. 12, bet. secs. 15 and 16 (S $\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 15 and 16, I run  
S. 89° 56' E. on a random line through the middle of sec. 15, setting temp. cors. at intervals of 20.00 chs.

80.08 Falls 5 lks. S. of the  $\frac{1}{4}$  sec. cor. bet. secs. 14 and 15.

Thence I run  
N. 89° 58' W. on a true line through the middle of sec. 15.  
Over level land, through open brush.

12.00 Road, brs. S. to N. and N. 30° W.

20.02 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 15, with cap stamped

1/16 S 15 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;

Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

40.04 Set an iron post for center ¼ sec. cor. of sec. 15, with cap stamped

C ¼ S 15 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

60.06 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 15, with cap stamped

1/16 S 15 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

63.00 Road, brs. NE. and SW.

80.08 The ¼ sec. cor. bet. secs. 15 and 16.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 15 and 16, (N½), I run

S. 89° 56' E. on a random line through the middle of the N. half of sec. 15, setting temp. cors. at intervals of 20.00 chs.

80.08 Falls 5 lks. N. of the 1/16 sec. cor. No. 6, bet. secs. 14 and 15 (N½).

Thence I run

N. 89° 54' W. on a true line through the middle of the N. half of sec. 15,

Over level land, through open brush.

3.00 Road, brs. N. and S.

15.00 Road, brs. N. and S.

20.02 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE. quarter of sec. 15, with cap stamped

1/16 S 15 in N.  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

22.00 Road, brs. N. and S.

40.04 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE.



Subdivision of T. 2 S., R. 4 E.

Chains	
	and NW. quarters of sec. 15, with cap stamped  1/16 S 15 in N. No 4 1911 in S.  Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.
50.00	Road, brs. N. 20° E. and S. 20° W.
60.06	Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 15, with cap stamped  1/16 S 15 in N. No 3 1911 in S.  Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.
80.08	The 1/16 sec. cor. No. 6, bet. secs. 15 and 16 (N 1/4).  Land, level. Soil, sandy loam, 1st rate. Open brush of sage, mesquite, chaparral and greasewood, full distance.
-----	
	March 6, 1911. At the cor. of secs. 9, 10, 15 and 16, I set off 5° 51' S. on the decl. arc, and at apparent Noon, observe the sun on the meridian; the resulting lat. is 33° 15', which is the proper lat.  Thence I run  N. 0° 2' W. on a true line bet. secs. 9 and 10.  Over level land, through open brush.
20.00	Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 9 and 10 (S 1/4), with cap stamped  1/16 S 9 in W. half S 10 in E. half No 12 1911 in S.  Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.
23.50	Road, brs. NE. and SW.
27.50	Road, brs. NE. and SW.
40.00	Set an iron post for 1/4 sec. cor. bet. secs. 9 and 10, with cap stamped  1/4 S 9 in W. half S 10 in E. half 1911 in S.  Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.
60.00	Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 9 and 10 (N 1/4), with cap stamped

## Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 9 in W. half  
 S 10 in E. half  
 No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
 and raise a mound of earth 3½ ft. base, 1½ ft. high,  
 W. of cor.

80.00 Set an iron post for the cor. of secs. 3, 4, 9 and 10,  
 with cap stamped

T 2 S S 3 in NE. quadrant  
 R 4 E S 10 in SE. "  
 S 9 in SW. "  
 S 4 in NW. "

1911 in S.

5 notches on S. and 3 notches on E. edge

Dig pits 18x18x12 ins. in each sec. 5½ ft. dist.; and  
 raise a mound of earth 4 ft. base, 2 ft. high, W. of  
 cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood,  
 full distance.

S. 89° 55' E. bet. secs. 3 and 10, on a random line,  
 setting temp. cors. at intervals of 20.00 chs.

80.08 Falls 10 lks. N. of the cor. of secs. 2, 3, 10 and 11.

Thence I run

N. 89° 51' W. on a true line bet. secs. 3 and 10.

Over level land, through open brush.

20.02 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 3  
 and 10 (E½), with cap stamped

1/16 S 3 in N. half  
 S 10 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth 3½ ft. base, 1½ ft. high,  
 N. of cor.

21.00 Road, brs. N. 10° E. and S. 10° W.

38.50 Road, brs. N. and S.

40.04 Set an iron post for ¼ sec. cor. bet. secs. 3 and 10,  
 with cap stamped

¼ S 3 in N. half  
 S 10 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth 3½ ft. base, 1½ ft. high,  
 N. of cor.

60.06 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 3  
 and 10 (W½), with cap stamped

1/16 S 3 in N. half  
 S 10 No 2 1911 in S. half

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 13x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.08 The cor. of secs. 3, 4, 9 and 10.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, chaparral and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 9 and 10 (S 1/4), I run

S. 89° 55' E. on a random line through the middle of the S. half of sec. 10, setting temp. cors. at intervals of 20.00 chs.

80.04 Falls 2 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 10 and 11 (S 1/4).

Thence I run

N. 89° 56' W. on a true line through the middle of the S. half of sec. 10.

Over level land, through open brush.

20.01 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE 1/4 of sec. 10, with cap stamped

1/16 S 10 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

22.00 Intersection of roads, bearing N. and S. and S. 30° E. and N. 30° W.

32.00 Road, brs. N. and S.

40.02 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 10, with cap stamped

1/16 S 10 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

60.03 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW 1/4 of sec. 10, with cap stamped

1/16 S 10 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

61.50 Road, brs. N. 45° W. and S. 45° E.

80.04 The 1/16 sec. cor. No. 12, bet. secs. 9 and 10 (S 1/4).

Land, level.

## Subdivision of T. 2 S., R. 4 E.

Chains

Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood,  
full distance.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 9 and 10, I run

S.  $89^{\circ} 55'$  E. on a random line through the middle of sec.  
10, setting temp. cors. at intervals of 20.00 chs.

80.12 Falls 10 lks. N. of the  $\frac{1}{4}$  sec. cor. bet. secs. 10 and 11.

Thence I run

N.  $89^{\circ} 51'$  W. on a true line through the middle of sec. 10.

Over level land, through open brush.

20.03 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 10, with cap stamped

$\frac{1}{16}$  S 10 in center  
No 7 1911 in S.

Dig pits  $18 \times 16 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

21.00 Road, brs. from S. to N. and N.  $30^{\circ}$  E.

27.00 Road, brs. NE. and SW.

40.06 Set an iron post for center  $\frac{1}{4}$  sec. cor. of sec. 10, with  
cap stamped

C  $\frac{1}{4}$  S 10 in center  
1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E., W. and S., 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  
 $1\frac{1}{2}$  ft. high, N. of cor.

58.00 Road, brs. NE. and SW.

60.09 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 8, bet. the NW.  
and SW. quarters of sec. 10, with cap stamped

$\frac{1}{16}$  S 10 in center  
No 8 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

70.00 Road, brs. NE. and SW.

80.12 The  $\frac{1}{4}$  sec. cor. bet. secs. 9 and 10.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 9 and 10 ( $N\frac{1}{2}$ ),  
I run

S.  $89^{\circ} 55'$  E. on a random line through the middle of the

Subdivision of T. 2 S., R. 4 E.

Chains

N. half of sec. 10, setting temp. cors. at intervals of 20.00 chs.

80.08 Falls 7 lks. N. of the 1/16 sec. cor. No. 6, bet. secs. 10 and 11 (N $\frac{1}{2}$ ).

Thence I run

N. 89° 52' W. on a true line through the middle of the N. half of sec. 10.

Over level land, through open brush.

20.02 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE $\frac{1}{4}$  of sec. 10, with cap stamped

1/16 S 10 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. N. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

20.50 Road, brs. N. and S.

40.04 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 10, with cap stamped

1/16 S 10 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

45.75 Road, brs. N. 35° E. and S. 35° W.

56.00 Road, brs. N. 30° E. and S. 30° W.

60.06 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW $\frac{1}{4}$  of sec. 10, with cap stamped

1/16 S 10 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

80.08 The 1/16 sec. cor. No. 6, bet. secs. 9 and 10 (N $\frac{1}{2}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the cor. of secs. 3, 4, 9 and 10, I run

N. 0° 02' W. on a true line bet. secs. 3 and 4.

Over level land, through open sage and mesquite brush.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 3 and 4 (S $\frac{1}{2}$ ), with cap stamped

1/16 S 4 in W. half  
S 3 in E. half  
No 12 1911 in S.

## Subdivision of T. 2 S., R. 4 E.

## Chains

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor.

34.50 Road, brs. N. 60° E. and S. 60° W.

40.00 Set an iron post for ¼ sec. cor. bet. secs. 3 and 4, with cap stamped

¼ S 4 in W. half  
S 3 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 3 and 4 (N½), with cap stamped

1/16 S 4 in W. half  
S 3 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor.

74.36 Intersect the N. bdy. of the Tp., which is also the N. bdy. of the Gila River Indian Reservation, at a point 1 mile and 33.74 chs. S. 89° 53' W. of the old ¼ sec. cor. of sec. 35.

Set an iron post for the cor. of secs. 3 and 4, with cap stamped

P L in N.  
T 2 S S 4 in SW.  
R 4 E S 3 in SE.  
G R I R 1911 in S.  
3 notches on E. and W. edges

Dig pits 24x24x12 ins. in each sec. 6 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, S. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 3 and 4 (S½), I run

S. 89° 51' E. on a random line through the middle of the S. half of sec. 3, setting temp. cors. at intervals of 20.00 chs.

80.04 Falls 5 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 2 and 3 (S½).

Thence I run

N. 89° 53' W. on a true line through the middle of the S. half of sec. 3.

Over level land, through open brush.

ECO 1917

Subdivision of T. 2 S., R. 4 E.

Chains

18.00 Well travelled road, brs. N. and S.

20.01 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE 1/4 of sec. 3, with cap stamped

1/16 S 3 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

33.50 Road, brs. N. 30° E. and S. 30° W.

40.02 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 3, with cap stamped

1/16 S 3 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

60.03 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW 1/4 of sec. 3, with cap stamped

1/16 S 3 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.04 The 1/16 sec. cor. No. 12, bet. secs. 3 and 4, (S 1/4).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/4 sec. cor. bet. secs. 3 and 4, I run  
S. 89° 51' E. on a random line through the middle of sec. 3, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 14 lks. S. of the 1/4 sec. cor. bet. secs. 2 and 3.

Thence I run  
N. 89° 57' W. on a true line through the middle of sec. 3.  
Over level land, through open brush.

16.00 Well travelled road, brs. N. and S.

20.00 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 3, with cap stamped

1/16 S 3 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

22.00 Road, brs. N. 30° E. and S. 30° W.

Subdivision of T. 2 S., R. 4 E.

Chains

40.00 Set an iron post for center  $\frac{1}{4}$  sec. cor. of sec. 3, with cap stamped

C  $\frac{1}{4}$  S 3 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W., and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 3, with cap stamped

1/16 S 3 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high, N. of cor.

72.00 Road, brs. NE. and SW.

80.00 The  $\frac{1}{4}$  sec. cor. bet. secs. 3 and 4.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 6, bet. secs. 3 and 4 (N $\frac{1}{2}$ ), I run

S. 89° 51' E. on a random line through the middle of the N. half of sec. 3, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 14 lks. S. of the 1/16 sec. cor. No. 6, bet. secs. 2 and 3 (N $\frac{1}{2}$ ).

Thence I run

N. 89° 57' W. on a true line through the middle of the N. half of sec. 3.

12.00 Over level land, through open brush.  
Road, brs. N. 10° E. and S. 10° W.

20.00 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE $\frac{1}{4}$  of sec. 3, with cap stamped

1/16 S 3 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high, N. of cor.

40.00 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 3, with cap stamped

1/16 S 3 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high, N. of cor.

42.00 Road, brs. N. 50° E. and S. 50° W.



Subdivision of T. 2 S., R. 4 E.

Chains

60.00 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 3, with cap stamped

1/16 S 3 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.00 The 1/16 sec. cor. No. 6, bet. secs. 3 and 4. (N 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquites, chaparral and greasewood, full distance.

-----  
From the cor. of secs. 4, 5, 32 and 33, on S. bdy. of Tp. I run

N. 0° 02' W. bet. secs. 32 and 33.

Over level land, through brush.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 32 and 33, (S 1/2), with cap stamped

1/16 S 32 in W. half  
S 33 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 32 and 33, with cap stamped

1/4 S 32 in W. half  
S 33 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 32 and 33, (N 1/2), with cap stamped

1/16 S 32 in W. half  
S 33 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

64.00 Road, brs. N. 60° W. and S. 60° E.

80.00 Set an iron post for the cor. of secs. 28, 29, 32 and 33, with cap stamped

T 2 S S 28 in NE. quadrant  
R 4 E S 33 in SE. "  
S 32 in SW. "  
S 29 in NW. "  
1911 in S.

1 notch on S. and 4 notches on E. edge

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, chaparral, mesquite and greasewood, full distance.

-----  
East on a random line bet. secs. 28 and 33, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 7 lks. S. of the cor. of secs. 27, 28, 33 and 34.

Thence I run  
S. 89° 57' W. on a true line bet. secs. 28 and 33.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 28 and 33 (N 1/2), with cap stamped

1/16 S 28 in N. half  
S 33 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 28 and 33, with cap stamped

1/4 S 28 in N. half  
S 33 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

56.00 Road, brs. NE and SW.

60.00 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 28 and 33, (E 1/2), with cap stamped

1/16 S 28 in N. half  
S 33 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

68.00 Road, brs. NW. and SE.

80.00 The cor. of secs. 28, 29, 32 and 33.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sages, mesquite, chaparral and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 32 and 33 (S 1/2)  
I run

1000

Subdivision of T. 2 S., R. 4 E.

Chains

East on a random line through the middle of the S. half of sec. 33, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 5 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 33 and 34 (S $\frac{1}{2}$ ).

Thence I run

S. 89° 58' W. on a true line through the middle of the S. half of sec. 33.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 33, with cap stamped

1/16 S 33 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

27.75 Road, brs. N. 65° W. and S. 65° E.

40.00 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 33, with cap stamped

1/16 S 33 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 33, with cap stamped

1/16 S 33 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

68.00 Road, brs. N. and S.

80.00 The 1/16 sec. cor. No. 12, bet. secs. 32 and 33 (S $\frac{1}{2}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 32 and 33, I run

East on a random line through the middle of sec. 33, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 7 lks. S. of the  $\frac{1}{4}$  sec. cor. bet. secs. 33 and 34.

Thence I run

S. 89° 57' W. on a true line through the middle of sec. 33.

Over level land, through open brush.

## Subdivision of T. 2 S., R. 4 E.

## Chains

20.00 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 33, with cap stamped

1/16 S 33 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

40.00 Set an iron post for center ¼ sec. cor. of sec. 33, with cap stamped

C ¼ S 33 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

52.50 Read, brs. N. 45° W. and S. 45° E.

60.00 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 33, with cap stamped

1/16 S 33 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

60.20 Read, brs. N. 20° E. and S. 20° W.

80.00 The ¼ sec. cor. bet. secs. 32 and 33.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 6, bet. secs. 32 and 33 (N½), I run

East on a random line through the middle of the N. half of sec. 33, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 2 lks. S. of the 1/16 sec. cor. No. 6, bet. secs. 33 and 34 (N½).

Thence I run

S. 89° 59' W. on a true line through the middle of the N. half of sec. 33.

Over level land, through open brush.

20.00 Set an iron post for the 1/16 sec. cor. No. 5, in the center of the NE¼ of sec. 33, with cap stamped

1/16 S 33 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

Foot...

Subdivision of T. 2 S., R. 4 E.

Chains

40.00 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 33, with cap stamped

1/16 S 33 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 33, with cap stamped

1/16 S 33 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins, E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

72.00 Road, brs. NW. and SE.

80.00 The 1/16 sec. cor. No. 6, bet. secs. 32 and 33 (N 1/4).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
From the cor. of secs. 28, 29, 32 and 33, I run  
N. 0° 02' W. bet. secs. 28 and 29.  
Over level land, through open brush.

1.00 Road, brs. E. and W.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 28 and 29 (S 1/4), with cap stamped

1/16 S 29 in W. half  
S 28 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

39.00 Road, brs. E. and W.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 28 and 29, with cap stamped

1/4 S 29 in W. half  
S 28 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

50.00 Road, brs. N. 60° E. and S. 60° W.

56.00 Road, brs. NE. and SW.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 28 and 29 (N 1/4), with cap stamped

## Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 29 in W. half  
 S 28 in E. half  
 No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
 and raise a mound of earth 3½ ft. base, 1½ ft. high,  
 W. of cor.

80.00 Set an iron post for the cor. of secs. 20, 21, 28 and 29,  
 with cap stamped

T 2 S S 21 in NE. quadrant  
 R 4 E S 28 in SE. "  
 S 29 in SW. "  
 S 20 in NW. "

1911 in S.

2 notches on S. and 4 notches on E. edge

Dig pits 18x18x12 ins. in each sec. 5½ ft. dist.; and  
 raise a mound of earth 4 ft. base, 2 ft. high, W. of  
 cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood,  
 full distance.

-----  
 N. 89° 57' E. on a random line bet. secs. 21 and 28,  
 setting temp. cors. at intervals of 20.00 chs.

80.04 Intersect the cor. of secs. 21, 22, 27 and 28.

Thence I run

S. 89° 57' W. on a true line bet. secs. 21 and 28.

Over level land, through open brush.

2.00 Road, brs. NW. and SE.

20.01 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 21  
 and 28 (W½), with cap stamped

1/16 S 21 in N. half  
 S 28 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth 3½ ft. base, 1½ ft. high,  
 N. of cor.

40.02 Set an iron post for ¼ sec. cor. bet. secs. 21 and 28,  
 with cap stamped

¼ S 21 in N. half  
 S 28 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth 3½ ft. base, 1½ ft. high,  
 N. of cor.

60.03 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 21  
 and 28 (W½), with cap stamped

1/16 S 21 in N. half  
 S 28 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth 3½ ft. base, 1½ ft. high,  
 N. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

66.00 Road, brs. N. 30° E. and S.

80.04 The cor. of secs. 20, 21, 28 and 29.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 28 and 29 (S $\frac{1}{2}$ )  
I run

N. 89° 57' E. on a random line through the middle of the  
S. half of sec. 28, setting temp. cors. at intervals of  
20.00 chs.

79.96 Intersect the 1/16 sec. cor. No. 12, bet. secs. 27 and 28  
(S $\frac{1}{2}$ ).

Thence I run

S. 89° 57' W. on a true line through the middle of the  
S. half of sec. 28.

Over level land, through open brush.

19.99 Set an iron post for 1/16 sec. cor. No. 11, in the center  
of the SE $\frac{1}{4}$  of sec. 28, with cap stamped

1/16 S 28 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

30.00 Road, brs. NE. and SW.

39.98 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE.  
and SW. quarters of sec. 28, with cap stamped

1/16 S 28 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N.  
of cor.

59.97 Set an iron post for 1/16 sec. cor. No. 9, in the center  
of the SW $\frac{1}{4}$  of sec. 28, with cap stamped

1/16 S 28 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

61.00 Road, brs. N. and S.

79.96 The 1/16 sec. cor. No. 12, bet. secs. 28 and 29 (S $\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

## Subdivision of T. 2 S., R. 4 E.

## Chains

- From the  $\frac{1}{4}$  sec. cor. bet. secs. 28 and 29, I run  
N.  $89^{\circ} 57'$  E. on a random line through the middle of sec.  
28, setting temp. cors. at intervals of 20.00 chs.
- 80.00 Falls 2 lks. N. of the  $\frac{1}{4}$  sec. cor. bet. secs. 27 and 28.  
Thence I run  
S.  $89^{\circ} 58'$  W. on a true line through the middle of sec. 28.  
Over level land, through open brush.
- 9.00 Road, brs. NE. and SW.
- 20.00 Set an iron post for the  $\frac{1}{16}$  sec. cor. No. 7, bet. the  
NE. and SE. quarters of sec. 28, with cap stamped  
  
1/16 S 28 in center  
No 7 1911 in S.  
  
Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.
- 40.00 Set an iron post for center  $\frac{1}{4}$  sec. cor. of sec. 28, with  
cap stamped  
  
C  $\frac{1}{4}$  S 28 in center  
1911 in S.  
  
Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth 4 ft. base,  
2 ft. high, N. of cor.
- 60.00 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 8, bet. the  
NW. and SW. quarters of sec. 28, with cap stamped  
  
1/16 S 28 in center  
No 8 1911 in S.  
  
Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and  
raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 64.00 Road, brs. N.  $20^{\circ}$  W. and S.  $20^{\circ}$  E.
- 80.00 The  $\frac{1}{4}$  sec. cor. bet. secs. 28 and 29.  
  
Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.
- 
- From the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 28 and 29 ( $N\frac{1}{2}$ )  
I run  
  
N.  $89^{\circ} 57'$  E. on a random line through the middle of the  
N. half of sec. 28, setting temp. cors. at intervals of  
20.00 chs.
- 80.00 Intersect the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 27 and 28  
( $N\frac{1}{2}$ ).  
  
Thence I run  
  
S.  $89^{\circ} 57'$  W. on a true line through the middle of the N.  
half of sec. 28.



Subdivision of T. 2 S., R. 4 E.

Chains

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE $\frac{1}{4}$  of sec. 28, with cap stamped

1/16 S 28 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

40.00 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 28, with cap stamped

1/16 S 28 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW $\frac{1}{4}$  of sec. 28, with cap stamped

1/16 S 28 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

76.00 Road, brs. N. 45° E. and S. 45° W.

80.00 The 1/16 sec. cor. No. 6, bet. secs. 28 and 29 (N $\frac{1}{2}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

March 6, 1911.

March 7, 1911. At 8 a.m., l.m.t., I set off 33° 13' on the lat. arc, 5° 31' S. on the decl. arc, and determine a meridian with the solar, at the cor. of secs. 20, 21, 28 and 29.

Thence I run

N. 0° 02' W. bet. secs. 20 and 21.

Over level land, through open brush.

9.00 Road, brs. N. 60° E. and S. 60° W.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 20 and 21 (S $\frac{1}{2}$ ), with cap stamped

1/16 S 20 in W. half  
S 21 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

30.00 Road, brs. E. and W.

Subdivision of T. 2 S., R. 4 E.

Chains

38.00 Road, brs. NE. and SW.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 20 and 21, with cap stamped

$\frac{1}{4}$  S 20 in W. half  
S 21 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

48.50 Road, brs. NE. and SW.

60.00 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 20 and 21 ( $N\frac{1}{2}$ ), with cap stamped

$\frac{1}{16}$  S 20 in W. half  
S 21 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

80.00 Set an iron post for the cor. of secs. 16, 17, 20 and 21, with cap stamped

T 2 S S 16 in NE. quadrant  
R 4 E S 21 in SE. "  
S 20 in SW. "  
S 17 in NW. "  
1911 in S.

3 notches on S. and 4 notches on E. edge

Dig pits 18x18x12 ins. in each sec.  $5\frac{1}{2}$  ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
N.  $89^{\circ} 57'$  E. on a random line bet. secs. 16 and 21, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 2 lks. N. of the cor. of secs. 15, 16, 21 and 22.

Thence I run

S.  $89^{\circ} 58'$  W. on a true line bet. secs. 16 and 21.

Over level land, through open brush.

20.00 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 1, bet. secs. 16 and 21 ( $E\frac{1}{2}$ ), with cap stamped

$\frac{1}{16}$  S 16 in N. half  
S 21 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

29.00 Road, brs. N.  $10^{\circ}$  W. and S.  $10^{\circ}$  E.

## Subdivision of T. 2 S., R. 4 E.

## Chains

- 40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 16 and 21, with cap stamped
- $\frac{1}{4}$  S 16 in N. half  
S 21 1911 in S. half
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 43.00 Road, brs. N. 30° E. and S. 30° W.
- 60.00 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 2, bet. secs. 16 and 21 ( $W\frac{1}{2}$ ), with cap stamped
- $\frac{1}{16}$  S 16 in N. half  
S 21 No 2 1911 in S. half
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 80.00 The cor. of secs. 16, 17, 20 and 21.
- Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.
- 
- From the  $\frac{1}{16}$  sec. cor. No. 12, bet. secs. 20 and 21 ( $S\frac{1}{2}$ ), I run
- N. 89° 57' E. on a random line through the middle of the S. half of sec. 21, setting temp. co'ss. at intervals of 20.00 chs.
- 80.00 Falls 5 lks. S. of the  $\frac{1}{16}$  sec. cor. No. 12, bet. secs. 21 and 22 ( $S\frac{1}{2}$ ).
- Thence I run
- S. 89° 55' W. on a true line through the middle of the S. half of sec. 21.
- Over level land, through open brush.
- 7.00 Road, brs. N. and S.
- 20.00 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 11, in the center of the  $SE\frac{1}{4}$  of sec. 21, with cap stamped
- $\frac{1}{16}$  S 21 in center  
No 11 1911 in S.
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 39.00 Road, brs. N. and S.
- 40.00 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 21, with cap stamped
- $\frac{1}{16}$  S 21 in center  
No 10 1911 in S.
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

60.00 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW 1/4 of sec. 21, with cap stamped

1/16 S 21 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.00 The 1/16 sec. cor. No. 12, bet. secs. 20 and 21 (S 1/4).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the 1/4 sec. cor. bet. secs. 20 and 21, I run  
N. 89° 57' E. on a random line through the middle of sec. 21, setting temp. cors. at intervals of 20.00 chs.

80.04 Falls 5 lks. S. of the 1/4 sec. cor. bet. secs. 21 and 22.

Thence I run

S. 89° 55' W. on a true line through the middle of ~~the~~ sec. 21.

Over level land, through open brush.

7.00 Road, brs. N. and S.

19.50 Road, brs. NW. and SE.

20.01 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 21, with cap stamped

1/16 S 21 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

24.00 Intersection of roads bearing NE. and SW. and N. and S.

40.02 Set an iron post for center 1/4 sec. cor. of sec. 21, with cap stamped

C 1/4 S 21 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

46.00 Road, brs. NE. and SW.

60.03 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 21, with cap stamped

1/16 S 21 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

74

Subdivision of T. 2 S., R. 4 E.

Chains

78.00 Road, brs. NE. and SW.

80.04 The  $\frac{1}{2}$  sec. cor. bet. secs. 20 and 21.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, chaparral, mesquite and greasewood,  
full distance.

-----

From the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 20 and 21 ( $N\frac{1}{2}$ ),  
I run

N.  $89^{\circ} 57'$  E. on a random line through the middle of the  
N. half of sec. 21, setting temp. cors. at intervals of  
20.00 chs.

80.08 Intersect the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 21 and 22,  
( $N\frac{1}{2}$ ).

Thence I run

S.  $89^{\circ} 57'$  W. on a true line through the middle of the  
N. half of sec. 21.

Over level land, through open brush.

7.00 Road, brs. N.  $45^{\circ}$  E. and S.  $45^{\circ}$  W.

18.50 Road, brs. N.  $45^{\circ}$  E. and S.  $45^{\circ}$  W.

20.02 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 5, in the center  
of the  $NE\frac{1}{4}$  of sec. 21, with cap stamped

$\frac{1}{16}$  S 21 in center  
No 5 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

29.50 Road, brs. N.  $30^{\circ}$  W. and S.  $30^{\circ}$  E.

30.50 Road, brs. N. and S.

40.04 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 4, bet. the NE.  
and NW. quarters of sec. 21, with cap stamped

$\frac{1}{16}$  S 21 in center  
No 4 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

60.06 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 3, in the center  
of the  $NW\frac{1}{4}$  of sec. 21, with cap stamped

$\frac{1}{16}$  S 21 in center  
No 3 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

76.00 Road, brs. N.  $45^{\circ}$  E. and S.  $45^{\circ}$  W.

Subdivision of T. 2 S., R. 4 E.

Chains

- 80.08 The 1/16 sec. cor. bet. secs. 20 and 21 (N½).  
 Land, level.  
 Soil, sandy loam, 1st rate.  
 Open brush of sage, mesquite, chaparral and greasewood,  
 full distance.

---

- From the cor. of secs. 16, 17, 20 and 21, I run  
 N. 0° 2' W. bet. secs. 16 and 17.  
 Over level land, through open brush.
- 2.00 Road, brs. N. 60° W. and S. 60° E. and another road bearing  
 N. 5° E. and S. 5° W. intersects.
- 20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 16  
 and 17 (S½), with cap stamped  
 1/16 S 17 in W. half  
 S 16 in E. half  
 No 12 1911 in S.  
 Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
 and raise a mound of earth 3½ ft. base, 1½ ft. high,  
 W. of cor.  
 A mesquite 12 ins. dia. brs. S. 53° 10' E., 83 lks. dist.  
 Mkd. 1/16 S 16 B T.
- 36.50 Road, brs. NE. and SW.
- 40.00 Set an iron post for ¼ sec. cor. bet. secs. 16 and 17,  
 with cap stamped  
 ¼ S 17 in W. half  
 S 16 in E. half  
 1911 in S.  
 Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
 and raise a mound of earth 3½ ft. base, 1½ ft. high,  
 W. of cor.
- 60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 16  
 and 17 (N½), with cap stamped  
 1/16 S 17 in W. half  
 S 16 in E. half  
 No 6 1911 in S.  
 Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
 and raise a mound of earth 3½ ft. base, 1½ ft. high, W.  
 of cor.
- 72.00 Road, brs. NE. and SW.
- 80.00 Set an iron post for the cor. of secs. 8, 9, 16 and 17,  
 with cap stamped  
 T 2 S S 9 in NE. quadrant  
 R 4 E S 16 in SE. "  
 S 17 in SW. "  
 S 8 in NW. "  
 1911 in S.  
 4 notches on S. and 4 notches on E. edge  
 Dig pits 18x18x12 ins. in each sec., 5½ ft. dist.; and

Subdivision of T. 2 S., R. 4 E.

Chains

raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral, and greasewood, full distance.

N. 89° 58' E. on a random line bet. secs. 9 and 16, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 5 lks. S. of the cor. of secs. 9, 10, 15 and 16.

Thence I run

S. 89° 56' W. on a true line bet. secs. 9 and 16.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 9 and 16 (E $\frac{1}{2}$ ), with cap stamped

1/16 S 9 in N. half  
S 16 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

20.05 Road, brs. N. 30° E. and S. 30° W.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 9 and 16, with cap stamped

$\frac{1}{4}$  S 9 in N. half  
S 16 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 9 and 16, (W $\frac{1}{2}$ ), with cap stamped

1/16 S 9 in N. half  
S 16 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

61.00 Road, brs. N. 45° E. and S. 45° W.

80.00 The cor. of secs. 8, 9, 16 and 17.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

From the 1/16 sec. cor. No. 12, bet. secs. 16 and 17 (S $\frac{1}{2}$ ) I run

N. 89° 58' E. on a random line through the middle of the S. half of sec. 16, setting temp. cors. at intervals of 20.00 chs.

## Subdivision of T. 2 S., R. 4 E.

## Chains

80.04 Falls 7 lks. S. of the  $\frac{1}{16}$  sec. cor. No. 12, bet. secs. 15 and 16 ( $8\frac{1}{2}$ ).

Thence I run

S.  $89^{\circ} 55'$  W. on a true line through the middle of the S. half of sec. 16,

Over level land, through open brush.

20.01 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 16, with cap stamped

$\frac{1}{16}$  S 16 in center  
No 11 1911 in S., from which

A mesquite 20 ins. dia. brs. N.  $51^{\circ}$  W., 8 lks. dist.  
Mkd.  $\frac{1}{16}$  S 16 B T.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

40.02 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 16, with cap stamped

$\frac{1}{16}$  S 16 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

43.00 Road, brs. NE. and SW.

60.03 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 16, with cap stamped

$\frac{1}{16}$  S 16 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

74.00 Road, brs. S.  $70^{\circ}$  W. and N.  $70^{\circ}$  E.

76.00 Road, brs. N. and S.

80.04 The  $\frac{1}{16}$  sec. cor. bet. secs. 16 and 17, ( $8\frac{1}{2}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
From the  $\frac{1}{4}$  sec. cor. bet. secs. 16 and 17, I run

N.  $89^{\circ} 58'$  E. on a random line through the middle of sec. 16, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 2 lks. S. of the  $\frac{1}{4}$  sec. cor. bet. secs. 15 and 16.

Thence I run

S.  $89^{\circ} 57'$  W. on a true line through the middle of sec. 16.

Over level land, through open brush.



Subdivision of T. 2 S., R. 4 E.

Chains

20.00 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 16, with cap stamped

1/16 S 16 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

23.50 Road, brs. N. and S.

36.00 Road, brs. NE. and SW.

40.00 Set an iron post for center 1/4 sec. cor. of sec. 16, with cap stamped

C 1/4 S 16 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 16, with cap stamped

1/16 S 16 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

74.00 Road, brs. N. 60° E. and S. 60° W.

80.00 The 1/4 sec. cor. bet. secs. 16 and 17.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 6, bet. secs. 16 and 17 (N 1/4), I run

N. 89° 58' E. on a random line through the middle of the N. half of sec. 16, setting temp. cors. at intervals of 20.00 chs.

80.00 Intersect the 1/16 sec. cor. No. 6, bet. secs. 15 and 16 (N 1/4).

Thence I run

S. 89° 58' W. on a true line through the middle of the N. half of sec. 16.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE 1/4 of sec. 16, with cap stamped

1/16 S 16 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

## Subdivision of T. 2 S., R. 4 E.

## Chains

- 28.00 Road, brs. N. 30° E. and S. 30° W.
- 40.00 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 16, with cap stamped
- 1/16 S 16 in center  
No 4 1911 in S.
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.
- 40.10 Road, brs. N. 50° E. and S. 50° W.
- 60.00 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW¼ of sec. 16, with cap stamped
- 1/16 S 16 in center  
No 3 1911 in S.
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.
- 80.00 The 1/16 sec. cor. No. 6, bet. secs. 16 and 17 (N½).
- Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.
- 
- From the cor. of secs. 8, 9, 16 and 17, I run N. 0° 2' W. on a true line bet. secs. 8 and 9. Over level land, through open brush.
- 20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 8 and 9 (S½), with cap stamped
- 1/16 S 8 in W. half  
S 9 in E. half  
No 12 1911 in S.
- Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor.
- 40.00 Set an iron post for the ¼ sec. cor. bet. secs. 8 and 9, with cap stamped
- ¼ S 8 in W. half  
S 9 in E. half  
1911 in S.
- Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, W. of cor.
- 60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 8 and 9 (N½), with cap stamped
- 1/16 S 8 in W. half  
S 9 in E. half  
No 6 1911 in S.
- Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;

Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

80.00 Set an iron post for the cor. of secs. 4, 5, 8 and 9, with cap stamped

T 2 S S 4 in NE. quadrant  
R 4 E S 9 in SE. "  
S 8 in SW. "  
S 5 in NW. "

1911 in S.  
5 notches on S. and 4 notches on E. edge

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
N. 89° 56' E. on a random line bet. secs. 4 and 9, setting temp. cors. at intervals of 20.00 chs.

80.04 Intersect the cor. of secs. 3, 4, 9 and 10.

Thence I run

S. 99° 56' W. on a true line bet. secs. 4 and 9.

Over level land, through open brush.

20.01 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 4 and 9 (E 1/2), with cap stamped

1/16 S 4 in N. half  
S 9 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

27.50 Road, brs. N. and S.

40.02 Set an iron post for 1/4 sec. cor. bet. secs. 4 and 9, with cap stamped

1/4 S 4 in N. half  
S 9 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

60.03 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 4 and 9 (W 1/2), with cap stamped

1/16 S 4 in N. half  
S 9 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.04 The cor. of secs. 4, 5, 8 and 9.

Land, level.

Subdivision of T. 2 S., R. 4 E.

Chains

Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, greasewood,  
full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 8 and 9, (S $\frac{1}{2}$ )  
I run

N. 89° 56' E. on a random line through the middle of the  
S. half of sec. 9, setting temp. cors. at intervals of  
20.00 chs.

80.00 Falls 2 lks. S. of the 1/16 sec. cor. No. 12, bet. secs.  
9 and 10 (S $\frac{1}{2}$ ).

Thence I run

S. 89° 55' W. on a true line through the middle of the  
S. half of sec. 9.

Over level land, through open brush.

2.00 Road, brs. NE. and SW.

8.00 Road, brs. NE. and SW.

20.00 Set an iron post for 1/16 sec. cor. No. 11, in the center  
of the SE $\frac{1}{4}$  of sec. 9, with cap stamped

1/16 S 9 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

40.00 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE.  
and SW. quarters of sec. 9, with cap stamped

1/16 S 9 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

44.00 Road, brs. N. 30° E. and S. 30° W.

60.00 Set an iron post for the 1/16 sec. cor. No. 9, in the  
center of the SW $\frac{1}{4}$  of sec. 9, with cap stamped

1/16 S 9 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

80.00 The 1/16 sec. cor. No. 12, bet. secs. 8 and 9 (S $\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
From the  $\frac{1}{4}$  sec. cor. bet. secs. 8 and 9, I run

Subdivision of T. 2 S., R. 4 E.

Chains

N. 89° 56' E. on a random line through the middle of sec. 9, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 10 lks. S. of the 1/4 sec. cor. bet. secs. 9 and 10.

Thence I run

S. 89° 52' W. on a true line through the middle of sec. 9.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 9, with cap stamped

1/16 S 9 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

36.00 Road, brs. NE. and SW.

40.00 Set an iron post for center 1/4 sec. cor. of sec. 9, with cap stamped

C 1/4 S 9 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 9, with cap stamped

1/16 S 9 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

80.00 The 1/4 sec. cor. bet. secs. 8 and 9.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 8 and 9 (N 1/2), I run

N. 89° 56' E. on a random line through the middle of the N. half of sec. 9, setting temp. cors. at intervals of 20.00 chs.

80.08 Intersect the 1/16 sec. cor. No. 6, bet. secs. 9 and 10 (N 1/2).

Thence I run

S. 89° 56' W. on a true line through the middle of the N. half of sec. 9.

Over level land, through open brush.

20.02 Set an iron post for 1/16 sec. cor. No. 5, in the center

## Subdivision of T. 2 S., R. 4 E.

## Chains

of the NE $\frac{1}{4}$  of sec. 9, with cap stamped

1/16 S 9 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

27.25 Road, brs. N. and S.

40.04 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE.  
and NW. quarters of sec. 9, with cap stamped

1/16 S 9 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N.  
of cor.

60.06 Set an iron post for 1/16 sec. cor. No. 3, in the center  
of the NW $\frac{1}{4}$  of sec. 9, with cap stamped

1/16 S 9 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

80.08 The 1/16 sec. cor. No. 6, bet. secs. 8 and 9 (N $\frac{1}{4}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
From the cor. of secs. 4, 5, 8 and 9, I run

N. 0° 2' W. on a true line bet. secs. 4 and 5.

Over level land, through dense and open mesquite brush.

4.00 Road, brs. N. 60° E. and S. 60° W.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 4  
and 5 (S $\frac{1}{4}$ ), with cap stamped

1/16 S 5 in W. half  
S 4 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W.  
of cor.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 4 and 5, with  
cap stamped

$\frac{1}{4}$  S 5 in W. half  
S 4 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.

## Subdivision of T. 2 S., R. 4 E.

## Chains

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 4 and 5 (N $\frac{1}{4}$ ), with cap stamped

1/16 S 5 in W. half  
S 4 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

74.24 Intersect the N. bdy. of the Tp., which is also the N.bdy. of the Gila River Indian Reservation, at a point 7.27 chs. N. 89° 53' E. of the old cor. of secs. 4, 5, 32 and 33, which now refers to secs. 32 and 33 only.

Set an iron post for the cor. of secs. 4, and 5, with cap stamped

P L in N.  
T 2 S S 5 in SW.  
R 4 E S 4 in SE.  
G R I R 1911 in S.  
3 notches on E. and W. edges

Dig pits 24x24x12 ins. in each sec. 6 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, S. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

From the 1/16 sec. cor. No. 12, bet. secs. 4 and 5 (S $\frac{1}{2}$ )  
I run

N. 89° 56' E. on a random line through the middle of the S. half of sec. 4, setting temp. cors. at intervals of 20.00 chs.

80.04 Falls 5 lks. N. of the 1/16 sec. cor. No. 12, bet. secs. 3 and 4 (S $\frac{1}{2}$ ).

Thence I run

S. 89° 58' W. on a true line through the middle of the S. half of sec. 4.

Over level land, through open brush.

20.01 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 4, with cap stamped

1/16 S 4 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

26.00 Road, brs. NE. and SW.

40.02 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 4, with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 4 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

42.00 Road, brs. N. 60° E. and S. 60° W.

60.03 Set an iron post for 1/16 sec. cor. No. 9, in the center  
of the SW 1/4 of sec. 4, with cap stamped

1/16 S 4 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

80.04 The 1/16 sec. cor. No. 12, bet. secs. 4 and 5 (S 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the 1/4 sec. cor. bet. secs. 4 and 5, I run  
N. 89° 56' E. on a random line through the middle of  
sec. 4, setting temp. cors. at intervals of 20.00 chs.

80.00 Intersect the 1/4 sec. cor. bet. secs. 3 and 4.

Thence I run  
S. 89° 56' W. on a true line through the middle of sec. 4.  
Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 4, with cap stamped

1/16 S 4 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

20.50 Road, brs. N. and S.

30.00 Road, brs. N. 30° W. and S. 30° E.

40.00 Set an iron post for center 1/4 sec. cor. of sec. 4, with  
cap stamped

C 1/4 S 4 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth 4 ft. base,  
2 ft. high, N. of cor.

60.00 Set an iron post for the 1/16 sec. cor. No. 8, bet. the  
NW. and SW. quarters of sec. 4, with cap stamped

1/16 S 4 in center  
No 8 1911 in S.



Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

80.00 The ¼ sec. cor. bet. secs. 4 and 5.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 4 and 5 (N½), I run

N. 89° 56' E. on a random line through the middle of the N. half of sec. 4, setting temp. cors. at intervals of 20.00 chs.

80.04 Falls 2 lks. N. of the 1/16 sec. cor. No. 6, bet. secs. 3 and 4 (N½).

Thence I run

S. 89° 57' W. on a true line through the middle of the N. half of sec. 4.

Over level land, through open brush.

11.00 Road, brs. N. 30° E. and S. 30° W.

15.50 Road, brs. N. 30° E. and S. 30° W.

20.01 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE¼ of sec. 4, with cap stamped

1/16 S 4 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

40.02 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 4, with cap stamped

1/16 S 4 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

41.50 Road, brs. N. 40° E. and S. 40° W.

60.03 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW¼ of sec. 4, with cap stamped

1/16 S 4 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

80.04 The 1/16 sec. cor. No. 6, bet. secs. 4 and 5 (N½).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

Subdivision of T. 2 S., R. 4 E.

Chains

Cloudy at Noon today; no observation for lat. March 7, 1911.

-----  
From the cor. of secs. 5, 6, 31 and 32, on S. bdy. of Tp.,  
previously described, I run

N. 0° 3' W. bet. secs. 31 and 32.

Over level land, through open brush.

4.00 Road, brs. NW. and SE.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 31  
and 32 (S $\frac{1}{2}$ ), with cap stamped

1/16 S 31 in W. half  
S 32 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.

30.00 Road, brs. NE. and SW.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 31 and 32,  
with cap stamped

$\frac{1}{4}$  S 31 in W. half  
S 32 in E. half  
1911 in S., from which

A mesquite 8 ins. dia. brs. S. 20° E., 4 lks. dist.  
Mkd.  $\frac{1}{4}$  S 32 B T.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 31  
and 32, (N $\frac{1}{2}$ ), with cap stamped

1/16 S 31 in W. half  
S 32 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
W. of cor.

62.00 Road, brs. NW. and SE.

80.00 Set an iron post for the cor. of secs. 29, 30, 31 and 32,  
with cap stamped

T 2 S S 29 in NE. quadrant  
R 4 E S 32 in SE. "  
S 31 in SW. "  
S 30 in NW. "  
1911 in S.

1 notch on S. and 5 notches on E. edge

Dig pits 18x16x12 ins. in each sec. 5 $\frac{1}{2}$  ft. dist.; and  
raise a mound of earth 4 ft. base, 2 ft. high, W. of  
cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral, and greasewood  
full distance.

Subdivision of T. 2 S., R. 4 E.

Chains

East on a random line bet. secs. 29 and 32, setting temp. cors. at intervals of 20.00 chs.

79.84 Falls 10 lks. S. of the cor. of secs. 28, 29, 32 and 33.

Thence I run

S. 89° 56' W. on a true line bet. secs. 29 and 32.

Over level land, through open brush.

17.00 Road, brs. N. 15° W. and S. 15° E. also S. 45° E.

19.96 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 29 and 32 (E 1/4), with cap stamped

1/16 S 29 in N. half  
S 32 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

39.00 Road, brs. NW. and SE.

39.92 Set an iron post for 1/4 sec. cor. bet. secs. 29 and 32, with cap stamped

1/4 S 29 in N. half  
S 32 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

54.00 Road, brs. N. 30° E. and S. 30° W.

59.88 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 29 and 32, (W 1/4), with cap stamped

1/16 S 29 in N. half  
S 32 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high; N. of cor.

79.84 The cor. of secs. 29, 30, 31 and 32.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 31 and 32 (S 1/4)  
I run

East on a random line through the middle of the S. half of sec. 32, setting temp. cors. at intervals of 20.00 chs.

79.96 Falls 10 lks. S. of the 1/16 sec. cor. bet. secs. 32 and 33 (S 1/4).

Thence I run

S. 89° 56' W. on a true line through the middle of the S. half of sec. 32.

Subdivision of T. 2 S., R. 4 E.

Chains

Over level land, through open brush.

17.25 Road, brs. N. and S.

19.99 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE 1/4 of sec. 32, with cap stamped

1/16 S 32 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

31.00 Road, brs. N. 45° W. and S. 45° E.

39.98 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 32, with cap stamped

1/16 S 32 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

59.97 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW 1/4 of sec. 32, with cap stamped

1/16 S 32 in center  
No 9 1911 in S., from which

A mesquite 12 ins. dia. brs. S. 56 1/4° W., 55 lks. dist. Mkd. 1/16 S 32 B T.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

79.96 The 1/16 sec. cor. No. 12, bet. secs. 31 and 32 (S 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distances.

-----

From the 1/4 sec. cor. bet. secs. 31 and 32, I run

East on a random line through the middle of sec. 32, setting temp. cors. at intervals of 20.00 chs.

79.96 Falls 2 lks. S. of the 1/4 sec. cor. bet. secs. 32 and 33.

Thence I run

S. 89° 59' W. on a true line through the middle of sec. 32.

Over level land, through open brush.

16.00 Road, brs. N. 15° W. and S. 15° E.

19.99 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 32, with cap stamped

1/16 S 32 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;

Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

39.98 Set an iron post for center ¼ sec. cor. of sec. 32, with cap stamped

C ¼ S 32 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

56.00 Road, brs. N. 50° W. and S. 50° E.

57.30 Road, brs. N. 10° W. and S. 10° E.

59.97 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 32, with cap stamped

1/16 S 32 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

79.96 The ¼ sec. cor. bet. secs. 31 and 32.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 31 and 32, (N½) I run

East on a random line through the middle of the N. half of sec. 32, setting temp. cors. at intervals of 20.00 chs.

79.88 Intersect the 1/16 sec. cor. No. 6, bet. secs. 32 and 33 (N½).

Thence I run

West on a true line through the middle of the N. half of sec. 32.

Over level land, through open brush.

16.00 Road, brs. N. and S.

19.97 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE¼ of sec. 32, with cap stamped

1/16 S 32 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

39.94 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 32, with cap stamped

1/16 S 32 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;

Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

59.91 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW¼ of sec. 32, with cap stamped

1/16 S 32 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

66.00 Road, brs. N. 30° E. and S. 30° W.

77.00 Road, brs. N. 30° W. and S. 30° E.

79.88 The 1/16 sec. cor. No. 6, bet. secs. 31 and 32 (N½).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
From the cor. of secs. 29, 30, 31 and 32, I run

West on a random line bet. secs. 30 and 31, setting temp. cors. at intervals of 20.00 chs.

78.62 Intersect the cor. of secs. 25, 30, 31 and 36, on W. bdy. of Tp., previously described.

Thence I run

East on a true line bet. secs. 30 and 31,

Over level land, through open brush.

18.62 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 30 and 31 (W½), with cap stamped

1/16 S 30 in N. half  
S 31 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

24.00 Road, brs. N. 30° E. and S. 30° W.

31.92 Middle of single track of Maricopa, Phoenix & Salt River Ry., brs. N.15°32'E. and S.15°32'W.

35.00 Road, brs. N. 15° E. and S. 15° W.

38.62 Set an iron post for ¼ sec. cor. bet. secs. 30 and 31, with cap stamped

¼ S 30 in N. half  
S 31 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

52.00 Road, brs. NW. and SE.

58.62 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 30

Subdivision of T. 2 S., R. 4 E.

Chains

and 31, with cap stamped

1/16 S 30 in N. half  
S 31 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

78.62 The cor. of secs. 29, 30, 31 and 32.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 31 and 32 (S 1/2)  
I run

West on a random line through the middle of the S. half of  
sec. 31, setting temp. cors. at intervals of 20.00 chs.

78.59 Falls 5 lks. N. of the 1/16 sec. cor. No. 12, bet. secs.  
31 and 36, (S 1/2), on W. bdy. of Tp., previously described.

Thence I run

N. 89° 58' E. on a true line through the middle of the S.  
half of sec. 31.

Over level land, through open brush.

15.25 Middle of single track of Maricopa, Phoenix & Salt River  
Ry., brs. N.15°32'E. and S.15°32'W.

18.59 Set an iron post for 1/16 sec. cor. No. 9, in the center  
of the SW 1/4 of sec. 31, with cap stamped

1/16 S 31 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

24.55 Road, brs. N. 15° W. and S. 15° E.

25.55 Road, brs. S. 20° E. and N. 20° W.

38.59 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE.  
and SW. quarters of sec. 31, with cap stamped

1/16 S 31 in center  
No.10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

58.59 Set an iron post for 1/16 sec. cor. No. 11, in the center  
of the SE 1/4 of sec. 31, with cap stamped

1/16 S 31 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

- 69.00 Road, brs. N. 45° E. and S. 45° W.
- 71.50 Road, brs. N. 50° W. and S. 50° E.
- 73.60 Road, brs. N. 20° E. and S. 20° W.
- 78.59 The 1/16 sec. cor. No. 12, bet. secs. 31 and 32 (S $\frac{1}{2}$ ).

Land, level.  
 Soil, sandy loam, 1st rate.  
 Open brush of sage, mesquite, chaparral and greasewood,  
 full distance.

-----  
 From the  $\frac{1}{4}$  sec. cor. bet. secs. 31 and 32, I run  
 West on a random line through the middle of sec. 31,  
 setting temp. cors. at intervals of 20.00 chs.

- 78.57 Falls 5 lks. S. of the  $\frac{1}{4}$  sec. cor. bet. secs. 31 and 36,  
 on W. bdy. of Tp., previously described.

Thence I run  
 S. 89° 58' E. on a true line through the middle of sec. 31.  
 Over level land, through open brush.

- 18.57 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW.  
 and SW. quarters of sec. 31, with cap stamped

1/16 S 31 in center  
 No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
 N. of cor.

- 20.87 Middle of single track of Maricopa, Phoenix & Salt River  
 Ry., brs. N.15°32'E. and S.15°32'W.

- 27.00 Road, brs. N. 15° E. and S. 15° W.

- 38.57 Set an iron post for center  $\frac{1}{4}$  sec. cor. of sec. 31, with  
 cap stamped

C  $\frac{1}{4}$  S 31 in center  
 1911 in S.

Dig pits 18x18x12 ins. E. and W. and S., 3 ft., and N.  
 of post 7 ft. dist.; and raise a mound of earth 4 ft.  
 base, 2 ft. high, N. of cor.

- 58.57 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.  
 and SE. quarters of sec. 31, with cap stamped

1/16 S 31 in center  
 No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
 and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
 N. of cor.

- 78.57 The  $\frac{1}{4}$  sec. cor. bet. secs. 31 and 32.

Land, level.  
 Soil, sandy loam, 1st rate.  
 Open brush of sage, mesquite, chaparral, and greasewood,  
 full distance.



Subdivision of T. 2 S., R. 4 E.

Chains

From the 1/16 sec. cor. No. 6, bet. secs. 31 and 32 (N½)  
I run

West on a random line through the middle of the N. half of  
sec. 31, setting temp. cors. at intervals of 20.00 chs.

78.60 Falls 2 lks. N. of the 1/16 sec. cor. No. 6, bet. secs.  
31 and 36 (N½), on W.bdy. of Tp., previously described.

Thence I run

N. 89° 59' E. on a true line through the middle of the N.  
half of sec. 31.

Over level land, through brush.

12.00 Road, brs. N. 55° E. and S. 55° W.

18.60 Set an iron post for 1/16 sec. cor. No. 3, in the center  
of the NW¼ of sec. 31, with cap stamped

1/16 S 31 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3½ ft. base, 1½ ft. high,  
N. of cor.

26.40 Middle of single track of Maricopa, Phoenix & Salt River  
Ry., brs. N.15°32'E. and S.15°32'W.

32.05 Road, brs. N. 20° W. and S. 20° E.

38.60 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE.  
and NW. quarters of sec. 31, with cap stamped

1/16 S 31 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3½ ft. base, 1½ ft. high,  
N. of cor.

58.60 Set an iron post for 1/16 sec. cor. No. 5, in the center  
of the NE¼ of sec. 31, with cap stamped

1/16 S 31 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3½ ft. base, 1½ ft. high,  
N. of cor.

72.65 Road, brs. N. 50° W. and S. 50° E.

78.60 The 1/16 sec. cor. No. 6, bet. secs. 31 and 32 (N½).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

March 7, 1911

March 8, 1911. At 8 a.m., l.m.t., I set off 33° 13' on  
the lat. arc, 5° 08' S. on the decl. arc, and determine  
a meridian with the solar, at the cor. of secs. 29, 30,  
31 and 32.

Thence I run

Subdivision of T. 2 S., R. 4 E.

Chains

N. 0° 3' W. bet. secs. 29 and 30.

Over level land, through open brush.

5.00 Road, brs. E. and W.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 29 and 30, (S $\frac{1}{2}$ ), with cap stamped

1/16 S 30 in W. half  
S 29 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

22.00 Road, brs. E. and W.

36.00 Road, brs. E. and W.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 29 and 30, with cap stamped

$\frac{1}{4}$  S 30 in W. half  
S 29 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

50.00 Road, brs. NE. and SW.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 29 and 30, (N $\frac{1}{2}$ ), with cap stamped

1/16 S 30 in W. half  
S 29 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

65.00 Road, brs. N. 60° W. and S. 60° E.

80.00 Set an iron post for the cor. of secs. 19, 20, 29 and 30, with cap stamped

T 2 S S 20 in NE. quadrant  
R 4 E S 29 in SE. "  
S 30 in SW. "  
S 19 in NW. "  
1911 in S.

2 notches on S. and 5 notches on E. edge

Dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$  ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.



Subdivision of T. 2 S., R. 4 E.

Chains

N. 89° 56' E. on a random line bet. secs. 20 and 29, setting temp. cors. at intervals of 20.00 chs.

79.80 Falls 2 lks. N. of the cor. of secs. 20, 21, 28 and 29.

Thence I run

S. 89° 57' W. on a true line bet. secs. 20 and 29.

Over level land, through open brush.

19.95 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 20 and 29 (E $\frac{1}{2}$ ), with cap stamped

1/16 S 20 in N. half  
S 29 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

20.80 Road, brs. N. and S.

25.80 Road, brs. N. and S.

39.90 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 20 and 29, with cap stamped

$\frac{1}{4}$  S 20 in N. half  
S 29 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

45.30 Road, brs. N. 30° E. and S. 30° W.

52.30 Road, brs. N. 30° E. and S. 30° W.

59.85 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 20 and 29 (W $\frac{1}{2}$ ), with cap stamped

1/16 S 20 in N. half  
S 29 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

79.80 The cor. of secs. 19, 20, 29 and 30.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 29 and 30 (S $\frac{1}{2}$ ) I run

N. 89° 56' E. on a random line through the middle of the S. half of sec. 29, setting temp. cors. at intervals of 20.00 chs.

79.88 Falls 2 lks. N. of the 1/16 sec. cor. No. 12, bet. secs. 28 and 29 (S $\frac{1}{2}$ ).

Thence I run

Subdivision of T. 2 S., R. 4 E.

Chains	
	<p>S. 89° 57' W. on a true line through the middle of the S. half of sec. 29.</p> <p>Over level land, through open brush.</p>
19.97	<p>Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE<math>\frac{1}{4}</math> of sec. 29, with cap stamped</p> <p style="text-align: center;">1/16 S 29 in center No 11 1911 in S.</p> <p>Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3<math>\frac{1}{2}</math> ft. base, 1<math>\frac{1}{2}</math> ft. high, N. of cor.</p> <p>Cor. in middle of road, bearing NW. and SE.</p>
24.00	Road, brs. NW. and SE.
38.00	Road, brs. NE. and SW.
39.94	<p>Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 29, with cap stamped</p> <p style="text-align: center;">1/16 S 29 in center No 10 1911 in S.</p> <p>Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3<math>\frac{1}{2}</math> ft. base, 1<math>\frac{1}{2}</math> ft. high, N. of cor.</p>
40.75	Road, brs. NE. and SW.
59.91	<p>Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW<math>\frac{1}{4}</math> of sec. 29, with cap stamped</p> <p style="text-align: center;">1/16 S 29 in center No 9 1911 in S.</p> <p>Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3<math>\frac{1}{2}</math> ft. base, 1<math>\frac{1}{2}</math> ft. high, N. of cor.</p>
76.00	Road, brs. NW. and SE.
79.88	<p>The 1/16 sec. cor. No. 12, bet. secs. 29 and 30 (S<math>\frac{1}{2}</math>).</p> <p>Land, level. Soil, sandy loam, 1st rate. Open brush of sage, mesquite, chaparral and greasewood, full distance.</p> <p style="text-align: center;">-----</p> <p>From the <math>\frac{1}{4}</math> sec. cor. bet. secs. 29 and 30, I run</p> <p>N. 89° 56' E. on a random line through the middle of sec. 29, setting temp. cors. at intervals of 20.00 chs.</p>
79.80	<p>Falls 5 lks. N. of the <math>\frac{1}{4}</math> sec. cor. bet. secs. 28 and 29.</p> <p>Thence I run</p> <p>S. 89° 58' W. on a true line through the middle of sec. 29.</p> <p>Over level land, through open brush.</p>
0.40	Road, brs. N. 60° W. and S. 60° E.
19.55	Road, brs. N. 45° E. and S. 45° W.

Subdivision of T. 2 S., R. 4 E.

Chains

19.95 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 29, with cap stamped

1/16 S 29 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

29.80 Road, brs. N. and S.

33.30 Indian cabin, brs. S., 3 chs. dist.

37.80 Road, brs. N. 50° W. and S. 50° E.

38.00 Road, brs. NE. and SW.

39.90 Set an iron post for center 1/4 sec. cor. of sec. 29, with cap stamped

C 1/4 S 29 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

53.80 Road, brs. N. 50° E. and S. 50° W.

59.85 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 29, with cap stamped

1/16 S 29 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

79.80 The 1/4 sec. cor. bet. secs. 29 and 30.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 29 and 30 (N 1/2), I run

N. 89° 56' E. on a random line through the middle of the N. half of sec. 29, setting temp. cors. at intervals of 20.00 chs.

80.00 Intersect the 1/16 sec. cor. No. 6, bet. secs. 28 and 29, (N 1/2).

Thence I run

S. 89° 56' W. on a true line through the middle of the N. half of sec. 29.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE 1/4 of sec. 29, with cap stamped

1/16 S 29 in center  
No 5 1911 in S.

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

21.50 Road, brs. N. 10° W. and S. 10° E.

27.00 Road, brs. N. and S.

40.00 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 29, with cap stamped

1/16 S 29 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW¼ of sec. 29, with cap stamped

1/16 S 29 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

64.00 Road, brs. N. 45° E. and S. 45° W.

72.00 Road, brs. N. 60° W. and S. 60° E.

80.00 The 1/16 sec. cor. No. 6, bet. secs. 29 and 30 (N½).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
From the cor. of secs. 19, 20, 29 and 30, I run  
West on a random line bet. secs. 19 and 30, setting temp. cors. at intervals of 20.00 chs.

78.58 Intersect the cor. of secs. 19, 24, 25 and 30, on W. bdy. of Tp., previously described.

Thence I run  
East on a true line bet. secs. 19 and 30.  
Over level land, through open brush.

11.50 Road, brs. N. 30° W. and S. 30° E.

18.58 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 19 and 30 (W½), with cap stamped

1/16 S 19 in N. half  
S 30 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

## Subdivision of T. 2 S., R. 4 E.

## Chains

- 38.58 Set an iron post for  $1/4$  sec. cor. bet. secs. 19 and 30, with cap stamped
- $\frac{1}{4}$  S 19 in N. half  
S 30 1911 in S. half
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 48.00 Road, brs. N.  $30^{\circ}$  E. and S.  $30^{\circ}$  W.
- 54.12 Middle of single track of Maricopa, Phoenix & Salt River Ry., brs. N.  $15^{\circ}32'$  E. and S.  $15^{\circ}32'$  W.
- 55.50 Road, brs. N.  $15^{\circ}32'$  E. and S.  $15^{\circ}32'$  W.
- 58.58 Set an iron post for  $1/16$  sec. cor. No. 1, bet. secs. 19 and 30 ( $8\frac{1}{2}$ ), with cap stamped
- $1/16$  S 19 in N. half  
S 30 No 1 1911 in S. half
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 78.58 The cor. of secs. 19, 20, 29 and 30.
- Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.
- 
- From the  $1/16$  sec. cor. No. 12, bet. secs. 29 and 30 ( $8\frac{1}{2}$ ) I run
- West on a random line through the middle of the S. half of sec. 30, setting temp. cors. at intervals of 20.00 chs.
- 78.51 Falls 5 lks. N. of the  $1/16$  sec. cor. No. 12, bet. secs. 25 and 30 ( $8\frac{1}{2}$ ).
- Thence I run
- N.  $89^{\circ} 58'$  E. on a true line through the middle of the S. half of sec. 30.
- Over level land, through open brush.
- 13.51 Road, brs. NE., - leads to Owan's store.
- 18.51 Set an iron post for  $1/16$  sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 30, with cap stamped
- $1/16$  S 30 in center  
No 9 1911 in S.
- Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 24.51 Road, brs. N.  $30^{\circ}$  E. and S.  $30^{\circ}$  W.
- 28.51 Old Indian dwelling, brs. N., 20 lks. dist.

Subdivision of T. 2 S., R. 4 E.

Chains

32.51 Road, brs. N. 30° E. and S. 30° W.

37.46 Middle of single track of Maricopa, Phoenix, & Salt River Ry., brs. N. 15°32' E. and S. 15°32'W.

John Owen's store at Alicia Siding brs. N., 5.00 chs.dist. on W. side of track.

38.51 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 30, with cap stamped

1/16 S 30 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

40.51 Road, parallel to railroad.

42.51 Road, brs. NW. and SE.

58.51 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE 1/4 of sec. 30, with cap stamped

1/16 S 30 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

78.51 The 1/16 sec. cor. No. 12, bet. secs. 29 and 30 (S 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/4 sec. cor. bet. secs. 29 and 30, I run

West on a random line through the middle of sec. 30, setting temp. cors. at intervals of 20.00 chs.

78.61 Falls 5 lks. S. of the 1/4 sec. cor. bet. secs. 25 and 30, on W. bdy. of Tp., previously described.

Thence I run

S. 89° 58' E. on a true line through the middle of sec. 30.

Over level land, through open brush.

18.61 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 30, with cap stamped

1/16 S 30 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

32.00 Road, brs. N. 20° W. and S. 20° E.

38.61 Set an iron post for center 1/4 sec. cor. of sec. 30, with cap stamped



Subdivision of T. 2 S., R. 4 E.

Chains

C 1/4 S 30 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

43.00 Middle of single track of Maricopa, Phoenix & Salt River Ry. brs. N.15°32'E. and S.15°32'W.

54.00 Road, brs. N. and S.

58.61 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 30, with cap stamped

1/16 S 30 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

65.00 Road, brs. N. 45° E. and S. 45° W.

78.61 The 1/4 sec. cor. bet. secs. 29 and 30.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 29 and 30 (N 1/2), I run

West on a random line through the middle of N 1/2 of sec. 30, setting temp. cors. at intervals of 20.00 chs.

78.58 Falls 2 lks. S. of the 1/16 sec. cor. No. 6, bet. secs. 25 and 30 (N 1/2), on W. bdy. of Tp., previously described.

Thence I run

S. 89° 59' E. on a true line through the middle of the N. half of sec. 30.

Over level land, through open brush.

7.58 Road, brs. N. 45° W. and S. 45° E.

18.58 Set an iron post for the 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 30, with cap stamped

1/16 S 30 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

37.58 Road, brs. N. 20° E. and S. 20° W.

38.58 Set an iron post for the 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 30, with cap stamped

1/16 S 30 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;

2007 037

Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth 3½ ft. base, 1½ ft. high,  
N. of cor.

48.58 Middle of single track of Maricopa, Phoenix, & Salt River  
Ry., brs. N.15°32'E. and S.15°32'W.

51.00 Road, parallel to Railroad.

58.58 Set an iron post for 1/16 sec. cor. No. 5, in the center  
of the NE¼ of sec. 30, with cap stamped

1/16 S 30 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3½ ft. base, 1½ ft. high,  
N. of cor.

72.08 Road, brs. N. and S.

78.58 The 1/16 sec. cor. No. 6, bet. secs. 29 and 30 (N½).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

March 7, 1911.

-----  
March 8, 1911. At the cor. of secs. 19, 20, 29 and 30, I  
set off 5° 04' S. on the decl. arc, and at apparent  
Noon observe the sun on the meridian; the resulting lat.  
is 33° 13½', which is the proper lat.

Thence I run

N. 0° 3' W. on a true line bet. secs. 19 and 20.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 19  
and 20 (S½), with cap stamped

1/16 S 19 in W. half  
S 20 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3½ ft. base, 1½ ft. high,  
W. of cor.

40.00 Set an iron post for ¼ sec. cor. bet. secs. 19 and 20,  
with cap stamped

¼ S 19 in W. half  
S 20 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3½ ft. base, 1½ ft. high,  
W. of cor.

44.50 Road, brs. NE. and SW.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 19  
and 20 (N½), with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 19 in W. half  
S 20 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
W. of cor.

64.00 Road, brs. N. 60° E. and S. 60° W.

80.00 Set an iron post for the cor. of secs. 17, 18, 19 and 20,  
with cap stamped

T 2 S S 17 in NE. quadrant  
R 4 E S 20 in SE. "  
S 19 in SW. "  
S 18 in NW. "

1911 in S.

3 notches on S. and 5 notches on E. edge

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist.; and  
raise a mound of earth 4 ft. base, 2 ft. high, W. of  
cor.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
N. 89° 57' E. on a random line bet. secs. 17 and 20,  
setting temp. cors. at intervals of 20.00 chs.

79.84 Falls 2 lks. N. of the cor. of secs. 16, 17, 20 and 21.

Thence I run

S. 89° 58' W. on a true line bet. secs. 17 and 20.

Over level land, through open brush.

0.90 Road, brs. N. 10° W. and S. 10° E.

19.96 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 17  
and 20 (E 1/2), with cap stamped

1/16 S 17 in N. half  
S 20 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

39.92 Set an iron post for 1/4 sec. cor. bet. secs. 17 and 20,  
with cap stamped

1/4 S 17 in N. half  
S 20 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

42.40 Road, brs. N. 45° W. and S. 45° E.

55.00 Road, brs. NE. and SW.

59.88 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 17  
and 20 (W 1/2), with cap stamped

1/16 S 17 in N. half  
S 20 No 2 1911 in S. half

Subdivision of T. 2 S., R. 4 E.

Chains

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

79.84 The cor. of secs. 17, 18, 19 and 20.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush, of sage, mesquite, chaparral, and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 19 and 20 (S 1/2), I run

N. 89° 57' E. on a random line through the middle of the S. half of sec. 20, setting temp. cors. at intervals of 20.00 chs.

79.84 Falls 2 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 20 and 21 (S 1/2).

Thence I run

S. 89° 56' W. on a true line through the middle of sec. 20.

Over level land, through open brush.

10.00 Road, brs. N. 30° E. and S. 30° W.

18.00 Road, brs. N. 60° E. and S. 60° W.

19.96 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE 1/4 of sec. 20, with cap stamped

1/16 S 20 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

28.00 Road, brs. N. and S.

36.00 Indian cabins, bear N., 5.00 chs. dist.

39.92 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE and SW quarters of sec. 20, with cap stamped

1/16 S 20 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

59.88 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW 1/4 of sec. 20, with cap stamped

1/16 S 20 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

79.84 The 1/16 sec. cor. No. 12, bet. secs. 19 and 20, (S 1/2).

Land, level.

Subdivision of T. 2 S., R. 4 E.

Chains

Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 19 and 20, I run

N.  $89^{\circ} 57'$  E. on a random line through the middle of sec.  
20, setting temp. cors. at intervals of 20.00 chs.

79.76 Falls 2 lks. N. of the  $\frac{1}{4}$  sec. cor. bet. secs. 20 and 21.

Thence I run

S.  $89^{\circ} 58'$  W. on a true line through the middle of sec. 20.

Over level land, through open brush.

8.00 Road, brs. NE. and SW.

19.94 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 20, with cap stamped

$\frac{1}{16}$  S 20 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

24.00 Road, brs. NW. and SE.

27.00 Road, brs. NE. and SW.

30.00 Road, brs. N.  $30^{\circ}$  W. and S.  $30^{\circ}$  E.

39.88 Set an iron post for center  $\frac{1}{4}$  sec. cor. of sec. 20, with  
cap stamped

C  $\frac{1}{4}$  S 20 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft.  
base,  $1\frac{1}{2}$  ft. high, N. of cor.

59.82 Set an iron post for the  $\frac{1}{16}$  sec. cor. No. 8, bet. the  
NW. and SW. quarters of sec. 20, with cap stamped

$\frac{1}{16}$  S 20 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

79.76 The  $\frac{1}{4}$  sec. cor. bet. secs. 19 and 20.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 19 and 20 (N $\frac{1}{2}$ )  
I run

N.  $89^{\circ} 57'$  E. on a random line through the middle of the  
N. half of sec. 20, setting temp. cors. at intervals of

Subdivision of T. 2 S., R. 4 E.

Chains

20.00 chs.

79.88 Intersect the 1/16 sec. cor. No. 6, bet. secs. 20 and 21 (N $\frac{1}{4}$ ).

Thence I run

S. 89° 57' W. on a true line through the middle of the N. half of sec. 20.

Over level land, through open brush.

16.00 Road, brs. N. 45° W. and S. 45° E.

19.97 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE $\frac{1}{4}$  of sec. 20, with cap stamped

1/16 S 20 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

35.25 Road, brs. N. 30° W. and S. 30° E.

39.94 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 20, with cap stamped

1/16 S 20 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

59.91 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW $\frac{1}{4}$  of sec. 20, with cap stamped

1/16 S 20 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

62.00 Road, brs. NE. and SW.

79.88 The 1/16 sec. cor. No. 6, bet. secs. 19 and 20 (N $\frac{1}{4}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the cor. of secs. 17, 18, 19 and 20, I run

West on a random line bet. secs. 18 and 19, setting temp. cors. at intervals of 20.00 chs.

78.52 Falls 2 lks. S. of the cor. of secs. 13, 18, 19 and 24, on W. bdy. of Tp., previously described.

Thence I run

S. 89° 59' E. on a true line bet. secs. 18 and 19.

Over level land, through open brush.

Subdivision of T. 2 S., R. 4 E.

Chains

18.52 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 18 and 19 (W $\frac{1}{2}$ ), with cap stamped

1/16 S 18 in N. half  
S 19 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

35.02 Road, brs. N. 40° W. and S. 40° E.

38.52 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 18 and 19, with cap stamped

$\frac{1}{4}$  S 18 in N. half  
S 19 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

39.02 Road, brs. S. 60° W. and N. 60° E.

46.02 Road, brs. N. 60° W. and S. 60° E.

58.29 Road, brs. N. 60° E. and S. 60° W.

58.52 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 18 and 19 (E $\frac{1}{2}$ ), with cap stamped

1/16 S 18 in N. half  
S 19 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

60.02 Road, brs. N. 15° E. and S. 15° W.

76.27 Middle of single track of Maricopa, Phoenix, & Salt River Ry., brs. N.15°30'E. and S.15°30'W.

77.27 Road, parallel to Railroad.

78.52 The cor. of secs. 17, 18, 19 and 20.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/16 sec. cor. No. 12, bet. secs. 19 and 20 (S $\frac{1}{2}$ ) I run

West on a random line through the middle of the S. half of sec. 19, setting temp. cors. at intervals of 20.00 chs.

78.54 Falls 7 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 19 and 20 (S $\frac{1}{2}$ ), on W. bdy. of Tp., previously described.

Thence I run

S. 89° 57' E. on a true line through the middle of the S. half of sec. 19.

Over level land, through open brush.

Subdivision of T. 2 S., R. 4 E.

Chains

- 10.00 Indian cabin, brs. N., 1.00 ch. dist.
- 18.54 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 19, with cap stamped  
  
 1/16 S 19 in center  
 No 9 1911 in S.  
  
 Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.
- 28.00 Road, brs. NW. and SE.
- 34.00 Road, brs. N. 60° E. and S. 60° W.
- 38.54 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 19, with cap stamped  
  
 1/16 S 19 in center  
 No 10 1911 in S.  
  
 Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.
- 40.00 Same road, brs. S. 60° E. and N. 60° W.
- 54.00 Road, brs. N. 15° E. and S. 15° W.
- 56.50 Road, brs. N. 15° E. and S. 15° W.
- 58.54 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 19, with cap stamped  
  
 1/16 S 19 in center  
 No 11 1911 in S.  
  
 Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.
- 59.64 Middle of single track of Maricopa, Phoenix, & Salt River Ry., brs. N.15°32'E. and S.15°32'W.
- 61.00 Road, brs. N.15°E. and S.15°W.
- 78.54 The 1/16 sec. cor. No. 12, bet. secs. 19 and 20 (S $\frac{1}{4}$ ).  
  
 Land, level.  
 Soil, sandy loam, 1st rate.  
 Open brush of sage, mesquite, chaparral and greasewood, full distance.
- 
- From the  $\frac{1}{4}$  sec. cor. bet. secs. 19 and 20, I run West on a random line through the middle of sec. 19, setting temp. cors. at intervals of 20.00 chs.
- 78.55 Falls 7 lks. S. of the  $\frac{1}{4}$  sec. cor. bet. secs. 19 and 24, on W. bdy. of Tp., previously described.  
  
 Thence I run  
 S. 89° 57' E. on a true line through the middle of sec.19.  
 Over level land, through open brush.



Subdivision of T. 2 S., R. 4 E.

Chains

12.45 Road, from S. 30° W., intersects road bearing NW. and SE.

14.00 Road, brs. NW. and SE.

18.55 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 19, with cap stamped

1/16 S 19 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

26.50 Road, brs. NW. and SE.

37.00 Road, brs. NW. and SE.

38.55 Set an iron post for center 1/4 sec. cor. of sec. 19, with cap stamped

C 1/4 S 19 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W., and S., 3 ft. and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

Cor. falls in small hay corral about 20x20 ft. square.

An old Indian cabin, brs. S., 1.00 ch. dist.

48.00 Road, brs. N. and S.

50.50 Road, brs. NW. and SE.

58.55 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 19, with cap stamped

1/16 S 19 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

60.50 Road, parallel to railroad.

65.19 Middle of single track of Maricopa, Phoenix, & Salt River Ry., brs. N.15°32'E. and S.15°32'W.

66.05 Road, parallel to railroad.

77.55 Road, brs. NE. and SW.

78.55 The 1/4 sec. cor. bet. secs. 19 and 20.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 6, bet. secs. 19 and 20 (1 1/2)  
I run

West on a random line through the middle of the N. half of sec. 19, setting temp. cors. at intervals of 20.00 chs.

## Subdivision of T. 2 S., R. 4 E.

## Chains

78.60 Falls 5 lks. S. of the 1/16 sec. cor. No. 6, bet. secs. 19 and 24 (N $\frac{1}{4}$ ), on W. bdy. of Tp., previously described.

Thence I run

S. 89° 58' E. on a true line through the middle of the N. half of sec. 19.

Over level land, through open brush.

2.00 Road, brs. N. 10° W. and S. 10° E. and branches to N. 75° W.

18.60 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW $\frac{1}{4}$  of sec. 19, with cap stamped

1/16 S 19 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

38.00 Indian cabin, brs. N., 3.00 chs. dist.

38.60 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 19, with cap stamped

1/16 S 19 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

58.60 Set an iron post for 1/16 sec. cor. No. 5, in the center of the NE $\frac{1}{4}$  of sec. 19, with cap stamped

1/16 S 19 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

67.00 Road, brs. N. 15° E. and S. 15° W.

72.36 Middle of single track of Maricopa, Phoenix & Salt River Ry., brs. N. 15° 32' E. and S. 15° 32' W.

73.36 Road, parallel to railroad.

78.60 The 1/16 sec. cor. No. 6, bet. secs. 19 and 20 (N $\frac{1}{4}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

March 8, 1911.

March 9, 1911. At 8 a.m., l.m.t., I set off 33° 14 $\frac{1}{2}$ ' on the lat. arc, 4° 44 $\frac{1}{2}$ ' S. on the decl. arc, and determine a meridian with the solar, at the cor. of secs. 17, 18, 19 and 20.

Thence I run

## Subdivision of T. 2 S., R. 4 E.

## Chains

- N.  $0^{\circ} 3'$  W. bet. secs. 17 and 18.  
Over level land, through open brush.
- 3.00 Road, parallel to railroad.
- 7.96 Middle of single track of Maricopa, Phoenix & Salt River Ry., brs. N. $15^{\circ}32'$ E. and S. $15^{\circ}32'$ W.  
U. S. G. S. Bench Mark brs. N. $10^{\circ}20'$ E., 5.20 chs. dist.
- 13.00 Dim road, brs. N. $15^{\circ}32'$ E. and S. $15^{\circ}32'$ W.
- 19.00 Road, brs. NE. and SW.
- 20.00 Set an iron post for  $1/16$  sec. cor. No. 12, bet. secs. 17 and 18 ( $S\frac{1}{2}$ ), with cap stamped
- $1/16$  S 18 in W. half  
 S 17 in E. half  
 No 12 1911 in S.
- Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 24.00 Road, brs. E. and W.
- 28.00 Road, brs. NW. and SE.
- 36.00 Road, brs. N.  $10^{\circ}$  E. and S.  $10^{\circ}$  W.
- 40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 17 and 18, with cap stamped
- $\frac{1}{4}$  S 18 in W. half  
 S 17 in E. half  
 1911 in S.
- Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 48.00 Road, brs. S.  $60^{\circ}$  E. and N.  $60^{\circ}$  W.
- 60.00 Set an iron post for  $1/16$  sec. cor. No. 6, bet. secs. 17 and 18 ( $N\frac{1}{2}$ ), with cap stamped
- $1/16$  S 18 in W. half  
 S 17 in E. half  
 No 6 1911 in S.
- Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.
- 80.00 Set an iron post for the cor. of secs. 7, 8, 17 and 18, with cap stamped
- T 2 S S 8 in NE. quadrant  
 R 4 E S 17 in SE. "  
           S 18 in SW. "  
           S 7 in NW. "  
 1911 in S.  
 4 notches on S. and 5 notches on E. edge
- Dig pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, W. of cor.

## Subdivision of T. 2 S., R. 4 E.

## Chains

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
N. 89° 58' E. on a random line bet. secs. 8 and 17,  
setting temp. cors. at intervals of 20.00 chs.

79.96 Falls 5 lks. N. of the cor. of secs. 8, 9, 16 and 17.

Thence I run

West on a true line bet. secs. 8 and 17.

Over level land, through open brush.

19.99 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 8  
and 17 (R $\frac{1}{2}$ ), with cap stamped

1/16 S 8 in N. half  
S 17 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

39.98 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 8 and 17,  
with cap stamped

$\frac{1}{4}$  S 8 in N. half  
S 17 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

53.00 Road, brs. N. and S.

59.65 Middle of single track of Maricopa, Phoenix, & Salt River  
Ry., brs. N.15°30'E. and S.15°30'W.

59.97 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 8  
and 17 (W $\frac{1}{2}$ ), with cap stamped

1/16 S 8 in N. half  
S 17 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

62.00 Road, parallel to Railroad.

79.96 The cor. of secs. 7, 8, 17 and 18.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 17 and 18, (S $\frac{1}{2}$ )  
I run

N. 89° 58' E. on a random line through the middle of the

Subdivision of T. 2 S., R. 4 E.

Chains

S. half of sec. 17, setting temp. cors. at intervals of 20.00 chs.

79.84 Falls 7 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 16 and 17 (S $\frac{1}{2}$ ).

Thence I run

S. 89° 55' W. on a true line through the middle of the S. half of sec. 17.

Over level land, through open brush.

19.96 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 17, with cap stamped

1/16 S 17 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

33.85 Road, brs. NE. and SW.

38.35 Road, brs. NE. and SW.

39.92 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 17, with cap stamped

1/16 S 17 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

47.85 Road, brs. S. 30° W. and N. 30° E.

51.85 Indian cabin, brs. S., 5.00 chs. dist.

59.88 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 17, with cap stamped

1/16 S 17 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

67.85 Road, brs. N. 80° W. to railroad crossing.

76.05 Road, brs. N. 15° E. and S. 15° W.

76.44 Middle of single track of Maricopa, Phoenix, & Salt River Ry., brs. N.15°32'E. and S.15°32'W.

77.80 Road, brs. from N.15°W. to S.60°W. and S.15°W.

79.84 The 1/16 sec. cor. No. 12, bet. secs. 17 and 18 (S $\frac{1}{2}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

Subdivision of T. 2 S., R. 4 E.

Chains

From the 1/4 sec. cor. bet. secs. 17 and 18, I run  
N. 89° 58' E. on a random line through the middle of sec.  
17, setting temp. cors. at intervals of 20.00 chs.

79.84 Falls 2 lks. N. of the 1/4 sec. cor. bet. secs. 16 and 17.

Thence I run

S. 89° 59' W. on a true line through the middle of sec.17.

Over level land, through open brush.

19.96 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 17, with cap stamped

1/16 S 17 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

26.00 Road, brs. N. 30° W. and SW.

39.20 Old road, brs. N. 30° E. and S. 30° W.

39.92 Set an iron post for center 1/4 sec. cor. of sec. 17, with  
cap stamped

C 1/4 S 17 in center  
1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

44.50 Road, brs. N. 30° W. and S. 30° E.

59.88 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW.  
and SW. quarters of sec. 17, with cap stamped

1/16 S 17 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

61.00 Road, brs. NW. and SE.

68.00 Road, brs. NE., - branch of road which brs. parallel to  
the railroad.

70.00 Road, parallel to railroad.

70.82 Middle of single track of Maricopa, Phoenix & Salt River  
Railroad, brs. N.15°32'E. and S.15°32'W.

78.50 Road, brs. N.30°E. and S.30°W.

79.84 The 1/4 sec. cor. bet. secs. 17 and 18.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

Subdivision of T. 2 S., R. 4 E.

Chains

<sup>No. 6</sup>  
From the 1/16 sec. cor. bet. secs. 17 and 18 (N $\frac{1}{2}$ ), I run  
N. 89° 58' E. on a random line through the middle of the  
N. half of sec. 17, setting temp. cor. at intervals of  
20.00 chs.

79.92 Intersect the 1/16 sec. cor. No. 6, bet. secs. 16 and 17  
(N $\frac{1}{2}$ ).

Thence I run

S. 89° 58' W. on a true line through the middle of the N.  
half of sec. 17.

Over level land, through open brush.

13.40 Road, brs. N. 45° E. and S. 45° W.

19.98 Set an iron post for 1/16 sec. cor. No. 5, in the center  
of the NE $\frac{1}{4}$  of sec. 17, with cap stamped

1/16 S 17 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

39.96 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE.  
and NW. quarters of sec. 17, with cap stamped

1/16 S 17 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

48.90 Road, brs. N. 35° W. and S. 35° E.

59.94 Set an iron post for 1/16 sec. cor. No. 3, in the center  
of the NW $\frac{1}{4}$  of sec. 17, with cap stamped

1/16 S 17 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

60.00 Road, brs. N. 30° E. and S. 30° W.

65.27 Middle of single track of Maricopa, Phoenix & Salt River  
Ry., brs. N.15°32'E. and S.15°32'W.

71.42 Road, brs. N. 30° E. and S. 30° W.

79.92 The 1/16 sec. cor. No. 6, bet. secs. 17 and 18 (N $\frac{1}{2}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
From the cor. of secs. 7, 8, 17 and 18, I run

N. 89° 59' W. on a random line bet. secs. 7 and 18,  
setting temp. cor. at intervals of 20.00 chs.

## Subdivision of T. 2 S., R. 4 E.

## Chains

78.37 Intersect the cor. of secs. 7, 12, 13 and 18, on W. bdy. of Tp., previously described.

Thence I run

S. 89° 59' E. on a true line bet. secs. 7 and 18.

Over level land, through open brush.

18.37 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 7 and 18 ( $W\frac{1}{2}$ ), with cap stamped

1/16 S 7 in N. half  
S 18 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

31.62 Road, brs. N. 30° W. and S. 30° E.

38.37 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 7 and 18, with cap stamped

$\frac{1}{4}$  S 7 in N. half  
S 18 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

55.37 Road, brs. N. 45° E. and S. 45° W.

55.87 Road, brs. N. 50° W. and S. 50° E.

58.37 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 7 and 18 ( $E\frac{1}{2}$ ), with cap stamped

1/16 S 7 in N. half  
S 18 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

78.37 The cor. of secs. 7, 8, 17 and 18.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 17 and 18 ( $S\frac{1}{2}$ )  
I run

N. 89° 59' W. on a random line through the middle of the S. half of sec. 18, setting temp. cors. at intervals of 20.00 chs.

78.52 Falls 5 lks. N. of the 1/16 sec. cor. No. 12, bet. secs. 13 and 18 ( $S\frac{1}{2}$ ).

Thence I run

N. 89° 59' E. on a true line through the middle of the S. half of sec. 18.

Over level alkali land, through open brush.



Subdivision of T. 2 S., R. 4 E.

Chains

18.52 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 18, with cap stamped

1/16 S 18 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

21.00 Road, brs. N. 60° W. and S. 60° E.

30.00 Road, brs. N. 60° W. and S. 60° E.

36.00 Same road, brs. S. 5° W. and N. 5° E.

38.52 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 18, with cap stamped

1/16 S 18 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

44.00 Road, brs. N. 30° E. and S. 30° W.

58.52 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 18, with cap stamped

1/16 S 18 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

74.00 Leave alkali flat, brs. N. and S. Road, brs. N. 10° E. and S. 10° W.

78.52 The 1/16 sec. cor. No. 12, bet. secs. 17 and 18 (S $\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 17 and 18, I run N. 89° 59' W. on a random line through the middle of sec. 18, setting temp. cors. at intervals of 20.00 chs.

78.43 Falls 7 lks. S. of the  $\frac{1}{4}$  sec. cor. bet. secs. 13 and 18, on W. bdy. of Tp., previously described.

Thence I run S. 89° 56' E. on a true line through the middle of sec. 18. Over level land, through open brush.

10.43 Road, brs. N. 30° W. and NW. from S.

14.43 Road, brs. NE. and SW.

18.43 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 18, with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 18 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

30.43 Road, mbrs. NE. and SW.

38.43 Set an iron post for center 1/4 sec. cor. of sec. 18, with  
cap stamped

C 1/4 S 18 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth 4 ft. base,  
2 ft. high, N. of cor.

56.43 Road, brs. NW. and SE.

58.43 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 18, with cap stamped

1/16 S 18 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

78.43 The 1/4 sec. cor. bet. secs. 17 and 18.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, chaparral and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 6, bet. secs. 17 and 18 (N 1/2)  
I run

N. 89° 59' W. on a random line through the middle of the  
N. half of sec. 18, setting temp. cors. at intervals of  
20.00 chs.

78.40 Falls 2 lks. S. of the 1/16 sec. cor. No. 6, bet. secs.  
13 and 18 (N 1/2), on W. bdy. of Tp., previously described.

Thence I run

S. 89° 58' E. on a true line through the middle of the N.  
half of sec. 18.

Over level land, through open brush.

18.40 Set an iron post for 1/16 sec. cor. No. 3, in the center  
of the NW. 1/4 of sec. 18, with cap stamped

1/16 S 18 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

38.00 Road, brs. N. and S.

38.40 Set an iron post for the 1/16 sec. cor. No. 4, bet. the

Subdivision of T. 2 S., R. 4 E.

Chains

NE. and NW. quarters of secs. 18, with cap stamped

1/16 S 18 in center  
No 4 1911. in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

58.40 Set an iron post for 1/16 sec. cor. No. 5, in the center  
of the NE 1/4 of sec. 18, with cap stamped

1/16 S 18, in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

68.00 Road, brs. NW. and SE.

70.00 Road, brs. NW. and SE.

78.40 The 1/16 sec. cor. No. 6, bet. secs. 17 and 18 (N 1/2)

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
March 9, 1911. At the cor. of secs. 7, 8, 17 and 18, I  
set off 4° 41' S. on the decl. arc, and at apparent  
Noon, observe the sun on the meridian; the resulting  
lat. is 33° 15', which is the proper lat.

Thence I run

N. 0° 03' W. bet. secs. 7 and 8.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 12, bet. secs. 7  
and 8, (S 1/2), with cap stamped

1/16 S 7 in W. half  
S 8 in E. half  
No 12 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
W. of cor.

22.00 Road, brs. NE. and SW.

40.00 Set an iron post for 1/4 sec. cor. bet. secs. 7 and 8, with  
cap stamped

1/4 S 7 in W. half  
S 8 in E. half  
1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
W. of cor.

60.00 Set an iron post for 1/16 sec. cor. No. 6, bet. secs. 7  
and 8 (N 1/2), with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 7 in W. half  
S 8 in E. half  
No 6 1911 in S.

Dig pits 18x18x12 ins. N. and S. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
W. of cor.

66.00 Enter swampy, alkali land, brs. NE. and SW.

80.00 Set an iron post for the cor. of secs. 5, 6, 7 and 8,  
with cap stamped

T 2 S S 5 in NE. quadrant  
R 4 E S 8 in SE. "  
S 7 in SW. "  
S 6 in NW. "

1911 in S.

5 notches on S. and 5 notches on E. edge

Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist.; and  
raise a mound of earth 4 ft. base, 2 ft. high, W. of  
cor.

Land, level.

Soil, sandy loam, 1st rate; and alkali, 3rd rate.

Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----  
East on a random line bet. secs. 5 and 8, setting temp.  
cors. at intervals of 20.00 chs.

80.04 Falls 10 lks. S. of the cor. of secs. 4, 5, 8 and 9.

Thence I run

S. 89° 56' W. on a true line bet. secs. 5 and 8.

Over level land, through open brush.

8.00 Road, brs. N. 65° E. and S. 65° W.

20.01 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 5  
and 8, (E 1/4), with cap stamped

1/16 S 5 in N. half  
S 8 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

36.00 Road, brs. N. 15° E. and S. 15° W.

37.35 Middle of single track of Maricopa, Phoenix & Salt River  
Ry., brs. N.15°32'E. and S.15°32'W.

40.02 Set an iron post for 1/4 sec. cor. bet. secs. 5 and 8, with  
cap stamped

1/4 S 5 in N. half  
S 8 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

5000 000

Subdivision of T. 2 S., R. 4 E.

Chains

51.00 Road, brs. N. 10° E. and S. 10° W.

60.03 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 5 and 8, (W $\frac{1}{2}$ ), with cap stamped

1/16 S 5 in N. half  
S 8 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

63.00 Enter swampy, alkali land, brs. NE. and SW.

80.04 The cor. of secs. 5, 6, 7 and 8.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 7 and 8 (S $\frac{1}{2}$ ) I run

East on a random line through the middle of the S. half of sec. 8, setting temp. cors. at intervals of 20.00 chs.

79.96 Falls 7 lks. S. of the 1/16 sec. cor. No. 12, bet. secs. 8 and 9, (S $\frac{1}{2}$ ).

Thence I run

S. 89° 57' W. on a true line through the middle of the S. half of sec. 8.

Over level land, through open brush.

2.00 Road, brs. NE. and SW.

8.00 Road, brs. NE. and SW.

19.99 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 8, with cap stamped

1/16 S 8 in center  
No 11 1911 in S.

Dig pits 18x16x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

39.98 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 8, with cap stamped

1/16 S 8 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

44.00 Road, brs. N. 30° E. and S. 30° W.

54.10 Middle of single track of Maricopa, Phoenix & Salt River Ry., brs. N.15°32'E. and S.15°32'W.

55.10 Wagon road, parallel to railroad.

59.97 Set an iron post for 1/16 sec. cor. No. 9, in the center

Subdivision of T. 2 S., R. 4 E.

Chains

of the SW.  $\frac{1}{4}$  of sec. 8, with cap stamped

1/16 S 8 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

79.96 The 1/16 sec. cor. No. 12, bet. secs. 7 and 8 ( $S\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 7 and 8, I run

East on a random line through the middle of sec. 8, setting  
temp. cors. at intervals of 20.00 chs.

80.00 Falls 10 lks. S. of the  $\frac{1}{4}$  sec. cor. bet. secs. 8 and 9.

Thence I run

S.  $89^{\circ} 56'$  W. on a true line through the middle of sec. 8.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE.  
and SE. quarters of sec. 8, with cap stamped

1/16 S 8 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

40.00 Set an iron post for center  $\frac{1}{4}$  sec. cor. of sec. 8, with  
cap stamped

C  $\frac{1}{4}$  S 8 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S. 3 ft., and N. of  
post 7 ft. dist.; and raise a mound of earth 4 ft. base,  
2 ft. high, N. of cor.

42.00 Road, brs. N.  $10^{\circ}$  E. and S.  $10^{\circ}$  W.

47.75 Road, brs. N.  $15^{\circ} 32'$  E. and S.  $15^{\circ} 32'$  W.

48.50 Middle of single track of Maricopa, Phoenix & Salt River  
Ry., brs. N.  $15^{\circ} 32'$  E. and S.  $15^{\circ} 32'$  W.

60.00 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW.  
and SW. quarters of sec. 8, with cap stamped

1/16 S 8 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

62.00 Intersection of roads, bearing N.  $30^{\circ}$  E. and S.  $30^{\circ}$  W. and  
NW. and S.  $30^{\circ}$  E.

Subdivision of T. 2 S., R. 4 E.

Chains

74.00 Road, brs. NW. and SE.

80.00 The  $\frac{1}{4}$  sec. cor. bet. secs. 7 and 8.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 7 and 8, ( $N\frac{1}{2}$ )  
I run

East on a random line through the middle of the N. half  
of sec. 8, setting temp. cors. at intervals of 20.00 chs.

80.04 Falls 7 lks. S. of the  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 8  
and 9 ( $N\frac{1}{2}$ ).

Thence I run

S.  $89^{\circ} 57'$  W. on a true line through the middle of the  
N. half of sec. 8.

Over level land, through open brush.

20.01 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 5, in the center  
of the  $NE\frac{1}{4}$  of sec. 8, with cap stamped

$\frac{1}{16}$  S 8 in center  
No 5 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

40.02 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 4, bet. the NE.  
and NW. quarters of sec. 8, with cap stamped

$\frac{1}{16}$  S 8 in center  
No 4 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

41.50 Road, brs. N.  $15^{\circ}$  E. and S.  $15^{\circ}$  W.

43.00 Middle of single track of Maricopa, Phoenix and Salt River  
Ry., brs. N.  $15^{\circ} 32'$  E. and S.  $15^{\circ} 32'$  W.

60.03 Set an iron post for  $\frac{1}{16}$  sec. cor. No. 3, in the center  
of the  $NW\frac{1}{4}$  of sec. 8, with cap stamped

$\frac{1}{16}$  S 8 in center  
No 3 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
N. of cor.

61.25 Road, brs. N.  $10^{\circ}$  E. and S.  $10^{\circ}$  W.

80.04 The  $\frac{1}{16}$  sec. cor. No. 6, bet. secs. 7 and 8 ( $N\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

Subdivision of T. 2 S., R. 4 E.

Chains

From the cor. of secs. 5, 6, 7 and 8, I run  
N. 89° 59' W. on a random line bet. secs. 6 and 7, setting  
temp. cors. at intervals of 20.00 chs.

78.26 Intersect the cor. of secs. 1, 6, 7 and 12, on W. bdy. of  
Tp., previously described.

Thence I run

S. 89° 59' E. on a true line bet. secs. 6 and 7.

Over level land, through open brush.

18.26 Set an iron post for 1/16 sec. cor. No. 2, bet. secs. 6  
and 7 (W $\frac{1}{2}$ ), with cap stamped

1/16 S 6 in N. half  
S 7 No 2 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

38.26 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 6 and 7,  
with cap stamped

$\frac{1}{4}$  S 6 in N. half  
S 7 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

45.76 Road, brs. N. and S.

58.26 Set an iron post for 1/16 sec. cor. No. 1, bet. secs. 6  
and 7, with cap stamped

1/16 S 6 in N. half  
S 7 No 1 1911 in S. half

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

71.26 Enter swampy alkali land, brs. NE. and SW.

78.26 The cor. of secs. 5, 6, 7 and 8.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood,  
full distance.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 7 and 8 (S $\frac{1}{2}$ ),  
I run

N. 89° 59' W. on a random line through the middle of the  
S. half of sec. 7, setting temp. cors. at intervals of  
20.00 chs.

78.27 Falls 14 lks. N. of the 1/16 sec. cor. No. 12, bet. secs.  
7 and 12 (S $\frac{1}{2}$ ), on W. bdy. of Tp., previously described.

Thence I run

N. 89° 55' E. on a true line through the middle of the



Subdivision of T. 2 S., R. 4 E.

Chains

S. half of sec. 7.

Over level land, through open brush.

18.27 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW $\frac{1}{4}$  of sec. 7, with cap stamped

1/16 S 7 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

30.00 Road, brs. N. 30° W. and S. 30° E.

36.00 Road, brs. NE. and SW.

38.27 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 7, with cap stamped

1/16 S 7 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

58.27 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 7, with cap stamped

1/16 S 7 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

78.00 Road, brs. S. 45° W. and N. 45° E.

78.27 The 1/16 sec. cor. No. 12, bet. secs. 7 and 8 (S $\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 7 and 8, I run  
N. 89° 59' W. on a random line through the middle of sec. 7, setting temp. cors. at intervals of 20.00 chs.

78.26 Falls 2 lks. S. of the  $\frac{1}{4}$  sec. cor. bet. secs. 7 and 12, on W. bdy. of Tp., previously described.

Thence I run

S. 89° 58' E. on a true line through the middle of sec. 7.

Over level land, through open brush.

18.26 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 7, with cap stamped

1/16 S 7 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;

Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

38.26 Set an iron post for center  $\frac{1}{4}$  sec. cor. of sec. 7, with cap stamped

C  $\frac{1}{4}$  S 7 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

48.26 Road, brs. N. 30° E. and S. 30° W.

58.26 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 7, with cap stamped

1/16 S 7 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

78.26 The  $\frac{1}{4}$  sec. cor. bet. secs. 7 and 8.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----  
From the 1/16 sec. cor. No. 6, bet. secs. 7 and 8 (N $\frac{1}{4}$ )  
I run

N. 89° 59' W. on a true line through the middle of the N. half of sec. 7, setting temp. cors. at intervals of 20.00 chs.

78.30 Falls 2 lks. S. of the 1/16 sec. cor. No. 6, bet. secs. 7 and 12, on W. bdy. of Tp., previously described.

Thence I run

S. 89° 58' E. on a true line through the middle of the N. half of sec. 7.

Over level land, through open brush.

18.30 Set an iron post for 1/16 sec. cor. No. 3, in the center of the NW $\frac{1}{4}$  of sec. 7, with cap stamped

1/16 S 7 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

38.30 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE. and NW. quarters of sec. 7, with cap stamped

1/16 S 7 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;

Subdivision of T. 2 S., R. 4 E.

Chains

and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

58.30 Set an iron post for  $1/16$  sec. cor. No. 5, in the center of the NE $\frac{1}{4}$  of sec. 7, with cap stamped

$1/16$  S 7 in center  
No 5 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. E. and W. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

78.30 The  $1/16$  sec. cor. No. 6, bet. secs. 7 and 8 (N $\frac{1}{2}$ ).

Land, level.

Soil, sandy loam, 1st rate.

Open brush, of sage, mesquite, chaparral and greasewood, full distance.

March 9, 1911.

-----  
March 10, 1911. At 8 a.m., l.m.t., I set off  $33^{\circ} 16'$  on the lat. arc,  $4^{\circ} 21'$  S. on the decl. arc, and determine a meridian with the solar, at the cor. of secs. 5, 6, 7 and 8.

Thence I run

N.  $0^{\circ} 3'$  W. bet. secs. 5 and 6, on a true line.

Over level land, through open brush and swamp.

10.00 Leave swampy land, brs.NE. and SW.

20.00 Set an iron post for  $1/16$  sec. cor. No. 12, bet. secs. 5 and 6, (S $\frac{1}{2}$ ), with cap stamped

$1/16$  S 6 in W. half  
S 5 in E. half  
No 12 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

40.00 Set an iron post for  $\frac{1}{4}$  sec. cor. bet. secs. 5 and 6, with cap stamped

$\frac{1}{4}$  S 6 in W. half  
S 5 in E. half  
1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

60.00 Set an iron post for  $1/16$  sec. cor. No. 6, bet. secs. 5 and 6, (N $\frac{1}{2}$ ), with cap stamped

$1/16$  S 6 in W. half  
S 5 in E. half  
No 6 1911 in S.

Dig pits  $18 \times 18 \times 12$  ins. N. and S. of post 3 ft. dist.; and raise a mound of earth  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

Subdivision of T. 2 S., R. 4 E.

Chains

74.16 Intersect the N. bdy. of the Tp., which is also the N.bdy. of the Gila River Indian Reservation, at a point 7.19 chs. N. 89° 53' E. of the old cor. of secs. 5, 6, 31 and 32, which now refers to secs. 31 and 32 only.

Set an iron post for the cor. of secs. 5 and 6, with cap stamped

P L in N.  
T 2 S 3 6 in SW.  
R 4 E 8 5 in SE.  
G R I R 1911 in S.  
5 notches on E. and 1 notch on W. edge

Dig pits 24x24x12 ins. in each sec. 6 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, S. of cor.

Land, level. (10.00 chs. swampy).  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood.

-----  
From the 1/16 sec. cor. No. 12, bet. secs. 5 and 6, (S $\frac{1}{2}$ ) I run

N. 89° 56' E. on a random line through the middle of the S. half of sec. 5, setting temp. cors. at intervals of 20.00 chs.

80.04 Falls 10 lks. N. of the 1/16 sec. cor. No. 12, bet. secs. 4 and 5 (S $\frac{1}{2}$ ).

Thence I run

West on a true line through the middle of the S. half of sec. 5.

Over level land, through open brush.

20.01 Set an iron post for 1/16 sec. cor. No. 11, in the center of the SE $\frac{1}{4}$  of sec. 5, with cap stamped

1/16 S 5 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

31.25 Road, parallel to railroad.

31.75 Middle of single track of Maricopa, Phoenix & Salt River Ry., brs. N.15°32'E. and S.15°32'W.

32.50 Road, parallel to railroad.

40.02 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE. and SW. quarters of sec. 5, with cap stamped

1/16 S 5 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

46.00 Enter swampy, alkali land, brs. NE. and SW.

Subdivision of T. 2 S., R. 4 E.

Chains

60.03 Set an iron post for 1/16 sec. cor. No. 9, in the center of the SW 1/4 of sec. 5, with cap stamped

1/16 S 5 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

61.00 Leave swampy land, brs. NE. and SW.

80.04 The 1/16 sec. cor. No. 6, bet. secs. 5 and 6 (S 1/4).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood, full distance.

-----

From the 1/4 sec. cor. bet. secs. 5 and 6, I run N. 89° 56' E. on a random line through the middle of sec. 5, setting temp. cors. at intervals of 20.00 chs.

80.00 Falls 5 lks. N. of the 1/4 sec. cor. bet. secs. 4 and 5.

Thence I run

S. 89° 58' W. on a true line through the middle of sec. 5.

Over level land, through open brush.

20.00 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 5, with cap stamped

1/16 S 5 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

25.25 Road, brs. parallel to railroad.

26.15 Middle of single track of Maricopa, Phoenix, & Salt River Ry., brs. N. 15° 32' E. and S. 15° 32' W.

28.00 Road, brs. N. 30° W. and S. 30° E.

33.00 Enter swampy, alkali land, brs. NE. and SW.

40.00 Set an iron post for center 1/4 sec. cor. of sec. 5, with cap stamped

C 1/4 S 5 in center  
1911 in S.

Dig pits 18x16x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

44.00 Leave swamp; enter wide flat, brs. NE. and SW.

52.00 Road, brs. N. 30° E. and S. 30° W.

60.00 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 5, with cap stamped

Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 5 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

80.00 The 1/4 sec. cor. bet. secs. 5 and 6.

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the 1/16 sec. cor. No. 6, bet. secs. 5 and 6, (N 1/2)  
I run

N. 89° 56' E. on a random line through the middle of the  
N. half of sec. 5, setting temp. cors. at intervals of  
20.00 chs.

80.04 Falls 7 lks. N. of the 1/16 sec. cor. No. 6, bet. secs.  
4 and 5 (N 1/2).

Thence I run

S. 89° 59' W. on a true line through the middle of the N.  
half of sec. 5.

Over level land, through open brush.

19.90 Road, brs. N. 15°32'E. and S.15°32'W.

20.01 Set an iron post for 1/16 sec. cor. No. 5, in the center  
of the NE 1/4 of sec. 5, with cap stamped

1/16 S 5 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

20.60 Middle of single track of Maricopa, Phoenix & Salt River,  
Ry., brs. N. 15° 32' E. and S. 15° 32' W.

40.02 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE.  
and NW. quarters of sec. 5, with cap stamped

1/16 S 5 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

60.03 Set an iron post for 1/16 sec. cor. No. 3, in the center  
of the NW 1/4 of sec. 5, with cap stamped

1/16 S 5 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

80.04 The 1/16 sec. cor. No. 6, bet. secs. 5 and 6 (N 1/2).

Subdivision of T. 2 S., R. 4 E.

Chains

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood.

-----

From the 1/16 sec. cor. No. 12, bet. secs. 5 and 6 (S $\frac{1}{2}$ )  
I run

N. 89° 59' W. on a random line through the middle of the  
S. half of sec. 6, setting temp. cors. at intervals of  
20.00 chs.

78.20 Falls 7 lks. S. of the 1/16 sec. cor. No. 12, bet. secs.  
1 and 6 (S $\frac{1}{2}$ ), on W.bdy. of Tp., previously described.

Thence I run

S. 89° 56' E. on a true line through the middle of the  
S. half of sec. 6.

Over level land, through open brush.

18.20 Set an iron post for 1/16 sec. cor. No. 9, in the center  
of the SW $\frac{1}{4}$  of sec. 6, with cap stamped

1/16 S 6 in center  
No 9 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

38.20 Set an iron post for 1/16 sec. cor. No. 10, bet. the SE.  
and SW. quarters of sec. 6, with cap stamped

1/16 S 6 in center  
No 10 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

43.10 Wash, course SW.

58.20 Set an iron post for 1/16 sec. cor. No. 11, in the center  
of the SE $\frac{1}{4}$  of sec. 6, ~~xxx~~ with cap stamped

1/16 S 6 in center  
No 11 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high,  
N. of cor.

78.20 The 1/16 sec. cor. No. 12, bet. secs. 5 and 6 (S $\frac{1}{2}$ ).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral and greasewood,  
full distance.

-----

From the  $\frac{1}{4}$  sec. cor. bet. secs. 5 and 6, I run

N. 89° 59' W. on a random line through the middle of sec.  
6, setting temp. cors. at intervals of 20.00 chs.

Subdivision of T. 2 S., R. 4 E.

Chains

78.11 Falls 2 lks. S. of the 1/4 sec. cor. bet. secs. 1 and 6, on W. bdy. of Tp., previously described.

Thence I run

S. 89° 58' E. on a true line through the middle of sec. 6.

Over level land, through open brush.

18.11 Set an iron post for 1/16 sec. cor. No. 8, bet. the NW. and SW. quarters of sec. 6, with cap stamped

1/16 S 6 in center  
No 8 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

38.11 Set an iron post for center 1/4 sec. cor. of sec. 6, with cap stamped

C 1/4 S 6 in center  
1911 in S.

Dig pits 18x18x12 ins. E., W. and S., 3 ft., and N. of post 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.

54.00 Wash, course SW.

58.11 Set an iron post for 1/16 sec. cor. No. 7, bet. the NE. and SE. quarters of sec. 6, with cap stamped

1/16 S 6 in center  
No 7 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

78.11 The 1/4 sec. cor. bet. secs. 5 and 6.

Land, level.

Soil, sandy loam, 1st rate.

Open brush of sage, mesquite, chaparral and greasewood, full distance.



From the 1/16 sec. cor. No. 6, bet. secs. 5 and 6 (N 1/2), I run

N. 89° 59' W. on a random line through the middle of the N. half of sec. 6, setting temp. cors. at intervals of 20.00 chs.

78.11 Falls 5 lks. S. of the 1/16 sec. cor. No. 6, bet. secs. 1 and 6 (N 1/2), on W. bdy. of Tp., previously described.

Thence I run

S. 89° 57' E. on a true line through the middle of the N. half of sec. 6.

Over level land, through open brush.

18.11 Set an iron post for the 1/16 sec. cor. No. 3, in the center of the NW 1/4 of sec. 6, with cap stamped



Subdivision of T. 2 S., R. 4 E.

Chains

1/16 S 6 in center  
No 3 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

38.11 Set an iron post for 1/16 sec. cor. No. 4, bet. the NE.  
and NW. quarters of sec. 6, with cap stamped

1/16 S 6 in center  
No 4 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

58.11 Set an iron post for 1/16 sec. cor. No. 5, in the center  
of the NE 1/4 of sec. 6, with cap stamped


1/16 S 6 in center  
No 5 1911 in S.

Dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.;  
and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high,  
N. of cor.

78.11 The 1/16 sec. cor. No. 6, bet. secs. 5 and 6, (N 1/2).

Land, level.  
Soil, sandy loam, 1st rate.  
Open brush of sage, mesquite, chaparral, and greasewood,  
full distance.

March 10, 1911.



Subdivision of T. 2 S., R. 4 N.

GENERAL DESCRIPTION.

This entire township consists of level land, covered with scattered brush of sage, mesquite and chaparral.

The soil is a rich, sandy loam, and would become very productive if irrigation were possible for it.

The Phoenix, Maricopa & Salt River Railway enters the township in section 31, and running on a tangent, leaves it in section 5.

The town of Alicia, consisting of John Owen's store, is in sec. 30.

Guy P. Harrington,  
U. S. Surveyor.

List of Assistants:

- Hugh M. Neighbour, Instrumentman
- Earl G. Harrington, "
- Archie J. Strane, Chairman
- Myron E. Hays "
- A. O. Stinson, "
- E. W. Hoagland "
- J. W. Rodgers, Moundsman
- Fred J. Bergener "
- Louis G. Hurst, Flagman
- Chas. Hoebeke "
- Mike Cavanaugh, Axeman
- Clifford McLaughlin "
- Edmer L. Nye "

Washington, D.C., June 17, 1915.

I hereby certify that the survey of the subdivision lines in T. 2 S., R. 4 E., within the Gila River Indian Reservation, Arizona, was made under my supervision and direction, and to the best of my knowledge and belief the field work was executed in strict accordance with instructions dated Oct. 11, 1910, and the Manual of Surveying Instructions, and that these field notes are a correct representation thereof.

*A. F. Dunnington*

---

Topographer in Charge of  
Indian Surveys.



157

FINAL OATH OF UNITED STATES SURVEYOR.

I, \_\_\_\_\_, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for \_\_\_\_\_ bearing date of the \_\_\_\_\_ day of \_\_\_\_\_, 191 \_\_\_\_\_, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of \_\_\_\_\_

For oath of U.S. Surveyor, see Book "B" (township exteriors and reservation boundary).

\_\_\_\_\_ of the \_\_\_\_\_ Meridian, in the State of \_\_\_\_\_, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for \_\_\_\_\_ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said \_\_\_\_\_, and sworn to before me } this \_\_\_\_\_ day of \_\_\_\_\_, 191 \_\_\_\_\_



APPROVAL.

OFFICE OF THE COMMISSIONER OF THE GENERAL LAND OFFICE  
~~OFFICE OF THE UNITED STATES SURVEYOR GENERAL,~~

Washington, D.C., July 29, 1919

The foregoing field notes of the survey of the subdivision lines of T. 2 S., R. 4 E., within the Gila River Indian Reservation, Arizona,

executed by Guy P. Harrington, U. S. Surveyor, under direction of A. F. Dunnington, Topographer in Charge of Indian Surveys, under his special instructions dated Oct. 11, 1910, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

(signed) Clay Tallman

Commissioner of the General Land Office

I certify that the foregoing transcript of the field notes of the above-described surveys in the Gila River Ind. Res'n, Ariz., has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.

Commissioner of the General Land Office