

FIELD NOTES

OF THE SURVEY OF THE

Seventh Standard Parallel North, through Range 8 West,

and of the

North and West boundaries, and Subdivision lines of

TOWNSHIP 29 NORTH, RANGE 8 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

Guy Redwine, U. S. Cadastral Engineer, and

Horace M. Muscott, U. S. Transitman,

In the capacity of U. S. Surveyors, under Special Instructions dated February 25, 1920, issued by the United States Surveyor General to govern surveys included in Group No. 196, which were approved by the Commissioner of the General Land Office, March 8, 1920, and Assignment Instructions dated April 8, 1920

Survey commenced April 25, 1920

Survey completed May 26, 1920

3511

3511

1A


3511

Book "A"

Group 100 - - Arizona.

BOOK 3511

INDEX DIAGRAM.



— Lines surveyed under this Group.

— Lines surveyed under current Group 105.

— Lines surveyed under current Group 107.

3511

BOOK 3511

Book "A"

DATE DIAGRAM

TOWNSHIP 29 NORTH, RANGE 8 WEST.

5-25-20 5-26-20 6	5-24-20 5-20-20 5	5-24-20 5-17-20 4	5-14-5-7-20 5-14-20 3	5-7-20 5-5-20 2	5-7-20 5-6-20 1
5-26-20 5-20-20 7	5-20-20 5-19-20 8	5-17-20 5-17-20 9	5-14-20 5-12-20 10	5-6-20 5-5-20 11	5-3-20 5-3-20 12
5-20-20 5-19-20 18	5-19-20 5-18-20 17	5-12-20 5-12-20 16	5-10-20 5-10-20 15	5-1-20 5-1-20 14	4-28-20 4-28-20 13
5-26-20 5-19-20 19	5-18-20 5-18-20 20	5-10-20 5-10-20 21	5-4-20 5-4-20 22	4-30-20 4-30-20 23	4-28-20 4-28-20 24
5-15-20 5-14-20 30	5-15-20 5-15-20 29	5-10-20 5-8-20 28	5-1-20 5-1-20 27	4-30-20 4-30-20 26	4-28-20 4-27-20 25
5-15-20 5-12-20 31	5-15-20 5-15-20 32 7th	5-8-20 5-8-20 33 Std.	4-29-20 4-29-20 34 Par.	4-26-20 4-26-20 35 N.	4-27-20 4-25-20 36
5-12-20	5-12-20	5-8-20	4-29-20	4-26-20	4-25-20

Surveyed under current Group No 105

Black lines on above diagram indicate surveys executed by Guy Redwine,
U.S. Cadastral Engineer, on dates shown thereon.

Red lines on above diagram indicate surveys executed by Horace M. Muscott,
U.S. Transitman, on dates shown thereon.

Surveys hereinafter described, executed by Guy Redwine, U.S. Cadastral Engineer, and Horace M. Muscott, U.S. Transitman, on dates shown on diagram on page 1 hereof, using Buff and Buff transit No. 9208, and Young and Sons transit No. 8489, respectively. Each instrument is equipped with full vertical circle and the Smith solar attachment; unless otherwise specified all azimuth determinations are accomplished with the solar attachment.

April 23, 1920: We examine the adjustment of each instrument, and correct all errors; then, to test the solar apparatus by comparing its indications from observations made during a.m. and p.m. hours with a meridian established by Polaris observation proceed with each instrument as follows:

At camp near SW. cor. of sec. 14, T. 29 N., R. 8 W., Gila and Salt River Base and Meridian, in latitude $35^{\circ}53\frac{1}{2}'N.$; and longitude $113^{\circ}07'W.$, at 5h. 21m., p.m., l.m.t., observe Polaris at Western elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point in the line thus determined, on a peg driven firmly in the ground 5 chs. N.

Azimuth of Polaris at western elongation $1^{\circ}23'05''$.

April 24, 1920: Lay off the azimuth of Polaris $1^{\circ}23'$ to the east, and mark the meridian thus determined by a tack in a peg driven firmly in the ground 5 chs. N.

At 9h. 00m. a.m., l.m.t., set off $35^{\circ}53\frac{1}{2}'N.$ on the lat. arc; $12^{\circ}55\frac{1}{2}'N.$ on the decl. arc, and determine a meridian with the solar, which agrees with the true meridian.

At app. noon, with the lat. arc unchanged, observe the sun on the meridian; the resulting reading of the decl. arc is $12^{\circ}58'N.$, which agrees with the computed decl. of the sun.

At 3h. 00m. p.m., l.m.t., with the latitude arc unchanged, set off $13^{\circ}00\frac{1}{2}'N.$ on the decl. arc, and determine a meridian with the solar, which agrees with the true meridian.

As all of the solar observations during the usual hours of solar work come within $1'30''$ of the true meridian, conclude that the adjustments of instrument are satisfactory.

Unless otherwise specified, all measurements are made with Lufkin 5 chain steel tapes, compared with a Lufkin Standard steel tape, and found correct. The measurements are made on the slope, the vertical angle determined, and the slope measurements properly reduced to true horizontal distances.

Chains.

The standard cor. of Ts. 29 N., Rs. 7 and 8 W. on 7th. Std. Parallel North, established under current Group No. 105, is an iron post 3 ins. in diam., projecting 12 ins. above ground, firmly set, properly marked on brass cap, witnessed by two properly marked bearing trees as follows:

- A pine, 8 ins. in diam., N. 50 $\frac{1}{2}$ ° E., 60 lks. dist.
- A pine, 18 ins. in diam., N. 53° W., 287 lks. dist.

Thence,

West, on S. bdy. of sec. 36.

Over level land, thru scattering timber and undergrowth. Leave level, and enter rolling land. Desc. 102 ft., over W. slope.

7.60

Gully, course S. Asc. 80 ft., over E. slope.

16.70

Spur, slopes S. 30° E. Desc. 65 ft., over SW. slope, to

22.10

Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground, for standard $\frac{1}{4}$ sec. cor. of sec. 36, marked on brass cap,

40.00

S C
 $\frac{1}{4}$ S 36

1920

from which,

- A cedar, 8 ins. in diam., brs. N. 7° E., 56 lks. dist., marked $\frac{1}{4}$ S 36 S C B T.

- A cedar, 12 ins. in diam., on line, 67 lks. W. of cor. marked with 2 notches on each of E. & W. faces.

Descend 40 ft., over W. slope.

50.70

E. edge of draw, brs. N. and S. Thence across draw, course S.

52.20

Road brs. S. 29 $\frac{1}{2}$ ° E. and N. 25 $\frac{1}{2}$ ° W. Extends southeasterly to Seligman, and northwesterly to Prospect Valley.

55.70

W. edge of draw, brs. N. and S. Leave draw. Asc. 34 ft., over E. slope.

57.40

Top of ascent, brs. N. and S. Old tank brs. N. about 13 chs. dist. Descend 30 ft., over W. slope.

71.50

Ascend 60 ft., over NE. slope, to

80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for standard cor. of secs. 35 and 36, marked on brass cap,

S C
T29N R8 W
S35 S36

1920

from which,

- A yellow pine, 16 ins. in diam., brs. N. 54° E., 220 lks. dist., marked T29N R8W S36 SC BT.

- A yellow pine, 9 ins. in diam., brs. N. 10 $\frac{1}{2}$ ° W., 112 lks. dist., marked T29N R8W S35 SC BT.

Land, 4.7 $\frac{1}{2}$ chs. level; remainder, rolling.

Soil, light gravelly clay, 2nd and 3rd rate.

Timber, scattering cedar and pine.

Undergrowth, scattering scrub oak.

Fair grass.

West, on S. bdy. of sec. 35.

Over rolling land, thru scattering timber and undergrowth. Descend 20 ft., over NW. slope.

.85

A yellow pine, 20 ins. in diam., on line, marked with two notches on each of E. and W. faces.

21.10

Draw, 12 lks. wide, course NE. Asc. 95 ft., over SE. slope, to

7.00

Change to S. slope, and ascend slightly to

Seventh Standard Parallel North thru Range 8 West

Chains.

- 22.00 Descend 80 ft., over SW. slope, to draw.
- 30.00 Spur, slopes SW.
- 37.00 Draw, course SW. Asc. 15 ft., over SE. slope, to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for standard $\frac{1}{4}$ sec. cor. of sec. 35, marked on brass cap,

S C
 $\frac{1}{4}$ S 35

1920

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor..

- 42.00 Descend 34 ft., over SW. slope, to
- Draw, 20 lks. wide, course S. Asc. 150 ft., over E. slope.
- 53.60 Spur, slopes W. from N. Desc. 20 ft., on top of same to
- 67.10 Leave top of spur; desc. 95 ft., over W. slope.
- 74.00 Draw, 20 lks. wide, course S. At about 50 lks. N. this draw is joined by another draw from W. Asc. 50 ft., over NE. slope, along S. side of draw.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for standard cor. of secs. 34 and 35, marked on brass cap,

S C
T29N R8 W
S34 S35

1920

from which,

A yellow pine, 9 ins. in diam., brs. N. 85° E., 188 lks. dist., marked T29N R8W S35 S C BT.

A cedar, 12 ins. in diam., brs. N. $56\frac{1}{2}^{\circ}$ W., 87 lks. dist., marked T29N R8W S34 S C BT.

Land, rolling.

Soil, rocky clay, 3rd rate.

Timber, scattering cedar, oak and pine.

Undergrowth, scattering scrub cedar, scrub oak and chemical.

Poor grass.

West, on S. bdy. of sec. 34.

Over rolling land, thru. scattering timber and undergrowth. Descend slightly over foot of NE. slope.

- 1.00 Gully, 5 lks. wide, course NE. into draw about 1.00 ch. NE. of this point. Asc. 105 ft., over E. slope.
- 18.00 Spur, slopes S. Desc. 110 ft., over W. slope.
- 21.70 Gulch, 10 lks. wide, course S. Asc. 85 ft., over SE. slope.
- 29.00 Point of spur, slopes S. Desc. 25 ft., over SW. slope.
- 34.00 Gulch, 10 lks. wide, course SE. Asc. 95 ft., over E. slope, to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground to bed rock, deposit a stone marked with a cross (x) at base of post, and raise a mound of stone around post, for standard $\frac{1}{4}$ sec. cor. of sec. 34, marked on brass cap,

S C
 $\frac{1}{4}$ S 34

1920

from which,

A yellow pine, 14 ins. in diam., brs. N. $25\frac{1}{2}^{\circ}$ W., 117 lks. dist., marked $\frac{1}{4}$ S 34 S C BT.

Ascend 25 ft., over E. slope.

- 42.90 Ridge, brs. N. and S. Desc. 24 ft., over W. slope.
- 49.80 Draw, 20 lks. wide, course NE. Asc. 110 ft., over NE. slope.

Seventh Standard Parallel North thru Range 8 West

Chains.

64.40
80.00

Spur, slopes NW. Desc. 70 ft., over SW. slope, to
Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
the ground for standard cor. of secs. 33 and 34, marked
on brass cap,

S	C
T29N	R8W
S33	S34

1920

from which,

A yellow pine, 14 ins. in diam., brs. N. $30\frac{3}{4}^{\circ}$ E., 89
lks. dist., marked T29N R8W S34 SC BT.

A yellow pine, 22 ins. in diam., brs. N. $69\frac{1}{2}^{\circ}$ W., 156
lks. dist., marked T29N R8W S33 SC BT.

Land, rolling.

Soil, light, rocky clay, 3rd rate.

Timber, scattering cedar and pine.

Undergrowth, scattering scrub cedar, scrub oak and chemi-
sal. Poor grass.

Poor grass.

West, on S. bdy. of sec. 33.

Over rolling land, thru scattering timber and undergrowth.
Descend slightly over W. slope.

1.80
28.80
36.35
40.00

Small drain, course NE. Asc. 100 ft., over E. slope and growth.

Spur, slopes SE. Desc. 40 ft., over SW. slope, to

Ascend 50 ft., over SE. slope, to 100 ft. over E. slope.

Top of same spur, slopes NE. from W. Set an iron post,
3 ft. long, 1 in. in diam., 10 ins. in the ground to
bed rock, supported in a mound of stone, for standard
 $\frac{1}{4}$ sec. cor. of sec. 33, marked on brass cap,

S	C
$\frac{1}{4}$ S	S33

1920

from which,

A pine, 18 ins. in diam., brs. N. $16\frac{1}{2}^{\circ}$ E., 114 lks.
dist., marked $\frac{1}{4}$ S 33 S C BT.

A pine, 18 ins. in diam., brs. N. $56\frac{1}{2}^{\circ}$ W., 41 lks.
dist., marked $\frac{1}{4}$ S 33 S C BT.

Ascend slightly along top of spur.

50.00

Leave top of spur, sloping E. from SW. Desc. 70 ft., over
NW. slope.

67.00

Gully, course N. 20° E. Asc. 40 ft. over SE. slope.

71.50

Descend. 35 ft. over NW. slope.

78.50

Gully, course NE. Asc. 20 ft., over E. slope, to

80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
the ground, for standard cor. of secs. 32 and 33, marked
on brass cap,

S	C
T29N	R8W
S32	S33

1920

from which,

An oak, 10 ins. in diam., brs. N. $45\frac{3}{4}^{\circ}$ E., 43 lks.
dist., marked T29N R8W S33 SC BT.

An oak, 5 ins. in diam., brs. N. $39\frac{1}{2}^{\circ}$ W., 34 lks.
dist., marked T29N R8W S32 SC BT.

Land, rolling.

Soil, gravelly and rocky clay, 3rd rate.

Timber, scattering cedar, pine and balsam.

Undergrowth, scattering scrub oak and chemisal. Poor grass.

West, on S. bdy. of sec. 32.

Over mountainous land, thru scattering timber and under-
growth. Ascend 120 ft. over E. slope.

6 Seventh Standard Parallel North, thru. Range 8 West.

chains.

- 17.20 Ridge brs.N. and S. Descend 30 ft., over W.slope.
- 22.50 Ascend 45 ft., over SE. slope.
- 34.50 Spur, slopes W. from NE. Thence on nearly level top of spur, descending slightly to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 25 ins. in the ground for standard $\frac{1}{4}$ sec. cor. of sec. 32, marked on brass cap,

S C
 $\frac{1}{4}$ S 32

1920

from which,

A pine, 14 ins. in diam., brs. N. $48\frac{3}{4}^{\circ}$ E., 72 lks. dist., marked $\frac{1}{4}$ S 32 SC BT.

A pine, 16 ins. in diam., brs. N. 32° W., 128 lks. dist., marked $\frac{1}{4}$ S 32 SC BT.

- 56.00 Continue along top of spur, sloping W. Descend slightly to End of top of spur. Desc. 70 ft., over W.slope.
- 62.20 Gulch, course S. Enter dense undergrowth. Leave timber. Ascend 150 ft., over SE. slope, to
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for standard cor. of secs. 31 and 32, marked on brass cap,

S C
T29N | R8 W
S31 | S32

1920

dig pits 18x18x12 ins., one each N., E. and W. of cor. 3 ft. dist.

Land, mountainous.

Soil, gravelly and rocky clay, 3rd rate.

Timber, pine, cedar and oak, scattering in E. 62 chs. None in W. 18 chs.

Undergrowth, sage brush, scrub oak and chemisal, scattering and dense.

Poor grass.

- West, on S. bdy. of sec. 31.
- Over mountainous land, thru. dense undergrowth. Asc. 15 ft., over E. slope.
- 3.00 Ridge, brs. NE. and SW. Thence across nearly level top of ridge.
- 7.40 Leave top of ridge, and desc. 980 ft., over W. slope, to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for standard $\frac{1}{4}$ sec. cor. of sec. 31, marked on brass cap,

S C
 $\frac{1}{4}$ S 31

1920

and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

- Descend 115 ft., over W. slope, to
- 50.00 Gulch; course NW. Asc. 30 ft. over NE. slope,
- 56.00 Point of spur, slopes N. Desc. 200 ft., over W. slope.
- 73.95 Bottom of canyon, course SW. Asc. 127 ft., over SE. slope.
- 78.75 Point of spur, slopes S. Desc. 30 ft., over SW. slope, to
- 80.00 Set an iron post, 3 ft. long, 3 ins. in diam., 26 ins. in the ground for standard cor. of Ts. 29 N., Rs. 8 and 9 W., marked on brass cap,

Seventh Standard Parallel North thru Range 8 West.

Chains.

S C	
T29N	
R9W	R8W
S36	S31

1920.

and raise a mound of stone 3 ft. base, 3 ft. high, N. of cor.


Land, mountainous.

Soil, rocky, 4th rate.

Timber, none.

Undergrowth, dense sagebrush, chemisal and scrub oak.


No grass.




8 Survey of West bdy. of Township 29 North, Range 8 West.

Chains.

From the standard cor. of Ts. 29 N., Rs. 8 and 9 W. on 7th Standard Parallel North, hereinbefore described, North, bet. secs. 31 and 36.
 Over mountainous land, thru. dense undergrowth.
 Ascend 220 ft., over SW. slope, near top of spur, sloping S.
 17.50 Top of spur, sloping S. from NW. Desc. 45 ft. over NE. slope.
 31.00 Asc. 41 ft., over SE. slope.
 34.60 Descend 20 ft., over NE. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in the ground to bed rock, deposit a stone, marked with a cross (x) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,



Ascend 16 ft. over S. slope.
 41.60 Spur, slopes E. Descend 50 ft., over N. slope.
 46.20 Gulch, course E. Asc. 270 ft., over S. slope. Enter dense timber.
 67.20 Spur, slopes E. Desc. 40 ft., over N. slope.
 77.00 Gully, course E. Asc. 34 ft., over SE. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 25, 30, 31 and 36, marked on brass cap,



from which,
 A pine, 6 ins. in diam., brs. N. 27° E., 70 lks. dist., marked T29N R8W S30 BT.
 A cedar, 18 ins. in diam., brs. S. 73° E., 47 lks. dist., marked T29N R8W S31 BT.
 A cedar, 10 ins. in diam., brs. S. 63° W., 65 lks. dist., marked T29N R9W S36 BT.
 A pine, 8 ins. in diam., brs. N. 70 $\frac{1}{4}$ ° W., 72 lks. dist., marked T29N R9W S25 BT.

Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, dense pine, cedar and oak in N. 34 chs. only.
 Undergrowth, dense sagebrush, scrub oak and chemisal.
 No grass.

North, bet. secs. 25 and 30.
 Over mountainous land, thru. dense timber and undergrowth.
 Ascend 65 ft., over SE. slope, to
 15.00 Thence over E. slope, with slight change in elevation.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 16 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,
 A pine, 14 ins. in diam., brs. N. 70° E., 5 lks. dist., marked $\frac{1}{4}$ S 30 BT.


West boundary of Township 29 North, Range 8 West. 9

Chains. A pine, 12 ins. in diam., brs. S. 65°W., 11 lks.
 dist., marked $\frac{1}{4}$ S 25 BT.
 Descend 74 ft., over NE. slope.
 51.50 Gulch, course NE. Asc. 95 ft., over SE. slope, to
 72.00 Thence over E. slope, descending 20 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the
 ground, for cor. of secs. 19, 24, 25 and 30, marked on
 brass cap,


T29N	
R9W	R8W
S24	S19
S25	S30
1920	

from which,
 A cedar, 12 ins. in diam., brs. N. 63 $\frac{1}{4}$ °E., 64 lks.
 dist., marked T29N R8W S19 BT.
 A pine, 12 ins. in diam., brs. S. 57 $\frac{1}{4}$ °E., 143 lks.
 dist., marked T29N R8W S30 BT.
 A cedar, 30 ins. in diam., brs. S. 49°W., 115 lks.
 dist., marked T29N R9W S25 BT.
 A cedar, 30 ins. in diam., brs. N. 65 $\frac{1}{2}$ °W., 105 lks.
 dist., marked T29N R9W S24 BT.
 Land, mountainous. Soil, rocky, 4th rate.
 Timber, dense pine, cedar and oak.
 Undergrowth, dense sage brush and chemisal. No grass.

North, bet. secs. 19 and 24.
 Over rolling land, thru. dense timber & scattering undergrowth.
 Desc. 30 ft., over NE. slope.
 6.00 Gulch, course S. 60°E. Ascend 90 ft., over SE. slope.
 14.00 Descend 50 ft., over NE. slope.
 27.80 Draw, course E. Ascend 30 ft., over S. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,
 A cedar, 15 ins. in diam., brs. S. 50 $\frac{3}{4}$ °E., 47 lks.
 dist., marked $\frac{1}{4}$ S 19 BT.
 A pine, 18 ins. in diam., brs. S. 51 $\frac{3}{4}$ °W., 100 lks.
 dist., marked $\frac{1}{4}$ S 24 BT.
 Ascend 135 ft., over SE. slope.
 55.00 Enter dense undergrowth, and scattering timber.
 73.25 Change to E. slope, and ascend 25 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in
 the ground, for cor. of secs. 13, 18, 19 and 24, marked on
 brass cap,



and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of
 cor.
 Land, rolling. Soil, rocky, 4th rate.
 Timber, pine, cedar and oak, dense and scattering.
 Undergrowth, chemisal and sage brush, dense and scattering.
 No grass.

North, bet. secs. 13 and 18.
 Over rolling land, thru. dense undergrowth and scattering
 timber. Asc. slightly over E. slope, to
 5.80 Leave rolling, and enter mountainous land. Desc. 75 ft.,
 over NE. slope.
 14.90 Gully, course NE. Asc. 55 ft., over SE. slope.
 22.00 Desc. 30 ft., over N. slope.
 26.00 Gulch, course E. Asc. 55 ft., over SE. slope.
 30.00 Enter dense timber and undergrowth.
 33.00 Descend 50 ft., over NE. slope, to

West boundary of Township 29 North, Range 8 West. 11.

Chains.

T29N	
R9W	R8W
S 1	S 6
S12	S 7

1920

- from which,
- A cedar, 10 ins. in diam., brs. N. 19 1/4° E., 36 lks. dist., marked T29N R8W S6 BT.
- A pine, 7 ins. in diam., brs. S. 33° E., 36 lks. dist., marked T29N R8W S 7 BT.
- A pine, 10 ins. in diam., brs. S. 17 1/4° W., 34 lks. dist., marked T29N R9W S12 BT.
- A pine, 10 ins. in diam., brs. N. 30 1/2° W., 39 lks. dist., marked T29N R9W S1 BT.

Land, rolling. Soil, gravelly and rocky, 3rd and 4th rate. Timber, dense cedar and pine. Undergrowth, dense chemisal, scrub oak and sagebrush. No grass.

North, bet. secs. 1 and 6. Over mountainous land, thru. dense timber and scattering undergrowth.

26.00
40.00

Descend 400 ft., over NW. slope. Ravine, course NE. Ascend 150 ft., over SE. slope, to NE. end of ridge, bearing NE and SW. Set an iron post 3 ft. long, 1 in. in diam.; in a mound of stone, for 1/4 sec. cor., marked on brass cap,

1/4	
S 1	S 6

1920

- from which,
- A pine, 10 ins. in diam., brs. N. 88 1/2° E., 281 lks. dist., marked 1/4 S 6 BT.
- A pine, 6 ins. in diam., brs. N. 80° W., 8 lks. dist., marked 1/4 S 1 BT.

53.80
71.00
76.00
80.00

Descend 375 ft., over N. slope, to Change to NW. slope, and descend 65 ft. to Ravine, course NW. into canyon. Asc. 260 ft. over steep broken SW. slope, on E. wall of canyon. Descend 25 ft. on ledge, bearing NW. and SE. On ledge of E. wall of canyon, set an iron post, 3 ft. long, 3 ins. in diam., over cross (x) marked on surface rock, and raise a mound of stone around post, for cor. of Ts. 29 and 30 N., Rs. 8 and 9 W., marked on brass cap,

T30N	
R9 W	R8W
S36	S31
S 1	S 6

T29N
1920

Land, mountainous. Soil, rocky, 4th rate. Timber, dense pine, cedar and oak. Undergrowth, scattering scrub oak, chemisal, sage brush, and cactus. No grass.

12 Survey of North boundary of Township 29 North, Range 8 West.

Chains.

From the cor. of Ts. 29 and 30 N., Rs. 7 and 8 W., West, on a random line, bet. Ts. 29 and 30 N., thru. R. 8 W., setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs.
 480.02 Fall 42 lks. N. of the cor. of Ts. 29 and 30 N., Rs. 8 and 9 W., hereinbefore described,
 Thence,
 N. $89^{\circ}57'$ E., on a true line, bet. secs. 6 and 31.
 Over mountainous land, thru. dense timber and undergrowth.
 Ascend 763 ft., over SW. slope, on E. wall of canyon.
 25.00 Ridge, brs. N. and S. Leave canyon; desc. 405 ft., over E. slope, to
 40.02 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground, to bed rock supported in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 31
 S 6
 1920

from which,

A cedar, 8 ins. in diam., brs. N. $45\frac{1}{4}^{\circ}$ E., 36 lks. dist., marked $\frac{1}{4}$ S 31 BT.
 A pine, 7 ins. in diam., brs. S. $56\frac{1}{2}^{\circ}$ W., 10 lks. dist., marked $\frac{1}{4}$ S 6 BT.

Descend 450 ft., over E. slope.
 56.60 Bottom of ravine, 1 ch. wide, course N. Spring brs. N. about 1 ch. dist. Asc. 380 ft., over NW. slope.
 71.80 Spur, slopes NE. Desc. 172 ft., over SE. slope, to
 80.02 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 5, 6, 31 and 32, marked on brass cap,

T30N | R 8W
S31 | S32
 S 6 | S 5
 T29N
 1920

from which,

A cedar, 8 ins. in diam., brs. N. $27\frac{3}{4}^{\circ}$ E., 44 lks. dist., marked T30N R8W S32 BT.
 A pine, 8 ins. in diam., brs. S. $26\frac{3}{4}^{\circ}$ E., 54 lks. dist., marked T29N R8W S5 BT.
 A cedar, 18 ins. in diam., brs. S. $29\frac{3}{4}^{\circ}$ W., 44 lks. dist., marked T29N R8WS6 BT.
 A pine, 6 ins. in diam., brs. N. 65° W., 52 lks. dist., marked T30N R8W S31 BT.

Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, dense pine and cedar.
 Undergrowth, dense chemisal, manzanita and scrub oak.
 No grass.

N. $89^{\circ}57'$ E., on a true line, bet. secs. 5 and 32.
 Over mountainous land, thru. dense timber and undergrowth.
 Descend 205 ft., over SE. slope.
 4.80 Gulch, course NE. Asc. 380 ft., over NW. slope.
 21.00 Spur, slopes N. Desc. 76 ft., over E. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 14 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 32
 S 5
 1920

North boundary of Township 29 North, Range 8 West. 13

Chains.

from which,
 A cedar, 12 ins. in diam., brs.S.49 $\frac{1}{2}$ °E., 15 lks.
 dist., marked $\frac{1}{4}$ S 5 BT.
 A pine, 6 ins. in diam., brs.N.52°W., 28 lks.
 dist., marked $\frac{1}{4}$ S 32 BT.
 Desc. 20 ft., over E.slope.
 46.00 Gully, course N. Asc. 75 ft., over NW. slope.
 48.40 Desc.25 ft.,over NE. slope.
 52.50 Gully, course N. Asc. 50 ft.,over W.slope.
 58.50 Spur,slopes NW. for about 3.00 chs.to point,where it
 turns and slopes E. Desc. 160 ft.,over SE. slope,to
 80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 4 ins. in
 the ground, to bed rock, supported in a mound of stone,
 for cor.of secs. 4, 5, 32 and 33,marked on brass cap,

T30N	R 8W
S32	S33
S 5	S 4
T29N	
1920	

from which,
 A cedar, 8 ins. in diam., brs.N.22 $\frac{3}{4}$ °E., 11 lks.
 dist., marked T30N R8W S33 BT.
 A pine, 6 ins. in diam., brs.S.41 $\frac{1}{2}$ °E., 46 lks.
 dist., marked T29N R8W S4 BT.
 A cedar, 14 ins. in diam., brs.S.60 $\frac{3}{4}$ °W., 69 lks.
 dist., marked T29N R8W S5 BT.
 A cedar, 24 ins. in diam., brs.N. 48°W., 29 lks.
 dist., marked T30N R8W S32 BT.

Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, dense pine and cedar.
 Undergrowth, dense chemisal, manzanita and scrub oak.
 No grass.

N.89°57'E., on a true line, bet. secs.4, and 33.
 Over mountainous land, thru.dense timber and undergrowth.

Descend 150 ft., over SE. slope.
 16.00 Wash, 10 lks.wide, course NE. Leave mountainous, and
 enter rolling land. Ascend 23 ft., over NW.slope, to
 18.45 Descend 75 ft., over NE.slope.
 29.00 Ascend 60 ft., over SW.slope, to
 40.00 Spur, slopes SE. Set an iron post, 3 ft.long, 1 in. in
 diam., 12 ins. in the ground, to bed rock, supported
 in a mound of stone, for $\frac{1}{4}$ sec.cor., marked on brass
 cap,

$\frac{1}{4}$ S 33
S 4
1920

from which,
 A pine, 8 ins. in diam., brs.N.1°E., 32 lks.
 dist., marked $\frac{1}{4}$ S 33 BT.
 A cedar, 8 ins. in diam., brs.S.60°E., 5 lks.
 dist., marked $\frac{1}{4}$ S 4 BT.

Descend 110 ft., over E.slope.
 53.00 Wash, course S. from NW. Ascend 12 ft., over SW.slope.
 55.25 Spur, slopes SE. Desc. 60 ft., over E.slope, to
 66.00 Foot of descent, brs.NW. and S. at W.edge of Prospect
 Valley. Leave rolling land and dense timber and
 undergrowth, and enter nearly level land, and scatter-
 ing timber and undergrowth.
 71.10 Wash, 15 lks.wide, course NE. Asc. slightly, over W.slope,
 in nearly level bottom of Prospect Valley.
 79.93 Road brs.N. and S.
 80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 24 ins.

14 North boundary of Township 29 North Range 8 West

Chains.

in the ground for cor. of secs. 3, 4, 33 and 34, marked on brass cap,

T30N	R8 W
S33	S34
S 4	S 3
T29N	
1920	

from which,

- A cedar, 5 ins. in diam., brs. N. 78 1/4° E., 216 lks. dist., marked T30N R8W S34 BT.
- A cedar, 24 ins. in diam., brs. S. 48 3/4° E., 163 lks. dist., marked T29N R8W S3 BT.
- A pine, 24 ins. in diam., brs. S. 50° W., 446 lks. dist., marked T29N R8W S4 BT.
- A cedar, 8 ins. in diam., brs. N. 30 3/4° W., 305 lks. dist., marked T30N R8W S33 BT.

Land, W. 16 chs., mountainous; E. 14 chs. nearly level; remainder rolling.

Soil, light gravelly clay, 2nd and 3rd rate in E. 64 chs.; rocky, 4th rate in W. 16 chs.

Timber, cedar, pine and oak, dense and scattering.

Undergrowth, chemisal, sage brush and scrub oak, dense and scattering.

Fair grass in E. 14 chs. only.

N. 39° 57' E., on a true line, bet: secs. 3 and 34.

Over nearly level land, thru scattering timber and undergrowth, in bottom of Prospect Valley. Asc. slightly over NW. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S	34
S	3
1920	

from which,

- A cedar, 5 ins. in diam., brs. N. 30 1/2° E., 87 lks. dist., marked 1/4 S 34 BT.
- An oak, 5 ins. in diam., brs. S. 54° E., 132 lks. dist., marked 1/4 S 3 BT.

Continue over nearly level bottom of Prospect Valley, bearing N. and SW. Ascend slightly over W. slope.

51.15 Old road, brs. NE. and SW. Leave nearly level land and
54.35 Leave nearly level land and bottom of valley, and enter mountainous land on E. side of valley. Asc. 255 ft.

54.35 over W. slope.

62.50 Spur, slopes N. 10° W. Leave scattering, and enter dense timber. Desc. 150 ft., over E. slope.

66.90 Bottom of gulch, 30 lks. wide, course NW. Asc. 102 ft., over SW. slope.

72.10 Rocky spur, slopes NW. Desc. 25 ft., over NE. slope.

74.60 Asc. 50 ft., over W. slope, to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, marked on brass cap,

T30N	R8 W
S34	S35
S 3	S 2
T29N	
1920	

from which,

- A pine, 8 ins. in diam.; brs. N. 38° E., 43 lks. dist., marked T30N R8W S35 BT.

North boundary of Township 29 North, Range 8 West. 15

Chains.

- A pine, 10 ins. in diam., brs.S.47½°E., 24 lks. dist., marked T29N R8W S2 BT.
- A cedar, 14 ins. in diam., brs.S.23½°W., 22 lks. dist., marked T29N R8W S3 BT.
- A cedar, 8 ins. in diam., brs.N.20½°W., 70 lks. dist., marked T30N R8W S34 BT.

Land, W. 51 chs. nearly level; remainder, mountainous.
 Soil, W. 54 chs. sandy and gravelly light clay, 2nd rate; E. 26 chs. rocky, 4th rate.
 Timber, pine, cedar and oak, scattering and dense.
 Undergrowth, scattering chemical and scrub oak.
 Fair grass in Prospect Valley.

22.60
40.00

N. 89°57'E., on a true line, bet. secs. 2 and 35.
 Over mountainous land, thru dense timber and scattering undergrowth.
 Ascend 407 ft., over W. and SW. slopes, to Spur, slopes NW. Desc. 130 ft., over NE. slope, to Set an iron post, 3 ft. long, 1 in. in diam., 5 ins. in the ground, to bed rock, supported in a mound of stone, for ¼ sec. cor., marked on brass cap,

¼ S 35
 S 2
 1920

from which,

- A pine, 8 ins. in diam., brs.S.13½°E., 19 lks. dist., marked ¼ S 2 BT.
- A pine, 7 ins. in diam., brs.N.9°E., 15 lks. dist., marked ¼ S 35 BT.

41.10
48.20
53.20
58.20
80.00

Descend 30 ft., over NE. slope.
 Gulch, course NE. Asc. 157 ft., over SW. slope.
 Desc. 34 ft., over NE. slope.
 Gully, 5 lks. wide, course NW. Asc. 50 ft., over SW. slope, to W. rim of mesa, brs. NW, and SE. Leave mountainous and enter nearly level top of mesa.
 Set an iron post, 3 ft. long, 2 ins. in diam., 10 ins. in the ground, supported in a mound of stone, for cor. of secs. 1, 2, 35 and 36, marked on brass cap,

T30N	R8W
S35	S36
S 2	S 1
T29N	
1920	

from which,

- A yellow pine, 16 ins. in diam., brs.N.22°E., 81 lks. dist., marked T30N R8W S36 BT.
- A cedar, 8 ins. in diam., brs.S.15½°E., 66 lks. dist., marked T29N R8W S1 BT.
- An oak, 8 ins. in diam., brs.S.81½°W., 29 lks. dist., marked T29N R8W S2 BT.
- A yellow pine, 8 ins. in diam., brs.N.32°W., 20 lks. dist., marked T30N R8W S35 BT.

Land, W. 58 chs. mountainous; E. 22 chs. nearly level.
 Soil, gravelly and rocky, 3rd and 4th rate.
 Timber, dense pine and cedar,
 Undergrowth, scattering chemical and scrub oak.
 No grass.

N. 89°57'E., on a true line, bet. secs. 1 and 36.
 Over nearly level land, thru dense timber and scattering undergrowth, on top of mesa.

16 North boundary of Township 29 North, Range 8 West.

Chains.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 36
 S 1
 1920

from which,

A yellow pine, 18 ins. in diam., brs. S. $52\frac{3}{4}^{\circ}$ E., 77 lks. dist., marked $\frac{1}{4}$ S 1 BT.

A yellow pine, 24 ins. in diam., brs. N. 33° W., 84 lks. dist., marked $\frac{1}{4}$ S 36 BT.

Continue over nearly level land, on top of mesa.

48.70 E. rim of mesa, brs. NW and SE. Leave level, and enter rolling land. Desc. 90 ft. over NE. slope, to

77.40 Foot of descent, brs. NW and S. Leave rolling, and enter level land on bench, bearing N. and S.

80.00 The cor. of Ts. 29 and 30 N., Rs. 7 and 8 W., established under current Group No. 105, which is an iron post, 3 ins. in diam., projecting 12 ins. above ground, properly marked on brass cap, and witnessed by four properly marked bearing trees as follows:

A pine, 30 ins. diam., N. $31\frac{1}{2}^{\circ}$ E., 179 lks. dist.

A pine, 10 ins. in diam., S. 29° E., 136 lks. dist.

A pine, 10 ins. in diam., S. $35\frac{1}{2}^{\circ}$ W., 150 lks. dist.

A pine, 8 ins. in diam., N. 70° W., 69 lks. dist.

Land, W. 48 chs. nearly level. E. $2\frac{1}{2}$ chs. level; remainder, rolling.

Soil, light gravelly clay, 3rd rate.

Timber, dense pine and cedar.


Undergrowth, scattering chemical and scrub oak.

No grass.

Survey of Subdivision lines of Township 29 North Range 8 West 17


Chains.

- .70 From the standard cor. of secs. 35 and 36 on S. bdy. of Tp. (7th. Std. Parallel N.), hereinbefore described, N. 0° 01' W.; bet. secs. 35 and 36.
- 20.00 Over rolling land, thru. scattering timber and undergrowth. Descend slightly over N. slope, to Draw, 10 lks. wide, course NE. Asc. 55 ft., over SE. slope. Saddle in E. end of ridge, bearing NE. and SW. Desc. 80 ft., over NE. slope to $\frac{1}{4}$ sec. cor.
- 26.50 Reservoir, brs. E. about 12 chs. dist. in bottom of draw.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,
 A pine, 24 ins. in diam., brs. S. 62 $\frac{1}{2}$ ° E., 117 lks. dist., marked $\frac{1}{4}$ S 36 BT.
 A pine, 26 ins. in diam., brs. S. 78° W., 126 lks. dist., marked $\frac{1}{4}$ S 35 BT.

- Descend 40 ft., over NE. slope.
- 43.60 Draw, course SE. Asc. 60 ft., over S. slope, to
- 51.50 Change to E. slope, and ascend very gradually.
- 54.60 About 5 chs. E. of this point, a road from Seligman forks, one branch extending NE. to Laguna Lake in T. 29 N., R. 7 W. and the other branch extending NW. to a point in bottom of Prospect Valley, near N. bdy. of the Tp.
- 63.30 Descend 45 ft., over NE. slope.
- 71.00 Draw, 20 lks. wide, course SE. Asc. 46 ft. over SW. slope to sec. cor.
- 71.45 Road brs. SE. and NW. Extends southeasterly to Seligman, and northwesterly to Prospect Valley.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 25 ins. in the ground for cor. of secs. 25, 26, 35 and 36, marked on brass cap,



from which,
 A yellow pine, 20 ins. in diam., brs. N. 4 $\frac{1}{2}$ ° E., 173 lks. dist., marked T29N R8W S25 BT.
 A yellow pine, 20 ins. in diam., brs. S. 47 $\frac{1}{2}$ ° E., 127 lks. dist., marked T29N R8W S36 BT.
 An oak, 6 ins. in diam., brs. S. 57° W., 26 lks. dist., marked T29N R8W S35 BT.
 An oak, 4 ins. in diam., brs. N. 9° W., 19 lks. dist., marked T29N R8W S26 BT.

Land, rolling.
 Soil, gravelly and rocky clay, 2nd and 3rd rate.
 Timber, scattering cedar, pine and oak.
 Undergrowth, scattering scrub oak and chemical.
 No grass.

-
- 40.00 East, on a random line, bet. secs. 25 and 36. Set temp. $\frac{1}{4}$ sec. cor.
 - 79.90 Intersect E. bdy. of Tp., 4 lks. S. of the cor. of secs. 25, 30, 31 and 36, established under current Group No. 105, which is an iron post 2 ins. in diam., projecting 12 ins. above ground; firmly set, properly marked on brass cap, and witnessed by a pit NW. of cor., and three properly marked bearing trees as follows:
 A pine, 36 ins. in diam., N. 18° E., 430 lks. dist.
 A pine, 16 ins. in diam., S. 14° E., 60 lks. dist.
 A cedar, 30 ins. in diam., S. 52 $\frac{3}{4}$ ° W., 198 lks. dist.

18 Subdivision lines of Township 29 North, Range 8 West.

Chains.

Thence,

S. 89° 58' W., on a true line, bet. secs. 25 and 36.

Over level land, thru. scattering timber.

9.90 Road, brs. NE. and SW. Extends northeasterly to Laguna Lake.

Leave level, and enter gently rolling land and scattering undergrowth. Ascend very gradually over E. slope, to

39.95 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4 S 25

S 36

1920

from which,

A pine, 12 ins. in diam., brs. N. 12 1/2° E., 128 lks.

dist., marked 1/4 S 25 BT.

A pine, 8 ins. in diam., brs. S. 73 1/2° W., 126 lks.

dist., marked 1/4 S 36 BT.

Continue over gently rolling land, thru. scattering timber and undergrowth. Ascend very gradually over E. slope.

62.00 Spur, slopes SW. Desc. 30 ft., over NW. slope.

70.60 Draw, 20 lks. wide, course SW. Asc. 17 ft., over SE. slope.

72.85 Descend 45 ft., over SW. slope, to

79.90 The cor. of secs. 25, 26, 35 and 36.

Land, E. 10 chs. level; remainder, rolling.

Soil, gravelly clay, 2nd rate.

Timber, scattering pine, cedar and oak.

Undergrowth, scattering scrub oak in W. 70 chs. only.

Fair grass in E. half.

N. 0° 01' W., bet. secs. 25 and 26.

Over rolling land, thru. scattering timber and undergrowth.

Ascend 67 ft., over SW. slope.

9.74 Change to S. slope, and ascend 30 ft. to

21.40 Spur, slopes SE. Descend 45 ft., over NE. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4
S26 | S25

1920

from which,

A yellow pine, 12 ins. in diam., brs. N. 66° E., 180

lks. dist., marked 1/4 S 25 BT.

A yellow pine, 22 ins. in diam., brs. S. 51 1/2° W., 108

lks. dist., marked 1/4 S 26 BT.

Thence, over nearly level land, on mesa, bearing N. and S.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap,

T29N | R8 W
S23 | S24
S26 | S25

1920

from which,

A yellow pine, 14 ins. in diam., brs. N. 42 1/4° E., 188

lks. dist., marked T29N R8W S24 BT.

A yellow pine, 18 ins. in diam., brs. S. 70 1/4° E., 11

lks. dist., marked T29N R8W S25 BT.

A yellow pine, 22 ins. in diam., brs. S. 47 1/4° W., 17

lks. dist., marked T29N R8W S26 BT.

A yellow pine, 26 ins. in diam., brs. N. 49 1/4° W., 123

lks. dist.; marked T29N R8W S23 BT.

Subdivision lines of Township 29 North, Range 8 West.

chains.

Land, S. 1/2 rolling; N. 1/2 nearly level.
Soil, gravelly clay, 2nd rate.
Timber, scattering cedar and pine.
Undergrowth, scattering scrub oak.
No grass.

N. 89° 58' E., on a random line, bet. secs. 24 and 25.
40.00 Set temp. 1/4 sec. cor.
80.00 Intersect E. bdy. of Tp., 5 lks. N. of the cor. of secs. 19, 24, 25 and 30, established under current Group No. 105 which is an iron post, 2 ins. in diam., projecting 12 ins. above ground, firmly set, properly marked on brass cap, and witnessed by four properly marked bearing trees, as follows:

- A pine, 20 ins. in diam., N. 22 3/4° E., 177 lks. dist.
- A pine, 20 ins. in diam., S. 41 3/4° W., 174 lks. dist.
- A pine, 20 ins. in diam., S. 25° E., 94 lks. dist.
- A pine, 36 ins. in diam., N. 25° W., 7 lks. dist.

Thence,
West, on a true line, bet. secs. 24 and 25.
Over rolling land, thru. scattering timber and undergrowth.
Descend slightly on W. slope, to
5.00 Desc. 55 ft., over NW. slope.
22.20 Draw, 20 lks. wide, course NE. Ascend gradually over SE. slope.
32.00 Descend gradually over SW. slope.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4 S 24
S 25
1920

from which,
A yellow pine, 26 ins. in diam., brs. N. 2° E., 19 lks. dist., marked 1/4 S 24 BT.
A yellow pine, 16 ins. in diam., brs. S. 15° W., 97 lks. dist., marked 1/4 S 25 BT.

Descend slightly over SW. slope, to
41.00 Same draw, 10 lks. wide, course SE. Asc. 40 ft., over SE. slope.
50.00 Rim of mesa, brs. NE. and SW. Leave rolling, and enter nearly level land, on top of mesa, bearing N. and S.
80.00 The cor. of secs. 23, 24, 25 and 26.

Land, E. 50 chs. rolling; W. 30 chs. nearly level.
Soil, gravelly and rocky clay, 3rd rate.
Timber, scattering pine, cedar and oak.
Undergrowth, scattering scrub oak, scrub cedar and chemical.
Poor grass.

N. 0° 01' W., bet. secs. 23 and 24.
Over nearly level land, thru. scattering timber and undergrowth, on top of mesa, bearing N. and S.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for 1/4 sec. cor., marked on brass cap,

1/4
S 23 | S 24
1920

from which,
A yellow pine, 20 ins. in diam., brs. N. 62 3/4° E., 92 lks. dist., marked 1/4 S 24 BT.

20 Subdivision of Township 29 North, Range 8 West.

Chains.

An oak, 10 ins. in diam., brs. S. $71\frac{1}{2}^{\circ}$ W., 33 lks. dist., marked $\frac{1}{4}$ S 23 BT.

Continue over nearly level top of mesa, thru. scattering timber and undergrowth.

70.00 Descend 23 ft., over NE. slope.

75.40 Draw, 10 lks. wide, course SE. Asc. 20 ft., over SW. slope, to

78.00 Thence over level land.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap,

T29N	R8 W
S14	S13
S23	S24

1920

from which,

A yellow pine, 18 ins. in diam., brs. N. $16\frac{3}{4}^{\circ}$ E., 155 lks. dist., marked T29N R8W S13 BT.

A yellow pine, 28 ins. in diam., brs. S. $22\frac{3}{4}^{\circ}$ E., 82 lks. dist., marked T29N R8W S24 BT.

A yellow pine, 28 ins. in diam., brs. S. $56\frac{1}{4}^{\circ}$ W., 30 lks. dist., marked T29N R8W S23 BT.

An oak, 8 ins. in diam., brs. N. $28\frac{1}{4}^{\circ}$ W., 138 lks. dist., marked T29N R8W S14 BT.

Land, level and rolling.

Soil, gravelly clay, 2nd rate.

Timber, scattering pine, cedar and oak.

Undergrowth, scattering scrub cedar, scrub oak and chemical.

No grass.

East, on a random line, bet. secs. 13 and 24.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.96 Fall 27 lks: S. of the cor. of secs. 13, 18, 19 and 24 on E. bdy. of Tp. established under current Group No. 105, which is an iron post, 2 ins. in diam., projecting 12 ins. above ground, firmly set, properly marked on brass cap, and witnessed by four properly marked bearing trees, as follows:

A pine, 20 ins. in diam., N. $76\frac{1}{2}^{\circ}$ E., 148 lks. dist.

A pine, 32 ins. in diam., S. 15° E., 194 lks. dist.

A pine, 20 ins. in diam., S. $78\frac{1}{4}^{\circ}$ W., 96 lks. dist.

A pine, 24 ins. in diam., N. $47\frac{1}{4}^{\circ}$ W., 41 lks. dist.

Thence, S. $89^{\circ}48'$ W., on a true line, bet. secs. 13 and 24.

Over rolling land, thru. dense timber and scattering undergrowth. Desc. 20 ft., over SW. slope.

7.00 Ascend 50 ft., over E. slope.

25.00 Spur, slopes N. Desc. 40 ft., over W. slope.

34.00 Draw, 80 lks. wide, course NE. Asc. 35 ft., over NE. slope, to

39.98 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 13
S 24

1920

from which,

A yellow pine, 20 ins. in diam., brs. S. $52\frac{3}{4}^{\circ}$ W., 48 lks. dist., marked $\frac{1}{4}$ S 24 BT.

A yellow pine, 20 ins. in diam., brs. N. $71\frac{1}{2}^{\circ}$ W., 22 lks. dist., marked $\frac{1}{4}$ S 13 BT.

Descend 20 ft., over NW. slope.

48.90 Wash, 60 lks. wide, course NE. Ascend slightly over S. slope, to

53.00 Draw, 20 lks. wide, course SE. Asc. 50 ft., over NE. slope, to

Subdivision of Township 29 North, Range 8 West.

21

Chains.
 60.00 Rim of mesa, brs. N. and S. Leave rolling land and dense timber, and enter nearly level land & scattering timber.
 79.96 The cor. of secs. 13, 14, 23 and 24.
 Land, E. 60 chs. rolling; W. 20 chs. nearly level.
 Soil, light gravelly clay, 2nd and 3rd rate.
 Timber, pine, cedar and oak, scattering and dense.
 Undergrowth, scattering scrub cedar and chemisal.
 Fair grass.

N. 0° 01' W., bet. secs. 13 and 14.
 Over nearly level land, thru scattering timber and undergrowth, on top of mesa, bearing N. and S.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor.; marked on brass cap,

$$\begin{array}{c} \frac{1}{4} \\ S14 \quad | \quad S13 \\ 1920 \end{array}$$

from which,
 A yellow pine, 20 ins. in diam., brs. S. 88 $\frac{1}{2}$ ° E., 146 lks. dist., marked $\frac{1}{4}$ S 13 BT.
 A yellow pine, 22 ins. in diam., brs. N. 86 $\frac{3}{4}$ ° W., 47 lks. dist., marked $\frac{1}{4}$ S 14 BT.
 Continue over nearly level land on mesa, bearing N. and S.
 63.90 Gully, 10 lks. wide, course E., near head.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, marked on brass cap,

$$\begin{array}{c} T29N \quad | \quad R8W \\ S11 \quad | \quad S12 \\ \hline S14 \quad | \quad S13 \\ 1920 \end{array}$$

from which,
 An oak, 10 ins. in diam., brs. N. 46 $\frac{1}{2}$ ° E., 75 lks. dist., marked T29N R8W S12 BT.
 An oak, 6 ins. in diam., brs. S. 42° E., 77 lks. dist., marked T29N R8W S13 BT.
 An oak, 5 ins. in diam., brs. S. 39 $\frac{3}{4}$ ° W., 87 lks. dist., marked T29N R8W S14 BT.
 A yellow pine, 12 ins. in diam., brs. N. 42 $\frac{1}{2}$ ° W., 104 lks. dist., marked T29N R8W S11 BT.
 Land, nearly level.
 Soil, gravelly clay, 3rd rate.
 Timber, scattering pine, cedar and oak.
 Undergrowth, scattering chemisal & scrub oak. Fair grass.

N. 89° 48' E., on a random line, bet. secs. 12 and 13.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect E. bdy. of Tp., 9 lks. N. of the cor. of secs. 7, 12, 13 and 18, established under current Group No. 105, which is an iron post, 2 ins. in diam., projecting 12 above ground, firmly set, properly marked on brass cap, and witnessed by four properly marked bearing trees as follows:
 A pine, 34 ins. in diam., N. 41 $\frac{1}{2}$ ° E., 69 lks. dist.
 A pine, 20 ins. in diam., S. 26 $\frac{1}{2}$ ° E., 109 lks. dist.
 A pine, 30 ins. in diam., S. 76 $\frac{1}{2}$ ° W., 30 lks. dist.
 A pine, 20 ins. in diam., N. 26 $\frac{1}{2}$ ° W., 100 lks. dist.

Thence, S. 89° 52' W., on a true line, bet. secs. 12 and 13.
 Over rolling land, thru scattering timber and undergrowth.
 Ascend gradually over E. and NE. slopes to
 39.99 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\begin{array}{c} \frac{1}{4} \\ S12 \\ S \quad 13 \\ 1920 \end{array}$$

from which,
 A yellow pine, 28 ins. in diam., brs. N. 6 $\frac{3}{4}$ ° E., 71 lks. dist., marked $\frac{1}{4}$ S 12 BT.
 A yellow pine, 22 ins. in diam., brs. S. 31 $\frac{1}{4}$ ° E., 67 lks. dist., marked $\frac{1}{4}$ S 13 BT.

Chains.	Ascend 14 ft., over E. slope.
42.70	Spur, slopes N. Desc. 85 ft., over W. slope.
55.90	Gully, 10 lks. wide, course N. Asc. 40 ft., over E. slope.
65.00	Rim of mesa, brs. N. and S. Leave rolling, and enter nearly level land on mesa, bearing N. and S.
79.98	The cor. of secs. 11, 12, 13 and 14. Land, E. 65 chs. rolling; W. 15 chs. nearly level. Soil, gravelly clay, 2nd and 3rd rate. Timber, scattering cedar and pine. Undergrowth, scattering chemisal and scrub oak. Fair grass.
	N. 0° 01' W., bet. secs. 11 and 12. Over nearly level land, thru. scattering timber and undergrowth, on top of mesa.
20.00	Rim of mesa, brs. NW. and SE. Leave nearly level land and enter rolling land. Desc. gradually over NE. slope.
27.30	Gully, 10 lks. wide, course NE. Continue gradual descent over NE. slope.
37.60	Draw, 20 lks. wide, course NW. Asc. slightly over SW. slope, to
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap, $\begin{array}{c} \frac{1}{4} \\ S11 \quad S12 \\ 1920 \end{array}$
	from which, A yellow pine, 12 ins. in diam., brs. N. 36 $\frac{1}{2}$ ° E., 66 lks. dist., marked $\frac{1}{4}$ S 12 BT. A yellow pine, 8 ins. in diam., brs. N. 65 $\frac{3}{4}$ ° W., 48 lks. dist., marked $\frac{1}{4}$ S 11 BT.
53.80	Ascend 30 ft., over S. slope.
57.90	Descend 20 ft., over NE. slope.
77.50	Gully, 10 lks. wide, course SW. Asc. 140 ft. over SW. slope.
80.00	Rim of mesa, brs. NW. and SE.. Leave rolling, and enter nearly level land on mesa. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap, $\begin{array}{c} T29N \quad R8 \quad W \\ \frac{1}{4} \quad S \quad 1 \\ S11 \quad S12 \\ 1920 \end{array}$
	from which, A cedar, 10 ins. in diam., brs. N. 40° E., 17 lks. dist., marked T29N R8W S1 BT. A yellow pine, 8 ins. in diam., brs. S. 60° E., 51 lks. dist., marked T29N R8W S12 BT. A pine, 8 ins. in diam., brs. S. 79 $\frac{1}{4}$ ° W., 76 lks. dist., marked T29N R8W S11 BT. A pine, 12 ins. in diam., brs. N. 59 $\frac{3}{4}$ ° W., 61 lks. dist., marked T29N R8W S2 BT.
	Land, nearly level and rolling. Soil, rocky clay, 4th rate. Timber, scattering pine, oak and cedar. Undergrowth, scattering chemisal, sagebrush and scrub oak. Poor grass.
	N. 89° 52' E., on a random line, bet. secs. 1 and 12.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	Intersect E. bdy. of Tp., 9 lks. S. of cor. of secs. 1, 6, 7 and 12 established under current Group No. 105; which is an iron post 2 ins. in diam., projecting 12 ins. above ground, firmly set, properly marked on brass cap, and witnessed by 4 properly marked bearing trees as follows: A pine, 20 ins. in diam., N. 18° E., 70 lks. dist. An oak, 10 ins. in diam., S. 79° E., 154 lks. dist. A pine, 10 ins. in diam., S. 82 $\frac{1}{4}$ ° W., 212 lks. dist. A pine, 10 ins. in diam., N. 25 $\frac{3}{4}$ ° W., 81 lks. dist.
40.04	Thence, S. 89° 48' W., on a true line, bet. secs. 1 and 12. Over level land, thru. scattering timber and undergrowth, on top of mesa. Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

Subdivision lines of Township 29 North, Range 8 West. 23

Chains.

$\frac{1}{4}$ S 1

from which, S 12

A yellow pine, 1920 ins. brs. N. 20° E., 119 lks. dist.,

from which, 120 ins. diam., marked $\frac{1}{4}$ S 1 BT.

A yellow pine, 32 ins. diam., N. 20½° E., 149 lks. dist., mkd. $\frac{1}{4}$ S 1 BT.

A cedar, 14 ins. diam., S. 3° W., 88 lks. dist., mkd. $\frac{1}{4}$ S 12 BT.

Continue over level land, on mesa.

50.00 Rim of mesa, brs. N. and S. Leave level and enter rolling land. Desc. 40 ft., over W. slope.

59.60 Gully, course SW.

60.90 Gully, course SE. Asc. 55 ft., over SE. slope.

64.20 Spur, slopes SE. Desc. 34 ft., over SW. slope.

69.90 Gully, course SE. Asc. 50 ft., over E. slope, to

73.30 Rim of mesa, brs. N. and S. Leave rolling, and enter level land on mesa.

80.08 The cor. of secs. 1, 2, 11 and 12.

Land, level and rolling.

Soil, gravelly clay, 3rd rate.

Timber, scattering pine, oak and cedar.

Undergrowth, scattering chemisal and sage brush.

Poor grass.

N. 0° 01' W., on a random line, bet. secs. 1 and 2.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.28 Fall 4 lks. W. of the cor. of secs. 1, 2, 35 and 36, on N. bdy. of Tp., hereinbefore described.


Thence,

S: 0° 01' W., on a true line, bet. secs. 1 and 2.

Over nearly level land, thru. dense timber and scattering undergrowth, on top of mesa.

7.80 Indian Tank and corral, bear. E. 3 chs. dist.

40.28 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,

A juniper, 8 ins. in diam., brs. S. 79° E., 51 lks. dist., marked $\frac{1}{4}$ S 1 BT.

A juniper, 14 ins. in diam., brs. N. 83½° W., 96 lks. dist., marked $\frac{1}{4}$ S 2 BT.

Continue over nearly level land on mesa.

80.28 The cor. of secs. 1, 2, 11 and 12.

Land, nearly level.

Soil, gravelly clay, 2nd rate.

Timber, dense pine, cedar and oak and juniper.

Undergrowth, scattering scrub oak, chemisal and sage brush.

Fair grass.

From the standard cor. of secs. 34 and 35 on S. bdy. of

Tp. (7th. Std. Parallel N.) hereinbefore described,

N. 0° 01' W., bet. secs. 34 and 35.

Over rolling land, thru. scattering timber and dense undergrowth. Desc. 10 ft., over N. slope.

.80 Draw, 20 lks. wide, course E. from NW. Asc. 40 ft., over SW. slope.

7.60 Spur, slopes SE. Desc. 15 ft., over NE. slope, to

10.50 Thence along E. slope, descending very gradually to

28.90 Draw, 10 lks. wide, course SE. Asc. 60 ft., over S. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

24 Subdivision of Township 29 North, Range 8 West.

Chains.

1/4
S34 | S35
1920

from which,

A yellow pine, 22 ins. in diam., brs. N. 35 1/2° E.,
86 lks. dist., marked 1/4 S 35 BT.

A yellow pine, 18 ins. in diam., brs. N. 36 1/2° W.,
55 lks. dist., marked 1/4 S 34 BT.

Ascend 15 ft., over SE. slope.

- 44.20 Point of spur, sloping E. Desc. 80 ft., over NE. slope.
- 62.50 S. edge of draw, brs. E. and W. Thence across level bot-
tom of draw, course NE.
- 72.60 N. edge of same draw, brs. NE. and SW. Leave draw. Asc. 45
ft., over SE. slope, to
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in
the ground, supported in a mound of stone, for cor.
of secs. 26, 27, 34 and 35, marked on brass cap,

T29N | R8 W
S27 | S26
S34 | S35
1920

from which,

A yellow pine, 20 ins. in diam., brs. N. 4 1/2° E., 123
lks. dist., marked T29N R8W S26 BT.

A yellow pine, 22 ins. in diam., brs. S. 11 1/2° E., 117
lks. dist., marked T29N R8W S35 BT.

A yellow pine, 30 ins. in diam., brs. S. 39 1/2° W., 177
lks. dist., marked T29N R8W S34 BT.

A yellow pine, 26 ins. in diam., brs. N. 18 1/2° W., 125
lks. dist., marked T29N R8W S27 BT.

Land, rolling.

Soil, light, gravelly clay, 2nd and 3rd rate.

Timber, scattering pine, cedar and oak.

Undergrowth, dense chemisal and sagebrush.

No grass.

East, on a random line, bet. secs. 26 and 35.

- 40.00 Set temp. 1/4 sec. cor.
- 79.92 Fall 7 lks. N. of the cor. of secs. 25, 26, 35 and 36.
Thence,
N. 89° 57' W., on a true line, bet. secs. 26 and 35.
Over rolling land, thru. scattering timber and undergrowth.
Descend 10 ft., over SW. slope.
- 1.00 Ascend 60 ft., over SE. slope.
- 8.00 Road, brs. NW and SE. Extends southeasterly to Seligman
and northwesterly to Prospect Valley.
- 16.20 Spur, slopes S. Desc. 50 ft., over SW. slope.
- 19.60 Gully, course SE. Asc. 50 ft., over E. slope.
- 22.00 Point of spur, slopes SE. Desc. 53 ft., over SW. slope.
- 27.30 Gulch, course SE. Asc. 46 ft., over NE. slope, to
- 32.20 Spur, slopes SE. Desc. 20 ft., over SW. slope.
- 33.60 Asc. 100 ft., over SE. slope, to
- 39.96 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in
the ground, supported in a mound of stone, for 1/4 sec.
cor., marked, on brass cap,

1/4 S 26
S 35
1920

from which,

An oak, 5 ins. in diam., brs. N. 57 1/2° E., 60 lks.
dist., marked 1/4 S 26 BT.

Chains.

An oak, 10 ins. in diam., brs. S. $48\frac{1}{2}^{\circ}$ W., 36 lks. dist., marked $\frac{1}{4}$ S 35 BT.

Ascend 80 ft., over SE. slope.

52.60 Ridge, brs. N. and S. Desc. 106 ft., over SW. slope, to

65.00 E. edge of draw, brs. N. and S. Thence across level bottom of draw, course NE.

75.00 W. edge of draw, brs. NE. and SW. Leave draw, and ascend 40 ft., over SE. slope, to

79.92 The cor. of secs. 26, 27, 34 and 35.

Land, rolling.

Soil, gravelly and rocky clay, 2nd and 3rd rate.

Timber, scattering cedar, pine and oak.

Undergrowth, scattering chemisal and scrub oak.

Fair grass in draw.

N. $0^{\circ} 01'$ W., bet. secs. 26 and 27.

Over rolling land, thru. scattering timber and dense undergrowth. Ascend 45 ft., over SE. slope.


12.50 Point of spur, slopes E. Desc. 76 ft., over NE. slope.

24.50 Gully, course SE. Asc. 50 ft., over SW. slope.

29.40 Spur, slopes SE. Desc. 25 ft., over NE. slope.

34.00 Gully, course SE. Asc. 72 ft., over SW. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,

A cedar, 6 ins. in diam., brs. S. 75° E., 92 lks. dist., marked $\frac{1}{4}$ S 26 BT.

A pine, 8 ins. in diam., brs. S. $22\frac{1}{2}^{\circ}$ W., 41 lks. dist., marked $\frac{1}{4}$ S 27 BT.

Ascend 30 ft., over SW. slope.

44.00 Spur, slopes SE. Desc. 35 ft., over NE. slope.

50.50 Asc. 20 ft., over SE. slope.


55.70 Spur, slopes NE. Desc. 50 ft., over NW. slope.

62.10 Gulch, 20 lks. wide, course NE, Asc. 63 ft., over SE. slope.

75.00 Rocky spur, slopes NE.

Descend 30 ft., over NW. slope, to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 2 ins. in the ground, to bed rock, supported in a mound of stone, for cor. of secs. 22, 23, 26 and 27, marked on brass cap,



from which,

A yellow pine, 18 ins. in diam., brs. N. $38\frac{1}{2}^{\circ}$ E., 52 lks. dist., marked T29N R8W S23 BT.

A yellow pine, 14 ins. in diam., brs. S. $15\frac{1}{2}^{\circ}$ E., 60 lks. dist., marked T29N R8W S26 BT.

A yellow pine, 18 ins. in diam., brs. S. $51\frac{3}{4}^{\circ}$ W., 50 lks. dist., marked T29N R8W S27 BT.

An oak, 5 ins. in diam., brs. N. $54\frac{3}{4}^{\circ}$ W., 57 lks. dist., marked T29N R8W S22 BT.

Land, rolling.

Soil, gravelly clay, 3rd and 4th rate.

Timber, scattering pine, cedar and oak.

Undergrowth, dense chemisal and scrub oak.

No grass.

26 Subdivision lines of Township 29 North Range 8 West.

chains.

- 40.00 S. $89^{\circ}57'E.$, on a random line, bet. secs. 23 and 26.
Set temp. $\frac{1}{4}$ sec. cor.
- 79.84 Fall 21 lks. S. of the cor. of secs. 23, 24, 25 and 26.
Thence,
S. $89^{\circ}54'W.$, on a true line, bet. secs. 23 and 26.
Over nearly level land, thru scattering timber and undergrowth, on top of mesa, bearing N. and S.
7.50 W. rim of mesa, brs. N. and S. Leave nearly level, and enter rolling land. Desc. 30 ft., over W. slope.
19.00 Gully, course SW. Asc. 30 ft., over SE. slope.
29.85 Point of spur, slopes S. Desc. 60 ft., over SW. slope.
35.25 Gully, course SE. at E. edge of level bottom of broad draw. Thence across draw, course N.
38.84 Road, brs. S. $20^{\circ}E.$ and N. $20^{\circ}W.$ Extends southeasterly to Seligman and northwesterly to Prospect Valley.
39.92 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 23
S 26
1920

from which,

- A yellow pine, 36 ins. in diam., brs. N. $10^{\circ}W.$, 206 lks. dist., marked $\frac{1}{4}$ S 23 BT.
A yellow pine, 28 ins. in diam., brs. S. $36\frac{1}{2}^{\circ}W.$, 145 lks. dist., marked $\frac{1}{4}$ S 26 BT.
Continue over level bottom of draw.
56.80 W. edge of draw, brs. N. and S. Leave level bottom of draw, and enter rolling land. Asc. 140 ft., over SE. slope.
75.00 Spur, slopes NE. Desc. 20 ft., over NW. slope, to
79.84 The cor. of secs. 22, 23, 26 and 27.
Land, level and rolling.
Soil, gravelly clay, 2nd rate.
Timber, scattering pine, cedar and oak.
Undergrowth, scattering chemisal and scrub oak.
Fair grass in draw.

- N. $0^{\circ}01'W.$, bet. secs. 22 and 23.
Over rolling and broken land, thru scattering timber and undergrowth. Descend 50 ft., over NW. slope.
1.30 Gulch, course NE. Ascend 100 ft., over SE. slope.
9.30 Point of spur, slopes S. $35^{\circ}E.$, Desc. 90 ft., over NE. slope.
14.30 Gulch, course NE. Asc. 30 ft., over SE. slope.
21.87 Point of spur, slopes E. Desc. 110 ft., over NE. slope.
37.20 Gully, 20 lks. wide, course E. Asc. 15 ft., over SE. slope, to
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S 22 | S 23
1920

from which,

- A yellow pine, 36 ins. in diam. brs. N. $67\frac{1}{2}^{\circ}E.$, 35 lks. dist., marked $\frac{1}{4}$ S 23 BT.
An oak, 5 ins. in diam., brs. N. $86\frac{1}{2}^{\circ}W.$, 46 lks. dist., marked $\frac{1}{4}$ S 22 BT.
Ascend slightly over SE. slope, to
40.90 Descend 80 ft., over NE. slope, to
61.23 W. edge of draw, brs. NW. and SE. Leave rolling and broken land, and enter level land in bottom of draw, course N.
80.00 W. edge of draw, brs. NE. and SW. Set an iron post, 3 ft. long, 2 ins. in diam., 25 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap,

Chains.

T29N	R8W
S15	S14
S22	S23

1920

from which,

- A yellow pine, 22 ins. in diam., brs. N. 35 1/2° E., 118 lks. dist., marked T29N R8W S14 BT.
- A yellow pine, 24 ins. in diam., brs. S. 51 1/4° E., 85 lks. dist., marked T29N R8W S23 BT.
- A yellow pine, 20 ins. in diam., brs. S. 34° W., 75 lks. dist., marked T29N R8W S22 BT.
- A yellow pine, 18 ins. in diam., brs. N. 63° W., 84 lks. dist., marked T29N R8W S15 BT.

Land, rolling, broken and level.
 Soil, rocky clay, 4th rate.
 Timber, scattering pine, cedar and oak.
 Undergrowth, scattering chemisal and sage brush.
 Fair grass in N. 19 chs.

- 40.00 N. 89° 54' E., on a random line, bet. secs. 14 and 23. Set temp. 1/4 sec. cor.
- 79.72 Fall 9 lks. N. of the cor. of secs. 13, 14, 23 and 24. Thence, S. 89° 58' W., on a true line, bet. secs. 14 and 23. Over nearly level land, thru. scattering timber and undergrowth, on mesa, bearing N. and S.
- 19.00 W. rim of mesa, brs. N. and S. Leave nearly level and enter rolling land. Descend 162 ft., over SW. slope.
- 38.00 Ascend 15 ft., over SE. slope, to
- 39.86 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4	S 14
	S 23

1920

from which,

- A yellow pine, 18 ins. in diam., brs. N. 9° E., 82 lks. dist., marked 1/4 S 14 BT.
- A yellow pine, 24 ins. in diam., brs. S. 19 1/2° W., 17 lks. dist., marked 1/4 S 23 BT.

- Ascend 33 ft., over SE. slope.
- 44.00 Descend 60 ft., over W. slope.
- 54.00 E. edge of bottom of wide draw, brs. NW. and S. Leave rolling, and enter nearly level land in bottom of draw, course N.
- 59.00 Wash, 20 lks. wide, course NW. Asc. 40 ft. over E. slope, on W. side of draw.
- 61.50 SW. cor. of corral on line.
- 61.72 Reservoir, covering about 3 acres, brs. N. about 5 chs.
- 67.22 Road, brs. N. and S. Extends southeasterly to Seligman, and Northwesterly to Prospect Valley.
- 70.00 Top of ascent, brs. N. and SE. Thence over nearly level land, continuing across wide draw.
- 79.72 The cor. of secs. 14, 15, 22 and 23, on W. edge of draw. Land, nearly level and rolling. Soil, light, gravelly and rocky clay, 3rd rate. Timber, scattering pine, cedar and oak. Undergrowth, scattering scrub oak, chemisal and sagebrush. Fair grass in draw.

- N. 0° 01' W., bet. secs. 14 and 15. Over rolling land, thru. scattering timber and undergrowth. Along E. slope, descending very gradually.
- 31.20 Descend 40 ft., over NE. slope, to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

Chains.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S15 \quad S14 \\ | \\ 1920 \end{array}$$

from which,

- A yellow pine, 18 ins. in diam., brs. N. 19° E., 29 lks. dist., marked $\frac{1}{4}$ S 14 BT.
 A yellow pine, 36 ins. in diam., brs. S. $68\frac{1}{2}^{\circ}$ W., 162 lks. dist., marked $\frac{1}{4}$ S 15 BT.
- 40.30 Wash, 10 lks. wide, 3 ft. deep, course NE. Thence along E. slope, descending slightly.
 47.10 Road, brs. NW. and SE. Extends southeasterly to Seligman, and northwesterly to Prospect Valley.
 47.40 Wash, 15 lks. wide, 1 ft. deep, course NW. Asc. 116 ft., over SW. slope.
 57.00 Spur, slopes NW. Desc. 55 ft., over NE. slope.
 75.30 Gully, course NW. Asc. 30 ft., over SW. slope, to
 80.00 Point of spur, sloping NW. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap,

$$\begin{array}{c} T29N \quad R8W \\ | \quad | \\ S10 \quad S11 \\ | \quad | \\ S15 \quad S14 \\ | \quad | \\ 1920 \end{array}$$

from which,

- A yellow pine, 14 ins. in diam., brs. N. $22\frac{1}{4}^{\circ}$ E., 162 lks. dist., marked T29N R8W S11 BT.
 A yellow pine, 8 ins. in diam., brs. S. $85\frac{1}{2}^{\circ}$ E., 211 lks. dist., marked T29N R8W S14 BT.
 A yellow pine, 10 ins. in diam., brs. S. 7° W., 168 lks. dist., marked T29N R8W S15 BT.
 An oak, 5 ins. in diam., brs. N. $63\frac{3}{4}^{\circ}$ W., 76 lks. dist., marked T29N R8W S10 BT.
- Land, rolling.
 Soil, gravelly and rocky clay, 3rd and 4th rate.
 Timber, scattering pine.
 Undergrowth, scattering chemical and sagebrush.
 No grass.

-
- 40.00 N. $89^{\circ}58'$ E., on a random line, bet. secs. 11 and 14. Set temp. $\frac{1}{4}$ sec. cor.
 79.86 Fall 7 lks. S. of the cor. of secs. 11, 12, 13 and 14. Thence, S. $89^{\circ}55'$ W., on a true line, bet. secs. 11 and 14. Over nearly level land, thru dense timber and undergrowth, on mesa, bearing N. and S.
 18.00 Gully, course N. Continue over nearly level land, on mesa.
 39.93 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\begin{array}{c} \frac{1}{4} \quad S \quad 11 \\ | \\ S \quad 14 \end{array}$$

1920

from which,

- A pine, 24 ins. in diam., brs. N. $32\frac{1}{2}^{\circ}$ E., 59 lks. dist., marked $\frac{1}{4}$ S 11 BT.
 An oak, 6 ins. in diam., brs. S. $11\frac{3}{4}^{\circ}$ E., 66 lks. dist.; marked $\frac{1}{4}$ S 14 BT.
- Continue over nearly level land on mesa.
 52.86 W. rim of mesa, brs. N. and S. Leave nearly level, and enter mountainous land. Desc. 230 ft., over W. slope.
 75.86 Gulch, course NW. Asc. 25 ft., over NE. slope, to


Subdivision lines of Township 29 North, Range 8 West. 29

Chains.

79.86 The cor. of secs. 10, 11, 14 and 15.
 Land, nearly level and mountainous.
 Soil, gravelly and rocky, 3rd and 4th rate.
 Timber, dense pine and cedar.
 Undergrowth, dense chemical, scrub oak and sage brush.
 No grass.


 N. 0° 01' W., bet. secs. 10 and 11.
 Over mountainous land, thru. dense timber and undergrowth.
 Descend 82 ft., over NE. slope.

9.30 Gulch, course NW. Asc. 25 ft., over SW. slope.
 13.00 Point of small spur, slopes NW. Desc. 10 ft., over N. slope.
 14.40 Gully, course NW. Ascend 60 ft., over SW. slope.
 21.89 Spur, slopes NW. Desc. 50 ft., over N. slope.
 28.20 Gulch, course NW. Asc. 60 ft., over SW. slope.
 33.90 Descend 55 ft., over N. slope.
 37.80 Gulch, course NW. Asc. 50 ft., over SW. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in
 the ground to bed rock, supported in a mound of stone,
 for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,
 A cedar, 6 ins. in diam., brs. S. 52 $\frac{1}{2}$ ° W., 36 lks.
 dist., marked $\frac{1}{4}$ S 10 BT.
 A pine, 6 ins. in diam., brs. S. 36° E., 28 lks.
 dist., marked $\frac{1}{4}$ S 11 BT.

Ascend 80 ft., over SW. slope.
 48.70 Spur, slopes NW. Desc. 124 ft., over NE. slope.
 53.40 Gulch, course NW. Asc. 170 ft., over SW. slope.
 69.00 Spur, slopes W. Desc. 130 ft., over NE. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.
 in the ground for cor. of secs. 2, 3, 10 and 11, marked
 on brass cap,



from which,
 A pine, 6 ins. in diam., brs. N. 47 $\frac{1}{2}$ ° E., 32 lks.
 dist., marked T29N R8W S2 BT.
 A juniper, 6 ins. in diam., brs. S. 23 $\frac{1}{2}$ ° E., 62 lks.
 dist., marked T29N R8W S11 BT.
 A juniper, 14 ins. in diam., brs. S. 31 $\frac{1}{2}$ ° W., 49 lks.
 dist., marked T29N R8W S10 BT.
 A pine, 8 ins. in diam., brs. N. 64 $\frac{1}{2}$ ° W., 34 lks.
 dist., marked T29N R8W S3 BT.

Land, mountainous.
 Soil, rocky clay, 4th rate.
 Timber, dense pine, cedar and juniper.
 Undergrowth, dense scrub oak and chemical.
 No grass.

 N. 89° 55' E., on a random line, bet. secs. 2 and 11.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.88 Fall 9 lks. N. of the cor. of secs. 1, 2, 11 and 12.
 Thence,
 S. 89° 59' W., on a true line, bet. secs. 2 and 11.
 Over mountainous land, thru. dense timber and under-
 growth.

20 Subdivision lines of Township 29 North, Range 8 West.

Chains.

- Descend 130 ft., over SW.slope.
- 16.00 Gully, course SW.. Asc. 22 ft., over SE.slope.
- 19.50 Small spur, slopes SW. Desc. 50 ft., over W.slope.
- 23.00 Small draw, course SW. Asc. 20 ft., over SE.slope.
- 26.25 Desc.120 ft., over W. slope.
- 30.70 Bottom of ravine, course N. Asc. 80 ft., over NE.slope, to
- 39.94 Set an iron post, 3 ft.long, 1 in. in diam., 12 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 2
 S 11
 1920

from which,

A yellow pine, 18 ins. in diam., brs. North, 60 lks. dist., marked $\frac{1}{4}$ S 2 BT.

A yellow pine, 14 ins. in diam., brs. S. 23° W., 67 lks. dist., marked $\frac{1}{4}$ S 11 BT.

Ascend 50 ft., over E. slope.

- 44.60 Spur, slopes N. Desc. 50 ft., over W.slope.
- 48.50 Gulch, course N. Asc. 160 ft., over NE.slope, to
- 61.80 Rim, brs. N. and S. Thence across nearly level top of spur, sloping N.
- 66.90 Rim, brs. N. and S. Leave top of spur. Desc. 75 ft., over W. slope.
- 72.25 Gulch, course N. Asc. 45 ft., over E.slope.
- 75.50 Spur, slopes N. Desc. 115 ft., over W.slope.
- 79.00 Asc. 10 ft., over NE.slope, to
- 79.88 The cor. of secs. 2, 3, 10 and 11.
 Land, mountainous.
 Soil, rocky clay, 4th rate.
 Timber, dense pine, cedar and oak.
 Undergrowth, dense chemisal and scrub oak.
 No grass.

N. 0° 1' E., on a random line, bet: secs. 2 and 3.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.28 Fall 24 lks. E. of the cor. of secs: 2, 3, 34 and 35, on N. bdy. of Tp., hereinbefore described.
 Thence,
 S. 0° 09' E., on a true line, bet. secs. 2 and 3.
 Over mountainous land, thru. dense timber and undergrowth.
 Along W. slope, with slight change in elevation.
- 3.00 Ascend 15 ft., over NW.slope.
- 8.15 Point of spur, slopes W. Desc. 80 ft., over SW.slope.
- 14.40 Gulch, course NW. Asc. 160 ft., over NE.slope, to
- 38.00 Same gulch, course NE. Thence along foot of NW.slope, ascending slightly to
- 40.28 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S 3 | S 2
 1920

from which,

A juniper, 10 ins. in diam., brs. N. 85° W., 56 lks. dist., marked $\frac{1}{4}$ S 3 BT.

A pine, 16 ins. in diam., brs. S. 42° E., 31 lks. dist., marked $\frac{1}{4}$ S 2 BT.

Ascend slightly over NW.slope.

- 41.18 Same gulch, course NW. Asc. 245 ft., over NE.slope.
- 53.84 Small spur, slopes E. Desc. 46 ft., over SE.slope, to
- 58.48 Desc. 190 ft., over SW.slope.
- 72.00 Foot of descent, brs. NW. and SE. Asc. 64 ft., over NE.slope, to
- 80.28 The cor. of secs. 2, 3, 10 and 11.


Subdivision lines of Township 29 North, Range 8 West. 31

chains.

Land, mountainous. Soil, rocky clay, 4th rate.
Timber, dense pine, oak and cedar and juniper.
Undergrowth, dense scrub cedar, scrub oak and chemisal.
No grass.


From the standard cor. of secs. 33 and 34, on S. bdy. of Tp. (7th. Standard Parallel North), hereinbefore described, N. 0° 02' W., bet. secs. 33 and 34. Over rolling land, thru. scattering timber and undergrowth. Desc. 35 ft., over NW. slope.

- 3.00 Gully, course NE. Asc. 170 ft., over S. slope.
- 30.00 Spur, slopes NE. Descend 30 ft., over NE. slope.
- 33.34 Gully, course NE. Ascend 30 ft., over SE. slope.
- 39.00 Descend 10 ft., over N. slope, to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



from which,
A yellow pine, 16 ins. in diam., brs. N. 21 1/4° E., 154 lks. dist., marked 1/4 S 34 BT.
A yellow pine, 22 ins. in diam., brs. S. 73 1/4° W., 90 lks. dist., marked 1/4 S 33 BT.


- 43.90 Descend 36 ft., over N. slope.
- 47.50 Gulch, course NE. Asc. 60 ft., over SE. slope, to Thence across nearly level top of spur, sloping NE. to
- 65.80 Leave top of spur, Descend 60 ft., over NW. slope.
- 76.00 Gully, course NE. Asc. slightly over SE. slope, to
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap,



and raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.

Land, rolling.
Soil, light, gravelly clay, 2nd rate.
Timber, scattering pine, oak and cedar.
Undergrowth, scattering scrub oak and chemisal.
No grass.

- 40.00 East, on a random line, bet. secs. 27 and 34. Set temp. 1/4 sec. cor.
- 30.04 Fall 2 lks. N. of the cor. of secs. 26, 27, 34 and 35. Thence, N. 89° 59' W., on a true line, bet. secs. 27 and 34. Over rolling land, thru. scattering timber and undergrowth. Ascend 70 ft., over SE. slope, to
- 16.00 Thence over nearly level top of spur, sloping SE.
- 24.30 Leave top of spur, and descend 25 ft. over SW. slope.
- 31.00 Draw, 20 lks. wide, course S. Asc. 135 ft., over E. slope, to
- 40.02 Spur, slopes S. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



from which,
A yellow pine, 20 ins. in diam., brs. N. 8 1/2° E., 140 lks. dist., marked 1/4 S 27 BT.
A yellow pine, 24 ins. in diam., brs. S. 3 1/4° W., 98 lks. dist., marked 1/4 S 34 BT.


32 Subdivision lines of Township 29 North, Range 8 West.

Chains.

46.90 Descend 50 ft. over W. slope.
 58.00 Gully, course SE. Asc. 130 ft., over E. slope.
 64.00 Spur, slopes SE. Desc. 15 ft., over SW. slope.
 68.00 Asc. 15 ft., over SE. slope.
 75.70 Spur, slopes SW. Desc. 30 ft., over W. slope.
 80.04 Ascend 60 ft., over SE. slope, to
 The cor. of secs. 27, 28, 33 and 34.
 Land, rolling.
 Soil, light, rocky clay, 3rd rate.
 Timber, scattering cedar, oak and pine.
 Undergrowth, scattering chemisal, and scrub oak.
 No grass.

N. 0° 02' W., bet. secs. 27 and 28.
 Over rolling land, thru scattering timber and undergrowth.
 Ascend 10 ft., over SE. slope.


3.10 Spur, slopes NE. Desc. 50 ft., over NE. slope.
 9.30 Gully, 10 lks. wide, course NE. Asc. 70 ft., over S. slope.
 21.00 Point of spur, slopes SE. Desc. 30 ft., over NE. slope.
 30.80 Gully, 5 lks. wide, course E. Asc. 20 ft., over SE. slope,
 to
 40.00 Spur, slopes NE. Set an iron post, 3 ft. long, 1 in. in
 diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked
 on brass cap,



from which,

A pine, 12 ins. in diam., brs. N. 30 $\frac{1}{2}$ ° E., 112 lks.
 dist., marked $\frac{1}{4}$ S 27 BT.
 An oak, 7 ins. in diam., brs. N. 29 $\frac{1}{2}$ ° W., 57 lks.
 dist., marked $\frac{1}{4}$ S 28 BT.

45.60 Descend 10 ft., over N. slope, to
 49.70 Descend 60 ft., over NW. slope.
 57.80 Gully, 10 lks. wide, course NE. Asc. 60 ft., over SE. slope.
 67.20 Ridge, brs. NE. and SW. Desc. 20 ft., over N. slope, to
 76.90 Descend 75 ft., over NW. slope.
 Gully, 10 lks. wide, course NE. Asc. 30 ft., over SE. slope,
 to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground, for cor. of secs. 21, 22, 27 and 28, marked
 on brass cap,



from which,

A yellow pine, 16 ins. in diam., brs. N. 42 $\frac{1}{2}$ ° E., 50
 lks. dist., marked T29N R8W S22 BT.
 A yellow pine, 28 ins. in diam., brs. S. 67 $\frac{1}{2}$ ° E., 116
 lks. dist., marked T29N R8WS 27 BT.
 A yellow pine, 36 ins. in diam., brs. N. 62 $\frac{1}{2}$ ° W., 60
 lks. dist., marked T29N R8W S21 BT.
 and raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high, W.
 of cor.

Land, rolling. Soil, light, rocky clay, 4th rate.
 Timber, scattering pine, cedar and oak.
 Undergrowth, scattering chemisal & scrub oak. No grass.

S. 89° 59' E., on random line, bet. secs. 22 and 27.

40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Fall 19 lks. N. of the cor. of secs. 22, 23, 26 and 27.
 Thence, N. 89° 51' W., on a true line, bet. secs. 22 and 27.
 Over rolling land, thru scattering timber and undergrowth.
 Ascend 125 ft., over SE. slope.
 11.65 Descend 25 ft., over SW. slope.
 17.50 Ascend 35 ft., over E. slope.

Subdivision lines of Township 29 North Range 8 West.

Chains.

32.00 Spur, slopes N. Desc. 51 ft., over W. slope.
 36.10 Gully, 10 lks. wide, course N. Asc. 45 ft., over E. slope, to
 39.99 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 22
 S 27
 1920

from which,

A yellow pine, 18 ins. in diam., brs. S. $1\frac{1}{2}^{\circ}$ W., 79 lks. dist., marked $\frac{1}{4}$ S 27 BT.
 A yellow pine, 12 ins. in diam., brs. N. 46° W., 56 lks. dist., marked $\frac{1}{4}$ S 22 BT.

Ascend 30 ft., over E. slope.
 42.10 Spur, slopes N. Desc. 90 ft., over W. slope.
 50.80 Gully, 20 lks. wide, course NE. Asc. slightly over NE. slope to
 62.40 Gully, 10 lks. wide, course NE. Ascend 70 ft., over E. slope.
 74.80 Ridge, brs. N. and S. Desc. 36 ft., over NW. slope.
 78.20 Gully, 10 lks. wide, course NE. Asc. 27 ft., over E. slope, to
 79.98 The cor. of secs. 21, 22, 27 and 28.

Land, rolling.
 Soil, light rocky clay, 4th rate.
 Timber, scattering pine, cedar and oak.
 Undergrowth, scattering chemisal, scrub oak and sage brush.
 No grass.

N. $0^{\circ} 02'$ W., bet. secs. 21 and 22.
 Over rolling land, thru. scattering timber and dense undergrowth. Desc. 23 ft., over NE. slope.

4.80 Gully, course NE. Asc. 13 ft., over SE. slope, to
 6.80 Thence over E. slope. Desc. 25 ft. to
 19.37 Descend 30 ft., over NE. slope,
 24.35 S. edge of draw, brs. NW. and SE. Thence across nearly
 26.35 N. level bottom of draw, course NW. Asc. 30 ft., over
 29.35 N. edge of draw, brs. NW. and SE. Leave draw; ascend 30 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

S21 S22
 1920

from which,

A yellow pine, 30 ins. in diam., brs. N. $81\frac{1}{2}^{\circ}$ E., 33 lks. dist., marked $\frac{1}{4}$ S 22 BT.
 A yellow pine, 10 ins. in diam., brs. S. 18° W., 45 lks. dist., marked $\frac{1}{4}$ S 21 BT.

Ascend 30 ft., over SW. slope.
 54.30 Spur, slopes NW. Desc. 75 ft., over N. slope.
 62.40 Gully, course W. Asc. 32 ft., over S. slope, to
 67.20 Asc. 30 ft. over SW. slope.
 74.40 Desc. 75 ft., over NW. slope.
 78.70 Gully, course NW. Asc. 15 ft., over SW. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, marked on brass cap,

T29N | R8 W
 S16 | S15
 S21 | S22
 1920

from which,

34 Subdivision lines of Township 29 North, Range 8 West.

Chains.

A yellow pine, 20 ins. in diam., brs. N. 74° E., 47 lks.
dist., marked T29N R8W S15 BT.
A yellow pine, 28 ins. in diam., brs. S. 47½° E., 246 lks.
dist., marked T29N R8W S22 BT.
A yellow pine, 20 ins. in diam., brs. S. 12° W., 182 lks.
dist., marked T29N R8W S21 BT.
A yellow pine, 12 ins. in diam., brs. N. 82¼° W., 61 lks.
dist., marked T29N R8W S16 BT.

Land, rolling.

Soil, rocky clay, 4th rate.

Timber, scattering pine and cedar.

Undergrowth, dense scrub oak, chemisal and sagebrush.

No grass.

40.00 S 89° 51' E., on a random line, bet. secs. 15 and 22.
79.88 Set temp. ¼ sec. cor.
Fall 2 lks. S. of the cor. of secs. 14, 15, 22 and 23.
Thence,
N. 89° 52' W., on a true line, bet. secs. 15 and 22.
Over roughly rolling land, thru scattering timber and
dense undergrowth.
Ascend 225 ft., over E. slope.
21.20 Spur, slopes NE. Desc. 190 ft., over NW. slope.
28.00 Bottom of ravine, 70 lks. wide, course NE. Asc. 268 ft.,
over SE. slope.
38.60 Ridge, brs. N. and S. Desc. slightly, over SW. slope, to
39.94 Set an iron post, 3 ft. long, 1 in. in diam., 14 ins. in the
ground to bed rock, deposit a stone marked with a
cross (x) at base of post, and raise a mound of stone
around post for ¼ sec. cor., marked on brass cap,

¼ S 15
S 22
1920

from which,

A pine, 14 ins. in diam., brs. N. 83¾° E., 74 lks.
dist., marked ¼ S 15 BT.

45.50 Descend slightly along SE. slope, to level.
47.34 Descend 15 ft. over SW. slope.
50.80 Ascend 43 ft., over SE. slope, to
69.20 Ascend 60 ft., over NE. slope.
79.88 Spur, slopes NW. Desc. 93 ft., over SW. slope, to
The cor. of secs. 15, 16, 21 and 22.

Land, roughly rolling.

Soil, rocky, 4th rate.

Timber, scattering pine and cedar.


Undergrowth, dense chemisal, scrub oak and sagebrush.

No grass.


15.20 N. 0° 02' W., bet. secs. 15 and 16.
23.60 Over rolling and broken land, thru scattering timber and
dense undergrowth.
Ascend 85 ft., over SW. slope.
28.00 Spur, slopes NW. Descend 90 ft., over NE. slope.
40.00 Gulch, course NW. Leave rolling, and enter mountainous
land. Ascend 25 ft., over SW. slope.
Precipitous cliffs, 80 ft. high, bearing NE. and SW., fac-
ing NW. Desc. 300 ft., over broken NW. slope, to
Bottom of canyon, course N. 20° E. Set an iron post, 3 ft.
long, 1 in. in diam., over cross (x), marked on surface
rock, and raise a mound of stone around post, for ¼ sec.
cor., marked on brass cap,

Subdivision lines of Township 29 North, Range 8 West.

Chains.




- 42.20 Bottom of same canyon, course N.20°W. Asc. 95 ft., over W.slope.
- 50.75 Descend 140 ft., over W.slope, to
- 55.45 Bottom of same canyon, course N.20°E. Asc. 220 ft., over SE.slope.
- 76.00 Point of short spur, slopes E. Desc.130 ft., over NE.slope, to
- 80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 12 ins.in the ground, supported in a mound of stone, for cor. of secs.9,10, .15 and 16, marked on brass cap,



- from which,
- A pine, 16 ins.in diam., brs.N.21½°E., 50 lks. dist., marked T29N R8W S10 BT.
- A pine, 10 ins. in diam., brs.S.39°E., 13 lks. dist., marked T29N R8W S15 BT.
- A pine, 10 ins.in diam., brs.S.28¾°W., 46 lks. dist., marked T29N R8W S16 BT.
- A pine, 12 ins. in diam., brs. N.33¼°W., 290 lks. dist., marked T29N R8W S9 BT.

Land, rolling, broken and mountainous.
 Soil, rocky, 4th rate.
 Timber, scattering pine, cedar and oak.
 Undergrowth, dense chemisal and sagebrush.
 No grass.

- 40.00 S.89°52'E., on a random line, bet. secs.10 and 15. Set temp.¼ sec.cor.
- 79.86 Fall 19 lks.S. of the cor.of secs.10,11,14 and 15. Thence, West, on a true line, bet. secs.10 and 15. Over rolling land, thru. dense timber and undergrowth. Descend 60 ft., over NW.slope.
- 4.20 Gulch, course N. Asc. 67 ft., over NE.slope.
- 13.35 Spur, slopes N. Leave rolling and enter mountainous land.
- 21.00 Descend 210 ft., over W.slope.
- 21.00 Bottom of canyon, course N. Road brs.N. & S. Extends south-easterly to Seligman and northwesterly to Prospect Valley.
- 39.93 Ascend 410 ft., over E.slope, to Set an iron post, 3 ft.long, 1 in. in diam., 26 ins.in the ground, for ¼ sec.cor., marked on brass cap,



- from which,
- A pine, 18 ins. in diam., brs.N.24°E., 32 lks. dist., marked ¼ S 10 BT.
- A pine, 6 ins. in diam., brs.S.40¾°E., 41 lks.. dist., marked ¼ S 15 BT.
- Ascend 180 ft., over E.slope.
- 47.53 Ridge, brs.N. and S. Desc.650 ft., over W.slope.
- 72.70 Bottom of canyon, course N. Asc.180 ft., over E.slope, to
- 79.86 The cor.of secs.9,10,15 and 16. Land, rolling and mountainous.

36 Subdivision lines of Township 29 North Range 8 West.

Chains.

Soil, rocky, 4th rate.
 Timber, dense pine, juniper and oak.
 Undergrowth, dense scrub oak, chemisal, sagebrush and locust.
 No grass.

N.0°02' W., bet. secs. 9 and 10.
 Over mountainous land, thru. dense timber and undergrowth.
 Descend 280 ft., over NE. slope.
 12.65 Bottom of canyon, course NW. near mouth of same. Asc. 100 ft., over SW. slope.
 24.55 Spur, slopes N. from SE. Thence along top of spur, Leave mountainous, and enter rolling land on E. side of Prospect Valley. Desc. 60 ft., over N. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S 9 | S10
 1920

from which,

.. A pine, 12 ins. in diam., brs. S. 50 $\frac{1}{2}$ ° E., 28 lks. dist., marked $\frac{1}{4}$ S 10 BT.
 .. A pine, 10 ins. in diam., brs. N. 63 $\frac{1}{4}$ ° W., 45 lks. dist., marked $\frac{1}{4}$ S 9 BT.
 Leave top of spur, which forks and extends NE. and NW. from $\frac{1}{4}$ sec. cor. Continue over rolling land.
 Descend 155 ft., over NE. slope, to
 78.20 E. edge of bottom of Prospect Valley, brs. NE. and SW. Leave dense timber and undergrowth. Leave rolling and enter nearly level land in bottom of Prospect Valley.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap,

T29N	R8W
S4	S3
S9	S10

 1920

from which,

A yellow pine, 30 ins. in diam., brs. N. 85 $\frac{1}{2}$ ° E., 174 lks. dist., marked T29N R8W S3 BT.
 A yellow pine, 30 ins. in diam., brs. S. 69 $\frac{1}{2}$ ° E., 244 lks. dist., marked T29N R8W S10 BT.
 and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Land, mountainous, rolling and nearly level.
 Soil, rocky, 4th rate, except in N. 2 chs., where it is gravelly, 2nd rate.
 Timber, dense oak, pine and cedar in S. 78 chs.; none in N. 2 chs.
 Undergrowth, dense chemisal in S. 78 chs.; none in N. 2 chs.
 Fair grass in N. 2 chs. only.

40.00 East, on a random line, bet. secs. 3 and 10.
 79.90 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 6 lks. N. of the cor. of secs. 3, 10 and 11.
 Thence,
 N. 89° 57' W., on a true line, bet. secs. 3 and 10.
 Over rolling land, thru. dense timber and undergrowth. Asc. 52 ft., over NE. slope.

Subdivision lines of Township 29 North, Range 8 West.

Chains.

- 5.00 Descend 80 ft., over NW. slope.
- 14.10 Draw, course N.20°W. Road brs. N. and S. Extends southeasterly to Seligman, and northwesterly to Prospect Valley. Asc. 220 ft., over E. slope.
- 39.00 Spur, slopes NE. Descend slightly over W. slope, to
- 39.95 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

$\frac{1}{4}$ S 3
 S 10
 1920

from which,
 A pine, 8 ins. in diam., brs. N.13°W., 20 lks. dist., marked 1/4 S 3 BT.
 A cedar, 8 ins. in diam., brs. S.34 1/2°E., 16 lks. dist., marked 1/4 S 10 BT.

- 44.60 Descend 30 ft., over W. slope.
- Draw, course NE. Leave rolling, and enter mountainous land. Asc. 75 ft., over NE. slope.
- 50.75 Spur, slopes N. Desc. 610 ft., over NW. slope.
- 52.18 Rim rock, 30 ft. high, brs. NE. and SE., facing NW.
- 75.00 E. edge of bottom of Prospect Valley, brs. NE. and SW. Leave mountainous land, dense timber and undergrowth, and enter nearly level bottom of valley, thru scattering timber.
- 79.90 The cor. of secs. 3, 4, 9 and 10. Land, rolling, mountainous and nearly level. Soil, rocky clay, 4th rate, except W. 5 chs., where it is gravelly, 2nd rate. Timber, pine and cedar, dense in E. 75 chs.; very scattering in W. 5 chs. Undergrowth, dense chemical and scrub oak in E. 75 chs. None in W. 5 chs. Fair grass in W. 5 chs.

-
- 40.00 N. 0°10' W., on a random line, bet. secs. 3 and 4. Set temp. 1/4 sec. cor.
 - 80.14 Fall 2 lks. E. of the cor. of secs. 3, 4, 33 and 34 on N. bdy. of Tp.; hereinbefore described. Thence, S 0°11'E., on a true line, bet. secs. 3 and 4. Over nearly level land, thru scattering timber, in bottom of Prospect Valley.
 - 29.80 Road, brs. S.10°E. and N.
 - 40.14 Set an iron post 3 ft. long, 1 in. in diam., 24 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

$\frac{1}{4}$
 S 4 | S 3
 1920

from which,
 A yellow pine, 28 ins. in diam.; brs. N.26 1/2°E., 573 lks. dist., marked 1/4 S 3 BT.
 A yellow pine, 22 ins. in diam., brs. N.63 1/2°W., 103 lks. dist.; marked 1/4 S 4 BT.

- Continue over nearly level bottom of Prospect Valley, bearing NE. and SW.
 - 64.24 Wash, 12 lks. wide, course NE.
 - 72.64 Road, brs. NE and SW.
 - 80.14 The cor. of secs. 3, 4, 9 and 10. Land, nearly level. Soil, light, gravelly clay, 2nd rate. Timber, scattering cedar and pine. Undergrowth, none. Fair grass.
-

38 Subdivision lines of Township 29 North, Range 8 West.

Chains.

- From the standard cor. of secs. 32 and 33, on S. bdy. of Tp. (7th. Std. Par. North), hereinbefore described,
 N. $0^{\circ}03'W.$, bet. secs. 32 and 33.
 Over rolling land, thru. scattering timber and undergrowth.
 Asc. 60 ft., over SE. slope.
 4.50 Point of spur, sloping E. Descend 60 ft., over NE. slope.
 14.00 Gulch, course S. $30^{\circ}E.$ Asc. 95 ft., over SW. slope.
 22.00 Rim of bench, brs. NW. and SE. Thence over gently rolling
 NE. slope on bench.
 39.00 Rim of bench, brs. E. and W. Leave bench; descend slightly
 over NW. slope, to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 20 ins. in
 the ground, supported in a mound of stone, for $\frac{1}{4}$ sec.
 cor., marked on brass cap,

$\frac{1}{4}$
 S32 | S33
 1920

from which,

- A pine, 16 ins. in diam., brs. N. $20\frac{1}{2}^{\circ}E.$, 106 lks.
 dist., marked $\frac{1}{4}$ S 33 BT.
 A pine, 30 ins. in diam., brs. S. $86\frac{1}{2}^{\circ}W.$, 71 lks.
 dist., marked $\frac{1}{4}$ S 32 BT.
 80.00 Descend very gradually, over NW. slope, to
 Set an iron post, 3 ft. long, 2 ins. in diam., 27 ins. in
 the ground, for cor. of secs. 28, 29, 32 and 33, marked
 on brass cap,

T29N | R8 W
 S29 | S28
 S32 | S33
 1920

from which,

- An oak, 10 ins. in diam., brs. N. $51\frac{1}{2}^{\circ}E.$, 106 lks.
 dist., marked T29N R8W S28 BT.
 An oak, 7 ins. in diam., brs. S. $56\frac{1}{2}^{\circ}E.$, 141 lks.
 dist., marked T29N R8W S33 BT.
 An oak, 12 ins. in diam., brs. S. $21\frac{1}{2}^{\circ}W.$, 74 lks.
 dist., marked T29N R8W S32 BT.
 An oak, 5 ins. in diam., brs. N. $64^{\circ}W.$, 100 lks.
 dist., marked T29N R8W S29 BT.
 Land, rolling.
 Soil, gravelly and rocky clay, 3rd and 4th rate.
 Timber, scattering pine, cedar and oak.
 Undergrowth, scattering chemisal, scrub oak and sagebrush.
 No grass.


- East, on a random line, bet. secs. 28 and 33.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.94 Fall 7 lks. S. of the cor. of secs. 27, 28, 33 and 34.
 Thence,
 S. $89^{\circ}57'W.$, on a true line, bet. secs. 28 and 33.
 Over rolling land, thru. scattering timber and undergrowth.
 Ascend 50 ft., over SE. slope.
 4.00 Spur, slopes NE. Desc. 60 ft., over NW. slope.
 11.40 Draw, 1 ch. wide, course NE. Asc. 135 ft., over SE. slope.
 35.00 Ridge, brs. NE. and SW. Desc. 20 ft., over NW. slope, to
 39.97 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 28
 S 33
 1920


Chains.

from which,
 An oak, 8 ins. in diam., brs. N. $1\frac{1}{2}^{\circ}$ W., 104 lks.
 dist., marked $\frac{1}{4}$ S 28 BT.
 An oak, 8 ins. in diam., brs. S. 77° W., 31 lks.
 dist., marked $\frac{1}{4}$ S 33 BT.
 Descend 34 ft., over NW. slope.
 45.00 Draw, 150 lks. wide, course NE. Asc. 60 ft., over SE.
 slope.
 54.50 Spur, slopes N. 70° E. Thence along N. slope, ascending
 slightly to
 60.25 Head of draw, course NE. Ascend 46 ft., over NE. slope.
 64.50 Rim of bench, brs. NW. and SE. Thence over nearly level
 land on bench. Enter dense undergrowth.
 79:94 The cor. of secs. 28, 29, 32 and 33.
 Land, rolling and nearly level.
 Soil, light, gravelly clay, 3rd rate.
 Timber, scattering pine and oak.
 Undergrowth, scattering scrub oak and chemical.
 No grass.

N. 0° 03' W., bet. secs. 28 and 29.
 Over rolling land, thru. scattering timber and dense under-
 growth.
 Descend 80 ft., over NW. slope.
 10.00 Gulch, course NE. Asc. 100 ft., over SE. slope.
 20.00 Spur, slopes NE. from W. Desc. 40 ft., over N. slope.
 24.50 Gully, course NE. near head. Asc. 60 ft., over SE. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,
 A pine, 24 ins. in diam., brs. N. $62\frac{1}{2}^{\circ}$ E., 32 lks.
 dist., marked $\frac{1}{4}$ S 28 BT.
 A pine, 24 ins. in diam., brs. N. $74\frac{3}{4}^{\circ}$ W., 90 lks.
 dist., marked $\frac{1}{4}$ S 29 BT.
 Descend 15 ft., over NE. slope.
 43.00 Gully, course E. near head. Ascend 16 ft., over S. slope.
 44.50 Rim of bench, brs. NE. and SW. Thence over NE. slope on
 bench, descending slightly to.
 57.60 Rim of bench, brs. E. and W. Leave bench. Desc. 62 ft.,
 over N. slope.
 62.00 Gully, course NE. Asc. 75 ft., over SE. slope.
 77.00 Spur, slopes NE. Desc. 20 ft., over NW. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 25 ins. in
 the ground, for cor. of secs. 20, 21, 28 and 29, marked
 on brass cap,




from which,
 A pine, 20 ins. in diam., brs. N. $39\frac{1}{2}^{\circ}$ E., 103 lks.
 dist., marked T29N R8W S21 BT.
 A pine, 18 ins. in diam., brs. S. $55\frac{1}{2}^{\circ}$ E., 13 lks.
 dist., marked T29N R8W S23 BT.
 A pine, 30 ins. in diam., brs. S. $68\frac{3}{4}^{\circ}$ W., 30 lks.
 dist., marked T29N R8W S29 BT.
 A pine, 30 ins. in diam., brs. N. $58\frac{1}{2}^{\circ}$ W., 25 lks.
 dist., marked T29N R8W S20 BT.

40 Subdivision lines of Township 29 North Range 8 West

Chains.

Land, rolling.
Soil, gravelly and rocky, 3rd and 4th rate.
Timber, scattering pine and cedar.
Undergrowth, dense scrub oak, sage brush and chemisal.
No, grass.

40.00 N. 89° 57' E., on a random line, bet. secs. 21 and 28.
Set temp. 1/4 sec. cor.
80.06 Fall 20 lks. N. of the cor. of secs. 21, 22, 27 and 28.
Thence,
N. 89° 54' W., on a true line, bet. secs. 21 and 28.
Over rolling land, thru. dense timber and undergrowth.
Asc. 57 ft., over SE. slope.
14.00 Spur, slopes NE. Desc. 80 ft., over NW. slope.
24.90 Gully, course NE. Ascend slightly over S. slope, to
32.70 Gully, course SE. Asc. 70 ft., over NE. slope, to
40.03 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground, for 1/4 sec. cor., marked on brass cap,



from which,

A yellow pine, 16 ins. in diam., brs. N. 77° W.,
84 lks. dist., marked 1/4 S. 21 BT.


A yellow pine, 14 ins. in diam., brs. S. 75° E.,
149 lks. dist., marked 1/4 S 28 BT.

Ascend 35 ft., over NE. slope.
55.50 Spur, slopes N. Descend 80 ft., over W. slope.
61.15 Gully, course NE. Ascend 110 ft., over SE. slope.
75.04 Spur, slopes NE. Descend 25 ft., over NW. slope, to
80.06 The cor. of secs. 20, 21, 28 and 29.

Land, rolling.
Soil, gravelly clay, 3rd rate.
Timber, dense pine and oak.
Undergrowth, dense scrub oak.
No grass.

N. 0° 03' W., bet. secs. 20 and 21.
Over rolling land, thru. scattering timber and undergrowth.
Descend 75 ft., over NW. slope.

9.30 Gully, course NE. Desc. slightly over NE. slope, to
16.70 Gully, course NE. Asc. 50 ft., over SE. slope.
31.20 Spur, slopes NE. Desc. 80 ft., over NW. slope to
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in
the ground to bed rock, supported in a mound of stone
for 1/4 sec. cor., marked on brass cap,



from which,

A yellow pine, 7 ins. in diam., brs. S. 12 1/2° E., 50
lks. dist., marked 1/4 S 21 BT.

An oak, 6 ins. in diam., brs. N. 75° W., 50 lks.
dist., marked 1/4 S 20 BT.

40.30 Gully, course NE. Desc. 50 ft., over E. slope, to
45.00 Same gully, course NW. Descend 20 ft., over W. slope, to
48.64 Same gully, course NE. Leave rolling, and enter moun-
tainous land. Asc. 75 ft., over SE. slope.
55.80 Desc. 400 ft., over N. slope.
67.20 Gulch; course NW. Asc. 25 ft., over SW. slope.

Chains.

70.00 Descend 130 ft., over NW.slope, to
80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 24 ins. in the ground, for cor.of secs. 16,17,20 and 21, marked on brass cap,

T29N R8 W
S17 S16
S20 S21
1920

from which,

A pine, 16 ins. in diam., brs. N. $59\frac{1}{2}^{\circ}$ E., 66 lks.
dist., marked T29N R8W S16 BT.

A pine, 22 ins. in diam., brs. S. $3\frac{3}{4}^{\circ}$ E., 97 lks.
dist., marked T29N R8W S21 BT.

A pine, 12 ins. in diam., brs. S. $40\frac{1}{4}^{\circ}$ W., 91 lks.
dist., marked T29N R8W S20 BT.

A pine, 16 ins. in diam., brs. N. $54\frac{1}{2}^{\circ}$ W., 160 lks.
dist., marked T29N R8W S17 BT.

Land, rolling and mountainous.

Soil, rocky clay, 4th rate.

Timber, scattering cedar, pine and oak.

Undergrowth, scattering scrub oak and chemisal.

No grass.

40.00 S. $89^{\circ}54'$ E., on a random line, bet. secs. 16 and 21.
80.14 Set temp. $\frac{1}{4}$ sec. cor.

80.14 Fall 19 lks. S. of the cor. of secs. 15, 16, 21 and 22.

S. $89^{\circ}58'$ W., on a true line, bet. secs. 16 and 21.

Over mountainous land, thru. scattering timber and undergrowth. Descend 30 ft., over W.slope.

1.70 Gulch, course NW. Asc. 46 ft., over NE.slope.

6.00 Point of spur, slopes N. Desc. 50 ft., over NW.slope.

8.70 Bottom of ravine, 80 lks. wide, course NE. Asc. 100 ft. over SE.slope.

22.00 Spur, slopes NE. Desc. 40 ft., over NW.slope.

27.70 Gulch, course NE. Asc. 90 ft., over E.slope, to

40.07 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 16
S 21
1920

from which,

A cedar, 6 ins. in diam., brs. N. $30\frac{1}{4}^{\circ}$ E., 28 lks.
dist., marked $\frac{1}{4}$ S 16 BT.

A cedar, 18 ins. in diam., brs. S. 80° E., 96 lks.
dist., marked $\frac{1}{4}$ S 21 BT.

Ascend 30 ft., over E.slope.

44.80 Spur, slopes N. Desc. 116 ft., over W.slope.

51.30 Gulch, course NW. Ascend 110 ft., over NE.slope.

57.00 Spur, slopes N. Descend 597 ft., over NW.slope, to

80.14 The cor. of secs. 16, 17, 20 and 21.

Land, mountainous.

Soil, rocky clay, 4th rate.

Timber, scattering pine, cedar and oak.

Undergrowth, scattering chemisal.

No grass.

N. $0^{\circ}03'$ W., bet. secs. 16 and 17.

Over mountainous land, thru. dense timber and undergrowth.
Descend 190 ft., over NW.slope.

12.15 Fence brs. NE. and SW.

42 Subdivision lines of Township 29 North, Range 8 West.


Chains.

16.84
18.90

Same fence, brs.NW. and SE.
Foot of descent at E. edge of Prospect Valley, brs.NE and SW. Leave mountainous, and enter nearly level land in bottom of Prospect Valley. Leave dense, and enter scattering timber and undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,

A yellow pine, 26 ins. in diam., brs. S. 66° E., 303 lks. dist., marked $\frac{1}{4}$ S 16 BT.

A yellow pine, 26 ins. in diam., brs. S. 19° W., 75 lks. dist., marked $\frac{1}{4}$ S 17 BT.

Continue over nearly level bottom of Prospect Valley.

45.00


Shallow wash, 15 lks. wide, course NE.

49.10

Road, brs. NE. and SW.

80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16, and 17, marked on brass cap,



from which,

A yellow pine, 20 ins. in diam.; brs. N. 80° E., 328 lks. dist., marked T29N R8W S9 BT.

A yellow pine, 20 ins. in diam., brs. S. 39 $\frac{3}{4}$ ° E., 178 lks. dist.; marked T29N R8W S16 BT.

A yellow pine, 20 ins. in diam.; brs. S. 65 $\frac{1}{2}$ ° W., 234 lks. dist. marked T29N R8W S17 BT.

A cedar, 6 ins. in diam.; brs. N. 85 $\frac{1}{2}$ ° W., 94 lks. dist., marked T29N R8W S8 BT.

Land, S. 19 chs., mountainous; remainder, nearly level. Soil, rocky in S. 19 chs., remainder; sandy and gravelly, 2nd and 3rd rate.

Timber, pine, cedar and oak; dense in S. 19 chs., scattering in remainder.

Undergrowth, chemisal and sage brush; dense in S. 19 chs., scattering elsewhere.

Fair grass in N. 61 chs.

N. 39° 58' E., on a random line, bet. secs. 9 and 16.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

80.20

Run 5 lks. N. of the cor. of secs. 9, 10, 15 and 16.

Thence,

West, on a true line, bet. secs. 9 and 16.

Over mountainous land, thru. dense timber and undergrowth. Ascend 170 ft., over NE. slope.

5.90


Spur, slopes N. Descend 540 ft.; over NW. slope, to

35.00

Foot of descent, and E. edge of bottom of Prospect valley brs. NE. and SW. Leave mountainous land, dense timber, and undergrowth, and enter nearly level bottom of Prospect Valley, scattering timber and undergrowth.

40.10

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



Chains

from which,

A yellow pine, 24 ins. in diam., brs. N. 70 1/2° W., 90 lks. dist., marked 1/4 S 9 BT.

A yellow pine, 32 ins. in diam., brs. S. 38° W., 148 lks. dist., marked 1/4 S 16 BT.

Continue over nearly level bottom of Prospect Valley.

50.35 Road, brs. NE and SW.

55.80 Shallow wash; 15 lks. wide, course NE.

80.20 The cor. of secs. 8, 9, 16 and 17.

Land, E. 35 chs. mountainous; remainder, nearly level.

Soil in E. 35 chs., rocky, 4th rate; remainder, gravelly, 2nd and 3rd rate.

Timber, pine, cedar and oak, dense in E. 35 chs., scattering in W. 45 chs.

Undergrowth, chemisal, scrub oak and sagebrush, dense in E. 35 chs.; scattering elsewhere.

Fair grass in W. 45 chs.

N. 0° 03' W., bet. secs. 8 and 9.

Over nearly level land, thru. scattering timber and undergrowth, in bottom of Prospect Valley.

12.20 W. edge of bottom of Prospect Valley, brs. NE. and SW.

Leave nearly level land, and bottom of valley, and enter rolling land on W. side of valley. Ascend 30 ft. over SE. slope.


18.00 Descend 20 ft., over NE. slope.

28.00 Ascend 16 ft. over SE. slope.

36.85 Descend 30 ft., over NE. slope, to

39.20 Foot of descent, brs. E. and W. at S. side of bottom of small valley. Leave rolling, and enter nearly level land.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



from which,

A cedar, 20 ins. in diam., brs. N. 87 1/2° E., 39 lks. dist., marked 1/4 S 9 BT.

A yellow pine, 18 ins. in diam., brs. S. 51° W., 7 lks. dist., marked 1/4 S 8 BT.

Continue over nearly level bottom of small valley, bearing E. and W. joining bottom of Prospect Valley, about 10 chs. E.

49.30 N. edge of bottom of valley, brs. E. and W. Leave nearly level land and bottom of valley, and enter rolling land, and dense timber. Asc. 35 ft., over SE. slope.


55.70 Descend 30 ft., over NE. slope.

63.70 Ascend 80 ft., over S. slope.

74.80 Spur, slopes SE. Desc. 34 ft., over NE. slope.

77.94 Gully, 5 lks. wide, course E. near head. Asc. 17 ft., over SE. slope, to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 14 ins. in the ground, to bed rock, supported in a mound of stone, for cor. of secs. 4, 5, 8 and 9, marked on brass cap,



from which,

A pine, 12 ins. in diam., brs. N. 8° E., 29 lks. dist., marked T29N R8W S4 BT.

A cedar, 14 ins. in diam., brs. S. 42 1/2° E., 56 lks. dist., marked T29N R8W S8 BT.

11 Subdivision lines of Township 29 North Range 8 West

Chains.

dist., marked T29N R8W S9 BT.
 A cedar, 16 ins. in diam., brs. S. $22\frac{1}{2}^{\circ}$ W., 21 lks.
 dist., marked T29N R8W S8 BT.
 A cedar, 8 ins. in diam., brs. N. 65° W., 5 lks.
 dist., marked T29N R8W S5 BT.

Land, nearly level and rolling.
 Soil, gravelly clay, 2nd and 3rd rate.
 Timber, cedar and pine, scattering in S: 49 chs.; dense
 in N. 31 chs.
 Undergrowth, scattering chamisal and sage brush.
 Fair grass in valley.

 East, on a random line, bet. secs. 4 and 9.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Fall 18 lks. N. of the cor. of secs. 3, 4, 9 and 10.
 Thence,
 N. $89^{\circ}52'$ W., on a true line, bet. secs. 4 and 9.
 Over nearly level land, thru. scattering timber and un-
 dergrowth, in bottom of Prospect Valley, brs. NE and
 SW.
 9.50 Road, brs. NE and SW.
 12.00 Shallow wash, 20 lks. wide, course NE.
 38.00 Gully, 20 lks. wide, 15 ft. deep, course NE.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ $\frac{S}{4}$
 $\frac{S}{9}$
 1920

from which,

A cedar, 5 ins. in diam., brs. N. 10° E., 282 lks.
 dist., marked $\frac{1}{4}$ S 4 BT.
 A yellow pine, 12 ins. in diam., brs. S. $1\frac{3}{4}^{\circ}$ E., 161
 lks. dist., marked $\frac{1}{4}$ S 9 BT.


Continue over nearly level land in bottom of Prospect
 Valley, thru. scattering timber and undergrowth.
 45.28 W. edge of bottom of Prospect Valley, brs. NE and SW.
 Leave nearly level land and bottom of valley, and enter
 rolling land, and dense timber on W. side of valley.
 Ascend 160 ft., over SE. slope, to
 80.00 The cor. of secs. 4, 5, 8 and 9.
 Land, E. 45 chs. nearly level; remainder, rolling.
 Soil, E. 45 chs., gravelly, 2nd rate; W. 35 chs., gravelly
 and rocky, 3rd rate.
 Timber, cedar and pine, scattering in E. 45 chs.; dense
 in W. 35 chs.
 Undergrowth, scattering chamisel and sagebrush, and scrub
 cedar.
 Fair grass in E. 45 chs.

 N. $0^{\circ}12'$ W., on a random line, bet. secs. 4 and 5.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect the cor. of secs. 4, 5, 32 and 33, on N. bdy. of Tp.,
 hereinbefore described.
 Thence,
 S. $0^{\circ}12'$ E., on a true line, bet. secs. 4 and 5.
 Over mountainous land, thru. dense timber and undergrowth.
 Desc. 73 ft., over SE. slope.
 5.00 Wash, 10 lks. wide, course NE. Asc. 145 ft., over NW. slope.
 16.00 Spur, slopes NE. Descend 75 ft., over SE. slope.
 34.60 Gully, 5 lks. wide, course E. Leave mountainous and enter
 rolling land. Asc. 22 ft., over NE. slope.
 36.00 Spur, slopes SE. Desc. 20 ft., over S. slope, to
 39.96 Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in
 the ground, supported in a mound of stone, for $\frac{1}{4}$

Subdivision lines of Township 29 North Range 8 West. 45

Chains.

sec.cor., marked on brass cap,



from which,

A pine, 6 ins. in diam., brs.N.49°E., 53 lks. dist., marked $\frac{1}{4}$ S 4 BT.

A pine, 8 ins. in diam., brs.N.68°W., 56 lks. dist., marked $\frac{1}{4}$ S 5 BT.

Descend 60 ft., over S. slope.

44.74 Gully, 5 lks.wide, course E. Thence over E.slope, with slight change in elevation.

51.42 Gully, 20 lks.wide, course NE. Asc. 90 ft., over N.slope.

67.14 Rocky spur, slopes E. from SW. Desc. 100 ft., over SE.slope, to

79.96 The cor. of secs. 4, 5, 8 and 9.

Land, mountainous and rolling.

Soil, rocky clay, 4th rate.

Timber, dense pine, cedar and oak.

Undergrowth, dense chemisal, sage brush and scrub cedar.

No grass.


From the standard cor. of secs. 31 and 32 on S. bdy. of Tp. (7th. Std. Par. N.), hereinbefore described, N. 0° 3' W., bet. secs. 31 and 32.

Over mountainous land, thru. dense undergrowth. Asc. 20 ft. over SE. slope.

5.00 Top of ridge, brs. NE and SW. Desc. 54 ft., over NW. slope, to

12.80 Thence over rolling W. slope of ridge, ascending 70 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in the ground, to bed rock, deposit a stone, marked with a cross (x) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,




Continue over mountainous land, along W. slope of ridge, Descend slightly to

44.00 Descend 266 ft., over NW. slope, to

60.00 Thence along W. slope, ascend 30 ft., to

74.00 Descend 25 ft. over W. slope, to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (x) at base of post, and raise mound of stone around post for cor. of secs. 29, 30, 31 and 32, marked on brass cap,



Land, mountainous.

Soil, rocky, 4th rate.

Timber, none.

Undergrowth, dense scrub oak, sage brush, manzanita and chemisal.

No grass.

46 Subdivision lines of Township 29 North Range 8 West.

Chains.

East, on a random line, bet. secs. 29 and 32.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Fall 5 lks. S. of the cor. of secs. 28, 29, 32 and 33.
 Thence,
 S. $89^{\circ}58'W.$, on a true line, bet. secs. 29 and 32.
 Over rolling land, thru. scattering timber and dense under-
 growth. Descend 20 ft., over NW. slope.
 8.50 Gully, 5 lks. wide, course NE. Asc. 25 ft., over E. slope.
 10.90 Spur, slopes N. and turns to W. at about 3 chs. N. of line.
 Leave rolling, and enter mountainous land. Desc. slightly
 over W. slope, to
 15.20 Desc. 120 ft., over SW. slope, to
 27.80 Thence along S. slope. Descend slightly to
 32.53 Descend 64 ft., over abrupt SW. slope.
 34.30 Gulch, course N. $70^{\circ}W.$ Asc. 110 ft., over NE. slope, to
 39.98 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins.
 in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 29
 S 32

1920

from which,
 A yellow pine, 18 ins. in diam., brs. N. $47\frac{1}{2}^{\circ}W.$, 57
 lks. dist., marked $\frac{1}{4}$ S 29 BT.
 An oak, 6 ins. in diam., brs. S. $16^{\circ}E.$, 66 lks.
 dist., marked $\frac{1}{4}$ S 32 BT.
 Ascend slightly over NE. slope, to
 41.25 Point of spur, slopes N. Desc. 60 ft., over NW. slope.
 45.30 Gulch, course NE. Asc. 35 ft., over SE. slope.
 47.20 Spur, slopes NE. Desc. 115 ft., over NW. slope.
 52.75 Gulch, 20 lks. wide, course NE. Asc. 140 ft., over SE.
 slope.
 58.45 Sharp rocky spur, slopes NE. Desc. 62 ft., over abrupt NW.
 slope.
 63.46 Gulch, 15 lks. wide, course NE. Asc. 135 ft., over E. slope.
 73.00 Ridge, brs. NE. and S. Leave timber.
 Descend 275 ft., over abrupt W. slope, to
 79.96 The cor. of secs. 29, 30, 31 and 32.
 Land, E. 11 chs. rolling; remainder, mountainous.
 Soil, rocky, 4th rate.
 Timber, scattering pine and cedar in E. 73 chs.; none in
 W. 7 chs.
 Undergrowth, dense chemical and scrub oak.
 No grass.

West, on a random line, bet. secs. 30 and 31.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.90 Fall 10 lks. S. of the cor. of secs. 25, 30, 31 and 36;
 on W. bdy. of Tp.; hereinbefore described.
 Thence,
 S. $89^{\circ}56'E.$, on a true line, bet. secs. 30 and 31.
 Over mountainous land, thru. scattering timber and
 dense undergrowth.
 Descend 95 ft., over SE. slope.
 14.65 Gulch, course NE. Ascend 35 ft., over NW. slope.
 21.50 Point of spur, slopes NE. Desc. 95 ft., over E. slope.
 31.40 Gulch, 20 lks. wide, course S. Asc. 44 ft., over W. slope.
 34.00 Point of spur, slopes S. Desc. 30 ft., over E. slope, to
 39.90 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,


$\frac{1}{4}$ S 30
 S 31
 1920

from which,


Chains.

A yellow pine, 16 ins. in diam., brs. N. 43 $\frac{1}{2}$ ° E., 110 lks. dist., marked $\frac{1}{4}$ S 30 BT.
 A yellow pine, 22 ins. in diam., brs. S. 35 $\frac{3}{4}$ ° E., 103 lks. dist., marked $\frac{1}{4}$ S 31 BT.
 Continue over mountainous land, thru. scattering timber and dense undergrowth.
 Ascend 360 ft., over SW. slope, to
 68.00 Ascend 350 ft., over W. slope, to
 79.90 The cor. of secs. 29, 30, 31 and 32.
 Land, mountainous.
 Soil, rocky clay, 4th rate.
 Timber, scattering pine and cedar.
 Undergrowth, dense chemisal and scrub oak.
 No grass.

N. 0° 03' W., bet. secs. 29 and 30.
 Over mountainous land, thru. dense undergrowth.
 Descend 465 ft., over NW. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground, to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor., marked on brass cap,



and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
 Leave mountainous, and enter rolling land.
 Descend 35 ft., over NW. slope.
 41.10 Wire fence, brs. NE and SW.
 46.00 E. edge of bottom of Prospect Valley, brs. NE and SW.
 Leave rolling, and enter nearly level land, and scattering timber and undergrowth in Prospect Valley, bearing NE. and SW. near head of same.
 56.30 Wire fence, brs. E and W.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 19, 20, 29 and 30, marked on brass cap,



from which,
 An oak, 8 ins. in diam., brs. S. 19 $\frac{3}{4}$ ° E., 130 lks. dist., marked T29N R8W S29 BT.
 An oak, 5 ins. in diam., brs. S. 75 $\frac{3}{4}$ ° W., 20 lks. dist., marked T29N R8W S30 BT.
 and raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.
 Land, mountainous, rolling, and nearly level.
 Soil, gravelly and rocky, 3rd and 4th rate.
 Timber, scattering pine, cedar and oak in N. 34 chs. only.
 Undergrowth, scrub oak, chemisal, Mt. Laurel and sage brush; dense in S. 46 chs.; scattering in N. 34 chs.
 Fair grass, in N. 34 chs.

N. 89° 58' E., on a random line, bet. secs. 20 and 29.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Fall 5 lks. N. of the cor. of secs. 20, 21, 28 and 29.
 Thence,
 West, on a true line, bet. secs. 20 and 29.

18 Subdivision lines of Township 29 North Range 8 West.

Chains.

- Over mountainous land, thru dense timber and undergrowth.
Descend 50 ft., over NW slope.
6.00 Gulch, course NE. Asc. 80 ft., over E. slope.
12.60 Descend 30 ft., over NW slope.
20.20 Gulch, course NE. Asc. 40 ft., over NE slope.
28.10 Ridge, brs. NE and SW. Desc. 350 ft., over steep NW slope,
to
39.98 Set an iron post, 3 ft. long, 1 in. in diam., 15 ins. in
the ground to bed rock, supported in a mound of stone,
for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 20
S 29
1920

from which,

A cedar, 12 ins. in diam., brs. N. $41\frac{1}{2}^{\circ}$ E., 51 lks.
dist., marked $\frac{1}{4}$ S 20 BT.

A pine, 5 ins. in diam., brs. S. $3\frac{3}{4}^{\circ}$ E., 73 lks.
dist., marked $\frac{1}{4}$ S 29 BT.

- Continue over mountainous land.
Descend 600 ft., over steep NW slope.
55.00 Wire fence, brs. NE and SW.
62.00 Foot of descent at E. edge of bottom of Prospect Valley,
brs. NE and SW. Leave mountainous, and enter gently
rolling land in bottom of Prospect Valley.
79.96 Leave dense and enter scattering timber and undergrowth.
The cor. of secs. 19, 20, 29 and 30.
Land, E. 62 chs. mountainous; W. 18 chs. gently rolling.
Soil, rocky, 4th rate, in E. 62 chs.; gravelly clay, 2nd
rate in W. 18 chs.
Timber, cedar, pine and oak, dense in E. 62 chs.; scattering
elsewhere.
Undergrowth, scrub oak, chemisal and sagebrush, dense in
E. 62 chs.; scattering in W. 18 chs.
Fair grass in W. 18 chs.

- 40.00 N. $89^{\circ}56'$ W., on a random line, bet. secs. 19 and 30.
Set temp. $\frac{1}{4}$ sec. cor.
79.98 Intersect W. bdy. of Tp., at the cor. of secs. 19, 24, 25 and
30, hereinbefore described.
Thence,
S. $89^{\circ}56'$ E., on a true line, bet. secs. 19 and 30.
Over rolling land, thru dense timber and undergrowth. Desc. 90
ft. over E. slope.
22.60 Foot of descent, and W. edge of bottom of Prospect Valley,
brs. NE and SW. Leave rolling land, dense timber
and undergrowth, and enter nearly level land, scatter-
ing timber and undergrowth in bottom of Prospect
Valley.
32.80 Gully, course NE.
39.98 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 19
S 30
1920

from which,

A pine, 34 ins. in diam., brs. N. 58 lks. dist.,
marked $\frac{1}{4}$ S 19 BT.

A pine, 10 ins. in diam., brs. S. 60° W., 58 lks. dist.,
marked $\frac{1}{4}$ S 30 BT.


- Continue over nearly level bottom of Prospect Valley.
50.00 Wash, 20 lks. wide, course NE.
50.90 Wire fence, brs. NE and SW.
62.50 Reservoir, brs. N. 10 chs. dist. Two cabins bear S. 10 chs.

Subdivision lines of Township 29 North Range 8 West. 49


Chains.

79.98 dist. Road brs. NE. and S.
 The cor. of secs. 19, 20, 29 and 30.
 Land, W. 22½ chs., rolling; remainder nearly level.
 Soil, gravelly clay, 2nd rate.
 Timber, pine, cedar and oak, dense in W. 22½ chs., scattering elsewhere.
 Fair grass in E. 57½ chs.
 Undergrowth, sage brush, scrub oak and chemisal, dense in W. 22½ chs.; scattering elsewhere.

24.30 N. 0° 03' W., bet. secs. 19 and 20.
 Over nearly level land, thru. scattering timber and undergrowth, in bottom of Prospect Valley, brs. NE. and SW.
 24.40 Road, brs. E. and SW.
 30.00 Wire fence, brs. E. and W.
 40.00 Leave timber, and continue thru. scattering undergrowth.
 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap,



and dig pits, 18x18x12 ins., one each N. and S. of cor. 3 ft. dist.
 47.40 Wash, 20 lks. wide, course NE. at W. edge of bottom of Prospect Valley, bearing NE. and SW. Leave nearly level bottom, and enter rolling land.
 Ascend 60 ft. over S. slope.
 53.80 Enter scattering timber.
 68.76 Spur, slopes SE. Desc. 23 ft., over NE. slope, to
 76.00 Ascend 15 ft., over SE. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 17, 18, 19 and 20, marked on brass cap,



- from which,
- A yellow pine, 8 ins. in diam., brs. N. 63¼° E., 352 lks. dist., marked T29N R8W S17 BT.
 - A yellow pine, 30 ins. in diam., brs. S. 41¼° E., 100 lks. dist., marked T29N R8W S20 BT.
 - A cedar, 10 ins. in diam., brs. S. 44° W., 128 lks. dist., marked T29N R8W S19 BT.
 - A yellow pine, 20 ins. in diam., brs. N. 24¼° W., 175 lks. dist., marked T29N R8W S18 BT.

Land, S. 47½ chs. nearly level; remainder, rolling.
 Soil, gravelly clay, 2nd and 3rd rate.
 Timber, scattering pine and cedar in S. 30 chs. and N. 26 chs. None elsewhere.
 Undergrowth, scattering chemisal and sagebrush.
 Fair grass in S. 47½ chs.

40.00 East, on a random line, bet. secs. 17 and 20.
 79.96 Set temp. ¼ sec. cor.
 Fall 10 lks. N. of the cor. of secs. 16, 17, 20 and 21.
 Thence,
 N. 89° 56' W., on a true line, bet. secs. 17 and 20.
 Over mountainous land, thru. scattering timber and dense undergrowth. Descend 215 ft., over NW. slope.


50 Subdivision lines of Township 29 North, Range 8 West

Chains.	
11.70	Wire fence, brs.N. 30°E. and S.30°W.
23.30	Leave timber; road brs.N.20°E. and S.20°W.
25.00	Foot of descent, brs.NE and SW. at edge of Prospect Valley. Leave mountainous, and enter nearly level land in bottom of Prospect Valley, brs.NE and SW.
29.06	Wire fence, brs.N.20°E. and S.20°W. enclosing reservoir.
31.16	E.edge of reservoir. Thence across reservoir, covering about three acres, in wash, course NE.
35.00	W.edge of reservoir. Leave reservoir.
35.06	Dam, brs.N 20°E. and S.20°W.
37.40	Wire fence; enclosing reservoir.
39.98	Set an iron post, 3 ft.long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,
	$\frac{1}{4}$ S 17 S 20 1920
	and dig pits, 18x18x12 ins., one each E. and W. of cor. 3 ft. dist.
	Continue over nearly level land, thru. scattering undergrowth in bottom of Prospect Valley.
67.50	W. edge of Prospect Valley, brs.NE and SW. Leave nearly level, and enter rolling land on W. side of valley. Enter scattering timber. Asc. 46 ft. over SE. slope, to
79.96	The cor.of secs. 17,18, 19 and 20. Land, mountainous, nearly level and rolling. Soil, black gravelly clay, 2nd rate. Timber, scattering cedar and pine. Undergrowth, chemisal and sagebrush, scattering and dense. Fair grass in Prospect Valley.

40.00	N.89°56'W., on a random line, bet. secs.18 and 19. Set temp. $\frac{1}{4}$ sec.cor.
79.94	Fall 16 lks.N. of the cor.of secs.13,18,19 and 24, on W. bdy.of Tp., hereinbefore described. Thence, N.89°57'E., on a true line, bet. secs.18 and 19. Over rolling land, thru. scattering timber and dense undergrowth.
18.30	Desc.180 ft., over E.slope, to Foot of descent, brs.N. and S. Leave rolling, and enter nearly level land on bench.
39.94	Set an iron post, 3 ft.long, 1 in. in diam., 25 ins. in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,
	$\frac{1}{4}$ S 18 S 19 1920
	from which, A yellow pine, 8 ins. in diam., brs.N.35°W., 81 lks.dist., marked $\frac{1}{4}$ S 18 BT. An oak, 8 ins. in diam., brs.S.24 $\frac{1}{2}$ °E., 31 lks. dist., marked $\frac{1}{4}$ S 19 BT.
	Continue over nearly level land on bench.
41.40	Rim of bench, brs.NE and SW. Leave bench, and nearly level land, and enter rolling land. Desc. 60 ft., over SE. slope.
52.70	Wash, course N.from E. Asc. 22 ft., in bottom of wash.
57.70	Leave wash, course W. from SE. Asc. 45 ft., over SW.slope.
62.80	Spur, slopes SE. Desc.80 ft., over SE.slope, to
79.94	The cor.of secs.17,18,19 and 20. Land, rolling, and nearly level. Soil, gravelly and rocky black clay, 3rd and 4th rate. Timber, scattering cedar and pine. Undergrowth, dense chemisal and sagebrush. No grass.


Chains.

N. 0° 03' W., bet. secs. 17 and 18.
 Over rolling land, thru. scattering timber and undergrowth.
 Ascend 35 ft., over SE. slope.
 7.90 Spur, slopes E. Desc. 25 ft., over NE. slope, to
 14.30 Foot of descent, brs. E and W. at S. edge of bottom of
 small valley. Leave rolling and enter nearly level
 land in bottom of small valley, draining E. into Pros-
 pect Valley.
 26.30 N. edge of bottom of valley, brs. E and W. Leave nearly
 level bottom of valley, and enter rolling land. Asc. 90
 ft. over SE. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for 1/4 sec. cor., marked on brass cap,



from which,
 A cedar, 7 ins. in diam., brs. S. 67 1/2° W., 48 lks.
 dist., marked 1/4 S 18 BT.
 A cedar, 7 ins. in diam., brs. S. 74° E., 15 lks.
 dist., marked 1/4 S 17 BT.

Ascend 15 ft., over SE. slope.
 44.40 Point of spur, slopes SE. Desc. 55 ft., over NE. slope.
 54.25 Gully, 15 lks. wide, course SE. Asc. 155 ft., over S. slope.
 73.00 Spur, slopes SE. Desc. 33 ft., over NE. slope.
 76.20 Gully, 5 lks. wide, course SE. Asc. 38 ft., over SE.
 slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground, for cor. of secs. 7, 8, 17 and 18, marked
 on brass cap,



from which,
 A cedar, 8 ins. in diam., brs. N. 22 3/4° E., 71 lks.
 dist., marked T29N R8W S8 BT.
 A cedar, 8 ins. in diam., brs. S. 35 3/4° E., 73 lks.
 dist., marked T29N R8W S17 BT.
 A cedar, 12 ins. in diam., brs. S. 4 1/2° W., 35 lks.
 dist., marked T29N R8W S18 BT.
 A cedar, 17 ins. in diam., brs. N. 32 3/4° W., 142 lks.
 dist., marked T29N R8W S7 BT.

Land, rolling and nearly level.
 Soil, gravelly and rocky, light and black clay, 3rd and
 4th rate.
 Timber, scattering pine and cedar.
 Undergrowth, scattering sage brush and chemisal, and
 scrub cedar.
 Fair grass in valley.

40.00 S. 89° 56' E., on a random line, bet. secs. 8 and 17.
 Set temp. 1/4 sec. cor.
 80.00 Fall 14 lks. N. of the cor. of secs. 8, 9, 16 and 17.
 Thence,
 N. 89° 50' W., on a true line, bet. secs. 8 and 17.
 Over nearly level land, thru. scattering timber and
 undergrowth in bottom of Prospect Valley, bearing NE.
 and SW.
 31.10 W. edge of bottom of Prospect Valley, brs. NE and SW.
 Leave nearly level bottom of valley, and enter rolling
 land. Asc. 40 ft., over SE. slope, to

52 Subdivision lines of Township 29 North, Range 8 West.

Chains.	
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,
	$\frac{1}{4} \frac{S \ 8}{S \ 17}$ 1920
	from which,
	A cedar, 7 ins. in diam., brs. S. 60° E., 20 lks. dist., marked $\frac{1}{4}$ S 17 BT.
	A cedar, 7 ins. in diam., brs. N. 60 $\frac{1}{2}$ ° W., 35 lks. dist., marked $\frac{1}{4}$ S 8 BT.
	Ascend 30 ft., over SE. slope.
48.70	Descend 15 ft., over S. slope.
55.80	Gully, 10 lks. wide, course SE. Asc. 155 ft., over E. slope, to
73.20	Point of nearly level top of spur, sloping E. Asc. slightly on top of spur, to
80.00	The cor. of secs. 7, 8, 17 and 18.
	Land, E. 31 chs. nearly level; the remainder rolling.
	Soil, E. 31 chs. gravelly, 3rd rate; remainder, rocky 4th rate.
	Timber, scattering cedar and pine.
	Undergrowth, scattering chemisal, sagebrush and scrub cedar.
	Fair grass in E. 31 chs.


	3.89° 57' W., on a random line, bet. secs. 7 and 18.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	Fall 7 lks. N. of the cor. of secs. 7, 12, 13 and 18, on W. bdy. of Tp.; hereinbefore described.
	Thence,
	N. 89° 54' E., on a true line, bet. secs. 7 and 18.
	Over rolling, and mountainous land, thru dense timber and undergrowth, Desc. 15 ft., over SE. slope.
1.90	Gulch, course NE. Descend 10 ft., over N. slope.
11.70	Same gulch, course SE. Asc. 110 ft., over SW. slope.
20.00	Descend 18 ft., over SE. slope.
23.65	Head of gully, course SW. Asc. 114 ft., over SW. slope.
28.50	Spur, slopes E. from NW. Thence along top of spur, descending 50 ft. to
39.90	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
	$\frac{1}{4} \frac{S \ 7}{S \ 18}$ 1920
	from which,
	A cedar, 12 ins. in diam., brs. S. 30 $\frac{1}{2}$ ° E., 12 lks. dist., marked $\frac{1}{4}$ S 18 BT.
	A cedar, 10 ins. in diam., brs. N. 15 $\frac{1}{2}$ ° W., 19 lks. dist., marked $\frac{1}{4}$ S 7 BT.
	Continue along top of spur, sloping E. Desc. 172 ft. to
79.90	The cor. of secs. 7, 8, 17 and 18.
	Land, rolling and mountainous.
	Soil, gravelly, 3rd rate.
	Timber, dense pine and cedar.
	Undergrowth, dense chemisal, scrub oak and sagebrush.
	No grass.

	N. 0° 03' W., bet. secs. 7 and 8.
	Over rolling and mountainous land, thru scattering timber and dense undergrowth. Across nearly level top of
	spur, sloping

Subdivision lines of Township 29 North, Range 8 West. 53

Chains.


- 2.20 spur, sloping E.
- 11.84 Leave top of spur; desc. 105 ft., over NE. slope.
- 27.00 Gulch, 10 lks. wide, course SE. Asc. 100 ft., over SE. slope, to S. edge of top of spur, brs. E. and W. Thence over nearly level top of spur, sloping E.
- 33.73 N. edge of top of spur brs. E. and W. Leave top of spur, and descend 20 ft., over NE. slope, to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,

- A pine, 6 ins. in diam., brs. N. $44\frac{1}{2}^\circ$ E., 37 lks. dist., marked $\frac{1}{4}$ S 8 BT.
- A pine, 18 ins. in diam., brs. S. 25° W., 80 lks. dist., marked $\frac{1}{4}$ S 7 BT.

- Ascend 30 ft., over SE. slope.
- 46.50 Descend 106 ft., over NE. slope, to
- 56.62 Gully, course E. Asc. slightly over E. slope, to
- 58.92 Gully, course SE. Asc. 83 ft., over SW. slope.
- 65.88 Point of spur, slopes SW. Desc. 30 ft., over NW. slope.
- 68.13 Gully, course SW. Asc. 55 ft., over S. slope.
- 71.60 S. edge of top of spur, sloping E. Thence over gently rolling top of spur, ascending slightly over E. slope, to
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap,



from which,

- A cedar, 12 ins. in diam., brs. N. 38° E., 39 lks. dist., marked T29N R8W S5 BT.
- A pine, 6 ins. in diam., brs. S. 40° E., 81 lks. dist., marked T29N R8W S8 BT.
- A cedar, 10 ins. in diam., brs. S. $53\frac{1}{2}^\circ$ W., 76 lks. dist., marked T29N R8W S7 BT.
- A cedar, 16 ins. in diam., brs. N. 48° W., 93 lks. dist., marked T29N R8W S6 BT.

Land, rolling and mountainous.
 Soil, rocky yellow clay, 4th rate.
 Timber, scattering pine and cedar.
 Undergrowth, dense chemisal and scrub oak.
 No grass.

-
- 40.00 S. $89^\circ 50'$ E., on a random line, bet. secs. 5 and 8.
 - 80.04 Set temp. $\frac{1}{4}$ sec. cor.
 - 80.04 Fall 9 lks. S. of the cor. of secs. 4, 5, 8 and 9. Thence, N. $89^\circ 54'$ W., on a true line, bet. secs. 5 and 8. Over rolling land, thru. scattering timber and dense undergrowth.
 - 8.40 Ascend 100 ft., over SE. slope.
 - 15.60 Spur, slopes NE. Desc. 30 ft., over NW. slope.
 - 15.60 Gully, 10 lks. wide, course NE. Asc. slightly over S. slope, to

54. Subdivision lines of Township 29 North Range 8 West.

Chains.

19.20 Same gully, course SE. Asc. 95 ft., over NE. slope.
 28.00 Spur slopes SE. Desc. 35 ft., over SW. slope.
 32.35 Gully, course SE. Asc. 80 ft., over E. slope, to
 40.02 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\frac{1}{4} \frac{S \ 5}{S \ 3}$$

1920

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N.
 of cor.

Ascend slightly over E. slope.
 41.00 Spur, slopes SE. Desc. 50 ft., over SW. slope.
 53.70 Gully, course S. Desc. slightly over S. slope, to
 58.60 Gully, course SE. Asc. 55 ft., over E. slope, to
 70.90 E. end of top of spur, sloping E. Thence over gently roll-
 ing top of spur; ascending slightly to
 80.04 The cor. of secs. 5, 6, 7 and 8.
 Land, rolling.
 Soil, rocky, 4th rate.
 Timber, scattering pine and cedar.
 Undergrowth, dense scrub oak and chemisal.
 No grass.

S. $89^{\circ}54'$ W., on a random line, bet. secs. 6 and 7.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.84 Fall 4 lks. N. of the cor. of secs. 1, 6, 7 and 12, on W. bdy.
 of Tp., hereinbefore described.
 Thence,
 N. $89^{\circ}52'$ E., on a true line, bet. secs. 6 and 7.
 Over mountainous land, thru. dense timber and undergrowth.
 Asc. 15 ft., over NW. slope.
 5.30 Spur, slopes NE. Desc. 250 ft., over SE. slope.
 19.70 Ravine, course N. near head. Asc. 204 ft., over NW. slope.
 27.50 Spur, slopes N. from SW. Desc. 150 ft., over E. slope.
 36.80 Ravine, course N. near head. Leave timber. Asc. 64 ft.
 over W. slope, to
 39.84 Spur, slopes N. Set an iron post, 3 ft. long, 1 in. in
 diam., 12 ins. in the ground to bed rock, deposit a
 stone marked with a cross (x) at base of post, and
 raise a mound of stone around post, for $\frac{1}{4}$ sec. cor.,
 marked on brass cap,

$$\frac{1}{4} \frac{S \ 6}{S \ 7}$$

1920

Descend 154 ft., over E. slope.
 45.50 Ravine, course N. near head. Asc. 183 ft., over W. slope, to
 53.50 N. edge of top of spur, sloping E. from SW. Leave moun-
 tainous, and enter rolling land and scattering timber.
 Descend very gradually along top of spur.
 79.84 The cor. of secs. 5, 6, 7 and 8.
 Land, mountainous and rolling.
 Soil, rocky, 4th rate.
 Timber, pine and cedar, dense in W. 37 chs., scattering
 in E. $26\frac{1}{2}$ chs.; none elsewhere.
 Undergrowth, dense scrub oak, chemisal, sagebrush and man-
 zanita.
 No grass.

N. $0^{\circ}12'$ W., on a random line, bet. secs. 5 and 6.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.90 Fall 11 lks. W. of the cor. of secs. 5, 6, 31 and 32, on N. bdy.
 of Tp., hereinbefore described.

Subdivision lines of Township 29 North, Range 8 West. 55

Chains.

Thence,
 S. 0°07'E., on a true line, bet. secs. 5 and 6.
 Over mountainous land, thru. dense timber and undergrowth.
 Descend 105 ft., over SE. slope.
 15.00 Gulch, 20 lks. wide, course NE. Asc. slightly over foot
 of W. slope, to
 17.30 Same gulch, course NW. Asc. 83 ft., over NE. slope.
 23.00 Descend 35 ft., over SE. slope, to
 24.60 Same gulch, course NE. from S. Ascend 10 ft. in bottom
 of gulch, to
 26.80 Leave bottom of gulch, course N. from SE.; ascend 50 ft.
 over NE. slope.
 30.60 Descend 10 ft., over SE. slope.
 32.80 Same gulch, course NE. Asc. 210 ft., over NW. slope, to
 39.90 Point of spur, slopes W. Set an iron post, 3 ft. long, 1
 in. in diam., 10 ins. in the ground, supported in a
 mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$
 S 6 | S 5
 1920

from which,
 A cedar, 10 ins. in diam., brs. N. 61° E., 63 lks.
 dist., marked $\frac{1}{4}$ S 5 BT.
 A pine, 8 ins. in diam., brs. N. 62° W., 60 lks.
 dist., marked $\frac{1}{4}$ S 6 BT.
 Descend 40 ft., over SW. slope.
 44.00 Head of same gulch, course W. Ascend 92 ft., over N. slope.
 57.00 Spur, slopes NW. Desc. 86 ft., over SW. slope.
 66.00 Gulch, course NW. near head. Asc. 65 ft., over NE.
 slope, to
 70.50 N. edge of gently rolling top of spur, sloping E. Leave
 mountainous, and enter rolling land and scattering
 timber. Asc. slightly over E. slope, to
 79.90 The cor. of secs. 5, 6, 7 and 8.
 Land, mountainous and rolling.
 Soil, rocky clay, 4th rate.
 Timber, cedar and pine, dense and scattering.
 Undergrowth, dense scrub oak, chemisal and sagebrush.
 No grass.

 Boundaries of Township 29 North, Range 8 West.
 Latitudes, departures, and closing errors.

Line designated.	True bearing.	Dist.	Latitudes.		Departures.	
			N.	S.	E.	W.
South boundary, (7th. Std. Par. N.)	West,	480.00				480.00
West boundary,	North,	480.00	480.00			
North boundary,	N. 89° 57' E.	480.02	.42		480.02	
East boundary,	South,	480.00		480.00		
Convergency,					.53	
Totals.			480.42	480.00	480.55	480.00
			480.00		480.00	
Error in latitude,			0.42			
Error in departure,					0.55	

The continued satisfactory adjustment of the solar apparatus during the survey of this township is indicated from field tests, as described in Book "B."

GENERAL DESCRIPTION.

This township lies entirely within the Hualpai Indian Reservation, near the left or East upper rim of the Colorado River Canyon. The surface varies from level to mountainous. Most of the area in the East range of secs. drains easterly into Laguna Valley, which drains northerly in to the Colorado River, thru. Mohawk canyon.

Parts of secs. 34, 35 and 36 drain southerly into the Verde River watershed. Sec. 31, and parts of secs. 30 and 32 drain southwesterly into Diamond Creek canyon, which drains southwesterly into the Colorado River. Sec. 6 drains northwesterly directly into the Colorado River. The remainder of the township drains into Prospect Valley, which heads in sec. 30, and drains northerly into the Colorado River, near north boundary of T. 32 N., R. 7 W.

The bottom of Prospect Valley is broad, and has a nearly level surface. A mesa about $\frac{1}{2}$ mile wide and 3 miles long, bearing N. and S., thru. the eastern part is nearly level, and the same character of surface is found in a draw to the west of the mesa, and in scattered areas in the east range of secs. The area west of Prospect Valley is mostly mountainous, while that to the east is rolling.

The soil in bottom of Prospect Valley, and in the eastern part is gravelly clay, 2nd and 3rd rate. The soil in the remainder of the township is gravelly and rocky clay, 3rd and 4th rate.

The timber, consisting of cedar, pine and oak, is scattering in most of the east and south halves of the township and dense in the west range and north tier of secs., and scattered areas elsewhere. A portion of the southwestern part of the township is devoid of timber.

The undergrowth, consisting of chamisal, scrub oak, sage brush, scrub cedar and manzanita, is scattering in the bottom of Prospect Valley, and most the eastern and southern parts of the township, and dense elsewhere, with the exception of a few scattered small areas, which are devoid of undergrowth.

There is a fair growth of grass in bottom of Prospect Valley, and in the eastern part of the township.

There is no permanent running water in the township, but there is a spring known as "Hocky Pock Spring" near the N. bd. of sec. 6. A number of reservoirs for periodical storing of water are constructed by means of dams in washes, and draws in various parts of the township.

There is no visible evidence of valuable mineral deposits.

There are no permanent residents, but there is a periodical occupation of a ranch at the head of Prospect Valley, where there are improvements consisting of cabins, fences and reservoirs.

A road traverses the entire length of the bottom of Prospect Valley, and another road from Seligman, Arizona passes thru. the east half of the township, and connects with the valley road in sec. 3.

BOOK 3511

52
58

CERTIFICATE OF UNITED STATES TRANSITMAN

I, Horace M. Muscott, U. S. Transitman, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 106, Arizona bearing date of the 25th day of February, 1920, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the Seventh Standard Parallel North, through Range 8 West, and of the North and West boundaries, and Subdivision lines of

Township 29 North, Range 8 West

of the Gila and Salt River

Base and Meridian, in the State of Arizona, which are represented in and by diagram on page 1 hereof the foregoing field notes, as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 106, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place Los Angeles, Calif. Horace M. Muscott
Date July 11, 1922 U. S. Transitman

~~APPROVAL.~~

~~OFFICE OF THE UNITED STATES SURVEYOR GENERAL,~~

~~191~~

The foregoing field notes of the survey of

executed by _____, under his special instructions dated _____, 191____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

~~U. S. Surveyor General.~~

I certify that the foregoing transcript of the field notes of the above-described surveys in _____, has been correctly copied from the original notes on file in this office.

~~U. S. Surveyor General.~~

CERTIFICATE OF UNITED STATES CADASTRAL ENGINEER.

BOOK 3511

I, Guy Redwine, U.S. Cadastral Engineer, or, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 106, Arizona.

bearing date of the 25th day of February, 1920, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the North boundary and Subdivision lines of

TOWNSHIP 29 NORTH, RANGE 8 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, and by diagram on page 1 hereof the foregoing field notes as having been executed by me, and under my direction; and that, all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 106, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place King California
Date June 24, 1922

Guy Redwine
U.S. Cadastral Engineer

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, August 7, 1922

The foregoing field notes of the survey of the Seventh Standard Parallel North, thru. Range 8 West, and of the North and West boundaries, and Subdivision lines of

TOWNSHIP 29 NORTH, RANGE 8 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by Guy Redwine, U.S. Cadastral Engineer, and Horace M. Muscott, U.S. Transitman, under his special instructions dated Feb. 25, 1920, for Group 106, Arizona, , having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank A. Frost
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in , has been correctly copied from the original notes on file in this office.