

July (1)

FIELD NOTES

OF THE RETRACEMENT OF

part of the Hualpai Indian Reservation boundary (71 $\frac{1}{2}$ M to 72M)

AND OF THE SURVEY OF

the West boundary,

the North boundary,

and part (completion) of the Subdivision lines of

Township 26 North, Range 9 West,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

Quintin Campbell, U. S. Surveyor,

and

Kenneth W. Bond, U. S. Transitman,

In the capacity of U. S. Surveyor, under Special Instructions dated Feb. 25th, 1920, issued by the United States Surveyor General to govern surveys included in Group No. 107, Arizona, which were approved by the Commissioner of the General Land Office, March 8th, 1920, and Assignment Instructions dated March 19 & 29, 1920

Retracement and Survey commenced August 23, 1920

Retracement and Survey completed September 29, 1920

3533

3533


1A

Book "F"

Group 107 - - -Arizona.

BOOK 3533

INDEX DIAGRAM.



- ==== Lines surveyed under this Group.
- - - - Lines retraced under this Group.
- ==== Lines surveyed under current Group 108.
- Accepted surveys.
- Areas surveyed as per accepted plats on file.

13

Township 26 North, Range 9 West,

2533

Date Diagram

| | | | | | | |
|---------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | | | 9-28-20 | |
| | 9-29-20 6 9-23-20 | 9-29-20 5 9-24-20 | 9-29-20 4 9-23-20 | 9-28-20 3 9-17-20 | 9-25-20 2 9-2-20 | 9-25-20 1 9-10-20 |
| 9-22-20 | 9-25-20 7 9-23-20 | 9-23-20 8 9-24-20 | 9-17-20 9 9-21-20 | 9-1-20 10 9-16-20 | 9-10-20 11 8-30-20 | 9-9-20 12 9-9-20 |
| | 9-22-20 18 9-21-20 | 9-22-20 17 9-20-20 | 9-16-20 16 9-14-20 | 9-1-20 15 9-15-20 | 9-8-20 14 8-30-20 | 9-8-20 13 9-2-20 |
| | 9-20-20 19 9-20-20 | 9-14-20 20 9-18-20 | 8-30-20 21 9-14-20 | 8-30-20 22 8-29-20 | 9-2-20 23 8-30-20 | 9-2-20 24 8-24-20 |
| | 9-18-20 30 9-16-20 | 9-14-20 29 9-15-20 | 8-29-20 28 9-11-20 | 8-27-20 27 8-26-30 | 8-23-20 26 8-25-20 | 8-24-20 25 8-23-20 |
| | 9-16-20 31 9-15-20 | 9-15-20 32 9-15-20 | 9-8-20 33 9-8-20 | 8-28-20 34 8-28-20 | 8-25-20 35 8-25-20 | 8-23-20 36 8-23-20 |

For dates of survey of this line see Book "D"

For dates of survey of this line see Book "E"

Hualapai
Indian
boundary
Reservation

On the above diagram:-
black lines indicate surveys, and dotted black line, retracement,
executed by Quintin Campbell, U. S. Surveyor,
and red lines indicate surveys executed by Kenneth W. Bond, U. S.
Transitman, all on dates shown thereon,
and brown lines indicate accepted surveys.

Retracements and Surveys hereinafter described, executed on dates shown on diagram on page 1 hereof, by Quintin Campbell, U.S. Surveyor, and Kenneth W. Bond, U.S. Transitman, using respectively, Young and Sons light mountain transit Nos. 8491 and 8477. Each instrument is equipped with full vertical circle, and the Smith solar attachment.

Unless otherwise specified, all azimuth determinations are accomplished with the solar attachments.

Aug. 21, 1920. We examine the adjustment of each instrument, and correct all errors; then, to test the solar apparatus by comparing its indications from observations made during a.m. and p.m. hours, with a meridian established by Polaris observation, proceed with each instrument as follows:

In camp, at Blue Mountain Tank, near the $\frac{1}{4}$ sec. cor. of secs. 23 and 26, T. 26 N., R. 9 W., Gila and Salt River Base and Meridian, Arizona, in latitude $35^{\circ}37'18''$ N.; longitude, $113^{\circ}12'45''$ W. at 9h.35.4m., p.m., l.m.t., observe Polaris at eastern elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point in the line, thus determined, on a peg driven firmly in the line 6 chs. N.

Azimuth of Polaris at eastern elongation = $1^{\circ}22'55''$.

August 22, 1920. Lay off the azimuth of Polaris $1^{\circ}23'$ to the west, and mark a point in the meridian thus determined by a tack in a peg driven firmly in the ground 6 chs. N.

At 7h.0m., a.m., l.m.t., set off $35^{\circ}37'$ N. on the latitude arc; $11^{\circ}47'$ N. on the decl. arc, and determine a meridian with the solar, which agrees with the true meridian.

At app. noon, with the latitude arc unchanged, observe the sun on the meridian; the resulting reading of the declination arc is $11^{\circ}42'$ N., which agrees with the computed declination of the sun.

At 5h.0m., p.m., l.m.t., with the latitude arc unchanged, set off $11^{\circ}39'$ N., on the decl. arc, and determine a meridian with the solar, which agrees with the true meridian.

As all of the solar observations made with both instruments during the usual hours of solar work come within $1'30''$ of the true meridian, we conclude that the adjustment of the instruments is satisfactory.

Unless otherwise specified, all measurements are made with Lallie steel tapes, 2 and 5 chs. in length, compared with a Lufkin standard steel tape, and found correct.


The measurements are made on the slope, the vertical angle determined, and the slope measurements properly reduced to true horizontal distances.

Retracement of

Part of the Boundary of the Hualpai Indian Res. in T.26 N., R.9 W. 3

Chains.

The boundary of the Hualpai Indian Reservation thru T.26 N., R.9 W. was surveyed by Albert T. Colton, U.S. Deputy Surveyor in September, 1900, and no retracement or re-survey of such portion of the line is of record. The following notes describe a retracement between the 71 1/2 mile and 72 mile monuments in secs. 25 and 36, T.26 N., R.9 W.



The 71 1/2 mile monument is a malpais stone 14x12x6 ins. above ground, firmly set, marked with a cross (x) on top, H I R 71 1/2 M on NW. face, and PL on SE. face, and witnessed by a mound of stone N.E. of mon. No bearing trees.

Thence, N. 50° E., on a random line, on the N.E. 1/2 of the 72nd mile of the Reservation boundary.

12.75 Over gently rolling land, thru dense timber and undergrowth, along SE. slope, ascending gradually. Fall 1 1/2 k. S. 40° E. from the closing cor. of those parts of secs. 25 and 36, T.26 N., R.9 W., situated outside the Hualpai Indian Reservation, which is an iron post, 2 ins. in diam., projecting 12 ins. above ground, firmly set, properly marked on brass cap, and witnessed by two properly marked bearing trees, as follows:

- A cedar, N. 61 1/2° E., 239 lks. dist., and
- A cedar, S. 62 1/2° E., 67 lks. dist.


True course and length of the Reservation boundary from the 71 1/2 mile mon. to this C.C. are therefore, N. 49° 57' E., 12.75 chs.

Continue line and measurement.

39.97 Over rolling land, thru dense timber and undergrowth, ascending gradually over SE. slope. Fall 3 lks. S. 40° E. from the 72 mile monument, which is a sandstone, 12x10x6 ins. above ground, firmly set, marked with a cross (x) on top, H I R 72 M on NW. face, and P L on SE. face, and witnessed by a mound of stone N. 50° E. of mon. No bearing trees.

True course and length of N.E. 1/2 of the 72nd mile of the Reservation boundary are therefore, N. 49° 57' E., 39.97 chs.

Land, gently rolling.
Soil, gravelly and rocky, 4th rate.
Timber, dense cedar, juniper and pine.
Undergrowth, dense sage brush and scrub oak.
No grass.



4 Survey of West bdy. of Township 26 North, Range 9 West.

Chains.

From the cor. of T25 and 26 N., R9 and 10 W., described in Book "E,"

North, on true line, bet. secs. 31 and 36.

Over nearly level land, thru. scattering undergrowth, and very scattering timber, along W. slope, with slight change in elevation.

10.00 Wash, 20 lks. wide, course SW. Asc. very gradually, over S. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,

A pine, 14 ins. in diam., brs. N. 70 $\frac{1}{2}$ ° W., 393 lks. dist., marked $\frac{1}{4}$ S 36 BT.

A pine, 12 ins. in diam., brs. S. 46 $\frac{1}{2}$ ° E., 389 lks. dist., marked $\frac{1}{4}$ S 31 BT.

Continue over nearly level land, thru. scattering undergrowth and very scattering timber.


Ascend very gradually over S. slope, to

50.00 Top of ascent, brs. E. and W. Descend slightly over N. slope.

60.00 Wash, 20 lks. wide, course SW. Leave very scattering, and enter scattering timber.

Ascend slightly over SW. slope, to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, marked on brass cap,



from which,

A juniper, 20 ins. in diam., brs. N. 49 $\frac{1}{2}$ ° E., 350 lks. dist., marked T26N R9W S30 BT.

A juniper, 12 ins. in diam., brs. S. 80° E., 115 lks. dist., marked T26N R9W S31 BT.

A juniper, 12 ins. in diam., brs. S. 3° W., 200 lks. dist., marked T26N R10W S36 BT.

A pine, 6 ins. in diam., brs. N. 14 $\frac{1}{2}$ ° W., 137 lks. dist., marked T26N R10W S25 BT.

Land, nearly level.

Soil, gravelly and rocky, 4th rate.

Timber, juniper and pine, very scattering in S. 60 chs.; scattering in N. 20 chs.

Undergrowth, scattering scrub oak and prickly ash.

Fair grass.


North, on true line, bet. secs. 25 and 30.

Over nearly level land, thru. dense timber and scattering undergrowth.

Ascend slightly over SW. slope.

25.00 Descend slightly over W. and NW. slopes, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in the ground to bed rock, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,




from which,

West boundary of Township 26 North, Range 9 West.


Chains.

A juniper, 14 ins. in diam., brs. N. 14° E., 54 lks. dist., marked $\frac{1}{2}$ S 30 BT.
 A juniper, 18 ins. in diam., brs. S. 62½° W., 52 lks. dist., marked $\frac{1}{2}$ S 25 BT.
 Continue over nearly level land, thru. dense timber and scattering undergrowth.
 Descend slightly over NW. slope.
 48.70 Wash, 100 lks. wide, course NE. Leave nearly level, and enter rolling land. Ascend 50 ft., over SE. slope.
 63.00 E. end of top of hill, brs. E. and W. Descend 120 ft. over N. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 19, 24, 29 and 30, marked on brass cap,



from which,
 A juniper, 14 ins. in diam., brs. E. 57½° E., 50 lks. dist., marked T26N R9W S19 BT.
 A juniper, 10 ins. in diam., brs. S. 30¼° E., 91 lks. dist., marked T26N R9W S30 BT.
 A juniper, 16 ins. in diam., brs. S. 35½° W., 30 lks. dist., marked T26N R10W S25 BT.
 A juniper, 14 ins. in diam., brs. N. 9½° W., 13 lks. dist., marked T26N R10W S24 BT.
 Land, S. 43 chs., nearly level; remainder rolling.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering scrub oak and prickly ash.
 Fair grass.

 North, on true line, bet. secs. 19 and 24.
 Over rolling land, thru. dense timber and scattering undergrowth; descend 20 ft., over N. slope.
 8.40 Wash, 20 lks. wide, course NW. Descend gradually over NW. slope.
 19.50 Wash, 50 lks. wide, course NW. from E. Asc. 60 ft., over SW. slope.
 28.00 Ridge, brs. NW. and SE. Desc. 32 ft., over NE. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{2}$ sec. cor., marked on brass cap,



from which,
 A juniper, 14 ins. in diam., brs. S. 29½° E., 76 lks. dist., marked $\frac{1}{2}$ S 19 BT.
 A juniper, 14 ins. in diam., brs. S. 72½° W., 250 lks. dist., marked $\frac{1}{2}$ S 24 BT.
 Descend 10 ft., over NE. slope, to
 42.50 Wash, 25 lks. wide, course NW. Asc. 16 ft., over S. slope.
 49.00 Spur, slopes SW.
 Descend 25 ft., over NW. slope.
 53.50 Wash, 20 lks. wide, course SW.
 Ascend 53 ft., over S. slope.
 66.50 Ridge, brs. E. and W.
 Descend 92 ft., over N. slope.
 74.10 Gully, 10 lks. wide, course NE. Thence over E. slope, with slight change in elevation.
 78.40 Gully, 5 lks. wide, course E.

6. West boundary of Township 26 North, Range 9 West.

Chains.

30.00 Ascend slightly over SE. slope, to
Set an iron post 3 ft. long, 2 ins. in diam., 6 ins. in
the ground to bed rock, and raise a mound of stone
around post, for cor. of secs. 13, 18, 19 and 24, marked
on brass cap,

| | |
|-------|-----|
| T26N | |
| R10W | R9W |
| S13 | S18 |
| ----- | |
| S24 | S19 |
| 1920 | |

from which,

- A pine, 12 ins. in diam., brs. N. 2° E., 33 lks.
dist., marked T26N R9W S13 St.
- A pine, 8 ins. in diam., brs. S. 57° E., 142 lks.
dist., marked T26N R9W S19 St.
- A pine, 6 ins. in diam., brs. S. 60° W., 76 lks.
dist., marked T26N R10W S24 St.
- A pine, 12 ins. in diam., brs. N. 26° W., 72 lks.
dist., marked T26N R10W S13 St.

Land, rolling.

Soil, gravelly and rocky, 4th rate.

Timber, dense juniper and pine.

Undergrowth, scattering prickly ash and scrub oak.

Fair grass.

North, on true line, bet. secs. 13 and 18.

Over roughly rolling land, thru. dense timber and scatter-
ing undergrowth.

- 7.10 Descend 74 ft., over NE. slope.
Gully, 20 lks. wide, course NW.
Ascend 65 ft., over SW. slope.
- 14.50 Spur, slopes NW.
Descend 15 ft., over N. slope.
- 17.00 Gully, course W., near head.
Ascend 18 ft., over SW. slope.
- 21.30 Spur, slopes NW.
Descend 16 ft., over N. slope.
- 24.00 Gully, 5 lks. wide, course W.
Ascend 80 ft., over SW. slope.
- 30.50 Spur, slopes NW.
Descend 65 ft., over N. slope.
- 35.80 Gully, 5 lks. wide, course NW.
Ascend 6 ft., over SW. slope.
- 36.80 Low spur, slopes NW.
Descend 26 ft., over NE. slope, to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in
the ground, to bed rock, and raise a mound of stone
around post for sec. cor., marked on brass cap,

| | |
|-------|-----|
| S13 | |
| E18 | S13 |
| ----- | |
| 1920 | |

from which,

- A pine, 10 ins. in diam., brs. S. 82° E., 14 lks.
dist., marked S 18 St.

- A lime-stone boulder 4x4x4 ft. above ground, brs.
S. 82° W., 21 lks. dist., marked X S 13 St.

- 40.50 Gully, 5 lks. wide, course NW. Asc. 94 ft., over SW. slope.
- 46.54 Point of spur, slopes W.. Desc. 20 ft., over NW. slope.
- 51.85 Gully, 5 lks. wide, course SW.. Asc. 128 ft., over SW. slope.
- 63.05 Spur, slopes NW. Desc. 75 ft.
- 69.70 Gully 5 lks. wide, course NW. Asc. 70 ft., over SW. slope.
- 78.80 Spur, slopes NW. Desc. 16 ft., over NE. slope, to
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in
the ground, for cor. of secs. 7, 12, 13 and 18, marked on
brass cap,

Chains. ~~West boundary of Township 26 North, Range 9 West.~~ 7

T26N
R10W R9W
S12 S7
S13 S18
1920

- from which,
- A pine, 8 ins. in diam., brs. N. 24° E., 46 lks. dist., marked T26N R9W S7 BT.
- A pine, 6 ins. in diam., brs. S. 31° E., 70 lks. dist., marked T26N R9W S18 BT.
- A pine, 6 ins. in diam., brs. S. 17½° W., 86 lks. dist., marked T26N R10W S13 BT.
- A pine, 8 ins. in diam., brs. N. 68½° W., 187 lks. dist., marked T26N R10W S12 BT.

Land, roughly rolling.
Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering prickly ash and scrub oak.
No grass.

-
- North, on true line, bet. secs. 7 and 12.
 - Over roughly rolling land, thru. dense timber and scattering undergrowth.
 - Descend 90 ft., over NE. slope.
 - 12.55 Gully, 10 lks. wide, course NW, thence over NW. slope, with slight change in elevation.
 - 14.50 Gully, 20 lks. wide, course NW. Ascend 140 ft., over S. slope.
 - 34.75 Spur, slopes W. Desc. 34 ft., over N. slope, to
 - 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap,

1/2
S12 | S 7
1920

- from which,
- A pine, 6 ins. in diam., brs. N. 86° E., 25 lks. dist., marked ¼ S 7 BT.
- A pine, 12 ins. in diam., brs. S. 63° W., 65 lks. dist., marked ¼ S 12 BT.

- Descend slightly over N. slope.
- 40.38 Gully, 10 lks. wide, course NE. Asc. 33 ft., over SE. slope.
- 46.50 Spur, slopes NE. Desc. 65 ft., over N. slope.
- 57.60 Gully, 10 lks. wide; course NE. Asc. 137 ft., over SE. slope.
- 79.00 Spur, slopes NE. Descend slightly over N. slope, to
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 4 ins. in the ground, to bed rock, and raise a mound of stone around post, for cor. of secs. 1, 6, 7 and 12, marked on brass cap,

T26N
R10W R9 W
S 1 S 6
S12 S 7
1920

- from which,
- A pine, 10 ins. in diam., brs. N. 18° E., 71 lks. dist., marked T26N R9W S6 BT.
- A pine, 8 ins. in diam., brs. S. 31° E., 58 lks. dist., marked T26N R9W S7 BT.
- A pine, 12 ins. in diam., brs. S. 11½° W., 96 lks. dist., marked T26N R10W S12 BT.
- A pine, 10 ins. in diam., brs. N. 37½° W., 68 lks. dist., marked T26N R10W S1 BT.

8. West boundary of Township 26 North, Range 9 West.

Chains.

Land, roughly rolling.
Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering prickly ash and scrub oak.
No grass.

North, on true line, bet. secs. 1 and 6.
Over roughly rolling land, thru. dense timber and scattering undergrowth.

25.00 Descend very gradually over NE. and E. slopes, to
Ascend 40 ft., over SE. slope, to
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in the ground to bed rock, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S 1 | S 6
1920

from which,

A pine, 14 ins. in diam., brs. N. 51° E., 19 lks.
dist., marked $\frac{1}{4}$ S 6 BT.

A pine, 16 ins. in diam., brs. N. 71° W., 103 lks.
dist., marked $\frac{1}{4}$ S 1 BT.

Ascend 51 ft., over SE. slope.
48.60 Point of spur, slopes E. Descend 10 ft., over N. slope.
51.10 Ascend 10 ft., over SE. slope.
55.00 Ridge, brs. NE. and SW. Desc. 157 ft., over NW. slope.
68.50 Head of gully, 10 lks. wide, course NW. Ascend 85 ft., over SW. slope.
75.00 Bend in top of rocky spur, slopes NE. from SE. Desc. 26 ft., over NW. slope, to
80.00 Set an iron post, 3 ft. long, 3 ins. in diam., 14 ins. in the ground to bed rock, and raise a mound of stone around post, for cor. of Ts. 26 and 27 N., Rs. 9 and 10 W., marked on brass cap,

T27N
R10W | R9W
S36 | S31
S 1 | S 6
T26N
1920

from which,

A pine, 8 ins. in diam., brs. S. 64° E., 91 lks.
dist., marked T26N R9W S6 BT.

A pine, 12 ins. in diam., brs. S. 66° W., 178 lks.
dist., marked T26N R10W S1 BT.

A pine, 6 ins. in diam., brs. N. 62 $\frac{1}{2}$ ° W., 139 lks.
dist., marked T27N R10W S36 BT.

A sandstone boulder, 6x5x4 ft. above ground, brs. N. 52° E., 53 lks. dist., marked X S 31 BO.

Land, roughly rolling.
Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering prickly ash and scrub oak.
No grass.

Survey of North bdy. of Township 26 North, Range 9 West.

9

Chains.

From the cor. of Ts. 26 and 27 N., Rs. 8 and 9 W., described in Book "D,"
 West, on random line, setting temp. $\frac{1}{2}$ sec. cor. and sec. cors. alternately at intervals of 40.00 chs.; and at 478.74 chs., fall 14 lks. N. of the cor. of Ts. 26 and 27 N., Rs. 9 and 10 W., hereinbefore described.
 The falling answers to a correction of 1 minute, or 2-1/3 lks. S. per mile, counting from the E. end of line.
 From cor. of Ts. 26 and 27 N., Rs. 9 and 10 W., N. 89° 59' E., on a true line, bet. secs. 6 and 31.
 Over roughly rolling land, thru. dense timber and scattering undergrowth.
 Ascend 31 ft., over W. slope.
 2.90 Spur, slopes N. from SW. Descend 35 ft., over E. slope.
 6.70 Gully, 10 lks. wide, course NE. near head.
 Ascend 37 ft.
 14.40 Ridge, brs. NE. and SW.
 Descend 152 ft., over E. slope, to
 30.30 Rim of ravine, brs. NW. and SE. Leave roughly rolling, and enter mountainous land.
 Descend 245 ft., over NE. slope, to
 38.74 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{2}$ sec. cor., marked on brass cap,

S 31
 S 6
 1920

from which,

- A sandstone boulder in place, 4x4x3 ft. above ground, brs. N. 45° W., 5 lks. dist., marked X S 31 BO. on SE. face.
- A sandstone boulder, 5x5x4 ft. above ground, brs. S. 45° W., 8 lks. dist., marked X S 6 BO. on NE. face.

Descend 10 ft. over NE. slope.
 39.60 Gully, 10 lks. wide, course SE. Heads 5 chs. NW.
 Descend 79 ft., over S. slope.
 48.00 Point of low spur, slopes SE. Desc. 131 ft., over E. slope, to
 55.00 Gulch, 20 lks. wide, course SE. in bottom of ravine, which heads 15 chs. NW.
 Ascend 45 ft., over SW. slope.
 59.00 Descend 133 ft., over SE. slope.
 66.10 Gulch, 20 lks. wide, course NE. in bottom of ravine.
 Ascend 62 ft., over NW. slope.
 68.50 Point of spur, slopes N.
 Descend 72 ft., over NE. slope.
 71.20 Gulch, 25 lks. wide, course N.
 Ascend slightly over NW. slope, to
 77.00 Gulch, 25 lks. wide, course NW. Ascend 33 ft., over W. slope, to
 78.74 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, marked on brass cap,

T27N | R9W
 S31 | S32
 S 6 | S 5
 T26N
 1920

from which,

- A pine, 10 ins. in diam., brs. N. 79° E., 101 lks. dist., marked T27N R9W S32 BT.
- A juniper, 8 ins. in diam., brs. S. 48½° E., 99 lks. dist., marked T26N R9W S5 BT.
- A juniper, 16 ins. in diam., brs. S. 42½° W., 102 lks. dist., marked T26N R9W S6 BT.
- A pine, 10 ins. in diam., brs. N. 39° W., 253 lks. dist., marked T27N R9W S31 BT.

Land, roughly rolling and mountainous.

10 North boundary of Township 26 North, Range 9 West.

Chains.

Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering prickly ash, scrub oak, cacti and sage brush.
 No grass.

N. 89° 59' E., on a true line, bet. secs. 5 and 32.
 Over mountainous land, thru. dense timber and scattering undergrowth.

23.90 Ascend 275 ft., over W. slope.
 Ridge, brs. NW. and SE., near NW. end of same.

40.00 Descend 170 ft., over NE. slope, to
 Set an iron post, 3 ft. long, 1 in. in diam., 8 ins. in the ground to bed rock, and raise a mound of stone around post for 1/4 sec. cor., marked on brass cap,

1/4 S 32
 S 5
 1920

from which,

- A juniper, 10 ins. in diam., brs. N. 32° W., 78 lks. dist., marked 1/4 S 32 BT.
- A pine, 10 ins. in diam., brs. S. 68 1/4° W., 77 lks. dist., marked 1/4 S 5 BT.

47.43 Ascend 55 ft., over N. slope.
 Descend 156 ft., over NE. slope.
 55.40 Gulch, 50 lks. wide, course NW. Ascend 240 ft., over W. slope.

71.10 Point of spur, slopes S. Descend 39 ft., over SE. slope, to
 80.00 Edge of small cliff, bearing SE. and NW. facing SW. at head of gulch, course SW.
 Set an iron post, 3 ft. long, 2 ins. in diam., 6 ins. in the ground to bedrock, and raise a mound of stone around post, for cor. of secs. 454, 5, 32 and 33, marked on brass cap,

T27N | R9W
 S 32 | S 33
 S 5 | S 4
 T26N
 1920

from which,

- A juniper, 6 ins. in diam., brs. N. 18 1/2° E., 30 1/2 lks. dist., marked T27N R9W S33 BT.
- A juniper, 10 ins. in diam., brs. S. 19 1/4° E., 31 lks. dist., marked T26N R9W S4 BT.
- A pine, 10 ins. in diam., brs. S. 52 1/4° W., 92 lks. dist., marked T26N R9W S5 BT.
- A juniper, 20 ins. in diam., brs. N. 37 1/4° W., 32 lks. dist., marked T27N R9W S32 BT.

Land, mountainous,
 Soil, sandy, gravelly and rocky, 3rd and 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering scrub oak, prickly ash, cacti and sagebrush.
 Poor grass.

N. 89° 59' E., on a true line, bet. secs. 4 and 33.
 Over mountainous land, thru. dense timber and scattering undergrowth.

30.15 Ascend 200 ft., over SW. slope.
 Spur, slopes S. Desc. 43 ft., over SE. slope.

37.60 Ascend 20 ft., over S. slope, to 1/4 sec. cor.

39.04 Old Indian road, brs. NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 8 ins. in

North boundary of Township 26 North, Range 9 West. 11

Chains.

the ground to bed rock, and raise a mound of stone around post, for 1/4 sec.cor., marked on brass cap,

1/4 S 33
S 4
1920

from which,

A pine, 30 ins.in diam., brs.N.70°E., 57 lks. dist., marked 1/4 S 33 BT.

A pine, 10 ins. in diam., brs.S.50°E., 44 lks. dist., marked 1/4 S 4 BT.

45.63 Thence along S.slope, descending 15 ft., to Old Indian road, brs.NW. and SE. Ascend 117 ft. over W. slope.

59.30 Rocky hill; descend 120 ft., over E.slope.

67.80 Gulch, 30 lks.wide, course NW.

Ascend 58 ft., over W.slope, to

80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 8 ins.in the ground to bed rock, & raise mound of stone around post, for cor.of secs.3,4,33 and 34, marked on brass cap,

T27N | R9 W
S33 | S34
S 4 | S 3
T26N
1920

from which,

A pine, 9 ins. in diam., brs.N.8°E., 45 lks. dist., marked T27N R9W S34 BT.

A pine, 7 ins.in diam., brs.S.27°E., 14 lks. dist., marked T26N R9W S3 BT.

A pine, 6 ins.in diam., brs.S.56 1/2°W., 39 lks. dist., marked T26N R9W S4 BT.

A pine, 12 ins. in diam., brs.N.75 1/4°W., 85 lks. dist., marked T27N R9W S33 BT.

Land, mountainous.

Soil, sandy, gravelly and rocky, 4th rate.

Timber, dense juniper and pine.

Undergrowth, scattering sage brush and cacti.

Poor grass.

N.89°59'E., on a true line, bet. secs.3 and 34.

Over mountainous land, thru. dense timber and scattering undergrowth.

Ascend 160 ft., over W.slope.

14.10 Cliffs, bearing N.and E., facing W.and S.

Ascend 120 ft., along S.face of cliffs, to

35.70 Descend 5 ft., over SE.slope.

38.40 Gulch, 20 lks.wide, course SW.

Ascend 30 ft., over W.slope, to

40.00 Edge of small cliff, bearing N.and S., facing W.

Set an iron post, 3 ft.long, 1 in. in diam., on bedrock, and raise a mound of stone around post, for 1/4 sec. cor., marked on brass cap,

1/4 S 34
S 3
1920

from which,

A pine, 8 ins.in diam., brs.S.49°E., 127 lks. dist., marked 1/4 S 3 BT.

A pine, 10 ins.in diam., brs.N.42 1/4°W., 66 lks. dist., marked 1/4 S 34 BT.

Ascend 692 ft., over steep W.slope, to

80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 10 ins.in ground to bed rock, and raise mound of stone around post for cor.of secs.2,3, 34 and 35, marked on brass cap,

12 North boundary of Township 26 North, Range 9 West.

Chains.

| | |
|------|------|
| T27N | R9 W |
| S34 | S35 |
| S 3 | S 2 |
| T26N | |
| 1920 | |

from which,

- A pine, 8 ins. in diam., brs. N. $86\frac{1}{2}^{\circ}$ E., 51 lks.
dist., marked T27N R9W S35 BT.
- A pine, 10 ins. in diam., brs. S. $7\frac{1}{2}^{\circ}$ E., 60 lks.
dist., marked T26N R9W S2 BT.
- A pine, 12 ins. in diam., brs. N. $42\frac{1}{2}^{\circ}$ W., 101 lks.
dist., marked T27N R9W S34 BT.
- A pine, 10 ins. in diam., brs. S. $40\frac{3}{4}^{\circ}$ W., 32 lks.
dist., marked T26N R9W S3 BT.

Land, mountainous.

Soil, gravelly and rocky, 4th rate.

Timber, dense juniper and pine.

Undergrowth, scattering Spanish bayonet, cacti, sagebrush
and greasewood.

Poor grass.

N. $89^{\circ} 59' E.$, on a true line, bet. secs. 2 and 35.

Over mountainous land, thru. dense timber and scattering
undergrowth.

Ascend 240 ft., over steep W. slope.

4.30 West rim of mesa, brs. N. and S. Thence across mesa, bearing
N. and S.

Descend 70 ft., over E. slope.

18.00 Ascend 33 ft., over W. slope.

22.60 Top of small knoll about 5 chs. S. of rim of mesa, bearing
E. and W. Desc. 140 ft., over E. slope.

34.90 Gulch, 10 lks. wide, course N. Ascend 40 ft., over W.
slope.

37.53 Descend 24 ft., over E. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in
the ground to bed rock, and raise a mound of stone
around post for $\frac{1}{4}$ sec. cor., marked on brass cap,

| | |
|---------------|------|
| $\frac{1}{4}$ | S 35 |
| S 2 | |
| 1920 | |

from which,

- A juniper, 10 ins. in diam., brs. N. 36° W., 53 lks.
dist., marked $\frac{1}{4}$ S 35 B T.
- A juniper, 12 ins. in diam., brs. S. 60° W., 8 lks.
dist., marked $\frac{1}{4}$ S 2 B T.

Continue over mountainous land, thru. dense timber and
scattering undergrowth, across mesa, bearing N. and S.

Descend 40 ft., over E. slope, to

74.10 E. rim of mesa, brs. N. and S. Leave mesa; desc. 260 ft.
over precipitous E. slope, to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 18 ins. in
the ground to bed rock, and raise mound of stone
around post for cor. of secs. 1, 2, 35 and 36, marked on
brass cap,

| | |
|------|------|
| T27N | R9 W |
| S35 | S36 |
| S 2 | S 1 |
| T26N | |
| 1920 | |

from which,

- A pine, 8 ins. in diam., brs. N. 32° E., 68 lks.
dist., marked T27N R9W S36 BT.
- A pine, 10 ins. in diam., brs. S. 40° E., 43 lks.
dist., marked T26N R9W S1 BT.
- A pine, 10 ins. in diam., brs. S. $79\frac{1}{2}^{\circ}$ W., 76 lks.
dist., marked T26N R9W S2 BT.

North boundary of Township 26 North, Range 9 West.

Chains.

A pine, 8 ins. in diam., brs. N. 79° W., 80 lks. dist., marked T27N R9W S35 BT.

Land, mountainous.

Soil, gravelly and rocky, 4th rate.

Timber, dense juniper and pine.

Undergrowth, scattering sage brush, scrub oak, cacti and prickly ash.

No grass.

N. 89° 59' E., on a true line, bet. secs. 11. and 36.

Over mountainous land, thru. dense timber and scattering undergrowth.

Descend 361 ft., over precipitous E. slope.

21.10 Gulch, 100 lks. wide, course S. Ascend 245 ft., over W. slope.

36.40 Spur, slopes SW. Descend 28 ft., over SE. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bed rock, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 36
S 1
1920

from which,

A pine, 10 ins. in diam., brs. N. 19° W., 102 lks. dist., marked $\frac{1}{4}$ S 36 BT.

A pine, 8 ins. in diam., brs. S. 30° E., 16 lks. dist., marked $\frac{1}{4}$ S 1 BT.

Descend 82 ft., over SE. slope.

44.70 Gulch, 30 lks. wide, course SE., at this point, general course SW.

Ascend 123 ft., over W. slope.

56.00 Spur, slopes S. Descend 104 ft. over E. slope.

61.30 Gulch, 40 lks. wide, course SW. Ascend 16 ft., over W. slope.

62.70 Point of spur, slopes S. Descend 12 ft., over E. slope.

65.70 Gulch, 10 lks. wide, course SW. Ascend 83 ft., over NW. slope, to

80.00 The cor. of T. 26 and 27 N., R. 8 and 9 W., described in Book "D."

Land, mountainous.

Soil, gravelly and rocky, 4th rate.

Timber, dense juniper and pine.

Undergrowth, scattering sage brush and scrub oak.

No grass.

14 Survey of part of Subdivision lines of T.26 N., R.9 W. (completion

Chains.

The subdivision lines of that portion of T.26 N., R.9 W., situated outside the Hualpai Indian Reservation (parts of secs. 25, 35 and 36) were surveyed in April, 1912, by William H. Elliott, U.S. Surveyor, who established closing corners at the points of intersection of the Subdivision lines with the Reservation boundary.

The following notes describe the survey of the Subdivision lines in that portion of the township situated inside the Reservation, thus completing the survey of the Subdivision lines of the entire township.

The closing cor. of those portions of secs. 35 and 36, T. 26 N., R.9 W., situated outside the Hualpai Indian Reservation is an iron post 2 ins. in diam., projecting 12 ins. above ground, firmly set, properly marked on brass cap, and witnessed by two properly marked bearing trees as follows:

A cedar, S. $37\frac{3}{4}^{\circ}$ E., 207 lks. dist., and
A cedar, S. $10\frac{1}{2}^{\circ}$ W., 445 lks. dist.

This closing cor. is of record as being established on the H.I.R. boundary at 62.36 chs. N. $0^{\circ}1'$ W. from the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the Tp. Change the marking on the brass cap to read:

| | |
|------------------|-----|
| S35 | S36 |
| H I R | |
| CC | |
| S35 | S36 |
| T26N | R9W |
| 1912 | |
| 1920 | |

This closing cor. now refers to areas on both sides of the Reservation boundary.

Thence,

N. $0^{\circ}1'$ W., bet. those parts of secs. 35 and 36, situated inside the H.I.R.

Over gently rolling land, thru. dense timber and scattering undergrowth.

Ascend 40 ft., over SE. slope, to

17.64 (80.00 chs. N. $0^{\circ}1'$ W. from the cor. of secs. 1, 2, 35 and 36),
Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap,

| | |
|------|------|
| T26N | R9 W |
| S26 | S25 |
| S35 | S36 |
| 1920 | |

from which,

A pine, 14 ins. in diam., brs. N. 65° E., 122 lks. dist., marked T26N R9W S25 BT.

A juniper, 16 ins. in diam., brs. S. 2° E., 58 lks. dist., marked T26N R9W S36 BT.

A juniper, 14 ins. in diam., brs. S. $48\frac{1}{2}^{\circ}$ W., 164 lks. dist., marked T26N R9W S35 BT.

A juniper, 14 ins. in diam., brs. N. $36\frac{1}{2}^{\circ}$ W., 17 lks. dist., marked T26N R9W S26 BT.

Land, gently rolling.

Soil, gravelly, 3rd rate.

Timber, dense juniper and pine.

Undergrowth, scattering scrub oak, prickly ash, sagebrush and cacti.

Fair grass.

East, on a random line, bet. those parts of secs. 25 and 36, situated inside the Hualpai Indian Reservation.

Part of Subdivision lines of T.26 N., R. 9 W. (completion) 15

Chains.

20.98 Intersect the Reservation Bdy. at a point S.49°57'W., 42 lks. from the closing cor. of those parts of secs. 25 and 36, situated outside the H.I.R., which is an iron post, 2 ins. in diam., projecting 12 ins. above ground, firmly set, properly marked on brass cap, and witnessed by two properly marked bearing trees as follows:

A cedar, N.61½°E., 239 lks. dist., and
A cedar, S.62½°E., 67 lks. dist.

This closing cor. is of record as being established on the H.I.R. bdy. at 58.77 chs. west from the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the Tp., and by the retracement of part of the H.I.R. boundary hereinbefore described is found to be N.49°57'E., 12.75 chs. from the 71½ mile mon. The falling of the random line on this C.C. results in a return course to the sec. cor., which exceeds the allowable limits of alignment; therefore, at the point of intersection of the random sec. line with the Reservation boundary,

Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for closing cor. of those parts of secs. 25 and 36, situated outside the Reservation, marked on brass cap.

T26N
S25
CC S36 H.I.R.
R9W

1920

from which,

A juniper, 10 ins. in diam., brs. S.48°W., 21 lks. dist., marked T26N R9W S36 CC BT.

A juniper, 14 ins. in diam., brs. N.39½°W., 168 lks. dist., marked T26N R9W S25 CC BT.

This closing cor. is therefore 12.75 chs. - 0.42 chs. = 12.33 chs. N.49°57'E. from the 71½ mile monument on the Reservation boundary hereinbefore described in the notes of retracement of such boundary.

From this closing cor.,

West, on true line, bet. those parts of secs. 25 and 36 situated ~~inside~~ the H.I.R.

Over rolling land, thru. dense timber and scattering undergrowth.

Ascend 110 ft., over SE. slope to sec. cor.

19.08 Gully, 10 lks. wide, course SE.

20.98 Intersect the cor. of secs. 25, 26, 35 and 36.

Land, rolling.

Soil, gravelly, 3rd and 4th rate.

Timber, dense juniper and pine and scattering cedar.

Undergrowth, scattering scrub oak, prickly ash, sage brush and cacti.

No grass.

N.0°1'W., bet. secs. 25 and 26.

Over rolling land, thru. dense timber and scattering undergrowth.

Ascend 75 ft., over SE. and S. slopes.

20.00 Spur, slopes E. Descend slightly over NE. and E. slopes to

40.00 Set an iron post 3 ft. long, 1 in. in diam., 8 ins. in the ground to bed rock, and raise a mound of stone around post for ¼ sec. cor., marked on brass cap,

S26 | S25

1920

from which,

16 Part of Subdivision lines of T. 26 N. R. 9 W. (completion)

Chains.

- A juniper, 12 ins. in diam., brs. S. 34° E., 49 lks. dist., marked $\frac{1}{4}$ S 25 BT.
 A juniper, 14 ins. in diam., brs. N. 50° W., 21 lks. dist., marked $\frac{1}{4}$ S 26 BT.
 Descend 90 ft., over E. and NE. slopes to
 64.75 Wash, 20 lks. wide, course N. 70° W.
 Descend slightly over W. slope, to
 65.00 Road, brs. N. 70° W. and S. 70° E.
 71.20 Wash, 20 lks. wide, course W.
 Ascend 20 ft., over S. slope, to sec. cor.
 71.80 Road brs. E. and W.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap,

| | |
|------|------|
| T26N | R9 W |
| S23 | S24 |
| S26 | S25 |
| 1920 | |

from which,

- A juniper, 16 ins. in diam., brs. N. $87\frac{1}{2}^{\circ}$ E., 432 lks. dist., marked T26N R9W S24 BT.
 A juniper, 16 ins. in diam., brs. S. $37\frac{1}{2}^{\circ}$ E., 283 lks. dist., marked T26N R9W S25 BT.
 A juniper, 20 ins. in diam., brs. S. $3\frac{1}{2}^{\circ}$ W., 252 lks. dist., marked T26N R9W S26 BT.
 A juniper, 14 ins. in diam., brs. N. $30\frac{1}{2}^{\circ}$ W., 270 lks. dist., marked T26N R9W S23 BT.
 Land, rolling.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering scrub oak, sage brush and prickly ash.
 Poor grass.

- East, on a random line, bet. secs. 24 and 25.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.16 Fall 14 lks. S. of the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., described in Book "D."
 Thence,
 S. $89^{\circ}54'$ W., on a true line, bet. secs. 24 and 25.
 Over gently rolling land, thru. dense timber and scattering undergrowth.
 Descend very gradually over W. slope.
 20.00 Ascend 60 ft., over E. slope, to $\frac{1}{4}$ sec. cor.
 35.76 Barb wire fence, brs. N. and S.
 40.08 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

| | |
|--------------------|--|
| $\frac{1}{4}$ S 24 | |
| S 25 | |
| 1920 | |

from which,

- A pine, 12 ins. in diam., brs. N. $54\frac{1}{2}^{\circ}$ E., 52 lks. dist., marked $\frac{1}{4}$ S 24 BT.
 A pine, 10 ins. in diam., brs. S. $5\frac{1}{2}^{\circ}$ W., 107 lks. dist., marked $\frac{1}{4}$ S 25 BT.
 Ascend 43 ft., over E. slope.
 58.90 Spur, slopes S. Desc. 34 ft., over W. slope.
 68.46 Road brs. N. and SW.
 Wash, 20 lks. wide, course SW. Asc. 30 ft., over SE. slope, to
 80.16 The cor. of secs. 23, 24, 25 and 26.
 Land, gently rolling.
 Soil, gravelly and rocky, 3rd and 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering scrub oak, prickly ash and sage brush.
 Fair grass.

part of Subdivision lines of T 26 N., R. 9 W. (completion) 17

Chains. N.0°1'W., bet. secs.23 and 24.
Over gently rolling land, thru. dense timber and scattering undergrowth.
Descend very gradually over NW. and W.slopes to
30.00 Wash,12 lks.wide, course W. Ascend 39 ft.,over S.slope, to
40.00 Set an iron post, 3 ft.long, 1 in. in diam., 12 ins. in
the ground to bed rock, and raise a mound of stone
around post for $\frac{1}{4}$ sec.cor., marked on brass cap,

S23 | S24
1920

from which,

A juniper, 14 ins. in diam., brs.N.87°E.,19 lks.dist., marked $\frac{1}{4}$ S 24 BT.
A pine, 14 ins. in diam., brs.N.3°W.,72 lks.dist. marked $\frac{1}{4}$ S 23 BT.
Ascend slightly over S.slope.
41.00 Spur,slopes W.
Descend 34 ft.,over N.slope.
46.12 Wash,10 lks.wide, course W. Leave gently rolling,and enter mountainous land.
Ascend 107 ft.,over S.slope.
62.00 Spur,slopes W.
Descend 91 ft.,over N.slope.
68.60 Gulch, 10 lks.wide, course NW. Ascend 97 ft.,over SW.slope.
Road brs.NW. and SE.
77.00 Spur,slopes NW. Descend 78 ft.,over NE.slope, to
80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 26 ins. in the ground, for cor.of secs.13,14, 23 and 24, marked on brass cap.,

T26N R9 W
S14 | S13
S23 | S24
1920

from which,

A pine, 8 ins. in diam.,brs.N.73°E.,41 lks. dist., marked T26N R9W S13 BT.
A pine, 6 ins. in diam.,brs.S.49 $\frac{1}{2}$ °E.,41 lks. dist., marked T26N R9W S24 BT.
A pine,10 ins. in diam.,brs.S.56°W.,41 lks. dist., marked T26N R9W S23 BT.
A pine, 8 ins. in diam.,brs.N.37°W.,103 lks. dist., marked T26N R9W S14 BT.
Land,S.46 chs.,gently rolling. N.34 chs.,mountainous.
Soil,gravelly and rocky, 3rd and 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering scrub oak and prickly ash.
Fair grass in S. $\frac{1}{2}$. No grass in N. $\frac{1}{2}$.

40.00 N.89°54'E., on a random line, bet. secs.13 and 24.
80.04 Set temp. $\frac{1}{4}$ sec.cor.
Fall 9 lks.S. of the cor.of secs.13,18,19 and 24, on the E.bdy.of the Tp., described in Book "D."
Thence,
S.89°50'W., on a true line, bet. secs.13 and 24.
Over rolling land, thru. dense timber and scattering undergrowth.
Descend 40 ft.,over NW. slope.
6.74 Draw, 25 lks.wide, course SW.
Descend slightly over SW.slope, to
22.40 Draw, 20 lks.wide, course SW. Ascend 80 ft.,over SE. slope, to

18 Part of Subdivision lines of T.26 N. R.9 W. (completion)

Chains.

40.02 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 13
 $\frac{1}{4}$ S 24
 1920

from which,

A juniper, 8 ins. in diam., brs. S. $31\frac{1}{2}^{\circ}$ E., 109 lks. dist., marked $\frac{1}{4}$ S 24 BT.

A juniper, 12 ins. in diam., brs. N. 2° W., 110 lks. dist., marked $\frac{1}{4}$ S 13 BT.

Thence along S. slope, with slight change in elevation.

45.60 Barb wire fence, brs. N. $26\frac{3}{4}^{\circ}$ W., and S. $26\frac{3}{4}^{\circ}$ E.

55.70 Descend 77 ft., over SW. slope.

63.20 Draw, 20 lks. wide, course S. Ascend 30 ft., over SE. slope.

71.90 Point of spur, slopes S. Leave rolling, and enter mountainous land. Descend 118 ft., over SW. slope.

79.20 Gulch, 10 lks. wide, course NW.

Ascend 10 ft., over NE. slope, to

80.04 The cor. of secs. 13, 14, 23 and 24.

Land, E. 72 chs. rolling; W. 8 chs., mountainous.

Soil, gravelly and rocky, 4th rate.

Timber, dense juniper and pine.

Undergrowth, scattering prickly ash and scrub oak.

No grass.

N. $0^{\circ} 1' W.$; bet. secs. 13 and 14.

Over mountainous land, thru. scattering timber and undergrowth.

Descend 47 ft., over NE. slope.

1.75 Gulch, 10 lks. wide, course NW.

Ascend 13 ft., over SW. slope.

5.00 Point of spur, slopes W.

Descend 10 ft., over NW. slope.

6.65 Gully, 10 lks. wide, course SW. from NE. joined at this point by a gully from NW.

Ascend 203 ft., over S. slope.

22.80 Ridge, brs. E. and W.

Descend 245 ft., over N. slope.

37.50 Gulch, course NW. from SE. joined at this point by a gulch, from SW.

Ascend 10 ft., over SW. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S14 | S13
 1920

from which,

A pine, 10 ins. in diam., brs. N. 67° E., 138 lks. dist., marked $\frac{1}{4}$ S 13 BT.

A pine, 8 ins. in diam., brs. S. 14° W., 83 lks. dist., marked $\frac{1}{4}$ S 14 BT.

Descend 90 ft., over broken rocky W. slope, to

72.80 Gulch, 10 lks. wide, course W.

Ascend 63 ft. to sec. cor., over rock ledges, bearing N. and S. facing W.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., on ledge of rock, 24 ins. in a mound of stone, for cor. of secs. 11, 12, 13 and 14, marked on brass cap,

Part of Subdivision lines of T.26 N., R.9 W. (completion) 19

Chains.

| | |
|------|-----|
| T26N | R9W |
| S11 | S12 |
| S14 | S13 |

1920

from which,

A sandstone rim-rock, 20 ft. high, brs. N. $51\frac{1}{2}^{\circ}$ E., 22 lks. dist., marked X S 12 B O.A sandstone rim-rock, 20 ft. high, brs. S. $30\frac{1}{4}^{\circ}$ E., 12 lks. dist., marked X S 13 B O.A sandstone rim-rock, 20 ft. high, brs. S. $8\frac{1}{2}^{\circ}$ W., 28 lks. dist., marked X S 14 B O.A sandstone rim-rock, 20 ft. high, brs. N. 5° W., 78 lks. dist., marked X S 11 B O.

Land, mountainous.

Soil, rocky, 4th rate.

Timber, scattering juniper and pine.

Undergrowth, scattering prickly ash.

No grass.

40.00

N. $89^{\circ}50'$ E., on a random line, bet. secs. 12 and 13.

79.90

Set temp. $\frac{1}{4}$ sec. cor.

Fall 3 lks. S. of the cor. of secs. 7, 12, 13 and 18, on E. bdy. of Tp., described in Book "D."

Thence,

S. $89^{\circ}49'$ W., bet. secs. 12 and 13, on a true line, bet. secs. 12 and 13.

Over mountainous land, thru. dense timber and scattering undergrowth.

3.40

Descend 16 ft., over NW. slope, to Gully, 20 lks. wide, course N. 10° W.

12.90

Descend 63 ft., over N. slope, to Enter bottom of gulch, course W. from NE. Descend 25 ft. in bottom of gulch.

16.90

Mouth of gully from S. Continue in bottom of gulch, course W.

21.30

Leave bottom of gulch, course NW. from E.

30.70

Ascend 115 ft. over NE. slope.

37.70

Point of spur, slopes N.

Descend 71 ft., over NW. slope.

39.95

Gulch, 12 lks. wide, course NE.

Ascend 20 ft., over E. slope, to

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 12

S 13

1920

from which,

A pine, 8 ins. in diam., brs. S. 30° W., 14 lks. dist., marked $\frac{1}{4}$ S 13 BT.A juniper, 10 ins. in diam., brs. N. 10° W., 34 lks. dist., marked $\frac{1}{4}$ S 12 BT.

45.00

Ascend 107 ft., over E. slope.

Spur, slopes NE. Leave dense, and enter scattering timber.

51.40

Descend 61 ft., over NW. slope.

Head of gulch, 10 lks. wide, course N. Ascend 108 ft. over E. slope.

57.90

N. end of ridge, bearing N. and S.

Descend 250 ft. over W. slope to sec. cor.

63.11

Barb wire fence, brs. N. $35\frac{1}{2}^{\circ}$ W. and S. $35\frac{1}{2}^{\circ}$ E.

79.90

The cor. of secs. 11, 12, 13 and 14.

Land, mountainous.

Soil, rocky, 4th rate.

Timber, juniper and pine, dense in E. 45 chs.; scattering in W. 35 chs.

Undergrowth, scattering prickly ash and scrub oak.

No grass.

20 Part of Subdivision lines of T.26 N. R.9 W. (completion)

| | |
|---------|---|
| Chains. | N.0°1'W., bet. secs.11 and 12. Over broken land, thru. scattering timber and undergrowth, along face of cliffs. Ascend 20 ft., to 1.20 Top of cliff, bearing N.10°W. and S.10°E., facing W. Thence along W. slope, to 7.30 Descend 100 ft., over broken rocky NW. slope, to 18.10 Draw, 20 lks. wide, course W. Leave broken, and enter gently rolling land. Ascend 25 ft., over S. slope. 24.40 Barb wire fence, brs. N.35½°W. and S.35½°E. 28.00 Descend 20 ft., over N. slope, to 38.00 Leave gently rolling land, timber and undergrowth, and enter level, open land, bearing E. and W., draining W. 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap, <div style="text-align: center;"> $\frac{1}{4}$ S11 S12 1920 </div> from which, A pine, 10 ins. in diam., brs. S. 11½°E., 196 lks. dist., marked ¼ S 12 BT. A pine, 12 ins. in diam., brs. S. 25½°W., 256 lks. dist., marked ¼ S 11 BT. Continue over level open land. 62.00 Leave level, open land, and enter gently rolling land, dense timber and undergrowth. Ascend slightly over SW. slope, to 68.52 Draw, 20 lks. wide, course SW. Ascend 30 ft., over SW. slope, to 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 6 ins. in the ground to bed rock, and raise a mound of stone around post, for cor. of secs. 1, 2, 11 and 12, marked on brass cap, <div style="text-align: center;"> T26N R9 W S 2 S 1 S11 S12 1920 </div> from which, A red sandstone boulder, 6x4x1 ft. above ground, brs. N. 26½°E., 43 lks. dist., marked X S 1 B0. A red sandstone boulder, 5x5x3 ft. above ground, brs. S. 36¾°E., 110 lks. dist., marked X S12 B0. A pine, 10 ins. in diam., brs. S. 80½°W., 82 lks. dist., marked T26N R9W S11 BT. A red sandstone boulder, 6x6x3 ft. above ground, brs. N. 18¼°W., 84 lks. dist., marked X S 2 B 0. Land, broken, gently rolling and level. Soil, gravelly and rocky, 3rd and 4th rate. Timber, scattering juniper and pine. Undergrowth, scattering scrub oak and prickly ash. No timber or undergrowth bet. the 38 and 62 ch. station. No grass. ----- 40.00 N. 89°49'E., on a random line, bet. secs. 1 and 12. Set temp. ¼ sec. cor. 80.28 Fall 5 lks. N. of the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., described in Book "D." Thence, S. 89°51'W., on a true line, bet. secs. 1 and 12. Over mountainous land, thru. dense timber and scattering undergrowth. Descend 45 ft., over NW. slope. 1.24 Gulch, 12 lks. wide, course SW. Ascend 67 ft., over SE. slope. |
|---------|---|

Chains.

- 7.04 Spur, slopes SW. Descend 60 ft., over W. slope.
- 19.44 Gulch, 10 lks. wide, course SW.
Ascend 85 ft., over SE. slope.
- 25.44 Point of spur, slopes SW.
Descend 10 ft., over SW. slope.
- 30.28 Gully, 5 lks. wide, course S. near head.
Ascend 57 ft., over SE. slope.
- 32.74 Spur, slopes SW.
Descend 109 ft., over W. slope, to
- 40.04 Gully, 5 lks. wide, course SW.
- 40.14 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in
the ground to bed rock, and raise a mound of stone
around post for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 1
 S 12
 1920

from which,

A juniper, 14 ins. in diam., brs. N. 38° E., 117
lks. dist., marked $\frac{1}{4}$ S 1 B T.

A juniper, 16 ins. in diam., brs. S. 4 $\frac{1}{2}$ ° E., 223
lks. dist., marked $\frac{1}{4}$ S 12 B T.

- 44.58 Descend 32 ft., over SW. slope.
Gulch, 5 lks. wide, course SW.
Ascend 30 ft., over SE. slope.
- 47.40 Point of spur, slopes SW. Descend 35 ft., over W. slope.
- 52.70 Gulch, 10 lks. wide, course S. Ascend 121 ft. over E.
slope.
- 66.80 S. end of long spur sloping S.
Descend 216 ft., over W. and SW. slopes, to
- 80.28 The cor. of secs. 1, 2, 11 and 12.
Land, mountainous.
Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering scrub oak and prickly ash.
No grass.

-
- 40.00 N. 0° 1' W., on a random line, bet. secs. 1 and 2.
Set temp. $\frac{1}{4}$ sec. cor.
 - 80.50 Fall 3 lks. W. of the cor. of secs. 1, 2, 35 and 36 on the N.
bdy. of the Tp., hereinbefore described.

Thence
South on a true line, bet. secs. 1 and 2.
Over mountainous land, thru. dense timber and scattering
undergrowth.

- 15.65 Descend 160 ft., over W. and SE. slope, to
Gulch, 10 lks. wide, course SE. Desc. 113 ft., over E.
slope, to
- 32.00 Long spur, slopes SE.
Descend 59 ft., over SW. slope, to
- 40.50 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S 2 | S 1
 1920

from which,

A pine, 8 ins. in diam., brs. S. 42° E., 39 lks.
dist., marked $\frac{1}{4}$ S 1 B T.

A pine, 12 ins. in diam., brs. West, 6 lks.
dist., marked $\frac{1}{4}$ S 2 B T.

- 43.70 Descend 20 ft., over SW. slope, to
Gulch, 20 lks. wide, course SE.
- 60.50 Descend 35 ft., over SE. slope, to
Gulch, 15 lks. wide, course SE. Descend 30 ft., over SE.
slope, to

22 Part of Subdivision lines of T. 26 N. R. 9 W. (completion)

Chains.

73.10 Gulch, 20 lks. wide, course SW.
Ascend 29 ft. over NW. slope.

78.10 Descend 16 ft., over SW. slope, to

80.50 The cor. of secs. 1, 2, 11 and 12.
Land, mountainous.
Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering prickly ash, scrub oak, sage brush
and cacti.
No grass.

From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the
Tp., described in Book "E,"
N. 0° 1' W., bet. secs. 34 and 35.

Over nearly level land, thru dense timber and scattering
undergrowth, along SW. slope, ascending slightly to

5.00 Leave nearly level, and enter rolling land.
Ascend 162 ft. over SW. and S. slopes to

24.00 Spur, slopes SW.
Descend 34 ft., over NW. slope.

27.60 Gully, 8 lks. wide, course SW. Ascend 31 ft., over S.
slope.

32.00 Spur, slopes SW. Descend 25 ft., over NW. slope.

38.00 Gully, 8 lks. wide, course SW.
Ascend 32 ft., over S. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in
the ground to bed rock, and raise a mound of stone
around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S34 | S35

1920

from which,

A juniper, 10 ins. in diam., brs. S. 84 $\frac{1}{2}$ ° E., 250
lks. dist., marked $\frac{1}{4}$ S 35 BT.

A juniper, 8 ins. in diam., brs. S. 70° W., 89
lks. dist., marked $\frac{1}{4}$ S 34 BT.

Leave rolling, and enter mountainous land..
Ascend 177 ft.

60.00 Spur, slopes W. Descend 34 ft., over N. slope.

67.00 Gully, 5 lks. wide, course W. The top of Blue mountain
brs. E. about 20 chs. dist. Asc. 46 ft., over S. slope.

74.00 Spur, slopes W. Descend 43 ft., over N. slope, to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
the ground, for cor. of secs. 26, 27, 34 and 35, marked
on brass cap,

T26N | R9 W
S27 | S26

S34 | S35
1920

from which,

A pine, 8 ins. in diam., brs. N. 30 $\frac{1}{2}$ ° E., 61 lks.
dist., marked T26N R9W S26 BT.

A pine, 8 ins. in diam., brs. S. 24° E., 150 lks.
dist., marked T26N R9W S35 BT.

A juniper, 12 ins. in diam., brs. S. 36° W., 34 lks.
dist., marked T26N R9W S34 BT.

A pine, 6 ins. in diam., brs. N. 31° W., 103 lks.
dist., marked T26N R9W S27 BT.

Land, S. 5 chs., nearly level. N. 40 chs. mountainous; re-
mainder, rolling.

Soil, gravelly and rocky, 3rd and 4th rate.

Timber, dense juniper and pine.

Undergrowth, scattering prickly ash and sagebrush.

Fair grass in S. $\frac{1}{2}$. No grass in N. $\frac{1}{2}$.

| | | |
|---------|--|--|
| Chains. | East, on a random line, bet. secs. 26 and 35. | |
| 40.00 | Set temp. $\frac{1}{4}$ sec. cor. | |
| 79.70 | Fall 7 lks. S. of the cor. of secs. 25, 26, 35 and 36. | |
| | Thence, | |
| | S. $89^{\circ}57'W.$, on a true line, bet. secs. 26 and 35. | |
| | Over rolling land, thru. dense timber and scattering undergrowth. | |
| 4.33 | Ascend 109 ft., over E. slope. | |
| | Point of spur, slopes SE. | |
| | Descend 86 ft., over SW. slope. | |
| 30.40 | Gully, 10 lks. wide, course SE. | |
| | Ascend 28 ft., over NE. slope, to | |
| 39.85 | Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap, | |
| | $\frac{1}{4} \begin{array}{l} S 26 \\ S 35 \\ 1920 \end{array}$ | |
| | from which, | |
| | A juniper, 10 ins. in diam., brs. S. $54\frac{1}{2}^{\circ}E.$, 33 lks. dist., marked $\frac{1}{4}$ S 35 BT. | |
| | A juniper, 8 ins. in diam., brs. N. $61\frac{1}{2}^{\circ}W.$, 33 lks. dist., marked $\frac{1}{4}$ S 26 BT. | |
| | Leave rolling, and enter mountainous land. | |
| | Ascend 226 ft., over NE. slope. | |
| 60.20 | Point of spur, slopes N. The top of Blue Mountain brs. S. about 15 chs. dist. | |
| | Descend 100 ft., over W. slope. | |
| 68.70 | Head of gulch, 10 lks. wide, course NW. | |
| | Descend 20 ft., along N. slope, to | |
| 79.70 | The cor. of secs. 26, 27, 34 and 35. | |
| | Land, E. $\frac{1}{2}$ rolling; W. $\frac{1}{2}$ mountainous. | |
| | Soil, gravelly and rocky, 4th rate. | |
| | Timber, dense juniper and pine. | |
| | Undergrowth; scattering scrub oak and prickly ash. | |
| | No grass. | |
| | ----- | |
| | N. $0^{\circ}1'W.$, bet. secs. 26 and 27. | |
| | Over mountainous land, thru. dense timber and scattering undergrowth. | |
| | Descend 131 ft., over NW. slope. | |
| 12:00 | Gulch, 50 lks. wide, course W. Leave mountainous, and enter rolling land. | |
| | Ascend 70 ft., over SW. slope, to | |
| 36:70 | Old road, bears NE. and SW. | |
| | Saddle in ridge, brs. NW. and SE., and head of gully, course NE. Leave dense and enter scattering timber. | |
| | Ascend 10 ft., over SE. slope, to | |
| 40.00 | Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap, | |
| | $\frac{1}{4} \begin{array}{l} S 27 \\ S 26 \\ 1920 \end{array}$ | |
| | from which, | |
| | A juniper, 12 ins. in diam., brs. S. $19^{\circ}E.$, 214 lks. dist., marked $\frac{1}{4}$ S 26 BT. | |
| | A juniper, 14 ins. in diam., brs. N. $61^{\circ}W.$, 262 lks. dist., marked $\frac{1}{4}$ S 27 BT. | |
| | Ascend 70 ft., over E. and SE. slopes. | |
| 55.22 | Point of spur, slopes E. Descend 34 ft. over NE. slope. | |
| 63.20 | Gulch, 10 lks. wide, course SE. near head. | |
| | Ascend 23 ft., over S. slope. | |
| 65.16 | Point of spur, slopes SE. and S. rim of canyon, brs. E. and W. Leave rolling and enter mountainous land. | |
| | Descend 125 ft., over steep N. slope. | |

24 Part of Subdivision lines of T.26 N., R.9 W. (completion)

Chains.

- 71.44 Bottom of rocky canyon, 50 lks. wide, course NE.
Ascend 130 ft., over steep S. slope.
- 77.72 N. rim of canyon, brs. NE. and SW. Leave canyon.
Descend slightly, along E. slope, near top of spur, sloping N.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on brass cap,

| | |
|------|------|
| T26N | R9 W |
| S22 | S23 |
| S27 | S26 |

1920

from which,

- A pine, 8 ins. in diam., brs. N. $52\frac{1}{2}^{\circ}$ W., 7 lks. dist., marked T26N R9W S22 BT.
- A sandstone boulder, 10x4x4 ft. above ground, brs. N. $81\frac{1}{2}^{\circ}$ E., 44 lks. dist., marked X S23 BO.
- A sandstone boulder, 6x6x6 ft. above ground, brs. S. 10° E., 121 lks. dist., marked X S26BO.
- and raise a mound of stone, 2 ft base, $1\frac{1}{2}$ ft. high, W. of cor.
- Land, mountainous and rolling.
Soil, rocky, 4th rate.
Timber, juniper and pine, dense and scattering.
Undergrowth, scattering scrub oak and prickly ash.
No grass.

- 40.00 N. $89^{\circ}57'$ E., on a random line, bet. secs. 23 and 26.
Set temp. $\frac{1}{4}$ sec. cor.
- 79.70 Fall 7 lks. N. of the cor. of secs. 23, 24, 25 and 26.
Thence,
West, on a true line, bet. secs. 23 and 26.
Over rolling land, thru. dense timber and undergrowth.
Descend 77 ft., over SW. slope.
- 19.50 Wash, 10 lks. wide, course SW. Ascend 34 ft., over SE. slope.
- 30.00 Descend 40 ft., over SW. slope.
- 33.80 Corral fence, brs. NW. and SE.
- 34.50 Wash, 10 lks. wide, course NW. Ascend 20 ft., over NE. slope.
- 35.22 Corral fence brs. NW. and SE.
- 37.00 East end of Blue Mountain Tank, brs. N. 150 lks. dist.
- 39.85 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bed rock, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

| | |
|---------------|------|
| $\frac{1}{4}$ | S 23 |
| | S 26 |
| | 1920 |

from which,

- A pine, 18 ins. in diam., brs. N. 38° E., 13 lks. dist., marked $\frac{1}{4}$ S 23 BT.
- A pine, 12 ins. in diam., brs. S. 73° E., 46 lks. dist., marked $\frac{1}{4}$ S 26 BT.
- Continue over rolling land, thru. dense timber and scattering undergrowth.
Ascend 13 ft., over NE. slope.
- 41.60 Descend 20 ft., over NW. slope.
- 45.30 Draw, 20 lks. wide, course N.
Ascend 40 ft., over E. slope.
- 48.90 Point of spur, slopes NE.
Descend 47 ft., over NW. slope.
- 60.33 Gully, 10 lks. wide, course NE. Leave rolling land and dense timber, and enter mountainous land and scattering timber.

| | |
|--|---|
| Chains. | Ascend 258 ft., over NE. and E. slopes to sec. cor. Foot of cliffs bearing N. and S. facing E. about 190 ft. high. |
| 71.10 | |
| 79.70 | The cor. of secs. 22, 23, 26 and 27. Land, E. 60½ chs., rolling; remainder, mountainous. Soil, gravelly and rocky, 4th rate. Timber, juniper and pine, dense in E. 60½ chs.; scattering in W. 19 chs. Undergrowth, scattering scrub oak and prickly ash. Fair grass in E. 60½ chs. None elsewhere. |
| ----- | |
| | N. 0° 1' W., bet. secs. 22 and 23. Over mountainous land, thru. scattering timber and undergrowth along E. slope, near top of spur, sloping N. Descend 17 ft. |
| 5.00 | Ascend 31 ft. |
| 7.55 | Descend 35 ft., to |
| 11.40 | Point of spur, slopes N. 10° E. from S. Descend 180 ft., over N. slope, to |
| 31.20 | Top of rocky cliffs, bearing E. and W., facing N. From base of cliffs, descend 80 ft., over N. slope to ¼ sec. cor. |
| 40.00 | Leave scattering, and enter dense timber, brs. E. and W. Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bed rock, and raise a mound of stone around post, for ¼ sec. cor., marked on brass cap, |
| $\begin{array}{c} \frac{1}{4} \\ \text{S22} \mid \text{S23} \\ \hline 1920 \end{array}$ | |
| | from which, A pine, 10 ins. in diam., brs. S. 2¼° E., 70 lks. dist., marked ¼ S 23 BT. A juniper, 6 ins. in diam., brs. N. 67° W., 53 lks. dist., marked ¼ S 22 BT. |
| | Continue over mountainous land, thru. dense timber and scattering undergrowth. Descend 193 ft., over N. slope. |
| 51.40 | Cliffs, 20 ft. high, bearing NE. and SW. at this point, facing NW. At 1.00 ch. NE. cliffs turn to SE., and at 1.00 ch. SW., they turn to NW. |
| 61.77 | Gulch, 70 lks. wide, course NE. Leave mountainous and enter rolling land. Ascend 20 ft., over SE. slope. |
| 64.80 | Point of spur, slopes NE. Desc. 63 ft., over NE. slope, to |
| 80.00 | Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bed rock, and raise a mound of stone around post, for cor. of secs. 14, 15, 22 and 23, marked on brass cap, |
| $\begin{array}{c} \text{T26N R9W} \\ \text{S15} \mid \text{S14} \\ \hline \text{S22} \mid \text{S23} \\ \hline 1920 \end{array}$ | |
| | from which, A juniper, 12 ins. in diam., brs. N. 34° E., 83 lks. dist., marked T26N R9W S14 BT. A pine, 12 ins. in diam., brs. S. 40¼° E., 50 lks. dist., marked T26N R9W S23 BT. A pine, 8 ins. in diam., brs. S. 62¼° W., 31 lks. dist., marked T26N R9W S22 BT. A pine, 10 ins. in diam., brs. N. 35° W., 15 lks. dist., marked T26N R9W S15 BT. |
| | Land, mountainous and rolling. Soil, gravelly and rocky, 4th rate. Timber, juniper and pine, scattering in S. 31 chs.; dense in N. 49 chs. Undergrowth, scattering scrub oak and prickly ash. Poor grass. |

26 Part of Subdivision lines of T. 26 N., R. 9 W. (Completion)

| Chains. | |
|---------|---|
| | East, on a random line, bet. secs. 14 and 23. |
| 40.00 | Set temp. $\frac{1}{4}$ sec. cor.: |
| 79.72 | Intersect the cor. of secs. 13, 14, 23 and 24. |
| | Thence, |
| | West, on true line, bet. secs. 14 and 23. |
| | Over mountainous land, thru. dense timber and scattering undergrowth. |
| | Ascend 9 ft., over NE. slope. |
| 2.00 | Point of spur, slopes NW. |
| | Descend 96 ft., over NW. slope. |
| 7.55 | Gulch, 15 lks. wide, course NW. Old Indian road, road, brs. NW. and SE. |
| | Ascend 43 ft., over NE. slope. |
| 13.60 | Point of spur, slopes N. |
| | Descend 34 ft., over NW. slope. |
| 16.60 | Gulch, 5 lks. wide, course N. |
| | Ascend 16 ft., over NE. slope. |
| 19.50 | Descend 115 ft., over NW. slope. |
| 34.20 | Old Indian road brs. NE. and SW. |
| 34.70 | Gully, 15 lks. wide, course SW. Ascend 12 ft., over SE. slope. |
| 36.30 | Descend 23 ft., over SW. slope, to |
| 39.86 | Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap, |
| | $\frac{1}{4} \frac{S \ 14}{S \ 23}$ 1920 |
| | from which, |
| | A pine, 12 ins. in diam., brs. N. $17\frac{1}{2}^{\circ}$ E., 88 lks. dist., marked $\frac{1}{4}$ S 14 BT. |
| | A pine, 8 ins. in diam., brs. S. 8° E., 75 lks. dist., marked $\frac{1}{4}$ S 23 BT. |
| | Descend slightly over NW. slope, to |
| 40.20 | Old Indian road, brs. NW. and SE., in bottom of gully, 15 lks. wide, course NW. |
| | Thence over nearly level grassy land, ascending slightly to |
| 48.72 | Leave nearly level grassy land, and enter mountainous land. Ascend 75 ft., over NE. slope. |
| 52.50 | Point of spur, slopes N. Descend slightly over W. slope. |
| 53.60 | Shallow wash, course N. Ascend 45 ft., over E. slope. |
| 58.00 | Saddle in spur, sloping N. |
| | Descend 217 ft., over steep rocky W. and NW. slopes, to |
| 71.00 | Gulch, 40 lks. wide, course NE. near head. At about 2 chs. NE., this gulch, turns to NW. |
| | Ascend 17 ft., over E. slope. Leave mountainous and enter rolling land. |
| 74.76 | Point of spur, slopes N. from SE. |
| | Descend 40 ft., over NW. slope. |
| 78.50 | Wash, 50 lks. wide, course NW. |
| | Ascend slightly over NE. slope, to |
| 79.72 | The cor. of secs. 14, 15, 22 and 23. |
| | Land, mountainous and rolling, except a small area W. of the $\frac{1}{4}$ sec. cor., which is nearly level. |
| | Soil, gravelly and rocky, 4th rate. |
| | Timber, dense juniper and pine. |
| | Undergrowth, scattering scrub oak and scrub juniper. |
| | Fair grass in a small area W. of the $\frac{1}{4}$ sec. cor. |
| | None elsewhere. |
| | ----- |
| | N. 0° 1' W., bet. secs. 14 and 15. |
| | Over rolling land, thru. dense timber and undergrowth. |
| | Descend slightly over NE. slope, to |
| 2.30 | Wash, 50 lks. wide, course N. from SE. This wash follows the sec. line at about 50 lks. W. therefrom for about 13 chs., then turns to NW. |
| | Descend 20 ft. along foot of NW. slope, to |

Chains.

- 7.60 Wash, 30 lks. wide, course NW. from E. Descend gradually along W. slope, near foot.
 13.39 Low rocky cliffs bear N. and S., facing W.
 22.87 Wash, 10 lks. wide, course W. Continue gradual descent, over W. slope.
 27.18 Wash, 10 lks. wide, course NW. Ascend 20 ft., over S. slope.
 31.78 Low rocky knoll. Descend 20 ft., over N. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S15 | S14
 1920

from which,

- A juniper, 12 ins. in diam., brs. S. $49\frac{1}{2}^{\circ}$ E., 86 lks. dist., marked $\frac{1}{4}$ S 14 BT.
 A juniper, 14 ins. in diam., brs. N. $14\frac{1}{2}^{\circ}$ W., 198 lks. dist., marked $\frac{1}{4}$ S 15 BT.
 Leave dense, and enter scattering timber and undergrowth. Descend 20 ft., over N. slope.
 50.00 Leave scattering and enter dense timber, brs. E. and W. Continue thru. scattering undergrowth. Ascend 30 ft., over SW. slope.
 58.50 Descend 40 ft., over N. slope.
 67.00 Old Indian road, brs. NW. and SE.
 Wash, 2 chs. wide, course W. Descend slightly over W. slope, to
 73.00 Wash, 150 lks. wide, course W. Ascend slightly over SW. slope, to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap,

T26N R9 W
 S10 | S11
 S15 | S14
 1920

from which,

- A juniper, 8 ins. in diam., brs. N. $23\frac{1}{4}^{\circ}$ E., 79 lks. dist., marked T26N R9W S11 BT.
 A pine, 6 ins. in diam., brs. S. $7\frac{1}{4}^{\circ}$ E., 134 lks. dist., marked T26N R9W S14 BT.
 A pine, 12 ins. in diam., brs. S. 69° W., 119 lks. dist., marked T26N R9W S15 BT.
 A juniper, 6 ins. in diam., brs. N. 30° W., 137 lks. dist., marked T26N R9W S10 BT.
 Land, rolling.
 Soil, rocky clay, 3rd rate.
 Timber, juniper and pine, dense in S. $\frac{1}{2}$ and N. 30 chs.; scattering elsewhere.
 Undergrowth, scrub oak and scrub juniper; dense in S. $\frac{1}{2}$; scattering in N. $\frac{1}{2}$.
 Fair grass in N. 48 chs.

- 40.00 East, on a random line, bet. secs. 11 and 14.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.90 Intersect the cor. of secs. 11, 12, 13 and 14.
 Thence,
 West, on a true line, bet. secs. 11 and 14.
 Over broken land, thru. scattering timber and undergrowth.
 Descend 69 ft., over face of cliff bearing N. and S., facing W.
 1.50 Foot of cliff, brs. N. and S. Leave broken, and enter nearly level land. Descend very gradually over W. slope, to

28 Part of Subdivision lines of T126 N., R.9 W. (completion)

Chains.

39.95 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 11
S 14
1920

from which,

A juniper, 14 ins. in diam., brs. N. $61\frac{3}{4}^{\circ}$ E., 215 lks. dist., marked $\frac{1}{4}$ S 11 BT.

A juniper, 16 ins. in diam., brs. S. $86\frac{1}{2}^{\circ}$ W., 143 lks. dist., marked $\frac{1}{4}$ S 14 BT.

Continue over nearly level land, thru. scattering timber and undergrowth.

Descend very gradually over W. slope.

54.90 Wash, 10 ft. deep, 40 lks. wide, course NW.

Continue over nearly level land. Ascend very gradually over N. slope, to

74.90 Leave nearly level, and enter gently rolling land.

Ascend 17 ft., over N. slope, to

79.90 The cor. of secs. 10, 11, 14 and 15.

Land, E. $1\frac{1}{2}$ chs., broken; W. 5 chs., gently rolling; remainder, nearly level.

Soil, sandy and gravelly, 2nd and 3rd rate.

Timber, scattering juniper and pine.

Undergrowth, scattering quinine brush, scrub oak and cacti.

Good grass.

N. 0° 1' W., bet. secs. 10 and 11.

Over gently rolling land, thru. scattering timber and undergrowth.

Descend 37 ft., over N. slope, to

9.80 Wash, 30 lks. wide, course NW. Leave gently rolling, and enter nearly level land.

Descend slightly over W. slope, to

12.20 Wash, 60 lks. wide, 6 ft. deep, course W.

Ascend very gradually over S. slope, to $\frac{1}{4}$ sec. cor.

28.30 Leave timber, brs. E. and W.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S10 | S11
1920

from which,

A pine, 8 ins. in diam., brs. N. $57\frac{1}{4}^{\circ}$ E., 198 lks. dist., marked $\frac{1}{4}$ S 11 BT.

A pine, 14 ins. in diam., brs. N. $56\frac{3}{4}^{\circ}$ W., 193 lks. dist., marked $\frac{1}{4}$ S 10 BT.

41.50 Enter dense timber, brs. E. and W.

45.50 Foot of cliffs, bearing E. and W., facing S. Leave nearly level, and enter broken and rolling land. Ascend 71 ft., to

48.10 Top of cliffs, brs. E. and W. Ascend 25 ft., over gradual S. slope, to

60.00 Foot of steep, rocky S. slope. Ascend 45 ft. to

63.50 Top of steep ascent, brs. E. and W.

Ascend 102 ft., over gradual S. slope, to

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap,

T26N | R9W
S 3 | S 2
S10 | S11
1920

Part of Subdivision lines of T.26 N. R.9 W., (completion) 29

Chains.

from which,
 A pine, 12 ins. in diam., brs. N. 74 $\frac{1}{2}$ ° E., 188 lks.
 dist., marked T26N R9W S2 BT.
 A pine, 8 ins. in diam., brs. S. 56° E., 50 lks.
 dist., marked T26N R9W S11 BT.
 A pine, 12 ins. in diam., brs. S. 38° W., 88 lks.
 dist., marked T26N R9W S10 BT.
 A juniper, 12 ins. in diam., brs. N. 89 $\frac{1}{2}$ ° W., 111 lks.
 dist., marked T26N R9W S3 BT.

Land, S. 10 chs., gently rolling. N. 34 $\frac{1}{2}$ chs., broken and rolling; remainder, nearly level.
 Soil, sandy, gravelly and rocky, 3rd and 4th rate.
 Timber, juniper and pine, scattering in S. 28 $\frac{1}{2}$ chs.; dense in N. 38 $\frac{1}{2}$ chs. No timber elsewhere.
 Undergrowth, scattering scrub oak, sagebrush, cacti and quinine brush.
 Good grass in S. 45 $\frac{1}{2}$ chs. None elsewhere.

40.00 East, on a random line, bet. secs. 2 and 11.
 79.80 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 14 lks. S. of the cor. of secs. 1, 2, 11 and 12.
 Thence,
 S. 89° 54' W., on a true line, bet. secs. 2 and 11.
 Over mountainous land, thru. dense timber and scattering undergrowth.
 5.56 Descend 25 ft., over SW. slope, to
 Gulch, 20 lks. wide, course SW.
 Ascend 72 ft., over SE. slope.
 19.00 Point of spur, slopes SE.
 Descend 10 ft., over SW. slope.
 22.10 Gulch, 20 lks. wide, course SE. Ascend 140 ft., over SE.
 slope, to
 39.90 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 2
 S 11
 1920

from which,
 A pine, 8 ins. in diam., brs. N. 51 $\frac{1}{2}$ ° E., 21 lks.
 dist., marked $\frac{1}{4}$ S 2 BT.
 A pine, 10 ins. in diam., brs. S. 31 $\frac{1}{2}$ ° E., 70 lks.
 dist., marked $\frac{1}{4}$ S 11 BT.

Continue over mountainous land, thru. dense timber and scattering undergrowth. Ascend 110 ft., over SE. slope.

40.35 Barb wire fence, brs. NW. and SE.
 49.24 Change to S. slope, and ascend 20 ft., to
 56.80 Descend 200 ft., over rocky SW. slope, to
 79.80 The cor. of secs. 2, 3, 10 and 11.
 Land, mountainous.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering manzanita, scrub oak and scrub juniper.
 No grass.

40.00 N. 0° 1' W., on a random line, bet. secs. 2 and 3.
 80.70 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect the cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., hereinbefore described.
 Thence,
 S. 0° 1' E., on a true line, bet. secs. 2 and 3.
 Over mountainous land, thru. dense timber and scattering undergrowth.
 Descend 264 ft., over rocky W. slope, to

30 Part of Subdivision lines of T.26 N.2R.9 W. (completion)

Chains.

40.70 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

S 3 | S 2

1920

from which,

A pine, 10 ins. in diam., brs. S. 82° E., 30 lks. dist., marked $\frac{1}{4}$ S 2 BT.

A pine, 8 ins. in diam., brs. S. 32° W., 52 lks. dist., marked $\frac{1}{4}$ S 3 BT.

Continue over mountainous land, thru. dense timber and scattering undergrowth.

Descend 250 ft., over rocky W. slope, to

66.45 Head of ravine, course W. Ascend 20 ft. over NW. slope.

68.50 Descend 143 ft., over SW. slope, to

80.70 The cor. of secs. 2, 3, 10 and 11.

Land, mountainous.

Soil, very rocky, 4th rate.

Timber, dense juniper and pine.

Undergrowth, scattering cacti, Spanish bayonet and scrub oak.

No grass.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., described in Book "E,"

N. 0° 2' W., bet. secs. 33 and 34.

Over gently rolling land, thru. scattering timber and undergrowth.

Ascend 15 ft., over SE. slope.

2.50 Low spur, slopes SW. Descend 25 ft., over NW. slope.

15.00 Ascend gradually over W. slope, to

36.00 Wash, 25 lks. wide, course SW.

Ascend gradually over SW. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S 33 | S 34

1920

from which,

A juniper, 20 ins. in diam., brs. N. 60° E., 183 lks. dist., marked $\frac{1}{4}$ S 34 BT.

A juniper, 20 ins. in diam., brs. N. 9 $\frac{3}{4}$ ° W., 316 lks. dist., marked $\frac{1}{4}$ S 33 BT.

Continue over gently rolling land, thru. scattering timber and undergrowth.

Ascending gradually over SW. slope.

59.50 Old road, brs. NE. and SW.

65.00 Draw, 100 lks. wide, course SW.

Ascend gradually over SE. slope, to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap,

T 26 N | R 9 W
S 28 | S 27
S 33 | S 34

1920

from which,

A juniper, 14 ins. in diam., brs. N. 57 $\frac{1}{2}$ ° E., 608 lks. dist., marked T 26 N R 9 W S 27 BT.

Part of Subdivision lines of T. 26 N., R. 9 W. (completion).

Chains.

- A juniper, 10 ins. in diam., brs. S. 33° E., 320 lks. dist., marked T26N R9W S34 BT.
- A juniper, 14 ins. in diam., brs. S. 23½° W., 210 lks. dist., marked T26N R9W S33 BT.
- A juniper, 12 ins. in diam., brs. N. 81° W., 250 lks. dist., marked T26N R9W S28 BT.

Land, gently rolling.
 Soil, sandy and gravelly, 3rd rate.
 Timber, scattering juniper and pine.
 Undergrowth, scattering scrub oak, prickly ash and sagebrush.
 Fair grass.

- 40.00 East, on a random line, bet. secs. 27 and 34.
- 80.22 Set temp. ¼ sec. cor.
- 80.22 Fall 5 lks. N. of the cor. of secs. 26, 27, 34 and 35.
- Thence,
- N. 89° 58' W., on a true line, bet. secs. 27 and 34.
- Over mountainous land, thru. dense timber and scattering undergrowth.
- 18.50 Descend 183 ft., over NW. slope, to
- Foot of descent, brs. NE. and SW. Leave mountainous, and enter nearly level land.
- 40.11 Descend very gradually over W. slope, to
- Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor., marked on brass cap,

S 27
 ¼
 S 34
 1920

- from which,
- A juniper, 12 ins. in diam., brs. S. 51½° E., 176 lks. dist., marked ¼ S 34 BT.
- A juniper, 16 ins. in diam., brs. N. 69° W., 36 lks. dist., marked ¼ S 27 BT.

- Continue over nearly level land, thru. dense timber and scattering undergrowth.
- 45.24 Descend slightly over W. slope, to
- Draw, 20 lks. wide, course SW. Leave nearly level land and dense timber, and enter gently rolling land and scattering timber.
- 46.80 Ascend 40 ft., over SE. slope.
- 73.00 Old wood road, brs. NE. and SW.
- 73.00 Point of low spur, slopes S.
- 79.10 Descend 15 ft., over W. slope.
- 79.10 Draw, 20 lks. wide, course S.
- 80.22 Ascend slightly over SE. slope, to
- The cor. of secs. 27, 28, 33 and 34.
- Land, E. 18½ chs., mountainous. W. 35 chs. gently rolling; remainder, nearly level.
- Soil, gravelly and rocky, 3rd and 4th rate.
- Timber, juniper and pine, dense in E. 45 chs.; scattering in W. 35 chs.
- Undergrowth, scattering scrub oak and prickly ash.
- Fair grass in W. 62 chs. None elsewhere.

- N. 0° 2' W. bet. secs. 27 and 28.
- Over gently rolling land, thru. scattering timber and undergrowth.
- Ascend 40 ft., over SE. slope.
- 7.50 Descend 45 ft., over NW. and W. slopes, to
- 29.00 Wash, 70 lks. wide, course SW.
- Ascend 35 ft., over S. slope, to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap,

32 Part of Subdivision lines of T.26 N. R.9 W. (completion)

Chains.

$$\frac{1}{4} \text{ S } 28 \text{ S } 27$$

1920

from which,

A juniper, 12 ins. in diam., brs. N. $82\frac{1}{2}^{\circ}$ E., 98 lks. dist., marked $\frac{1}{4}$ S 27 BT.A juniper, 10 ins. in diam., brs. N. 77° W., 94 lks. dist., marked $\frac{1}{4}$ S 28 BT.

Continue over gently rolling land, thru. scattering timber and undergrowth.

Ascend gradually over SW. slope.

43.00 Leave scattering, and enter dense timber, brs. E. and W.

65.00 Thence over W. slope, with slight change in elevation.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28. marked on brass cap,

$$\text{T26N R9 W}$$

$$\text{S21 S22}$$

$$\text{S28 S27}$$

1920

from which,

A juniper, 12 ins. in diam., brs. N. 19° E., 16 lks. dist., marked T26N R9W S22 BT.A pine, 6 ins. in diam., brs. S. 7° E., 78 lks. dist., marked T26N R9W S27 BT.A juniper, 14 ins. in diam., brs. S. 15° W., 44 lks. dist., marked T26N R9W S28 BT.A pine, 10 ins. in diam., brs. N. 25° W., 21 lks. dist., marked T26N R9W S21 BT.

Land, gently rolling.

Soil, gravelly and rocky, 4th rate.

Timber, juniper and pine, scattering in S. 43 chs.; dense in N. 37 chs.

Undergrowth, scattering sagebrush and scrub oak.

Fair grass.

40.00 S. $89^{\circ}58'$ E., on a random line, bet. secs. 22 and 27.Set temp. $\frac{1}{4}$ sec. cor.

80.22 Fall 5 lks. S. of the cor. of secs. 22, 23, 26 and 27.

Thence,

West, on a true line, bet. secs. 22 and 27.

Over mountainous land, thru. scattering timber and undergrowth.

Ascend 10 ft., over E. slope.

.75 Spur, slopes N.

Descend 75 ft., over W. slope.

9.10 Gulch, 10 lks. wide, course NW.

Ascend 68 ft. over E. slope.

12.75 Point of spur, slopes N.

Descend 124 ft., over NW. slope.

19.35 Gulch, 12 lks. wide, course NE.

Ascend 102 ft., over E. slope.

26.50 Spur, slopes N. Leave mountainous land and scattering

timber, and enter gently rolling land and dense timber.

Descend 48 ft., over W. slope, to

40.11 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
$$\frac{1}{4} \text{ S } 22$$

$$\text{S } 27$$

1920

from which,


A juniper, 6 ins. in diam., brs. S. 54° E., 52 lks. dist., marked $\frac{1}{4}$ S 27 BT.

Part of Subdivision lines of T.26 N. R.9 W. (completion) 33

Chains.


80.22 A juniper, 10 ins. in diam., brs. N. 30° W., 41 lks. dist., marked $\frac{1}{4}$ S 22 BT.
 Continue over gently rolling land, thru. dense timber and scattering undergrowth.
 Descend gradually over W. slope, to
 The cor. of secs. 21, 22, 27 and 28.
 Land, E. 26 $\frac{1}{2}$ chs., mountainous; W. 53 $\frac{1}{2}$ chs., gently rolling.
 Soil, gravelly and rocky, 4th rate.
 Timber, juniper and pine, scattering in E. 26 $\frac{1}{2}$ chs.; dense in W. 53 $\frac{1}{2}$ chs.
 Undergrowth, scattering scrub oak and sagebrush.
 Fair grass in W. 50 chs.; none elsewhere.

 11.75 N. 0° 2' W., bet. secs. 21 and 22.
 Over gently rolling land, thru. dense timber and scattering undergrowth.
 Descend gradually over NW. slope, to
 Rim of rocky bluff, bearing NE. and SW., facing NW.
 Descend 25 ft. to
 12.25 Foot of bluff, brs. NE. and SW. Leave gently rolling, and enter nearly level land.
 Descend slightly over NW. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,

A juniper, 8 ins. in diam., brs. S. 75 $\frac{1}{2}$ ° E., 323 lks. dist., marked $\frac{1}{4}$ S 22 BT.
 A juniper, 18 ins. in diam., brs. N. 56° W., 62 lks. dist., marked $\frac{1}{4}$ S 21 BT.
 Continue over nearly level land, thru. dense timber and scattering undergrowth.
 55.00 Descend slightly over NW. slope, to
 Shallow wash, 100 lks. wide, course NW.
 Leave nearly level, and enter gently rolling land.
 Descend gradually over W. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, marked on brass cap,



from which,

A pine, 18 ins. in diam., brs. N. 30° E., 71 lks. dist., marked T26N R9W S15 BT.
 A pine, 8 ins. in diam., brs. S. 65° E., 43 lks. dist., marked T26N R9W S22 BT.
 A pine, 6 ins. in diam., brs. S. 6° W., 262 lks. dist., marked T26N R9W S21 BT.
 A pine, 14 ins. in diam., brs. N. 1 $\frac{1}{2}$ ° W., 100 lks. dist., marked T26N R9W S16 BT.
 Land, S. 12 chs. and N. 25 chs., gently rolling; remainder, nearly level.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering prickly ash and cacti.
 Fair grass.

34 Part of Subdivision lines of T.26 N. R.9 W. (completion)

Chains.

East, on a random line, bet. secs. 15 and 22.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.28 Fall 7 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence,

N. $89^{\circ}57'W.$, on a true line, bet. secs. 15 and 22.

Over mountainous land, thru. dense timber and undergrowth.

Ascend 129 ft., over E. slope.

7.88 Point of spur, slopes NE.

Descend 24 ft., over N. slope.

18.40 Gulch, 40 lks. wide, course N. $65^{\circ}E.$

Ascend 207 ft., over NE. slope, to

40.14 Top of cliff, bearing NW. and SE., facing NE. Set an iron post, 3 ft. long, 1 in. in diam., on surface rock, 30 ins. in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 15

S 22

1920

from which,

A pine, 8 ins. in diam., brs. N. $40\frac{1}{2}^{\circ}E.$, 87 lks.
dist., marked $\frac{1}{4}$ S 15 BT.

A pine, 8 ins. in diam., brs. S. $38\frac{1}{2}^{\circ}E.$, 75 lks.
dist., marked $\frac{1}{4}$ S 22 B.T.

Ascend 113 ft., over NE. slope.

45.80 Spur, slopes NW.

Descend 41 ft. over W. slope.

51.50 Gully, 12 lks. wide, course NW. Leave mountainous, and enter rolling land. Asc. 27 ft., over E. slope.

57.00 Point of spur, slopes NE.

Descend 17 ft., over NW. slope.

59.08 Head of gully, 10 lks. wide, course NE.

Ascend 20 ft., over E. slope.

61.70 Point of spur, slopes N. Leave dense, and enter scattering undergrowth.

Descend 61 ft., over W. slope, to

80.28 The cor. of secs. 15, 16, 21 and 22.

Land, E. $51\frac{1}{2}$ chs., mountainous; W. $28\frac{1}{2}$ chs. rolling.

Soil, rocky, 4th rate.

Timber, dense juniper and pine.

Undergrowth, scrub oak and scrub juniper, dense in E. 62 chs.; scattering in W. 18 chs.

Fair grass in W. 18 chs. No grass elsewhere.

N. $0^{\circ}2'W.$, bet. secs. 15 and 16.

Over rolling land, thru. dense timber and scattering undergrowth.

Ascend 11 ft., over W. slope.

2.50 Descend 38 ft., over NW. slope.

7.20 Draw, 50 lks. wide, course W. from NE.

Ascend 70 ft., over S. slope.

32.30 Spur, slopes W. Descend 80 ft., over N. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$

S 16 | S 15

1920

from which,

A pine, 12 ins. in diam., brs. N. $69^{\circ}E.$, 62 lks.
dist., marked $\frac{1}{4}$ S 15 BT.

A pine, 10 ins. in diam., brs. S. $22\frac{1}{2}^{\circ}W.$, 19 lks.
dist., marked $\frac{1}{4}$ S 16 BT.

Part of Subdivision lines of T.26 N. R.9 W. (completion)

chains.

71.35 Descend 130 ft., over N. slope.
 Gully, 10 lks. wide, course E.
 Ascend 30 ft., over E. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 10 ins. in
 the ground to bed rock, and raise a mound of stone
 around post, for cor. of secs. 9, 10, 15 and 16, marked
 on brass cap,

| | |
|------|------|
| T26N | R9 W |
| S 9 | S10 |
| S16 | S15 |
| 1920 | |

from which,
 A pine, 6 ins. in diam., brs. N. 52 $\frac{1}{2}$ ° E., 61
 lks. dist., marked T26N R9W S10 BT.
 A pine, 8 ins. in diam., brs. S. 84° E., 32 lks.
 dist., marked T26N R9W S15 BT.
 A pine, 10 ins. in diam., brs. S. 88 $\frac{1}{2}$ ° W., 46 lks.
 dist., marked T26N R9W S16 BT.
 A pine, 12 ins. in diam., brs. N. 19 $\frac{1}{4}$ ° W., 99 lks.
 dist., marked T26N R9W S9 BT.

Land, rolling.
 Soil, sandy, gravelly and rocky, 3rd and 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering scrub oak and prickly ash.
 Fair grass.

40.00 S. 89° 57' E., on a random line, bet. secs. 10 and 15.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.28 Fall 12 lks. S. of the cor. of secs. 10, 11, 14 and 15.
 Thence,
 S. 89° 58' W., on a true line, bet. secs. 10 and 15.
 Over gently rolling land, thru. dense timber and scat-
 tering undergrowth.
 Descend 90 ft., over W. slope.
 5.20 Leave timber, brs. N. and S.
 7.70 Old Indian road, brs. NW. and SE.
 14.40 Enter dense timber, brs. N. and S.
 26.50 Gully, 70 lks. wide, course NE. for about 7 chs., thence
 NW. Leave gently rolling, and enter roughly rolling
 and broken land.
 Ascend 87 ft., over E. slope.
 37.26 Spur, slopes NE. Descend 27 ft., over NW. slope.
 39.50 Gully, 20 lks. wide, course NE. Ascend 12 ft., over SE.
 slope, to
 40.14 Rocky shelf, bearing NE. and SW. Set an iron post, 3
 ft. long, 1 in. in diam., on surface rock, 30 ins. in
 a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,

| | |
|---------------|------|
| $\frac{1}{4}$ | S 10 |
| | S 15 |
| 1920 | |

from which,
 A pine, 10 ins. in diam., brs. N. 64 $\frac{3}{4}$ ° E., 64 lks.
 dist., marked $\frac{1}{4}$ S. 10 BT.
 A pine, 6 ins. in diam., brs. S. 6 $\frac{3}{4}$ ° W., 93 lks.
 dist., marked $\frac{1}{4}$ S 15 BT.


Leave roughly rolling and enter mountainous land.
 Ascend 225 ft., over E. slope.
 65.50 Ridge, brs. N. and S. Leave scattering, and enter dense
 undergrowth.
 Descend 110 ft., over W. slope.
 76.10 Gulch, 10 lks. wide, course N. 10° W.
 Ascend 75 ft., over E. slope, to
 80.28 The cor. of secs. 9, 10, 15 and 16.

36 Part of Subdivision lines of T.26 N.2R.9 W. (completion).

Chains.


Land, E. 26 1/2 chs., gently rolling. W. 40 chs., mountainous; remainder, roughly rolling and broken. Soil, rocky, 4th rate. Timber, dense juniper and pine. Undergrowth, scattering scrub oak, quinine brush and cacti. Fair grass in E. 26 1/2 chs. No grass in W. 53 1/2 chs.

9.80 N. 0° 2' W., bet. secs. 9 and 10. Over mountainous land, thru. dense timber and undergrowth. Descend 140 ft., over NE. slope. Gulch, 20 lks. wide, course NW. Ascend 70 ft., over SW. slope. 18.00 Point of spur, slopes W. Descend 166 ft., over NW. slope, to 25.70 Same gulch, course NE. Thence descend gradually along this gulch, crossing and recrossing the bottom of same. 28.50 Same gulch, course NW. 32.10 Same gulch, course NE. 33.70 Same gulch, course NW. 37.70 Same gulch, course NE. Ascend 15 ft., over SE. slope, to 40.00 Rocky shelf, brs. NE. and SW. Set an iron post, 3 ft. long, 1 in. in diam., on surface rock, 30 ins. in a mound of stone, for 1/4 sec. cor., marked on brass cap,



from which, A pine, 8 ins. in diam., brs. N. 38° E., 47 lks. dist., marked 1/4 S 10 BT. A pine, 8 ins. in diam., brs. S. 75 1/2° W., 38 lks. dist., marked 1/4 S 9 BT.

Ascend gradually over E. slope, to 46.00 Point of spur, sloping NE. Descend 116 ft., over N. slope. 53.90 Gulch, 20 lks. wide, course E. Ascend 90 ft., over SW. slope, to 60.43 Thence along E. slope, descending 140 ft., to 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., on surface rock; deposit a stone marked with a cross (x) at base of post in a mound of stone 5 ft. base, 30 ins. high raised around post, for cor. of secs. 3, 4, 9 and 10, marked on brass cap,.



from which, A juniper, 12 ins. in diam., brs. N. 21° E., 50 lks. dist., marked T26N R9W S3 BT. A pine, 8 ins. in diam., brs. S. 45 3/4° E., 85 lks. dist., marked T26N R9W S10 BT. A pine, 20 ins. in diam., brs. N. 15 1/2° W., 47 lks. dist., marked T26N R9W S4 BT. No other trees available.

Land, mountainous. Soil, rocky, 4th rate. Timber, dense juniper and pine. Undergrowth, dense greasewood, sagebrush, quinine brush, scrub oak and cacti. No grass.

L.C. 8588

Part of Subdivision lines of T.26 N., R.9 W., (completion) 37

Chains.

N. 89° 58' E., on a random line, bet. secs. 3 and 10.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.34 Fall 5 lks. N. of the cor. of secs. 2, 3, 10 and 11.
 Thence
 West, on a true line, bet. secs. 3 and 10.
 Over broken and mountainous land, thru. scattering timber
 and undergrowth.
 Descend slightly along rocky S. slope, to
 1.10 Descend 72 ft., over SW. slope, to
 9.90 Top of cliff, brs. N. and SE. facing W.
 Descend 20 ft., to
 10.00 Foot of cliff. Thence over bench, bearing N. and SE.
 Descend slightly to
 14.20 Rim of ravine, brs. N. and S.
 Descend 255 ft., over steep broken W. slope, to
 28.50 Bottom of ravine, 40 lks. wide, course S. from NE. At 5
 chs. S., this ravine turns to SW. Ascend 30 ft., over
 SE. slope.
 33.40 Descend 15 ft., over SW. slope.
 36.70 Gulch, 20 lks. wide, course S. Leave timber, brs. N. and S.
 Ascend 15 ft., over SE. slope, to
 40.17 Set an iron post, 3 ft. long, 1 in. in diam., on surface
 rock, deposit a stone marked with a cross (x) at base
 of post, and raise a mound of stone 5 ft. base, 2 $\frac{1}{2}$ ft.
 high around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\begin{array}{r} \frac{1}{4} \text{ S } 3 \\ \hline \text{S } 10 \\ 1920 \end{array}$$

Descend 130 ft., over S. and SW. slopes.
 60.00 Enter dense timber and undergrowth, brs. N. and S.
 69.60 Old Indian road brs. N. 15° W. and S. 15° E.
 71.80 Gulch, 30 lks. wide, course N. 10° W.
 Ascend 56 ft., over E. slope to sec. cor.
 78.24 Old Indian road, brs. NW. and SE.
 80.34 The cor. of secs. 3, 4, 9 and 10.
 Land, broken and mountainous.
 Soil, gravelly and rocky, 4th rate.
 Timber, juniper and pine, scattering in E. 36 $\frac{1}{2}$ chs.; dense
 in W. 20 chs. None elsewhere.
 Undergrowth, greasewood, sagebrush, quinine brush, scrub oak,
 cactus, scattering in E. 60 chs.; dense elsewhere. No grass.

N. 0° 1' W., on a random line, bet. secs. 3 and 4.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.61 Fall 15 lks. W. of the cor. of secs. 3, 4, 33 and 34, on the
 N. bdy. of the Tp., hereinbefore described.
 Thence,
 S. 0° 5' W., on a true line, bet. secs. 3 and 4.
 Over mountainous land, thru. dense timber and scattering
 undergrowth.
 Descend 126 ft., over W. and SW. slopes, to
 24.10 Gulch, 20 lks. wide, course SW. Leave mountainous, and en-
 ter broken and rolling land. Ascend slightly over W
 slope, to
 30.90 Gully, 10 lks. wide, course W. Descend 20 ft., over W.
 slope, to
 40.61 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\begin{array}{r} \frac{1}{4} \\ \text{S } 4 \text{ S } 3 \\ \hline 1920 \end{array}$$

from which,

A juniper, 14 ins. in diam., brs. S. 69° E., 102
 lks. dist., marked $\frac{1}{4}$ S 3 BT.
 A juniper, 24 ins. in diam., brs. N. 58 $\frac{1}{2}$ ° W., 195
 lks. dist., marked $\frac{1}{4}$ S 4 BT.

38 Part of Subdivision lines of T.26 N. R.9 W., (completion)

Chains.

55.53 Descend 57 ft., over SW. slope.
 Gully, 20 lks. wide, course NW.
 Ascend 20 ft., over N slope, to
 70.30 Old Indian road, brs: NW. and SE. Leave rolling and enter mountainous land.
 Ascend 52 ft., over NE. slope, to sec. cor.
 78.10 Old Indian road, brs. NW. and SE.
 80.61 The cor. of secs. 3, 4, 9 and 10.
 Land, mountainous, broken and rolling,
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering sage brush, quinine brush and cacti.
 Poor grass.

From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., described in Book "E," N. 0° 3' W., bet. secs. 32 and 33.
 Over nearly level land, thru. scattering timber and undergrowth.

10.00 Ascend 28 ft., over S. slope, to
 Leave nearly level, and enter gently rolling land.
 Ascend 45 ft., over S. slope.
 17.50 Descend 22 ft., over W. slope.
 25.00 Ascend 30 ft., over SW. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S32 | S33
 1920

from which,

- A juniper, 14 ins. in diam., brs: N. 70 $\frac{1}{2}$ ° W., 144 lks. dist.; marked $\frac{1}{4}$ S 32 BT.
- A juniper, 12 ins. in diam., brs: S. 86° E., 282 lks. dist., marked $\frac{1}{4}$ S 33 BT.

Continue over gently rolling land, thru. scattering timber and undergrowth.

80.00 Ascend gradually over SW. slope to sec. cor.
 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on brass cap,

T26N | R9 W
 S29 | S28
 S32 | S33
 1920

from which,

- A pine, 6 ins. in diam., brs: N. 17° E., 77 lks. dist., marked T26N R9W S28 BT.
- A pine, 8 ins. in diam., brs: S. 61 $\frac{1}{2}$ ° E., 92 lks. dist., marked T26N R9W S33 BT.
- A pine, 12 ins. in diam., brs: S. 59 $\frac{1}{2}$ ° W., 96 lks. dist., marked T26N R9W S32 BT.

Land, S. 10 chs. nearly level; remainder, gently rolling.
 Soil, sandy and gravelly clay loam, 3rd rate.
 Timber, scattering juniper and pine.
 Undergrowth, scattering sage brush. Fair grass.

40.00 East, on a random line, bet. secs. 28 and 33.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect the cor. of secs. 27, 28, 33 and 34.
 Thence,

Part of Subdivision lines of T.26 N., R.9 W. (completion)

39

Chains.

West, on a true line, bet. secs. 28 and 33.
Over gently rolling land, thru. scattering timber and undergrowth.

10.00 Ascend 25 ft., over SE. slope.

Descend 70 ft., over SW. slope.

30.00 Wash, 300 lks. wide, course SW.

Ascend 20 ft., over E. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground to bedrock, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\frac{1}{4} \text{ S } 28$$

$$\text{S } 33$$

$$1920$$

from which,

A juniper, 18 ins. in diam., brs. S. 41° E., 341 lks. dist., marked $\frac{1}{4}$ S 33 BT.

A juniper, 24 ins. in diam., brs. N. 84° W., 152 lks. dist., marked $\frac{1}{4}$ S 28 BT.

55.00 Ascend 68 ft., over E. slope.

61.80 Top of hill; descend 45 ft., over W. slope, to

Draw, 20 lks. wide, course SW.

Descend 35 ft., over SW. slope.

70.00 Draw, 25 lks. wide, course SW. Ascend 23 ft., over SE. slope.

75.00 Descend 34 ft., over SW. slope, to

80.00 The cor. of secs. 28, 29, 32 and 33.

Land, gently rolling.

Soil, gravelly and rocky, 3rd and 4th rate.

Timber, scattering juniper and pine.

Undergrowth, scattering prickly ash, scrub oak and sagebrush.

Fair grass.

N. $0^{\circ} 3'$ W., bet. secs. 28 and 29.

Over gently rolling land, thru. dense timber and scattering undergrowth.

Ascend very gradually over SE. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\frac{1}{4} \text{ S } 29 \text{ S } 28$$

$$1920$$

from which,

A juniper, 12 ins. in diam., brs. S. $58\frac{1}{2}^{\circ}$ E., 123 lks. dist., marked $\frac{1}{4}$ S 28 BT.

A juniper, 14 ins. in diam., brs. West 13 lks. dist., marked $\frac{1}{4}$ S 29 BT.

Continue over gently rolling land, thru. dense timber and scattering undergrowth.

80.00 Ascend very gradually over SE. and E. slopes, to

Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, marked on brass cap,

$$\text{T26N} \text{ R9W}$$

$$\text{S20} \text{ S21}$$

$$\text{S29} \text{ S28}$$

$$1920$$

from which,

A juniper, 16 ins. in diam., brs. N. 89° E., 43

lks. dist., marked T26N R9W S21 BT.

A juniper, 14 ins. in diam., brs. S. 8° E., 13

lks. dist., marked T26N R 9W S28 BT.


40 Part of Subdivision lines of T.26 N. R. 9 W. (completion)

Chains.

A juniper, 12 ins. in diam., brs. S. $36\frac{1}{2}^{\circ}$ W., 47 lks. dist., marked T26N R9W S29 BT.
 A juniper, 10 ins. in diam., brs. N. $37\frac{1}{2}^{\circ}$ W., 49 lks. dist., marked T26N R9W S20 BT.

Land, gently rolling.
 Soil, gravelly and rocky, 3rd and 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering prickly ash, scrub oak and sage brush.
 Fair grass.

40.00 East, on a random line, bet. secs. 21 and 28.
 80.08 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect the cor. of secs. 21, 22, 27 and 28.
 Thence,
 West, on a true line, bet. secs. 21 and 28.
 Over gently rolling land, thru. dense timber and scattering undergrowth.
 10.00 Descend 20 ft., over W. slope.
 Head of draw, 20 lks. wide, course NW.
 35.00 Ascend 40 ft., over E. slope, to
 40.04 Ascend 46 ft., over SE. slope, to
 S. end of top of hill; bearing N. and S. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,
 A pine, 8 ins. in diam., brs. N. 75° E., 68 lks. dist., marked $\frac{1}{4}$ S 21 BT.
 A pine, 10 ins. in diam., brs. S. 61° W., 88 lks. dist., marked $\frac{1}{4}$ S 28 BT.

45.00 Descend 46 ft., over SW. slope, to
 60.00 Descend 39 ft., over W. slope, to
 80.08 Ascend 25 ft., over E. slope, to
 The cor. of secs. 20, 21, 28 and 29.
 Land, gently rolling.
 Soil, rocky and gravelly, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering prickly ash, scrub oak and sage brush.
 Fair grass.

20.00 N. $0^{\circ} 3'$ W., bet. secs. 20 and 21.
 Over gently rolling land, thru. dense timber and scattering undergrowth.
 Descend very gradually over E. and NE. slopes to $\frac{1}{4}$ sec. cor.
 40.00 Leave dense, and enter very scattering timber, brs. E. and W.
 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,




from which,
 A juniper, 12 ins. in diam., brs. N. $2\frac{3}{4}^{\circ}$ E., 608 lks. dist., marked $\frac{1}{4}$ S 21 BT.
 A juniper, 8 ins. in diam., brs. N. $2\frac{1}{4}^{\circ}$ W., 662 lks. dist., marked $\frac{1}{4}$ S 20 BT.
 Continue over gently rolling land, thru. scattering undergrowth and very scattering timber.

Part of Subdivision lines of T.26 N., R. 9 W. (completion) 41

Chains.

46.50
70.00
80.00

Descend very gradually over NE. and N. slopes.
Leave very scattering, and enter dense timber, brs. E. and W.
Ascend 40 ft., over SW. and W. slopes, to
Set an iron post 3 ft. long; 2 ins. in diam., 24 ins. in
the ground, for cor. of secs. 16, 17, 20 and 21, marked
on brass cap,



- from which,
- A juniper, 6 ins. in diam., brs. N. $63\frac{1}{2}^\circ$ E., 111 lks.
dist., marked T26N R9W S16 BT.
 - A pine, 12 ins. in diam., brs. S. $72\frac{3}{4}^\circ$ E., 128 lks.
dist., marked T26N R9W S21 BT.
 - A juniper, 10 ins. in diam., brs. S. $25\frac{1}{2}^\circ$ W., 19 lks.
dist., marked T26N R9W S20 BT.
 - A juniper, 12 ins. in diam., brs. N. $19\frac{1}{2}^\circ$ W., 103 lks.
dist., marked T26N R9W S17 BT.

Land, gently rolling.
Soil, gravelly and rocky, 4th rate.
Timber, juniper and pine, dense in S. 20 chs. and N. $33\frac{1}{2}$ chs.;
very scattering elsewhere.
Undergrowth, scattering prickly ash.
Fair grass.

40.00
80.38


East, on a random line, bet. secs. 16 and 21.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect the cor. of secs. 15, 16, 21 and 22.
Thence,

3.00
9.50
28.00

West, on a true line, bet. secs. 16 and 21.
Over gently rolling land, thru. dense timber and scat-
tering undergrowth.
Descend 15 ft., over W. slope.
Ascend 25 ft., over E. slope.
Top of hill. Descend 75 ft., over W. slope.
Wash, 100 lks. wide, course NW.

40.19

Ascend 30 ft., over E. slope, to
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



- from which,
- A pine, 14 ins. in diam., brs. N. 62° E., 180 lks.
dist., marked $\frac{1}{4}$ S 16 BT.
 - A juniper, 18 ins. in diam., brs. S. 76° W., 114 lks.
dist., marked $\frac{1}{4}$ S 21 BT.

58.40
65.70
67.40
80.38

Continue over gently rolling land, thru. dense timber
and scattering undergrowth.
Ascend 70 ft., over E. slope.
Spur, slopes N. Descend 15 ft., over W. slope.
Gully, 15 lks. wide, course N.
Ascend 15 ft., over E. slope.
Top of hill; descend 59 ft., over W. slope, to
The cor. of secs. 16, 17, 20 and 21.

Land, gently rolling.
Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering prickly ash and sage brush.
Fair grass.

N. $0^\circ 3'$ W., bet. secs. 16 and 17.
Over rolling land, thru. dense timber and scattering un-
dergrowth.

42. Part of Subdivision lines of T.26 N. R.9 W., (completion)

Chains.

- 8.10 Descend 79 ft., over NW. slope.
Gully, 20 lks. wide, course W.
- 36.20 Ascend 116 ft., over W. and SW. slopes.
Spur, slopes NW.
- 40.00 Descend 35 ft., over N. slope, to
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S17 | S16

1920

from which,

- A pine, 8 ins. in diam., brs. S. $15\frac{1}{2}^{\circ}$ E., 63 lks. dist., marked $\frac{1}{4}$ S 16 BT.
- A pine, 10 ins. in diam., brs. S. 28° W., 86 lks. dist., marked $\frac{1}{4}$ S 17 BT.
- 44.94 Descend 52 ft., over N. slope.
Wash, 30 lks. wide, course NW.
- 59.87 Ascend 60 ft., over SW. slope, to
Leave rolling, and enter nearly level land.
- 69.90 Leave nearly level, and enter gently rolling land; descend slightly over W. slope, to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 10 ins. in the ground, to bed rock, and raise a mound of stone around post, for cor. of secs. 8, 9, 16 and 17, marked on brass cap,

T26N | R9 W
S 8 | S 9
S17 | S16

1920

from which,

- A juniper, 8 ins. in diam., brs. N. 35° E., 70 lks. dist., marked T26N R9W S9 BT.
 - A pine, 6 ins. in diam., brs. S. $48\frac{1}{2}^{\circ}$ E., 84 lks. dist., marked T26N R9W S16 BT.
 - A pine, 8 ins. in diam., brs. N. $32\frac{3}{4}^{\circ}$ W., 70 lks. dist., marked T26N R9W S8 BT.
 - A pine, 12 ins. in diam., brs. S. $7\frac{1}{4}^{\circ}$ W., 25 lks. dist., marked T26N R9W S17 BT.
- Land, rolling, nearly level and gently rolling.
Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering sagebrush, quinine brush and cacti.
Fair grass.

-
- 40.00 East, on a random line, bet. secs. 9 and 16.
Set temp. $\frac{1}{4}$ sec. cor.
 - 80.08 Fall 7 lks. N. of the cor. of secs. 9, 10, 15 and 16.
Thence,
N. $89^{\circ}57'$ W., on a true line, bet. secs. 9 and 16.
Over mountainous land, thru. dense timber and scattering undergrowth.
 - 10.30 Ascend 120 ft., over E. slope.
Ridge, brs. N. and S.
 - 20.30 Descend 100 ft., over W. slope.
Gully, 20 lks. wide, course NW.
 - 30.30 Ascend 57 ft., over E. slope.
N. end of top of hill, bearing N. and S.
 - 40.04 Descend 105 ft., over NW. slope, to
Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in the ground to bed-rock, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 9
S 16
1920

Part of Subdivision lines of T.26 N. R.9 W. (completion) 43

Chains.

from which,
A pine, 8 ins. in diam., brs. S. 15° E., 57 lks.
dist., marked 1/4 S 16 BT.
A pine, 6 ins. in diam., brs. N. 41 lks. dist.,
marked 1/4 S 9 BT.

42.18 Descend 17 ft., over NW. slope.
Gully, 20 lks. wide, course NW. Leave mountainous, and enter rolling land.

73.40 Ascend 150 ft., over N. and NE. slopes.
Spur, slopes NW.

80.08 Descend 12 ft., over W. slope, to
The cor. of secs. 8, 9, 16 and 17.
Land, E. 42 chs., mountainous; remainder, rolling.
Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering prickly ash and sagebrush.
Fair grass.


N. 0° 3' W., bet. secs. 8 and 9.
Over rolling land, thru. dense timber and scattering undergrowth.

6.50 Descend 20 ft., along W. slope, to point of spur.
Old wood road, brs. NE. and SW.

10.40 Point of spur, slopes NW.
Descend 219 ft., over N. slope, to

34.90 Gully, 20 lks. wide, course W. Leave rolling, and enter mountainous land.

40.00 Ascend 40 ft., over S. slope, to
Set an iron post, 3 ft. long, 1 in. in diam., on surface rock, 30 ins. in a mound of stone, for 1/4 sec. cor., marked on brass cap,




from which,
A pine, 10 ins. in diam., brs. N. 30 1/4° E., 11 lks.
dist., marked 1/4 S 9 BT.
A pine, 10 ins. in diam., brs. S. 57 1/2° W., 14 lks.
dist., marked 1/4 S 8 BT.

53.00 Ascend 94 ft., over S. slope.
Spur, slopes W. Desc. 90 ft., over N. slope.

61.85 Gulch, 20 lks. wide, course NW.
Ascend 170 ft., over S. slope, to

80.00 Top of ridge, bearing E. and W. at this point; general bearing NW. and SE.

Set an iron post, 3 ft. long, 2 ins. in diam., on surface rock, 34 ins. in a mound of stone, for cor. of secs. 4, 5, 8 and 9, marked on brass cap,



from which,
A pine, 10 ins. in diam., brs. N. 57 1/4° E., 87 lks.
dist., marked T26N R9W S4 BT.
A pine, 12 ins. in diam., brs. S. 37 1/2° E., 187 lks.
dist., marked T26N R9W S9 BT.
A pine, 12 ins. in diam., brs. S. 54 1/2° W., 49 lks.
dist., marked T26N R9W S8 BT.
A juniper, 14 ins. in diam., brs. N. 76° W., 54 lks.
dist., marked T26N R9W S5 BT.

Land, S. 35 chs., rolling.
N. 45 chs. mountainous.

44 Part of Subdivision lines of T.26 N., R.9 W. (completion)
chains.

Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering scrub oak, prickly ash, sagebrush
and cacti.
Fair grass in S. half; none in N. half.

-
- 40.00 S. 89° 57' E., on a random line, bet. secs. 4 and 9.
Set temp. $\frac{1}{4}$ sec. cor.
80.04 Fall 10 lks. S. of the cor. of secs. 3, 4, 9 and 10.
Thence,
S. 89° 59' W., on a true line, bet. secs. 4 and 9.
Over mountainous land, thru. dense timber and undergrowth.
Ascend 67 ft., over E. slope.
16.40 Spur, slopes N.
Descend 101 ft., over W. slope.
20.95 Gulch, 20 lks. wide, course NE.
Ascend 134 ft., over E. slope.
29.05 Spur, slopes NE.
Descend 18 ft., over NW. slope.
31.55 Ascend 50 ft., over NE. slope, to
40.02 Point of spur, slopes N. Set an iron post, 3 ft. long, 1
in. in diam., 4 ins. in the ground to bed rock, and
raise a mound of stone around post, for $\frac{1}{4}$ sec. cor.,
marked on brass cap,

$\frac{1}{4}$ S 4
S 9
1920

from which,

- A pine, 6 ins. in diam., brs. S. 73 $\frac{3}{4}$ ° E., 50 lks.
dist., marked $\frac{1}{4}$ S 9 BT.
A pine, 10 ins. in diam., brs. N. 81 $\frac{3}{4}$ ° W., 59 lks.
dist., marked $\frac{1}{4}$ S 4 BT.
Descend 18 ft., over NW. slope.
44.74 Gulch, 30 lks. wide, course NW.
Ascend 300 ft., over NE. slope, to
65.00 Top of ridge, brs. SE. and W. Thence along same with
slight change in elevation.
80.04 The cor. of secs. 4, 5, 8 and 9 on top of ridge.
Land, mountainous.
Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, dense sagebrush, cacti and Spanish sagger.
No grass.


-
- 40.00 N. 0° 5' E., on a random line, bet. secs. 4 and 5.
Set temp. $\frac{1}{4}$ sec. cor.
80.37 Fall 21 lks. E. of the cor. of secs. 4, 5, 32 and 33, on the
N. bdy. of the Tp., hereinbefore described.
Thence,
S. 0° 4' E., on a true line, bet. secs. 4 and 5.
Over mountainous land, thru. dense timber and scattering
undergrowth.
Descend 87 ft., over SW. slope.
9.80 Gulch, 20 lks. wide, course SW.
Ascend 342 ft., over NE. slope, to
40.37 Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in
the ground to bedrock, deposit a stone marked with a
cross (x) at base of post, and raise a mound of stone
around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S 5 | S 4
1920

Chains.


Continue over mountainous land, thru. dense timber and scattering undergrowth.
 Ascend 240 ft., over NE. slope, to
 61.17 Change to E. slope, and ascend 50 ft. to sec. cor., along slope, of ridge, the top of which brs. N. and S. at about 4 chs. W. of line.
 80.37 The cor. of secs. 4, 5, 8 and 9, on top of ridge, bearing E. and W. at this point, general bearing NW. and SE.
 Land, mountainous.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering prickly ash, scrub oak, sagebrush and cacti.
 No grass.

 From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., described in Book "E,"
 N. 0° 3' W., bet. secs. 31 and 32.
 Over gently rolling land, thru. scattering timber and undergrowth.
 Descend gradually, over NW. slope, to
 10.00 Leave scattering, and enter dense timber.
 Ascend gradually over SW. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,
 A juniper, 14 ins. in diam., brs. S. 5° E., 65 lks. dist., marked $\frac{1}{4}$ S 32 BT.
 A juniper, 20 ins. in diam., brs. N. 40° W., 63 lks. dist., marked $\frac{1}{4}$ S 31 BT.

Continue over gently rolling land, thru. scattering timber and undergrowth.
 Ascend gradually over SW. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap,



from which,
 A juniper, 12 ins. in diam., brs. N. 26 $\frac{1}{2}$ ° E., 93 lks. dist., marked T26N R9W S29 BT.
 A juniper, 10 ins. in diam., brs. S. 86° E., 33 lks. dist., marked T26N R9W S32 BT.
 A juniper, 10 ins. in diam., brs. S. 61 $\frac{1}{2}$ ° W., 62 lks. dist., marked T26N R9W S31 BT.
 A pine, 14 ins. in diam., brs. N. 30° W., 52 lks. dist., marked T26N R9W S30 BT.

Land, gently rolling.
 Soil, gravelly and rocky, 3rd and 4th rate.
 Timber, juniper and pine, scattering in S. 10 chs.; dense in remainder.
 Undergrowth, scattering prickly ash and sage brush.
 Fair grass.

 East, on a random line, bet. secs. 29 and 32.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.

46 Part of Subdivision lines of T. 26 N., R. 9 W. (completion)

Chains.

- 80.06 Fall 9 lks. S. of the cor. of secs. 28, 29, 32 and 33.
Thence,
S. $89^{\circ}56'$ W., on a true line, bet. secs. 29 and 32.
Over gently rolling land, thru. dense timber and scattering undergrowth.
- 40.03 Ascend gradually over S. slope, to
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,


$$\begin{array}{r} \frac{1}{4} \text{ S } 29 \\ \hline \text{S } 32 \\ 1920 \end{array}$$
- from which,
A juniper, 12 ins. in diam., brs. S. $55\frac{1}{2}^{\circ}$ W., 46 lks. dist., marked $\frac{1}{4}$ S 32 BT.
A juniper, 8 ins. in diam., brs. N. $24\frac{1}{2}^{\circ}$ W., 32 lks. dist., marked $\frac{1}{4}$ S 29 BT.
- Continue over gently rolling land, thru. dense timber and scattering undergrowth.
- 80.06 Descend gradually over SW. slope, to
The cor. of secs. 29, 30, 31 and 32.
Land, rolling.
Soil, gravelly and rocky, 3rd and 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering prickly ash and sagebrush.
Fair grass.
-
- 40.00 West, on a random line, bet. secs. 30 and 31.
Set temp. $\frac{1}{4}$ sec. cor.
- 79.54 Intersect the cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., hereinbefore described.
Thence,
East, on a true line, bet. secs. 30 and 31.
Over nearly level land, thru. scattering timber and undergrowth.
- 8.00 Ascend slightly over SW. slope, to
Leave nearly level, and enter gently rolling land.
- 22.55 Descend gradually over S. slope, to
Wash, 20 lks. wide, course SW. Leave scattering, and enter dense timber.
- 39.54 Ascend gradually over SW. slope, to
Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bed rock, and raise a mound of stone, around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\begin{array}{r} \frac{1}{4} \text{ S } 30 \\ \hline \text{S } 31 \\ 1920 \end{array}$$
- from which,
A juniper, 8 ins. in diam., brs. S. $46\frac{1}{2}^{\circ}$ E., 42 lks. dist., marked $\frac{1}{4}$ S 31 BT.
A juniper, 10 ins. in diam., brs. N. 29° W., 29 lks. dist., marked $\frac{1}{4}$ S 30 BT.
- Continue over gently rolling land, thru. dense timber and scattering undergrowth.
- 79.54 Ascend gradually over SW. slope, to
The cor. of secs. 29, 30, 31 and 32.
Land W. of each, nearly level; remainder, gently rolling.
Soil, gravelly and rocky, 4th rate; scattering in W. $22\frac{1}{2}$ chs.; dense Timber, juniper and pine, scattering in W. $22\frac{1}{2}$ chs.; dense elsewhere. Undergrowth scattering prickly ash, scrub oak and Fair grass. sagebrush.
-

Part of Subdivision lines of T.26 N.2R.9 W. (completion) 47

Chains.


N.0°3'W., bet. secs.29 and 30,
 Over gently rolling land, thru. dense timber and scattering
 undergrowth.
 Ascend gradually over SW. slope, to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 3 ins. in
 the ground to bed rock, and raise a mound of stone
 around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,
 A juniper, 16 ins. in diam., brs. N.74 $\frac{1}{2}$ ° E., 56
 lks. dist., marked $\frac{1}{4}$ S 29 BT.
 A juniper, 14 ins. in diam., brs. N.25 $\frac{1}{4}$ ° W., 68
 lks. dist., marked $\frac{1}{4}$ S 30 BT.

Continue over gently rolling land, thru. dense timber
 and scattering undergrowth.
 Ascend gradually over SW. slope, to
 50.00 Descend 56 ft., over NW. slope.
 65.00 Ascend 69 ft., over S. slope.
 73.00 Spur, slopes W.

Descend 67 ft., over N. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 6 ins. in
 the ground to bed rock, and raise a mound of stone
 around post, for cor. of secs. 19, 20, 29 and 30, marked
 on brass cap,




from which,
 A juniper, 10 ins. in diam., brs. N.74° E., 167 lks.
 dist., marked T26N R9W S20 BT.
 A pine, 12 ins. in diam., brs. S.28° E., 56 lks.
 dist., marked T26N R9W S29 BT.
 A pine, 10 ins. in diam., brs. S.26 $\frac{1}{2}$ ° W., 105 lks.
 dist., marked T26N R9W S30 BT.
 A pine, 16 ins. in diam., brs. N.45 $\frac{1}{2}$ ° W., 165 lks.
 dist., marked T26N R9W S19 BT.

Land, gently rolling.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering greasewood, sagebrush, prickly ash
 and cacti.
 Fair grass.

N.89°56'E., on a random line bet. secs. 20 and 29.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.94 Fall 9 lks. N. of the cor. of secs. 20, 21, 28 and 29.

Thence,
 West, on a true line, bet. secs. 20 and 29.
 Over gently rolling land, thru. dense timber and scat-
 tering undergrowth.
 Ascend gradually over E. and NE. slope, to
 39.97 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in
 the ground to bed rock, and raise a mound of stone
 around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,
 A juniper, 12 ins. in diam., brs. N.2° E., 57
 lks. dist., marked $\frac{1}{4}$ S 20 BT.

48 Part of Subdivision lines of T.26 N. R. 9 W. (completion)

Chains.

A juniper, 16 ins. in diam., brs. S. 36° W., 51 lks. dist., marked $\frac{1}{4}$ S 29 BT.
 Continue over gently rolling land, thru. dense timber and scattering undergrowth.
 Ascend 10 ft., over NE. slope.
 43.95 N. end of top of hill, bearing N. and S.
 Descend 73 ft., over NW. slope.
 60.95 Gully, 25 lks. wide, course NW.
 Ascend 60 ft., over NE. slope.
 68.00 Point of spur, slopes N.
 Descend 29 ft., over NW. slope.
 73.44 Gully, 5 lks. wide, course N.
 Ascend 10 ft., over NE. slope, to
 79.94 The cor. of secs. 19, 20, 29 and 30.
 Land, gently rolling.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering prickly ash, scrub oak and sage brush.
 Fair grass.

 West, on random line, bet. secs. 19 and 30.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.50 Fall 7 lks. N. of the cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., hereinbefore described.
 Thence,
 N. 89° 57' E., on a true line, bet. secs. 19 and 30.
 Over rolling land, thru. dense timber and scattering undergrowth.
 Descend gradually over NE. slope.
 8.40 Wash, 15 lks. wide, course NW.
 Ascend gradually over NW. slope to $\frac{1}{4}$ sec. cor.
 21.70 Wash, 20 lks. wide, course NW.
 39.50 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 19
 S 30
 1920

from which,
 A pine, 10 ins. in diam., brs. N. 20 $\frac{1}{2}$ ° E., 74 lks. dist., marked $\frac{1}{4}$ S 19 BT.
 A pine, 8 ins. in diam., brs. S. 64° W., 22 lks. dist., marked $\frac{1}{4}$ S 30 BT.
 Continue over rolling land, thru. dense timber and scattering undergrowth, ascending gradually over NW. slope to sec. cor.
 47.56 Wash, 5 lks. wide, course NW.
 79.50 The cor. of secs. 19, 20, 29 and 30.
 Land, rolling.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering prickly ash and scrub oak.
 Fair grass.

 N. 0° 3' W., bet. secs. 19 and 20.
 Over rolling land, thru. dense timber and scattering undergrowth.
 Descend gradually over N. and NW. slopes to $\frac{1}{4}$ sec. cor.
 22.40 Old wood road, brs. NE. and SW.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in the ground to bed rock, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S 19 | S 20
 1920

Part of Subdivision lines of T.26 N. R.9 W. (completion) 49

Chains.

from which,

A pine, 10 ins. in diam., brs. N. $64\frac{1}{2}^{\circ}$ E., 90 lks.
dist., marked $\frac{1}{4}$ S 20 BT.A juniper, 14 ins. in diam., brs. S. $82\frac{1}{2}^{\circ}$ W., 59 lks.
dist., marked $\frac{1}{4}$ S 19 BT.

Continue over rolling land, thru. dense timber and scattering undergrowth.

Descend gradually over NW. slope.

50.90 Draw, 15 lks. wide, course NW.

Ascend 82 ft., over SW. slope.

74.90 Ridge, brs. NW. and SE.

Descend 30 ft., over NE. slope, to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in
the ground, for cor. of secs. 17, 18, 19 and 20, marked
on brass cap,

| | |
|------|------|
| T26N | R9 W |
| S18 | S17 |
| S19 | S20 |
| 1920 | |

from which,

A juniper, 10 ins. in diam., brs. N. 43° E., 14 lks.
dist., marked T26N R9W S17 BT.A pine, 8 ins. in diam., brs. S. $11\frac{1}{2}^{\circ}$ E., 33 lks.
dist., marked T26N R9W S20 BT.A juniper, 10 ins. in diam., brs. S. 71° W., 49 lks.
dist., marked T26N R9W S19 BT.A juniper, 10 ins. in diam., brs. N. $79\frac{1}{2}^{\circ}$ W., 55 lks.
dist., marked T26N R9W S18 BT.

Land, rolling.

Soil, gravelly and rocky, 4th rate.

Timber, dense juniper and pine.

Undergrowth, scattering prickly ash and sagebrush.

Fair grass.

East, on a random line, bet. secs. 17 and 20.40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.92 Fall 7 lks. S. of the cor. of secs. 16, 17, 20 and 21.

Thence,

S. $89^{\circ}57'$ W., on a true line, bet. secs. 17 and 20.Over rolling land, thru. dense timber and scattering
undergrowth.

Descend 67 ft., over W. slope, to

10.00 Thence over N. slope, ascending slightly to $\frac{1}{4}$ sec. cor.

30.00 Leave dense, and enter very scattering timber.

39.96 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

| | |
|-----------------|----|
| $\frac{1}{4}$ S | 17 |
| S | 20 |
| 1920 | |

from which,

A juniper, 7 ins. in diam., brs. S. $61\frac{3}{4}^{\circ}$ W., 400
lks. dist., marked $\frac{1}{4}$ S 20 BT.and dig pits, 18x18x12 ins., one each E. and W. of cor.
3 ft. dist.Continue over rolling land, thru. scattering undergrowth,
and very scattering timber.

Ascend 100 ft. over NE. and E. slopes.

47.22 Old wood road, brs. NE and SW.

50.00 Leave very scattering; and enter dense timber.

67.90 Spur, sloping NE.

Descend 74 ft., over NW. slope.

74.90 Gully, 50 lks. wide, course NE., near head.

Ascend 57 ft., over NE. slope, to

79.92 The cor. of secs. 17, 18, 19 and 20.

Land rolling.

50 Part of Subdivision lines of T.26 N. R.9 W.(completion).

Chains.

Soil, gravelly and rocky, 4th rate.
Timber, juniper and pine, dense in E.30 chs. and W.30 chs.;
very scattering elsewhere.
Undergrowth, scattering sagebrush, prickly ash and cacti.
Fair grass.

- 40.00 S. 89° 57' W., on a random line, bet. secs.18 and 19.
- Set temp. $\frac{1}{4}$ sec.cor.
- 79.20 Intersect the cor.of secs.13,18,19 and 24, on the W.bdy.
of the tp., hereinbefore described.
- Thence,
N.89°57'E., on a true line, bet. secs.18 and 19.
- Over roughly rolling land, thru. dense timber and scat-
tering undergrowth.
- Descend 80 ft., over E.slope.
- 4.50 Gully, 10 lks.wide, course NW.
- Ascend 66 ft., over NW.slope, to
- 12.00 Thence along N.slope.
- Descend 57 ft., to
- 21.50 Gully, 5 lks.wide, course N. Leave roughly rolling, and
enter gently rolling land.
- Descend slightly along N.slope, to
- 39.20 Set an iron post, 3 ft.long, 1 in.in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 18
 S 19
 1920

from which,

- A juniper, 8 ins. in diam., brs.N.55°E., 71
lks.dist., marked $\frac{1}{4}$ S 18 BT.
- A juniper, 8 ins. in diam., brs.S.47 $\frac{1}{2}$ °E., 144
lks.dist., marked $\frac{1}{4}$ S 19 BT.

- Continue over gently rolling land, thru. dense timber
and scattering undergrowth.
- Descend slightly over NE.slope.
- 45.90 Draw, 15 lks.wide, course NW.
- Leave gently rolling and enter rolling land.
- Ascend 125 ft., over W.slope.
- 76.90 Ridge, brs.NW. and SE.
- Descend 22 ft., over NE. slope, to
- 79.20 The cor.of secs. 17,18,19 and 20.
- Land, roughly and gently rolling. Soil, gravelly & rocky, 4th rate.
- Timber, dense juniper and pine.
- Undergrowth, scattering prickly ash and scrub oak.
- Fair grass.

- N.0°3'W., bet. secs.17 and 18.
- Over rolling land, thru. dense timber and scattering
undergrowth.
- Descend 79 ft., over NE.slope.
- 14.20 Gully, 20 lks.wide, course NE.
- Ascend 44 ft., over SE.slope.
- 24.00 Spur, slopes NE.
- Descend 40 ft., over N.slope.
- 31.00 Gully, 15 lks.wide, course NE.
- Ascend 42 ft., over SE.slope.
- 40.00 Set an iron post, 3 ft.long, 1 in. in diam., 22 ins. in
the ground to bed rock, and raise a mound of stone
around post, for $\frac{1}{4}$ sec.cor., marked on brass cap,


$\frac{1}{4}$
 S18 | S17
 1920

Chains.

from which,
 A pine, 10 ins. in diam., brs. S. 25 $\frac{3}{4}$ ° E., 17 lks.
 dist., marked $\frac{1}{4}$ S 17 BT.
 A pine, 10 ins. in diam., brs. S. 45 $\frac{1}{2}$ ° W., 22 lks.
 dist., marked $\frac{1}{4}$ S 18 BT.

Continue over rolling land, thru. dense timber and scattering undergrowth.

- 46.90 Descend 20 ft., over N. slope, to Gully, 10 lks. wide, course NW.
- 68.10 Descend 100 ft., over NW. slope, to Same gully, 10 lks. wide, course NE.
- 80.00 Ascend 80 ft., over SE. slope, to Top of ridge, brs. N. and SW. Set an iron post, 3 ft. long, 2 ins. in diam., 10 ins. in the ground to bed rock, and raise a mound of stone around post, for cor. of secs. 7, 8, 17 and 18, marked on brass cap,




1920

from which,
 A pine, 10 ins. in diam., brs. N. 23° E., 106 lks.
 dist., marked T26N R9W S8 BT.
 A pine, 8 ins. in diam., brs. S. 32 $\frac{1}{2}$ ° E., 78 lks.
 dist., marked T26N R9W S17 BT.
 A pine, 10 ins. in diam., brs. S. 52 $\frac{3}{4}$ ° W., 11 lks.
 dist., marked T26N R9W S18 BT.
 A pine, 8 ins. in diam., brs. N. 54 $\frac{1}{2}$ ° W., 62 lks.
 dist., marked T26N R9W S7 BT.

Land, rolling.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering sage brush, greasewood and cacti.
 Fair grass.

- 40.00 N. 89° 57' E., on a random line, bet. secs. 8 and 17. Set temp. $\frac{1}{4}$ sec. cor.
- 79.98 Fall 7 lks. N. of the cor. of secs. 8, 9, 16 and 17. Thence, West, on a true line, bet. secs. 8 and 17. Over gently rolling land, thru. dense timber and scattering undergrowth. Descend very gradually over W. slope.
- 1.40 Old wood road, brs. NE and SW.
- 26.20 Leave gently rolling land and dense timber, and enter roughly rolling land and very scattering timber. Descend 147 ft., over W. slope, to
- 39.99 Set an iron post, 3 ft. long, 1 in. in diam., over cross (x) marked on surface rock, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,



Continue over roughly rolling land, thru. very scattering timber and scattering undergrowth.

- 42.35 Descend 37 ft., over W. slope. Gully, 20 lks. wide, from SE. course N. for about 5 chs.; thence NW.
- Ascend 97 ft., over E. slope.
- 50.44 Spur, slopes N. Leave very scattering and enter dense timber. Descend 125 ft., over W. slope.

52 Part of Subdivision-lines of T126 N., R. 9 W., (completion)

Chains.

67.40 Gully, 20 lks. wide, course NE.
Ascend 84 ft., over E. slope, to
79.98 The cor. of secs. 7, 8, 17 and 18, on top of ridge.
Land; E. 26 chs., gently rolling; W. 54 chs., roughly rolling.
Soil, gravelly and rocky, 4th rate.
Timber, juniper and pine, dense in E. 26 chs. and W. 29½ chs.; very scattering elsewhere.
Undergrowth, scattering prickly ash and scrub oak.
No grass.

S. 89° 57' W., on random line, bet. secs. 7 and 18.
40.00 Set temp. ¼ sec. cor.
78.90 Fall 7 lks. S. of the cor. of secs. 7, 12, 13 and 18, on the
W. bdy. of the Tp., hereinbefore described.
Thence,
East, on true line, bet. secs. 7 and 18.
Over roughly rolling land, thru. dense timber and scattering undergrowth.
Descend 63 ft., over NE. slope.
12.90 Gully, 5 lks. wide, course NE. near head.
Ascend 34 ft., over NW. slope.
16.20 Point of spur, slopes NE.
Descend 84 ft., over E. slope.
27.70 Gully, 10 lks. wide, course N.
Ascend 59 ft., over W. slope.
35.00 Spur, slopes N.
Descend 35 ft., over E. slope, to
38.90 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in
the ground, to bed rock, and raise a mound of stone
around post, for ¼ sec. cor., marked on brass cap,

$$\frac{1}{4} \text{ S } 7$$

$$\frac{1}{4} \text{ S } 18$$
 1920

from which,

A juniper, 16 ins. in diam., brs. S. 7° W., 9 lks.
dist., marked ¼ S 18 BT.

A juniper, 12 ins. in diam., brs. N. 4½° W., 100 lks.
dist., marked ¼ S 7 BT.

Descend 10 ft., over E. slope.
42.00 Gully, 20 lks. wide, course N.
Ascend 65 ft., over W. slope.
58.00 Spur, slopes N.
Descend 75 ft., over E. slope.
66.00 Gully, 20 lks. wide, course N.
Ascend 53 ft., over NW. slope, to
78.90 The cor. of secs. 7, 8, 17 and 18, on top of ridge, bearing
N. and SW.
Land, roughly rolling.
Soil, gravelly and rocky, 4th rate.
Timber, dense juniper and pine.
Undergrowth, scattering prickly ash and scrub oak.
No grass.

N. 0° 3' W., bet. secs. 7 and 8.
Over mountainous land, thru. dense timber and undergrowth,
along top of ridge, brs. N. and S.
Ascend 65 ft., to
17.50 Leave top of ridge, brs. NE. and S. Thence along W. slope
of ridge, near top, ascending 45 ft. to
29.50 End of top of same ridge.
Descend 52 ft., over N. slope.
35.25 Gulch, 10 lks. wide, course NE.

Chains.

- 40.00 Ascend 50 ft., over SE. slope, to
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 7 \frac{1}{2} \text{ S } 8 \\ | \\ 1920 \end{array}$$

from which,

- A juniper, 16 ins. in diam., brs. S. 77° E., 44 lks.
dist., marked $\frac{1}{4}$ S 8 BT.
A pine, 8 ins. in diam., brs. N. 68 $\frac{1}{2}$ ° W., 135 lks.
dist., marked $\frac{1}{4}$ S 7 BT.

- 44.00 Ascend 15 ft., over SE. slope.
Point of spur, slopes E. from NW.
Descend 40 ft., over NE. slope, to
52.30 Top of rocky cliff, brs. SE. and W. facing N.
Descend 57 ft., to
57.00 Foot of same cliff.
Descend 172 ft., over E. and NE. slopes, to
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap,

$$\begin{array}{c|c} \text{T26N} & \text{R9W} \\ \hline \text{S } 6 & \text{S } 5 \\ \hline \text{S } 7 & \text{S } 8 \\ \hline 1920 \end{array}$$

from which,

- A pine, 8 ins. in diam., brs. N. 73 $\frac{1}{2}$ ° E., 88 lks.
dist., marked T26N R9W S5 BT.
A pine, 14 ins. in diam., brs. S. 19° E., 75 lks.
dist., marked T26N R9W S8 BT.
A pine, 8 ins. in diam., brs. S. 61° W., 42 lks.
dist., marked T26N R9W S7 BT.
A juniper, 8 ins. in diam., brs. N. 58° W., 69 lks.
dist., marked T26N R9W S6 BT.

Land, mountainous.

Soil, gravelly and rocky, 4th rate.

Timber; dense juniper and pine.

Undergrowth, scattering prickly ash and scrub oak.

No grass.

- 40.00 East, on a random line, bet. secs. 5 and 8.
Set temp. $\frac{1}{4}$ sec. cor.
80.08 Intersect the cor. of secs. 4, 5, 8 and 9.
Thence,
West, on true line, bet. secs. 5 and 8.
Over mountainous land, thru. dense timber and scattering undergrowth, along top of ridge, bearing E. and W.
Ascend 23 ft., to
3.60 Leave top of ridge, brs. N. and E.
Descend 430 ft., over SW. and W. slopes, to
40.04 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 5 \\ | \\ \text{S } 8 \\ | \\ 1920 \end{array}$$

from which,

- A pine, 12 ins. in diam., brs. S. 38° W., 27 lks.
dist., marked $\frac{1}{4}$ S 8 BT.
A pine, 8 ins. in diam., brs. N. 34° W., 114 lks.
dist., marked $\frac{1}{4}$ S 5 BT.

54 Part of Subdivision lines of T.26 N. R.9 W. (completion)

Chains.

41.00 Descend 10 ft., over W. slope.
 Gulch, 20 lks. wide, course NW.
 Ascend 131 ft., over NE. slope.

53.60 Spur, slopes NW.
 Descend 248 ft., over W. slope.

60.85 Gulch, 30 lks. wide, course NW.
 Ascend 29 ft., over NE. slope.

65.70 Point of spur, slopes N.
 Descend 41 ft., over NW. slope.

68.30 Gulch, 30 lks. wide, course N.
 Ascend 20 ft., over S. slope, to

76.60 Same gulch, course SE.
 Ascend 62 ft., over NE. slope, to

80.08 The cor. of secs. 5, 6, 7 and 8.
 Land, mountainous.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering prickly ash and sagebrush.
 No grass.

West, on a random line, bet. secs. 6 and 7.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

78.78 Fall 21 lks. S. of the cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., hereinbefore described.

Thence,
 S. $89^{\circ}51'E.$, on a true line, bet. secs. 6 and 7.
 Over roughly rolling land, thru. dense timber & undergrowth.

17.20 Descend 129 ft., over NE. slope, to
 Gulch, 10 lks. wide, course SE.

26.10 Descend 39 ft., over S. slope, to
 Gulch, 20 lks. wide, course NE. Leave roughly rolling, and enter mountainous land.

Ascend 60 ft., over NW. slope.

31.20 Point of spur, slopes N.
 Descend 140 ft., over NE. slope, to

38.78 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 6
 S 7
 1920

from which,
 A pine, 8 ins. in diam., brs. S. $15\frac{1}{2}^{\circ}E.$, 75 lks. dist., marked $\frac{1}{4}$ S 7 BT.
 A pine, 8 ins. in diam., brs. N. $55\frac{1}{2}^{\circ}W.$, 152 lks. dist., marked $\frac{1}{4}$ S 6 BT.

42.08 Descend 36 ft., over NE. slope.
 Gulch, 20 lks. wide, course N.
 Ascend 180 ft., over NW. slope.

51.30 Ridge, brs. NE. and SW.
 Descend 247 ft., over SE. slope, to

61.20 Gulch, 10 lks. wide, course SE.
 Descend 70 ft., over S. slope.

68.60 Same gulch, 20 lks. wide, course NE.
 Ascend 32 ft., over NW. slope.

75.60 Point of spur, slopes N.
 Descend 15 ft., over NE. slope, to

78.78 The cor. of secs. 5, 6, 7 and 8.
 Land, roughly rolling and mountainous.
 Soil, gravelly and rocky, 4th rate.
 Timber, dense juniper and pine.
 Undergrowth, scattering prickly ash, scrub oak and cacti.
 No grass.

N. $0^{\circ}4'W.$, on a random line; bet. secs. 5 and 6.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.10 Fall 28 lks. W. of the cor. of secs. 5, 6, 31 and 32, on the

Part of Subdivision lines of T.26 N. R.9 W. (completion) 555

| | |
|---------|--|
| Chains. | on the N. bdy. of the Tp., hereinbefore described. Thence, S.0°8'W., on a true line, bet. secs.5 and 6. Over mountainous land, thru. dense timber and scattering undergrowth. Descend 16 ft., over W. slope. Gulch, 20 lks. wide, course EW. Ascend 183 ft., over N. slope. Spur, slopes NW, from a Descend 110 ft., over SW. slope. Gulch, 10 lks. wide, course W. Ascend 80 ft., over N. slope. Spur, slopes W. Descend 28 ft., over S. slope. Gulch, 20 lks. wide, course W. Ascend 67 ft., over N. slope. Point of spur, slopes W. Descend 31 ft., over S. slope, to Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ $S \ 6 \ \ S \ 5$ 1920 from which, A juniper, 6 ins. in diam., brs. S.79°E., 57 lks. dist., marked $\frac{1}{4}$ S 5 ST. A juniper, 10 ins. in diam., brs. N.80°W., 10 lks. dist., marked $\frac{1}{4}$ S 6 ST. Descend 70 ft., over S. slope, to Gulch, 10 lks. wide, course W. Descend 45 ft., over W. slope, to Gulch, 30 lks. wide, course SW. at this point, general course SW. Ascend 172 ft., over NE. slope. East end of ridge, bearing E. and W. Descend 106 ft., over S. slope. Gulch, 20 lks. wide, course SE. Ascend 41 ft., over NE. slope, to The cor. of secs. 5, 6, 7 and 8. Land, mountainous. Soil, gravelly and rocky, 4th rate. Timber, dense juniper and pine. Undergrowth, scattering prickly ash, scrub oak and cacti. No grass. |
| 3.30 | |
| 13.60 | |
| 20.00 | |
| 25.45 | |
| 32.90 | |
| 35.30 | |
| 40.10 | |
| 44.70 | |
| 52.80 | |
| 70.60 | |
| 77.10 | |
| 80.10 | |

The continued satisfactory adjustment of the solar apparatus during the survey of this township is indicated from field tests described in Book "H"

56

Boundaries of that part of T.26 N..R.9 W., surveyed under this group (within the Hualpai Indian Reservation).

 Latitudes, Departures, and Closing Errors.

| Line designated. | True course. | Dist. | Latitudes. | | Departures. | |
|-----------------------------|----------------------------|-----------------|------------|-----------------|-------------|-----------------|
| | | | E. | S. | E. | W. |
| South boundary, | West, | 324.63 | | | | 324.63 |
| West boundary, | North, | 480.00 | 480.00 | | | |
| North boundary, | N. 89° 59' E. | 478.74 | .14 | | 478.74 | |
| East boundary, | South, | 351.07 | | 351.07 | | |
| Hualpai Indian Eas. bdy. | S. 50° W. S. 49° 57' W. | 161.50 39.97 | | 103.82 25.72 | | 123.72 30.60 |
| Convergency, | | | | | .49 | |
| Totals. | | | 480.14 | 480.61 | 479.23 | 478.95 |
| | | | | 430.14 | 478.95 | |
| Error in latitude, | | | 0.47 | | | |
| Error in departure, | | | | | 0.28 | |

GENERAL DESCRIPTION.

The portion of this township surveyed as described in the foregoing field notes lies entirely within the Hualpai Indian Reservation.

The surface in the N. half, and part of the southeastern portion is mountainous and roughly rolling, the remainder being rolling and gently rolling, with the exception of parts of secs. 30 and 31, which are nearly level.

A prominent mountain in NW. $\frac{1}{4}$ of sec. 35 is known as Blue Mountain. The soil is nearly all rocky, 4th rate, the exception being scattered areas with a gravelly 3rd rate soil; and some parts of secs. 11 and 14, with a sandy and gravelly, 2nd rate soil.

The timber consists of juniper and pine in all secs., and cedar in scattered sections. The timber occurs mostly in dense growths, the scattering and very scattering growths being confined mostly to the southern part of the township.

The undergrowth, consisting of prickly ash, scrub oak, sagebrush, manzanita, quinine brush and cacti is prevalent in a scattering growth in all sections, being dense in some parts of the north half of the township.

There is good grass in secs. 11 and 14, and fair grass in parts of the south half of the township, but the most of the surface of the township is devoid of grass.

There is no permanent running water, but a tank for periodical storage of water is located in sec. 23, known as Blue Mountain Tank. There are no settlers, and there is no indication of valuable mineral deposits.

The only improvements, aside from the tank mentioned, consist of a fenced corral on line bet. secs. 23 and 26, and a range fence extending in a northerly and southerly direction, from mesa in sec. 2 to a point in sec. 25.

Several old Indian roads traverse the township in various parts but all are in poor condition.

CERTIFICATE OF UNITED STATES TRANSITMAN.

I, Kenneth W. Bond ^{Transitman.} ~~Surveyor~~, U. S. ~~Surveyor~~, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 107, Arizona, bearing date of the 25th. day of February, 1920, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the North boundary, and Subdivision lines of ~~the~~ Township 26 North, Range 9 West,

of the Gila and Salt River Base & Meridian, in the State of Arizona, which are represented in and by diagram on page 1 hereof the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 107, Arizona. and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place, Denver, Colorado.

Date, March 23, 1921.

Kenneth W. Bond

U. S. Transitman

~~U. S. Surveyor~~

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

....., 191

The foregoing field notes of the survey of

executed by

under his special instructions dated, 191 , having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

.....
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in

....., has been correctly copied from the original notes on file in this office.

.....
U. S. Surveyor General.

CERTIFICATE OF UNITED STATES SURVEYOR.

I, Quintin Campbell, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 107, Arizona, bearing date of the 25th day of February, 1920, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, ~~surveyed~~ ^{retraced} all those parts or portions of the Hualpai Indian Reservation boundary (71M to 72M), and surveyed all those parts or portions of the North and West boundaries, and Subdivision lines of Township 26 North, Range 9 West,

of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes ^{and by diagram on page 1 hereof} as having been executed by me, and under my direction; and that all the corners of ~~survey~~ ^{retracement and} said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for Group 107, Arizona,

and in the specific manner described in the field notes, and that the foregoing are the original field notes of ~~such survey~~ ^{retracement and}

Place - Phoenix Ariz
Date - March 31-1922

Quintin Campbell
U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix Arizona, February 13, 1923.

The foregoing field notes of the ~~survey of~~ ^{retracement} part of the Hualpai Indian Reservation boundary (71M to 72M), and of the survey of the West and North boundaries and part (completion) of the Subdivision lines of

Township 26 North, Range 9 West,

of the Gila and Salt River Base and Meridian,

in the State of Arizona,

executed by Quintin Campbell, U. S. Surveyor, and Kenneth W. Bond, U. S. Transitman, under his special instructions dated Mar. 19 & 29, 1920, for Group 107, Ariz. ^{retracement and} having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Kenneth W. Bond
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in _____, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General