

Book "I"

4-679

BOOK 3612

FIELD NOTES

OF THE RETRACEMENT OF THE

East boundary,

and of the Survey of the

South boundary,

West boundary,

North boundary, and

Subdivision lines of

TOWNSHIP 6 NORTH, RANGE 15 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

William H. Thorn, U.S. Cadastral Engineer,

and

Ty White, U.S. Transitman,

In the capacity of U. S. Surveyors, under Special Instructions dated May 20, 1921, issued by the United States Surveyor General to govern surveys included in Group No. 115, Arizona, which were approved by the Commissioner of the General Land Office, November 8, 1921, and Assignment Instructions dated Oct. 23, 1922.

Retracement & Survey commenced January 29, 1923,

Retracement & Survey completed February 16, 1923.

3612

3612

3612






Book "I"

Group 115 - - Arizona.

BOOK 3612

INDEX DIAGRAM.

	12		12		13		13		14		14		
11	6	45	5	38	4	34	3	29	2	22	1	5	
	44		44		38		33		29		22		
10	7	42	8	37	9	33	10	28	11	21	12	4	
	43		43		37		33		27		21		
10	18	42	17	37	16	32	15	27	14	20	13	4	
	42		41	<i>T.6N.-R.15W.</i>					26		20		
9	19	41	20	36	21	31	22	26	23	19	24	3	
	41		40		36		31		25		18		
9	30	40	29	35	28	30	27	24	26	18	25	3	
	39		39		35		30		24		17		
9	31	38	32	34	33	29	34	23	35	17	36	3	
	8		8		7		7		6		6		

-  Lines surveyed under this group.
-  Lines retraced under this group.
-  Accepted surveys.
-  Unsurveyed.
-  Areas surveyed as per plats on file.

Book "I"

Group 115--Arizona

DATE DIAGRAM

	2-1-23	2-1-23	2-1-23	2-1-23	2-12-23	2-12-23	
2-1-23	6	5	4	3	2	1	2-12-23
2-16-23	2-16-23	2-16-23	2-15-23	2-15-23	2-13-23	2-13-23	
2-1-23	7	8	9	10	11	12	2-12-23
2-16-23	2-16-23	2-16-23	2-15-23	2-15-23	2-13-23	2-13-23	
2-1-23	18	17	16	15	14	13	2-12-23
2-15-23	2-15-23	2-15-23	2-14-23	2-14-23	2-13-23	2-10-23	
1-30-23	19	20	21	22	23	24	2-12-23
1-30-23	2-15-23	2-14-23	2-14-23	2-14-23	2-10-23	2-10-23	
1-30-23	30	29	28	27	26	25	2-12-23
1-10-23	1-30-23	2-14-23	2-14-23	2-14-23	2-10-23	2-2-23	
1-30-23	31	32	33	34	35	36	2-12-23
1-30-23	1-30-23	2-14-23	2-14-23	2-14-23	2-2-23	2-2-23	
1-30-23	1-30-23	1-30-23	1-30-23	1-30-23	1-29-23	1-29-23	

T 6 N. R. 15 W.

- Indicates surveys executed by William H. Thorn, U.S. Surveyor on dates shown thereon.
- - - Indicates retracements executed by William H. Thorn, U.S. Surveyor on dates shown thereon.
- Indicates surveys executed by Ty White, U.S. Transitman on dates shown thereon.
- - - Indicates retracements executed by Ty White, U.S. Transitman on dates shown thereon.

Retracements and surveys herein described, were executed on dates shown on diagram on page 11 hereof, by William H. Thorn, U.S.C.E., and Ty White, U.S.T., using respectively, Young & Sons light mountain transits Nos. 8592 and 8540; both instruments are equipped with full vertical circle and Smith solar attachment; unless otherwise specified, all azimuth determinations are accomplished with the solar attachment.

January 27, 1923: We examine the adjustments of the transits and correct all errors; then, to test the solar apparatus by comparing their indications, resulting from observations made during a.m. and p.m. hours with a meridian established by observations on Polaris, we proceed as follows:

At camp, near the $\frac{1}{4}$ sec. cor. bet. secs. 25 and 26, T. 6 N., R. 16 W., G. and S. R. B. and M., Arizona., lat. $33^{\circ}50'N.$, long. $113^{\circ}53\frac{1}{2}'W.$, at 11 hrs. 4.5 m., p.m., l.m.t., we observe Polaris at western elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point in the line thus determined on a peg driven firmly in the ground, 8 chs. N.

Azimuth of Polaris at western elongation, $1^{\circ}19\frac{1}{2}'$.

January 28, 1923: At 8 hrs. 8 m., a.m., l.m.t., we lay off the azimuth of Polaris, $1^{\circ}19\frac{1}{2}'$ to the east, and mark the true meridian thus determined by a tack in a peg driven firmly in the ground, 8 ch. North.

At 9 hrs. 0 m., a.m., l.m.t., we set off $33^{\circ}50'N.$ on the lat. arcs; $18^{\circ}18'S.$ on the decl. arcs; and determine a meridian with each solar, which agrees with the true meridian.

At apparent noon, with the lat. arcs unchanged, we observe the sun on the meridian with each solar; the resulting reading of each decl. arc is $18^{\circ}17'S.$, which agrees with the computed decl.

At 3 hrs. 0 m., p.m., l.m.t., with the lat. arcs unchanged, we set off $18^{\circ}14'S.$ on the decl. arcs and determine a meridian with each solar, which we find to agree with the true meridian.

As all of the solar observations during the usual hours of solar work come within $1'30''$ of the true meridian, we conclude that the adjustments of the instruments are satisfactory.

Unless otherwise specified, all measurements are made with a Lufkin steel tape 5 chs. in length, compared with a Lufkin 1 ch. standard steel tape and found correct.

The measurements are made on the slope, the vertical angle determined and the slope measurements properly reduced to true horizontal distances.

Retracement of East bdy. of Township 6 North, Range 15 West. 3

Chains.

The East boundary of T. 6 N., R. 15 W., was originally surveyed in June, 1914 by W. K. Kierulff, U. S. Transitman. No retracement or resurvey of this line is of record.

As the topographical features on the E. bdy. of T. 6 N., R. 15 W. are found to be in substantial agreement with the notes of the original survey, they are omitted from these notes, and reference is had to the original notes for such items.

The original cor. of Ts. 5 and 6 N., Rs. 14 and 15 W., established in 1911 by F. W. Rodolf, U. S. S. is an iron post, 3 ins. in diam., projecting 12 ins. above ground, firmly set, properly marked on brass cap, and witnessed by a mound of stone, S. of cor. No bearing trees.

Thence,

39.97 North, on retracement, on E. bdy. of sec. 36 (S. $\frac{1}{2}$).
Fall 2 lks. W. of the $\frac{1}{4}$ sec. cor. of secs. 31 and 36, which is an iron post, 1 in. in diam., projecting 36 ins. above ground, firmly set in a mound of stone, properly marked on brass cap, and witnessed by a mound of stone W. of cor. No bearing trees.

The true course and distance of this half mile are therefore N. 0° 2' E., 39.97 chs.

Thence,

40.17 North, on retracement, on E. bdy. of sec. 36 (N. $\frac{1}{2}$).
Fall 2 lks. W. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, 3 ins. in diam., projecting 24 ins. above ground, firmly set in a mound of stone, properly marked on brass cap, and witnessed by a mound of stone W. of cor. No bearing trees.

The true course and distance of this half mile are therefore N. 0° 2' E., 40.17 chs.

Land, mountainous.

Soil, rocky, 4th rate.

Timber, scattering palo verde.

Undergrowth, scattering greasewood brush, ocotillo, cholla and giant cactus.

North, on retracement on E. bdy. of sec. 25 (S. $\frac{1}{2}$).

39.95 Fall 7 lks. W. of the $\frac{1}{4}$ sec. cor. of secs. 25 and 30, which is an iron post, 1 in. in diam., projecting 36 ins. above ground, firmly set in a mound of stone, properly marked on brass cap, and witnessed by a mound of stone, W. of cor. No bearing trees.

The true course and distance of this half mile are therefore N. 0° 6' E., 39.95 chs.

Thence,

40.25 North, on retracement, on E. bdy. of sec. 25 (N. $\frac{1}{2}$).
Fall 10 lks. W. of the cor. of secs. 19, 24, 25 and 30, which is an iron post 3 ins. in diam., projecting 36 ins. above ground, firmly set in a mound of stone, properly marked on brass cap, witnessed by a mound of stone, W. of cor. No bearing trees.

The true course and distance of this half mile are therefore N. 0° 9' E., 40.25 chs.

Land, mountainous.

Soil, rocky, 4th rate.

Timber, scattering palo verde.

Undergrowth, scattering greasewood brush, ocotillo, cholla, and giant cactus.

North, on retracement, on E. bdy. of sec. 24 (S. $\frac{1}{2}$).

39.92 Fall 7 lks. W. of the $\frac{1}{4}$ sec. cor. of secs. 19 and 24, which is an iron post, 1 in. in diam., projecting 36 ins. above ground, firmly set in a mound, properly marked on brass cap, and witnessed by a mound of stone, W. of cor.

4 Retracement of East bdy. of Township 6 North, Range 515 West.

Chains.

No bearing trees.

The true course and distance of this half mile are therefore N.0°6'E., 39.92 chs.

Thence,

North, on retracement on E. bdy. of sec. 24 (N. $\frac{1}{2}$).

39.91 Fall 2 lks. W. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, 3 ins. in diam., projecting 36 ins. above ground, firmly set in a mound of stone, properly marked on brass cap, and witnessed by a mound of stone, W. of cor.

No bearing trees. True course and dist. of this half mile are therefore N.0°2'E., 39.91 chs.

Land, mountainous. Soil, rocky, 4th rate.

Timber, scattering palo verde.

Undergrowth, scattering greasewood brush, cholla, ocotillo and giant cactus.

39.96

North, on retracement, on E. bdy. of sec. 13 (S. $\frac{1}{2}$).Intersect the $\frac{1}{4}$ sec. cor. of secs. 13 and 18, which is an iron post, 1 in. in diam., projecting 10 ins. above ground, firmly set, properly marked on brass cap, and witnessed by two pits, one each N. and S. of post, and mound of earth W. of cor. No bearing trees.

The true course and distance of this half mile are therefore North 39.96 chs.

Thence,

North, on retracement, on E. bdy. of sec. 13 (N. $\frac{1}{2}$).

39.94

Fall 5 lks. W. of the cor. of secs. 7, 12, 13 and 18, which is an iron post, 3 ins. in diam., projecting 36 ins. above ground, firmly set in a mound of stone, properly marked on brass cap, and witnessed by a mound of stone, W. of cor. No bearing trees.

The true course and distance of this half mile are therefore N.0°4'E., 39.94 chs.

Land, mountainous and rolling.

Soil, rocky, 4th rate.

Timber, scattering palo verde and ironwood.

Undergrowth, scattering greasewood brush and ocotillo, cholla and giant cactus.

40.02

North, on retracement, on E. bdy. of sec. 12 (N. $\frac{1}{2}$).Intersect the $\frac{1}{4}$ sec. cor. of secs. 7 and 12, which is an iron post, 1 in. in diam., projecting 24 ins. above ground, firmly set in a mound of stone, properly marked on brass cap, and witnessed by a mound of stone, W. of cor.

No bearing trees.

The true course and distance of this half mile are therefore North, 40.02 chs.

Thence,

North, on retracement, on E. bdy. of sec. 12 (S. $\frac{1}{2}$).

40.00

Fall 16 lks. E. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, 3 ins. in diam., projecting 36 ins. above ground, firmly set in a mound of stone, properly marked on brass cap, and witnessed by a mound of stone W. of cor. No bearing trees.

The true course and distance of this half mile are therefore N.0°14'W., 40.00 chs.

Land, rolling and mountainous.

Soil, rocky, 4th rate.

Timber, scattering palo verde.

Undergrowth, cholla and ocotillo, cactus.

Giant cactus.

Retracement of East bdy. of Township 6 North, Range 15 West. 5

Chains.

40.08 North, on retracement, on E. bdy. of sec. 1 (S. $\frac{1}{2}$).
 Fall 19 lks. W. of the $\frac{1}{4}$ sec. cor. of secs. 1 and 6, which
 is an iron post, 1 in. in diam., projecting 36 ins.
 above ground, firmly set in a mound of stone, properly
 marked on brass cap, and witnessed by a mound of stone
 W. of cor. No bearing trees.
 The true course and distance of this half mile is there-
 fore N. 0° 16' E., 40.08 chs.

Thence,
 45.82 North, on retracement, on E. bdy. of sec. 1 (N. $\frac{1}{2}$).
 Intersect the cor. of Ts. 6 and 7 N., Rs. 14 and 15 W., which
 is an iron post, 3 ins. in diam., projecting 12 ins.
 above ground, firmly set, properly marked on brass
 cap, and witnessed by a mound of stone, S. of cor.
 No bearing trees.
 The true course and distance of this half mile are there-
 fore North, 45.82 chs.
 Land, rolling and mountainous.
 Soil, rocky, 4th rate.
 Timber; scattering palo verde.
 Undergrowth, greasewood brush, cholla and ocotillo.

6 Survey of South bdy. of Township 6 North, Range 15 West.

Chains.

From the cor. of Ts. 5 and 6 N., Rs. 14 and 15 W., hereinbefore described,
West, on a true line, bet. secs. 1 and 36.
Over mountainous land, thru. scattering timber and undergrowth.

- 2.20 Descend 20 ft., over W. slope.
Wash, 20 lks. wide, course SW.
Ascend 15 ft., over S. slope.
10.00 Descend 55 ft., over SW. slope, to
28.00 Wash, course SE. Thence over gently rolling land.
Ascend gradually over SE. slope, to
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 36
S 1
1923

No bearing trees available. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.

Continue over gently rolling land.

- 54.70 Descend gradually over SW. slope to sec. cor.
Dim road, brs. NE. and SE.
64.00 Dim road, brs. NE. and SW.
70.00 Wash, 20 lks. wide, course SW. Leave gently rolling, and
enter level land.
72.30 Dim road, brs. NW. and SE.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in
the ground, for cor. of secs. 1, 2, 35 and 36, marked on
brass cap,

T6N | R15W
S35 | S36
S 2 | S 1
T5N
1923

No bearing trees available. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous and gently rolling.

Soil, rocky, malpais formation, 4th rate.

Timber, ironwood, palo verde and mesquite.

Undergrowth, greasewood, ocotillo and cactus.

West, on a true line, bet. secs. 2 and 35.

Over gently rolling land, thru. scattering timber and undergrowth.

- 15.20 Wash, 15 lks. wide, course SW. Leave gently rolling and enter level land.
33.00 Wash, 20 lks. wide, course SW.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 35
S 2
1923

No bearing trees available. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.

- 62.50 Wash, 4.00 chs. wide, course SW.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the
ground, for cor. of secs. 2, 3, 34 and 35, marked on brass
cap,

T6N | R15W
S34 | S35
S 3 | S 2
T5N
1923

No bearing trees available. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Land, gently rolling and level.

Survey of South bdy. of Township 6 North, Range 15 West. 7

Chains.

Soil, rocky, 4th rate.
Timber, ironwood, palo verde and mesquite.
Undergrowth, greasewood, cholla, ocotillo and cactus.

West, on a true line, bet. secs. 3 and 34.
Over level land, thru. scattering timber and undergrowth.

- 10.00 Wash, 20 lks. wide, course S. 70° W.
- 25.75 Enter same wash, course W. from SE.
- 29.00 Leave wash, course SW. from E.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 34
S 3
1923

No bearing trees available; Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ high, N. of cor.

- 42.50 Wash, 15 lks. wide, course SW.
- 58.00 Wash, 25 lks. wide, course SW.
- 65.50 Road, brs. NW. and SE.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 3, 4, 33 and 34, marked on brass cap,

T6N R15W
S33 S34
S 4 S 3
T5N
1923

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.

Land, level.
Soil, sandy, 3rd rate.
Timber, palo verde, ironwood and mesquite.
Undergrowth, greasewood and cactus.

West, on a true line, bet. secs. 4 and 33.
Over level land, thru. scattering timber and undergrowth.

- 28.40 Wash, 5 lks. wide, course SW.
- 32.80 Wash, 15 lks. wide, course SW.
- 35.90 Road, brs. NE. and SW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 33
S 4
1923

No bearing trees available.
Dig pits, 18x18x12 ins., one each E. & W. of post, 3 ft. dist.
From this cor., water tank at McVey brs. S. 45° 16' W.

- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, marked on brass cap,

T6N R15W
S32 S33
S 5 S 4
T5N
1923

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.

Land, level.
Soil, sandy, 2nd rate.
Timber, mesquite.
Undergrowth, greasewood and cactus.

8 Survey of South bdy. of Township 6 North, Range 15 West.

Chains.

- West, on a true line, bet. secs. 5 and 32
Over level land, thru. scattering timber and undergrowth.
13.00 Road, brs. N. 5° W. and S. 5° E.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
$$\begin{array}{r} \frac{1}{4} \text{ S } 32 \\ \text{S } 5 \\ 1923 \end{array}$$
- No bearing trees available. Dig pits, 18x18x12 ins., one
each E. and W. of post, 3 ft. dist.
From this cor., water tank at McVey brs. S. 35° 28' E.
60.00 Center of A.T. and S.F.R.R., brs. N. 49° 13' W. and S. 49° 13' E.
60.95 Telephone line brs. N. 49° 13' W. and S. 49° 13' E.
63.20 Road brs. N. 50° W. and S. 50° E.
65.20 Road brs. N. 50° W. and S. 50° E.
Both of these roads extend westerly to Los Angeles, Cali-
fornia and southeasterly to Phoenix, Arizona.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in
the ground, for cor. of secs. 5, 6, 31 and 32, marked on
brass cap,
$$\begin{array}{r|l} \text{T6N} & \text{R15W} \\ \text{S31} & \text{S32} \\ \text{S } 6 & \text{S } 5 \\ \text{T5N} & \\ 1923 & \end{array}$$
- No bearing trees available. Dig pits 18x18x12 ins., one
each NE., SE., SW. and NW. of post, 3 ft. dist.
Land, level.
Soil, sandy, 2nd and 3rd rate.
Timber, mesquite, palo verde and ironwood.
Undergrowth, greasewood and cactus.
-
- West, on true line, bet. secs. 6 and 31.
Over level land, thru. scattering timber and undergrowth.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
$$\begin{array}{r} \frac{1}{4} \text{ S } 31 \\ \text{S } 6 \\ 1923 \end{array}$$
- No bearing trees available. Dig pits, 18x18x12 ins., one
each E. and W. of post, 3 ft. dist.
79.51 (80.00 chs. - 49 lks. convergency) Set an iron post, 3 ft.
long, 3 ins. in diam., 26 ins. in the ground, for cor.
of Tsec 5 and 6 N., Rs. 15 and 16 W., marked on brass
cap,
$$\begin{array}{r|l} \text{T6N} & \\ \text{R16W} & \text{R15W} \\ \text{S36} & \text{S31} \\ \text{S } 1 & \text{S } 6 \\ \text{T5N} & \\ 1923 & \end{array}$$
- No bearing trees available. Dig pits, 18x18x12 ins., one
each N., S., E. and W. of post, 3 ft. dist.
Land, level.
Soil, sandy, 2nd and 3rd rate.
Timber, mesquite, palo verde and ironwood.
Undergrowth, greasewood and cactus.
-

Survey of West bdy. of Township 6 North, Range 15 West.

Chains.

From the cor. of Ts. 5 and 6 N., Rs. 15 and 16 W., hereinbefore described,
 North, bet. secs. 31 and 36.
 Over level land, thru. scattering timber and undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S36 | S31
 1923

No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, marked on brass cap,

T6N
 R16W | R15W
 S25 | S30
 S36 | S31
 1923

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.

Land, level.
 Soil, sandy, 2nd rate.
 Timber, palo verde, ironwood and mesquite.
 Undergrowth, greasewood and cactus.

North, bet. secs. 25 and 30.
 Over level land, thru. scattering timber and undergrowth.
 0.12 Road, brs. N. 49° W. and S. 49° E.
 3.00 Road, brs. N. 49° W. and S. 49° E. Both of these roads extend westerly to Los Angeles and southeasterly to Phoenix.
 4.90 Telephone line brs. N. 49° W. and S. 49° E.
 5.60 A.T. and S.F.R.R. brs. N: 49° 13' W. and S. 49° 13' E.
 14.20 Breakwater, brs. SW. to railroad track, and extends 1 ch. E.
 14.30 Wash; 10 lks. wide, course SW.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S25 | S30
 1923

No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, marked on brass cap,

T6N
 R16W | R15W
 S24 | S19
 S25 | S30
 1923

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.

Land, level.
 Soil, sandy, 2nd and 3rd rate.
 Timber, mesquite, palo verde and ironwood.
 Undergrowth, greasewood and cactus.

North, bet. secs. 19 and 24.
 Over level land, thru. scattering timber and undergrowth.

10 Survey of West bdy. of Township 6 North, Range 15 West.

Chs.

33.00 Road brs. NE. and SW.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S24 | S19

1923

No bearing trees available. Dig pits, 18x18x12 ins., one each, N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, marked on brass cap,

T6N
R16W | R15W
S13 | S18

S24 | S19

1923

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.

Land, level.

Soil, sandy, 2nd and 3rd rate.

Timber, mesquite, palo verde and ironwood.

Undergrowth, greasewood, and cactus.

North, bet. secs. 13 and 18.

Over level land, thru. scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S13 | S18

1923

No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, marked on brass cap,

T6N
R16W | R15W
S12 | S 7
S13 | S18

1923

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.

Land, level.

Soil, sandy, 2nd and 3rd rate.

Timber, none.

Undergrowth, greasewood and cactus.

North, bet. secs. 7 and 12.

Over level land, thru. scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S12 | S 7

1923

No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, marked

Survey of the West boundary of Township 6 North, Range 15 West. 11

Chains.

on brass cap,

T6N	
R16W	R15W
S 1	S 6
S12	S 7
1923	

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.
Land, level.
Soil, sandy, 2nd and 3rd rates.
Timber, none.
Undergrowth, greasewood, ocotillo and cactus.

18.10
40.00

North, bet. secs. 1 and 6.
Over level land, thru. scattering timber and undergrowth.
Wash, 50 lks. wide, course S. 70° W.
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$	
S 1	S 6
1923	

80.00
80.30
82.00
83.00

No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.
SE. edge of Cunningham Wash, brs. NE. and SW. Thence across said wash formed by a series of washes, course S. 70° W.
Wash, 30 lks. wide, course S 70° W.
Wash, 20 lks. wide, course S: 70° W.
NW. edge of Cunningham Wash, brs. NE. and SW. Leave said wash.

85.84

(A point theoretically due West from the cor. of Ts. 6 and 7 N., Rs. 14 and 15 W.) Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of Ts. 6 and 7 N., Rs. 15 and 16 W., marked on brass cap,

T7N	
R16W	R15W
S36	S31
S 1	S 6
T6N	
1923	

from which,

- An ironwood, 18 ins. in diam., brs. N. 52° 35' E., 150 lks. dist., marked T7N R15W S31 BT.
- An ironwood, 18 ins. in diam., brs. S. 73° 10' E., 446 lks. dist., marked T6N R15W S6 BT.
- A mesquite, 8 ins. in diam., brs. S. 22° 50' W., 184 lks. dist., marked T6N R16W S1 BT.
- A ironwood, 8 ins. in diam., brs. N. 22° 15' W., 394 lks. dist., marked T7N R16W S36 BT.

Land, level.
Soil, sandy, 2nd and 3rd rate.
Timber, palo verde and ironwood.
Undergrowth, greasewood, ocotillo and cactus.

12 Survey of North bdy. of Township 6 North, Range 15 West.

Chains.

From the cor. of Ts. 6 and 7 N., Rs. 14 and 15 W., hereinbefore described,
West, on a random line, along the N. bdy. of T. 6 N., R. 15 W., setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs.; and at 479.69 chs., fall 66 lks. S. of the cor. of Ts. 6 and 7 N., Rs. 15 and 16 W., hereinbefore described. The falling answers to a correction of $0^{\circ}5'$, or 11 lks. S. per mile, counting from the NE. cor. of the Tp.

From the cor. of Ts. 6 and 7 N., Rs. 15 and 16 W., S. $89^{\circ}55'E.$, on a true line, bet. secs. 6 and 31. Over level land, thru. scattering timber and undergrowth.
7.50 NW. edge of Cunningham Wash, brs. NE. and SW. Thence across said wash formed by a series of washes, course SW.
8.30 Wash, 20 lks. wide, course SW.
11.80 Wash, 30 lks. wide, course SW.
15.00 SE. edge of Cunningham Wash, brs. NE. and SW. Leave said wash.
39.69 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
$$\begin{array}{r} \frac{1}{4} S 31 \\ \hline S 6 \\ 1923 \end{array}$$

No bearing trees available. Dig pits, 18x18x12 ins., one each E. and W. of post, 3 ft. dist.
79.69 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, marked on brass cap,
$$\begin{array}{c|c} T7N & R15W \\ \hline S31 & S32 \\ \hline S 6 & S 5 \\ T6N & \\ \hline 1923 & \end{array}$$

No bearing trees available. Dig pits, 18x18x12 ins., one each, NE., SE., SW. and NW. of post, 3 ft. dist.
Land, level.
Soil, sandy, 2nd and 3rd rate.
Timber, palo verde, ironwood and mesquite.
Undergrowth, greasewood and cactus.

S. $89^{\circ}55'E.$, on a true line, bet. secs. 5 and 32. Over level land, thru. scattering timber and undergrowth.
17.65 Wash, 30 lks. wide, course SW.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
$$\begin{array}{r} \frac{1}{4} S 32 \\ \hline S 5 \\ 1923 \end{array}$$

No bearing trees available. Dig pits, 18x18x12 ins., one each E. and W. of post, 3 ft. dist.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, marked on brass cap,
$$\begin{array}{c|c} T7N & R15W \\ \hline S32 & S33 \\ \hline S 5 & S 4 \\ T6N & \\ \hline 1923 & \end{array}$$

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.
Land, level.
Soil, sandy, 2nd and 3rd rate.
Timber, palo verde and mesquite.
Undergrowth, greasewood and cactus.

Survey of the North boundary of Township 6 North, Range 15 West. 13

Chains.

29.85
40.00

S.89° 55'E., on a true line, bet. secs.4 and 33.
Over level land, thru. scattering timber and undergrowth.
Wash, 10 lks.wide, course NW.
Set an iron post, 3 ft.long, 1 in. in diam., 26 ins.in
the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$$\frac{1}{4} \text{ S } 33$$

$$\text{S } 4$$

1923

77.35
80.00

No bearing trees available. Dig pits 18x18x12 ins., one
each E.and W.of post, 3 ft. dist.

Dim road, . brs.NW. and SE.
Set an iron post, 3 ft.long, 2 ins.in diam., 26 ins. in
the ground, for cor.of secs.3,4,33. and 34, marked on
brass cap,

T7N	R15W
S33	S34
S 4	S 3
T6N	
1923	

from which,

An ironwood, 18 ins.in diam., brs.S.15°20'E.,
269 lks.dist., marked T6N R15W S3 BT.

No other bearing trees available. Dig pits 18x18x12 ins.
one each N.E., S.E., SW. and NW.of post, 3 ft. dist.

Land, level.

Soil, gravelly, 3rd rate.

Timber, palo verde and ironwood.

Undergrowth, greasewood and cactus.

40.00

S.89°55'E., on a true line, bet. secs.3 and 34.
Over level land, thru. scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins.in
the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$$\frac{1}{4} \text{ S } 34$$

$$\text{S } 3$$

1923

from which,

An ironwood, 12 ins. in diam., brs.N.53°W., 270
lks.dist., marked $\frac{1}{4}$ S 34 BT.

An ironwood, 6 ins. in diam., brs.S.69 $\frac{1}{2}$ °W., 138
lks.dist., marked $\frac{1}{4}$ S 3 BT.

53.35
80.00

Wash, 10 lks.wide, course IW.
Set an iron post, 3 ft.long, 2 ins. in diam., 26 ins. in
the ground, for cor. of secs. 2,3,34 and 35, marked
on brass cap,

T7N	R15W
S34	S35
S 3	S 2
T6N	
1923	

from which,

A palo verde, 8 ins.in diam., brs.S.64°E.,
268 lks.dist., marked T6N R15W S2 BT.

An ironwood, 12 ins.in diam., brs.S.15°W.,
102 lks.dist., marked T6N R15W S 3BT.

No other bearing trees available. Raise a mound of
stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W.of cor.

Land, level.

Soil, gravelly, 3rd rate.

Timber, palo verde and ironwood.

Undergrowth, greasewood and cactus.

14 Survey of North bdy. of Township 6 North, Range 15 West.

Chains.

40.00 S. 89°55'E., on a true line, bet. secs. 2 and 35.
Over level land, thru. scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 35
S 2
1923

from which,

An ironwood, 6 ins. in diam., brs. N. 51 $\frac{1}{2}$ °W., 337 lks. dist., marked $\frac{1}{4}$ S 35 BT.
An ironwood, 14 ins. in diam., brs. S. 11 $\frac{1}{2}$ °W., 371 lks. dist., marked $\frac{1}{4}$ S 2 BT.

40.15 Wash, 10 lks. wide, course NW.

77.95 Wash, 10 lks. wide, course NW.

80.00 The true point for cor. of secs. 1, 2, 35 and 36, falls in wash, 70 lks. wide, course SW., in unsafe position to monument said cor.

Land, level.

Soil, rocky, 3rd and 4th rate.

Timber, ironwood, palo verde and mesquite.

Undergrowth, greasewood, ocotillo and cactus.

From the true point for cor. of secs. 1, 2, 35 and 36, S. 89°55'E., on a true line, bet. secs. 1 and 36.

Over mountainous land, thru. scattering timber and undergrowth.

Ascend slightly over W. slope, to

2.50 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for witness cor. to cor. of secs. 1, 2, 35 and 36, marked on brass cap,

T7N | R15W
WC S35 | S36
S 2 | S 1
T6N
1923

from which,

A palo verde, 8 ins. in diam., brs. N. 11 $\frac{1}{4}$ °E., 11 lks. dist., marked WC T7N R15W S36 BT.

An ironwood, 10 ins. in diam., brs. S. 6 $\frac{1}{4}$ °E., 83 lks. dist., marked WC T6N R15W S1 BT.

An ironwood, 8 ins. in diam., brs. S. 75 $\frac{1}{2}$ °W., 73 lks. dist., marked WC T6N R15W S2 BT.

A catclaw, 6 ins. in diam., brs. N. 34 $\frac{1}{2}$ °W., 123 lks. dist., marked WC T7N R15W S35 BT.

Ascend 110 ft., over W. slope.

3.85 Dim road, brs. NE. and SW.

13.65 NW. end of ridge, brs. NW. and SE.

Descend 30 ft., over NE. slope, to

22.35 Wash, 10 lks. wide, course NW. Leave mountainous and enter rolling land. Desc. 25 ft. over NW. slope, to

28.15 Wash, 15 lks. wide, course NW. Asc. 33 ft., over NW. slope, to

33.80 Descend 45 ft., over NE. slope.

35.35 Wash, 20 lks. wide, course NW. Asc. 10 ft., over NW. slope, to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 36
S 1
1923

from which,

A palo verde, 8 ins. in diam., brs. N. 49 $\frac{1}{2}$ °W., 113 lks. dist., marked $\frac{1}{4}$ S 36 BT.

An ironwood, 6 ins. in diam., brs. S. 9 $\frac{1}{2}$ °E., 146 lks. dist., marked $\frac{1}{4}$ S 1 BT.

Continue over rolling land. Asc. gradually over N. slope.

Survey of North bdy. of Township 6 North, Range 15 West.

Chains.

51.25
57.05
80.00

Dim road, brs. NW. and SE.
Wash, 10 lks. wide, course NW.
The cor. of Ts. 6 and 7 N., Rs. 14 and 15 W., hereinbefore described.
Land, rolling and mountainous.
Soil, rocky, 3rd rate.
Timber, ironwood, palo verde and mesquite,
Undergrowth, greasewood and cactus.



Boundaries of T.6 N., R.15 West.
 Latitudes, departures, and closing errors.


Line designated.	True bearing.	Dist.	Latitudes.		Departures.	
			N.	S.	E.	W.
South boundary,	West,	479.51				479.51
West boundary,	North,	485.84	485.84			
North boundary,	S.89°55'E.	479.69		.66	479.69	
East boundary,	South,	45.82		45.82		
	S.0°16'W.	40.08		40.08		.19
	S.0°14'E.	40.00		40.00	.16	
	South,	40.02		40.02		
	S.0°4'W.	39.94		39.94		.05
	South,	39.96		39.96		
	S.0°2'W.	39.91		39.91		.02
	S.0°6'W.	39.92		39.92		.07
	S.0°9'W.	40.25		40.25		.10
S.0°6'W.	39.95		39.95		.07	
S.0°2'W.	80.14		80.14		.04	
Convergency,					.49	
Totals,			485.84	486.65	480.34	480.05
				485.84	480.05	
	<u>Error in latitude,</u>			0.81		
	<u>Error in departure,</u>				0.29	

Survey of Subdivision lines of Township 6 North, Range 15 West. 17

Chains.


From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., hereinbefore described, N. 0° 2' E., bet. secs. 35 and 36. Over gently rolling land, thru. scattering timber and undergrowth.

- 12.85 A giant cactus on line, marked with 2 notches on each of N. and S. faces.
- 25.00 Wash, 10 lks. wide, course SW.
- 39.70 Dim road, brs. NW. and SE.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



No bearing trees available. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.


- 56.50 Center of wash, 3.00 chs. wide, course SW.
- 68.70 Wash, 15 lks. wide, course SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap,



No bearing trees available. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Land, gently rolling. Soil, rocky, 3rd and 4th rate. Timber, ironwood, palo verde and mesquite. Undergrowth, greasewood, ocotillo and cactus.

- 49.00 East, on a random line, bet. secs. 25 and 36. Set temp. $\frac{1}{4}$ sec. cor.
- 80.16 Fall 16 lks. S. of the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., hereinbefore described. Thence, S. 89° 53' W., on a true line, bet. secs. 25 and 36. Over mountainous land, thru. scattering timber and undergrowth, about 50 lks. S. of wash, course W. Descend gradually over NW. slope.
- 3.25 Wash, 50 lks. wide, course SW. from E. Thence along S. slope. Descend 20 ft., to
- 22.23 Ascend 65 ft., over SE. slope.
- 27.15 Small peak in ridge, bearing NE. and SW. Descend 110 ft., over W. slope, to
- 35.00 Thence over rolling land. Descend 25 ft., over W. slope, to
- 40.08 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



No bearing trees available. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.

- 48.15 Continue over rolling land, Desc. 30 ft., over W. slope, to Gulch, course NW. Desc. 25 ft., over NW. slope, to
- 59.75 Gulch, course NW. Thence over gently rolling land. Descend gradually over NW. slope to sec. cor.
- 61.15 Dim road, brs. NW. and SE.
- 79.55 Wash, 20 lks. wide, course NW.
- 80.16 The cor. of secs. 25, 26, 35 and 36. Land, mountainous, rolling and gently rolling.

18. Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

Soil, rocky, 4th rate.
 Timber, palo verde, ironwood and mesquite.
 Undergrowth, greasewood, ocotillo and cactus.

N. 0° 2' E., bet. secs. 25 and 26.

Over gently rolling land, thru. scattering timber and undergrowth.

Descend gradually over NW. slope.

- 0.60 Wash, 20 lks. wide, course SW. from SE.
 15.90 Dim road, brs. NW and SE.
 20.00 Wash, 30 lks. wide; course NW.
 29.10 Wash, 20 lks. wide, course NW. Thence over W. slope, ascending slightly to
 39.20 Wash, 10 lks. wide, course W. Leave gently rolling, and enter mountainous land. Asc. slightly over SE. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in the ground to bed rock, deposit a stone, marked with a cross (x) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

S26 | S25
 1923

No bearing trees available.

Continue over mountainous land.

- 50.00 Ascend 148 ft., over SE. slope.
 Ridge, brs. NE. and SW. Peak brs. SW. 0.50 chs. dist.
 Descend 102 ft., over NE. slope.
 55.05 Ascend 22 ft., over W. slope.
 56.60 Descend 65 ft., over NW. slope.
 66.70 Wash, 30 lks. wide, course W.
 Ascend 210 ft., over SE. slope.
 74.95 Ridge, brs. NE. and SW. Desc. 86 ft., over NW. slope, to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 10 ins. in the ground to bed rock, deposit a stone marked with a cross (x) at base of post, and raise a mound of stone around post, for cor. of secs. 23, 24, 25 and 26, marked on brass cap.

T6N | R15W
 S23 | S24
 S26 | S25
 1923

No bearing trees available.

Land, gently rolling and mountainous.

Soil, rocky, malpais formation, 4th rate.

Timber, palo verde, ironwood and mesquite.

Undergrowth, greasewood, and cactus.


N. 89° 53' E., on a random line, bet. secs. 24 and 25.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.30 Fall 5 lks. S. of the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of Tp., hereinbefore described.
 Thence,
 S. 89° 51' W., on a true line, bet. secs. 24 and 25.
 Over mountainous land, thru. scattering timber and undergrowth.
 Ascend 35 ft., over S. slope.
 2.00 Descend 10 ft., over SW. slope.
 3.00 Dim road, brs. NW and SW.
 4.30 Wash, course SW. Ascend 20 ft., over SE. slope.
 7.30 From this point, house at mining camp, brs. South 5 chsd dist.
 8.00 Descend 80 ft., over SW. slope, to
 19.20 Same wash, course NW.
 Descend 35 ft., over N. slope.

Survey of Subdivision lines of Township 6 North Range 15 West. 19

Chains.


- 20.80 Same dim road, brs. NW. and SE.
- 25.50 Same dim road, brs. NE. and SW.
- 27.50 Same wash, course SW.
Ascend 12 ft., over SE. slope.
- 29.00 Point of spur, slopes S. Desc. 25 ft., over SW. slope.
- 32.00 Same wash, 15 lks. wide, course NW. Same dim road, brs. NW. and SE. Asc. 67 ft., over NE. slope, to
- 40.15 Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in the ground to bed rock, deposit a stone marked with a cross (x) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,



- 42.70 No bearing trees available. Asc. 14 ft., over E. slope.
- 47.50 Spur, slopes N. Desc. 60 ft., over W. slope.
- 61.30 Gulch, 10 lks. wide, course NW.
Asc. 187 ft., over NE. slope, to
- 67.70 Ridge, brs. NW. and SE. Asc. 145 ft., over S. slope, to
- 80.30 Same ridge, brs. NE. and SW. Desc. 222 ft., over NW. slope, to
- The cor. of secs. 23, 24, 25 and 26.
Land, mountainous.
Soil, rocky, malpais formation, 4th rate.
Timber, palo verde, ironwood and mesquite.
Undergrowth, greasewood and cactus.


N. 0° 2' E., bet. secs. 23 and 24.
Over mountainous land, thru. scattering timber and undergrowth.

- 11.40 Descend 100 ft., over NW. slope.
- 16.60 Wash, 30 lks. wide, 12 ft. deep, course SW. Thence over rolling land. Ascend 35 ft., over S. slope.
- 32.40 Dim road, brs. N. 80° W. and S. 80° E.
- 39.20 Low ridge, brs. E. and W., near W. end of same.
Descend 75 ft., over NW. slope.
- 40.00 Wash, 50 lks. wide, course SW. Thence over gently rolling land. Asc. slightly over SW. slope, to
- Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,



from which,
An ironwood, 10 ins. in diam., brs. N. 12° 50' E., 37 lks. dist., marked $\frac{1}{4}$ S 24 BT.
An ironwood, 8 ins. in diam., brs. S. 18 $\frac{1}{4}$ ° W., 197 lks. dist., marked $\frac{1}{4}$ S 23 BT.

- Continue over gently rolling land.
- Ascend gradually over SW. slope, to sec. cor.
- 77.80 Dim road, brs. NE. and SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap,



No bearing trees available. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
Land, mountainous, rolling and gently rolling.
Soil, rocky, malpais formation, 4th rate.
Timber, palo verde, ironwood and mesquite.
Undergrowth, greasewood and cactus.

20 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

N.89°51'E., on a random line, bet. secs.13 and 24.
 40.00 Set temp. $\frac{1}{4}$ sec.cor.
 80.30 Fall 30 lks.N. of the cor. of secs.13,18,19 and 24, on the
 E.bdy. of the Tp., hereinbefore described.
 Thence,
 N.89°56'W., on a true line, bet. secs.13 and 24.
 Over mountainous land, thru. scattering timber and under-
 growth.
 Descend 260 ft., over SW.slope.
 17.30 Gulch, 15 lks.wide, course SE. Asc.155 ft., over NE.slope.
 35.10 Ridge, brs.NW and SE. Desc.60 ft., over SW.slope, to
 40.15 Set an iron post, 3 ft.long, 1 in. in diam., on surface
 rock, deposit a stone, marked with a cross (x) at base
 of post, and raise a mound of stone around post, for
 $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$ S 13
 S 24
 1923

No bearing trees available.
 Thence along S. slope, with slight change in elevation.
 48.40 Spur, slopes SW. Desc.150 ft., over W. slope.
 58.90 Wash, 10 lks.wide, course SW. Thence over gently rolling
 land. Desc.gradually over SW.slope, to sec.cor.
 79.00 Dim road, brs.N.20°E. and S.20°W.
 80.30 The cor. of secs.13,14,23 and 24.
 Land, mountainous and gently rolling.
 Soil, rocky, granite and malpais formation, 4th rate.
 Timber, ironwood, palo verde and mesquite.
 Undergrowth, greasewood and cactus.

N.0°2'E., bet. secs.13 and 14.
 Over gently rolling land, thru. scattering timber and
 undergrowth.
 Ascend gradually over SW. slope to $\frac{1}{4}$ sec.cor.
 4.00 Center of wash, 1 ch.wide, course SW.
 5.00 Center of wash, 1 ch.wide, course SW.
 29.80 Wash, 50 lks.wide, course SW.
 38.00 Wash, 20 lks.wide, course SW.
 40.00 Set an iron post, 3 ft.long, 1 in. in diam., 26 ins.in. the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap,

$\frac{1}{4}$
 S14 | S13
 1923

from which,

An ironwood, 6 ins. in diam., brs.S.81 $\frac{1}{4}$ °E., 294
 lks.dist., marked $\frac{1}{4}$ S 13 BT.

An ironwood, 5 ins.in diam., brs.S.22 $\frac{1}{2}$ °W., 200
 lks.dist., marked $\frac{1}{4}$ S 14 BT.

Continue over gently rolling land:

Descend gradually over W.slope to sec.cor.
 41.00 Wash, 10 lks.wide, 8 ft.deep, course W.
 49.00 Wash, 20 lks.wide, 4 ft.deep, course W.
 63.00 Center of wash, 1 ch.wide, course N.70°W.
 71.00 Wash, 30 lks.wide, course W.
 74.90 Wash, 20 lks.wide, course W.
 80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 20 ins. in
 the ground to bed rock, and raise a mound of stone
 around post for cor. of secs.11,12,13 and 14, marked on
 brass cap,

T6N | R15W
 S11 | S12
 S14 | S13
 1923

from which,

An ironwood, 6 ins.in diam., brs.N.41°E., 166
 lks.dist., marked T6N R15W S12BT

Survey of Subdivision lines of Township 6 North Range 15 West. 21

Chains.

An ironwood, 7 ins.in diam., brs. N. 17° W., 408 lks. dist., marked T6N R15W S11 BT.
 No other bearing trees available. Raise a mound of stone 3 ft. base, 2½ ft. high, W. of cor.
 Land, rolling.
 Soil, gravelly, 3rd rate.
 Timber, ironwood, palo verde and mesquite.
 Undergrowth, greasewood and cactus.

40.00 S. 89° 56' E., on a random line, bet. secs. 12 and 13.
 80.24 Set temp. ¼ sec. cor.
 Fall 7 lks. N. of the cor. of secs. 7, 12, 13 and 18, on E. bdy. of the Tp., hereinbefore described.
 Thence,
 N. 89° 53' W., on a true line, bet. secs. 12 and 13.
 Over gently rolling land, thru. scattering timber and undergrowth.
 2.25 Descend slightly over W. slope.
 Wash, 50 lks. wide, course NW.
 Descend gradually over NW. slope.
 10.10 Dim road, brs. N. and S.
 17.25 Wash, 20 lks. wide, course NW. Asc. gradually over NE. slope.
 35.00 Descend slightly over N. slope, to
 40.12 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap,

¼ S 12
 S 13
 1923

No bearing trees available. Raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.
 56.25 Descend gradually over N. slope.
 Center of wash, 1.50 chs. wide, course SW.
 62.75 Descend slightly over S. slope, to
 Center of same wash, course NW.
 80.24 Descend gradually over NW. and W. slopes, to
 The cor. of secs. 11, 12, 13 and 14.
 Land, gently rolling.
 Soil, rocky, 3rd rate.
 Timber, ironwood, palo verde and mesquite.
 Undergrowth, greasewood and cactus.

N. 0° 2' E., bet. secs. 11 and 12.
 Over gently rolling land, thru. scattering timber and undergrowth.
 3.40 Descend slightly, over W. slope, to
 Center of wash, 1.50 chs. wide, course W.
 Ascend gradually over SW. slope.
 19.00 Descend gradually over NW. slope, to
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap,

¼
 S11 | S12
 1923

from which,

An ironwood, 4 ins. in diam., brs. S. 67½° E., 170 lks. dist., marked BT.
 An ironwood, 10 ins. diam., brs. S. 83½° W., 91 lks. dist., marked ¼ S 11 BT.

Continue over gently rolling land, descending gradually over NW. slope to sec. cor.
 40.40 Wash, 20 lks. wide, course NW.

22 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

75.45 Wash, 30 lks. wide, course NW.
 79.70 Wash, 20 lks. wide, course NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap,

T6N	R15W
S 2	S 1
S11	S12

1923

from which,

An ironwood, 8 ins. in diam., brs. N. 71° E., 157 lks. dist., marked T6N R15W S1 BT.

An ironwood, 4 ins. in diam., brs. S. 7° E., 80 lks. dist., marked BT.

An ironwood, 4 ins. in diam., brs. S. 8½° W., 32 lks. dist., marked BT.

An ironwood, 12 ins. in diam., brs. N. 50½° W., 144 lks. dist., marked T6N R15W S2 BT.

Land, gently rolling.

Soil, stony, 3rd rate.

Timber, ironwood, palo verde and mesquite.

Undergrowth, greasewood and cactus.

40.00 S. 89° 53' E., on a random line, bet. secs. 1 and 12.
 79.98 Set temp. ¼ sec. cor.
 Fall 2 lks. S. of the cor. of secs. 1, 6, 7 and 12, on E. bdy. of Tp., hereinbefore described.

Thence,

N. 89° 54' W., on a true line, bet. secs. 1 and 12.

Over mountainous land, thru scattering timber and undergrowth.

6.00 Ascend 200 ft., over NE. slope.

Ridge, brs. NW. and SE.

Descend 780 ft., over SW. slope, to

37.00 Leave mountainous land, brs. NW and SE. Thence over rolling land.

Descend gradually, over SW. slope, to

39.99 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground, in a mound of stone, 3 ft. base, 1 ft. high, with marked (x) stone, for ¼ sec. cor., marked on brass cap,

¼ S 1
S 12
1923

No bearing trees available. Raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.

Continue over rolling land.

Descend gradually over SW. slope, to

51.30 Wash, 20 lks. wide, 10 ft. deep, course NW. Thence over gently rolling land.

Descend gradually over NW. slope, to sec. cor.

53.00 Dim road, brs. NW and SE.

79.98 The cor. of secs. 1, 2, 11 and 12.

Land, rolling and mountainous.

Soil, rocky, 3rd and 4th rate.

Timber, ironwood, palo verde and mesquite.

Undergrowth, greasewood and cactus.


40.00 N. 0° 2' E., on a random line, bet. secs. 1 and 2.
 85.71 Set temp. ¼ sec. cor.

Fall 15 lks. W. of the true point for cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., witnessed at 2.50 chs. S. 89° 55' E., as hereinbefore described.

Survey of Subdivision lines of Township 6 North Range 15 West. 23

Chains.

Thence, from the true point for cor.,
 S.0°8'W., on a true line, bet. secs. 1 and 2.
 Over mountainous land, thru. scattering timber and under-
 growth.
 Ascend 60 ft., over N. slope.
 4.00 Dim road, brs. NE. and W.
 14.70 Spur, slopes NW. From this point, peak brs. East 20 chs.
 dist. Desc. 15 ft., over SW. slope.
 17.10 Wash, 10 lks. wide, course W., near head.
 Ascend 120 ft., over NW. slope.
 24.40 Spur, slopes SW. Desc. 30 ft., over SE. slope.
 30.25 Descend 70 ft., over SW. slope.
 40.40 Wash, 35 lks. wide, course W. Thence over rolling land.
 Ascend slightly over W. slope, to
 45.71 The true point for 1/4 sec. cor., falls in center of wash,
 course NW., where it cannot be safely monumented.
 46.31 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for witness cor. to 1/4 sec. cor., marked on
 brass cap,




from which,

An ironwood, 18 ins. in diam., brs. S. 48 1/4° E., 48
 lks. dist., marked WC 1/4 S 1 BT.
 An ironwood, 6 ins. in diam., brs. S. 55 1/4° W., 251
 lks. dist., marked WC 1/4 S 2 BT.
 Continue over rolling land, ascending gradually over NW.
 slope to sec. cor.
 48.70 Dim road, brs. NW. and SE.
 69.70 Wash, 10 lks. wide, course NW.
 85.71 The cor. of secs. 1, 2, 11 and 12.
 Land, mountainous and rolling.
 Soil, sandy and gravelly, 3rd rate.
 Timber, ironwood, palo verde and mesquite.
 Undergrowth, greasewood and cactus.

From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of Tp.,
 hereinbefore described,
 N. 0° 2' E., bet. secs. 34 and 35.
 Over gently rolling land, thru. scattering timber and
 undergrowth.

Ascend gradually over SW. slope to 1/4 sec. cor.
 2.20 Wash, 20 lks. wide, course SW.
 9.80 Wash, 10 lks. wide, course SW.
 17.80 Wash, 20 lks. wide, course SW.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for 1/4 sec. cor., marked on brass cap,



from which,

An ironwood, 8 ins. in diam., brs. S. 35 1/2° E., 109
 lks. dist., marked 1/4 S 35 BT.
 An ironwood, 8 ins. in diam., brs. S. 22 1/2° W., 236
 lks. dist., marked 1/4 S 34 BT.
 Continue over gently rolling land. Asc. gradually over SW.
 slope to sec. cor.
 48.70 Wash, 10 lks. wide, course SW.
 58.00 Wash, 20 lks. wide, course SW.
 65.48 Giant cactus on line, marked with 2 notches on each of N.
 and S. faces.
 72.60 Wash, 20 lks. wide, course SW.

24 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, marked on brass cap,

T6N	R15W
S27	S26
S34	S35
1923	

from which,

An ironwood, 6 ins. in diam., brs. N. $50\frac{1}{2}^{\circ}$ E.,
110 lks. dist., marked T6N R15W S26 BT.

An ironwood, 5 ins. in diam., brs. S. $2^{\circ}8'$ E.,
192 lks. dist., marked T6N R15W S35 BT.

An ironwood, 7 ins. in diam., brs. S. 51° W., 199
lks. dist., marked T6N R15W S34 BT.

An ironwood 8 ins. in diam., brs. N. $53^{\circ}10'$ W., 186
lks. dist., marked T6N R15W S27 BT.

Land, gently rolling.

Soil, rocky, 2nd and 3rd rate.

Timber, palo verde and ironwood.

Undergrowth, greasewood, ocotillo and cactus.

40.00 East, on a random line, bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.
80.16 Intersect N. and S. line, 4 lks. N. of the cor. of secs. 25,
26, 35 and 36.

Thence,

N. $89^{\circ}58'$ W., on a true line, bet. secs. 26 and 35.

Over gently rolling land, thru. scattering timber and
undergrowth.

Descend gradually to $\frac{1}{4}$ sec. cor.

1.15 Wash, 20 lks. wide, course W. from NE. Thence in wash,
course W.

5.35 Leave wash, course SW. from E.

13.25 Same wash, 10 lks. wide, course NW.

40.08 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$	S 26
	S 35
1923	

No bearing trees available. Raise a mound of stone, 3
ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

Continue over gently rolling land. Desc. gradually.

44.55 Wash, 10 lks. wide, course W. from S. 80° E. Thence in wash,
course W.

50.55 Leave wash, course N. 80° W. from E. Desc. gradually over W.
slope, to

80.16 The cor. of secs. 26, 27, 34 and 35.

Land, gently rolling.

Soil, gravelly, 3rd rate.

Timber, palo verde, ironwood and mesquite.

Undergrowth, greasewood and cactus.

N. $0^{\circ}2'$ E., bet. secs. 26 and 27.

Over gently rolling land, thru. scattering timber and
undergrowth.

Ascend gradually over SW. slope, to $\frac{1}{4}$ sec. cor.

1.00 Wash, 50 lks. wide, 8 ft. deep, course SW.

15.00 Wash, 50 lks. wide, 10 ft. deep, course W.

16.50 Dim road, brs. NE. and SW.

39.50 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for witness cor. to $\frac{1}{4}$ sec. cor., marked
on brass cap,

Survey of Subdivision lines of Township 6 North, Range 15 West. 25

Chains.

1/4
W C
S27 | S26
1923

from which,
An ironwood, 12 ins. diam., brs. N. 32° E., 34 lks. dist., marked WC 1/4 S 26 BT.
An ironwood, 6 ins. in diam., brs. S. 58 1/2° W., 94 lks. dist., marked WC 1/4 S 27 BT.

40.00 The true point for 1/4 sec. cor. falls in wash, course SW., where it would be unsafe to set monument.

Continue over gently rolling land.
Ascend gradually over SW. slope to sec. cor.

40.20 Center of wash, 1 ch. wide, course SW.

49.50 Wash, 50 lks. wide, course SW.

54.00 Center of wash, 1.50 chs. wide, course S. 70° W.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 22, 23, 26, and 27, marked on brass cap,

T6N | R15W
S22 | S23
S27 | S26
1923

from which,
An ironwood, 24 ins. in diam., brs. N. 13 1/2° E., 108 lks. dist., marked T6N R15W S23 BT.
An ironwood, 10 ins. in diam., brs. S. 88 1/2° E., 28 lks. dist., marked T6N R15W S26 BT.
An ironwood, 10 ins. in diam., brs. S. 52 1/4° W., 355 lks. dist., marked T6N R15W S27 BT.
An ironwood, 10 ins. in diam., brs. N. 5 1/2° W., 23 lks. dist., marked T6N R15W S22 BT.

Land, gently rolling.
Soil, stony, 4th rate.
Timber, ironwood and palo verde.
Undergrowth, greasewood, ocotillo and cactus.

S. 89° 58' E.; on a random line, bet. secs. 23 and 26.

40.00 Set temp. 1/4 sec. cor.

80.10 Intersect N. and S. line; 5 lks. S. of the cor. of secs. 23, 24, 25 and 26.

Thence,
West, on a true line, bet. secs. 23 and 26.
Over mountainous land, thru. scattering timber and dense undergrowth.

10.10 Descend 120 ft., over NW. slope, to Thence over gently rolling land.
Descend gradually over NW. slope to 1/4 sec. cor.

33.30 Dim road, brs. NE. and SW.

39.55 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for witness cor. to 1/4 sec. cor., marked on brass cap,

WC 1/4 S23
S26
1923

from which,
An ironwood, 10 ins. in diam., brs. N. 2° E., 56 lks. dist., marked WC 1/4 S 23 BT.
An ironwood, 10 ins. in diam., brs. S. 69 1/2° W., 159 lks. dist., marked WC 1/4 S 26 BT.

40.05 The true point for 1/4 sec. cor. falls in wash, where it cannot be safely monumented.

Continue over gently rolling land.
Descend gradually over SW. slope to sec. cor.

40.10 Center of wash, 70 lks. wide, course S. 70° W.

45.10 Dim road, brs. N. and S.

26 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

59.90 Center of wash, 1.50 chs. wide, course SW.
 59.10 Center of wash, 1 ch. wide, course SW.
 80.10 The cor. of secs. 22, 23, 26 and 27.
 Land, mountainous and gently rolling.
 Soil, rocky, 4th rate, granite formation.
 Timber ironwood and palo verde.
 Undergrowth, greasewood, catclaw, ocotillo and cactus.

N. 0° 2' A., bet. secs. 22 and 23.

Over gently rolling land, thru. scattering timber and dense undergrowth.

Ascend gradually over SW. slope to $\frac{1}{4}$ sec. cor.

1.10 Center of wash, 1 ch. wide, course W. from NE.
 20.00 Wash, 30 lks. wide, course SW.
 32.90 Wash, 70 lks. wide, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S22 | S23

1923

from which,

An ironwood, 10 ins. in diam., brs. N. 14° E., 136 lks. dist., marked $\frac{1}{4}$ S 23 BT.

A palo verde, 8 ins. in diam., brs. N. 60° W., 44 lks. dist., marked $\frac{1}{4}$ S 22 BT.

Ascend gradually over SW. slope to sec. cor.

65.00 Wash, 20 lks. wide, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of secs. 14, 15, 22 and 23, marked on brass cap,

T6N | R15W.
 S15 | S14
 S22 | S23

1923

from which,

An ironwood, 6 ins. diam., brs. S. 4° E., 131 lks. dist., marked T6N R15W S23 BT.

An ironwood, 6 ins. in diam., brs. S. 10 $\frac{3}{4}$ ° W., 130 lks. dist., marked T6N R15W S22 BT.

An ironwood, 4 ins. in diam., brs. N. 10 $\frac{1}{2}$ ° W., 137 lks. dist., marked BT.

No other bearing trees available.

Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, gently rolling. Soil, rocky, 4th rate.

Timber, ironwood and palo verde.

Undergrowth, greasewood, ocotillo and cactus.

East, on a random line, bet. secs. 14 and 23.

40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line, 10 lks. S. of the cor. of secs. 13, 14, 23 and 24.

Thence,

S. 89° 56' W., on a true line, bet. secs. 14 and 23.

Over gently rolling land, thru. scattering timber and dense undergrowth. Desc. gradually over SW. slope, to

4.20 Center of wash, 2.50 chs. wide, 5 ft. deep, course SW.
 14.60 Wash, 20 lks. wide, 6 ft. deep, course SW.
 25.90 Wash, 20 lks. wide, 6 ft. deep, course S. 20° W.
 33.00 Wash, 10 lks. wide, 4 ft. deep, course SW.
 35.10 Dim road, brs. N. and S.
 40.04 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

Survey of Subdivision lines of Township 6 North, Range 15 West. 27

Chains.

1/4 S 14
S 23
1923

No bearing trees available. Raise a mound of stone, 2 1/2 ft. base, 2 ft. high, N. of cor.
Descend gradually over SW. slope to sec. cor.
45.10 Wash, 50 lks. wide, 2 ft. deep, course SW.
54.90 Wash, 20 lks. wide, course SW.
80.08 The cor. of secs. 14, 15, 22 and 23.
Land, gently rolling.
Soil, rocky, 4th rate.
Timber, ironwood and palo verde.
Undergrowth, greasewood, ocotillo and cactus.

N. 0° 2' E., bet. secs. 14 and 15.
Over gently rolling land, thru. scattering timber and dense undergrowth.
Ascend gradually over SW. and W. slopes to 1/4 sec. cor.
3.00 Wash, 50 lks. wide, course SW.
16.50 Wash, 10 lks. wide, course SW.
21.30 Wash, 30 lks. wide, 4 ft. deep, course S. 70° W.
28.70 Center of wash, 1.50 chs. wide, course W.
36.00 Wash, 50 lks. wide, 4 ft. deep, course W.
39.80 Wash, 50 lks. wide, 4 ft. deep; course W.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

1/4
S15 | S14
1923

from which,
An ironwood, 10 ins. in diam., brs. S. 20° E., 113 lks. dist., marked 1/4 S 14 BT.

No other bearing tree available. Raise a mound of stone 2 1/2 ft. base, 2 ft. high, W. of cor.
Ascend gradually over W. slope to sec. cor.
45.50 Wash, 30 lks. wide, 8 ft. deep, course SW.
61.00 Wash, 30 lks. wide, course W.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap,

T6N | R15W
S10 | S11
S15 | S14
1923

No bearing trees available.
Raise a mound of stone, 2 1/2 ft. base, 11 1/2 ft. high, W. of cor.
Land, gently rolling.
Soil, rocky, 4th rate.
Timber, palo verde and ironwood.
Undergrowth, greasewood, ocotillo and cactus.

N. 89° 56' E., on a random line, bet. secs. 11 and 14.
40.00 Set temp. 1/4 sec. cor.
80.08 Intersect N. and S. line, 8 lks. N. of the cor. of secs. 11, 12, 13 and 14.
Thence,
S. 89° 59' W., on a true line, bet. secs. 11 and 14.
Over gently rolling land, thru. scattering timber and dense undergrowth.
Descend gradually.
11.10 Wash, 10 lks. wide, 5 ft. deep, course NW.
30.10 Same wash, course SW.
31.60 Dim road, brs. N. and S.

28 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

- 33.60 Wash, 30 lks. wide, 6 ft. deep, course SW.
Ascend 20 ft., over SE. slope.
35.10 End of spur, slopes S. Desc. 25 ft. over SW. slope.
40.04 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 11
S 14
1923

- No bearing trees available. Raise a mound of stone, 3 ft.
base, 2 ft. high, N. of cor.
43.40 Same wash, 30 lks. wide, 6 ft. deep, course NW.
51.10 Wash, 30 lks. wide, 8 ft. deep, course NW.
71.40 Wash, 10 lks. wide, course N. 70° W.
89.08 The cor. of secs. 11, 12, 13 and 14.
Land, gently rolling.
Soil, rocky, 4th rate.
Timber, ironwood and palo verde.
Undergrowth, greasewood, ocotillo, catclaw and cactus.

- N. 0° 2' E., bet. secs. 10 and 11.
Over gently rolling land, thru. scattering timber and
dense undergrowth. Desc. gradually over NW. slope.
4.00 Wash, 20 lks. wide, 3 ft. deep, course NW.
10.80 Wash, 20 lks. wide, 6 ft. deep, course NW.
21.00 Center of shallow wash, 2 chs. wide, course NW. Leave gent-
ly rolling, and enter mountainous land.
Ascend 197 ft., over SW. slope.
35.78 Ridge, brs. NW. and SE. Desc. 80 ft., over NE. slope, to
40.00 Set an iron post, 3 ft. long, 1 in. in diam., on surface
rock, deposit a stone, marked with a cross (x) at base
of post, and raise a mound of stone around post, for
 $\frac{1}{4}$ sec. cor., marked on brass cap,

S10 | S11
1923

- No bearing trees available. Desc. 80 ft., over NE. slope, to
48.00 Wash, 20 lks. wide, 4 ft. deep, course NW. Leave mountainous,
and enter gently rolling land.
Descend gradually over NW. slope to sec. cor.
51.50 Wash, 30 lks. wide, course NW.
67.10 Wash, 20 lks. wide, course NW. Thence over level land.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in
the ground, for cor. of secs. 2, 3, 10 and 11, marked on
brass cap,

T6N | R15W
S 3 | S 2
S10 | S11
1923

- from which,
An ironwood, 10 ins. in diam., brs. N. 7 $\frac{1}{2}$ ° E., 434
lks. dist., marked BT.
An ironwood, 8 ins. in diam., brs. N. 5 $\frac{1}{4}$ ° W., 381
lks. dist., marked BT.
No other bearing trees available. Dig pits, 18x18x12 ins.
one each NE., SE., SW. and NW. of post, 3 ft. dist.
Land, mountainous, gently rolling and level.
Soil, rocky, 4th rate.
Timber, ironwood and palo verde.
Undergrowth, greasewood, ocotillo and cactus.

Survey of Subdivision Lines of Township 6 North, Range 15 West. 29

Chains.

40.00 N.89°59'E., on a random line, bet, secs. 2 and 11.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.10 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 1, 2,
 11. and 12.
 Thence,
 West, on a true line, bet. secs. 2 and 11.
 Over gently rolling land, thru. scattering timber and
 dense undergrowth. Desc. gradually over NW. slope.
 1.10 Center of wash, 1 $\frac{1}{2}$ ch. wide, course N.30°W.
 10.10 Center of wash, 1 ch. wide, course NW.
 17.80 Wash, 70 lks. wide, course NW.
 21.10 Dim road, brs. N. and S.
 28.60 Wash, 30 lks. wide, 3 ft. deep, course NW. Leave gently
 rolling and enter level land.
 40.05 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 2
 S 11
 1923

from which,
 An ironwood, 6 ins. in diam., brs. N.88°W., 99
 lks. dist., marked $\frac{1}{4}$ S 2 BT.
 An ironwood, 12 ins. in diam., brs. S.43 $\frac{1}{2}$ °E., 98
 lks. dist., marked $\frac{1}{4}$ S 11 BT.

80.10 Continue over level land.
 The cor. of secs. 2, 3, 10 and 11.
 Land, gently rolling and level.
 Soil, rocky, 4th rate.
 Timber, ironwood and palo verde.
 Undergrowth, greasewood, ocotillo and cactus.

40.00 N.0° 8'E., on a random line, bet. secs. 2 and 3.
 Set temp. $\frac{1}{4}$ sec. cor.
 85.88 Fall 7 lks. W. of the cor. of secs. 2, 3, 34 and 35, on the
 N. bdy. of the Tp., hereinbefore described.
 Thence,
 S.0°11'W., on a true line, bet. secs. 2 and 3.
 Over level land, thru. scattering timber and dense under-
 growth.
 25.90 Wash, 50 lks. wide, course NW.
 29.90 Wash, 30 lks. wide, course NW.
 45.88 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S 3 | S 2
 1923

from which,
 An ironwood, 6 ins. in diam., brs. S.45 $\frac{1}{2}$ °E., 102
 lks. dist., marked $\frac{1}{4}$ S 2 BT.
 A palo verde, 5 ins. in diam., brs. S.69 $\frac{1}{2}$ °W., 22
 lks. dist., marked $\frac{1}{4}$ S 3 BT.

85.88 Continue over level land.
 The cor. of secs. 2, 3, 10 and 11.
 Land, level.
 Soil, granite formation, 2nd and 3rd rate.
 Timber, palo verde and ironwood.
 Undergrowth, greasewood, ocotillo and cactus.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of Tp.,
 hereinbefore described,
 N.0°1'E., bet. secs. 33 and 34.
 Over level land, thru. scattering timber and undergrowth.

30 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

- 5.60 Dim road, brs. NW. and S.E.
 8.40 Wash, 10 lks. wide, course SW.
 19.70 Wash, 15 lks. wide, course SW.
 31.80 Dim road, brs. NE and SW.
 40.00 Set an iron post; 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
- $\frac{1}{4}$
 S33 | S34
 1923
- No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.
 63.00 Wash, 5 lks. wide, course SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap,
- | | |
|-----|------|
| T6N | R15W |
| S28 | S27 |
| S33 | S34 |

 1923
- No bearing trees available. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
 Land, level.
 Soil, gravelly and stony, 3rd rate.
 Timber, ironwood, palo verde and mesquite.
 Undergrowth, greasewood and cactus.
-
- 40.00 East, on a random line, bet. secs. 27 and 34.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 26, 27, 34 and 35.
 Thence,
 N. 89° 59' W., on a true line, bet. secs. 27 and 34.
 Over level land, thru. scattering timber and undergrowth.
 1.75 Enter wash, course W. from NE.
 2.15 Leave wash, course NW, from E.
 8.55 Same wash, 25 lks. wide, course SW.
 19.25 Wash, 15 lks. wide, course SW.
 21.55 Dim road, brs. NE. and SW.
 39.98 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
- $\frac{1}{4}$ S 27
 S 34
 1923
- from which,
 An ironwood, 10 ins. in diam., brs. N. 28 $\frac{3}{4}$ ° W., 314 lks. dist., marked $\frac{1}{4}$ S 27 BT.
 An ironwood, 8 ins. in diam., brs. S. 72° 20' W., 173 lks. dist., marked $\frac{1}{4}$ S 34 BT.
- 57.76 Wash, 10 lks. wide, course SW.
 79.96 The cor. of secs. 27, 28, 33 and 34.
 Land, level.
 Soil, gravelly and rocky, 3rd rate.
 Timber, ironwood, palo verde, and mesquite.
 Undergrowth, greasewood and cactus.
-
- N. 0° 1' E., bet. secs. 27 and 28.
 Over level land, thru. scattering timber and undergrowth.
 13.50 Wash, 10 lks. wide, course SW.
 30.10 Wash, 5 lks. wide, course SW.
 34.00 Wash, 10 lks. wide, course SW.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
- $\frac{1}{4}$
 S28 | S27
 1923

Survey of Subdivision lines of Township 6 North, Range 15 West. 31

Chains.

No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.

49.00 Wash, 5 lks. wide, course SW.

58.20 Wash, 5 lks. wide, course SW.

62.00 Wash, 10 lks. wide, course SW.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on brass cap,

T6N | R15W
S21 | S22
S28 | S27
1923

from which,

An ironwood, 8 ins. in diam., brs. N. 61 $\frac{1}{2}$ ° E., 106 lks. dist., marked T6N R15W S22 BT.

An ironwood, 6 ins. in diam., brs. S. 19 $\frac{1}{2}$ ° E., 171 lks. dist., marked T6N R15W S27 BT.

An ironwood, 6 ins. in diam., brs. S. 71 $\frac{1}{2}$ ° W., 380 lks. dist., marked T6N R15W S28 BT.

An ironwood, 8 ins. in diam., brs. N. 44° W., 383 lks. dist., marked T6N R15W S21 BT.

Land, level.

Soil, gravelly, 3rd rate.

Timber, ironwood, palo verde and mesquite.

Undergrowth, greasewood and cactus.

S. 89° 59' E., on a random line, bet. secs. 22 and 27.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect N. and S. line, 7 lks. N. of the cor. of secs. 22, 23, 26 and 27.

Thence,

N. 89° 56' W., on a true line, bet. secs. 22 and 27.

Over level land, thru scattering timber and undergrowth.

4.00 Wash, 20 lks. wide, course SW. bet. cor. of secs. 22 and 27.

19.80 Wash, 5 lks. wide, course SW.

25.00 Wash, 5 lks. wide, course SW.

39.99 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 22
S 27
1923

from which,

An ironwood, 18 ins. in diam., brs. N. 15° 40' W., 72 lks. dist., marked $\frac{1}{4}$ S 22 BT.

An ironwood, 6 ins. in diam., brs. S. 38° 50' E., 14 lks. dist., marked $\frac{1}{4}$ S 27 BT.

40.90 Wash, 5 lks. wide, course SW.

55.00 Wash, 20 lks. wide, course SW.

79.98 The cor. of secs. 21, 22, 27 and 28.

Land, level.

Soil, gravelly and stony, 3rd rate.

Timber, ironwood, palo verde and mesquite.

Undergrowth, greasewood and cactus.

N. 0° 1' E., bet. secs. 21 and 22.

Over level land, thru scattering and undergrowth.

34.50 Wash, 50 lks. wide, course W. from NE.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 21 | S 22
1923

No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, marked on brass

32 Survey of Subdivision lines of Township 6 North Range 15 West.

Chains.

cap,

T6N	R15W
S16	S15
S21	S22
1923	

from which,

A mesquite, 4 ins. in diam., brs. N. 6° E., 352 lks.
dist., marked BT.

An ironwood, 14 ins. in diam., brs. S. 9° E., 259 lks.
dist., marked T6N R15W S22 BT.

An ironwood, 8 ins. in diam., brs. S. 4° W., 223 lks.
dist., marked T6N R15W S21 BT.

An ironwood, 6 ins. in diam., brs. N. 27° 40' W., 55 lks.
dist., marked T6N R15W S16 BT.

Land, level.

Soil, gravelly and stony, 3rd rate.

Timber, ironwood, palo verde and mesquite.

Undergrowth, greasewood and cactus.

40.00 S. 89° 56' E., on a random line, bet. secs. 15 and 22.

80.02 Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 5 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence,

N. 89° 54' W., on a true line, bet. secs. 15 and 22.

Over level land, thru. scattering timber and undergrowth.

5.00 Wash, 30 lks. wide, course SW.

40.01 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 15
S 22
1923

from which,

An ironwood, 8 ins. in diam., brs. N. 6 $\frac{1}{2}$ ° W., 378
lks. dist., marked $\frac{1}{4}$ S 15 BT.

An ironwood, 4 ins. in diam., brs. S. 18° 20' W., 53
lks. dist., marked BT.

80.02 The cor. of secs. 15, 16, 21 and 22.

Land, level.

Soil, gravelly and stony, 3rd rate.

Timber, ironwood, palo verde and mesquite.

Undergrowth, greasewood and cactus.

40.00 N. 0° 1' E., bet. secs. 15 and 16.

Over level land, thru. scattering timber and undergrowth.

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

S16	S15
1923	

No bearing trees available. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on brass cap,

T6N	R15W
S 9	S10
S16	S15
1923	

from which,

An ironwood, 5 ins. in diam., brs. N. 82 $\frac{1}{2}$ ° E., 287
lks. dist., marked T6N R15W S10 BT.

An ironwood, 8 ins. in diam., brs. S. 67° 10' E., 106
lks. dist., marked T6N R15W S15 BT.

Survey of Subdivision lines of Township 6 North Range 15 West. 33

Chains.

An ironwood, 19 ins. in diam., brs. S. 43° W., 253
lks. dist., marked T6N R15W S16 BT.
An ironwood, 6 ins. diam., brs. N. 80 $\frac{1}{2}$ ° W., 493
lks. dist., marked T6N R15W S9 BT.

Land, level.

Soil, gravelly and stony, 3rd rate.

Timber, ironwood, palo verde and mesquite.

Undergrowth, greasewood and cactus.

40.00 S. 89° 54' E., on a random line, bet. secs. 10 and 15.
Set temp. $\frac{1}{4}$ sec. cor.
80.08 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 10,
11, 14 and 15.

Thence,

N. 89° 53' W., on a true line, bet. secs. 10 and 15.

Over level land, thru. scattering timber and undergrowth.

10.10 Wash, 10 lks. wide, course NW.

40.04 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
$$\begin{array}{r} \frac{1}{4} \text{ S } 10 \\ \frac{1}{4} \text{ S } 15 \\ 1923 \end{array}$$

from which,

An ironwood, 18 ins. diam., brs. N. 56 $\frac{1}{2}$ ° W., 58 lks.
dist., marked $\frac{1}{4}$ S 10 BT.An ironwood, 10 ins. in diam., brs. S. 77° E., 143 lks.
dist., marked $\frac{1}{4}$ S 15 BT.

80.08 The cor. of secs. 9, 10, 15 and 16.

Land, level.

Soil, gravelly, 3rd rate.

Timber, ironwood, palo verde and mesquite.

Undergrowth, greasewood and cactus.

40.00 N. 0° 1' E., bet. secs. 9 and 10.
Over level land, thru. scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\begin{array}{r} \frac{1}{4} \text{ S } 9 \text{ S } 10 \\ 1923 \end{array}$$
No bearing trees available. Dig pits, 18x18x12 ins., one
each N. and S. of post, 3 ft. dist.

75.50 Wash, 10 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in
the ground, for cor. of secs. 3, 4, 9 and 10, marked on
brass cap,
$$\begin{array}{r} \text{T6N R15W} \\ \text{S } 4 \text{ S } 3 \\ \text{S } 9 \text{ S } 10 \\ 1923 \end{array}$$

from which,

A palo verde, 10 ins. in diam., brs. N. 18 $\frac{1}{2}$ ° E., 359
lks. dist., marked T6N R15W S3 BT.A palo verde, 20 ins. in diam., brs. S. 59 $\frac{1}{2}$ ° E., 206
lks. dist., marked T6N R15W S10 BT.An ironwood, 10 ins. in diam., brs. S. 27 $\frac{1}{2}$ ° W., 130
lks. dist., marked T6N R15W S9 BT.A palo verde, 14 ins. in diam., brs. N. 8 $\frac{1}{2}$ ° W., 243
lks. dist., marked T6N R15W S4 BT.

Land, level.

Soil, gravelly, 3rd rate.

Timber, ironwood, palo verde, and mesquite.

Undergrowth, greasewood and cactus.

40.00 S. 89° 53' E., on a random line, bet. secs. 3 and 10.
Set temp. $\frac{1}{4}$ sec. cor.

34 Survey of Subdivision lines of Township 6 North, Range 16 West.

Chains.

- 80.06 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 2, 3, 10 and 11.
Thence,
N. 89° 52' W., on a true line, bet. secs. 3 and 10.
Over level land, thru. scattering timber and undergrowth.
- 40.03 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
$$\frac{1}{4} \begin{array}{l} S \ 3 \\ S \ 10 \\ 1923 \end{array}$$

from which,
An ironwood, 8 ins. in diam., brs. N. 78 $\frac{1}{2}$ ° W., 262 lks. dist., marked $\frac{1}{4}$ S 3 BT.
An ironwood, 10 ins. in diam., brs. S. 51 $\frac{1}{4}$ ° E., 147 lks. dist., marked $\frac{1}{4}$ S 10 BT..
- 42.55 Dim road, brs. NW. and SE. Wash, 15 lks. wide, course N. 70° W.
- 77.05 Dim road, brs. NW. and SE.
- 80.06 The cor. of secs. 3, 4, 9 and 10.
Land, level.
Soil, sandy and gravelly, 3rd rate.
Timber, ironwood, palo verde and mesquite.
Undergrowth, greasewood, and cactus.
-
- 40.00 N. 0° 10' E., on a random line, bet. secs. 3 and 4.
Set temp. $\frac{1}{4}$ sec. cor.
- 85.72 Fall 9 lks. W. of the cor. of secs. 3, 4, 33 and 34, on the N. bdy. of Tp., hereinbefore described.
Thence,
S. 0° 14' W., on a true line, bet. secs. 3 and 4.
Over level land, thru. scattering timber and undergrowth.
- 6.70 Dim road, brs. NW. and SE.
- 45.72 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
$$S \ 4 \left| \begin{array}{l} S \ 3 \\ 1923 \end{array} \right.$$

No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.
- 82.50 Dim road, brs. NW. and SE.
- 85.72 The cor. of secs. 3, 4, 9 and 10.
Land, level.
Soil, gravelly, 3rd rate.
Timber, ironwood, palo verde, and mesquite.
Undergrowth, greasewood and cactus.
-
- From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of Tp. hereinbefore described,
N. 0° 1' E., bet. secs. 32 and 33.
Over level land, thru. scattering timber and dense undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
$$S \ 32 \left| \begin{array}{l} S \ 33 \\ 1923 \end{array} \right.$$

from which,
An ironwood, 10 ins. in diam., brs. N. 41 $\frac{1}{4}$ ° E., 360 lks. dist., marked $\frac{1}{4}$ S 33 BT.
An ironwood, 10 ins. in diam., brs. N. 37 $\frac{1}{4}$ ° W., 276 lks. dist., marked $\frac{1}{4}$ S 32 BT.
- 55.50 Wash, 20 lks. wide, course SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked

Survey of Subdivision lines of Township 6 North Range 15 West. 35 Chains.

on brass cap,

T6N	R15W
S29	S28
S32	S33

1923

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.

Land, level.

Soil, gravelly, 3rd rate.

Timber, ironwood and palo verde.

Undergrowth, greasewood, ocotillo and cactus.

40.00 East, on a random line, bet. secs. 28 and 33.
 80.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect N. and S. line, 3 lks. N. of the cor. of secs. 27, 28, 33 and 34.

Thence,

N. 89° 59' W., on a true line, bet. secs. 28 and 33.

Over level land, thru. scattering timber and dense undergrowth.

27.70 Wash, 10 lks. wide, 3 ft. deep, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 28
S 33

1923

No bearing trees available. Dig pits, 18x18x12 ins., one each E. and W. of post, 3 ft. dist.

47.20 Wash, 50 lks. wide. course SW.

57.80 Wash, 30 lks. wide, course SW.

80.00 The cor. of secs. 28, 29, 32 and 33.

Land, level.

Soil, gravelly, 3rd rate.

Timber, palo verde and ironwood.

Undergrowth, greasewood, ocotillo and cactus.

10.00 N. 0° 1' E., bet. secs. 28 and 29.
 21.00 Over level land, thru. scattering timber and dense undergrowth.
 40.00 Center of wash, 10 chs. wide, course SW.

21.00 Wash, 20 lks. wide, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$	S 28
S 29	S 28

1923

from which,

An ironwood, 12 ins. in diam., brs. S. 40° E., 125 lks. dist., marked $\frac{1}{4}$ S 28 BT.

No other bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, marked on brass cap,

T6N	R15W
S20	S21
S29	S28

1923

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.

Land, level.

Soil, gravelly, 3rd rate.

Timber, ironwood and palo verde.

Undergrowth, greasewood, cactus and ocotillo.

36 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.	S. $89^{\circ}59'E.$, on a random line, bet. secs. 21 and 28. Set temp. $\frac{1}{4}$ sec. cor.
40.00	Intersect N. and S. line, 2 lks. N. of the cor. of secs. 21, 22, 27 and 28.
80.00	Thence, N. $89^{\circ}58'W.$, on a true line, bet. secs. 21 and 28. Over level land, thru. scattering timber and dense undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4} \frac{S \ 21}{S \ 28}$ 1923
	from which, An ironwood, 4 ins. in diam., brs. N. $49\frac{1}{2}^{\circ}W.$, 178 lks. dist., marked BT. An ironwood, 10 ins. in diam., brs. S. $76\frac{1}{2}^{\circ}W.$, 185 lks. dist., marked $\frac{1}{4}$ S 28 BT.
80.00	The cor. of secs. 20, 21, 28 and 29. Land, level. Soil, gravelly, 3rd rate. Timber, ironwood and palo verde. Undergrowth, greasewood, ocotillo and cactus.

	N. $0^{\circ}1'E.$, bet. secs. 20 and 21. Over level land, thru. scattering timber and dense undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4} \frac{S20 \ S21}{1923}$
	from which, A palo verde, 8 ins. in diam., brs. S. $49\frac{1}{2}^{\circ}E.$, 151 lks. dist., marked $\frac{1}{4}$ S 21 BT. A palo verde, 10 ins. in diam., brs. S. $35^{\circ}W.$, 163 lks. dist., marked $\frac{1}{4}$ S 20 BT.
45.00	Wash, 30 lks. wide, course W.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap, $\begin{array}{c c} T6N & R15W \\ \hline S17 & S16 \\ \hline S20 & S21 \\ \hline 1923 \end{array}$
	No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist. Land, level. Soil, gravelly, 3rd rate. Timber, ironwood and palo verde. Undergrowth, greasewood, ocotillo and cactus.


40.00	S. $89^{\circ}58'E.$, on a random line, bet. secs. 16 and 21. Set temp. $\frac{1}{4}$ sec. cor.
79.96	Intersect the cor. of secs. 15, 16, 21 and 22. Thence, N. $89^{\circ}58'W.$, on a true line, bet. secs. 16 and 21. Over level land, thru. scattering timber and dense undergrowth.
39.98	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4} \frac{S \ 16}{S \ 21}$ 1923
	from which, A palo verde, 6 ins. in diam., brs. S. $12\frac{1}{2}^{\circ}W.$, 75 lks. dist., marked $\frac{1}{4}$ S 21 BT.

Survey of Subdivision lines of Township 6 North Range 15 West. 37


Chains.

79.96 No other bearing tree available. Dig pits, 18x18x12 ins. one each E. and W of post, 3 ft. dist.
 The cor. of secs. 16, 17, 20 and 21.
 Land, level.
 Soil, gravelly, 3rd rate.
 Timber, palo verde and ironwood.
 Undergrowth, greasewood, ocotillo and cactus.

25.50 N. 0° 1' E., bet. secs. 16 and 17.
 40.00 Over level land, thru. dense undergrowth.
 Wash, course SW.
 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,




80.00 No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.
 Set an iron post, 3 ft. long, 2 ins. in diam.; 26 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on brass cap,



No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.
 Land, level.
 Soil, sandy, 2nd rate.
 Timber, none.
 Undergrowth, greasewood and cactus.


40.00 S. 89° 58' E., on a random line, bet. secs. 9 and 16.
 79.96 Set temp. 1/4 sec. cor.
 Intersect N. and S. line, 7 lks. S. of the cor. of secs. 9, 10, 15 and 16.
 Thence,
 S. 89° 59' W., on a true line, bet. secs. 9 and 16.
 Over level land, thru. scattering timber and dense undergrowth.

39.98 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



79.96 No bearing trees available. Dig pits, 18x18x12 ins., one each E. and W. of post, 3 ft. dist.
 The cor. of secs. 8, 9, 16 and 17.
 Land, level.
 Soil, gravelly, 3rd rate.
 Timber, ironwood and palo verde.
 Undergrowth, greasewood and cactus.

40.00 N. 0° 1' E., bet. secs. 8 and 9.
 Over level land, thru. dense undergrowth.
 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



80.00 No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.
 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, marked on brass cap,

38 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

T6N	R15W
S 5	S 4
S 8	S 9

1923

No bearing trees available. Dig pits 18x18x12 ins., one each NE., SE. SW. and NW. of post, 3 ft. dist.

Land, level.

Soil, sandy, 2nd rate.

Timber, none.

Undergrowth, greasewood and cactus.

40.00 N. 89° 59' E., on a random line, bet. secs. 4 and 9.
Set temp. $\frac{1}{4}$ sec. cor.
79:96 Intersect N. and S. line, 14 lks. S. of the cor. of secs. 3, 4, 9 and 10.

Thence,

S. 89° 53' W., on a true line, bet. secs. 4 and 9.

Over level land, thru. dense undergrowth.

3.95 Wash, 20 lks. wide, course NW.

39.98 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$	S 4
S 9	

1923

79.96 No bearing trees available. Dig pits, 18x18x12 ins., one each E. and W. of cor., 3 ft. dist.

The cor. of secs. 4, 5, 8 and 9.

Land, level.

Soil, sandy, 2nd rate.

Timber, none.

Undergrowth, greasewood and cactus.

Galleta grass.

40.00 N. 0° 14' E., on a random line, bet. secs. 4 and 5.
Set temp. $\frac{1}{4}$ sec. cor.
85.99 Fall 7 lks. E. of the cor. of secs. 4, 5, 32 and 33, on the N. bdy. of Tp., hereinbefore described.

Thence,

S. 0° 11' W., on a true line, bet. secs. 4 and 5.

Over level land, thru. dense undergrowth.

45.99 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$	S 5	S 4
---------------	-----	-----

1923

85.99 No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.

The cor. of secs. 4, 5, 8 and 9.

Land, level.

Soil, sandy, 2nd rate.

Timber, none.

Undergrowth, greasewood and cactus.


Galleta grass.

4.80 From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of township, hereinbefore described,
14.47 North, bet. secs. 31 and 32.
Over level land, thru. scattering undergrowth.
Road brs. NW. and SE.
Road brs. N. 49° 12' W. and S. 49° 12' E. Both of these roads extend westerly to Los Angeles and southeasterly to Phoenix.

Survey of Subdivision lines of Township 6 North, Range 15 West. 39


Chains.

16.32 Telegraph line, brs.N.49°12'W. and S.49°12'E.
17.12 A.T.and S.F. R.R. brs.N.49°12'W. and S.49°12'E.
40.00 Set an iron post, 3 ft.long, 1 in. in diam., 26 ins.in
the ground, for 1/4 sec.cor., marked on brass cap,



No bearing trees available. Dig pits, 18x18x12 ins., one each N.and S.of post, 3 ft. dist.

53.30 Dim road, brs. E.and W.
64.80 Shallow wash, 20 lks.wide, course W.
80.00 Set an iron post, 3 ft.long, 2 ins. in diam., 26 ins.in
the ground, for cor.of secs.29,30,31 and 32, marked
on brass cap,




No bearing trees available. Dig pits, 18x18x12 ins., one each, NE., SE., SW. and NW.of post, 3 ft. dist.

Land, level.
Soil, sandy, 2nd rate.
Timber, none.
Undergrowth, greasewood and cactus.

40.00 East, on a random line, bet. secs.29 and 32.
Set temp. 1/4 sec.cor.
80.04 Intersect N. and S. line, 5 lks.N. of the cor.of secs.28,
29, 32 and 33.

Thence,
N.89°58'W., on a true line, bet. secs.29 and 32.
Over level land, thru. scattering timber and dense under-
growth.

17.10 Road, brs.N.and S.
30.00 Wash, 30 lks.wide, course SW.
40.02 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins.in
the ground, for 1/4 sec.cor., marked on brass cap,



from which,
An ironwood, 8 ins. in diam., brs.S.13°E., 87
lks.dist., marked 1/4 S 32 BT.

No other bearing tree available. Dig pits, 18x18x12
ins., one each E.and W.of post, 3 ft. dist.
80.04 The cor.of secs. 29,30, 31 and 32.

Land, level.
Soil, gravelly, 3rd rate.
Timber, ironwood and palo verde.
Undergrowth, greasewood, ocotillo and cactus.

40.00 West, on a random line, bet. secs. 30 and 31.
Set temp. 1/4 sec.cor.
79.52 Fall 5 lks.S. of the cor. of secs. 25,30, 31 and 36, on
the W. bdy. of Tp., hereinbefore described.

Thence,
S.89°58'E., on a true line, bet. secs.30 and 31.
Over level land, thru. scattering undergrowth.

40 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

- 0.12 Road, brs. N. $49^{\circ}13'W.$ and S. $49^{\circ}13'E.$
 3.43 Road, brs. N. $49^{\circ}13'W.$ and S. $49^{\circ}13'E.$ Both of these roads
 roads, extend westerly to Los Angeles, and southeasterly
 to Phoenix.
 5.62' Telegraph line, brs. N. $49^{\circ}13'W.$ and S. $49^{\circ}13'E.$
 6.59 A.T. and S.F. R.R. brs. N. $49^{\circ}13'W.$ and S. $49^{\circ}13'E.$
 39.52 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\frac{1}{4} \frac{S \ 30}{S \ 31}$$

S 31

1923

No bearing trees available. Dig pits, 18x18x12 ins., one
 each E. and W. of post, 3 ft. dist.

- 79.52 The cor. of secs. 29, 30, 31 and 32.

Land, level.

Soil, sandy, 2nd rate.

Timber, none.

Undergrowth, greasewood and cactus.

North, bet. secs. 29 and 30.

Over level land, thru. scattering undergrowth.

- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\frac{1}{4}$$

S30 | S29

1923

No bearing trees available. Dig pits, 18x18x12 ins.,
 one each N. and S. of post, 3 ft. dist.

- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in
 the ground, for cor. of secs. 19, 20, 29 and 30, marked
 on brass cap,

T6N	R15W
S19	S20
S30	S29

S19 | S20

S30 | S29

1923

from which,

An ironwood, 10 ins. in diam., brs. S. $29\frac{1}{2}^{\circ}W.$, 228
 lks. dist., marked T6N R15W S30 BT.

No other bearing trees available.

Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW.
 of post, 3 ft. dist.

Land, level.

Soil, sandy, 2nd rate.

Timber, none.

Undergrowth, greasewood and cactus.

- 40.00 S. $89^{\circ}58'E.$, on a random line, bet. secs. 20 and 29.
 Set temp. $\frac{1}{4}$ sec. cor.

- 80.04 Intersect the cor. of secs. 20, 21, 28 and 29.

Thence,

N. $89^{\circ}58'W.$, on a true line, bet. secs. 20 and 29,

Over level land, thru. scattering timber and dense under-
 growth.

- 21.60 Road, brs. N. and S

- 40.02 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$$\frac{1}{4} \frac{S \ 20}{S \ 29}$$

S 29

1923

Survey of Subdivision lines of Township 6 North, Range 15 West, 41

Chains.

80.04 No bearing trees available. Dig pits, 18x18x12 ins., one each E. and W. of post, 3 ft. dist.
The cor. of secs. 19, 20, 29 and 30.
Land, level.
Soil gravelly, 3rd rate.
Timber, ironwood and palo verde.
Undergrowth, greasewood, ocotillo and cactus.

40.00 N. 89° 58' W., on a random line, bet. secs. 19 and 30.
Set temp. $\frac{1}{4}$ sec. cor.
79.52 Intersect the cor. of secs. 19, 24, 25 and 30, on W. bdy. of Tp., hereinbefore described.
Thence,
39.52 S. 89° 58' E., on a true line, bet. secs. 19 and 30.
Over level land, thru. scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 19
S 30
1923

from which,
A palo verde, 10 ins. in diam., brs. N. 85 $\frac{1}{2}$ ° W., 297 lks. dist., marked $\frac{1}{4}$ S 19 BT.

No other bearing tree available.
Dig pits, 18x18x12 ins., one each E. and W. of post, 3 ft. dist.
79.52 The cor. of secs. 19, 20, 29 and 30.
Land, level.
Soil, sandy, 2nd rate.
Timber, palo verde and ironwood.
Undergrowth, greasewood, ocotillo and cactus.

40.00 North, bet. secs. 19 and 20.
Over level land, thru. scattering timber and dense undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins., in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
S19 | S20
1923

80.00 No bearing trees available. Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.
Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on brass cap,

T6N | R15W
S18 | S17
S19 | S20
1923

No bearing trees available. Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.
Land, level.
Soil, sandy, 2nd rate.
Timber, mesquite.
Undergrowth, greasewood, ocotillo and cactus.

40.00 S. 89° 58' E., on a random line, bet. secs. 17 and 20.
Set temp. $\frac{1}{4}$ sec. cor.

42 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

80.00 Intersect the cor. of secs. 16, 17, 20 and 21.
 Thence,
 N. 89° 58' W., on a true line, bet. secs. 17 and 20.
 Over level land, thru. dense undergrowth.
 31.50 Road, brs. N. and S.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 17
 S 20
 1923

No bearing trees available. Dig pits, 18x18x12 ins., one
 each E. and W. of post, 3 ft. dist.,
 80.00 The cor. of secs. 17, 18, 19 and 20.
 Land, level.
 Soil, sandy, 2nd rate.
 Timber, none.
 Undergrowth, greasewood and cactus.
 Galleta grass.

N. 89° 58' W., on a random line, bet. secs. 18 and 19.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.58 Fall 19 lks. S. of the cor. of secs. 13, 18, 19 and 24, on the
 W. bdy. of Tp., hereinbefore described.
 Thence,
 S. 89° 50' E., on a true line, bet. secs. 18 and 19.
 Over level land, thru. scattering undergrowth.
 39.58 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 18
 S 19
 1923

No bearing trees available. Dig pits, 18x18x12 ins., one
 each E. and W. of post 3 ft. dist.
 49.10 Road, brs. NE. and SW.
 79.58 The cor. of secs. 17, 18, 19 and 20.
 Land, level.
 Soil, sandy loam, 1st rate.
 Timber, none.
 Undergrowth, greasewood and cactus.

North, bet. secs. 17 and 18.
 Over level land, thru. dense undergrowth.
 27.10 Road, brs. NE and SW.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$
 S18 | S17
 1923

No bearing trees available. Dig pits, 18x18x12 ins., one
 each N. and S. of post, 3 ft. dist.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins.
 in the ground, for cor. of secs. 7, 8, 17 and 18, marked
 on brass cap,
 T6N | R15W
 S 7 | S 8
 S18 | S17
 1923

Survey of Subdivision lines of Township 6 North, Range 15 West. 43

Chains.

No bearing trees available. Dig pits, 18x18x12 ins., one each, NE., SE., SW. and NW. of post, 3 ft. dist.
 Land, level.
 Soil, 2nd rate.
 Timber, none.
 Undergrowth, greasewood, ocotillo, and cactus.
 Galleta grass.

40.00 S. 89°58'E., on a random line, bet. secs. 8 and 17.
 Set temp. $\frac{1}{4}$ sec. cor.

79.96 Intersect the cor. of secs. 8, 9, 16 and 17.

Thence,
 N. 89°58'W., on a true line, bet. secs. 8 and 17.
 Over level land, thru. dense undergrowth.

29.95 Road, brs. N. and S.

39.98 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 8
 S 17
 1923

79.96 No bearing trees available. Dig pits, 18x18x12 ins., one each E. and W. of post, 3 ft. dist.
 The cor. of secs. 7, 8, 17 and 18.

Land, level.
 Soil, sandy, 2nd rate.
 Timber, none.
 Undergrowth, greasewood, ocotillo and cactus.
 Galleta grass.

40.00 N. 89°50'W., on a random line, bet. secs. 7 and 18.
 Set temp. $\frac{1}{4}$ sec. cor.

79.60 Intersect the cor. of secs. 7, 12, 13 and 18, on the W. bdy. of Tp., hereinbefore described.

Thence,
 S. 89°50'E., on a true line, bet. secs. 7 and 18.
 Over level land, thru. dense undergrowth.

39.60 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 7
 S 18
 1923

79.60 No bearing trees available. Dig pits, 18x18x12 ins., one E. and W. of post, 3 ft. dist.
 The cor. of secs. 7, 8, 17 and 18.

Land, level.
 Soil, sandy, 2nd rate.
 Timber, none.
 Undergrowth, greasewood, ocotillo and cactus.
 Galleta grass.

40.00 North, bet. secs. 7 and 8.
 Over level land, thru. dense undergrowth.
 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$
 S 7 | S 8
 1923

44 Survey of Subdivision lines of Township 6 North, Range 15 West.

Chains.

No bearing trees available.

Dig pits, 18x18x12 ins., one each N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked on brass cap,

T6N	R15W
S 6	S 5
S 7	S 8
1923	

No bearing trees available.

Dig pits, 18x18x12 ins., one each NE., SE., SW. and NW. of post, 3 ft. dist.

Land, level.

Soil, 2nd rate.

Timber, none.

Undergrowth, greasewood, ocotillo and cactus.

Galleta grass.

40.00 S. 89°58'E., on a random line; bet. secs. 5 and 8.

79.98 Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 12 lks. N. of the cor. of secs. 4, 5, 8 and 9.

Thence,

N. 89°53'W., on a true line, bet. secs. 5 and 8.

Over level land, thru dense undergrowth.

20.00 Road, brs. N. and S.

39.99 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 5
S 8
1923

No bearing trees available. Dig pits 18x18x12 ins., one each E. and W. of post 3 ft. dist.

79.98 The cor. of secs. 5, 6, 7 and 8.

Land, level.

Soil, 2nd rate.

Timber, none.

Undergrowth, greasewood, ocotillo and cactus.

Galleta grass.

40.00 N. 89°50'W., on a random line, bet. secs. 6 and 7.

79.57 Set temp. $\frac{1}{4}$ sec. cor.

Fall 2 lks. N. of the cor. of secs. 1, 6, 7 and 12, on the W. bdy. of Tp., hereinbefore described.

Thence,

S. 89°51'E., on a true line, bet. secs. 6 and 7.

Over level land, thru dense undergrowth.

39.57 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap,

$\frac{1}{4}$ S 6
S 7
1923

No bearing trees available. Dig pits, 18x18x12 ins., one each E. and W. of post, 3 ft. dist.

79.57 The cor. of secs. 5, 6, 7 and 8.

Survey of Subdivision lines of Township 6 North, Range 15 West. 45

Chains.


Land, level.
Soil, 2nd rate.
Timber, none.
Undergrowth, greasewood, ocotillo and cactus.
Galleta grass.

40.00
85.98

N.0°10'E., on a random line, bet. secs.5 and 6.
Set temp. $\frac{1}{4}$ sec.cor.
Fall 2 lks.E. of the cor.of secs.5,6,31 and 32, on the N.
bdy. of Tp., hereinbefore described.

10.80
45.98

Thence,
S.0°9'W., on a true line, bet. secs. 5 and 6.
Over level land, thru. dense undergrowth.
Wash, 50 lks.wide, course SW.
Set an iron post, 3 ft.long, 1 in. in diam., 26 ins.in
the ground, for $\frac{1}{4}$.sec.cor., marked on brass cap,



85.98

No bearing trees available. Dig pits, 18x18x12 ins., one
each N. and S. of post 3 ft. dist.
The cor.of secs.5,6,7 and 8.

Land, level.
Soil, sandy loam, 1st and 2nd rate.
Timber, none.
Undergrowth, greasewood, ocotillo and cactus.
Galleta grass.

The continued satisfactory adjustment of the solars dur-
ing the survey of this township is indicated from
field tests, as described in Book "J."

GENERAL DESCRIPTION.

With the exception of sec.10, which contains some hilly
land, the west four ranges of sections in this town-
ship are level land, supporting a scattering growth
of palo verde, ironwood and mesquite timber, and greasew-
wood, ocotillo, catclaw and cactus undergrowth. The
soil in this part of the township is sandy and gravelly,
2nd and 3rd rate. The extreme eastern range of sections
is mountainous land, lying on the western end of the
Harcubar Mountains, which are from 500 to 700 ft.above
the surrounding country. From these mountains, the
drainage is in a southwesterly direction in the south-
ern half of the township; the remainder drains north-
westerly into Cunningham Wash, which traverses sec.6 in
a southwesterly direction. This land is rough and
mountainous, 3rd and 4th rate, of schist, malpais, por-
phyry and limestone formation. Timber and undergrowth
are thicker throughout this part of the township.

There are no settlers in this township, and the land seems
suitable for grazing and mining purposes only. Indica-
tions of mineral were observed in the eastern range of
sections.

A prospector's cabin is located in the NE. quarter of
sec.25.

The A.T.& S.F.R.R. crosses the SW. cor.of township bet.
Bouse and Vicksburg.

BOOK 3612
48

CERTIFICATE OF UNITED STATES TRANSITION.

I, Ty White, U.S. Transitman,, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 115, Arizona, bearing date of the 20th day of May, 1921, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, ~~surveyed~~ ^{retraced} all those parts or portions of the East boundary, and ~~surveyed~~ ^{retraced} all those parts or portions of the North, West and South boundaries, and the Subdivision lines of

TOWNSHIP 6 NORTH, RANGE 15 WEST,

of the Gila and Salt River Base & Meridian, in the State of Arizona, which are represented in and by diagram on page 1 hereof the foregoing field notes, as having been executed by me, and under my direction; and that all the corners of said retracement and survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 115, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such retracement and survey.

Place: Long Beach Calif.
Date: April 17, 1924

Ty White
U. S. Transitman, U. S. Surveyor.

~~APPROVAL.~~

~~OFFICE OF THE UNITED STATES SURVEYOR GENERAL,~~

~~19~~

~~The foregoing field notes of the survey of~~

~~executed by~~

~~under his special instructions dated~~ _____, 19____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

~~U. S. Surveyor General.~~

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~

~~has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General.~~

CERTIFICATE OF UNITED STATES CADASTRAL ENGINEER.

BOOK 3612

I, William H. Thorn, U.S. Cad. Engineer, do hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 115, Arizona,

bearing date of the 20th day of May, 1921, I have well, faithfully, and truly

in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, retraced surveyed all those parts or portions of the

East boundary, and surveyed all those parts or portions of the Subdivision lines of

Township 6 North, Range 15 West,

of the Gila and Salt

River Base & Meridian, in the State of Arizona, which are represented in and by diagram on page 1 hereof

the foregoing field notes/as having been executed by me, and under my direction; and that all the corners of said retracement and

survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 115, Arizona,

and in the specific manner described in the field notes, and that the foregoing are the original field notes of such retracement and survey.

Place: Ajo Arizona

William H. Thorn

U.S. Cadastral Engineer.

Date: April 1, 1924

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, April 22, 1924.

The foregoing field notes of the retracement of the East boundary, and the survey of the West, North and South boundaries, and the Subdivision lines of

TOWNSHIP 6 NORTH, RANGE 15 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona,

executed by William H. Thorn, U.S. Cadastral Engineer, and Ty White, U.S. Transitman,

under special instructions dated May 20th, 1921, for Group 115, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the retracements & surveys they describe, are hereby approved.

Charles M. Donohue

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in

has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.