

BOOK "H"

3623

4-679

BOOK 3623

FIELD NOTES

OF THE SURVEY OF THE

Second Guide Meridian West, through T_s. 35 and 36 N.

between R_s. 8 and 9 W.,

The North Boundary of T.35 N., R.9 W. and

The Subdivision of T.35 N., R.9 W.

3623

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

3623

EXECUTED BY

William B. Kimmel,

and

Dupree R. Averill,

In the capacity of U. S. Surveyor under Special Instructions dated October 12, 1916, issued by the United States Surveyor General to govern surveys included in Group No. 72, Arizona, which were approved by the Commissioner of the General Land Office, October 24, 1916, and Assignment Instructions dated April 3, 1917

Survey commenced April 26, 1917

Survey completed August 9, 1917

3623


BOOK 3623

Book "H"

Group 72 - Arizona

~~INDEX DIAGRAM.~~

~~Township~~ ~~Range~~






INDEX DIAGRAM

Book "H" - Group 72 - Arizona

BOOK 3623

31	32	33	34	35	36	31						
	9th	Standard	Parallel	North								
						1 5						
						12 6						
						13 6						
						24 7						
						25 8						
						36 8						
	-14-	-14-	-15-	-16-	-16-	-17-						
6	47	5	39	4	38	3	28	2	23	1	10	
46-		-16-	38		33-		28-		22			
7	45	8	38	9	32	10	27	11	22	12	10	
45		-44	-37-		-32-		27-		21			
			T.35N. R.9W.									
18	44	17	37	16	34	15	26	14	21	13	11	
43-		43-	36-		31-		26-		20-			
19	42	20	36	21	30	22	25	23	20	24	11	
42-		41-	35-		30-		25-		19			
30	41	29	35	28	29	27	24	26	19	25	12	
40-		40-	34-		29-		24-		18			
31	39	32	34	33	28	34	23	35	18	36	13	

LINE SYMBOLS

 Lines surveyed under this group.
 Accepted surveys.
 Unsurveyed.

Second Guide Meridian West, through Ts. 36 N., bet. Rs. 8 & 9 W.

Second Guide Meridian West, through Ts. 35 N.,

Book "H"
Group 72 - Arizona

DATE DIAGRAM

Lines in red, surveyed by William B. Kimmel.

Lines in black, surveyed by Dupree R. Averill.

T.36N.-R.9W.

T.35N.-R.9W.

For dates of execution of survey of this line see Book "G."

KIMMEL & AVERILL

	7-2-17	7-2-17	6-30-17	6-30-17	6-29-17	6-29-17
6	8-8-17	8-9-17	8-9-17	7-31-17	7-27-17	7-26-17
7	8-7-17	8-6-17	7-30-17	7-31-17	7-27-17	7-26-17
18	7-16-17	7-21-17	7-30-17	7-25-17	7-25-17	7-23-17
19	7-17-17	7-17-17	7-20-17	7-24-17	7-23-17	7-18-17
30	7-7-17	7-7-17	7-6-17	7-5-17	7-18-17	7-3-17
31	7-14-17	7-6-17	7-6-17	7-5-17	7-3-17	

For dates of execution of survey of this line see Book "E"

Averill

1

12

13

24

25

36

4-26-17 | 4-26-17 | 4-27-17 | 4-27-17 | 4-27-17 | 4-27-17
Second Guide Meridian West, through Ts.36 N., bet. Rs.8 & 9 W.

5-1-17 | 5-1-17 | 5-1-17 | 5-1-17
Second Guide Meridian West, through Ts.35 N.

Survey commenced April 23, 1917 and executed with Young and Sons light mountain transits Nos. 8478 and 8480. Each instrument is equipped with a full vertical circle and the Smith solar attachment. Unless otherwise specified all azimuth determinations are accomplished with the solar attachment.

Field test of Instrument No. 8480 by
D.R. Averill.

April 23, 1917: I examine the adjustments of the instrument and correct all errors; then to test the solar apparatus by comparing its indications, resulting from solar observations made during a.m. and p.m. hours, with a meridian established from Polaris observations, proceed as follows:

April 24, 1917: In camp near the $\frac{1}{4}$ sec. cor. of secs. 4 and 33, T.34 and 35 N., R.9 W., G. & S.R.B. & M., in lat. $36^{\circ}23'N.$, longitude $113^{\circ}16'W.$, at 5 hrs. 24.8 m., a.m., l.m.t., observe Polaris at eastern elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point in the line thus determined on a stake driven firmly in the ground, 5 chs. N.

Azimuth of Polaris at eastern elongation = $1^{\circ}24'41''$.

At 8 hrs. 0m., a.m., l.m.t., I lay off the azimuth of Polaris $1^{\circ}24\frac{1}{2}'$ to the west, and mark the meridian thus determined by a tack driven in a peg set firmly in the ground 5 chs. N.

At 9 hrs. 0 m. a.m., l.m.t., I set off $36^{\circ}23'N.$, on the latitude arc, $12^{\circ}50\frac{1}{2}'N.$ on the declination arc and determine a meridian with the solar, which agrees with the true meridian.

At apparent noon with the latitude arc unchanged, I observe the sun on the meridian. The resulting reading of the declination arc is $12^{\circ}52\frac{1}{2}'N.$, which agrees with the computed declination of the sun.

At 3 hrs. 0m. p.m., l.m.t., with the latitude arc unchanged I set off $12^{\circ}55'N.$, on the declination arc and determine a meridian with the solar, which also agrees with the true meridian.

As all of the solar observations during the usual hours of solar work come within $1'30''$ of the true meridian I conclude that the adjustments of the instrument are satisfactory.

Field test of Instrument No. 8478 by
William B. Kimmel.

July 10, 1917: I examine the adjustments of the instrument and correct all errors, then to test the solar apparatus by comparing its indications resulting from observations made during a.m. and p.m. hours with a meridian established by observation on Polaris, proceed as follows:

At camp in sec. 4, T.34 N., R.9 W., G. & S.R.B. & M., in latitude $36^{\circ}22\frac{1}{2}'N.$, longitude $113^{\circ}16'W.$, of Greenwich at 0 hrs. 25m., l.m.t., I observe Polaris at eastern elongation, making four observations, two each with telescope in direct and reversed positions and mark a point in the line thus determined by a tack in a peg driven firmly in the ground, 5 chs. N. of my station.

July 11: At 7 hrs. 0m., a.m. lay off the azimuth of Polaris

1°25' to the west and mark the meridian thus determined by a tack in a stake driven firmly in the ground 5 chs. N.

At 9 hrs. Om. a.m., l.m.t., I set off $36^{\circ}22\frac{1}{2}'$ N., on the latitude arc, $22^{\circ}8\frac{1}{2}'$ N.; on the declination arc and determine a meridian with the solar which agrees with the true meridian.

At apparent noon with the latitude arc unchanged, I observe the sun on the meridian. The resulting reading of the declination arc is $22^{\circ}7\frac{1}{2}'$ which agrees with the computed declination of the sun.

At 3 hrs. Om., p.m., l.m.t., with the latitude arc unchanged I set off $22^{\circ}6\frac{1}{2}'$ N., on the declination arc and determine a meridian with the solar which also agrees with the true meridian.

As all of the solar observations made during the usual hours of solar work come within 1'30" of the true meridian, I conclude that the adjustments of the instrument are satisfactory.

Unless otherwise specified, all measurements are made with a Lufkin steel tape, 5 chs. in length, compared with a Lufkin standard steel tape and found correct. The measurements are made on the slope, the vertical angles determined and the slope measurements reduced to true horizontal distances.

Survey of the Second Guide Meridian West
through T. 36 N., between Rs. 8 and 9 West.

Chains The Standard cor. of Ts. 37 N., Rs. 8 and 9 W. is an iron post, 3 ins. in diam., 12 ins. above ground, properly marked, and witnessed by a cedar, 24 ins. in diam., N. 56 1/4° W., 60 lks. dist. and mound of stone N. of cor.

At a point on the 9th. Standard Parallel North, 17.12 chs. E. of the Standard cor. of Ts. 37 N., Rs. 8 and 9 W., set an iron post, 3 ft. long, 3 ins. in diam., 24 ins. in the ground for closing cor. of Ts. 36 N., Rs. 8 and 9 W., marked on brass cap

T37N R8W
S 31
S 1 S 6
R9W R8W
T36N
C C
1917

From which
A pinyon, 16 ins. in diam., bears S. 55° E., 137 lks. dist., marked T 36 N R 8 W S 6 C C B T
Raise a mound of stone, 2 ft. base, 1 1/2 ft. high S. of cor.

Thence
South, bet. secs. 1 and 6.
Over rolling land, through scattering timber and undergrowth.

Asc. 22 ft. to
2.00 Spur, slopes SW. Desc. 98 ft. to
13.00 Foot of descent. Enter flat, bears SE. and NW.
Difference between measurements of 40.00 chs., by two sets of chainmen is 2 lks.; position of middle point
By 1st. set, 40.01 chs.
By 2nd. set, 39.99 chs.; the mean of which is
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground to bed rock, supported in a mound of stone for 1/4 sec. cor. marked on brass cap

1/4
S 1 S 6
1917

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high W. of cor.

76.00 Enter rolling land, bears SE.
Difference between measurements of 80.00 chs. by two sets of chainmen is 6 lks.; position of middle point
By 1st. set, 40.03 chs.
By 2nd. set, 39.97 chs.; the mean of which is
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 6, 7 and 12, marked on brass cap

T36N
R9W R8W
S 1 S 6
S 12 S 7
1917

And raise a mound of stone, 2 ft. base, 1 1/2 ft. high W. of cor.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; scrub cedar.
Undergrowth; sagebrush.

Survey of the Second Guide Meridian West
through T.36 N., between R.8 and 9 West.

Chains South, bet. secs. 7 and 12.
 Over rolling land, through scattering undergrowth.
 26.30 Enter bottom land, bears NE. and SW.
 32.50 Wash, 20 lks. wide, 4 ft. deep, course NE.
 40.00 Difference between measurements of 40.00 chs. by two sets
 of chainmen is 4 lks.; position of middle point
 By 1st. set, 40.02 chs.
 By 2nd. set, 39.98 chs.; the mean of which is
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 12 | S 7
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W.
of cor.

45.00 Leave bottom land, bears NE. and SW. Asc. 145 ft.
 Difference between measurements of 80.00 chs. by two sets
 of chainmen is 4 lks.; position of middle point
 By 1st. set, 80.02 chs.
 By 2nd. set, 79.98 chs.; the mean of which is
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins. in
 the ground to bed rock, supported in a mound of stone
 for cor. of secs. 7, 12, 13 and 18, marked on brass cap

T36N
 R9W R8W
 S 12 | S 7
 S 13 | S 18
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W.
of cor.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; none.
Undergrowth; sagebrush.

35.00 South, bet. secs. 13 and 18.
 Over rolling land, through scattering timber and under-
 growth. Asc. 90 ft. to
 Spur, slopes E. Desc. 50 ft.
 Difference between measurements of 40.00 chs. by two sets
 of chainmen is 6 lks.; position of middle point
 By 1st. set, 40.03 chs.
 By 2nd. set, 39.97 chs.; the mean of which is
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in
 the ground to bed rock, supported in a mound of stone
 for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 13 | S 18
 1917

And raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W.
of cor.

58.70 Asc. 130 ft.
 Top of ascent.
 Difference between measurements of 80.00 chs. by two sets
 of chainmen is 2 lks.; position of middle point
 By 1st. set, 80.01 chs.
 By 2nd. set, 79.99 chs.; the mean of which is

Survey of the Second Guide Meridian West
through T.36 N., between Rs. 8 and 9 West.

Chains
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 16 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 13, 18, 19 and 24, marked on brass cap

T36N	
R9W	R8W
S 13	S 18
S 24	S 19
1917.	

And raise a mound of stone, 2 ft. base, 1½ ft. high W. of cor.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; scrub cedar.
Undergrowth; sagebrush.

11.00 South, bet. secs. 19 and 24.
15.00 Over rolling land, through scattering timber and undergrowth.
Rocky ledge, bears E. and W. Desc. 60 ft.
Foot of descent. Asc. gradually.
Difference between measurements of 40.00 chs. by two sets of chainmen is 4 lks.; position of middle point
By 1st. set, 40.02 chs.
By 2nd. set, 39.98 chs.; the mean of which is

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for ¼ sec. cor. marked on brass cap

¼	
S 24	S 19
1917.	

From which
A pinyon, 5 ins. in diam., bears S.11°E., 75 lks. dist., marked ¼ S 19 B T
A pine, 8 ins. in diam., bears N.48°W., 104 lks. dist., marked ¼ S 24 B T

No difference in measurement of 80.00 chs. by two sets of chainmen.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., on surface rock, supported in a mound of stone for cor. of secs. 19, 24, 25 and 30, marked on brass cap

T36N	
R9W	R8W
S 24	S 19
S 25	S 30
1917.	

From which
A pinyon, 8 ins. in diam., bears N.26°E., 44 lks. dist., marked T 36 NR 8 W S 19 B T
A pinyon, 10 ins. in diam., bears S.56°E., 40 lks. dist., marked T 36 NR 8 W S 30 B T
A pinyon, 15 ins. in diam., bears S.46°W., 171 lks. dist., marked T 36 NR 9 W S 25 B T
A pinyon, 15 ins. in diam., bears N.36½°W., 153 lks. dist., marked T 36 NR 9 W S 24 B T

Land; rolling, drains N.
Soil; rocky, 3rd. rate.
Timber; pinyon and cedar.
Undergrowth; sagebrush.
Good grass.

Survey of the Second Guide Meridian West
through T. 36 N., between Rs. 8 and 9 West.

Chains South, bet. secs. 25 and 30.
Over gently rolling land, through scattering timber and undergrowth.

30.00 Asc. 75 ft. to
36.30 Spur, slopes NW. Thence along W. slope.
Difference between measurements of 40.00 chs. by two sets of chainmen is 4 lks.; position of middle point
By 1st. set, 40.02 chs.
By 2nd. set, 39.98 chs., the mean of which is

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 25 | S 30
1917

From which
A pinyon, 12 ins. in diam., bears S.63°E.,
79 lks. dist., marked $\frac{1}{4}$ S 30 B T
A juniper, 10 ins. in diam., bears S.68 $\frac{3}{4}$ °W.,
74 lks. dist., marked $\frac{1}{4}$ S 25 B T

48.80 Desc. 70 ft.
63.80 Foot of descent.
No difference in measurements of 80.00 chs. by two sets of chainmen

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 25, 30, 31 and 36, marked on brass cap

T36N
R9W R8W
S 25 | S 30
S 36 | S 31
1917

From which
A pinyon, 20 ins. in diam., bears N.52°E.,
168 lks. dist., marked T 36 N R 8 W S 30 B T
A pinyon, 10 ins. in diam., bears S.41 $\frac{1}{2}$ °E.,
211 lks. dist., marked T 36 N R 8 W S 31 B T
A pinyon, 6 ins. in diam., bears S.75°W.,
125 lks. dist., marked T 36 N R 9 W S 36 B T
A pinyon, 8 ins. in diam., bears N.33 $\frac{1}{2}$ °W.,
44 lks. dist., marked T 36 N R 9 W S 25 B T

Land; slightly rolling, drains E.
Soil; rocky, 3rd. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush.
Good grass.

South, bet. secs. 31 and 36.
Over rolling land, through scattering timber and undergrowth.

40.00 No difference in measurements of 40.00 chs. by two sets of chainmen.
Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor, marked on brass cap

$\frac{1}{4}$
S 36 | S 31
1917

From which

Survey of the Second Guide Meridian West,
through Ts. 36 N., between Rs. 8 and 9 West.

Chains

- A pinyon, 10 ins. in diam., bears S.44 $\frac{3}{4}$ °E.,
215 lks. dist., marked $\frac{1}{4}$ S 31 B T
- A pinyon, 12 ins. in diam., bears S.82°W.,
92 lks. dist., marked $\frac{1}{4}$ S 36 B T

80.00

Difference between measurements of 80.00 chs. by two sets
of chainmen is 2 lks.; position of middle point
By 1st. set, 80.01 chs.
By 2nd. set, 79.99 chs. ; the mean of which is
Set an iron post, 3 ft. long, 3 ins. in diam., 12 ins. in
the ground to bed rock, supported in a mound of stone,
for cor. of Ts. 35 and 36 N., Rs. 8 and 9 W., marked
on brass cap

T36N
R9W : R8W
S 36 S 31

S 1 S 6
T35N
1917

From which

- A pinyon, 10 ins. in diam., bears N.74°E.,
92 lks. dist., marked T 36 N R 8 W S 31 B T
- A juniper, 10 ins. in diam., bears S.29 $\frac{1}{2}$ °E.,
26 lks. dist., marked T 35 N R 8 W S 6 B T
- A pinyon, 8 ins. in diam., bears S.63°W.,
56 lks. dist., marked T 35 N R 9 W S 1 B T
- A pinyon, 8 ins. in diam., bears N.63 $\frac{1}{2}$ °W.,
51 lks. dist., marked T 36 N R 9 W S 36 B T

Land; rolling, drains S.
Soil; rocky, 3rd. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush.
Good grass.

Survey of the Second Guide Meridian West,
through T.35 N., between Rs. 8 and 9 West.

Chains	<p>From the cor. of Ts. 35 and 36 N., Rs. 8 and 9 W., herein- before described, South, bet. secs. 1 and 6. Over rolling land, through scattering timber and under- growth.</p>
1.00	<p>Desc. Leave timber, bears E. and W.</p>
7.40	<p>Enter valley, bears NE. and SW.</p>
40.00	<p>Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p>
	<p style="text-align: center;">$\frac{1}{4}$ S 1 S 6 1917</p>
	<p>Dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.</p>
49.40	<p>Old road, bears NE. and SW.</p>
80.00	<p>Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 6, 7 and 12, marked on brass cap</p>
	<p style="text-align: center;">T35N R9W R8W S 1 S 6 S 12 S 7 1917</p>
	<p>Dig pits 18 x 18 x 12 ins. NE., SE., SW., and NW. of cor. $5\frac{1}{2}$ ft. dist.</p>
	<p>Land; level. Soil; sandy and rocky, 2nd. rate. Timber; none. Undergrowth; sagebrush.</p>
40.00	<p>South, bet. secs. 7 and 12. Over level land, through scattering sagebrush. Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p>
	<p style="text-align: center;">$\frac{1}{4}$ S 12 S 7 1917</p>
	<p>Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.</p>
68.00	<p>Leave valley, bears NE. and NW. Asc. 120 ft. Enter timber.</p>
80.00	<p>Set an iron post, 3 ft. long, 2 ins. in diam., 14 ins. in the ground, to bed rock, supported in a mound of stone, for cor. of secs. 7, 12, 13 and 18, marked on brass cap</p>
	<p style="text-align: center;">T35N R9W R8W S 12 S 7 S 13 S 18 1917</p>
	<p>From which A pinyon, 6 ins. in diam., bears N. 34° E., 56 lks. dist., marked T 35 N R 8 W S 7 B T A pinyon, 8 ins. in diam., bears S. 16° E., 66 lks. dist., marked T 35 N R 8 W S 18 B T A pinyon, 8 ins. in diam., bears S. $4\frac{1}{2}^\circ$ W., 226 lks. dist., marked T 35 N R 9 W S 13 B T A pinyon, 10 ins. in diam., bears N. $46\frac{1}{2}^\circ$ W., 105 lks. dist., marked T 35 N R 9 W S 12 B T</p>

Survey of the Second Guide Meridian West,
through T.35 N., between Rs. 8 and 9 West.


BOOK 3623

Chains

Land; level and rolling.
Soil; sandy and rocky, 2nd. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush.


South, bet. secs. 13 and 18.
Over rolling land, through scattering timber and under-
growth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which
A pinyon, 8 ins. in diam., bears N.60°E., 19 lks.
dist., marked $\frac{1}{4}$ S 18 B T
A pinyon, 10 ins. in diam., bears N.55°W., 32 lks.
dist., marked $\frac{1}{4}$ S 13 B T

53.40 Desc. 75 ft. over SW. slope.
Enter draw, course SE.
65.20 Leave draw, course SE. Asc. 90 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins.
in the ground to bed rock, for cor. of secs. 13, 18,
19 and 24, marked on brass cap




From which
A pinyon, 10 ins. in diam., bears N.78°E., 12 lks.
dist., marked T 35 N R 8 W S 18 B T
A pinyon, 10 ins. in diam., bears S.40 $\frac{1}{2}$ °E., 45 lks.
dist., marked T 35 N R 8 W S 19 B T
A pinyon, 12 ins. in diam., bears S.70 $\frac{1}{2}$ °W., 20 lks.
dist., marked T 35 N R 9 W S 24 B T
A cedar, 8 ins. in diam., bears N.39 $\frac{1}{2}$ °W., 58 lks.
dist., marked T 35 N R 9 W S 13 B T

Land; rolling.
Soil; rocky, 4th. rate. 1st. rate in draws.
Timber; pinyon and scrub cedar.
Undergrowth; sagebrush.

South, bet. secs. 19 and 24.
Over rolling land, through scattering timber and sagebrush.
Asc. 106 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which
A pinyon, 5 ins. in diam., bears S.13 $\frac{1}{2}$ °E., 73 lks.
dist., marked $\frac{1}{4}$ S 19 B T
A pinyon, 8 ins. in diam., bears N.58 $\frac{1}{2}$ °W., 54 lks.
dist., marked $\frac{1}{4}$ S 24 B T

64.00 Asc. 80 ft. to
Spur, slopes NW.
69.00 Asc. 73 ft.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.

Survey of Second Guide Meridian West,
through T.35 N., between Rs.8 and 9 W.

Chains

in the ground for cor. of secs. 19, 24, 25 and 30,
marked on brass cap

T35N	
R9W	R8W
S 24	S 19
S 25	S 30
1917	

From which

- A pinyon, 16 ins. in diam., bears N.40°E., 117 lks.
dist., marked T 35 N R 8 W S 19 B T
- A pinyon, 4 ins. in diam., bears S.87°E., 82 lks. dist.
marked T 35 N R 8 W S 30 B T
- A pinyon, 4 ins. in diam., bears S.32°W., 265 lks.
dist., marked T 35 N R 9 W S 25 B T
- A juniper, 16 ins. in diam., bears N.84°W., 105 lks.
dist., marked T 35 N R 9 W S 24 B T

Land; rolling, drains NE.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

South, bet. secs. 25 and 30.

Over rolling land, through scattering timber and under-
growth.

Desc. 70 ft. to

9.40

Head of gulch, course W. Asc. 275 ft. to

35.30

Top of knoll, bears SE. and NW. Desc. 86 ft. to

40.00

Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$	
S 25	S 30
1917	

From which

- A pinyon, 8 ins. in diam., bears S.35°E., 54 lks.
dist., marked $\frac{1}{4}$ S 30 B T
- A pinyon, 8 ins. in diam., bears S.28°W., 56 lks.
dist., marked $\frac{1}{4}$ S 25 B T

Desc. 247 ft. to

56.80

Enter flat, bears E. and W.

57.16

Road to St. George, bears E. and W.

61.00

Wash, 15 lks. wide, 3 ft. deep, course E.

71.00

Enter scattering pine saw timber, bears NE. and SW.

80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.
in the ground for cor. of secs. 25, 30, 31 and 36,
marked on brass cap

T35N	
R9W	R8W
S 25	S 30
S 36	S 31
1917	

From which

- A cedar, 8 ins. in diam., bears N.35 $\frac{1}{2}$ °E., 71 lks.
dist., marked T 35 N R 8 W S 30 B T
- A cedar, 8 ins. in diam., bears S.31°E., 79 lks.
dist., marked T 35 N R 8 W S 31 B T
- A pinyon, 8 ins. in diam., bears S.11°W., 91 lks.
dist., marked T 35 N R 9 W S 36 B T
- A cedar, 14 ins. in diam., bears N.47 $\frac{1}{2}$ °W., 38 lks.
dist., marked T 35 N R 9 W S 25 B T


Land; rolling.
Soil; rocky, 3rd. rate.
Timber; pinyon, cedar and yellow pine.
Undergrowth; sagebrush.
Good grass.

Survey of the Second Guide Meridian West,
through T.35 N., between Rs.8 and 9 West.

Chains

9.00
40.00

South, bet. secs. 31 and 36.
Over level land, through scattering timber and undergrowth.
Enter rolling land, bears NE. and SW. Asc. 170 ft. to
Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




From which

- A pinyon, 18 ins. in diam., bears N. $10\frac{1}{2}^{\circ}$ E., 88 lks.
dist., marked $\frac{1}{4}$ S 31 B T
- A juniper, 18 ins. in diam., bears S. $16\frac{1}{2}^{\circ}$ W., 97 lks.
dist., marked $\frac{1}{4}$ S 36 B T

56.00
59.50
64.65
79.60
80.00

Asc. 137 ft. to cor.
Gulch, course NE.
Same gulch, course NW.
Old trail, bears NE. and SW.
Enter dense patches of scrub oak.
Set an iron post, 3 ft. long, 3 ins. in diam., 24 ins. in
the ground for cor. of Ts. 34 and 35 N., Rs. 8 and 9 W.,
marked on brass cap



From which

- A pinyon, 6 ins. in diam., bears N. 72° E., 56 lks.
dist., marked T 35 N R 8 W S 31 B T
- A white oak, 6 ins. in diam., bears S. $10\frac{1}{2}^{\circ}$ E., 50
lks. dist., marked T 34 N R 8 W S 6 B T
- A pine, 24 ins. in diam., bears S. 63° W., 140 lks.
dist., marked T 34 N R 9 W S 1 B T
- A yellow pine, 40 ins. in diam., bears N. 53° W., 76
lks. dist., marked T 35 N R 9 W S 36 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; yellow pine, cedar, pinyon, white oak and scrub
oak.
Undergrowth; sagebrush.

Survey of the North Boundary of T.35 N., R.9 W.

Chains	<p>From the cor. of Ts. 35 and 36 N., Rs. 8 and 9 W., here- inbefore described, West, on a random line along the N. bdy. of T.35 N., R.9 W., setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs. and at 478.20 chs., fall 112 lks. S. of the cor. of Ts. 35 and 36 N., Rs. 9 and 10 W., which is an iron post described in Book "G". The falling answers to a correction of 0°8' or 19 lks. N. per mile counting from the NE. cor. of the Tp.</p> <p>From the cor. of Ts. 35 and 36 N., Rs. 9 and 10 W., S.89°52'E., on a true line bet. secs. 6 and 31. Over precipitous land. Asc. 150 ft. over ledge.</p> <p>3.70 Top of Hurricane ledge. Thence over nearly level land. 38.20 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <div style="text-align: center;"> $\frac{1}{4} \begin{array}{r} S 31 \\ S 6 \\ 1917 \end{array}$ </div> <p>From which A pinyon, 10 ins. in diam., bears N.53$\frac{1}{2}$°E., 60 lks. dist., marked $\frac{1}{4}$ S 31 B T A pinyon, 14 ins. in diam., bears S.23°E., 21 lks. dist., marked $\frac{1}{4}$ S 6 B T</p> <p>56.00 Wash, 18 lks. wide, course NE. 78.20 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of secs. 5, 6, 31 and 32, marked on brass cap</p> <div style="text-align: center;"> <table border="1"> <tr><td>T36N</td><td>R9W</td></tr> <tr><td>S 31</td><td>S 32</td></tr> <tr><td>S 6</td><td>S 5</td></tr> <tr><td>T35N</td><td></td></tr> <tr><td>1917</td><td></td></tr> </table> </div> <p>From which A pinyon, 10 ins. in diam., bears N.71°E., 279 lks. dist., marked T 36 N R 9 W S 32 B T A pinyon, 13 ins. in diam., bears S.45°E., 174 lks. dist., marked T 35 N R 9 W S 5 B T A pinyon, 10 ins. in diam., bears S.39°W., 193 lks. dist., marked T 35 N R 9 W S 6 B T A pinyon, 12 ins. in diam., bears N.9°W., 232 lks. dist., marked T 36 N R 9 W S 31 B T</p> <p>Land; broken and rolling. Soil; rocky, 4th. rate. Timber; pinyon and juniper. Undergrowth; sagebrush.</p>	T36N	R9W	S 31	S 32	S 6	S 5	T35N		1917	
T36N	R9W										
S 31	S 32										
S 6	S 5										
T35N											
1917											
40.00	<p>S.89°52'E., on a true line bet. secs. 5 and 32. Over rolling land, through scattering timber and under- growth. Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <div style="text-align: center;"> $\frac{1}{4} \begin{array}{r} S 32 \\ S 5 \\ 1917 \end{array}$ </div> <p>From which A cedar, 6 ins. in diam., bears N.12$\frac{1}{2}$°W., 94 lks. dist., marked $\frac{1}{4}$ S 32 B T A pinyon, 8 ins. in diam., bears S.32°E., 70 lks. dist., marked $\frac{1}{4}$ S 5 B T</p>										
70.00	<p>Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of secs. 4, 5, 32 and 33 marked on brass cap</p>										

Survey of the North Boundary of T.35 N.,R.9 W.

E 000 000

Chains

T36N R9W
S 32 | S 33
S 5 | S 4
T35N
1917

From which
A pinyon, 14 ins. in diam., bears N.74°E., 450 lks.
dist., marked T 36 N R 9 W S 33 B T
A pinyon, 12 ins. in diam., bears S.19°E., 183 lks.
dist., marked T 35 N R 9 W S 4 B T
A cedar, 14 ins. in diam., bears S.4°W., 331 lks.
dist., marked T 35 N R 9 W S 5 B T
No bearing tree available in sec. 32. Dig pits 18 x
18 x 12 ins. NE., SE., SW., and NW. of cor. 5½ ft.
dist.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush.

S.89°52'E., on a true line bet. secs. 4 and 33.
Over rolling land, through scattering timber and under-
growth.

401.00

Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in
the ground to bed rock, supported in a mound of stone
for ¼ sec. cor. marked on brass cap

¼ S 33
S 4
1917

From which
A pinyon, 8 ins. in diam., bears N.26½°W., 57 lks.
dist., marked ¼ S 33 B T
A pinyon, 8 ins. in diam., bears S.21°W., 82 lks.
dist., marked ¼ S 4 B T

80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 10 ins. in
the ground to bed rock, supported in a mound of stone
for cor. of secs. 3, 4, 33 and 34, marked on brass cap

T36N R9W
S 33 | S 34
S 4 | S 3
T35N
1917

From which
A pinyon, ___ ins. in diam., bears N.36°E., 155 lks.
dist., marked T 36 N R 9 W S 34 B T
A pinyon, 10 ins. in diam., bears S.10°E., 148 lks.
dist., marked T 35 N R 9 W S 3 B T
A pinyon, 8 ins. in diam., bears S.15°W., 147 lks.
dist., marked T 35 N R 9 W S 4 B T
A cedar, 16 ins. in diam., bears N.46°W., 205 lks.
dist., marked T 36 N R 9 W S 33 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush.

Survey of the North Boundary of T.35 N., R.9 W.

Chains

S.89°52'E., on a true line bet. secs. 3 and 34.
Over rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in the ground to bed rock, for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \begin{array}{r} S 34 \\ S 3 \\ \hline 1917 \end{array}$$

From which

A cedar, 16 ins. in diam., bears N.79°W., 329 lks. dist., marked $\frac{1}{4}$ S 34 B T

No bearing tree available in sec. 3. Dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

52;00 Wash, 50 lks. wide, course N.10°W. Asc. 105 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 22 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 2, 3, 34 and 35 marked on brass cap

$$\begin{array}{r} T36N R9W \\ S 34 | S 35 \\ S 3 | S 2 \\ \hline T35N \\ 1917 \end{array}$$

From which

A pinyon, 5 ins. in diam., bears N.81°E., 191 lks. dist., marked T 36 N R 9 W S 35 B T

A pinyon, 12 ins. in diam., bears S.51°E., 250 lks. dist., marked T 35 N R 9 W S 2 B T

A pinyon, 14 ins. in diam., bears S.54°W., 279 lks. dist., marked T 35 N R 9 W S 3 B T

A pinyon, 10 ins. in diam., bears N.83 $\frac{1}{2}$ °W., 226 lks. dist., marked T 36 N R 9 W S 34 B T

Land; rolling.

Soil; rocky, 4th. rate.

Timber; pinyon and juniper.

Undergrowth; sagebrush.

S.89°52'E., on a true line bet. secs. 2 and 35.
Over rolling land, through scattering timber and undergrowth.

24.00 Asc. 130 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \begin{array}{r} S 35 \\ S 2 \\ \hline 1917 \end{array}$$

From which

A cedar, 16 ins. in diam., bears S.49°E., 97 lks. dist., marked $\frac{1}{4}$ S 2 B T

A cedar, 8 ins. in diam., bears N.46°W., 88 lks. dist., marked $\frac{1}{4}$ S 35 B T

Asc. 360 ft. over SW. slope.

58.00 Ridge, bears SE. and NW. Desc. 230 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 35 and 36, marked on brass cap

$$\begin{array}{r} T36N R9W \\ S 35 | S 36 \\ S 2 | S 1 \\ \hline T35N \\ 1917 \end{array}$$

From which

A cedar, 10 ins. in diam., bears N.46°E., 106 lks.

Survey of the North Boundary of T.35 N., R.9 W.

LOC. 100

Chains

dist., marked T 36 N R 9 W S 36 B T
 A pinyon, 4 ins. in diam., bears S.16°E., 98 lks. dist.
 marked T 35 N R 9 W S 1 B T
 A pinyon, 8 ins. in diam., bears S.53°W., 78 lks.
 dist., marked T 35 N R 9 W S 2 B T
 A cedar, 16 ins. in diam., bears N.75°W., 85 lks.
 dist., marked T 36 N R 9 W S 35 B T

Land; rolling.
 Soil; rocky, 4th. rate.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush.

10.90
 32.00
 40.00

S.89°52'E., on a true line bet. secs. 1 and 36.
 Over hilly land, through scattering timber and undergrowth.
 Spur, bears NE. and SW. Desc. 231 ft. over E. slope.
 Foot of descent.
 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ $\frac{S\ 36}{S\ 1}$
 1917

And raise a mound of stone 2 ft. base, 1½ ft. high N.
 of cor.

80.00

The cor. of Ts.35 and 36 N., Rs. 8 and 9 W., hereinbefore
 described.

Land; hilly.
 Soil; gravelly, 4th. rate.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush.

Chains	<p>From the cor. of secs. 1, 2, 35 and 36 on S. bdy. of Tp., described in Book "E", N.0°01'W., bet. secs. 35 and 36. Over rolling land, through scattering timber and dense undergrowth. Desc. 140 ft. over N. slope. 10.00 Foot of descent, thence over level land. Leave oak and enter sagebrush. 20.10 Road from sawmill to St. George, bears S.60°E. and N.60°W. 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <div style="text-align: center;"> $\frac{1}{4}$ <table style="margin: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 35</td> <td style="padding: 0 5px;">S 36</td> </tr> <tr> <td colspan="2" style="text-align: center;">1917</td> </tr> </table> </div> <p>From which A pinyon, 12 ins. in diam., bears N.29$\frac{1}{2}$°E., 131 lks. dist., marked $\frac{1}{4}$ S 36 B T A pinyon, 6 ins. in diam., bears S.63°W., 44 lks. dist., marked $\frac{1}{4}$ S 35 B T</p> <p>58.10 Road, St. George to Dixon, bears NE. and SW. Wash, course NE. 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 25, 26, 35 and 36, marked on brass cap</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">T35N R9W</td> <td style="padding: 0 5px;"></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 26</td> <td style="padding: 0 5px;">S 25</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 35</td> <td style="padding: 0 5px;">S 36</td> </tr> <tr> <td colspan="2" style="text-align: center;">1917</td> </tr> </table> </div> <p>From which A juniper, 12 ins. in diam., bears N.45$\frac{1}{2}$°E., 74 lks. dist., marked T 35 N R 9 W S 25 B T A pinyon, 10 ins. in diam., bears S.18$\frac{1}{2}$°E., 42 lks. dist., marked T 35 N R 9 W S 36 B T A pinyon, 16 ins. in diam., bears S.22$\frac{1}{2}$°W., 87 lks. dist., marked T 35 N R 9 W S 35 B T A pinyon, 10 ins. in diam., bears N.77$\frac{1}{2}$°W., 77 lks. dist., marked T 35 N R 9 W S 26 B T</p> <p>Land; rolling and level. Soil; sandy loam, 1st. rate, Timber; juniper and pinyon. Undergrowth; oak and sagebrush.</p> <hr/> <p>40.00 N.89°56'E., on a random line bet. secs. 25 and 36. Set temp. $\frac{1}{4}$ sec. cor. 79.80 Fall 4 lks. S. of the cor. of secs. 25, 30, 31 and 36, on E. bdy. of Tp., hereinbefore described.</p> <p>Thence S.89°54'W., on a true line bet. secs. 25 and 36. Over level land, through scattering timber and undergrowth. 39.90 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <div style="text-align: center;"> $\frac{1}{4}$ S 25 <table style="margin: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 36</td> <td style="padding: 0 5px;"></td> </tr> <tr> <td colspan="2" style="text-align: center;">1917</td> </tr> </table> </div> <p>From which A pinyon, 10 ins. in diam., bears N.82°E., 167 lks. dist., marked $\frac{1}{4}$ S 25 B T A juniper, 8 ins. in diam., bears S.9°W., 137 lks. dist., marked $\frac{1}{4}$ S 36 B T</p> <p>52.00 Leave timber, enter dense sagebrush. 55.80 Cabin, bears N.68$\frac{1}{2}$°W. 63.80 Road, Nixon to St. George, bears NE. and SW.</p>	S 35	S 36	1917		T35N R9W		S 26	S 25	S 35	S 36	1917		S 36		1917	
S 35	S 36																
1917																	
T35N R9W																	
S 26	S 25																
S 35	S 36																
1917																	
S 36																	
1917																	

Survey of the Subdivisions of T.35 N., R.9 W.

Chains

70.64
79.80


Wash, 25 lks. wide, 10 ft. deep, course NE.
The cor. of secs. 25, 26, 35 and 36.

Land; level.
Soil; sandy loam, 1st. rate.
Timber; juniper and pinyon.
Undergrowth; sagebrush.

N.0°01'W., bet. secs. 25 and 26.
Over level land, through scattering timber and dense
sagebrush.

3.90
40.00

Fence, bears E. about 30 chs. and W. 2 chs. Leave timber.
Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




From which

A juniper, 24 ins. in diam., bears S.22 $\frac{1}{2}$ °W.,
392 lks. dist., marked $\frac{1}{4}$ S 26 B T
No bearing tree available in sec. 25. Raise a mound
of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

61.60
80.00

Leave valley, bears E. and W. Enter rolling hills covered
with timber.
Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.
in the ground for cor. of secs. 23, 24, 25 and 26,
marked on brass cap



From which

A pinyon, 10 ins. in diam., bears N.66°E.,
61 lks. dist., marked T 35 N R 9 W S 24 B T
A pinyon, 16 ins. in diam., bears S.43°E.,
4 lks. dist., marked T 35 N R 9 W S 25 B T
A pinyon, 8 ins. in diam., bears S.39°W.,
82 lks. dist., marked T 35 N R 9 W S 26 B T
A pinyon, 12 ins. in diam., bears N.63°W.,
29 lks. dist., marked T 35 N R 9 W S 23 B T

Land; level and rolling.
Soil; loam, 1st. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush.


40.00
79.92

N.89°54'E., on a random line bet. secs. 24 and 25.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 17 lks. N. of the cor. of secs. 19, 24, 25 and 30
on E. bdy. of Tp., hereinbefore described.

Thence
N.89°59'W., on a true line bet. secs. 24 and 25.
Over rolling land, through scattering timber and under-
growth.

39.96

Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in
the ground tamped rock, supported in a mound of stone
for $\frac{1}{4}$ sec. cor. marked on brass cap



From which

A pinyon, 10 ins. in diam., bears N.40°W.,
51 lks. dist., marked $\frac{1}{4}$ S 24 B T

Survey of the Subdivisions of T.35 N., R.9 W.

Chains	A pinyon, 8 ins. in diam., bears S.53°W., 89 lks. dist., marked $\frac{1}{4}$ S 25 B T
68.70	Wash, 20 lks. wide, course NW.
79.92	The cor. of secs. 23, 24, 25 and 26. Land; rolling, drains NW. Soil; rocky, 4th. rate. Timber; pinyon and juniper. Undergrowth; sagebrush.
	N.0°01'W., bet. secs. 23 and 24. Over rolling land, through scattering timber and undergrowth. Desc. 185 ft. to
17.34	Wash, 30 lks. wide, course N.10°W.
38.44	Same wash, 20 lks. wide, course N.10°E.
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 23 S 24 1917
	From which A juniper, 6 ins. in diam., bears S.55 $\frac{1}{2}$ °E., 22 lks. dist., marked $\frac{1}{4}$ S 24 B T A yellow pine, 36 ins. in diam., bears N.36°W., 184 lks. dist. marked $\frac{1}{4}$ S 23 B T
40.40	Same wash, as above, course N.10°W.
76.62	Same wash, 20 lks. wide, 6 ins. deep, course N.10°E.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 13, 14, 23 and 24, marked on brass cap
	T35N R9W S 14 S 13 S 23 S 24 1917
	From which A pinyon, 10 ins. in diam., bears S.60°E., 472 lks. dist., marked T 35 N R 9 WS 24 B T A juniper, 9 ins. in diam., bears N.41 $\frac{1}{2}$ °W., 416 lks. dist., marked T 35 N R 9 W S 14 B T Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high W. of cor. Land; rolling, drains N. Soil; rocky, 3rd. rate. Timber; pinyon and juniper. Undergrowth; sagebrush.
40.00	S.89°59'E., on a random line bet. secs. 13 and 24. Set temp. $\frac{1}{4}$ sec. cor.
79.86	Fall 5 lks. S. of the cor. of secs. 13, 18, 19 and 24 on E. bdy. of Tp., hereinbefore described.
	Thence S.89°59'W., on a true line bet. secs. 13 and 24. Over rolling land, through scattering timber and undergrowth.
39.93	Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 13 S 24 1917
	From which

Survey of the Subdivisions of T.35 N., R.9 W.

Chains


A pinyon, 16 ins. in diam., bears N.56°E., 308 lks. dist., marked $\frac{1}{4}$ S 13 B T
A pinyon, 14 ins. in diam., bears S.34 $\frac{1}{2}$ °W., 134 lks. dist., marked $\frac{1}{4}$ S 24 B T

78.46 Wash, 20 lks. wide, 6 ins. deep, course N.10°W.
79.86 The cor. of secs. 13, 14, 23 and 24.

Land; rolling, drains N.
Soil; gravelly, 3rd. rate.
Timber; juniper and pinyon.
Undergrowth; sagebrush.


N.0°01'W., bet. secs. 13 and 14.
Over rolling land, through scattering timber and undergrowth.

29.80 Leave timber, bears E. and W.
34.80 Corral, bears E.
36.00 Old road, bears E. and W.
36.77 Wash, 25 lks. wide, 10 ft. deep, course N.70°W.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



and dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.

Asc. 225 ft.
45.80 Enter timber, bears E. and W.
65.66 Corral, bears S.15°35'E.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 22 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 11, 12, 13 and 14, marked on brass cap



From which

A pinyon, 14 ins. in diam., bears N.21°E., 47 lks. dist., marked T 35 N R 9 W S 12 B T
A pinyon, 16 ins. in diam., bears S.61 $\frac{1}{2}$ °E., 90 lks. dist., marked T 35 N R 9 W S 13 B T
A pinyon, 10 ins. in diam., bears S.50°W., 84 lks. dist., marked T 35 N R 9 W S 14 B T
A pinyon, 12 ins. in diam., bears N.72°W., 9 lks. dist., marked T 35 N R 9 W S 11 B T

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; juniper and pinyon.
Undergrowth; sagebrush.

40.00 N.89°59'E., on a random line bet. secs. 12 and 13.
79.72 Set temp. $\frac{1}{4}$ sec. cor.
Fall 24 lks. N. of the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., hereinbefore described.

Thence
N.89°51'W., on a true line bet. secs. 12 and 13.
Over rolling land, through scattering timber and undergrowth.

34.20 Leave timber, bears N. and S.
39.86 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

Survey of the Subdivisions of T.35 N., R.9 W.

Chains

$$\frac{1}{4} \begin{array}{r} S 12 \\ S 13 \\ \hline 19.17 \end{array}$$

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.

41.42 Old road, bears N. and S.
48.40 Enter timber, bears N. 15° W. and S.
79.72 The cor. of secs. 11, 12, 13 and 14.

Land; rolling, drains NE.
Soil; rocky, 4th. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush.

N. $0^\circ 01'$ W., bet. secs. 11 and 12.

Over nearly level land, through dense timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \begin{array}{r} S 11 \quad | \quad S 12 \\ \hline 19.17 \end{array}$$

From which

A pinyon, 10 ins. in diam., bears N. $54\frac{1}{2}^\circ$ E., 11 lks. dist., marked $\frac{1}{4}$ S 12 B T

A pinyon, 9 ins. in diam., bears S. $75\frac{1}{4}^\circ$ W., 54 lks. dist., marked $\frac{1}{4}$ S 11 B T

Ascend 55 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 2, 11 and 12, marked on brass cap

$$\begin{array}{r} T35N R9W \\ S 2 \quad | \quad S 1 \\ \hline S 11 \quad | \quad S 12 \\ \hline 19.17 \end{array}$$

From which

A pinyon, 4 ins. in diam., bears N. $69\frac{1}{4}^\circ$ E., 67 lks. dist., marked T 35 N R 9 W S 1 B T

A juniper, 14 ins. in diam., bears S. 29° E., 41 lks. dist., marked T 35 N R 9 W S 12 B T

A pinyon, 6 ins. in diam., bears S. $15\frac{1}{2}^\circ$ W., 107 lks. dist., marked T 35 N R 9 W S 11 B T

A pinyon, 12 ins. in diam., bears N. 32° W., 39 lks. dist., marked T 35 N R 9 W S 2 B T

Land; nearly level.
Soil; gravelly 3rd. rate.
Timber; juniper and pinyon.
Undergrowth; sagebrush.

S. $89^\circ 51'$ E., on a random line bet. secs. 1 and 12.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.62 Fall 6 lks. N. of the cor. of secs. 1, 6, 7 and 12 on E. bdy. of Tp., hereinbefore described.

Thence

N. $89^\circ 48'$ W., on a true line bet. secs. 1 and 12.

Over nearly level land, through dense sagebrush.

13.90 Old road, bears N. 20° E. and SW.

39.81 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \begin{array}{r} S 1 \\ S 12 \\ \hline 19.17 \end{array}$$

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of cor.

Survey of Subdivisions of T.35 N.,R.9 W.


BOOK 368

Chains

56.20 Leave valley, bears N. and S. Asc. 320 ft. over E.slope,
 64.16 Enter scattering timber, bears N. and S.
 79.62 The cor. of secs. 1, 2, 11 and 12.
 Land; level and hilly.
 Soil; gravelly, 3rd. rate.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush.

40.00 N.0°01'W., on a random line bet. secs. 1 and 2.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.92 Fall 34 lks. W. of the cor. of secs. 1, 2, 35 and 36 on
 N. bdy. of Tp., hereinbefore described.

Thence
 S.0°16'E., on a true line bet. secs. 1 and 2.
 Over hilly land, through scattering timber and undergrowth.
 Desc. 340 ft. over S. slope.
 24.00 Leave timber, bears E. and W.
 34.90 Foot of descent. Enter valley, bears E. and W.
 39.92 Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in
 the ground to bed rock, for $\frac{1}{4}$ sec. cor. marked on brass
 cap




Dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.

48.00 Leave valley, bears E. and W. Asc. 350 ft. through scat-
 tering timber and dense undergrowth.
 77.40 Top of ascent.
 79.92 The cor. of secs. 1, 2, 11 and 12.

Land; hilly.
 Soil; rocky, 3rd. and 4th. rates.
 Timber; juniper and pinyon.
 Undergrowth; sagebrush.

From the cor. of secs. 2, 3, 34 and 35 on S. bdy. of Tp.,
 described in Book "E",
 N.0°01'W., bet. secs. 34 and 35.
 Over rolling land, through scattering timber and under-
 growth.
 12.30 Road, from sawmill to St. George, bears NE. and SW.
 16.00 Asc. 100 ft. to
 29.50 Ridge, bears NE. and SW. Desc. 125 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in
 the ground to bed rock, supported in a mound of stone
 for $\frac{1}{4}$ sec. cor. marked on brass cap



From which
 A pinyon, 14 ins. in diam., bears S.25°E., 209 lks.
 dist., marked $\frac{1}{4}$ S 35 B T
 A yellow pine, 30 ins. in diam., bears S.38°W.,
 335 lks. dist., marked $\frac{1}{4}$ S 34 B T

55.10 Wash, 30 lks. wide, 2 ft. deep, course NE.
 62.20 Same wash, course NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.
 in the ground for cor. of secs. 26, 27, 34 and 35,
 marked on brass cap

Survey of the Subdivisions of T.35 N., R.9 W.

Chains

T35N R9W
S 27 | S 26
S 34 | S 35
1917

From which

- A juniper, 6 ins. in diam., bears N.38³°E., 230 lks. dist., marked T 35 NR 9 WS 26 B T
- A juniper, 10 ins. in diam., bears S.55¹°E., 150 lks. dist., marked T 35 NR 9 WS 35 B T
- A juniper, 20 ins. in diam., bears S.1¹°W., 121 lks. dist., marked T 35 NR 9 WS 34 B T
- A pinyon, 12 ins. in diam., bears N.40¹°W., 25 lks. dist., marked T 35 NR 9 WS 27 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; pinyon and juniper.
Undergrowth; scrub oak and sagebrush.

- 40.00 N.89°56'E., on a random line bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 Fall 30 lks. N. of the cor. of secs. 25, 26, 35 and 36.

Thence

- 40.01 N.89°51'W., on a true line bet. secs. 26 and 35.
Over rolling land, through dense timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 26
S 35
1917

From which

- A pinyon, 6 ins. in diam., bears N.32¹°W., 117 lks. dist., marked $\frac{1}{4}$ S 26 B T
- A pinyon, 18 ins. in diam., bears S.13°W., 119 lks. dist., marked $\frac{1}{4}$ S 35 B T

- 50.70 Leave timber, bears NE. and SW.
- 59.00 Enter timber, bears NE. and SW.
- 80.02 The cor. of secs. 26, 27, 34 and 35.

Land; rolling.
Soil; rocky, 2nd. to 4th. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush.

- 40.00 N.0°01'W., bet. secs. 26 and 27.
Over rolling land, through scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 27 | S 26
1917

From which

- A juniper, 5 ins. in diam., bears S.74¹°E., 35 lks. dist., marked $\frac{1}{4}$ S 26 B T
- A pinyon, 8 ins. in diam., bears N.82°W., 130 lks. dist., marked $\frac{1}{4}$ S 27 B T

- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 22, 23, 26 and 27, marked on brass cap

Chains

T35N R9W
S 22 | S 23
S 27 | S 26
1917

From which
A pinyon, 8 ins. in diam., bears N.68½°E., 135 lks. dist., marked T 35 N R 9 W S 23 B T
A pinyon, 9 ins. in diam., bears S.80½°E., 116 lks. dist., marked T 35 N R 9 W S 26 B T
A juniper, 10 ins. in diam., bears S.31½°W., 214 lks. dist., marked T 35 N R 9 W S 27 B T
A pinyon, 4 ins. in diam., bears N.52½°E., 50 lks. dist., marked T 35 N R 9 W S 22 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; juniper and pinyon.
Undergrowth; sagebrush and dogwood.

40.00 S.89°51'E., on a random line bet. secs. 23 and 26.
Set temp. ¼ sec. cor.
80.00 Fall 33 lks. S. of the cor. of secs. 23, 24, 25 and 26.

Thence
S.89°55'W., on a true line bet. secs. 23 and 26.
Over rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 16 ins. in the ground to bed rock, supported in a mound of stone for ¼ sec. cor. marked on brass cap

¼ S 23
S 26
1917

From which
A pinyon, 4 ins. in diam., bears N.19½°E., 87 lks. dist., marked ¼ S 23 B T
A pinyon, 16 ins. in diam., bears S.40½°W., 152 lks. dist., marked ¼ S 26 B T

80.00 The cor. of secs. 22, 23, 26 and 27.

Land; rolling, drains N.
Soil; rocky, 4th. rate.
Timber; juniper and pinyon.
Undergrowth; sagebrush and dogwood.

40.00 N.0°01'W., bet. secs. 22 and 23.
Over rolling land, through heavy timber and scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for ¼ sec. cor. marked on brass cap

¼
S 22 | S 23
1917

From which
A pinyon, 5 ins. in diam., bears N.54½°E., 45 lks. dist., marked ¼ S 23 B T
A pinyon, 12 ins. in diam., bears N.40½°W., 50 lks. dist., marked ¼ S 22 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 14, 15, 22 and 23, marked on brass cap

T35N R9W
S 15 | S 14
S 22 | S 23
1917

Survey of the Subdivisions of T.35 N., R.9 W.

Chains	<p>From which</p> <p>A pinyon, 9 ins. in diam., bears N.29°E., 65 lks. dist., marked T 35 N R 9 W S 14 B T</p> <p>A pinyon, 12 ins. in diam., bears S.45³/₄°E., 115 lks. dist., marked T 35 N R 9 W S 23 B T</p> <p>A pinyon, 16 ins. in diam., bears S.56¹/₂°W., 31 lks. dist., marked T 35 N R 9 W S 22 B T</p> <p>A pinyon, 10 ins. in diam., bears N.54³/₄°W., 31 lks. dist., marked T 35 N R 9 W S 15 B T</p> <p>Land; rolling, drains N. Soil; rocky, 3rd. rate. Timber; juniper and pinyon. Undergrowth; sagebrush.</p>
40.00 79.86	<p>N.89°55'E., on a random line bet. secs. 14 and 23. Set temp. ¹/₄ sec. cor. Fall 5 lks. N. of the cor. of secs. 13, 14, 23 and 24.</p> <p>Thence</p> <p>S.89°57'W., on a true line bet. secs. 14 and 23. Over rolling land, through dense timber and scattering undergrowth.</p>
39.93	<p>Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in the ground to bed rock, supported in a mound of stone for ¹/₄ sec. cor. marked on brass cap</p> <p style="text-align: center;">¹/₄ S 14 S 23 1917</p> <p>From which</p> <p>A pinyon, 16 ins. in diam., bears N.15¹/₂°E., 116 lks. dist., marked ¹/₄ S 14 B T</p> <p>A pinyon, 14 ins. in diam., bears S.22°W., 96 lks. dist., marked ¹/₄ S 23 B T</p>
56.00 79.86	<p>Draw, course N. The cor. of secs. 14, 15, 22 and 23.</p> <p>Land; rolling, drains N. Soil; gravelly, 3rd. rate. Timber; pinyon and juniper. Undergrowth; sagebrush.</p>
40.00	<p>N.0°01'W., bet. secs. 14 and 15. Over gently rolling land, through scattering timber and undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for ¹/₄ sec. cor. marked on brass cap</p> <p style="text-align: center;">¹/₄ S 15 S 14 1917</p> <p>From which</p> <p>A pinyon, 9 ins. in diam., bears S.58¹/₄°E., 54 lks. dist., marked ¹/₄ S 14 B T</p> <p>A pinyon, 12 ins. in diam., bears S.42°W., 8 lks. dist., marked ¹/₄ S 15 B T</p>
41.90 71.00 80.00	<p>Old road, bears E. and W. Leave timber, bears E. and W. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 10, 11, 14 and 15 marked on brass cap</p> <p style="text-align: center;">T35N R9W S 10 S 11 S 15 S 14 1917</p> <p>Raise a mound of stone, 2 ft. base, 1¹/₂ ft. high W. of cor.</p>

Survey of subdivisions of T.35 N., R.9 W.

Chains Land; rolling, drains N.
Soil; gravelly, 3rd. rate.
Timber; juniper and pinyon.
Undergrowth; sagebrush.

40.00 N.89°57'E., on a random line bet. secs. 11 and 14.
Set temp. $\frac{1}{4}$ sec. cor.
79.86 Fall 7 lks. S. of the cor. of secs. 11, 12, 13 and 14.

Thence
S.89°54'W., on a true line bet. secs. 11 and 14.
Over rolling land, through scattering timber and under-
growth.

39.93 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 11
S 14
1917

From which

A pinyon, 6 ins. in diam., bears N.51°W., 95 lks.
dist., marked $\frac{1}{4}$ S 11 B T

A pinyon, 4 ins. in diam., bears S.67°W., 122
lks. dist., marked $\frac{1}{4}$ S 14 B T

Desc. 100 ft. over W. slope.
54.50 Leave timber, bears N. and S.
61.16 Wash, 20 lks. wide, course N.10°W. Foot of descent.
79.86 The cor. of secs. 10, 11, 14 and 15.

Land; rolling, drains NW.
Soil; rocky, 3rd. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush.

N.0°01'W., bet. secs. 10 and 11.
Over rolling land, through scattering timber and under-
growth.

15.00 Enter valley, bears E. and W. Leave timber.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 10 | S 11
1917

Dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.

55.70 Wash, 30 lks. wide, 6 ft. deep, course N.40°E.
57.00 Old road, bears N.40°E. and S.40°W. Leave valley.
76.50 Enter timber.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.
in the ground for cor. of secs. 2, 3, 10 and 11, marked
on brass cap

T35N R9W
S 3 S 2
S 10 S 11
1917

From which

A pinyon, 4 ins. in diam., bears N.60½°E., 523 lks.
dist., marked T 35 N R 9 W S 2 B T

A pinyon, 12 ins. in diam., bears S.7°E., 126 lks.
dist., marked T 35 N R 9 W S 11 B T

A pinyon, 6 ins. in diam., bears S.79½°W., 416 lks.
dist., marked T 35 N R 9 W S 10 B T

A pinyon, 6 ins. in diam., bears N.43½°W., 308 lks.
dist., marked T 35 N R 9 W S 3 B T

Land; level and rolling. Soil; loam, 1st. rate.
Timber; pinyon and juniper. Undergrowth; sagebrush.

Survey of the Subdivisions of T.35 N., R.9 W.

Chains N.89°54'E., on a random line bet. secs. 2 and 11.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.90 Fall 7 lks. N. of the cor. of secs. 1, 2, 11 and 12.

Thence S.89°57'W., on a true line bet. secs. 2 and 11.
 Over rolling land, through scattering timber and undergrowth.

39.95 Set an iron post, 3 ft. long, 1 in. in diam., on surface rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 2
 S 11
 1917

From which

- A pinyon, 12 ins. in diam., bears N.78 $\frac{1}{2}$ °E., 226 lks. dist., marked $\frac{1}{4}$ S 2 B T
- A pinyon, 10 ins. in diam., bears S.68 $\frac{1}{2}$ °E., 246 lks. dist., marked $\frac{1}{4}$ S 11 B T

63.06 Road, bears N. and S.
 63.17 Wash, 40 lks. wide, 12 ins. deep, course N.
 79.90 The cor. of secs. 2, 3, 10 and 11.

Land; rolling. Soil; rocky, 4th. rate.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush.

N.0°16'W., on a random line bet. secs. 2 and 3.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.04 Fall 3 lks. E. of the cor. of secs. 2, 3, 34 and 35 on N. bdy. of Tp., hereinbefore described.

Thence S.0°17'E., on a true line bet. secs. 2 and 3.
 Over rolling land, through scattering timber and undergrowth.

24.60 Wash, 30 lks. wide, 10 ft. deep, course N.30°W.
 26.00 Road, bears SE. and NW.
 40.04 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 3 | S 2
 1917

From which

- A juniper, 18 ins. in diam., bears N.63°E., 297 lks. dist., marked $\frac{1}{4}$ S 2 B T
- A pinyon, 6 ins. in diam., bears S.37 $\frac{1}{2}$ °W., 64 lks. dist., marked $\frac{1}{4}$ S 3 B T

80.04 The cor. of secs. 2, 3, 10 and 11.

Land; rolling. Soil; gravelly, 3rd. rate.
 Timber; pinyon and juniper. Undergrowth; sagebrush.

From the cor. of secs. 3, 4, 33 and 34 on S. bdy. of Tp., described in Book " ", N.0°02'W., bet. secs. 33 and 34.

Over rolling land, through scattering timber and undergrowth.

22.10 Road from sawmill to St. George, bears NE. and SW.
 28.85 Wash, 20 lks. wide, 10 ft. deep, course N.40°W.
 36.40 Road to Whipple's ranch, bears SE. and NW.
 36.80 Same road, bears NE. and SW.
 38.70 Wash, 25 lks. wide, 4 ft. deep, course NE.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

Survey of Subdivisions of T.35 N., R.9 W.

Chains

1
S 33 | S 34
1917

From which

- A yellow pine, 12 ins. in diam., bears N.85°E., 126 lks. dist., marked 1/4 S 34 B T
- A yellow pine, 18 ins. in diam., bears S.49°W., 130 lks. dist., marked 1/4 S 33 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 27, 28, 33 and 34, marked on brass cap

T35N R9W
S 28 | S 27
S 33 | S 34
1917

From which

- A pinyon, 16 ins. in diam., bears N.19°E., 91 lks. dist., marked T 35 N R 9 W S 27 B T
- A pinyon, 8 ins. in diam., bears S.20 1/2°E., 46 lks. dist., marked T 35 N R 9 W S 34 B T
- A pinyon, 6 ins. in diam., bears S.38 1/2°W., 91 lks. dist., marked T 35 N R 9 W S 33 B T
- A pinyon, 12 ins. in diam., bears N.21 1/2°W., 102 lks. dist., marked T 35 N R 9 W S 28 B T

Land; rolling, drains N. Soil; gravelly, 3rd. rate. Timber; yellow pine and pinyon. Undergrowth; sagebrush.

40.00 N.89°56'E., on a random line bet. secs. 27 and 34.
Set temp. 1/4 sec. cor.
80.06 Fall 19 lks. N. of the cor. of secs. 26, 27, 34 and 35.

Thence

N.89°56'W., on a true line bet. secs. 27 and 34. Over rolling land, through dense timber and undergrowth. Wash, 30 lks. wide, course N.10°W.

24.60
40.03 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground to bed rock, supported in a mound of stone for 1/4 sec. cor. marked on brass cap

1/4 S 27
S 34
1917

From which

- A pinyon, 10 ins. in diam., bears S.28°E., 41 lks. dist., marked 1/4 S 34 B T
- A pinyon, 6 ins. in diam., bears N.30°W., 38 lks. dist., marked 1/4 S 27 B T

40.80 Leave timber.
47.80 Enter valley, bears N. and S.
55.00 Wash, 30 lks. wide, 12 ft. deep, course N.
58.70 Road to Whipple's ranch, bears SE. and NW.
60.00 Enter timber, bears SE. and NW.
80.06 The cor. of secs. 27, 28, 33 and 34.

Land; rolling. Soil; rocky. 4th. rate. Timber; juniper, pinyon and yellow pine. Undergrowth; sagebrush and scrub oak.

11.00 N.0°02'W., bet. secs. 27 and 28. Over rolling land, through dense timber and scattering undergrowth.
40.00 Wash, 8 lks. wide, 4 ft. deep, course N.60°E.
Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground, for 1/4 sec. cor., marked on brass cap,

S 28 | S 27
1917

Survey of the Subdivisions of T.35 N., R.9 W.

Chains

From which

A pinyon, 7 ins. in diam., bears N.44°E., 20 lks.
dist., marked $\frac{1}{4}$ S 27 B TA pinyon, 9 ins. in diam., bears S.47 $\frac{1}{2}$ °W., 46 lks.
dist., marked $\frac{1}{4}$ S 28 B T

49.00 Old road, bears E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 22 ins.
in the ground to bed rock, supported in a mound of
stone for cor. of secs. 21, 22, 27 and 28, marked on
brass cap

T35N	R9W
S 21	S 22
S 28	S 27
1917	

From which

A pinyon, 8 ins. in diam., bears N.52 $\frac{1}{2}$ °E., 133
lks. dist., marked T 35 N R 9 W S 22 B TA pinyon, 12 ins. in diam., bears S.22 $\frac{1}{2}$ °E., 314
lks. dist., marked T 35 N R 9 W S 27 B TA pinyon, 6 ins. in diam., bears S.84°W., 207 lks.
dist., marked T 35 N R 9 W S 28 B TA juniper, 18 ins. in diam., bears N.10 $\frac{1}{4}$ °W., 90 lks.
dist., marked T 35 N R 9 W S 21 B T

Land; rolling. Soil; gravelly, 3rd, rate.

Timber; pinyon and juniper.

Undergrowth; sagebrush.

40.00 S.89°56'E., on a random line bet. secs. 22 and 27.

Set temp. $\frac{1}{4}$ sec. cor.

79.82 Fall 4 lks. S. of the cor. of secs. 22, 23, 26 and 27.

Thence

N.89°58'W., on a true line bet. secs. 22 and 27.

Over slightly rolling land, through scattering timber
and undergrowth.

38.90 Wash, 30 lks. wide, 8 ft. deep, course N.

39.10 Enter field.

39.91 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 22	
S 27	
1917	

From which

A pinyon, 8 ins. in diam., bears N.71°E., 280 lks.
dist., marked $\frac{1}{4}$ S 22 B TA pinyon, 14 ins. in diam., bears S.87°E., 267 lks.
dist., marked $\frac{1}{4}$ S 27 B T

40.00 Cabin, bears N.8°45'W., 15.47 chs.

45.40 Leave field, bears N. and S.

46.20 Road, bears N. and S.

79.82 The cor. of secs. 21, 22, 27 and 28.

Land; gently rolling. Soil; rocky, 4th. rate.

Timber; pinyon and juniper.

Undergrowth; sagebrush and logwood.

N.0°02'W., bet. secs. 21 and 22.

Over nearly level land, through scattering timber and
undergrowth.

5.60 Wash, 15 lks. wide, 5 ft. deep, course N.10°E.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 21	S 22
1917	

Survey of the Subdivisions of T.35 N., R.9 W.

Chains

From which

A pinyon, 5 ins. in diam., bears S.57°E., 53 lks. dist., marked $\frac{1}{4}$ S 22 B T

A pinyon, 10 ins. in diam., bears S.21 $\frac{1}{2}$ °W., 13 lks. dist., marked $\frac{1}{4}$ S 21 B T

76.00 Leave timber, bears E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 15, 16, 21 and 22, marked on brass cap

T35N R9W
S 16 S 15
S 21 S 22
1917

From which

A pinyon, 12 ins. in diam., bears S.15°E., 43 lks. dist., marked T 35 N R 9 W S 22 B T

A juniper, 4 ins. in diam., bears S.9°W., 438 lks. dist., marked T 35 N R 9 W S 21 B T

No other trees available. Raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

Land; nearly level, drains N.

Soil; gravelly, 2nd. rate.

Timber; pinyon and juniper.

Undergrowth; sagebrush.

S.89°58'E., on a random line bet. secs. 15 and 22.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.84 Fall 9 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence

N.89°54'W., on a true line bet. secs. 15 and 22.

Over rolling land, through scattering timber and undergrowth.

16.00 Wash, 15 lks. wide, 4 ft. deep, course N.

32.00 Wash, 20 lks. wide, 15 ft. deep, course N. Enter valley, bears N. and S. Leave timber.

39.92 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 15
S 22
1917

Dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

40.10 Road, bears N. and S.

41.00 Leave valley, bears N. and S.

42.00 Enter timber, bears N. and S.

64.00 Leave timber, bears N.20°E. and S.20°W.

79.84 The cor. of secs. 15, 16, 21 and 22.

Land; rolling, drains N.

Soil; loam, 1st. and 2nd. rates.

Timber; pinyon and juniper.

Undergrowth; sagebrush.

N.0°02'W., bet. secs. 15 and 16.

Over rolling land, through scattering timber and undergrowth.

35.00 Leave timber, bears N.30°E. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 16 S 15
1917

From which

Survey of the Subdivisions of T.35 N., R.9 W.

Chains

A pinyon, 12 ins. in diam., bears S.7¼°W., 438 lks. dist., marked ¼ S 16 B T
 A juniper, 18 ins. in diam., bears S.26°W., 359 lks. dist., marked ¼ S 16 B T
 No tree available in sec. 15.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 9, 10, 15 and 16 marked on brass cap

T35N R9W
 S 9 S 10
 S 16 S 15
 1917

Dig pits 18 x 18 x 12 ins. NE., SE., SW. and NW. of cor. 5½ ft. dist.

Land; rolling. Soil; gravelly, 2nd. rate.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush.

40.00 S.89°54'E., on a random line bet. secs. 10 and 15.
 Set temp. ¼ sec. cor.
 79.80 Fall 14 lks. S. of the cor. of secs. 10, 11, 14 and 15.

Thence
 West, on a true line bet. secs. 10 and 15.
 Over rolling land, through scattering sagebrush.

22.80 Enter valley.
 29.40 Wash, 20 lks. wide, 10 ft. deep, course N.
 36.90 Road, bears N. and S.
 39.90 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for ¼ sec. cor. marked on brass cap

¼ S 10
 S 15
 1917

Dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

41.80 Leave valley, bears NE. and SW.
 79.80 The cor. of secs. 9, 10, 15 and 16.

Land; rolling, drains N.
 Soil; sandy and gravelly, 3rd. rate.
 Timber; none.
 Undergrowth; sagebrush.

40.00 N.0°02'W., bet. secs. 9 and 10.
 Over rolling land, through scattering sagebrush.
 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for ¼ sec. cor. marked on brass cap

¼ S 9 S 10
 1917

Dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.

70.00 Enter scattering timber, bears NE. and SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 3, 4, 9 and 10, marked on brass cap

T35N R9W
 S 4 S 3
 S 9 S 10
 1917

From which

Survey of the subdivisions of T.35 N., R.9 W.

- Chains
- A pinyon, 14 ins. in diam., bears N.38 $\frac{1}{2}$ °E., 124 lks. dist., marked T 35 N R 9 W S 3 B T
 - A pinyon, 12 ins. in diam., bears S.26°E., 69 lks. dist., marked T 35 N R 9 W S 10 B T
 - A pinyon, 5 ins. in diam., bears S.36 $\frac{1}{2}$ °W., 64 lks. dist., marked T 35 N R 9 W S 9 B T
 - A pinyon, 4 ins. in diam., bears N.38 $\frac{1}{2}$ °W., 42 lks. dist., marked T 35 N R 9 W S 4 B T

Land; rolling, drains N.
 Soil; sandy and gravelly, 2nd. rate.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush.

- 40.00 East, on a random line bet. secs. 3 and 10.
- Set temp. $\frac{1}{4}$ sec. cor.
- 79.96 Fall 9 lks. S. of the cor. of secs. 2, 3, 10 and 11.

Thence
 S.89°56'W., on a true line bet. secs. 3 and 10.
 Over rolling land, through scattering timber and undergrowth.

- 39.98 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ $\frac{S\ 3}{S\ 10}$
1917

- From which
- A pinyon, 8 ins. in diam., bears N.40°E., 70 lks. dist., marked $\frac{1}{4}$ S 3 B T
 - A pinyon, 14 ins. in diam., bears S.42°E., 106 lks. dist., marked $\frac{1}{4}$ S 10 B T

- 79.96 The cor. of secs. 3, 4, 9 and 10.

Land; rolling, drains NE.
 Soil; loam, 2nd. rate.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush.

- 40.00 N.0°17'W., on a random line bet. secs. 3 and 4.
- Set temp. $\frac{1}{4}$ sec. cor.
- 80.06 Fall 9 lks. E. of the cor. of secs. 3, 4, 33 and 34 on N. bdy. of Tp., hereinbefore described.

Thence
 S.0°21'E., on a true line bet. secs. 3 and 4.
 Over rolling land, through scattering timber and undergrowth.

- 40.06 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 3
1917

- From which
- A pinyon, 14 ins. in diam., bears N.11°E., 560 lks. dist., marked $\frac{1}{4}$ S 3 B T
 - A pinyon, 12 ins. in diam., bears S.80°W., 139 lks. dist., marked $\frac{1}{4}$ S 4 B T

- 80.06 The cor. of secs. 3, 4, 9 and 10.
- Land; rolling, drains N. Soil; gravelly, 3rd. rate.
- Timber; pinyon.
- Undergrowth; sagebrush.

Survey of the Subdivisions of T.35 N., R.9 W.


Chains From the cor. of secs. 4, 5, 32 and 33, on S. bdy. of Tp., described in Book "E", N.0°03'W., bet. secs. 32 and 33. Over rolling hills, through thick timber and undergrowth. Asc. 96 ft. to

5.00 Ridge, bears SE. and NW. Asc. 88 ft. to

16.00 Top of ascent. Desc. 60 ft.

35.00 Same ridge, bears N.70°E. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., on surface rock, supported in a mound of stone for 1/4 sec. cor. marked on brass cap



1917

From which


A pinyon, 10 ins. in diam., bears S.39°E., 140 lks. dist., marked 1/4 S 33 B T

A pinyon, 16 ins. in diam., bears S.44°W., 60 lks. dist., marked 1/4 S 32 B T

63.60 Asc. 110 ft. to

70.60 Ridge, bears SE. and NW. Desc. 123 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 28, 29, 32 and 33 marked on brass cap



1917

From which

A pinyon, 8 ins. in diam., bears N.57°E., 62 lks. dist., marked T 35 N R 9 W S 28 B T

A pinyon, 14 ins. in diam., bears S.52°E., 137 lks. dist., marked T 35 N R 9 W S 33 B T

A pinyon, 10 ins. in diam., bears S.76°W., 110 lks. dist., marked T 35 N R 9 W S 32 B T

A pinyon, 8 ins. in diam., bears N.83°W., 266 lks. dist., marked T 35 N R 9 W S 29 B T

Land; rolling hills. Drains NW.

Soil; rocky, 4th. rate.

Timber; juniper, pinyon and oak.

Undergrowth; oak and sagebrush.

40.00 N.89°56'E., on a random line bet. secs. 28 and 33.


80.00 Set temp. 1/4 sec. cor.

Fall 7 lks. N. of the cor. of secs. 27, 28, 33 and 34.

Thence S.89°59'W., on a true line bet. secs. 28 and 33. Over rolling land, through dense timber and scattering undergrowth.

32.00 Wash, 25 lks. wide, 12 ft. deep, course N.50°E.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for 1/4 sec. cor. marked on brass cap



From which

A pinyon, 18 ins. in diam., bears N.51°E., 91 lks. dist., marked 1/4 S 28 B T

A pinyon, 10 ins. in diam., bears S.42°W., 99 lks. dist., marked 1/4 S 33 B T

52.00 Leave timber, bears N.30°W. and S.30°E.

54.90 Wash, 20 lks. wide, 8 ft. deep, course S.20°E.

66.00 Enter timber, bears N.40°W. and S.40°E.

80.00 The cor. of secs. 28, 29, 32 and 33.

Land; rolling.


Soil; gravelly and rocky, 3rd. rate.

Timber; pinyon and juniper.

Undergrowth; sagebrush and oak.

Survey of the Subdivisions of T.35 N., R.9 W.

Chains N.0°03'W., bet. secs. 28 and 29.
Over mountainous land, through dense timber and undergrowth.
9.83 Wash, 20 lks. wide, course S.20°E. Asc. 295 ft. to
28.30 Spur, bears S.70°W. and E. Desc. 128 ft.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




1917

From which

A pinyon, 10 ins. in diam., bears S.44 $\frac{1}{2}$ °E., 16 lks.
dist., marked $\frac{1}{4}$ S 28 B T

A pinyon, 8 ins. in diam., bears N.25°W., 76 lks.
dist., marked $\frac{1}{4}$ S 29 B T

53.40 Desc. 227 ft.
80.00 Wash, 8 lks. wide, course S.60°W. Asc. 165 ft.
Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins.
in the ground to bed rock, supported in a mound of
stone for cor. of secs. 20, 21, 28 and 29, marked on
brass cap



From which

A pinyon, 16 ins. in diam., bears N.71°E., 12 lks.
dist., marked T 35 NR 9 W S 21 B T

A pinyon, 6 ins. in diam., bears S.42 $\frac{1}{2}$ °E., 43 lks.
dist., marked T 35 NR 9 W S 28 B T

A juniper, 15 ins. in diam., bears S 72 $\frac{1}{2}$ °W., 52 lks.
dist., marked T 35 NR 9 W S 29 B T

A pinyon, 12 ins. in diam., bears N.74°W., 116 lks.
dist., marked T 35 NR 9 W S 20 B T

Land; mountainous.

Soil; rocky, 4th. rate.

Timber; juniper and pinyon.


Undergrowth; sagebrush, dogwood and live oak.

40.00 N.89°59'E., on a random line bet. secs. 21 and 28.
80.16 Set temp. $\frac{1}{4}$ sec. cor.
Fall 25 lks. N. of the cor. of secs. 21, 22, 27 and 28.

Thence

N.89°50'W., on a true line bet. secs. 21 and 28.
Over nearly level land, through dense timber and under-
growth.

19.20 Wash, 8 lks. wide, 3 ft. deep, course N.20°E.
34.30 Old road, from sawmill to St. George, bears SE. and NW.
40.08 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which

A pinyon, 7 ins. in diam., bears N.77 $\frac{1}{2}$ °W., 140 lks.
dist., marked $\frac{1}{4}$ S 21 B T

A pinyon, 8 ins. in diam., bears S.33°W., 106 lks.
dist., marked $\frac{1}{4}$ S 28 B T

80.16 The cor. of secs. 20, 21, 28 and 29.

Land; rolling, drains N.

Soil; rocky, 4th. rate.

Timber; pinyon and juniper.

Undergrowth; sagebrush and dogwood.

Survey of the Subdivisions of T.35 N.,R.9 W.

Chains

N.0°03'W., bet. secs. 20 and 21.
Over rolling land, through dense timber and undergrowth.
Road, from sawmill to St. George, bears E. and W.
Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in
the ground to bed rock, supported in a mound of stone
for $\frac{1}{4}$ sec. cor. marked on brass cap

20.53
40.00

$\frac{1}{4}$
S 20 S 21
1917

From which

A pinyon, 7 ins. in diam., bears S.28 $\frac{1}{2}$ °E., 44 lks.
dist., marked $\frac{1}{4}$ S 21 B T
A pinyon, 5 ins. in diam., bears N.40 $\frac{1}{2}$ °W., 27 lks.
dist., marked $\frac{1}{4}$ S 20 B T

Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins.
in the ground to bed rock, supported in a mound of
stone for cor. of secs. 16, 17, 20 and 21, marked on
brass cap

80.00

T35N R9W
S 17 S 16
S 20 S 21
1917

From which

A pinyon, 18 ins. in diam., bears N.75 $\frac{1}{2}$ °E., 132 lks.
dist., marked T 35 N R 9 W S 16 B T
A pinyon, 8 ins. in diam., bears S.59°E., 52 lks.
dist., marked T 35 N R 9 W S 21 B T
A pinyon, 6 ins. in diam., bears S.5 $\frac{1}{2}$ °W., 83 lks.
dist., marked T 35 N R 9 W S 20 B T
A pinyon, 12 ins. in diam., bears N.63 $\frac{1}{2}$ °W., 255 lks.
dist., marked T 35 N R 9 W S 17 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush and dogwood.

S.89°50'E., on a random line bet. secs. 16 and 21.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 9 lks. S. of the cor. of secs. 15, 16, 21 and 22.

40.00
79.94

Thence

N.89°54'W., on a true line bet. secs. 16 and 21.
Over rolling land, through dense sagebrush.

12.00
39.97

Enter timber, bears N. and S.
Set an iron post, 3 ft. long, 1 in. in diam., 24 ins.
in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 16
S 21
1917

From which

A pinyon, 10 ins. in diam., bears N.40 $\frac{1}{2}$ °E., 33 lks.
dist., marked $\frac{1}{4}$ S 16 B T
A pinyon, 12 ins. in diam., bears S.64 $\frac{1}{2}$ °E., 51 lks.
dist., marked $\frac{1}{4}$ S 21 B T

The cor. of secs. 16, 17, 20 and 21.


79.94

Land; rolling, drains N.
Soil; loam, 2nd. rate.
Timber; juniper and pinyon.
Undergrowth; sagebrush.

Survey of the subdivisions of T.35 N., R.9 W.


Chains

N.0°03'W., bet. secs. 16 and 17.
 Over rolling land, through scattering timber and undergrowth.
 24.50 Leave timber, bears N.40°E. and SW.
 36.30 Enter timber, bears N.40°E. and SW.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., on surface rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap



From which
 A pinyon, 12 ins. in diam., bears S.85°E., 68 lks. dist., marked $\frac{1}{4}$ S 16 B T
 A pinyon, 8 ins. in diam., bears S.59 $\frac{1}{2}$ °W., 31 lks. dist., marked $\frac{1}{4}$ S 17 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 8, 9, 16 and 17, marked on brass cap




From which
 A pinyon, 6 ins. in diam., bears N.58°E., 33 lks. dist., marked T 35 N R 9 W S 9 B T
 A pinyon, 12 ins. in diam., bears S.71 $\frac{1}{2}$ °E., 208 lks. dist., marked T 35 N R 9 W S 16 B T
 A pinyon, 14 ins. in diam., bears S.22 $\frac{3}{4}$ °W., 544 lks. dist., marked T 35 N R 9 W S 17 B T
 A pinyon, 10 ins. in diam., bears N.33 $\frac{3}{4}$ °W., 142 lks. dist., marked T 35 N R 9 W S 8 B T

Land; rolling, drains NE.
 Soil; sandy and gravelly, 2nd. rate.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush and dogwood.

40.00 S.89°54'E., on a random line bet. secs. 9 and 16.
 80.18 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 26 lks. S. of the cor. of secs. 9, 10, 15 and 16.

Thence
 S.89°55'W., on a true line bet. secs. 9 and 16.
 Over rolling land, through dense sagebrush.

40.09 Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in the ground to bed rock, for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

48.00 Enter scattering timber, bears N.40°E. and SW.
 80.18 The cor. of secs. 8, 9, 16 and 17.

Land; nearly level.
 Soil; loam, 1st. and 2nd. rates.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush.

Survey of Subdivisions of T.35 N., R.9 W.


Chains	<p>N.0°03'W., bet. secs. 8 and 9. Over rolling land, through heavy timber and dense undergrowth.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <p style="text-align: center;">$\frac{1}{4}$ S 8 S 9 1917</p> <p>From which A pine, 8 ins. in diam., bears S.55$\frac{1}{4}$°E., 40 lks. dist., marked $\frac{1}{4}$ S 9 B T A pine, 12 ins. in diam., bears N.26°W., 108 lks. dist., marked $\frac{1}{4}$ S 8 B T</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. in diam., on surface rock, supported in a mound of stone for cor. of secs. 4, 5, 8 and 9; marked on brass cap</p> <p style="text-align: center;">T35N R9W S 5 S 4 S 8 S 9 1917</p> <p>From which A pine, 14 ins. in diam., bears N.40°E., 50 lks. dist., marked T 35 N R 9 W S 4 B T A cedar, 10 ins. in diam., bears S.34$\frac{3}{4}$°E., 75 lks. dist., marked T 35 N R 9 W S 9 B T A cedar, 15 ins. in diam., bears S.56$\frac{1}{4}$°W., 75 lks. dist., marked T 35 N R 9 W S 8 B T A pine, 8 ins. in diam., bears N.59°W., 12 lks. dist., marked T 35 N R 9 W S 5 B T</p> <p>Land; rolling. Soil; rocky, limestone formation, 2nd. rate. Timber; pinyon and juniper. Undergrowth; sage and buck brush.</p>
70.00 79.98	<p>N.89°55'E., on a random line bet. secs. 4 and 9. Set temp. $\frac{1}{4}$ sec. cor. Fall 37 lks. N. of the cor. of secs. 3, 4, 9 and 10.</p> <p>Thence N.89°49'W., on a true line bet. secs. 4 and 9. Over rolling land, through scattering timber and dense undergrowth.</p> <p>39.99 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <p style="text-align: center;">$\frac{1}{4}$ S 4 S 9 1917</p> <p>From which A juniper, 9 ins. in diam., bears N.52°E., 80 lks. dist., marked $\frac{1}{4}$ S 4 B T A juniper, 7 ins. in diam., bears S.38°E., 53 lks. dist., marked $\frac{1}{4}$ S 9 B T</p>
76.40 79.98	<p>Wash, 6 lks. wide, 1 ft. deep, course N. The cor. of secs. 4, 5, 8 and 9.</p> <p>Land; rolling. Soil; rocky, limestone formation, 2nd. rate. Timber; juniper and pinyon. Undergrowth; sagebrush.</p>

Survey of the Subdivisions of T.35 N., R.9 W.

Chains N.0°21'W., on a random line bet. secs. 4 and 5.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.00 Fall 9 lks. W. of the cor. of secs. 4, 5, 32 and 33 on N. bdy. of Tp., hereinbefore described.

Thence S.0°17'E., on a true line bet. secs. 4 and 5.
Over rolling land, through heavy timber and scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap




From which
A juniper, 8 ins. in diam., bears S.82°E., 47 lks. dist., marked $\frac{1}{4}$ S 4 B T
A juniper, 18 ins. in diam., bears N.37 $\frac{1}{2}$ °W., 222 lks. dist., marked $\frac{1}{4}$ S 5 B T

63.00 Wash, 10 lks. wide, 2 ft. deep, course SE.
80.00 The cor. of secs. 4, 5, 8 and 9.

Land; rolling. Soil; limestone formation, 2nd. rate.
Timber; juniper and pinyon.
Undergrowth; sage and buck brush.


From the cor. of secs. 5, 6, 31 and 32 on S. bdy. of Tp. described in Book "E",
N.0°03'W., bet. secs. 31 and 32.
Over rolling hills, through dense timber and undergrowth.
Asc. 335 ft. to

31.00 Top of ascent. Desc. 25 ft.
34.96 Wash, 10 lks. wide, course S.30°W. Asc. 100 ft.
40.00 True point for $\frac{1}{4}$ sec. cor. falls in wash, course SW.
40.92 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bed rock, supported in a mound of stone for witness cor. to the $\frac{1}{4}$ sec. cor. marked on brass cap



From which
A pinyon, 15 ins. in diam., bears S.46 $\frac{1}{2}$ °E., 56 lks. dist., marked W C $\frac{1}{4}$ S 32 B T
A pinyon, 12 ins. in diam., bears N.36°W., 76 lks. dist., marked W C $\frac{1}{4}$ S 31 B T

65.80 Asc. 278 ft. over S. slope to Ridge, bears E. and W. Desc.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 18 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 29, 30, 31 and 32 marked on brass cap



From which
A pinyon, 6 ins. in diam., bears N.41°E., 101 lks. dist., marked T 35 N R 9 W S 29 B T
A pinyon, 8 ins. in diam., bears S.64°E., 94 lks. dist., marked T 35 N R 9 W S 32 B T
A pinyon, 16 ins. in diam., bears S.52°W., 36 lks. dist., marked T 35 N R 9 W S 31 B T

Survey of the Subdivisions of T.35 N., R.9 W.

Chains

A pinyon, 12 ins. in diam., bears N.39 $\frac{1}{2}$ °W., 37 lks. dist., marked T 35 N R 9 W S 30 B T

Land; mountainous. Soil; rocky, 4th. rate.
Timber; juniper and pinyon.
Undergrowth; manzanita, dogwood and sagebrush.

40.00 N.89°56'E., on a random line bet. secs. 29 and 32.
Set temp. $\frac{1}{4}$ sec. cor.
79.88 Fall 18 lks. N. of the cor. of secs. 28, 29, 32 and 33.

Thence

N.89°56'W., on a true line bet. secs. 29 and 32.
Over rolling hills, through scattering timber and undergrowth.

Asc. 70 ft. over E. slope.

4.70 Ridge, bears N.20°W. and S.20°E. Desc. 207 ft.
9.80 Wash, 10 lks. wide, course N.25°W. Asc.
39.94 Set an iron post, 3 ft. long, 1 in. in diam., on surface rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 29
S 32
1917

From which

A pinyon, 16 ins. in diam., bears N.28°E., 151 lks. dist., marked $\frac{1}{4}$ S 29 B T

A pinyon, 14 ins. in diam., bears S.3 $\frac{1}{2}$ °W., 179 lks. dist., marked $\frac{1}{4}$ S 32 B T

48.00 Desc. 244 ft. over W. slope of mountains.
56.57 Shoalt's Spring, bears N.74°W.
66.00 Wash, 10 lks. wide, course N.30°W.
66.37 Shoalt's Spring, bears N.
79.88 The cor. of secs. 29, 30, 31 and 32.

Land; hilly. Soil; rocky, 4th. rate.
Timber; juniper and pinyon.
Undergrowth; sagebrush and crab oak.

40.00 S.89°56'W., on a random line bet. secs. 30 and 31.
Set temp. $\frac{1}{4}$ sec. cor.
79.10 Fall 18 lks. S. of the cor. of secs. 25, 30, 31 and 36 on W. bdy. of Tp., described in Book "G".

Thence

S.89°56'E., on a true line bet. secs. 30 and 31.
Over nearly level land, through sagebrush.

7.20 Leave valley, bears NE. and SW. Thence over rolling hills through scattering timber. Asc. 300 ft. to
39.10 Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 30
S 31
1917

From which

A pinyon, 6 ins. in diam., bears S.48°E., 242 lks. dist., marked $\frac{1}{4}$ S 31 B T

A pinyon, 8 ins. in diam., bears N.80°W., 174 lks. dist., marked $\frac{1}{4}$ S 30 B T


58.05 Asc. 250 ft. to
72.00 Wash, 10 lks. wide, course N.40°W. Asc. 200 ft. to
79.10 Top of ascent.
The cor. of secs. 29, 30, 31 and 32.

Land; rolling hills.
Soil; rocky, 4th. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush.

Subvey of the Subdivisions of T.35 N.,R.9 W.


Chains

N.0°03'W., bet. secs. 29 and 30.
 Over mountainous land, through scattering timber and undergrowth.
 Desc. 265 ft. to
 18.50 Wash, 10 lks. wide, course N.70°W. Asc.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., on surface rock, supported in a mound of stone for 1/4 sec. cor. marked on brass cap



From which
 A pinyon, 16 ins. in diam., bears S.57°E., 118 lks. dist., marked 1/4 S 29 B T
 A pinyon, 10 ins. in diam., bears N.87 1/2°W., 58 lks. dist., marked 1/4 S 30 B T

Asc.
 44.30 Ridge, bears E. and W. Desc. 520 ft. over N. slope to wash.
 70.76 Road, Hurricane valley to Shoalt's Spring, bears SE. & NW.
 77.60 Wash, 8 lks. wide, course N.60°W. Asc.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., on surface rock, supported in a mound of stone for cor. of secs. 19, 20, 29 and 30, marked on brass cap




From which
 A pinyon, 18 ins. in diam., bears N.74°E., 95 lks. dist., marked T 35 N R 9 W S 20 B T
 A pinyon, 10 ins. in diam., bears S.2°E., 115 lks. dist., marked T 35 N R 9 W S 29 B T
 A pinyon, 16 ins. in diam., bears S.19 1/2°W., 116 lks. dist., marked T 35 N R 9 W S 30 B T
 A pinyon, 6 ins. in diam., bears N.13 1/2°W., 12 lks. dist., marked T 35 N R 9 W S 19 B T

Land; mountainous. Soil; rocky, 4th. rate.
 Timber; juniper and pinyon.
 Undergrowth; sagebrush and dogwood.

40.00 S.89°56'E., on a random line bet. secs. 20 and 291
 Set temp. 1/4 sec. cor.
 79.60 Intersect the cor. of secs. 20, 21, 28 and 29.

Thence
 N.89°56'W., on a true line bet. secs. 20 and 29.
 Over rolling land, through dense timber and undergrowth.
 12.10 Road, bears NE. and SW.
 34.90 Wash, 20 lks. wide, course S.75°W.
 39.80 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground to bed rock, supported in a mound of stone for 1/4 sec. cor. marked on brass cap



From which
 A pinyon, 9 ins. in diam., bears S.53°E., 19 lks. dist., marked 1/4 S 29 B T
 A pinyon, 10 ins. in diam., bears N.33°W., 41 lks. dist., marked 1/4 S 20 B T

40.39 Hurricane Ledge, bears N.30°W. and S.30°E. Desc. 200 ft.
 46.10 Wash, 10 lks. wide, course N.30°W.
 79.60 The cor. of secs. 19, 20, 29 and 30.
 Land; rolling. Soil; rocky, 4th. rate.
 Timber; pinyon and juniper. Undergrowth; sagebrush and dogwood.

Survey of the Subdivisions of T.35 N., R.9 W.

- Chains N.89°56'W., on a random line bet. secs. 19 and 30.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.12 Intersect W. bdy. of Tp., at the cor. of secs. 19, 24, 25 and 30 described in Book "G".
- Thence
 S.89°56'E., on a true line bet. secs. 19 and 30.
 Over rolling land, through scattering timber and undergrowth.
- 28.60 Road, bears NW. and SE.
 39.12 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \begin{array}{r} \text{S } 19 \\ \text{S } 30 \\ \hline 1917 \end{array}$$

From which

- A pinyon, 12 ins. in diam., bears N.25°E., 28 lks. dist., marked $\frac{1}{4}$ S 19 B T
 A pinyon, 9 ins. in diam., bears S.29 $\frac{1}{2}$ °W., 110 lks. dist., marked $\frac{1}{4}$ S 30 B T

- 49.83 Wash, 8 lks. wide, course N.50°W.
 58.28 Road, Hurricane Valley to sawmill, bears SE. and NW.
 77.12 Wash, 10 lks. wide, course N.40°W.
 79.12 The cor. of secs. 19, 20, 29 and 30.

Land; rolling hills.
 Soil; gravelly, 3rd. rate.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush.

- N.0°03'W., bet. secs. 19 and 20.
 Over mountainous land, through scattering timber and undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \begin{array}{r} \text{S } 19 \quad | \quad \text{S } 20 \\ \hline 1917 \end{array}$$

From which

- A pinyon, 10 ins. in diam., bears N.40°E., 117 lks. dist., marked $\frac{1}{4}$ S 20 B T
 A pinyon, 4 ins. in diam., bears N.55°W., 76 lks. dist., marked $\frac{1}{4}$ S 19 B T

- 53.25 Wash, 20 lks. wide, 8 ft. deep, course N.75°W.
 63.50 Wash, 15 lks. wide, 4 ft. deep, course W.
 65.50 Asc. 370 ft. over Hurricane ledge, bears N.20°W. & S.20°E.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 17, 18, 19 and 20, marked on brass cap

$$\begin{array}{r} \text{T35N R9W} \\ \text{S } 18 \quad \text{S } 17 \\ \hline \text{S } 19 \quad \text{S } 20 \\ \hline 1917 \end{array}$$

From which

- A pinyon, 10 ins. in diam., bears N.78 $\frac{1}{2}$ °E., 108 lks. dist., marked T 35 N R 9 W S 17 B T
 A pinyon, 18 ins. in diam., bears S.37 $\frac{1}{2}$ °E., 14 lks. dist., marked T 35 N R 9 W S 20 B T
 A pinyon, 8 ins. in diam., bears S.10°W., 60 lks. dist., marked T 35 N R 9 W S 19 B T
 A pinyon, 4 ins. in diam., bears N.23 $\frac{1}{2}$ °W., 160 lks. dist., marked T 35 N R 9 W S 18 B T

Land; mountainous. Drains NW.
 Soil; rocky, 4th. rate.
 Timber; juniper and pinyon.
 Undergrowth; sagebrush and live oak.

Survey of the Subdivisions of T.35 N., R.9 W.

Chains S.89°56'E., on a random line bet. secs. 17 and 20.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Fall 4 lks. N. of the cor. of secs. 16, 17, 20 and 21.

Thence
 N.89°54'W., on a true line bet. secs. 17 and 20.
 Over rolling land, through scattering timber and under-
 growth.

28.30 Low divide, bears N. and S.
 39.98 Set an iron post, 3 ft. long, 1 in. in diam., on surface
 rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor.
 marked on brass cap

$\frac{1}{4}$ $\frac{S\ 17}{S\ 20}$
 1917

From which
 A pinyon, 7 ins. in diam., bears N.33°W., 106 lks.
 dist., marked $\frac{1}{4}$ S 17 B T
 A pinyon, 10 ins. in diam., bears S.30 $\frac{1}{2}$ °W., 75 lks.
 dist., marked $\frac{1}{4}$ S 20 B T

52.36 Desc. 68 ft. to
 70.80 Wash, 12 lks. wide, course S.10°W. Asc. 125 ft.
 79.96 Hurricane ledge, bears SE. and NW. Desc. 230 ft.
 The cor. of secs. 17, 18, 19 and 20.

Land; rolling
 Soil; sandy, gravelly and rocky, 2nd. to 4th. rates.
 Timber; pinyon and juniper.
 Undergrowth; sagebrush.

40.00 N.89°56'W., on a random line bet. secs. 18 and 19.
 78.57 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 25 lks. N. of the cor. of secs. 13, 18, 19 and 24
 on W. bdy. of Twp., described in Book "G".

Thence
 N.89°53'E., on a true line bet. secs. 18 and 19.
 Over nearly level land, through scattering timber and
 undergrowth.

30.50 Leave valley, enter rolling hills. Asc. 135 ft. to
 38.57 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ $\frac{S\ 18}{S\ 19}$
 1917

From which
 A juniper, 6 ins. in diam., bears N.30°E., 58 lks.
 dist., marked $\frac{1}{4}$ S 18 B T
 A juniper, 6 ins. in diam., bears S.38 $\frac{1}{2}$ °E., 28 lks.
 dist., marked $\frac{1}{4}$ S 19 B T

70.50 Asc. 265 ft. over Hurricane Kedge.
 78.57 The cor. of secs. 17, 18, 19 and 20.

Land; level, rolling and broken.
 Soil; loam to rocky, 1st. to 4th. rates.
 Timber; juniper and pinyon.
 Undergrowth; sagebrush.

Survey of the Subdivisions of T.35 N., R.9 W.

Chains

N.0°03'W., bet. secs. 17 and 18.

Asc. 275 ft. over SW. slope of Hurricane Ledge.

17.20 Top of ledge, bears S.30°E. and N.30°W. Thence over rolling land, through scattering timber and undergrowth.

35.25 Divide, bears NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 18 | S 17

1917

From which

A pinyon, 10 ins. in diam., bears S.83 $\frac{1}{2}$ °E., 121 lks. dist., marked $\frac{1}{4}$ S 17 B T

A pinyon, 6 ins. in diam., bears N.66 $\frac{1}{2}$ °W., 88 lks. dist., marked $\frac{1}{4}$ S 18 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 7, 8, 17 and 18, marked on brass cap

T35N R9W
S 7 | S 8
S 18 | S 17

1917

From which

A pine, 8 ins. in diam., bears N.35 $\frac{1}{4}$ °E., 150 lks. dist., marked T 35 N R 9 W S 8 B T

A pine, 9 ins. in diam., bears S.74 $\frac{3}{4}$ °E., 129 lks. dist., marked T 35 N R 9 W S 17 B T

A juniper, ins. in diam., bears S.44 $\frac{3}{4}$ °W., 199 lks. dist., marked T 35 N R 9 W S 18 B T

A juniper, 14 ins. in diam., bears N.6°W., 87 lks. dist., marked T 35 N R 9 W S 7 B T

Land; rolling.

Soil; rocky, 3rd. and 4th. rates.

Timber; juniper and pinyon.

40.00 S.89°54'E., on a random line bet. secs. 8 and 17.

Set temp. $\frac{1}{4}$ sec. cor.

79.66 Fall 27 lks. N. of the cor. of secs. 8, 9, 16 and 17.

Thence

N.89°42'W., on a true line bet. secs. 8 and 17.

Over rolling land, through dense undergrowth.

10.00 Enter timber, bears NE. and SW.

39.83 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 8
S 17
1917

From which

A juniper, 18 ins. in diam., bears N.56°W., 138 lks. dist., marked $\frac{1}{4}$ S 8 B T

A juniper, 18 ins. in diam., bears S.41°W., 150 lks. dist., marked $\frac{1}{4}$ S 17 B T

79.66 The cor. of secs. 7, 16, 17 and 18.

Land; rolling.

Soil; limestone formation, 2nd. rate.


Timber; pinyon and juniper.

Undergrowth; scrub pinyon, juniper and sagebrush.

Survey of the Subdivisions of T.35 N., R.9 W.

Chains S. 89° 53' W., on a random line bet. secs. 7 and 18.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
78.61 Fall 7 lks. W. of the cor. of secs. 7, 12, 13 and 18, on
W. bdy. of Tp., described in Book "G".


Thence
N. 89° 50' E., on a true line bet. secs. 7 and 18.
Over rolling land, through scattering timber and dense
undergrowth.
Asc. 1000 ft. over steep W. slope, to $\frac{1}{4}$ cor.
35.80 Top of cliff, 30 ft. high, bears N. and S.
38.61 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which
A pinyon, 8 ins. in diam., bears N. 24° W., 105 lks.
dist., marked $\frac{1}{4}$ S 7 B T
A pinyon, 6 ins. in diam., bears S. 58° E., 65 lks.
dist., marked $\frac{1}{4}$ S 18 B T
Asc. 46 ft. to
44.60 Ridge, bears N. and S. Desc. 150 ft. over rolling land.
78.61 The cor. of secs. 7, 8, 17 and 18.


Land; rolling.
Soil; limestone formation, 3rd. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush and scrub pinyon and juniper.

N. 0° 03' W., bet. secs. 7 and 8.
Over rolling land, through scattering timber and dense
undergrowth.
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in
the ground to bed rock, supported in a mound of stone
for $\frac{1}{4}$ sec. cor. marked on brass cap



From which
A juniper, 16 ins. in diam., bears S. 46° E., 162 lks.
dist., marked $\frac{1}{4}$ S 8 B T
A pinyon, 8 ins. in diam., bears N. 73° W., 392 lks.
dist., marked $\frac{1}{4}$ S 7 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in
the ground to bed rock, supported in a mound of stone
for cor. of secs. 5, 6, 7 and 8, marked on brass cap



From which
A pinyon, 6 ins. in diam., bears N. 43 $\frac{1}{2}$ ° E., 195 lks.
dist., marked T 35 N R 9 W S 5 B T
A pinyon, 6 ins. in diam., bears S. 34° E., 248 lks.
dist., marked T 35 N R 9 W S 8 B T
A pinyon, 12 ins. in diam., bears S. 5 $\frac{1}{2}$ ° W., 297 lks.
dist., marked T 35 N R 9 W S 7 B T
A pinyon, 9 ins. in diam., bears N. 35° W., 138 lks.
dist., marked T 35 N R 9 W S 6 B T

Land; rolling.
Soil; limestone formation, 2nd. rate.
Timber; pinyon and juniper.
Undergrowth; sage and buck brush.

Survey of the Subdivisions of T.35 N., R.9 W.

Chains

40.00 S.89°42'E., on a random line bet. secs. 5 and 8.
Set temp. $\frac{1}{4}$ sec. cor.
79.84 Fall 7 lks. N. of the cor. of secs. 4, 5, 8 and 9.

Thence

N.89°39'W., on a true line bet. secs. 5 and 8.
Over gently rolling land, through heavy timber and dense undergrowth.
39.92 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \frac{S 5}{S 8} 1917$$

From which

A pinyon, 8 ins. in diam., bears N.65°W., 86 lks. dist., marked $\frac{1}{4}$ S 5 B T
A juniper, 12 ins. in diam., bears S.10 $\frac{1}{2}$ °E., 132 lks. dist., marked $\frac{1}{4}$ S 8 B T

79.84 The cor. of secs. 5, 6, 7 and 8.

Land; rolling.
Soil; limestone formation, 2nd. rate.
Timber; pinyon and juniper.
Undergrowth; sage and buck brush.
Good grazing.


40.00 S.89°50'W., on a random line bet. secs. 6 and 7.
Set temp. $\frac{1}{4}$ sec. cor.
57.03 On account of precipitous cliffs in advance of this point over which it is impracticable to chain, I traverse and triangulate as follows:
N.22°40'W., 1.42 chs. to point "A" from which point a flag 90 lks. N. of the cor. of secs. 1, 6, 7 and 12 on W. bdy. of Tp., bears S.88°33'W. The vertical angle to flag is - 32°40'. From point "A", measure a base N.6°45'W., 17.25 chs. to point "B", from which the flag 90 lks. N. of objective cor. bears S.47°18'W.

Dist. from point "A" to flag by triangulation

$$= \frac{17.25 \times \sin 54^{\circ}03'}{\sin 41^{\circ}15'} = 21.18 \text{ chs.}$$

The total distance and falling are therefore

78.75 Fall 97 lks. N. of the cor. of secs. 1, 6, 7 and 12 on W. bdy. of Tp., described in Book "C".



Thence

N.89°47'E., on a true line bet. secs. 6 and 7.
Over mountainous land, through scattering timber and undergrowth, by triangulation as hereinbefore described.

21.71 Thence by chaining. Asc. 200 ft.
38.75 Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \frac{S 6}{S 7} 1917$$

From which

A pinyon, 8 ins. in diam., bears N.17°E., 54 lks. dist., marked $\frac{1}{4}$ S 6 B T
A juniper, 8 ins. in diam., bears S.2°W., 85 lks. dist., marked $\frac{1}{4}$ S 7 B T

Chains


39.75 Ridge, bears N. and S. Desc. 150 ft. over rolling land,
through dense timber and undergrowth.
78.75 The cor. of secs. 5, 6, 7 and 8.

Land; rolling and mountainous.
Soil; rocky, 4th. rate.
Timber; pinyon and juniper.
Undergrowth; sagebrush and scrub juniper and pine.

40.00 N.0°17'W., on a random line bet. secs. 5 and 6.
Set temp. $\frac{1}{4}$ sec. cor.
79.57 Fall 5 lks. E. of the cor. of secs. 5, 6, 31 and 32 on
N. bdy. of Tp., hereinbefore described.

Thence,
S.0°19'E., on a true line bet. secs. 5 and 6.
Over rolling land, through heavy timber and dense under-
growth.

39.57 Set an iron post, 3 ft. long, 1 in. in diam., 8 ins. in
the ground to bed rock, supported in a mound of stone
for $\frac{1}{4}$ sec. cor. marked on brass cap



From which
A pinyon, 8 ins. in diam., bears S.23 $\frac{1}{4}$ °E., 49 lks.
dist., marked $\frac{1}{4}$ S 5 B T
A pinyon, 8 ins. in diam., bears N.21 $\frac{1}{2}$ °W., 41 lks.
dist., marked $\frac{1}{4}$ S 6 B T

79.57 The cor. of secs. 5, 6, 7 and 8.
Land; rolling.
Soil; limestone formation, 2nd. rate.
Timber; pinyon and juniper.
Undergrowth; sage and buck brush.
Good grass.

The continued satisfactory adjustment of the instruments
throughout the survey of this township is indicated
from field tests as shown in Book "C".

Boundaries of T.35 N., R.9 W.

Latitudes, departures and closing errors.

Line designated.	True bearing.	Dist.	Latitudes.		Departures.	
			N.	S.	E.	W.
		chs.	chs.	chs.	chs.	chs.
South Boundary	S. 89° 56' W.	479.37		.56		479.37
West Boundary	North	480.00	480.00			
North Boundary	S. 89° 52' E.	478.20		.74	478.20	
East Boundary	South	480.00		480.00		
Convergency					.53	
<u>Totals in latitude</u>			480.00	481.30	478.73	479.37
				480.00		478.73
<u>Error in latitude</u>			1.30			
<u>Error in departure</u>			0.64			

GENERAL DESCRIPTION

This township consists of level, rolling and mountainous land. There is a scattering growth of cedar and pinyon timber over the greater portion of the township, which in some places is quite dense. The soil ranges from 2nd. to 4th. rates. The main value of this land is for grazing purposes.

49
BOOK 3623

4-680

FIELD ASSISTANTS. to
William B. Kimmel, U.S. Surveyor and Dupree R. Averill, U.S. Transitman.

NAMES.	CAPACITY.
A. J. Chalfant	First Chainman.
George M. Ginochio	First Chainman.
Clifton Hildebrand	First Chainman.
J. A. Redwine	Second Chainman.
Wilson Searles	Second Chainman.
L. S. Ruddick	Flagman.
Rexford Perkins	Second Chainman.
Edgar Biebe	Flagman.
Marion Alldredge	Cornerman.
Edward Hunt	Cornerman.
Clarence L. Abbot	Cornerman.

CERTIFICATE OF UNITED STATES SURVEYOR.

I, William B. Kimmel, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 72, Arizona, bearing date of the 12th day of October, 1916, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the subdivision lines of

TOWNSHIP 35 NORTH, RANGE 9 WEST,

of the Gila and Salt River Base & Meridian, in the State of Arizona, which are represented in the foregoing field notes and by diagram on page 2 hereof as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 72, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Phoenix, Ariz., Dec. 18, 1923.

William B. Kimmel, U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

191

The foregoing field notes of the survey of

executed by

under his special instructions dated 191, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.

CERTIFICATE OF UNITED STATES SURVEYOR.

I, Dupree R. Averill, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 72, Arizona bearing date of the 12 th. day of October, 19 16 I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____

The Second Guide Meridian West, between Rs. 8 and 9 West,
through Ts. 35 and 36 N.,

The North Boundary of T. 35 N., R. 9 W. and
The Subdivision of T. 35 N., R. 9 W.

_____ of the Gila and Salt River Base and _____ Meridian, in the State of Arizona, which are represented in the foregoing field notes ^{and by diagram on page 2 hereof} as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 72, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Phoenix Arizona
January 3, 1924

Dupree R. Averill
 U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, May 15, 1924.

The foregoing field notes of the survey of The Second Guide Meridian West, between
Rs. 8 and 9 West, through Ts. 35 and 36 N.
The North Boundary of T. 35 N., R. 9 W. and
The Subdivision of T. 35 N., R. 9 W. of the Gila and Salt River Base
and Meridian in the State of Arizona

executed by William B. Kimmel, U.S. Surveyor and Dupree R. Averill, U.S. Transit-
man under ~~his~~ special instructions dated October 12, 1916 for Group 72, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Charles M. Doolittle
 U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in _____
 _____, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.