

# FIELD NOTES

OF THE SURVEY OF THE

East Boundary,

North Boundary and

Subdivision of

T.35 N., R.8 W.

3624

Of the Gila and Salt river Base and Meridian,

In the State of Arizona

3624

EXECUTED BY

Dupree R. Averill

In the capacity of U. S. Surveyor..., under Special Instructions dated October 12, 1916, issued by the United States Surveyor General to govern surveys included in Group No. 72, Arizona, which were approved by the Commissioner of the General Land Office, October 24, 1916, and Assignment Instructions dated April 3, 1917

Survey commenced October 2, 1917

Survey completed November 8, 1917

1A

BOOK 3624

Book "I"

Group 72 - Arizona

INDEX DIAGRAM.

		Township 35 North				Range 8 West						
		8	8	9	10	10	10	11				
West	6	43	5	35	4	29	3	24	2	17	1	6
	43		43		35		29		23		17	
Meridian	7	42	8	34	9	28	10	23	11	16	12	5
	42		41		34		28		22		16	
Guide	18	41	17	33	16	27	15	21	14	15	13	5
	40		40		33		27		21		15	
2nd	19	39	20	32	21	26	22	20	23	14	24	4
	39		38		32		26		20		14	
	30	37	29	31	28	25	27	19	26	13	25	3
	37		37		31		25		19		13	
	31	36	32	30	33	24	34	18	35	12	36	3

T. 35 N. R. 8 W.

==== Lines surveyed under this group.

----- Unsurveyed.

*Book "I"*  
*Group 72 - Arizona*  
 DATE DIAGRAM.

T.35 N., R.8 W.

For dates of execution of survey of this line see Book "H" Meridian West Guide

	11-8-17	11-8-17	11-6-17	11-5-17	11-3-17	11-1-17
	6	5	4	3	2	1
	10-27-17	10-27-17	11-6-17	11-5-17	11-3-17	11-2-17
	7	8	9	10	11	12
	10-23-17	10-24-17	10-24-17	10-31-17	10-31-17	11-2-17
	18	17	16	15	14	13
	10-22-17	10-22-17	10-25-17	10-26-17	10-26-17	10-12-17
	19	20	21	22	23	24
	10-19-17	10-19-17	10-16-17	10-20-17	10-29-17	10-9-17
	30	29	28	27	26	25
	10-18-17	10-18-17	10-18-17	10-15-17	10-15-17	10-9-17
	31	32	33	34	35	36
	10-18-17	10-17-17	10-16-17	10-15-17	10-8-17	10-2-17

*For dates of execution of survey of this line see Book "D"*

Lines in black, surveyed by Dupree R. Averill.

Survey commenced October 2, 1917, and executed with Young and Sons light mountain transit No. 8480; the instrument is equipped with Smith solar Attachments and full vertical circle; unless otherwise specified, all azimuth determinations are accomplished with the solar attachment.

Field Test of Instrument No. 8480.

September 23, 1917: I examine the adjustments of the instrument and correct all errors; then, to test the solar apparatus, by comparing its indications, resulting from observations made during a.m. and p.m. hours with a meridian established by Polaris observation, I proceed as follows:

In camp, near the cor. of secs. 15, 16, 21 and 22, T. 34 N., R. 8 W., G. and S. R. B. and M., Arizona, lat.  $36^{\circ}20'N.$ , long.  $113^{\circ}9\frac{1}{2}'W.$ , at 9 hrs. 0 m., a.m., l.m.t., using the meridian established as described in Book "D", I set off  $36^{\circ}20'N.$  on the lat. arc;  $0^{\circ}\frac{1}{2}'S.$  on the decl. arc; and determine a meridian with the solar, which agrees with the true meridian.

At apparent noon, with the lat. arc unchanged, I observe the sun on the meridian; the resulting reading of the decl. arc is  $0^{\circ}3\frac{1}{2}'S.$ , which is the computed decl. of the sun.

At 3 hrs. 0 m., p.m., l.m.t., with the lat. arc unchanged, I set off  $0^{\circ}6'S.$  on the decl. arc; and determine a meridian with the solar, which agrees with the true meridian.

As all of the solar observations during the usual hours of solar work come within  $1'30''$  of the true meridian, I conclude that the adjustment of the instrument is satisfactory.

Unless otherwise specified, all measurements are made with a Lufkin steel tape, 5 chs. in length, compared with a Lufkin standard 1 ch. steel tape and found correct. The measurements are made on the slope, the vertical angle determined, and the slope measurements properly reduced to true horizontal distances.

3524

Survey of the  
East Boundary of T. 35 N., R. 8 W.

Chains.

From the cor. of Ts. 34 and 35 N., Rs. 7 and 8 W., which is an iron post, described in Book "D", North bet. secs. 31 and 36. Over level land, through heavy timber and dense undergrowth.

10.00 Desc. 55 ft., over NE. slope.

20.00 Thence over level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
S36 | S31  
1917

From which

A pinyon, 6 ins. diam., brs. N.69°E.,  
70 lks. dist., marked  $\frac{1}{4}$ S31 BT.

A pinyon, 10 ins. diam., brs. N.41 $\frac{1}{2}$ °W.,  
39 lks. dist., marked  $\frac{1}{4}$ S36 BT.

44.70 Draw, course NE. Asc. 25 ft.

55.00 Desc.

61.00 Wash, course E. Asc. 25 ft.

70.00 Desc. 115 ft.

75.00 Wash, course E. Asc.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, in a mound of stone, for cor. of secs. 25, 30, 31 and 36, marked on brass cap

T35N  
R8W | R7W  
S25 | S30  
S36 | S31  
1917

From which

A pinyon, 8 ins. diam., brs. N.27 $\frac{1}{2}$ °E.,  
38 lks. dist., marked T35N R7W S30 BT.

A pinyon, 7 ins. diam., brs. S.61°E.,  
94 lks. dist., marked T35N R7W S31 BT.

A cedar, 9 ins. diam., brs. S.83°W.,  
56 lks. dist., marked T35N R8W S36 BT.

A pinyon, 14 ins. diam., brs. N.55°W.,  
84 lks. dist., marked T35N R8W S25 BT.

Land; level and rolling.

Soil; rocky, 4th rate; lava formation.

Timber; pinyon, and cedar.

Undergrowth; sagebrush, scrub oak, and dogwood.

North bet. secs. 25 and 30.

Over mountainous land, through heavy timber, and dense undergrowth.

0.10 Wash, course E. Asc. 245 ft.

18.20 Desc. 75 ft.

25.90 Wash, course NE. Asc. 40 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
S25 | S30  
1917

From which

A pinyon, 6 ins. diam., brs. S.76 $\frac{1}{2}$ °E.,  
29 lks. dist., marked  $\frac{1}{4}$ S30 BT.

A pinyon, 8 ins. diam., brs. N.28 $\frac{1}{2}$ °W.,  
107 lks. dist., marked  $\frac{1}{4}$ S25 BT.

Survey of the  
East Boundary of T. 35 N., R. 8 W.

<p>Chains. 60.30 67.55 80.00</p>	<p>Desc. 215 ft. Wash, course E. Asc. 205 ft. Desc. 185 ft. Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground, in a mound of stone, for cor. of secs. 19, 24, 25 and 30, marked on brass cap</p> <div style="text-align: center;"> <table border="0"> <tr><td colspan="2">T35N</td></tr> <tr><td>R8W</td><td>R7W</td></tr> <tr><td>S24</td><td>S19</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td>S25</td><td>S30</td></tr> <tr><td colspan="2">1917</td></tr> </table> </div> <p>From which</p> <ul style="list-style-type: none"> <li>A pinyon, 7 ins. diam., brs. N.61<math>\frac{1}{2}</math>°E., 149 lks. dist., marked T35N R7W S19 BT.</li> <li>A pinyon, 10 ins. diam., brs. S.78<math>\frac{1}{2}</math>°E., 107 lks. dist., marked T35N R7W S30 BT.</li> <li>A pinyon, 8 ins. diam., brs. S.21<math>\frac{1}{2}</math>°W., 234 lks. dist., marked T35N R8W S25 BT.</li> <li>A pinyon, 7 ins. diam., brs. N.70°W., 30 lks. dist., marked T35N R8W S24 BT.</li> </ul> <p>Land; mountainous. Soil; rocky, 4th rate; lava formation. Timber; pinyon, and cedar. Undergrowth; sagebrush, and scrub oak.</p>	T35N		R8W	R7W	S24	S19	<hr/>		S25	S30	1917	
T35N													
R8W	R7W												
S24	S19												
<hr/>													
S25	S30												
1917													
<p>6.95 40.00</p>	<p>North bet. secs. 19 and 24. Over mountainous land, through heavy timber and dense undergrowth. Desc. 85 ft. Wash, course E. Thence over level land. Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, in a mound of stone, for <math>\frac{1}{4}</math> sec. cor., marked on brass cap</p> <div style="text-align: center;"> <table border="0"> <tr><td colspan="2"><math>\frac{1}{4}</math></td></tr> <tr><td>S24</td><td>S19</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td colspan="2">1917</td></tr> </table> </div> <p>From which</p> <ul style="list-style-type: none"> <li>A pinyon, 9 ins. diam., brs. S.62°E., 111 lks. dist., marked <math>\frac{1}{4}</math>S19 BT.</li> <li>A pinyon, 12 ins. diam., brs. N.61<math>\frac{1}{2}</math>°W., 100 lks. dist., marked <math>\frac{1}{4}</math>S24 BT.</li> </ul> <p>Continue over level land.</p>	$\frac{1}{4}$		S24	S19	<hr/>		1917					
$\frac{1}{4}$													
S24	S19												
<hr/>													
1917													
<p>41.00 58.30 80.00</p>	<p>Wash, course E. Wash, course E. Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground, in a mound of stone, for cor. of secs. 13, 18, 19 and 24, marked on brass cap</p> <div style="text-align: center;"> <table border="0"> <tr><td colspan="2">T35N</td></tr> <tr><td>R8W</td><td>R7W</td></tr> <tr><td>S13</td><td>S18</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td>S24</td><td>S19</td></tr> <tr><td colspan="2">1917</td></tr> </table> </div> <p>From which</p> <ul style="list-style-type: none"> <li>A pinyon, 12 ins. diam., brs. N.48<math>\frac{1}{2}</math>°E., 56 lks. dist., marked T35N R7W S18 BT.</li> <li>A cedar, 14 ins. diam., brs. S.49°E., 120 lks. dist., marked T35N R7W S19 BT.</li> <li>A pinyon, 6 ins. diam., brs. S.41<math>\frac{1}{2}</math>°W., 69 lks. dist., marked T35N R8W S24 BT.</li> <li>A cedar, 5 ins. diam., brs. N.16<math>\frac{3}{4}</math>°W., 49 lks. dist., marked T35N R8W S13 BT.</li> </ul>	T35N		R8W	R7W	S13	S18	<hr/>		S24	S19	1917	
T35N													
R8W	R7W												
S13	S18												
<hr/>													
S24	S19												
1917													


Survey of the  
East Boundary of T. 35 N., R. 8 W.

Chains.

Land; mountainous and level.  
Soil; rocky, lava formation; 4th rate.  
Timber; pinyon, and cedar.  
Undergrowth; sagebrush.


North bet. secs. 13 and 18.  
Over rolling land, through heavy timber and dense under-  
growth.

Desc.  
3.80 Wash, course SE. Asc. 30 ft.  
10.00 Thence over level land.  
25.00 Asc. 30 ft.  
30.00 Desc.  
38.20 Wash, course E. Asc. 30 ft.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the  
ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on  
brass cap



From which  
A cedar, 6 ins. diam., brs. S.71°E.,  
34 lks. dist., marked  $\frac{1}{4}$ S18 BT.  
A cedar, 10 ins. diam., brs. N.82°W.,  
15 lks. dist., marked  $\frac{1}{4}$ S13 BT.

Continue descent, 190 ft.  
60.00 Thence over level land.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the  
ground, in a mound of stone, for cor. of secs. 7, 12,  
13, and 18, marked on brass cap



From which  
A cedar, 9 ins. diam., brs. N.36 $\frac{1}{2}$ °E.,  
36 lks. dist., marked T35N R7W S7 BT.  
A cedar, 14 ins. diam., brs. S.39 $\frac{3}{4}$ °E.,  
107 lks. dist., marked T35N R7W S18 BT.  
A cedar, 14 ins. diam., brs. S.41 $\frac{1}{2}$ °W.,  
43 lks. dist., marked T35N R8W S13 BT.  
A cedar, 7 ins. diam., brs. N.82°W.,  
96 lks. dist., marked T35N R8W S12 BT.

Land; level, rolling and mountainous.  
Soil; rocky, 4th rate; lava formation.  
Timber; pinyon, and cedar.  
Undergrowth; sagebrush.

North bet. secs. 7 and 12.  
Over level land, through heavy timber and dense under-  
growth.

11.11 Road, brs. NE. to Kanab and SW. to Nixon.  
20.00 Desc. 160 ft.  
37.12 Wash, course E. Asc.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the  
ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on  
brass cap

Survey of the  
East Boundary of T. 35 N., R. 8 W.

Chains.

$$\begin{array}{c} \frac{1}{4} \\ \hline S12 | S 7 \\ \hline 1917 \end{array}$$

From which

A cedar, 4 ins. diam., brs. S.  $71\frac{1}{2}^{\circ}$ E.,  
81 lks. dist., marked  $\frac{1}{4}$ S7 BT.  
A cedar, 6 ins. diam., brs. N.  $71\frac{1}{2}^{\circ}$ W.,  
40 lks. dist., marked  $\frac{1}{4}$ S12 BT.

Continue ascent, 125 ft.

58.40  
74.80  
80.00

Desc. 80 ft.

Asc. 20 ft.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, marked on brass cap

$$\begin{array}{c} T35N \\ R8W | R7W \\ \hline S 1 | S 6 \\ \hline S12 | S 7 \\ \hline 1917 \end{array}$$

From which

A cedar, 12 ins. diam., brs. N.  $36^{\circ}$ E.,  
87 lks. dist., marked T35N R7W S6 BT.  
A cedar, 10 ins. diam., brs. S.  $25\frac{3}{4}^{\circ}$ E.,  
59 lks. dist., marked T35N R7W S7 BT.  
A cedar, 7 ins. diam., brs. S.  $77\frac{1}{2}^{\circ}$ W.,  
145 lks. dist., marked T35N R8W S12 BT.  
A cedar, 8 ins. diam., brs. N.  $78\frac{1}{2}^{\circ}$ W.,  
77 lks. dist., marked T35N R8W S1 BT.

Land; level and broken.

Soil; rocky, 4th rate; lava formation.

Timber; pinyon, and cedar.

Undergrowth; scrub oak, and sagebrush.

North bet. secs. 1 and 6.

Over level land, through heavy timber and dense undergrowth.

Desc. 25 ft.

10.00 Thence over level land.

14.80 Wash, course NE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap
$$\begin{array}{c} \frac{1}{4} \\ \hline S 1 | S 6 \\ \hline 1917 \end{array}$$

From which

A pinyon, 5 ins. diam., brs. N.  $32\frac{1}{2}^{\circ}$ E.,  
43 lks. dist., marked  $\frac{1}{4}$ S6 BT.  
A cedar, 12 ins. diam., brs. N.  $89^{\circ}$ W.,  
37 lks. dist., marked  $\frac{1}{4}$ S1 BT.

50.00 Desc. 25 ft.

55.00 Wash, course SE. From this point, spring brs. S.  $31^{\circ}28'$ W. on N. side of Mt. Trumbull. Asc. 60 ft.

63.40 Desc. 10 ft.

64.90 Thence over level land.

80.00 Set an iron post, 3 ft. long, 3 ind. diam., 18 ins. in the ground, in a mound of stone, for cor. of Ts. 35 and 36 N., Rs. 7 and 8 W., marked on brass cap

$$\begin{array}{c} T36N \\ R8W | R7W \\ \hline S36 | S31 \\ \hline S 1 | S 6 \\ \hline T35N \\ 1917 \end{array}$$



Survey of the  
East Boundary of T. 35 N., R. 8 E.

8824

Chains.

- From which
- A cedar, 12 ins. diam., brs. N.54 $\frac{1}{2}$ °E.,  
157 lks. dist., marked T36N R7W S31 BT.
- A cedar, 20 ins. diam., brs. S.15 $\frac{3}{4}$ °E.,  
126 lks. dist., marked T35N R7W S6 BT.
- A cedar, 8 ins. diam., brs. S.30 $\frac{1}{4}$ °W.,  
326 lks. dist., marked T35N R8W S1 BT.
- A pinyon, 5 ins. diam., brs. N.56 $\frac{1}{2}$ °W.,  
56 lks. dist., marked T36N R8W S36 BT.

Land; level and rolling.  
 Soil; rocky, 4th rate; lava formation.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush.

Chains.

From the cor. of Ts. 35 and 36 N., Rs. 7 and 8<sup>w</sup>, which is an iron post, hereinbefore described,  
West on a random line, along the N. bdy. of T. 35 N., R. 8 W., setting temp.  $\frac{1}{4}$  sec. and sec. cors. at intervals of 40.00 chs.; and at 477.89 chs., fall 46 lks. N. of the cor. of Ts. 35 and 36 N., Rs. 8 and 9 W., on the W. bdy. of Tp--2nd Guide Meridian West--which is an iron post, described in Book "H". The falling answers to a correction of  $0^{\circ}3'$ , or 7 lks. S. per mile, counting from the NE. cor. of the Tp.

From the cor. of Ts. 35 and 36 N., Rs. 8 and 9 W., N.  $89^{\circ}57'E.$  on a true line, bet. secs. 6 and 31. Over level land, through scattering timber and undergrowth.

5.70 Desc. 10 ft.  
7.90 Thence over level land.  
22.95 Road, brs. NE. to St. George and SW. to Nixon.  
27.90 Asc. 25 ft.  
32.90 Thence over level land.  
37.89 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S31  
S 6  
1917

From which

A pinyon, 12 ins. diam., brs. N.  $49\frac{1}{2}^{\circ}W.$ ,  
94 lks. dist., marked  $\frac{1}{4}$ S31 BT.  
A pinyon, 7 ins. diam., brs. S.  $17\frac{1}{4}^{\circ}E.$ ,  
135 lks. dist., marked  $\frac{1}{4}$ S6 BT.

72.90 Asc. 25 ft.  
77.89 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground, in a mound of stone, for cor. of secs. 5, 6, 31 and 32, marked on brass cap

T36N R8W  
S31 | S32  
S 6 | S 5  
T35N  
1917

From which

A pinyon, 14 ins. diam., brs. N.  $46^{\circ}E.$ ,  
241 lks. dist., marked T36N R8W S32 BT.  
A pinyon, 6 ins. diam., brs. S.  $62\frac{3}{4}^{\circ}E.$ ,  
242 lks. dist., marked T35N R8W S5 BT.  
A pinyon, 10 ins. diam., brs. S.  $50\frac{1}{2}^{\circ}W.$ ,  
333 lks. dist., marked T35N R8W S6 BT.  
A pinyon, 10 ins. diam., brs. N.  $29^{\circ}W.$ ,  
190 lks. dist., marked T36N R8W S31 BT.

Land; level and rolling.  
Soil; rocky, 4th rate; lava formation.  
Timber; pinyon, and cedar.  
Undergrowth; sagebrush, and dogwood.

N.  $89^{\circ}57'E.$  on a true line, bet. secs. 5 and 32. Over level land, through heavy timber and scattering undergrowth.

8.60 Wash, course NW. Asc. 220 ft.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S32  
S 5  
1917

From which

Survey of the  
North Boundary of T. 35 N., R. 8 W.

Chains.

80.00 A pinyon, 7 ins. diam., brs. N.51°W.,  
146 lks. dist., marked 1/4 S32 BT.  
A pinyon, 11 ins. diam., brs. S.33 1/4°E.,  
43 lks. dist., marked 1/4 S5 BT.  
Continue ascent, 345 ft., over W. slope.  
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
ground, for cor. of secs. 4, 5, 32 and 33, marked on  
brass cap

T36N R8W  
S32 | S33  
S 5 | S 4  
T35N  
1917

From which

A cedar, 9 ins diam., brs. N.20 1/4°E.,  
67 lks. dist., marked T36N R8W S33 BT.  
A cedar, 6 ins. diam., brs. S.72 1/2°E.,  
103 lks. dist., marked T35N R8W S4 BT.  
A pinyon, 10 ins. diam., brs. S.36°W.,  
127 lks. dist., marked T35N R8W S5 BT.  
A pinyon, 6 ins. diam., brs. N.27 1/2°W.,  
74 lks. dist., marked T36N R8W S32 BT.

Land; level and mountainous.  
Soil; rocky, 4th rate; lava formation.  
Timber; pinyon, and cedar.  
Undergrowth; sagebrush, and dogwood.

15.10 N.89°57'E. on a true line, bet. secs. 4 and 33.  
40.00 Over mountainous land, through heavy timber and dense  
undergrowth.  
Asc. 80 ft.  
Desc. 155 ft., over NE. slope.  
Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the  
ground, in a mound of stone, for 1/4 sec. cor., marked on  
brass cap

1/4 S33  
S 4  
1917

From which

A pinyon, 7 ins. diam., brs. N.13 3/4°W.,  
59 lks. dist., marked 1/4 S33 BT.  
A pinyon, 9 ins. diam., brs. S.24 1/2°W.,  
127 lks. dist., marked 1/4 S4 BT.

80.00 Continue descent, 220 ft., over NE. slope.  
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
ground; for cor. of secs. 3, 4, 33 and 34, marked on  
brass cap

T36N R8W  
S33 | S34  
S 4 | S 3  
T35N  
1917

From which

A pinyon, 6 ins. diam., brs. N.23 1/2°E.,  
128 lks. dist., marked T36N R8W S34 BT.  
A cedar, 4 ins. diam., brs. S.84 1/2°E.,  
95 lks. dist., marked T35N R8W S3 BT.  
A cedar, 8 ins. diam., brs. S.23°W.,  
100 lks. dist., marked T35N R8W S4 BT.  
A cedar, 8 ins. diam., brs. N.32 1/4°W.,  
102 lks. dist., marked T36N R8W S33 BT.

Land; mountainous.  
Soil; rocky, 4th rate; lava formation.

1924

Survey of the  
North Boundary of T. 35 N., R. 8 W.

Chains.

Timber; cedar, and pinyon.  
Undergrowth; sagebrush, dogwood, and scrub oak.

N. 89°57'E. on a true line, bet. secs. 3 and 34.  
Over mountainous land, through heavy timber and dense undergrowth.  
Desc. 170 ft., over NE. slope.  
20.30 Wash, course SE. Asc.  
23.10 Desc. 90 ft., over SE. slope.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S34 \\ \frac{1}{4} S3 \\ \hline 1917 \end{array}$$

From which

A cedar, 4 ins. diam., brs. N.32°E.,  
99 lks. dist., marked  $\frac{1}{4}$ S34 BT.  
A cedar, 7 ins. diam., brs. S.40°E.,  
62 lks. dist., marked  $\frac{1}{4}$ S3 BT.

52.30 Desc. 70 ft., over SE. slope.  
Road, brs. N. to Hurricane and S. to Nixon. Thence over level land.  
60.00 Asc. 25 ft.  
65.00 Thence over level land.  
75.00 Asc. 15 ft.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$$\begin{array}{r} T36N R8W \\ S34 | S35 \\ \hline S3 | S2 \\ T35N \\ \hline 1917 \end{array}$$

From which

A pinyon, 6 ins. diam., brs. N.40°E.,  
75 lks. dist., marked T36N R8W S35 BT.  
A cedar, 20 ins. diam., brs. S.38 $\frac{1}{2}$ °E.,  
102 lks. dist., marked T35N R8W S2 BT.  
A cedar, 7 ins. diam., brs. S.36°W.,  
69 lks. dist., marked T35N R8W S3 BT.  
A cedar, 8 ins. diam., brs. N.35 $\frac{1}{2}$ °W.,  
147 lks. dist., marked T36N R8W S34 BT.

Land; mountainous.  
Soil; rocky, 4th rate; lava cinders.  
Timber; pinyon, and cedar.  
Undergrowth; sagebrush, and scrub oak.

N. 89°57'E. on a true line, bet. secs. 2 and 35.  
Over level land, through scattering timber and undergrowth.  
20.00 Enter heavy timber, brs. N. and S.  
25.40 Asc. 210 ft., over W. slope.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$$\begin{array}{r} S35 \\ \frac{1}{4} S2 \\ \hline 1917 \end{array}$$

From which

A pinyon, 12 ins. diam., brs. N.20 $\frac{1}{2}$ °E.,  
60 lks. dist., marked  $\frac{1}{4}$ S35 BT.

Survey of the  
North Boundary of T. 35 N., R. 8 W.

Chains.

A pinyon, 10 ins. diam., brs. S.  $67\frac{1}{2}^{\circ}$ W.,  
 45 lks. dist., marked  $\frac{1}{4}$ S2 BT.  
 Continue ascent, 70 ft., over W. slope.  
 46.00 Ridge, brs. NE. and SW. Desc. 465 ft., over NE. slope.  
 64.00 Leave heavy timber, brs. N. and S.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the  
 ground, for cor. of secs. 1, 2, 35 and 36, marked on  
 brass cap

$$\begin{array}{r} T36N R8W \\ S35 | S36 \\ \hline S 2 | S 1 \\ T35N \\ 1917 \end{array}$$

From which

A pinyon, 16 ins. diam., brs. N.  $20^{\circ}$ E.,  
 170 lks. dist., marked T36N R8W S36 BT.  
 A cedar, 10 ins. diam., brs. S.  $38^{\circ}$ E.,  
 245 lks. dist., marked T35N R8W S1 BT.  
 A pinyon, 6 ins. diam., brs. S.  $20\frac{3}{4}^{\circ}$ W.,  
 364 lks. dist., marked T35N R8W S2 BT.  
 A pinyon, 8 ins. diam., brs. N.  $35\frac{1}{4}^{\circ}$ W.,  
 495 lks. dist., marked T36N R8W S35 BT.

Land; level and rolling.  
 Soil; rocky, 4th rate; lava cinders.  
 Timber; pinyon, and cedar.  
 Undergrowth; sagebrush.

N.  $89^{\circ}57'E$ . on a true line, bet. secs. 1 and 36.  
 Over level land, through scattering timber and under-  
 growth.

25.20 Desc. 135 ft., over SE. slope.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S36 \\ S 1 \\ \hline 1917 \end{array}$$


From which

A cedar, 10 ins. diam., brs. N.  $62^{\circ}$ W.,  
 36 lks. dist., marked  $\frac{1}{4}$ S36 BT.  
 A pinyon, 8 ins. diam., brs. S.  $72^{\circ}$ E.,  
 106 lks. dist., marked  $\frac{1}{4}$ S1 BT.

Continue descent, 75 ft.  
 43.50 Wash, course SE. Thence over level land.  
 57.00 Desc. 20 ft.  
 63.35 Wash, course SE. Thence over level land.  
 80.00 The cor. of Ts. 35 and 36 N., Rs. 7 and 8 W.  
 Land; level and rolling.  
 Soil; rocky, 4th rate; lava cinders.  
 Timber; pinyon, and cedar.  
 Undergrowth; sagebrush.


Survey of the Subdivisions of T.35 N.,R.8 W.

Chains From the cor. of secs. 1, 2, 35 and 36 on S. bdy. of Tp., described in Book "D", N.0°01'W., bet. secs. 35 and 36.  
Over broken land, thru heavy timber and undergrowth.  
Asc. 14 ft.  
3.00 Desc. 35 ft. over NE. slope.  
10.15 Wash, course SE.  
11.60 Wash, course S. Asc. 153 ft.  
21.10 Top of asc. Desc. 33 ft.  
24.80 Wash, course SW. Asc. 98 ft.  
33.40 Top of asc.  
35.90 Wash, course SE. Asc. 70 ft.  
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which  
A pinyon, 7 ins. in diam., bears S.81 $\frac{1}{4}$ °E., 86 lks. dist., marked  $\frac{1}{4}$  S 36 B T  
A pinyon, 12 ins. in diam., bears N.68 $\frac{1}{2}$ °W., 8 lks. dist., marked  $\frac{1}{4}$  S 35 B T

Asc. 208 ft. over broken SE. slope to 60.00 ch.pt.  
53.16 Upper reservoir, bears N.86°50'E.  
60.00 Slope changes to NE. Desc. 33 ft.  
71.00 Foot of descent. Asc. 96 ft. to  
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 25, 26, 35 and 36, marked on brass cap



From which  
A pinyon, 10 ins. in diam., bears N.69°E., 133 lks. dist., marked T 35 N R 8 W S 25 B T  
A cedar, 5 ins. in diam., bears S.56 $\frac{1}{2}$ °E., 44 lks. dist., marked T 35 N R 8 W S 36 B T  
A pinyon, 6 ins. in diam., bears N.57 $\frac{1}{2}$ °W., 79 lks. dist., marked T 35 N R 8 W S 26 B T  
No bearing tree available in sec. 35, raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$  ft. high W. of cor.

Land; broken and rugged.  
Soil; lava, 4th. rate.  
Timber; pinyon and cedar.  
Undergrowth; manzanita, sagebrush and oak.

N.89°58'E., on a random line bet. secs. 25 and 36.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.06 Fall 15 lks. S. of the cor. of secs. 25, 30, 31 and 36 on E. bdy. of Tp., hereinbefore described.

Thence  
S.89°52'W., on a true line bet. secs. 25 and 36.  
Over mountainous land, through heavy timber and undergrowth.  
Asc. 540 ft. over broken E. slope to  $\frac{1}{4}$  sec. cor.  
19.60 Wash, course SE.  
28.60 Wash, course SE.  
40.03 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

Survey of the Subdivisions of T.35 N., R.8 W. E. 3694

Chains

$\frac{1}{4}$  S 25  
S 36  
1917

From which  
A pinyon, 6 ins. in diam., bears S. 57 $\frac{1}{2}$ ° E.,  
81 lks. dist., marked  $\frac{1}{4}$  S 36 B T  
A pinyon, 10 ins. in diam., bears N. 11 $\frac{3}{4}$ ° W.,  
55 lks. dist., marked  $\frac{1}{4}$  S 25 B T

63.50 Asc. 520 ft. over E. slope.  
70.50 Top of ascent.  
80.06 Draw, course NE. Asc. 176 ft. over E. slope.  
The cor. of secs. 25, 26, 35 and 36.

Land; mountainous.  
Soil; lava, 4th. rate.  
Timber; cedar and pinyon.  
Undergrowth; white oak, scrub oak, manzanita and sagebrush.

25.50 N. 0° 01' W., bet. secs. 25 and 26.  
34.00 Over mountainous land, through scattering timber and dense  
38.50 undergrowth.  
40.00 Asc. 244 ft. over SE. slope.  
Top of ascent. Desc. 74 ft.  
Asc. 38 ft.  
Desc. 36 ft. to  
Set an iron post, 3 ft. long, 1 in. in diam., 4 ins. in  
the ground to bed rock, supported in a mound of stone  
for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 26 | S 25  
1917

From which  
A yellow pine, 26 ins. in diam., bears N. 13 $\frac{1}{2}$ ° E.,  
59 lks. dist. marked  $\frac{1}{4}$  S 25 B T  
A yellow pine, 7 ins. in diam., bears N. 9 $\frac{1}{2}$ ° W.,  
162 lks. dist. marked  $\frac{1}{4}$  S 26 B T

80.00 Desc. 412 ft. over NE. slope.  
Set an iron post, 3 ft. long, 2 ins. in diam., 14 ins. in  
the ground to bed rock, supported in a mound of stone  
for cor. of secs. 23, 24, 25 and 26 marked on brass cap

T35N R8W  
S 23 S 24  
S 26 S 25  
1917

From which  
A pinyon, 10 ins. in diam., bears N. 19 $\frac{1}{4}$ ° E.,  
67 lks. dist. marked T 35 N R 8 W S 24 B T  
A yellow pine, 30 ins. in diam., bears S. 62° E.,  
51 lks. dist. marked T 35 N R 8 W S 25 B T  
A yellow pine, 24 ins. in diam., bears S 22° W.,  
89 lks. dist. marked T 35 N R 8 W S 26 B T  
A yellow pine, 10 ins. in diam., bears N. 50 $\frac{1}{2}$ ° W.,  
65 lks. dist. marked T 35 N R 8 W S 23 B T

Land; mountainous.  
Soil; lava, 4th. rate.  
Timber; pinyon, cedar and yellow pine.  
Undergrowth; manzanita, white oak and scrub oak.

## Survey of the Subdivisions of T.35 N., R.8 W.

Chains N.89°52'E., on a random line bet. secs. 24 and 25.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.36 Fall 9 lks. N. of the cor. of secs. 19, 24, 25 and 30 on  
 E. bdy. of Tp., hereinbefore described.

Thence  
 S.89°56'W., on a true line bet. secs. 24 and 25.  
 Over mountainous land, through heavy timber and dense  
 undergrowth.

Asc. 63 ft. over NE. slope.  
 10.00 Desc.  
 15.75 Wash, course NE. Asc. 400 ft. over SE. slope.  
 35.00 Asc. 85 ft. over NE. slope.  
 40.18 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 24  
 S 25  
 1917

From which

A pinyon, 10 ins. in diam., bears N.26°W.,  
 53 lks. dist. marked  $\frac{1}{4}$  S 24 B T  
 A pinyon, 10 ins. in diam., bears S.3°W.,  
 39 lks. dist. marked  $\frac{1}{4}$  S 25 B T

Desc. 57 ft. to  
 44.90 Wash, course NE. Asc. 440 ft. over E. slope.  
 80.36 The cor. of secs. 23, 24, 25 and 26.

Land; broken and mountainous.  
 Soil; lava, 4th. rate.  
 Timber; pinyon and cedar.  
 Undergrowth; white oak, scrub oak and manzanita.

N.0°01'W., bet. secs. 23 and 24.  
 Over mountainous land, through heavy timber and under-  
 growth.

Desc. 86 ft. over NE. slope to  
 10.75 Wash, course E.  
 18.30 Desc. 270 ft. over NE. slope.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in  
 the ground to bed rock, supported in a mound of stone  
 for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
 S 23 | S 24  
 1917

From which

A pinyon, 14 ins. in diam., bears S.84°E., 58 lks.  
 dist., marked  $\frac{1}{4}$  S 24 B T  
 A pinyon, 9 ins. in diam., bears N.89°W., 35 lks.  
 dist., marked  $\frac{1}{4}$  S 23 B T

41.40 Wash, course NE. Desc. 320 ft. over NE. slope.  
 78.60 Wash, course NE.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 14 ins. in  
 the ground to bed rock, supported in a mound of stone,  
 for cor. of secs. 13, 14, 23 and 24, marked on brass cap

T35N R8W  
 S 14 S 13  
 S 23 S 24  
 1917

From which

A pinyon, 10 ins. in diam., bears N.47°E.,  
 60 lks. dist. marked T 35 N R 8 W S 13 B T  
 A pinyon, 10 ins. in diam., bears S.46°E.,  
 126 lks. dist. marked T 35 N R 8 W S 24 B T



Survey of the Subdivisions of T.35 N., R.8 W.

Chains

A pinyon, 6 ins. in diam., bears S.46°W.,  
55 lks. dist., marked T 35 N R 8 W S 23 B T  
A pinyon, 24 ins. in diam., bears N.77°W.,  
107 lks. dist. marked T 35 N R 8 W S 14 B T

Land; broken and mountainous.  
Soil; lava, 4th. rate.  
Timber; pinyon, cedar and yellow pine.  
Undergrowth; white oak, scrub oak and sagebrush.

40.00 N.89°56'E., on a random line bet. secs. 13 and 24.  
80.34 Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 2 lks. N. of the cor. of secs. 13, 18, 19 and 24 on  
E. bdy. of Tp., hereinbefore described.

40.17 Thence  
S.89°57'W., on a true line bet. secs. 13 and 24.  
Over rolling land, through heavy timber and scattering  
undergrowth.  
Asc. 228 ft. over E. slope.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 13  
S 24  
1917

From which

A cedar, 10 ins. in diam., bears N.37 $\frac{1}{2}$ °W.,  
34 lks. dist. marked  $\frac{1}{4}$  S 13 B T  
A pinyon, 7 ins. in diam., bears S.53 $\frac{1}{2}$ °W.,  
71 lks. dist. marked  $\frac{1}{4}$  S 24 B T

64.35 Asc. over gentle E. slope.  
75.75 Wash, course SE.  
80.34 Wash, course SE.  
The cor. of secs. 13, 14, 23 and 24.

Land; rolling.  
Soil; lava, 4th. rate.  
Timber; pinyon and cedar.  
Undergrowth; sagebrush.

23.00 N.0°01'W., bet. secs. 13 and 14.  
40.00 Over broken land, through heavy timber and scattering  
undergrowth.  
Along E. slope.  
Wash, course E.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 14 | S 13  
1917

From which

A pinyon, 10 ins. in diam., bears N.61 $\frac{1}{4}$ °E., 80  
lks. dist. marked  $\frac{1}{4}$  S 13 B T  
A pinyon, 6 ins. in diam., bears N.75 $\frac{1}{2}$ °W., 51  
lks. dist., marked  $\frac{1}{4}$  S 14 B T

41.60 Road, Kanab to Nixon, bears ... and SW.  
54.00 Wash, course E.  
54.30 Wash, course SE.  
80.00 Set an iron post, 3 ft. long, 1 in. in diam., 16 ins.  
in the ground to bed rock supported in a mound of  
stone for cor. of secs. 11, 12, 13 and 14, marked on  
brass cap



Survey of Subdivisions of T.35 N., R.8 W.

1894

Chains

brass cap

T35N R8W  
S 2 | S 1  
S 11 | S 12  
1917

From which

- A cedar, 16 ins. in diam., bears N.7½°E., 103 lks. dist., marked T 35 N R 8 W S 1 B T
- A pinyon, 6 ins. in diam., bears S.29½°E., 85 lks. dist. marked T 35 N R 8 W S 12 B T
- A pinyon, 12 ins. in diam., bears S.54°W., 136 lks. dist. marked T 35 N R 8 W S 11 B T
- A pinyon, 11 ins. in diam., bears N.21½°W., 71 lks. dist. marked T 35 N R 8 W S 2 B T

Land; level.  
Soil; rocky loam, 3rd. rate.  
Timber; pinyon and cedar.  
Undergrowth; sagebrush and dogwood.

- 40.00 N.89°53'E., on a random line bet. secs. 1 and 12.
- 80.24 Set temp. ¼ sec. cor.  
Fall 7 lks. N. of the cor. of secs. 1, 6, 7 and 12 on E. bdy. of Tp., hereinbefore described.

Thence  
S.89°56'W., on a true line bet. secs. 1 and 12.  
Over rolling land, through heavy timber and scattering undergrowth.

- 8.00 Wash, course N. Asc. 210 ft.
- 25.00 Top of ascent.
- 40.12 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap

¼ S 1  
S 12  
1917

From which

- A cedar, 8 ins. in diam., bears N.60¼°E., 49 lks. dist. marked ¼ S 1 B T
- A cedar, 9 ins. in diam., bears S.8°E., 35 lks. dist. marked ¼ S 12 B T

- 48.25 Draw, course SE.
- 67.40 Wash, course SE.
- 80.24 The cor. of secs. 1, 2, 11 and 12.

Land; rolling and broken.  
Soil; rocky, 3rd. rate.  
Timber; pinyon and cedar.  
Undergrowth; sagebrush.

- 40.00 N.0°01'W., bet. secs. 1 and 2.
- 79.88 Set temp. ¼ sec. cor.  
Fall 41 lks. W. of the cor. of secs. 1, 2, 35 and 36 on N. bdy. of Tp., hereinbefore described.

Thence  
S.0°17'W., on a true line bet. secs. 1 and 2.  
Over rolling land, through scattering timber and undergrowth.

- 39.88 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap

¼  
S 2 | S 1  
1917

Survey of Subdivisions of T.35 N.,R.8 W.

Whains

From which

- A cedar, 8 ins. in diam., bears S.5°E.,  
78 lks. dist. marked  $\frac{1}{4}$  S 1 B T
- A cedar, 13 ins. in diam., bears S.88°W.,  
44 lks. dist. marked  $\frac{1}{4}$  S 2 B T


79.88 The cor. of secs. 1, 2, 11 and 12.

Land; rolling.  
Soil; lava, 3rd. rate.  
Timber; pinyon and cedar.  
Undergrowth; sagebrush and dogwood.

From the cor. of secs. 2, 3, 34 and 35, on S. bdy. of Tp.  
described in Book "D",  
N.0°01'W., bet. secs. 34 and 35.  
Over mountainous land, through heavy timber and undergrowth.  
Asc. 420 ft. over broken S. slope to  $\frac{1}{4}$  sec. cor.

2.00  
40.00

Wash, course SE.  
Set an iron post, 3 ft. long, 1 in. in diam., 6 ins. in  
the ground to bed rock, supported in a mound of stone  
for  $\frac{1}{4}$  sec. cor. marked on brass cap




From which

- A pinyon, 12 ins. in diam., bears N.55 $\frac{1}{2}$ °E.,  
31 lks. dist. marked  $\frac{1}{4}$  S 35 B T
- A pinyon, 7 ins. in diam., bears S.39 $\frac{1}{2}$ °W.,  
34 lks. dist. marked  $\frac{1}{4}$  S 34 B T

63.00  
80.00

Asc. 415 ft. over steep S. slope.  
Top of steep ascent. Asc. gradually.  
Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in  
the ground for cor. of secs. 26, 27, 34 and 35, marked  
on brass cap




From which

- A yellow pine, 34 ins. in diam., bears N.42 $\frac{1}{2}$ °E.  
93 lks. dist. marked T 35 N R 8 W S 26 B T
- A yellow pine, 8 ins. in diam., bears S.77 $\frac{1}{2}$ °E.,  
53 lks. dist. marked T 35 N R 8 W S 35 B T
- A yellow pine, 8 ins. in diam., bears S.53°W.,  
73 lks. dist. marked T 35 N R 8 W S 34 B T
- A yellow pine, 7 ins. in diam., bears N.48°W.,  
157 lks. dist. marked T 35 N R 8 W S 27 B T

Land; mountainous.  
Soil; lava, 4th. rate.  
Timber; pinyon, cedar and yellow pine.  
Undergrowth; manzanita, sagebrush, white oak, scrub oak  
and locust.

Survey of Subdivisions of T.35 N., R.8 W.

<p>Chains 40.00 63.63</p>	<p>N.89°58'E., on a random line bet. secs. 26 and 35. Set temp. 1/4 sec. cor. On account of precipitous cliffs in advance of this point triangulate as follows: A flag on objective cor. bears N.89°07'E. Measure a base S.0°53'E., 9.59 chs. dist. to a point from which flag on cor. bears N.58°30'E.</p>  <p>Dist. by triangulation = 9.59 X tan 59°23' = 16.21chs. Dist. on random = 63.63 79.84chs.</p>
<p>79.84   16.21 23.44 39.92</p>	<p>Fall 24 lks. S. of cor. of secs. 25, 26, 35 and 36. Thence S.89°48'W., on a true line bet. secs. 26 and 35. Over broken land, thru heavy timber and undergrowth. By triangulation as hereinbefore described, ascending 370 ft. over SE. slope. Top of rim rock. Thence by chaining. Wash, course SE. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap</p>
<p>45.24 79.84</p>	<p style="text-align: center;"> <math display="block">\frac{1}{4} \frac{S \ 26}{S \ 35}</math> 1917 </p> <p>From which A yellow pine, 8 ins. in diam., bears N.39°E., 108 lks. dist. marked 1/4 S 26 B T A cedar, 4 ins. in diam., bears S.51 1/2°E., 137 lks. dist., marked 1/4 S 35 B T</p> <p>Wash, course SE. Asc. 280 ft. to The cor. of secs. 26, 27, 34 and 35.</p> <p>Land; broken. Soil; lava, 4th. rate. Timber; yellow pine, cedar and pinyon. Undergrowth; manzanita, sagebrush, white oak, scrub oak and dogwood.</p>
<p>40.00   50.00 63.00 80.00</p>	<p>N.0°01'W., bet. secs. 26 and 27. Over broken land, thru heavy timber and dense undergrowth. Asc. 285 ft. over gradual S. slope. Set an iron post, 3 ft. long, 1 in. in diam., 23 ins. in the ground to bed rock, supported in a mound of stone for 1/4 sec. cor. marked on brass cap.</p> <p style="text-align: center;"> <math display="block">\frac{1}{4} \frac{S \ 27}{S \ 26}</math> 1917 </p> <p>From which A yellow pine, 5 ins. in diam., bears S.73 1/2°E., 30 lks. dist. marked 1/4 S 26 B T A yellow pine, 20 ins. in diam., bears N.47 1/2°W., 53 lks. dist. marked 1/4 S 27 B T</p> <p>Asc. 74 ft. to Top of ascent. Desc. 430 ft. over broken NW. slope. Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 22, 23, 26 and 27, marked on brass cap</p>

Survey of Subdivisions of T.35 N., R.8 W.

Chains.

T35N R8W  
S 22 | S 23  
S 27 | S 26  
1917

From which

- A yellow pine, 8 ins. in diam., bears N.20°E., 118 lks. dist. marked T 35 N R 8 W S 23 B T
- A yellow pine, 24 ins. in diam., bears S.25°E., 145 lks. dist. marked T 35 N R 8 W S 26 B T
- A yellow pine, 6 ins. in diam., bears S.67°W., 78 lks. dist. marked T 35 N R 8 W S.27 B T
- A yellow pine, 24 ins. in diam., bears N.49°W., 232 lks. dist. marked T 35 N R 8 W S 22 B T

Land; broken.  
Soil; lava, 3rd. and 4th. rates.  
Timber; yellow pine.  
Undergrowth; white oak and locust.

40.00 N.89°48'E., on a random line bet. secs. 23 and 26.  
79.80 Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 15 lks. N. of the cor. of secs. 23, 24, 25 and 26.

39.90 Thence  
S.89°54'W., on a true line bet. secs. 23 and 26.  
Over mountainous land, thru heavy timber and undergrowth.  
Asc. 480 ft. over broken NE. slope.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 23  
S 26  
1917

From which

- A pinyon, 8 ins. in diam., bears S.34°W., 91 lks. dist. marked  $\frac{1}{4}$  S 26 B T
- A yellow pine, 24 ins. in diam., bears N.32 $\frac{1}{2}$ °W., 104 lks. dist. marked  $\frac{1}{4}$  S 23 B T

57.80 Asc. 270 ft. over broken NE. slope.  
73.00 Top of ascent. Thence along N. slope.  
79.80 Desc. 76 ft. to  
The cor. of secs. 22, 23, 26 and 27.

Land; mountainous.  
Soil; lava, 3rd. and 4th. rates.  
Timber; yellow pine, cedar and pinyon.  
Undergrowth; white oak, sagebrush and locust.

36.30 N.0°01'W., bet. secs. 22 and 23.  
40.00 Over mountainous land, thru heavy timber and undergrowth.  
Desc. 530 ft. over broken N. slope to  $\frac{1}{4}$  sec. cor.  
Wash, course NE.  
Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 22 | S 23  
1917

From which

- A pinyon, 6 ins. in diam., bears N.71 $\frac{1}{2}$ °E., 28 lks. dist., marked  $\frac{1}{4}$  S 23 B T
- A pinyon, 10 ins. in diam., bears N.61°W., 20 lks. dist., marked  $\frac{1}{4}$  S 22 B T

80.00 Desc. 507 ft. over N. slope to  
Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in

Survey of Subdivisions of T.35 N., R.8 W.

Chains the ground to bed rock, supported in a mound of stone for cor. of secs. 14, 15, 22 and 23, marked on brass cap

T35 N R8 W  
S 15 | S 14  
S 22 | S 23  
1917

From which

- A white oak, 4 ins. in diam., bears N.65°E., 67 lks. dist. marked T 35 N R 8 W S 14 B T
- A yellow pine, 12 ins. in diam., bears S.55½°E., 135 lks. dist. marked T 35 N R 8 W S 23 B T
- A cedar, 20 ins. in diam., bears S.56½°W., 115 lks. dist., marked T 35 N R 8 W S 22 B T
- A pinyon, 16 ins. in diam., bears N.40°W., 175 lks. dist., marked T 35 N R 8 W S 15 B T

Land; mountainous.  
Soil; lava, 4th. rate.  
Timber; pinyon, cedar and yellow pine.  
Undergrowth; white oak, sagebrush and locust.

40.00 N.89°54'E., on a random line bet. secs. 14 and 23.  
79.72 Set temp. ¼ sec. cor.  
Fall 27 lks. S. of the cor. of secs. 13, 14, 23 and 24.

Thence  
S.89°42'W., on a true line bet. secs. 14 and 23.  
Over broken land, thru heavy timber and scattering undergrowth.

4.00 Asc.  
20.00 Wash, course SE.  
39.86 Wash, course NE. Asc. 175 ft. over NE. slope.  
Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground to bed rock, supported in a mound of stone for ¼ sec. cor. marked on brass cap

¼ S 14  
S 23  
1917

From which

- A pinyon, 10 ins. in diam., bears N.53°E., 41 lks. dist. marked ¼ S 14 B T
- A pinyon, 7 ins. in diam., bears S.16°W., 90 lks. dist. marked ¼ S 23 B T

Over rolling N. slope.  
78.80 Wash, course N.  
79.72 The cor. of secs. 14, 15, 22 and 23.

Land; broken and rolling.  
Soil; lava, 3rd. rate.  
Timber; yellow pine, pinyon and cedar.  
Undergrowth; sagebrush.

9.20 N.0°01'W., bet. secs. 14 and 15.  
18.38 Over rolling land, through heavy timber and scattering undergrowth.  
24.44 Tent, bears N.57°17'E.  
40.00 Road, bears E. and W.  
Tent, bears S.76°45'E.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap

¼  
S 15 | S 14  
1917

## Survey of Subdivisions of T.35 N., R.8 W.

Chains	<p>From which</p> <p>A pinyon, 12 ins. in diam., bears N.76<math>\frac{1}{2}</math>°W., 39 lks. dist. marked <math>\frac{1}{4}</math> S 15 B T</p> <p>A pinyon, 12 ins. in diam., bears S.76<math>\frac{1}{2}</math>°E., 9 lks. dist. marked <math>\frac{1}{4}</math> S 14 B T</p>								
50.00	Asc. gradually.								
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of secs. 10, 11, 14 and 15, marked on brass cap								
	<table style="margin: auto;"> <tr><td colspan="2">T35N R8W</td></tr> <tr><td>S 10</td><td>S 11</td></tr> <tr><td>S 15</td><td>S 14</td></tr> <tr><td colspan="2">1917</td></tr> </table>	T35N R8W		S 10	S 11	S 15	S 14	1917	
T35N R8W									
S 10	S 11								
S 15	S 14								
1917									
	<p>From which</p> <p>A pinyon, 6 ins. in diam., bears N.40<math>\frac{1}{2}</math>°E., 31 lks. dist. marked T 35 N R 8 W S 11 B T</p> <p>A cedar, 7 ins. in diam., bears S.40<math>\frac{1}{2}</math>°E., 59 lks. dist., marked T 35 N R 8 W S 14 B T</p> <p>A pinyon, 5 ins. in diam., bears S.41°W., 55 lks. dist. marked T 35 N R 8 W S 15 B T</p> <p>A pinyon, 8 ins. in diam., bears N.49°W., 51 lks. dist. marked T 35 N R 8 W S 10 B T</p>								
	<p>Land; rolling.</p> <p>Soil; loam and lava, 1st. and 4th. rates.</p> <p>Timber; pinyon and cedar.</p> <p>Undergrowth; sagebrush and scrub oak.</p>								
40.00	N.89°42'E., on a random line bet. secs. 11 and 14.								
80.04	Set temp. $\frac{1}{4}$ sec. cor. Fall 5 lks. N. of the cor. of secs. 11, 12, 13 and 14.								
	<p>Thence</p> <p>S.89°44'W., on a true line bet. secs. 11 and 14. Over rolling land, thru heavy timber and scattering undergrowth.</p>								
40.02	Asc. 145 ft. over gradual SE. slope. Set an iron post, 3 ft. long, 1 in. in diam., 16 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap								
	<table style="margin: auto;"> <tr><td><math>\frac{1}{4}</math></td><td>S 11</td></tr> <tr><td></td><td>S 14</td></tr> <tr><td colspan="2">1917</td></tr> </table>	$\frac{1}{4}$	S 11		S 14	1917			
$\frac{1}{4}$	S 11								
	S 14								
1917									
	<p>From which</p> <p>A pinyon, 10 ins. in diam., bears N.17<math>\frac{1}{2}</math>°E., 64 lks. dist. marked <math>\frac{1}{4}</math> S 11 B T</p> <p>A pinyon, 6 ins. in diam., bears S.16°W., 40 lks. dist. marked <math>\frac{1}{4}</math> S 14 B T</p>								
44.20	Wash, course SE. Asc. 414 ft. over steep E. slope.								
60.00	Top of ascent. Desc. 277 ft. over NW. slope.								
80.04	The cor. of secs. 10, 11, 14 and 15.								
	<p>Land; rolling and broken.</p> <p>Soil; lava cinders, 4th. rate.</p> <p>Timber; pinyon and cedar.</p> <p>Undergrowth; sagebrush, scrub oak and dogwood.</p>								



Survey of Subdivisions of T.35 N., R.8 W.

<p>Chains</p> <p>40.00</p> <p>80.00</p>	<p>N.0°01'W., bet. secs. 10 and 11. Over rolling land, through heavy timber and scattering undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for <math>\frac{1}{4}</math> sec. cor. marked on brass cap</p> <div style="text-align: center;"> <math>\frac{1}{4}</math>        S 10   S 11        1917     </div> <p>From which</p> <p>A pinyon, 8 ins. in diam., bears S.57<math>\frac{1}{4}</math>°E., 67 lks. dist. marked <math>\frac{1}{4}</math> S 11 B T</p> <p>A pinyon, 18 ins. in diam., bears S.66<math>\frac{1}{2}</math>°W., 74 lks. dist. marked <math>\frac{1}{4}</math> S 10 B T</p> <p>Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 2, 3, 10 and 11, marked on brass cap</p> <div style="text-align: center;">       T35N R8W        S 3   S 2        S 10   S 11        1917     </div> <p>From which</p> <p>A pinyon, 6 ins. in diam., bears N.52°E., 49 lks. dist. marked T 35 N R 8 W S 2 B T</p> <p>A pinyon, 9 ins. in diam., bears S.58°E., 77 lks. dist. marked T 35 N R 8 W S 11 B T</p> <p>A pinyon, 6 ins. in diam., bears S.73°W., 47 lks. dist. marked T 35 N R 8 W S 10 B T</p> <p>A pinyon, 6 ins. in diam., bears N.28°W., 47 lks. dist. marked T 35 N R 8 W S 3 B T</p> <p>Land; rolling. Soil; lava cinders, 4th. rate. Timber; pinyon and cedar. Undergrowth; sagebrush.</p>
<p>40.00</p> <p>79.90</p> <p>39.95</p> <p>45.00</p> <p>60.30</p> <p>66.40</p> <p>79.90</p>	<p>N.89°44'E., on a random line bet. secs. 2 and 11. Set temp. <math>\frac{1}{4}</math> sec. cor.</p> <p>Fall 2 lks. S. of the cor. of secs. 1, 2, 11 and 12.</p> <p>Thence</p> <p>S.89°43'W., on a true line bet. secs. 2 and 11. Over rolling land, through heavy timber and scattering undergrowth.</p> <p>Asc. 100 ft. over NE. slope.</p> <p>Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for <math>\frac{1}{4}</math> sec. cor. marked on brass cap</p> <div style="text-align: center;"> <math>\frac{1}{4}</math> S 2        S 11     </div> <p>1917</p> <p>from which</p> <p>A pinyon, 8 ins. in diam., bears N.29°E., 5 lks. dist., marked <math>\frac{1}{4}</math> S 2 B T</p> <p>A pinyon, 5 ins. in diam., bears S.49°W., 14 lks. dist., marked <math>\frac{1}{4}</math> S 11 B T</p> <p>Asc. 40 ft. over E. slope.</p> <p>Slope changes to SE. Asc. 280 ft. to</p> <p>Top of ascent. Desc. 214 ft. over SW. slope to cor.</p> <p>Draw, course SW.</p> <p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Land; broken and rolling. Soil; lava, 3rd. and 4th. rates. Timber; pinyon and cedar. Undergrowth; sagebrush and dogwood.</p>

## Survey of Subdivisions of T.35 N., R.8 W.

Chains N.0°17'E., on a random line bet. secs. 2 and 3.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.14 Fall 30 lks. E. of the cor. of secs. 2, 3, 34 and 35 on  
 N. bdy. of Tp., hereinbefore described.

Thence  
 S.0°04'W., on a true line bet. secs. 2 and 3.  
 Over broken land, through heavy timber and scattering  
 undergrowth.

14.00 Draw, course NW.  
 38.00 Draw, course SW.  
 40.14 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in  
 the ground to bed rock, supported in a mound of stone  
 for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
 ↑  
 S 3 | S 2  
 1917

From which

A pinyon, 12 ins. in diam., bears S.72°E., .45 lks.  
 dist., marked  $\frac{1}{4}$  S 2 B T

A pinyon, 62 ins. in diam., bears S.79°W., .53 lks.  
 dist., marked  $\frac{1}{4}$  S 3 B T

55.00 Asc. 145 ft. to  
 66.50 Top of ascent. Desc. 100 ft. over SW. slope.  
 80.14 The cor. of secs. 2, 3, 10 and 11.

Land; broken.  
 Soil; lava, 4th. rate.  
 Timber; pine and cedar.  
 Undergrowth; sagebrush.

From the cor. of secs. 3, 4, 33 and 34 on S. bdy. of Tp.  
 described in Book "D",  
 N.0°02'W., bet. secs. 33 and 34.  
 Over broken land, through heavy timber and undergrowth.  
 32.08 Road, Nixon to Toroweap, bears SE. and NW.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in  
 the ground to bed rock, supported in a mound of stone  
 for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
 ↑  
 S 33 | S 34  
 1917

From which

A cedar, 8 ins. in diam., bears S.76 $\frac{1}{2}$ °E., 22 lks.  
 dist., marked  $\frac{1}{4}$  S 34 B T

A pinyon, 10 ins. in diam., bears S.32°W., .56 lks.  
 dist., marked  $\frac{1}{4}$  S 33 B T

Asc. 485 ft. over broken SW. slope to cor.  
 65.84 Lytle's ranch, bears S.64 $\frac{1}{2}$ °W.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 14 ins. in  
 the ground to bed rock, supported in a mound of stone  
 for cor. of secs. 27, 28, 33 and 34, marked on brass  
 cap

T35N R8W  
 S 28 | S 27  
 S 33 | S 34  
 1917

From which

A cedar, 7 ins. in diam., bears N.41°E., 30 lks.  
 dist., marked T 35 N R 8 W S 27 B T

A pinyon, 6 ins. in diam., bears S.54°E., 52 lks.  
 dist., marked T 35 N R 8 W S 34 B T

Survey of Subdivisions of T.35 N., R.8 W.

Chains

A pinyon, 8 ins. in diam., bears S.44 1/2°W.,  
42 lks. dist. marked T.35 N R 8 W S 33 B T  
A cedar, 8 ins. in diam., bears N.66°W.,  
42 lks. dist. marked T.35 N R 8 W S 28 B T

Land; broken and mountainous.  
Soil; lava, 3rd. rate.  
Timber; yellow pine, cedar and pinyon.  
Undergrowth; sagebrush, manzanita, scrub oak and white oak.

40.00  
79.84

N.89°58'E., on a random line bet. secs. 27 and 34.  
Set temp. 1/4 sec. cor.  
Fall 19 lks. N. of the cor. of secs. 26, 27, 34 and 35.

14.95  
39.92

Thence  
N.89°54'W., on a true line bet. secs. 27 and 34.  
Over mountainous land, through heavy timber and undergrowth.  
Wash, course SE. Asc. 315 ft. over NE. slope.  
Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for 1/4 sec. cor. marked on brass cap

1/4 S 27  
S 34  
1917

From which  
A yellow pine, 8 ins. in diam., bears N.37 1/2°W.,  
82 lks. dist., marked 1/4 S 27 B T  
A yellow pine, 8 ins. in diam., bears S.29°E.,  
85 lks. dist. marked 1/4 S 34 B T

79.84

Desc. 694 ft. over NW. slope.  
The cor. of secs. 27, 28, 33 and 34.  
Land; mountainous.  
Soil; lava, 4th. rate.  
Timber; pinyon, cedar and yellow pine.  
Undergrowth; manzanita, sagebrush, locust and oak.

22.13  
25.00  
40.00

N.0°02'W., bet. secs. 27 and 28.  
Over broken land, through heavy timber and scattering undergrowth.  
Asc. 294 ft. over SW. slope to 1/4 sec. cor.  
Nixon pipe line, bears NE. and SW.  
Nixon spring, bears E. 2 chs. dist.  
Set an iron post, 3 ft. long, 1 in. in diam., on surface rock, supported in a mound of stone for 1/4 sec. cor. marked on brass cap

1/4  
S 28 | S 27  
1917

From which  
A yellow pine, 26 ins. in diam., bears N.35°E.,  
60 lks. dist. marked 1/4 S 27 B T  
A yellow pine, 24 ins. in diam., bears N.76°W.,  
51 lks. dist. marked 1/4 S 28 B T

60.00  
80.00

Asc. 325 ft. over SW. slope to  
Top of ascent. Thence along W. side of Mt. Trumbull.  
Set an iron post, 3 ft. long, 2 ins. in diam., 14 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 21, 22, 27 and 28, marked on brass cap

T.35 N. R.8 W.  
S 21 | S 22  
S 28 | S 27  
1917

Survey of Subdivisions of T.35 N R 8 W

Chains

From which

- A yellow pine, 4 ins. in diam., bears N.53°E., 52 lks. dist. marked T 35 N R 8 W S 22 B T
- A yellow pine, 16 ins. in diam., bears S.19½°E., 71 lks. dist. marked T 35 N R 8 W S 27 B T
- A yellow pine, 30 ins. in diam., bears S.47°W., 70 lks. dist., marked T 35 N R 8 W S 28 B T
- A yellow pine, 6 ins. in diam., bears N.22½°W., 45 lks. dist., marked T 35 N R 8 W S 21 B T

Land; broken and mountainous.  
 Soil; lava, 3rd. and 4th. rates.  
 Timber; yellow pine, pinyon and cedar.  
 Undergrowth; white oak and locust.

40.00 S.89°54'E., on a random line bet. secs. 22 and 27.  
 79.90 Set temp. ¼ sec. cor.  
 Fall 24 lks. S. of the cor. of secs. 22, 23, 26 and 27.

Thence  
 S.89°56'W., on a true line bet. secs. 22 and 27.  
 Over mountainous land, through heavy timber and dense undergrowth.

39.95 Asc. 520 ft. over NE. slope of Mt. Trumbull  
 Set an iron post, 3 ft. long, 1 in. in diam., on surface rock, supported in a mound of stone for ¼ sec. cor. marked on brass cap

$\frac{1}{4}$ 

S 22
S 27
1917

Raise a mound of stone 2 ft. base, 1½ ft. high N. of cor.

41.00 Top of ascent <sup>on N. side of Mt. Trumbull</sup> Desc. 256 ft.  
 79.90 The cor. of secs. 21, 22, 27 and 28.

Land; mountainous.  
 Soil; lava, 3rd. and 4th. rates.  
 Timber; yellow pine.  
 Undergrowth; white oak and locust.

N.0°02'W., bet. secs. 21 and 22.  
 Over mountainous land, through heavy timber and dense undergrowth.

8.00 Asc. gentle SW. slope.  
 40.00 Desc. 653 ft. over NE. slope.  
 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap

$\frac{1}{4}$ 

S 21		S 22
1917		

From which

- A yellow pine, 16 ins. in diam., bears S.80°E., 30 lks. dist., marked ¼ S 22 B T
- A yellow pine, 30 ins. in diam., bears S.64°W., 29 lks. dist. marked ¼ S 21 B T

80.00 Desc. 770 ft. over NE. slope to  
 Set an iron post, 3 ft. long, 2 ins. in diam., 16 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 15, 16, 21 and 22, marked on brass cap

T 35 N R 8 W
S 16   S 15
S 21   S 22
1917

Survey of Subdivisions of T.35 N., R.8 W.


FOOT

Chains	<p>From which  A yellow pine, 8 ins. in diam., bears N.14°E.,  79 lks. dist. marked T 35 N R 8 W S 15 B T  A pinyon, 16 ins. in diam., bears S.13<sup>3</sup>°E.,  158 lks. dist. marked T 35 N R 8 W S 22 B T  A pinyon, 9 ins. in diam., bears S.58°W.,  73 lks. dist. marked T 35 N R 8 W S 21 B T  A pinyon, 16 ins. in diam., bears N.16°W.,  119 lks. dist. marked T 35 N R 8 W S 16 B T</p> <p>Land; mountainous.  Soil; lava, 3rd. and 4th. rates.  Timber; yellow pine, pinyon and cedar.  Undergrowth; white oak, locust and scrub oak.</p>
40.00 79.86	<p>N.89°56'E., on a random line bet. secs. 15 and 22.  Set temp. <math>\frac{1}{4}</math> sec. cor.  Intersect the cor. of secs. 14, 15, 22 and 23.</p> <p>Thence  S.89°56'W., on a true line bet. secs. 15 and 22.  Over broken land, through heavy timber and scattering  undergrowth.  Asc. over NE. slope.  Wash, course N.  Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in  the ground to bed rock, supported in a mound of stone  for <math>\frac{1}{4}</math> sec. cor. marked on brass cap</p> <div style="text-align: center;"> <math display="block">\frac{1}{4} \begin{array}{r} S 15 \\ S 22 \\ \hline 1917 \end{array}</math> </div> <p>From which  A pinyon, 8 ins. in diam., bears N.40°E.,  83 lks. dist. marked <math>\frac{1}{4}</math> S 15 B T  A pinyon, 12 ins. in diam., bears S.10°E.,  122 lks. dist. marked <math>\frac{1}{4}</math> S 22 BT</p>
29.40 39.93	<p>Along broken N. slope.  Wash, course NE.  The cor. of secs. 15, 16, 21 and 22.</p> <p>Land; broken.  Soil; rocky, 4th. rate.  Timber; yellow pine, cedar and pinyon.  Undergrowth; locust, sagebrush and oak.</p>
63.45 79.86	<p>N.0°02'W., bet. secs. 15 and 16.  Over rolling land, through heavy timber and dense under-  growth.  Desc. 194 ft. to  Wash, course E.  Road, Hurricane to Kanab, bears SE. and NW.  Set an iron post, 3 ft. long, 1 in. in diam., 8 ins. in  the ground to bed rock, supported in a mound of stone  for <math>\frac{1}{4}</math> sec. cor. marked on brass cap</p> <div style="text-align: center;"> <math display="block">\frac{1}{4} \begin{array}{r} S 16 \\ S 15 \\ \hline 1917 \end{array}</math> </div>
20.60 24.17 40.00	<p>From which  A pinyon, 16 ins. in diam., bears N.82°E., 154 lks.  dist., marked <math>\frac{1}{4}</math> S 15 B T  A pinyon, 12 ins. in diam., bears S.11°W., 130 lks.  dist., marked <math>\frac{1}{4}</math> S 16 B T</p> <p>Desc. 40 ft. to  Wash, course NE.</p>
44.70	

Survey of Subdivisions of T.35 N.,R.8 W.

Chains  
46.06  
80.00

Road, bears NE. and SW.  
Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 9, 10, 15 and 16 marked on brass cap



From which

A yellow pine, 26 ins. in diam., bears S.29°E., 465 lks. dist. marked T 35 N R 8 W S 16 B T  
A yellow pine, 8 ins. in diam., bears S.26°W., 939 lks. dist. marked T 35 N R 8 W S 16 B T  
No other trees within limits, dig pits 18 x 18 x 12 ins., one in each sec. 3 ft. dist.

Land; broken and rolling.  
Soil; S.half, lava, 4th. rate, N.half, loam, 1st.rate.  
Timber; yellow pine, pinyon and cedar.  
Undergrowth; white oak, dog wood and sagebrush.


40.00  
79.70

N.89°56'E., on a random line bet. secs. 10 and 15.  
Set temp. 1/4 sec. cor.  
Fall 45 lks. N. of the cor. of secs. 10, 11, 14 and 15.

Thence  
N.89°45'W., on a true line bet. secs. 10 and 15.  
Over broken land, through heavy timber and scattering undergrowth.

39.85

Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for 1/4 sec. cor. marked on brass cap



From which


A yellow pine, 24 ins. in diam., bears N.89 1/2°W., 101 lks. dist. marked 1/4 S 10 B T  
A cedar, 6 ins. in diam., bears S.29°E., 134 lks. dist. marked 1/4 S 15 B T

63.20  
70.50  
79.70

Tent on line.  
Enter loam soil, bears NE. and SW.  
The cor. of secs. 9, 10, 15 and 16.  
  
Land; broken.  
Soil; W. 9 chs. loam, 1st. rate, balance rocky, 4th. rate.  
Timber; yellow pine, cedar and pinyon.  
Undergrowth; sagebrush, white oak and dogwood.

35.37  
40.00

N.0°02'W., bet. secs. 9 and 10.  
Over rolling land, through scattering undergrowth.  
Road, bears NE. and SW.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap



Dig pits, 18 x 18 x 12 ins. N. and S. of post, 3 ft. dist.

45.00  
54.00  
80.00

Leave ~~land~~ and enter lava soil, bears NE. and SW.  
Enter pinyon and cedar timber, bears NE. and SW.  
Set an iron post, 3 ft. long, 2 ins. in diam., 32 ins. in the ground for cor. of secs. 3, 4, 9 and 10, marked

Survey of Subdivisions of T.35 N.,R.8 W.

ECOR 324

Chains

on brass cap

T35N R8W	
S 4	S 3
S 9	S 10
1917	

From which

- A pinyon, 8 ins. in diam., bears N.20 $\frac{1}{2}$ °E., 118 lks. dist., marked T 35 N R 8 W S 3 B T
- A cedar, 14 ins. in diam., bears S.17°E., 224 lks. dist., marked T 35 N R 8 W S 10 B T
- A cedar, 10 ins. in diam., bears S.23 $\frac{1}{2}$ °W., 88 lks. dist., marked T 35 N R 8 W S 9 B T
- A cedar, 6 ins. in diam., bears N.55 $\frac{1}{2}$ °W., 124 lks. dist., marked T 35 N R 8 W S 4 B T

Land; rolling.

Soil; S.half, loam, 1st. rate, N. half, lava, 2nd. rate.

Timber; pinyon and cedar.

Undergrowth; sagebrush.

40.00  
79.60

S.89°45'E., on a random line bet. secs. 3 and 10.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 2 lks. S. of the cor. of secs. 2, 3, 10 and 11.

Thence

N.89°46'W., on a true line bet. secs. 3 and 10.  
Over rolling land, through heavy timber and scattering undergrowth.

15.00  
39.80

Leave heavy timber, bears N. and S.  
Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$	S 3
	S 10
1917	

From which

- A cedar, 9 ins. in diam., bears N.63°E., 240 lks. dist., marked  $\frac{1}{4}$  S 3 B T
- A cedar, 8 ins. in diam., bears S.5°E., 138 lks. dist., marked  $\frac{1}{4}$  S 10 B T

44.25  
79.60

Road, bears NE. and SW.  
The cor. of secs. 3, 4, 9 and 10.

Land; rolling and level.

Soil; rocky loam, 2nd. and 3rd. rates.

Timber; pinyon and cedar.

Undergrowth; sagebrush.

40.00  
79.67

N.0°04'E., on a random line bet. secs. 3 and 4.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 36 lks. E. of the cor. of secs. 3, 4, 33 and 34 on N. bdy. of Tp., hereinbefore described.

Thence

S.0°11'E., on a true line bet. secs. 3 and 4.  
Over rolling land, through scattering timber.  
Desc. 190 ft. over SE. slope to  $\frac{1}{4}$  sec. cor.  
Spring on N. side of Mt. Trumbull, bears S.12°08'E.  
Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap

15.00  
16.00  
39.67

$\frac{1}{4}$	S 4	S 3
1917		

From which

## Survey of Subdivisions of T.35 N., R.8 W.

Chains	<p>A cedar, 9 ins. in diam., bears N.87°E., 83 lks. dist. marked <math>\frac{1}{4}</math> S 3 B T</p> <p>A cedar, 8 ins. in diam., bears S.43°W., 79 lks. dist. marked <math>\frac{1}{4}</math> S 4 B T</p>
40.00	Enter heavy timber, bears E. and W. Desc. gentle SE. slope.
50.00	Leave heavy timber, bears E. and W.
79.67	The cor. of secs. 3, 4, 9 and 10.
	<p>Land; rolling. Soil; lava cinders, 3rd. rate. Timber; pinyon and cedar. Undergrowth; eldorado, sagebrush and dogwood.</p>
	<p>From the cor. of secs. 4, 5, 32 and 33, on S. bdy. of Tp., described in Book "D". N.0°03'W., bet. secs. 32 and 33. Over rolling land, through heavy timber and scattering undergrowth. Desc. 144 ft. to <math>\frac{1}{4}</math> sec. cor.</p>
32.15	Wire fence, bears E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap
	<p style="text-align: center;"><math>\frac{1}{4}</math></p> <p style="text-align: center;">S 32   S 33</p> <p style="text-align: center;">1917</p>
	<p>From which</p> <p>A yellow pine, 16 ins. in diam., bears S.24°E., 108 lks. dist. marked <math>\frac{1}{4}</math> S 33 B T</p> <p>A yellow pine, 12 ins. in diam., bears S.80<math>\frac{1}{2}</math>°W., 200 lks. dist. marked <math>\frac{1}{4}</math> S 32 B T</p>
	<p>Desc.</p>
61.34	Wire fence, bears NE. and SW.
70.68	Wire fence, bears SE. and NW.
78.34	Fence, bears E.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins., in the ground for cor. of secs. 28, 29, 32 and 33, marked on brass cap
	<p style="text-align: center;">T35N R8W</p> <p style="text-align: center;">S 29   S 28</p> <p style="text-align: center;">S 32   S 33</p> <p style="text-align: center;">1917</p>
	<p>From which</p> <p>A cedar, 10 ins. in diam., bears N.25<math>\frac{1}{2}</math>°E., 440 lks. dist., marked T 35 N R 8 W S 28 B T</p> <p>A cedar, 8 ins. in diam., bears S.29°E., 115 lks. dist., marked T 35 N R 8 W S 33 B T</p> <p>A cedar, 10 ins. in diam., bears S.83<math>\frac{1}{2}</math>°W., 318 lks. dist., marked T 35 N R 8 W S 32 B T</p> <p>A cedar, 12 ins. in diam., bears N.29<math>\frac{1}{2}</math>°W., 437 lks. dist., marked T 35 N R 8 W S 29 B T</p>
	<p>Land; broken. Soil; lava, 1st. and 2nd. rates. Timber; yellow pine, pinyon and cedar. Undergrowth; sagebrush and white oak.</p>



Survey of Subdivisions of T.35 N., R.8 W.

BOOK 307

Chains N.89°58'E., on a random line bet. secs. 28 and 33.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.04 Fall 7 lks. S. of the cor. of secs. 27, 28, 33 and 34.

Thence  
S.89°55'W., on a true line bet. secs. 28 and 33.  
Over broken land, through heavy timber and dense undergrowth.

9.70 Desc. 424 ft. to  $\frac{1}{4}$  sec. cor.  
Pipe line to Nixon Spring, bears NE. and SW.  
37.31 Lytle's ranch, bears S.33°E.  
40.02 Set an iron post, 3 ft. long, 1 in. in diam., 8 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 28  
S 33  
1917

From which

- A cedar, 16 ins. in diam., bears S.61°W., 27 lks. dist., marked  $\frac{1}{4}$  S 33 B T
- A cedar, 5 ins. in diam., bears N.28 $\frac{1}{2}$ °W., 40 lks. dist., marked  $\frac{1}{4}$  S 28 B T

74.00 Desc. 218 ft. over broken SW. slope to  
Foot of descent.  
78.34 Road, Nixon to Hurricane, bears SE. and NW.  
80.04 The cor. of secs. 28, 29, 32 and 33.

Land; broken and mountainous.  
Soil; lava, 4th. rate.  
Timber; pinyon and cedar.  
Undergrowth; manzanita, sagebrush, scrub oak and white oak.

N.0°03'W., bet. secs. 28 and 29.  
Over rolling land, through heavy timber and dense undergrowth.  
1.02 Road, Nixon to Hurricane, bears NE. and SW.  
20.00 Asc. 100 ft. over SW. slope to  
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 16 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 29 | S 28  
1917

From which.

- A cedar, 14 ins. in diam., bears S.43°E., 116 lks. dist. marked  $\frac{1}{4}$  S 28 B T
- A cedar, 6 ins. in diam., bears N.72°W., 76 lks. dist., marked  $\frac{1}{4}$  S 29 B T

48.80 Asc. 95 ft. to  
Desc. 40 ft.  
55.00 Asc. 206 ft.  
75.00 Desc. 78 ft.  
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 21, 28 and 29, marked on brass cap

T35N R8W  
S 20 | S 21  
S 29 | S 28  
1917

From which

- A pinyon, 9 ins. in diam., bears N.41°E., 42 lks. dist. marked T 35 N R 8 W S 21 B T

Survey of Subdivisions of T.35 N., R.8 W.

Chains

A pinyon, 8 ins. in diam., bears S.66°E.,  
85 lks. dist. marked T 35 N R 8 W S 28 B T  
A pinyon, 9 ins. in diam., bears S.6°W., 70  
lks. dist. marked T 35 N R 8 W S 29 B T  
A pinyon, 8 ins. in diam., bears N.66½°W.,  
36 lks. dist. marked T 35 N R 8 W S 20 B T

Land; broken and mountainous.  
Soil; lava, 2nd. and 3rd. rates.  
Timber; pinyon and cedar.  
Undergrowth; manzanita, sagebrush, scrub oak and white oak.

40.00 N.89°55'W., on a random line bet. secs. 21 and 28.  
Set temp. ¼ sec. cor.  
79.58 Fall 18 lks. N. of the cor. of secs. 21, 22, 27 and 28.

Thence  
N.89°57'W., on a true line bet. secs. 21 and 28.  
Over broken land, through heavy timber and dense under-  
growth.

36.50 Desc. 140 ft. over gradual SW. slope.  
39.79 Desc. 177 ft. over rim rock.  
Set an iron post, 3 ft. long 1 in. in diam., on surface  
rock, supported in a mound of stone for ¼ sec. cor.  
marked on brass cap

¼ S 21  
S 28  
1917

From which

A white oak, 4 ins. in diam., bears N.51°W.,  
32 lks. dist. marked ¼ S 21 B T  
A yellow pine, 36 ins. in diam., bears S.9½°E.,  
98 lks. dist. marked ¼ S 28 B T

79.58 Desc. 800 ft. over broken SW. slope to  
The cor. of secs. 20, 21, 28 and 29.

Land; broken mountainous.  
Soil; lava, 4th. rate.  
Timber; yellow pine, cedar and pinyon.  
Undergrowth; manzanita, dogwood, scrub oak and white oak.

N.0°03'W., bet. secs. 20 and 21.  
Over broken land, through heavy timber and dense under-  
growth.

6.50 Wash, course SW. Asc. 140 ft. over SW. slope.  
11.40 Top of ascent. Desc. 286 ft. over broken NW. slope to  
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 14 ins. in  
the ground to bed rock, supported in a mound of stone  
for ¼ sec. cor. marked on brass cap

¼  
S 20 | S 21  
1917

From which

A pinyon, 10 ins. in diam., bears N.84°E.,  
36 lks. dist. marked ¼ S 21 B T  
A cedar, 9 ins. in diam., bears N.72°W.,  
12 lks. dist. marked ¼ S 20 B T

41.80 Draw, course W. Asc. 156 ft. over SW. slope.  
50.00 Top of ascent. Desc. 350 ft. over NW. slope.  
72.00 Foot of descent.  
74.20 Enter loam soil.  
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.  
in the ground for cor. of secs. 16, 17, 20 and 21,

Survey of Subdivisions of T.35 N., R.8 W.

BOOK 2024

Chains

marked on brass cap

T35N R8W  
S. 17 S 16  
S 20 S 21  
1917

From which

- A pinyon, 8 ins. in diam., bears N.11°E., 76 lks. dist. marked T 35 N R 8 W S 16 B T
- A pinyon, 12 ins. in diam., bears S.46°E., 136 lks. dist. marked T 35 N R 8 W S 21 B T
- A cedar, 8 ins. in diam., bears S.69°W., 44 lks. dist. marked T 35 N R 8 W S 20 B T
- A pinyon, 12 ins. in diam., bears N.31°W., 93 lks. dist. marked T 35 N R 8 W S 17 B T

Land; broken mountains.  
 Soil; lava and limestone, 3rd. and 4th. rates.  
 Timber; pinyon, cedar and yellow pine.  
 Undergrowth; scrub oak, white oak and sagebrush.

40.00  
79.80

S.89°57'E., on a random line bet. secs. 16 and 21.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 Fall 49 lks. S. of the cor. of secs. 15, 16, 21 and 22.

Thence

S.89°42'W., on a true line bet. secs. 16 and 21.  
 Over broken land, through heavy timber and scattering undergrowth.

36.30  
39.90

Along N. slope.  
 Wash, course N.  
 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 16  
S 21  
1917

From which

- A pinyon, 11 ins. in diam., bears N.49°E., 64 lks. dist. marked  $\frac{1}{4}$  S 16 B T
- A pinyon, 8 ins. in diam., bears S.12°E., 61 lks. dist. marked  $\frac{1}{4}$  S 21 B T

79.80

Desc. over general NW. slope.  
 The cor. of secs. 16, 17, 20 and 21.

Land; broken mountainous.  
 Soil; lava, 4th. rate.  
 Timber; pinyon, cedar and yellow pine.  
 Undergrowth; white oak, scrub oak, sagebrush and dogwood.

8.35  
40.00

N.0°03'W., bet. secs. 16 and 17.  
 Over rolling land, through heavy timber and scattering undergrowth.  
 Road, Hurricane to Nixon, bears NE. and SW.  
 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 17 S 16  
1917

From which

- A cedar, 12 ins. in diam., bears S.62°E., 30 lks. dist. marked  $\frac{1}{4}$  S 16 B T
- A cedar, 14 ins. in diam., bears N.67°W., 68 lks. dist. marked  $\frac{1}{4}$  S 17 B T

## Survey of Subdivisions of T.35 N., R.8 W.

Chains

80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 8, 9, 16 and 17, marked on brass cap

T35N R8W  
S 8 | S 9  
S 17 | S 16  
1917

From which

A pinyon, 13 ins. in diam., bears N.46°E.,  
62 lks. dist. marked T 35 N R 8 W S 9 B T

A pinyon, 6 ins. in diam., bears S.37°E.,  
18 lks. dist. marked T 35 N R 8 W S 16 B T

A pinyon, 10 ins. in diam., bears S.61°W.,  
58 lks. dist. marked T 35 N R 8 W S 17 B T

A pinyon, 8 ins. in diam., bears N.25°W.,  
70 lks. dist. marked T 35 N R 8 W S 8 B T

Land; rolling.

Soil; lava cinders, 1st. and 2nd. rates.

Timber; pinyon and cedar.

Undergrowth; sagebrush.

40.00

N.89°42'E., on a random line bet. secs. 9 and 16.

Set temp.  $\frac{1}{4}$  sec. cor.

79.94

Fall 12 lks. N. of the cor. of secs. 9, 10, 15 and 16.

Thence

S.89°47'W., on a true line bet. secs. 9 and 16.

Over rolling land, through heavy timber and sagebrush.

26.90

Road, bears NE. and SW.

39.97

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 9  
S 16  
1917

Dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

55.60

Road, Hurricane to Nixon, bears SE. and NW.

79.94

The cor. of secs. 8, 9, 16 and 17.

Land; gently rolling.

Soil; lava and loam, 1st and 3rd. rates.

Timber; pinyon, cedar and yellow pine.

Undergrowth; sagebrush.

17.24

N.0°03'W., bet. secs. 8 and 9.

Over rolling land, through heavy timber and sagebrush.

40.00

Road, Hurricane to Nixon, bears E. and W.

Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 8 | S 9  
1917

From which

A pinyon, 14 ins. in diam., bears N.60°E.,  
132 lks. dist. marked  $\frac{1}{4}$  S 9 B T

A pinyon, 10 ins. in diam., bears N.60°W.,  
161 lks. dist. marked  $\frac{1}{4}$  S 8 B T

Asc. 110 ft.

Survey of Subdivisions of T.35 N., R.8 W.

3000 124

Chains  
80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 18 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 4, 5, 8 and 9, marked on brass cap

T35N	R8W
S 5	S 4
S 8	S 9
1917	

From which

- A pinyon, 6 ins. in diam., bears N.69°E., 21 lks. dist. marked T 35 N R 8 W S 4 B T
- A pinyon, 8 ins. in diam., bears S.48°E., 40 lks. dist. marked T 35 N R 8 W S 9 B T
- A cedar, 11 ins. in diam., bears S.55°W., 12 lks. dist. marked T 35 N R 8 W S 8 B T
- A pinyon, 8 ins. in diam., bears N.59°W., 52 lks. dist. marked T 35 N R 8 W S 5 B T

Land; rolling and broken.  
Soil; rocky, lava formation, 3rd. rate.  
Timber; pinyon and cedar.  
Undergrowth; sagebrush.

40.00  
80.26

N.89°47'E., on a random line bet. secs. 4 and 9.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 2 lks. N. of the cor. of secs. 3, 4, 9 and 10.

Thence  
S.89°48'W., on a true line bet. secs. 4 and 9.  
Over broken land, through scattering timber and undergrowth.

31.00  
40.13

Asc. 445 ft. over SE. slope to  
Top of ascent. Desc. 107 ft. over SW. slope.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$	S 4
	S 9
1917	

From which

- A pinyon, 4 ins. in diam., bears N.42°E., 48 lks. dist. marked  $\frac{1}{4}$  S 4 B T
- A pinyon, 12 ins. in diam., bears S.30 $\frac{1}{2}$ °W., 95 lks. dist. marked  $\frac{1}{4}$  S 9 B T

80.26

Desc. 143 ft. over SW. slope.  
The cor. of secs. 4, 5, 8 and 9.

Land; broken.  
Soil; rocky, lava formation, 4th. rate.  
Timber; pinyon and cedar.  
Undergrowth; dogwood and sagebrush.

40.00  
79.74

N.0°11'W., on a random line bet. secs. 4 and 5.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 21 lks. W. of the cor. of secs. 4, 5, 32 and 33 on N. bdy. of Tp., hereinbefore described.

Thence  
S.0°02'E., on a true line bet. secs. 4 and 5.  
Over rolling land, through heavy timber and scattering undergrowth.

39.74

Desc. 145 ft. over SW. slope.  
Set an iron post, 3 ft. long, 1 in. in diam., 14 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap

## Survey of Subdivisions of T.35 N., R.8 W.

Chains

 $\frac{1}{4}$ 

S 5 | S 4

1917

From which

A pinyon, 6 ins. in diam., bears S.57°E.,

112 lks. dist. marked  $\frac{1}{4}$  S 4 B TA pinyon, 13 ins. in diam., bears N.49 $\frac{1}{2}$ °W.,87 lks. dist. marked  $\frac{1}{4}$  S 5 B T

Desc. over SW. slope.

44.10 Draw, course SW.

69.54 Draw, course SW.

74.85 Draw, course W.

79.74 The cor. of secs. 4, 5, 8 and 9.

Land; rolling.

Soil; rocky, lava formation, 3rd. and 4th. rates.

Timber; pinyon and cedar.

Undergrowth; sagebrush and dogwood.

From the cor. of secs. 5, 6, 31 and 32 on S. bay. of Tp.  
described in Book "D".

N.0°03'W., bet. secs. 31 and 32.

Over broken land, through heavy timber and scattering  
undergrowth.

Desc. 126 ft.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap $\frac{1}{4}$ 

S 31 | S 32

1917

From which

A yellow pine, 16 ins. in diam., bears N.47 $\frac{1}{2}$ °E.,148 lks. dist. marked  $\frac{1}{4}$  S 32 B TA pinyon, 11 ins. in diam., bears N.78 $\frac{1}{2}$ °W.,76 lks. dist., marked  $\frac{1}{4}$  S 31 B T

Desc. gradual N. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins.  
in the ground to bed rock, supported in a mound of  
stone for cor. of secs. 29, 30, 31 and 32, marked on  
brass cap

T35N R8W

S 30 | S 29

S 31 | S 32

1917

From which

A cedar, 9 ins. in diam., bears N.61°E.,

42 lks. dist., marked T 35 N R 8 W S 29 B T

A cedar, 12 ins. in diam., bears S.53 $\frac{1}{2}$ °E.,

77 lks. dist. marked T 35 N R 8 W S 32 B T

A cedar, 14 ins. in diam., bears S.46°W.,

230 lks. dist. marked T 35 N R 8 W S 31 B T

A cedar, 12 ins. in diam., bears N.36°W.,

28 lks. dist. marked T 35 N R 8 W S 30 B T

Land; broken

Soil; lava, 2nd. rate.

Timber; yellow pine, pinyon and cedar.

Undergrowth; sagebrush and white oak.

Survey of Subdivisions of T.35 N.,R.8 W.

BOOK 112

Chains  
40.00 N.89°58'E., on a random line bet. secs. 29 and 32.  
79.90 Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 15 lks. S. of the cor. of secs. 28, 29, 32 and 33.

Thence  
S.89°52'W., on a true line bet. secs. 29 and 32.  
Over rolling land, through heavy timber and scattering undergrowth.

39.95 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   $\frac{S\ 29}{S\ 32}$   
1917

From which  
A pinyon, 7 ins. in diam., bears N.40°E.,  
200 lks. dist. marked  $\frac{1}{4}$  S 29 B T  
A yellow pine, 8 ins. in diam., bears S.37 $\frac{1}{2}$ °W.,  
161 lks. dist. marked  $\frac{1}{4}$  S 32 B T

79.90 The cor. of secs. 29, 30, 31 and 32.

Land; rolling.  
Soil; lava, 1st. and 2nd. rates.  
Timber; pinyon, cedar and yellow pine.

40.00 S.89°58'W., on a random line bet. secs. 30 and 31.  
78.29 Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 10 lks. N. of the cor. of secs. 25, 30, 31 and 36 on W. bdy. of Tp., described in Book "H".

Thence  
N.89°54'E., on a true line bet. secs. 30 and 31.  
Over broken land, through heavy timber and scattering undergrowth.

38.29 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   $\frac{S\ 30}{S\ 31}$   
1917

From which  
A yellow pine, 8 ins. in diam., bears N.49°W.,  
267 lks. dist. marked  $\frac{1}{4}$  S 30 B T  
A pinyon, 12 ins. in diam., bears S.58°E.,  
119 lks. dist. marked  $\frac{1}{4}$  S 31 B T

78.29 The cor. of secs. 29, 30, 31 and 32.

Land; broken.  
Soil; lava cinders, 3rd. rate.  
Timber; pinyon, cedar and yellow pine.  
Undergrowth; sagebrush and dogwood.

32.86 N.0°03'W., bet. secs. 29 and 30.  
39.20 Over rolling land, through heavy timber and scattering undergrowth.  
40.00 Road, Nixon to Hurricane Valley, bears E. and W.  
Wash, course NE.  
Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 30 | S 29  
1917

From which

## Survey of Subdivisions of T.35 N., R.8 W.

Chains

A cedar, 14 ins. in diam., bears S. 88° E.,  
156 lks. dist. marked  $\frac{1}{4}$  S 29 B T  
A cedar, 12 ins. in diam., bears S. 15 $\frac{1}{2}$ ° W.,  
251 lks. dist., marked  $\frac{1}{4}$  S 30 B T

80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 16 ins. in  
the ground to bed rock, supported in a mound of stone  
for cor. of secs. 19, 20, 29 and 30, marked on brass  
cap

T35N R8W  
S 19 | S 20  
S 30 | S 29  
1917

From which

A cedar, 14 ins. in diam., bears N. 26 $\frac{1}{2}$ ° E.,  
106 lks. dist., marked T 35 N R 8 W S 20 B T  
A cedar, 8 ins. in diam., bears S. 67 $\frac{1}{2}$ ° E.,  
162 lks. dist., marked T 35 N R 8 W S 29 B T  
A cedar, 18 ins. in diam., bears S. 29 $\frac{3}{4}$ ° W.,  
102 lks. dist., marked T 35 N R 8 W S 30 B T  
A pinyon, 7 ins. in diam., bears N. 48° W.,  
275 lks. dist., marked T 35 N R 8 W S 19 B T

Land; rolling.

Soil; lava cinders, 2nd. rate.

Timber; pinyon and cedar.

Undergrowth; sagebrush.

40.00

N. 89° 52' E., on a random line bet. secs. 20 and 29.

Set temp.  $\frac{1}{4}$  sec. cor.

79.90

Fall 7 lks. N. of the cor. of secs. 20, 21, 28 and 29.

Thence

S. 89° 55' W., on a true line bet. secs. 20 and 29.

Over mountainous land, through heavy timber and dense  
undergrowth.

Desc. 438 ft. over W. slope.

30.00

Leave dense and enter scattering timber. Desc. gradually.

36.40

Wash, course NW.

39.80

Road, Hurricane to Nixon, bears SE. and N.

39.95

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 20  
S 29  
1917

Dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

45.20

Thence over rolling land.

46.30

Wash, course NW.

79.90

The cor. of secs. 19, 20, 29 and 30.

Land; rolling and mountainous.

Soil; lava, 1st. and 4th. rates.

Timber; pinyon and cedar.

Undergrowth; manzanita, sagebrush, scrub oak and white  
oak.



Survey of Subdivisions of T.35 N., R.8 W.

Book 803

Chains S.89°54'W., on a random line bet. secs. 19 and 30.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 78.05 Fall 16 lks. N. of the cor. of secs. 19, 24, 25 and 30  
 on W. bdy. of Tp., described in Book "H".

Thence  
 N.89°47'E., on a true line bet. secs. 19, and 30.  
 Over broken land, through heavy timber and scattering  
 undergrowth.

38.05 Desc. 134 ft.  
 Set an iron post, 3 ft. long, 1 in. in diam., 16 ins. in  
 the ground to bed rock, supported in a mound of stone  
 for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 19  
 S 30  
 1917

From which  
 A cedar, 8 ins. in diam., bears S.49°W.,  
 71 lks. dist. marked  $\frac{1}{4}$  S 30 B T  
 A cedar, 14 ins. in diam., bears N.27 $\frac{1}{2}$ °W.,  
 79 lks. dist. marked  $\frac{1}{4}$  S 19 B T

58.00 Desc. 138 ft. to  
 Foot of descent.  
 78.05 The cor. of secs. 19, 20, 29 and 30.

Land; broken.  
 Soil; lava cinders, 3rd. and 4th. rate.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush and dogwood.

N.0°03'W., bet. secs. 19 and 20.  
 Over rolling land, through heavy timber and scattering  
 undergrowth.

33.14 Wash, course NW.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
 S 19 | S 20  
 1917

From which  
 A cedar, 24 ins. in diam., bears N.31 $\frac{1}{2}$ °E.,  
 145 lks. dist., marked  $\frac{1}{4}$  S 20 B T  
 A cedar, 14 ins. in diam., bears N.33 $\frac{1}{2}$ °W.,  
 47 lks. dist., marked  $\frac{1}{4}$  S 19 B T

62.00 Wash, course SW.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in  
 the ground for cor. of secs. 17, 18, 19 and 20, marked  
 on brass cap

T35 N R8 W  
 S 18 S 17  
 S 19 S 20  
 1917

From which  
 A cedar, 8 ins. in diam., bears N.64 $\frac{1}{2}$ °E.,  
 10 lks. dist., marked T 35 N R 8 W S 17 B T  
 A pinyon, 24 ins. in diam., bears S.28 $\frac{1}{2}$ °E.,  
 56 lks. dist. marked T 35 N R 8 W S 20 B T  
 A cedar, 14 ins. in diam., bears S.71 $\frac{1}{2}$ °W.,  
 142 lks. dist. marked T 35 N R 8 W S 19 B T  
 A pinyon, 12 ins. in diam., bears N.37°W.,  
 55 lks. dist., marked T 35 N R 8 W S 18 B T

Land; broken.  
 Soil; rocky loam, 2nd. and 3rd. rates.  
 Timber; pinyon and cedar. Undergrowth; sagebrush & dogwood.

## Survey of Subdivisions of T.35 N., R.8 W.

## Chains

40.00 N.89°55'E., on a random line bet. secs. 17 and 20.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.94 Fall 23 lks. S. of the cor. of secs. 16, 17, 20 and 21.

Thence  
 S.89°45'W., on a true line bet. secs. 17 and 20.  
 Over broken land, through heavy timber and scattering  
 undergrowth.

7.38 Road, Hurricane to Nixon, bears NE. and SW.  
 36.54 Draw, course S.  
 39.97 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$$\frac{1}{4} \begin{array}{r} S 17 \\ S 20 \\ 1917 \end{array}$$

## From which

A cedar, 7 ins. in diam., bears N.43°W.,  
 108 lks. dist., marked  $\frac{1}{4}$  S 17 B T  
 A cedar, 14 ins. in diam., bears S.62°E.,  
 75 lks. dist., marked  $\frac{1}{4}$  S 20 B T

79.94 The cor. of secs. 17, 18, 19 and 20.

Land; broken.  
 Soil; lava, 2nd. rate.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush.

40.00 S.89°47'W., on a random line bet. secs. 18 and 19.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 78.19 Fall 2 lks. S. of the cor. of secs. 13, 18, 19 and 24,  
 on W. bdy. of Tp., described in Book "H".

Thence  
 N.89°48'E., on a true line bet. secs. 18 and 19.  
 Over broken land, through heavy timber and scattering  
 undergrowth.

20.50 Desc. 48 ft. to  
 Wash, course NW. Asc. 144 ft. to  
 38.19 Set an iron post, 3 ft. long, 1 in. in diam., 16 ins. in  
 the ground to bed rock, supported in a mound of stone  
 for  $\frac{1}{4}$  sec. cor. marked on brass cap

$$\frac{1}{4} \begin{array}{r} S 18 \\ S 19 \\ 1917 \end{array}$$

## From which

A pinyon, 14 ins. in diam., bears N.48°W.,  
 51 lks. dist. marked  $\frac{1}{4}$  S 18 B T  
 A cedar, 8 ins. in diam., bears S.27°E.,  
 83 lks. dist. marked  $\frac{1}{4}$  S 19 B T

66.00 Draw, course SW.  
 78.19 The cor. of secs. 17, 18, 19 and 20.

Land; broken.  
 Soil; lava, rocky, 3rd. and 4th. rates.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush and white oak.


Survey of Subdivisions of T.35 N., R.8 W.

BOOK 37

Chains

N.0°03'W., bet. secs. 17 and 18.  
Over rolling land, through heavy timber and scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap




From which

- A pinyon, 6 ins. in diam., bears S.64°E., 41 lks. dist. marked 1/4 S 17 B T
- A pinyon, 8 ins. in diam., bears S.50°W., 69 lks. dist. marked 1/4 S 18 B T

56.45 Wash, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 18 ins. in the ground to bed rock; supported in a mound of stone for cor. of secs. 7, 8, 17 and 18, marked on brass cap



From which


- A cedar, 18 ins. in diam., bears N.15 1/2°E., 61 lks. dist., marked T 35 N R 8 W S 8 B T
- A cedar, 14 ins. in diam., bears S.30 1/4°E., 122 lks. dist., marked T 35 N R 8 W S 17 B T
- A cedar, 14 ins. in diam., bears S.23 1/2°W., 124 lks. dist., marked T 35 N R 8 W S 18 B T
- A pinyon, 10 ins. in diam., bears N.30 1/2°W., 141 lks. dist., marked T 35 N R 8 W S 7 B T

Land; rolling.  
Soil; lava, 2nd. and 3rd. rates.  
Timber; pinyon and cedar.  
Undergrowth; sagebrush.

40.00 N.89°45'E., on a random line bet. secs. 8 and 17.  
79.94 Set temp. 1/4 sec. cor.  
Fall 42 lks. N. of the cor. of secs. 8, 9, 16 and 17.

Thence  
N.89°57'W., on a true line bet. secs. 8 and 17.  
Over rolling land, through heavy timber and scattering undergrowth.

39.97 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap



From which

- A pinyon, 12 ins. in diam., bears N.45°E., 74 lks. dist., marked 1/4 S 8 B T
- A pinyon, 20 ins. in diam., bears S.44°W., 29 lks. dist., marked 1/4 S 17 B T

79.94 The cor. of secs. 7, 8, 17 and 18.

Land; rolling.  
Soil; lava, 3rd. rate.  
Timber; pinyon and cedar.  
Undergrowth; sagebrush and dogwood.

Survey of Subdivisions of T.35 N., R.8 W.

Chains S.89°48'W., on a random line bet. secs. 7 and 18.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 78.12 Fall 9 lks. N. of the cor. of secs. 7, 12, 13 and 18,  
 on W. bdy. of Tp., described in Book "H".

Thence  
 N.89°44'E., on a true line bet. secs. 7 and 18.  
 Over rolling land, through heavy timber and scattering  
 undergrowth.  
 38.12 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   $\frac{S 7}{S 18}$   
 1917

From which  
 A pinyon, 13 ins. in diam., bears N.34 $\frac{1}{2}$ °E.,  
 133 lks. dist., marked  $\frac{1}{4}$  S 7 B T  
 A cedar, 12 ins. in diam., bears S.48 $\frac{1}{2}$ °E.,  
 84 lks. dist., marked  $\frac{1}{4}$  S 18 B T

78.12 The cor. of secs. 7, 8, 17 and 18.  
 Land; rolling.  
 Soil; lava, 2nd. rate.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush.

N.0°03'W., bet. secs. 7 and 8.  
 Over rolling land, through heavy timber and scattering  
 undergrowth.  
 Asc. 230 ft. over gradual S. slope.  
 28.30 Top of ascent. Desc. 280 ft. over NW. slope.  
 40.00 Set an iron post; 3 ft. long, 1 in. in diam., 20 ins. in  
 the ground to bed rock, supported in a mound of stone  
 for  $\frac{1}{4}$  sec. cor. marked on brass cap.

$\frac{1}{4}$   
 S 7 | S 8  
 1917

From which  
 A pinyon, 13 ins. in diam., bears E. 55 lks. dist.  
 marked  $\frac{1}{4}$  S 8 B T  
 A pinyon, 12 ins. in diam., bears 75°W., 63 lks.  
 dist., marked  $\frac{1}{4}$  S 7 B T

58.70 Enter scattering timber. Desc. gradually.  
 Road, bears E. and W.  
 59.95 Wash, course W.  
 75.00 Enter heavy timber.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 30 ins. in  
 the ground for cor. of secs. 5, 6, 7 and 8, marked on  
 brass cap

T35N R8W  
 S 6 | S 5  
 S 7 | S 8  
 1917

From which  
 A pinyon, 9 ins. in diam., bears N.25 $\frac{1}{2}$ °E.,  
 67 lks. dist., marked T 35 N R 8 W S 5 B T  
 A pinyon, 9 ins. in diam., bears S.42 $\frac{1}{2}$ °E.,  
 50 lks. dist., marked T 35 N R 8 W S 8 B T  
 A pinyon, 13 ins. in diam., bears S.6°W.,  
 172 lks. dist., marked T 35 N R 8 W S 7 B T  
 A pinyon, 7 ins. in diam., bears N.45 $\frac{1}{2}$ °W.,  
 149 lks. dist. marked T 35 N R 8 W S 6 B T

Land; rolling. Soil; lava, 1st. and 3rd. rates.  
 Timber; pinyon & cedar. Undergrowth; sagebrush & white oak.

Survey of Subdivisions of T.35 N R 8 W.

0324

Chains  
 40.00 S.89°57'E., on a random line bet. secs. 5 and 8.  
 79.86 Set temp.  $\frac{1}{4}$  sec. cor.  
 Fall 16 lks. N. of the cor. of secs. 4, 5, 8 and 9.

Thence  
 N.89°50'W., on a true line bet. secs. 5 and 8.  
 Over rolling land, through heavy timber and scattering  
 undergrowth.  
 39.93 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$     S 5  
           S 8  
           1917

From which  
 A pinyon, 5 ins. in diam., bears N.29°E.,  
 54 lks. dist., marked  $\frac{1}{4}$  S 5 B T  
 A pinyon, 14 ins. in diam., bears S.75°E.,  
 44 lks. dist., marked  $\frac{1}{4}$  S 8 B T

Desc.  
 53.00 Wash, course SW.  
 79.86 The cor. of secs. 5, 6, 7 and 8.

Land; rolling and broken.  
 Soil; lava, 4th. rate.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush.

40.00 S.89°44'W., on a random line bet. secs. 6 and 7.  
 78.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 Intersect the cor. of secs. 1, 6, 7 and 12 on W. bdy. of  
 Tp., described in Book "H".

Thence  
 N.89°44'E., on a true line bet. secs. 6 and 7.  
 Over rolling land, through scattering undergrowth.  
 2.90 Wash, course NW.  
 38.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins.  
 in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$     S 6  
           S 7  
           1917

Dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

48.50 Road, Nixon to Hurricane, bears SE. and NW.  
 49.00 Wash, course SW.  
 78.00 The cor. of secs. 5, 6, 7 and 8.

Land; rolling.  
 Soil; loam and lava, 1st. and 2nd. rates.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush.

40.00 N.0°02'W., on a random line bet. secs. 5 and 6.  
 79.64 Set temp.  $\frac{1}{4}$  sec. cor.  
 Fall 6 lks. E. of the cor. of secs. 5, 6, 31 and 32 on  
 N. bdy. of Tp., hereinbefore described.

Thence  
 S.0°05'E., on a true line bet. secs. 5 and 6.  
 Over rolling land, through heavy timber and scattering  
 undergrowth.  
 39.64 Set an iron post, 3 ft. long, 1 in. in diam., 16 ins. in  
 the ground to bed rock, supported in a mound of stone  
 for  $\frac{1}{4}$  sec. cor. marked on brass cap

Survey of Subdivisions of T.35 N.,R.8 W.

Chains

$\frac{1}{4}$   
 S 6 | S 5  
 1917

From which  
 A cedar, 8 ins. in diam.; bears S.83°E., 27 lks.  
 dist., marked  $\frac{1}{4}$  S 5 BT  
 A pinyon, 8 ins. in diam.; bears S.83°W., 24 lks.  
 dist., marked  $\frac{1}{4}$  S 6 B T

79.64 The cor. of secs. 5, 6, 7 and 8.

Land; rolling.  
 Soil; loam and lava, 1st. and 2nd. rates.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush.

Boundaries of T.35 N.,R.8 W.

Latitudes, departures and closing errors.

Line designated.	True bearing.	Dist.	Latitudes.		Departures.	
			N.	S.	E.	W.
South Boundary.	S.89°58'W.	478.12		.28		478.12
West Boundary	North	480.00	480.00			
North Boundary	N.89°57'E.	477.89	.42		477.89	
East Boundary	South	480.00		480.00		
Convergency					.53	
<b>Totals</b>			<b>480.42</b>	<b>480.28</b>	<b>478.42</b>	<b>478.12</b>
<b>Error in latitude</b> -----			<b>480.28</b>		<b>478.12</b>	
<b>Error in departure</b> -----						<b>0.30</b>

The continued satisfactory adjustment of the instrument, throughout the survey of this township is indicated from the field test given in Book "G".

GENERAL DESCRIPTION

This township consists of rolling and mountainous land, Mt. Trumbull in section 27 reaching an elevation of 7700 ft. above sea level. The soil is very rocky and is mostly lava formation. There is a heavy growth of timber throughout most of the township, consisting of yellow pine, cedar, and pinyon. There is a spring in sec. 22 and another in sec. 27. The land is useful for farming.

BOOK 3624

4-680

FIELD ASSISTANTS. to  
*Dupree R. Averill, U.S. Transitmarz*

NAMES.	CAPACITY.
Rexford Perkins	First Chainman
Otto Draper	First Chainman.
Alma E. Flanigan	Second Chainman.
William D. Davis	Second Chainman.
Eugene E. Burnham	Flagman.
John L. Hinton	Flagman.
Joshua A. Houchen	Cornerman.
Magnus Rosenberg	Axman.

BOOK 3624

CERTIFICATE OF UNITED STATES SURVEYOR.

I, Dupree R. Averill, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 72, Arizona bearing date of the 12 th. day of October, 1916, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

The East Boundary,

The North Boundary and

The Subdivision of

T.35 N., R.8 W.

of the Gila and Salt River

Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes <sup>and by diagram on page 1 hereof</sup> as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 72, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

*Phoenix Arizona  
January 3, 1924.*

*Dupree R. Averill*  
U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, May 15, 1924.

The foregoing field notes of the survey of

The East Boundary,

The North Boundary and

The Subdivision of

T.35 N., R. 8 W. of the Gila and Salt River Base and

Meridian in the State of Arizona.

executed by Dupree R. Averill, U.S. Transitman

under his special instructions dated October 12, 1916 for Group 72, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

*Charles M. Donohoe*  
U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~

~~has been correctly copied from the original notes on file in this office.~~