

3683
Book "D"

4-679

BOOK 3683

FIELD NOTES

OF THE RESURVEY OF THE

South Boundary of

Township 39 North, Range 6 West

AND OF THE SURVEY OF THE

East Boundary

West Boundary and

North Boundary of

Township 37 North, Range 6 West

and

East Boundary

West Boundary and

Subdivision Lines of

Township 38 North, Range 6 West

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

William E. Hiester, U.S. Surveyor

and

Charles E. Hunter, U.S. Transitman

In the capacity of U. S. Surveyor, under Special Instructions dated Jan. 2, 1924, issued by the United States Surveyor General to govern surveys included in Group No. 122 Arizona, which were approved by the Commissioner of the General Land Office, Feb. 8, 1924, and Assignment Instructions dated Nov. 15, 1923.

Resurvey and Survey commenced January 24, 1924

Resurvey and Survey completed February 5, 1924

3683

3683

INDEX DIAGRAM.

Township _____, Range _____

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

INDEX DIAGRAM

BOOK "D"
GROUP 122-ARIZONA

BOOK 3683


	23	22	21	20	19	
18	6 50 49	5 43 49	4 38 43	3 33 38	2 28 32	1 15 27
18	7 49 48	8 42 48	9 37 42	10 32 37	11 27 32	12 15 27
17	18 47 47	17 41 47	16 36 T.38N., R.6W. 41 36		15 31 31	14 26 26
17	19 46 46	20 40 45	21 35 40	22 30 35	23 25 30	24 14 25
16	30 45 45	29 40 44	28 34 39	27 29 34	26 24 29	25 13 24
16	31 44 10	32 39 10	33 33 11	34 28 11	35 24 12	36 13 12
9	6	5	4	3	2	1 6
9	7	8	9	10	11	12 5
8	18	17	16 15 T.37N., R.6W.		14	13 5
8	19	20	21	22	23	24 4
7	30	29	28	27	26	25 3
7	31	32	33	34	35	36 3

9th Standard Parallel North

 Lines surveyed under this group.

 Lines resurveyed under this group

 Accepted surveys.


 Unsurveyed.

 Areas surveyed as per accepted plats on file.

DATE DIAGRAM

Township 37 North, Range 6 West

BOOK 3683



- Surveyed by William E. Hiester, U.S. Surveyor on dates shown thereon.
- Accepted surveyed lines.
- - - - - Unsurveyed lines.
- Surveyed by Charles E. Hunter, U.S. Transitman, on dates shown thereon.

BOOK 3683

DATE 4-679 b

~~INDEX~~ DIAGRAM.

Township 38 North Range 6 West

2-5-24	2-5-24	2-5-24	2-3-24	2-3-24	2-3-24
6 2-2-24	5 2-4-24	4 2-4-24	3 2-3-24	2 2-3-24	1 2-3-24
7 2-2-24	8 2-4-24	9 2-2-24	10 2-3-24	11 2-1-24	12 2-1-24
13 2-2-24	17 2-2-24	16 1-31-24	15 2-2-24	14 2-1-24	18 2-1-24
19 1-31-24	20 2-5-24	21 1-31-24	22 2-2-24	23 2-1-24	24 2-1-24
30 1-31-24	29 1-31-24	28 1-31-24	27 2-2-24	26 2-1-24	25 2-1-24
31 1-31-24	32 1-30-24	33 1-30-24	34 1-30-24	35 1-30-24	36 1-30-24

6-4817

Lines in red surveyed by William E. Hiester, U.S. Surveyor.

Lines in green surveyed by Charles E. Hunter, U.S. Transitman.

Survey commenced Jan. 24, 1924 and executed by William E. Hiester, U.S. Surveyor and Charles E. Hunter, U.S. Transitman, on dates shown on diagram on page 1 hereof, using Buff transit No. 9977 and Young and Sons transit No. 8292 respectively. Both instruments are equipped with full vertical circle and the Smith solar attachment, and were approved by the Assistant Supervisor of Surveys, conditional upon satisfactory field tests. Unless otherwise specified all azimuth determinations are accomplished with the solar attachments.

We examine the adjustments of the instruments and correct all errors, then to test the solar apparatus by comparing their indications resulting from solar observations made during a.m. and p.m. hours with a meridian determined from observation on Polaris, proceed as follows:

Jan. 28; 1924, in camp near the center of sec. 16, T. 38 N., R. 6 W., Gila and Salt River Base and Meridian, Arizona, in latitude $36^{\circ}41\frac{1}{2}'$ N., longitude $112^{\circ}57\frac{1}{2}'$ W., of Greenwich, at 11h 1.7m p.m., l.m.t., we observe Polaris at western elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point in the line thus determined, on a peg driven firmly in the ground 8 chs. N.

azimuth of Polaris at western elongation = $1^{\circ}22'10''$.

Jan. 29; we lay off the azimuth of Polaris $1^{\circ}22'$ to the east and mark the meridian thus determined, by a tack in a peg driven firmly in the ground 8 chs. N.

at 9h 0m a.m., app.t., we set off $36^{\circ}41\frac{1}{2}'$ N., on the latitude arcs, $18^{\circ}6'S.$, on the declination arcs, and determined meridians with the solars which agree with the true meridian.

At app. noon with the latitude arcs unchanged we observe the sun on the meridian, with each instrument, the resulting readings of the declination arcs are $18^{\circ}5'S.$, which agrees with the computed declination of the sun.

at 3h 0m app.t., with the latitude arcs unchanged, we set off $18^{\circ}2'S.$ on the declination arcs, and determine meridians with the solars, which agree with the true meridian.

As all of the solar observations during the usual hours of solar work come within $1'30''$ of the true meridian, we conclude that the adjustments of the instruments are satisfactory.


Unless otherwise specified all measurements are made with Lufkin steel tapes 5 chs. in length compared with a Lufkin standard steel tape and found correct. The measurements are made on the slope, the vertical angle determined, and the slope measurement properly reduced to true horizontal distances.

East Boundary of T. 37 N., R. 6 W.

Chains The standard cor. of Ts. 37 N., Rs. 5 and 6 W., is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by a mound of stone, N. of cor.,


Thence North, bet. secs. 31 and 36. Over rolling land, through scattering undergrowth.

16.80 Road, bears SE. and NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap



Raise a mound of stone, $3\frac{1}{2}$ ft. base, 3 ft. high W. of cor.

73.60 Road, bears SE. and NW.
75.60 Wash, 6 lks. wide, course NW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 25, 30, 31 and 36, marked on brass cap




Raise a mound of stone, $3\frac{1}{2}$ ft. base, 3 ft. high W. of cor.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


North, bet. secs. 25 and 30. Over rolling land, through scattering timber and undergrowth.

12.00 Road, bears NE. and SW.
17.00 Wash, 5 lks. wide, course SW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
A cedar, 4 ins. diam., bears N.12°E., 193 lks. dist. marked B T
A cedar, 12 ins. diam., bears N.54°W., 344 lks. dist. marked $\frac{1}{4}$ S 25 B T

50.00 Desc. gentle N. slope.
60.00 Draw, course W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of secs. 19, 24, 25 and 30, marked on brass cap



East Boundary of T.37 N., R.6 W.

Chains


From which,

- A cedar, 8 ins. diam., bears N.34°E., 477 lks. dist. marked T 37 N R 5 W S 39 B T
- A cedar, 8 ins. diam., bears S.50¼°E., 182 lks. dist. marked T 37 N R 5 WS 30 B T
- A cedar, 10 ins. diam., bears N.14½°W., 351 lks. dist. marked T 37 N R 6 WS 24 B T

Land; rolling.
 Soil; rocky, 3rd. rate.
 Timber; cedar.
 Undergrowth; sagebrush.

North, bet. secs. 19 and 24.
 Over rolling land, through scattering timber and undergrowth.

- 20.50 Desc. 70 ft. over gradual N. slope.
- 27.40 Draw, course NW. Asc.
- 29.80 Point of spur, slopes W. Desc.
- 37.45 Draw, course W. Asc.
- 40.00 Draw, course W. Asc.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for ¼ sec. cor. marked on brass cap




From which,

- A cedar, 7 ins. diam., bears S.73½°E., 132 lks. dist. marked ¼ S 19 B T
- A cedar, 4 ins. diam., bears N.19¼°W., 78 lks. dist. marked B T

Desc. NW. slope.

- 60.50 Asc. S. slope.
- 68.40 Spur, slopes N. Desc. 60 ft. over N. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 13, 18, 19 and 24, marked on brass cap



From which,

- A cedar, 5 ins. diam., bears N.43 3/4°E., 53 lks. dist., marked B T
- A cedar, 10 ins. diam., bears S.31¼°E., 95 lks. dist. marked T 37 N R 5 W S 19 B T
- A cedar, 8 ins. diam., bears S.71¼°W., 46 lks. dist. marked T 37 N R 6 W S 24 B T
- A cedar, 10 ins. diam., bears N.60°W., 283 lks. dist. marked T 37 N R 6 W S 13 B T

Land; rolling.
 Soil; rocky, 3rd. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

East Boundary of T.37 N., R.6 W

Chains

North, bet. secs. 13 and 18.
Over rolling land, through heavy timber and scattering undergrowth.

- 11.40 Desc. 140 ft. over N. slope.
- 16.55 Wash, 30 lks. wide, course NE. Asc. 30 ft. over SE. slope.
- 21.85 Spur, slopes NE. Desc. 34 ft.
- 25.50 Wash, 6 lks. wide, course NE.
- Wash, 6 lks. wide, course E.
- Asc. S. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

S 13 | S 18

1924

From which,

- A cedar, 6 ins. diam., bears S. $89\frac{1}{2}^{\circ}$ E., 96 lks. dist. marked $\frac{1}{4}$ S 18 B T
- A cedar, 6 ins. diam., bears N. 17° W., 266 lks. dist. marked $\frac{1}{4}$ S 13 B T

- 51.96 Wash, 20 lks. wide, course E. Asc. S. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 7, 12, 13 and 18, marked on brass cap

T 37 N
R6W | R5W
S 12 | S 7
S 13 | S 18

1924

From which,

- A cedar, 8 ins. diam., bears N. $46\frac{1}{4}^{\circ}$ E., 34 lks. dist. marked T 37 N R 5 W S 7 B T
- A cedar, 14 ins. diam., bears S. $13\frac{3}{4}^{\circ}$ E., 146 lks. dist., marked T 37 N R 5 W S 18 B T
- A cedar, 18 ins. diam., bears S. $68\frac{1}{2}^{\circ}$ W., 100 lks. dist., marked T 37 N R 6 W S 13 B T
- A cedar, 6 ins. diam., bears N. $68\frac{3}{4}^{\circ}$ W., 91 lks. dist., marked T 37 N R 6 W S 12 B T

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

North, bet. secs. 7 and 12.
Over rolling land, through heavy timber and scattering undergrowth.

- 1.70 Draw, course W.
- 7.60 Draw, course W.
- 18.60 Leave heavy and enter scattering timber, bears E. and W.
- Desc. 100 ft. over gentle N. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 12 | S 7

1924


Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

- 41.13 Wash, 8 lks. wide, course NE.
- 66.25 Wash, 10 lks. wide, course NE.

East Boundary of T.37 N., R.6 W.

Chains
69.10
76.70
78.00
80.00

Road, bears NE. and SW.
Top of small cliff, bears NE. and SW.
Spur, slopes E.
Set an iron post, 3 ft. long, 2 ins. diam., 2⁸ ins. in the ground for cor. of secs. 1, 6, 7 and 12, marked on brass cap




From which,
A cedar, 10 ins. diam., bears N.57 3/4°E., 694 lks. dist., marked T 37 N R 5 W S 6 B T
A cedar, 10 ins. diam., bears S.48 1/2°E., 438 lks. dist., marked T 37 N R 5 W S 7 B T
A cedar, 10 ins. diam., bears S.57 3/4°W., 152 lks. dist., marked T 37 N R 6 W S 12 B T
A cedar, 10 ins. diam., bears N.61°W., 197 lks. dist. marked T 37 N R 6 W S 1 B T

Land; rolling.
Soil; rocky, 2nd. and 3rd. rates.
Timber; cedar.
Undergrowth; sagebrush.

North, bet. secs. 1 and 6.
Over rolling land, through scattering timber and undergrowth.

20.00
39.00
40.00


Leave timber.
Draw, course SE.
Set an iron post, 3 ft. long, 1 in. diam., 2⁸ ins. in the ground for 1/4 sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 3 ins. diam., 30 ins. in the ground for cor. of T. 37 and 38 N., R. 5 and 6 W., marked on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; rocky, 2nd. and 3rd. rates.
Timber; cedar.
Undergrowth; sagebrush.

West Boundary of T.37 N., R.6 W.

Chains


The standard cor. of T.37 N., R.6 and 7 W., is an iron post, 3 ft. long, 3 ins. diam., 12 ins. above ground, firmly set, properly marked, witnessed by pits.

Thence

North, bet. secs. 31 and 36.
Over rolling land, through scattering undergrowth.

35.00
38.30
40.00


Asc. S. slope.
Point of spur, slopes W. Desc.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.

65.20
71.20
77.30
80.00

Wash, 6 lks. wide, course W.
Wash, 8 lks. wide, course SW. Asc.
Top of small knoll. Desc. N. slope.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 25, 30, 31 and 36, marked on brass cap




Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.

Land; rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

North, bet. secs. 25 and 30.
Over gently rolling land, through scattering undergrowth.

40.00


Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

66.00
80.00

Wash, 6 lks. wide, course NW.
Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 19, 24, 25 and 30, marked on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW., of cor. 3 ft. dist.

West Boundary of T.37 N., R.6 W.


Chains

Land; level and rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

North, bet. secs. 19 and 24.
Over gently rolling land, through scattering undergrowth.

9.10
40.00


Head of wash, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and
S. of cor. 3 ft. dist.

69.55
80.00

Wash, 8 lks. wide, course NW.
Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
the ground, for cor. of secs. 13, 18, 19 and 24,
marked on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; level and rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.


North, bet. secs. 13 and 18.
Over gently rolling land, through scattering undergrowth.

4.00

Road, bears NE. and SW.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

58.50

Wash, 7 lks. wide, course NW.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in
the ground for cor. of secs. 7, 12, 13 and 18, marked
on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

West Boundary of T.37 N., R.6 W.

Chains

Land; level and rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

.47
40.00

North, bet. secs. 7 and 12.
Over gently rolling land, through scattering undergrowth.
Wash, 6 lks. wide, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 12 \quad | \quad \text{S } 7 \\ | \\ 1924 \end{array}$$

Dig pits 18 x 18 x 12 ins. on line, one each N. and S.
of cor. 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
the ground for cor. of secs. 1, 6, 7 and 12, marked on
brass cap

$$\begin{array}{c} \text{T } 37 \text{ N} \\ \text{R7W} \quad | \quad \text{R6W} \\ \text{S } 1 \quad | \quad \text{S } 6 \\ \text{S } 12 \quad | \quad \text{S } 7 \\ 1924 \end{array}$$

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; level and rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

21.40
40.00

North, bet. secs. 1 and 6.
Over gently rolling land, through scattering undergrowth.
Wash, 8 lks. wide, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 1 \quad | \quad \text{S } 6 \\ | \\ 1924 \end{array}$$

Dig pits 18 x 18 x 12 ins. on line, one each N. and S.
of cor. 3 ft. dist.

76.10
80.00

Wash, 6 lks. wide, course NW.
Set an iron post, 3 ft. long, 3 ins. diam., 28 ins. in
the ground for cor. of T~~37~~38 N., R~~6~~6 and 7 W.,
marked on brass cap

$$\begin{array}{c} \text{T } 38 \text{ N} \\ \text{R7W} \quad | \quad \text{R6W} \\ \text{S } 36 \quad | \quad \text{S } 31 \\ \text{S } 1 \quad | \quad \text{S } 6 \\ \text{T } 37 \text{ N} \\ 1924 \end{array}$$

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; level and rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none. Undergrowth; sagebrush.

Chains

From the cor. of Ts. 37 and 38 N.,Rs. 5 and 6 W., herein-
before described,

West, on a random line along the N. bdy. of T.37 N.,R.
6 W., setting temp, $\frac{1}{4}$ sec. and sec. cors. at intervals
of 40.00 chs. until at 479.44 chs. fall 21 lks. S. of
the cor. of Ts. 37 and 38 N.,Rs. 6 and 7 W., herein-
before described. The true bearing of the N. bdy. of
T.37 N.,R.6 W., is therefore S.89°58'E.

S.89°58'E., on a true line bet. secs. 6 and 31.
Over gently rolling land, through scattering undergrowth.

39.44 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 31
S 6
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W.
of cor. 3 ft. dist.

79.44 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground for cor. of secs. 5, 6, 31 and 32, marked
on brass cap

T38N R6W
S 31 | S 32
S 6 | S 5
T37N
1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE.,SE.,
SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

.50
40.00 S.89°58'E., on a true line bet. secs. 5 and 32.
Over rolling land, through scattering undergrowth.
Wash, 10 lks. wide, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 32
S 5
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W.
of cor. 3 ft. dist.

46.80 Road, bears N. and S.
48.04 Wash, course W. Asc.
62.30 Low divide, bears N. and S.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
the ground for cor. of secs. 4, 5, 32 and 33, marked
on brass cap

T38N R6W
S 32 | S 33
S 5 | S 4
T37N
1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE.,SE.,
SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none. Undergrowth; sagebrush.

North Boundary of T.37 N., R.6 W.

Chains	S.89°58'E., on a true line bet. secs. 4 and 33. Over gently rolling land, through sagebrush.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\begin{array}{r} \frac{1}{4} \text{ S } 33 \\ \hline \text{S } 4 \\ 1924 \end{array}$ <p>Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.</p>
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, with marked cross (+) stone alongside, for cor. of secs. 3, 4, 33 and 34, marked on brass cap $\begin{array}{r} \text{T38N R6W} \\ \text{S } 33 \text{ } \text{S } 34 \\ \hline \text{S } 4 \text{ } \text{S } 3 \\ \text{T37N} \\ 1924 \end{array}$ <p>From which, A dead cedar, 10 ins. diam., bears S.65°E., 17 lks. dist., marked B T A cedar, 12 ins. diam., bears N.20$\frac{1}{2}$°W., 282 lks. dist., marked T 38 N R 6 W S 33 B T</p> <p>Land; rolling. Soil; sandy, 3rd. rate. Timber; cedar. Undergrowth; sagebrush.</p>
18.80	S.89°58'E., on a true line bet. secs. 3 and 34. Over rolling land, through scattering timber and undergrowth.
40.00	Wash, 7 lks. wide, course NE. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with marked cross (+) stone alongside for $\frac{1}{4}$ sec. cor. marked on brass cap $\begin{array}{r} \frac{1}{4} \text{ S } 34 \\ \hline \text{S } 3 \\ 1924 \end{array}$ <p>From which, A cedar, 12 ins. diam., bears N.9$\frac{1}{4}$°W., 31 lks. dist. marked $\frac{1}{4}$ S 34 B T A cedar, 12 ins. diam., bears N.40 $\frac{3}{4}$°E., 78 lks. dist., marked $\frac{1}{4}$ S 34 B T No trees available in sec. 3.</p>
41.04	Road, bears NE. and SW.
60.64	Road, bears SE. and NW.
75.00	Wash, 30 lks. wide, course NE. Asc. 40 ft.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 2, 3, 34 and 35, marked on brass cap $\begin{array}{r} \text{T38N R6W} \\ \text{S } 34 \text{ } \text{S } 35 \\ \hline \text{S } 3 \text{ } \text{S } 2 \\ \text{T37N} \\ 1924 \end{array}$ <p>From which, A cedar, 12 ins. diam., bears N.84°E., 301 lks. dist. marked T 38 N R 6 W S 35 B T A cedar, 10 ins. diam., bears S.51°E., 316 lks. dist. marked T 37 N R 6 W S 2 B T A cedar, 8 ins. diam., bears S.69°W., 241 lks. dist. marked T 37 N R 6 W S 3 B T A cedar, 4 ins. diam., bears N.83 $\frac{3}{4}$°W., 394 lks. dist., marked B T</p>

North Boundary of T.37 N., R.6 W.

Chains

Land; rolling.
Soil; sandy, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

S.89°58'E., on a true line bet. secs. 2 and 35.
Over rolling land, through scattering timber and undergrowth.

.66
1.17
11.53
40.00

Wash, course NE.
Road, bears NE. and SW.
Wash, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 35
S 2
1924

From which,
A cedar, 12 ins. diam., bears S.39 $\frac{1}{4}$ °W., 391 lks. dist. marked $\frac{1}{4}$ S 2 B T
Raise a mound of stone, 3 ft. base, 2 ft. high N. of cor.

50.00
80.00

Wash, 6 lks. wide, course NE.
Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 1, 2, 35 and 36, marked on brass cap

T37N R6W
S 35 | S 36
S 2 | S 1
T37N
1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; cedar. Undergrowth; sagebrush.

S.89°58'E., on a true line bet. secs. 1 and 36.
Over rolling land, through scattering undergrowth.

3.70
40.00

Wash, 7 lks. wide, course NE.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 36
S 1
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

50.70

Wash, 10 lks. wide, course NE.

80.00

The cor. of Ts. 37 and 38 N., Rs. 5 and 6 W., hereinbefore described.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


East Boundary of T.38 N., R.6 W.

Chains

From the cor. of Ts. 37 and 38 N., Rs. 5 and 6 W., here-
inbefore described,
North, bet. secs. 31 and 36.
Over rolling land, through scattering undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Raise a mound of stone, $3\frac{1}{2}$ ft. base, 3 ft. high W. of
cor.

45.00


Desc. gentle N. slope.

66.00

Wash, 6 lks. wide, course NW.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in
the ground for cor. of secs. 25, 30, 31 and 36, marked



Dig pits 18 x 18 x 12 ins., one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; rolling.

Soil; loam, 2nd. rate.

Timber; none.

Undergrowth; sagebrush and oak.

North, bet. secs. 25 and 30.
Over rolling land, through scattering undergrowth.

8.15

Wash, 6 lks. wide, course NW.

11.40


Wash, 10 lks. wide, course W.

30.00

Desc. gentle N. slope.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




Raise a mound of stone, $3\frac{1}{2}$ ft. base, 3 ft. high W. of
cor.

40.10

Wash, 10 lks. wide, course NW.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
the ground for cor. of secs. 19, 24, 25 and 30, marked
on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; rolling.

Soil; loam, 2nd. rate.

Timber; none.

Undergrowth; sagebrush.

East Boundary of T.38 N., R.6 W.

Chains

North, bet. secs. 19 and 24.
Over rolling land, through scattering undergrowth.

7.26 Road, bears NE. and SW.
8.55 Wash, 10 lks. wide, course NE.
14.10 Wash, 30 lks. wide, course NE.
33.40 Fence, bears E. and W.
38.00 Center of tank, bears SE. and NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 24 | S 19
 1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

43.15 Fence, bears E. and W.
78.25 Wash, 18 lks. wide, course SE.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
the ground for cor. of secs. 13, 18, 19 and 24, marked
on brass cap

T 38 N
 R6W | R5W
 S 13 | S 18
 S 24 | S 19
 1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; loam, 2nd. rate.
Timber; none.
Undergrowth; sagebrush.

North, bet. secs. 13 and 18.
Over level land, through scattering undergrowth.

8.00 Wash, 8 lks. wide, course SE.
30.96 Road, bears NE. and SW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 13 | S 18
 1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
the ground for cor. of secs. 7, 12, 13 and 18, marked
on brass cap

T 38 N
 R6W | R5W
 S 12 | S 7
 S 13 | S 18
 1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; level.
Soil; loam, 2nd. and 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

East Boundary of T.38 N., R.6 W.

Chains North, bet. secs. 7 and 12.
Over rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 12 | S 7
 1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 1, 6, 7 and 12, marked on brass cap

T 38 N
 R6W | R5W
 S 1 | S 6
 S 12 | S 7
 1924

Dig pits 18 x 18 x 12 ins., one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling. Soil; loam, 2nd. rate.
Timber; none. Undergrowth; sagebrush.

North, bet. secs. 1 and 6.
Over rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 1 | S 6
 1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

79.84 Intersect the S. bdy. of sec. 31, T.39 N., R.5 W., 3.11 chs. E. of the cor. of Ts. 38 and 39 N., Rs. 5 and 6 W., which now refers to two townships only as herein-after described.

At point of intersection, set an iron post, 3 ft. long, 3 ins. diam., 28 ins. in the ground for closing cor. of Ts. 38 N., Rs. 5 and 6 W., marked on brass cap

T39N R5W
 S 31
 S 1 | S 6
 R6W | R5W
 T38N
 CCC
 1924

Dig pits one each SE. and SW. of cor. 3 ft. dist.

Land; rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none. Undergrowth; sagebrush.

Chains	From the cor. of Ts. 37 and 38 N., Rs. 6 and 7 W., here- inbefore described, North, bet. secs. 31 and 36. Over level land, through sagebrush.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap <div style="text-align: center;"> $\frac{1}{4}$ S 36 S 31 1924 </div> Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.
60.00	Wash, course NW.
63.00	Spur, slopes W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 25, 30, 31 and 36, marked on brass cap <div style="text-align: center;"> T 38 N R7W R6W S 25 S 30 S 36 S 31 1924 </div> Raise a mound of stone, 4 ft. base, 2 ft. high W. of cor. Land; level. Soil; gumbo, 3rd. rate. Timber; none. Undergrowth; sagebrush.
40.00	North, bet. secs. 25 and 30. Over level land, through sagebrush. Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap <div style="text-align: center;"> $\frac{1}{4}$ S 25 S 30 1924 </div> Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.
75.40	Wash, 15 lks. wide, course SW.
77.40	Wash, 10 lks. wide, course SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 19, 24, 25 and 30, marked on brass cap <div style="text-align: center;"> T 38 N R7W R6W S 24 S 19 S 25 S 30 1924 </div> Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist. Land; level. Soil; gumbo, 3rd. rate. Timber; none. Undergrowth; sagebrush.

West Boundary of T.38 N., R.6 W.

Chains North, bet. secs. 19 and 24.
Over level land, through sagebrush.

3.70 Wash; 20 lks. wide, course SW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 24		S 19
1924		

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 13, 18, 19 and 24, marked on brass cap.

T 38 N	
R7W	R6W
S 13	S 18
S 24	S 19
1924	

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; level.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

North, bet. secs. 13 and 18.
Over level land, through sagebrush.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 13		S 18
1924		

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 7, 12, 13 and 18, marked on brass cap

T 38 N	
R7W	R6W
S 12	S 7
S 13	S 18
1924	

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; level.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

West Boundary of T. 38 N., R. 6 W.

Chains

.20
40.00

North, bet. secs. 7 and 12.
Over level land, through sagebrush.
Wash, 30 lks. wide, course SW.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 12 \mid \text{S } 7 \\ 1924 \end{array}$$

Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
the ground for cor. of secs. 1, 6, 7 and 12, marked
on brass cap

$$\begin{array}{c} \text{T } 38 \text{ N} \\ \text{R } 7 \text{ W} \mid \text{R } 6 \text{ W} \\ \text{S } 1 \mid \text{S } 6 \\ \text{S } 12 \mid \text{S } 7 \\ 1924 \end{array}$$

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; level.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

North, bet. secs. 1 and 6.
Over gently rolling land, through sagebrush.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 1 \mid \text{S } 6 \\ 1924 \end{array}$$

Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

54.10

Road, bears SE. and NW.

72.00

Wash, course SW.

78.62

Intersect the S. bdy. of sec. 31, T. 39 N., R. 6 W., 3.42
chs. N. 89° 50' E., of the old cor. of Ts. 38 and 39 N.,
Rs. 6 and 7 W., which now refers Ts. 39 N., only as
hereinafter described.

At point of intersection, set an iron post, 3 ft. long,
3 ins. diam., 30 ins. in the ground for closing cor.
of Ts. 38 N., Rs. 6 and 7 W., marked on brass cap

$$\begin{array}{c} \text{T } 39 \text{ N. R } 6 \text{ W} \\ \text{S } 31 \\ \text{S } 1 \mid \text{S } 6 \\ \text{R } 7 \text{ W} \mid \text{R } 6 \text{ W} \\ \text{T } 38 \text{ N} \\ \text{CC} \\ 1924 \end{array}$$

Dig pits 18 x 18 x 12 ins. one each on line S., E. and
W. of cor. 3 ft. dist.

Land; gently rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

Resurvey of the South Boundary of
T.39 N., R.6 W.

Chains

This line was surveyed by Thomas B. Matthews, U.S. Surveyor in 1916, the corners being marked for secs. in Ts. 38 and 39 N. The corners will now refer to secs. in T.39 N. only, the accessories and markings on posts being changed as hereinafter described.

Retracement for Resurvey.

- From the cor. of Ts. 38 and 39 N., Rs. 5 and 6 W., West, on a random line bet. secs. 1 and 36.
- 40.00 Intersect the $\frac{1}{4}$ sec. cor. of secs. 1 and 36.
Continue on same line and measurement.
- 80.03 Intersect the cor. of secs. 1, 2, 35 and 36.
- Thence West, bet. secs. 2 and 35.
- 40.15 Intersect the $\frac{1}{4}$ sec. cor. of secs. 2 and 35.
Continue on same line and measurement.
- 80.29 Intersect the cor. of secs. 2, 3, 34 and 35.
- Thence West, bet. secs. 3 and 34.
- 39.99 Intersect the $\frac{1}{4}$ sec. cor. of sec. 3 and 34.
Continue on same line and measurement.
- 80.09 Intersect the cor. of secs. 3, 4, 33 and 34.
- Thence West, bet. secs. 4 and 33.
- 40.02 Intersect the $\frac{1}{4}$ sec. cor. bet. secs. 4 and 33.
Continue same line and measurement.
- 80.09 Intersect the cor. of secs. 4, 5, 32 and 33.
- Thence West, bet. secs. 5 and 32.
- 39.93 Fall 8 lks. N. of the $\frac{1}{4}$ sec. cor. of secs. 5 and 32.
Continue on same line and measurement.
- 79.95 Fall 19 lks. N. of the cor. of secs. 5, 6, 31 and 32.
- Thence West, on a random line bet. secs. 6 and 31.
- 40.00 Fall 12 lks. N. of the $\frac{1}{4}$ sec. cor. of secs. 6 and 31.
Continue on same line and measurement.
- 78.99 Fall 24 lks. N. of the cor. of Ts. 38 and 39 N., Rs. 6 and 7 W.,

Resurvey

I return to the old cor. of Ts. 38 and 39 N., Rs. 5 and 6 W., which is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by pits. I change this cor. to refer to Ts. 39 N., Rs. 5 and 6 W., only, by filling up the S. pit and altering the marks on brass cap to read as follows:

T 39 N	
R6W	R5W
S 36	S 31
S 1	
T38N	R6W
1014	

- Thence West, on a true line on S. bdy. of sec. 36.
Over gently rolling land, through scattering undergrowth.
- 36.94 (Midpoint of N. bdy. of sec. 1) Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. of sec. 1 only, marked on brass cap

$\frac{1}{4}$ S 1
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W.

Resurvey of the South Boundary of
T. 39 N., R. 6 W.

Chains of cor. 3 ft. dist.

40.00 The old $\frac{1}{4}$ sec. cor. of secs. 1 and 36, which is an iron post, 1 in. diam., 10 ins. above ground, firmly set, properly marked, and witnessed by pits. I change this cor. to refer to sec. 36 only, by altering marks on brass cap to read as follows:

$\frac{1}{4}$ S 36

1916

Continue on same line and measurement.

45.30 Wash, 18 lks. wide, course SE.

54.72 Wash, 6 lks. wide, course SE.

72.00 Draw, course S.

76.99 Point for closing cor. of secs. 1 and 2, hereinafter described.

80.03 The old cor. of secs. 1, 2, 35 and 36, which is an iron post, 2 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by pits. I change this cor. to refer to secs. 35 and 36 only, by filling in the pits SE. and SW. of post, and altering the marks on brass cap to read as follows:

T39N R6W
S 35 S 36

S 2

T38N R6W
1916

Land; rolling.

Soil; loam, 2nd. and 3rd. rates.

Timber; none.

Undergrowth; sagebrush, oak and juniper.

West, on S. bdy. of sec. 35.

Over rolling land, through scattering timber and undergrowth.

4.25 Wash, 12 lks. wide, course S.

7.80 Wash, 8 lks. wide, course S.

13.55 Wash, 10 lks. wide, course S.

19.10 Wash, 12 lks. wide, course S.

23.40 Wash, 30 lks. wide, course SE.

25.80 Wash, 30 lks. wide, course SE.

37.00 (Midpoint of N. bdy. of sec. 2) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 2 only, marked on brass cap

$\frac{1}{4}$ S 2

1924

From which,

a pinyon, 9 ins. diam., bears S.75°E., 123 lks. dist. marked $\frac{1}{4}$ S 2 B T

40.15 The old $\frac{1}{4}$ sec. cor. of secs. 2 and 35, which is an iron post, 1 in. diam., 10 ins. above ground, firmly set, properly marked and witnessed by pits. I change this cor. to refer to sec. 35 only by altering marks on brass cap to read as follows:

$\frac{1}{4}$ S 35

1916

Continue on same line and measurement.

50.00 Wash, 20 lks. wide, course SE.

Asc. 100 ft. over E. slope.

77.04 (Point for closing cor. of secs. 2 and 3, hereinafter described)

80.29 The old cor. of secs. 2, 3, 34 and 35, which is an iron post, 2 ins. diam., 12 ins. above ground, firmly set

Resurvey of the South Boundary of
T.39 N., R.6 W.

Chains

properly marked, and witnessed by pits.
I change this cor. to refer to secs. 34 and 35 only,
by filling the pits SE. and SW. of cor. and altering
the marks on brass cap to read as follows:

T39N R6W
S 34 | S 35
S 3
T38N R6W
1916

Land; rolling.
Soil; sandy, 2nd. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush, oak and juniper.

West, on a true line on S. bdy. of sec. 34.
Over broken land, through scattering timber and under-
growth.

Asc. E. slope.
Wash, 18 lks. wide, course SW.
(Midpoint of N. bdy. of sec. 3) Set an iron post, 3 ft.
long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor.
of sec. 3 only, marked on brass cap

$\frac{1}{4}$ S 3
1924

From which,
A pinyon, 24 ins. diam., bears S.32 3/4°E., 199 lks.
dist., marked $\frac{1}{4}$ S 3 B T

30.50
36.82

39.99

The $\frac{1}{4}$ sec. cor. of secs. 3 and 34, which is an iron post,
1 in. diam., 10 ins. above ground, firmly set, properly
marked, and witnessed by two bearing trees, one N. and
one S. of line. I change this cor. to refer to sec. 34
only by obliterating marks on old bearing tree S. of
line and altering the marks on brass cap to read as
follows:

$\frac{1}{4}$ S 34
1916

Continue on same line and measurement.

43.90
62.20
76.89

Wash, 14 lks. wide, course S.
Wash, 16 lks. wide, course S.
Point for closing cor. of secs. 3 and 4, hereinafter de-
scribed.

80.09

The old cor. of secs. 3, 4, 33 and 34, which is an iron
post, 2 ins. diam., 12 ins. above ground, firmly set,
properly marked, and witnessed by four bearing trees,
one each NE., SE., SW. and NW. of cor. I change this cor.
to refer to secs. 33 and 34 only, by obliterating the
marks on bearing trees SE. and SW. of cor. and altering
the marks on brass cap to read as follows:

T39N R6W
S 33 | S 34
S 4
T38N R6W
1916

Land; broken.
Soil; sandy, 2nd. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

Resurvey of the South Boundary of
T:39 N., R.6 W.

Chains West, on a true line on S. bdy. of sec. 33.
Over rolling land, through scattering timber and under-
growth.

36.75 (Midpoint of N. bdy. of sec. 4) Set an iron post, 3 ft.
long, 1 in. diam., 12 ins. in the ground to bed rock,
supported in a mound of stone, for $\frac{1}{4}$ sec. cor. of sec.
4 only, marked on brass cap

$\frac{1}{4}$ S 4
1924

From which,

A cedar, 20 ins. diam., bears S.30°E., 82 lks. dist.
marked $\frac{1}{4}$ S 4 B T

A cedar, 16 ins. diam., bears S.30°W., 5 lks. dist.
marked $\frac{1}{4}$ S 4 B T

40.02 The old $\frac{1}{4}$ sec. cor. of secs. 4 and 33, which is an iron
post, 1 in. diam., 10 ins. above ground, firmly set,
properly marked, and witnessed by two bearing trees,
one N. and one S. of line. I change this cor. to refer
to sec. 33 only by obliterating marks on the south
bearing tree and altering the marks on brass cap to
read as follows:

$\frac{1}{4}$ S 33

1926

Continue on same line and measurement.

Asc. gentle SE. slope.

76.70 Point for closing cor. of secs. 4 and 5, hereinafter de-
scribed.

80.09 The old cor. of secs. 4, 5, 32 and 33, which is an iron
post, 2 ins. diam., 12 ins. above ground, firmly set,
properly marked, and witnessed by two bearing trees,
one SE. and one NW. of cor. and a mound of stone W. of
cor. I change this cor. to refer to secs. 32 and 33
only by obliterating marks on SE. bearing tree, rebuild
the mound of stone N. of cor. and alter marks on brass
cap to read as follows:

T39N R6W
S 32 S 33
 $\frac{1}{4}$ S 5
T39N
1926

Land; rolling.

Soil; gumbo, 3rd. rate.

Timber; cedar and piñon.

Undergrowth; sagebrush.

^{on}
S 89° 53' W true line on S. bdy. of sec. 32.
Over rolling land, through scattering timber and under-
growth.

17.10 Rim, bears N. and S. Desc.

36.35 Wash, course S.

36.58 (Midpoint of N. bdy. of sec. 5) Set an iron post, 3 ft.
long, 1 in. diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor.
of sec. 5 only, marked on brass cap

$\frac{1}{4}$ S 5
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W.
of cor. 3 ft. dist.

39.93 The old $\frac{1}{4}$ sec. cor. of secs. 5 and 32, which is an iron
post, 1 in. diam., 10 ins. above ground, firmly set,
properly marked, and witnessed by two bearing trees,
one N. and one S. of line. I change this cor. to refer


Resurvey of the South boundary of
T.39 N.,R.6 W.

Chains	to sec. 32 only by obliterating marks on S. bearing tree and altering the marks on brass cap to read as follows:
	$\frac{1}{4} S 32$ 1916
	Thence S.89°51'W., on a true line on S. bdy. of sec. 32. Over level land, through sagebrush.
6.60	Wash, course S.
36.62	Point for closing cor. of secs. 5 and 6, hereinafter described.
40.02	The old cor. of secs. 5, 6, 31 and 32, which is an iron post, 2 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by pits one each NE., SE., SW. and NW. of cor. I change this cor. to refer to secs. 31 and 32 only, by filling in the pits SE. and SW. of cor. and altering the marks on brass cap to read as follows:
	$\begin{array}{c} T39N R6W \\ S 31 S 32 \\ \hline S 6 \\ T38N \\ 1916 \end{array}$
	Land; rolling. Soil; gravelly, 2nd. rate. Timber; cedar. Undergrowth; sagebrush.
	S.89°50'W., on a true line on S. bdy. of sec. 31. Over gently rolling land, through sagebrush.
8.00	Wash, course S.
36.60	(40100) from closing cor. of secs. 5 and 6) Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. of sec. 6 only, marked on brass cap
	$\frac{1}{4} S 6$ 1924
	Dig pits 18 x 18 x 12 ins one each on line E. and W. of cor. 3 ft. dist.
40.00	The old $\frac{1}{4}$ sec. cor. of secs. 6 and 31, which is an iron post, 1 in. diam., 10 ins. above ground, firmly set, properly marked, and witnessed by pits E. and W. of cor. I change this cor. to refer to sec. 31 only, by altering the marks on brass cap to read as follows:
	$\frac{1}{4} S 31$ 1916
	Continue on same line and measurement.
75.57	The closing cor. of Ts. 38 N.,Rs. 6 and 7 W., hereinbefore described.
78.99	The old cor. of Ts. 38 and 39 N.,Rs. 6 and 7 W., which is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by pits, one each N., E., S., and W. of cor. I change this cor. to refer to Ts. 39 N.,Rs. 6 and 7 W., only by filling in the pit S. of cor. and altering the marks on brass cap to read as follows:
	$\begin{array}{c} T 39 N \\ R7W R6W \\ S 36 S 31 \\ \hline S 1 \\ T38N R7W \\ 1916 \end{array}$
	Land; rolling. Soil; gumbo, 3rd. rate. Timber; none. Undergrowth; sagebrush.

Subdivision of T.38 N., R.6 W.

Chains From the cor. of secs. 1, 2, 35 and 36, on S. bdy. of Tp.,
 hereinbefore described,
 N.0°1'W., bet. secs. 35 and 36.
 Over gently rolling land, through scattering undergrowth.
 Wash, 6 lks. wide, course E.
 Wash, 6 lks. wide, course E.
 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap


33.45
36.70
40.00



Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

64.55
80.00

Wash, 8 lks. wide, course NE.
 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
 the ground for cor. of secs. 25, 26, 35 and 36, marked
 on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec., NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; rolling.
 Soil; loam, 2nd. and 3rd. rates.
 Timber; none.
 Undergrowth; sagebrush and oak.


40.00
80.00

S.89°58'E., on a random line bet. secs. 25 and 36.
 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 5 lks. S. of the cor. of secs. 25, 30, 31 and 36,
 on E. bdy. of Tp., hereinbefore described.

Thence
 West, on a true line bet. secs. 25 and 36.
 Over gently rolling land, through scattering undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the
 ground to bed rock, with marked cross (+) stone along-
 side, supported in a mound of stone, for $\frac{1}{4}$ sec. cor.
 marked on brass cap




80.00

The cor. of secs. 25, 26, 35 and 36.

Land; slightly rolling..
 Soil; loam, 2nd. rate.
 Timber; none.
 Undergrowth; sagebrush.


29.80
40.00

N.0°1'W., bet. secs. 25 and 26.
 Over gently rolling land, through scattering undergrowth.
 Wash, 6 lks. wide, course NW.
 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the
 ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Subdivision of T.38 N., R.6 W.

Chains
 Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.
 52.00 Road, bears NE. and SW.
 64.60 Wash, 12 lks. wide, course NE.
 69.65 Wash, 12 lks. wide, course E.
 71.80 Wash, 14 lks. wide, course NE.
 74.90 Wash, 8 lks. wide, course E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked on brass cap




Dig pits, 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.
 Land; rolling.
 Soil; loam, 2nd. and 3rd. rates.
 Timber; none.
 Undergrowth; sagebrush.

40.00 East, on a random line bet. secs. 24 and 25.
 79.98 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect the cor. of secs. 19, 24, 25 and 30 on E. bdy. of Tp., hereinbefore described.

Thence
 West, on a true line bet. secs. 24 and 25.
 Over level land, through scattering undergrowth,

39.99 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high N. of cor.

57.00 Wash, 16 lks. wide, course NE.
 62.00 Wash, 7 lks. wide, course NE.
 79.98 The cor. of secs. 23, 24, 25 and 26.

Land; level.
 Soil; loam, 2nd. and 3rd. rates.
 Timber; none.
 Undergrowth; sagebrush.

N.0°1'W., bet. secs. 23 and 24.
 Over level land, through scattering undergrowth.

20.85 Road, bears SE. and NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 13, 14, 23 and 24, marked

Subdivision of T.38 N., R.6 W.

Chains on brass cap

T38N R6W	
S 14	S 13
S 23	S 24
1924	

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; level.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

40.00 East, on a random line bet. secs. 13 and 24.
80.02 Set temp. $\frac{1}{4}$ sec. cor.
Intersect the cor. of secs. 13, 18, 19 and 24 on E. bdy. of 1p., hereinbefore described.

Thence
West, on a true line bet. secs. 13 and 24.
Over level land, through scattering undergrowth.

2.30 Wash, 14 lks. wide, course SE.
22.50 Road, bears NE. and SW.
40.01 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$	
S 13	S 24
1924	

Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

80.02 The cor. of secs. 13, 14, 23 and 24.

Land; level.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

N.0°1'W., bet. secs. 13 and 14.
Over level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$	
S 14	S 13

1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 11, 12, 13 and 14, marked on brass cap

T38N R6W	
S 11	S 12
S 14	S 13
1924	

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.


Land; level.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

Subdivision of T.38 N., R.6 W.

Chains East, on a random line bet. secs. 12 and 13.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect the cor. of secs. 7, 12, 13 and 18 on E. bdy. of Tp., hereinbefore described.

Thence West, on a true line bet. secs. 12 and 13. Over level land, through scattering undergrowth.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

80.02 The cor. of secs. 11, 12, 13 and 14.

Land; level.
 Soil; loam, 2nd. and 3rd. rates.
 Timber; none.
 Undergrowth; sagebrush.


N.0°1'W., bet. secs. 11 and 12. Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

43.00 Wash, 5 lks. wide, course SE.
 54.50 Wash, 30 lks. wide, course SE.
 60.40 Wash, 6 lks. wide, course SE. Asc.
 74.65 Wash, 30 lks. wide, course E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 1, 2, 11 and 12, marked on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
 Soil; loam, 2nd. and 3rd. rates.
 Timber; none.
 Undergrowth; sagebrush.

40.00 East, on a random line bet. secs. 1 and 12.
 80.08 Set temp. $\frac{1}{4}$ sec. cor. Fall 5 lks. W. of the cor. of secs. 1, 6, 7, and 12 on E. bdy. of Tp., herein before described.

Thence N.89°58'W., on a true line bet. secs. 1 and 12. Over level land, through scattering undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in

Subdivision of T.38 N., R.6 W.

Chains

the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ $\frac{S 1}{S 12}$
 1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

80.08 The cor. of secs. 1, 2, 11 and 12.

Land; nearly level.
 Soil; loam, 2nd. and 3rd. rates.
 Timber; none.
 Undergrowth; sagebrush and oak.

N.0°1'W., bet. secs. 1 and 22

Over rolling land, through scattering undergrowth.

0.00
 28.00
 29.80
 33.70
 38.40
 40.00

Wash, 16 lks. wide, course E.
 Enter scattering timber, bears E. and W.
 Wash, 14 lks. wide, course E.
 Wash, 15 lks. wide, course E.
 Wash, 35 lks. wide, course SE.
 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 $\frac{S 2}{S 1}$
 1924

From which,

- A pinyon, 6 ins. diam., bears S.40 $\frac{1}{2}$ °E., 326 lks. dist. marked $\frac{1}{4}$ S 1 B T
- A cedar, 7 ins. diam., bears S.14 $\frac{3}{4}$ °W., 154 lks. dist., marked $\frac{1}{4}$ S 2 B T

41.70
 46.53
 79.82

Wash, 40 lks. wide, course SW.
 Same wash, course SE. Asc. gentle S. slope.
 Intersect N. bdy. of T. 3.04 chs. E. of the cor. of secs. 35 and 36, T.39 N., R.6 W. hereinbefore described. at point of intersection, set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for closing cor. of secs. 1 and 2, marked on brass cap

T39N R6W
 $\frac{S 36}{S 2 | S 1}$
 T38N R6W
 C C
 1924

Dig two pits, 18 x 18 x 12 ins. one each SE. and SW. of cor. 3 ft. dist.

Land; rolling.
 Soil; loam, 2nd. and 3rd. rates.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

From the cor. of secs. 2, 3, 34 and 35 on S. bdy. of Tp. hereinbefore described,
 N.0°1'W., bet. secs. 34 and 35.

3.60
 30.00
 40.00

Over rolling land, through sagebrush & scattering cedar.
 Wash, 10 lks. wide, course NE.
 Leave timber.
 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

Subdivision of T.38 N., R.6 W.

Chains

$\frac{1}{4}$
 S 34 | S 35
 1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

45.00 Wash, 30 lks. wide, course NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 26, 27, 34 and 35, marked on brass cap

T38N R6W
 S 27 | S 26
 S 34 | S 35
 1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
 Soil; gumbo, 3rd. rate.
 Timber; cedar.
 Undergrowth; sagebrush.

40.00 S. 89° 58' E., on a random line bet. secs. 26 and 35.
 80.02 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 5 lks. S. of the cor. of secs. 25, 26, 35 and 36.

Thence.
 West, on a true line bet. secs. 26 and 35.
 Over rolling land, through scattering timber and undergrowth.

16.00 Asc. 60 ft. over gradual E. slope.
 33.90 Spur, slopes N. Desc. gentle W. slope.
 40.01 Road, bears NE. and SW.
 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 26
 S 35
 1924

Dig pits 18 x 18 x 12 ins. one each E. and W. of cor, 3 ft. dist.

58.10 Wash, course NE.
 80.02 The cor. of secs. 26, 27, 34 and 35.

Land; rolling.
 Soil; gumbo, 3rd. rate.
 Timber; cedar.
 Undergrowth; sagebrush.

N. 0° 1' W., bet. secs. 26 and 27.
 Over rolling land, through sagebrush.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap


$\frac{1}{4}$
 S 27 | S 26
 1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

Subdivision of T.38 N., R.6 W.

Chains

- 54.30 Wash, 10 lks. wide, course NE.
- 57.70 Wash, 20 lks. wide, course NE.
- 59.30 Wash, 30 lks. wide, course E.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 22, 23, 26 and 27, marked on brass cap




Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor 3 ft. dist.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

- 40.00 East, on a random line bet. secs. 23 and 26.
- Set temp, $\frac{1}{4}$ sec. cor.
- 80.00 Intersact the cor. of secs. 23, 24, 25 and 26.

Thence
West, on a true line bet. secs. 23 and 26.
Over slightly rolling land, through scattering undergrowth.

- 30.00 Wash, 8 lks. wide, course S.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

- 40.90 Wash, course SE.
- 80.00 The cor. of secs. 22, 23, 26 and 27.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


N.0°1'W., bet. secs. 22 and 23.
Over rolling land, through scattering undergrowth.

- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

- 58.10 Wash, 7 lks. wide, course SE.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 28 ins. in the ground for cor. of secs. 14, 15, 22 and 23, marked on brass cap



Subdivision of T.38 N., R.6 W.


Chains Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00 East, on a random line bet. secs. 14 and 23.
Set temp. $\frac{1}{4}$ sec. cor.
80.00 Fall 2 lks. N. of the cor. of secs. 13, 14, 23 and 24.

Thence
N.89°59'W., on a true line bet. secs. 14 and 23.
Over gently rolling land, through scattering undergrowth.

38.10 Road, bears SE. and NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




Dig pits 18 x 18 x 12 ins. one each E. and W. of cor. 3 ft. dist.

80.00 The cor. of secs. 14, 15, 22 and 23.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


N.0°1'W., bet. secs. 14 and 15.
Over gently rolling land, through scattering undergrowth.

13.70 Road, bears NW. and SE.
18.80 Wash, 30 lks. wide, course SE.
36.00 Wash, 6 lks. wide, course SE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

43.80 Road, bears SE. and NW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 10, 11, 14 and 15, marked on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

Chains	S.89°59'E., on a random line bet. secs. 11 and 14.							
40.00	Set temp. $\frac{1}{4}$ sec. cor.							
80.02	Fall 2 lks. S. of the cor. of secs. 11 and 14.							
	Thence							
	West, on a true line bet. secs. 11 and 14.							
	Over gently rolling land, through scattering undergrowth.							
40.01	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap							
	$\frac{1}{4}$ <table style="margin-left: auto; margin-right: auto;"> <tr><td>S 11</td></tr> <tr><td>S 14</td></tr> <tr><td>1924</td></tr> </table>	S 11	S 14	1924				
S 11								
S 14								
1924								
	Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.							
74.90	Wash, 8 lks. wide, course SE.							
80.02	The cor. of secs. 10, 11, 14 and 15.							
	Land; rolling.							
	Soil; loam, 2nd. and 3rd. rate.							
	Timber; none.							
	Undergrowth; sagebrush.							
	N.0°1'W., bet. secs. 10 and 11.							
	Over gently rolling land, through scattering undergrowth.							
40.00	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap							
	$\frac{1}{4}$ <table style="margin-left: auto; margin-right: auto;"> <tr><td>S 10</td><td>S 11</td></tr> <tr><td>1924</td><td></td></tr> </table>	S 10	S 11	1924				
S 10	S 11							
1924								
	Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.							
80.00	Asc. 100 ft. over S. slope.							
	Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 2, 3, 10 and 11, marked on brass cap							
	<table style="margin-left: auto; margin-right: auto;"> <tr><td>T38N. R6W</td></tr> <tr><td>S 3</td><td>S 2</td></tr> <tr><td>S 10</td><td>S 11</td></tr> <tr><td>1924</td><td></td></tr> </table>	T38N. R6W	S 3	S 2	S 10	S 11	1924	
T38N. R6W								
S 3	S 2							
S 10	S 11							
1924								
	Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.							
	Land; rolling.							
	Soil; gumbo, 3rd. rate.							
	Timber; none.							
	Undergrowth; sagebrush.							
40.00	East, on a random line bet. secs. 2 and 11.							
80.02	Set temp. $\frac{1}{4}$ sec. cor.							
	Fall 9 lks. N. of the cor. of secs. 1, 2, 11 and 12.							
	Thence							
	N.89°56'W., on a true line bet. secs. 2 and 11.							
	Over rolling land, through scattering undergrowth.							
5.00	Wash, 16 lks. wide, course SE.							
11.80	Same wash, course NE.							
40.01	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap							

Subdivision of T.38 N., R.6 W.

Chains

S 2
—
S 11
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

53.90 Wash, course SE.
80.02 The cor. of secs. 2, 3, 10 and 11.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

N.0°1'W., bet. secs. 2 and 3.
Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 3 | S 2
—
1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

60.50 Wash, 75 lks. wide, course SE.
72.70 Wash, 20 lks. wide, course SE.
79.64 Intersect the S. bdy. of T.39 N., R.6 W., 3.25 chs. E. of the cor. of secs. 34 and 35, hereinbefore described. At point of intersection, set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for closing cor. of secs. 2 and 3, marked on brass cap

T39N R6W
S 35
—
S 3 | S 2
—
T38N R6W
C C
1924

From which,
A pinyon, 6 ins. diam., bears S.34°E., 233 lks. dist. marked T 38 N R 6 W S 2 C C B T
A pinyon, 8 ins. diam., bears S.36 $\frac{1}{2}$ °W., 235 lks. dist. marked T 38 N R 6 W S 3 C C B T

Land; rolling.
Soil; gumbo, 4th. rate.
Timber; scattering pinyon.
Undergrowth; sagebrush.

From the cor. of secs. 3, 4, 33 and 34 on S. bdy. of Tp., hereinbefore described,
N.0°2'W., bet. secs. 33 and 34.
Over rolling land, through scattering timber and undergrowth.

9.60 Draw, course E.
30.00 Low spur, slopes E. Desc.
35.00 Draw, course NE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., on ledge of rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 33 | S 34
—
1924

Subdivision of T.38 N., R.6 W.

Chains

From which,
 A cedar, 24 ins. diam., bears S.59°E., 70 lks. dist.
 marked $\frac{1}{4}$ S 34 B T
 A cedar, 14 ins. diam., bears S.80 $\frac{1}{2}$ °W., 60 lks. dist.
 marked $\frac{1}{4}$ S 33 B T

55.00
 62.95
 77.45
 80.00

Desc. over gentle NE. slope.
 Leave timber, bears E. and W.
 Wash, 8 lks. wide, course NE.
 Wash, 12 lks. wide, course NE.
 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
 the ground for cor. of secs. 27, 28, 33 and 34, marked
 on brass cap

T38N R6W
 S 28 | S 27
 S 33 | S 34
 1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
 SW. and NW. of cor. 3 ft. dist.

Land; rolling.
 Soil; gumbo, 2nd. and 3rd. rates.
 Timber; cedar.
 Undergrowth; sagebrush and oak.

40.00
 79.88

S.89°58'E., on a random line bet. secs. 27 and 34.
 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 7 lks. N. of the cor. of secs. 26, 27, 34 and 35.

Thence
 N.89°55'W., on a true line bet. secs. 27 and 34.
 Over gently rolling land, through scattering undergrowth.

37.40
 39.94

Wash, 10 lks. wide, course NE.
 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 27
 $\frac{1}{4}$ S 34
 1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W.
 of cor. 3 ft. dist.

79.88

The cor. of secs. 27, 28, 33 and 34.

Land; rolling.
 Soil; loam, 2nd. rate.
 Timber; none.
 Undergrowth; sagebrush.

26.65
 35.65
 38.50
 40.00

N.0°2'W., bet. secs. 27 and 28.
 Over gently rolling land, through scattering undergrowth.

Top, of flat sandstone spur, about 50 lks. long and 2 chs,
 wide, slopes NW.

Wash, 7 lks. wide, course NE.
 Wash, 10 lks. wide, course NE.
 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 28 | S 27
 1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S.
 of cor. 3 ft. dist.

Subdivision of T.38 N., R.6 W.

Chains
64.40
76.00
79.20
80.00

Wash, 14 lks. wide, course E.
Wash, 14 lks. wide, course E.
Wash, 16 lks. wide, course SE.
Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 21, 22, 27 and 28, marked on brass cap

T38N R6W
S 21 | S 22
S 28 | S 27
1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; slightly rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

40.00
79.80

S.89°55'E., on a random line bet. secs. 22 and 27.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 2 lks. N. of the cor. of secs. 22, 23, 26 and 27.

Thence
N.89°54'W., on a true line bet. secs. 22 and 27.
Over gently rolling land, through scattering undergrowth.

18.50
39.90

Wash, 10 lks. wide, course SE.
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 22
S 27
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

56.05
73.00
75.80
77.40
79.80

Road, bears SE. and NW.
Wash, 14 lks. wide, course S.
Wash, 20 lks. wide, course SE.
Wash, 8 lks. wide, course SE.
The cor. of secs. 21, 22, 27 and 28.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

N.0°2'W., bet. secs. 21 and 22.
Over level land, through scattering undergrowth.

5.00
15.30
40.00

Wash, 16 lks. wide, course SE.
Wash, 14 lks. wide, course SE.
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 21 | S 22
1924

Dig pits 18 x 18 x 12 ins. one each N. and S. of cor. 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 15, 16, 21 and 22, marked on brass cap

Chains

T38N R6W
 S 16 | S 15
 S 21 | S 22
 1924

Dig pits 18 x 18 x 12 ins., one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; level.
 Soil; loam, 2nd. and 3rd. rates.
 Timber; none.
 Undergrowth; sagebrush.

40.00
 79.92

S.89°54'E., on a random line bet. secs. 15 and 22.
 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 2 lks. S. of the cor. of secs. 14, 15, 22 and 23.

Thence
 N.89°55'W., on a true line bet. secs. 15 and 22.
 Over gently rolling land, through scattering undergrowth.

39.96

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 15
 S 22
 1924

Dig pits 18 x 18 x 12 ins., one each on line E. and W. of cor. 3 ft. dist.

72.22
 79.92

Road, bears N. and S.
 The cor. of secs. 15, 16, 21 and 22.

Land; rolling and level.
 Soil; gumbo, 3rd. rate.
 Timber; none.
 Undergrowth; sagebrush.

30.00
 40.00

N.0°2'W., bet. secs. 15 and 16.
 Over level land, through scattering undergrowth.

Road, bears SE. and NW.
 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 16 | S 15
 1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

69.55
 80.00

Road, bears SE. and NW.
 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 9, 10, 15 and 16, marked on brass cap

T38N R6W
 S 9 | S 10
 S 16 | S 15
 1924

Dig pits 18 x 18 x 12 ins., one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.


Land; level. Soil; loam, 2nd. and 3rd. rates.
 Timber; none. Undergrowth; sagebrush.

Subdivision of T.38 N., R.6 W.

Chains
40.00 S.89°55'E., on a random line bet. secs. 10 and 15.
79.98 Set temp. $\frac{1}{4}$ sec. cor.
Fall 5 lks. S. of the cor. of secs. 10, 11, 14 and 15.

Thence
N.89°57'W., on a true line bet. secs. 10 and 15.
Over gently rolling land, through scattering undergrowth.

10.00 Wash, 30 lks. wide, course SE.
27.30 Road, bears SE. and NW..
39.99 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




Dig pits 18 x 18 x 12 ins. one each on line E. and W.
of cor. 3 ft. dist.

49.00 Wash, course SE.
54.00 Wash, 75 lks. wide, course SE.
79.98 The cor. of secs. 9, 10, 15 and 16.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


N.0°2'W., bet. secs. 9 and 10.
Over gently rolling land, through scattering undergrowth.

35.50 Wash, 18 lks. wide, course E.
36.50 Wash, 60 lks. wide, course SE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
the ground for cor. of secs. 3, 4, 9 and 10, marked
on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

Subdivision of T.38 N., R.6 W.

Chains
40.00 S.89°57'E., on a random line bet. secs: 3 and 10.
80.06 Set temp. $\frac{1}{4}$ sec. cor.
Fall 5 lks. S. of the cor. of secs. 2, 3, 10 and 11.

Thence
N.89°59'W., bet. secs. 3 and 10.
Over gently rolling land, through scattering undergrowth.

40.03 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \begin{array}{r} S 3 \\ S 10 \\ \hline 1924 \end{array}$$

Dig pits 18 x 18 x 12 ins. one each on line E. and W.
of cor. 3 ft. dist.

51.80 Wash, 40 lks. wide, course SW.
80.06 The cor. of secs. 3, 4, 9 and 10.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

N.0°2'W., bet. secs. 3 and 4.
Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \begin{array}{r} S 4 \quad S 3 \\ \hline 1924 \end{array}$$

Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.
An adobe house, 14 x 20 ft. bears N.39°11'W., 47.50 chs.
Upper spring, bears N.43°18'W., 52.50 chs.
Lower spring, bears N.36°53'W., 43.72 chs.

59.50 Enter scattering timber.
67.18 Wash, 10 lks. wide, course SE.
79.55 Intersect the S. hdy. of T.39 N., R.6 W., 3.20 chs. E.
of the cor. of secs. 33 and 34, hereinbefore described.
At point of intersection, set an iron post, 3 ft. long,
2 ins. diam., 30 ins. in the ground for closing cor.
of secs. 3 and 4, marked on brass cap

$$\begin{array}{r} T39N R6W \\ S 34 \\ \hline S 4 \quad S 3 \\ T38N R6W \\ C C \\ 1924 \end{array}$$


From which,
A pinyon, 12 ins. diam., bears S.30°E., 318 lks.
dist., marked T 38 N R 6 W S 3 C C B T
A pinyon, 16 ins. diam., bears S.4°W., 485 lks. dist.
marked T 38 N R 6 W S 4 C C B T

Land; rolling.
Soil; gumbo, 4th. rate.
Timber; pinyon.
Undergrowth; sagebrush.

Subdivision of T.38 N., R.6 W.


Chains From the cor. of secs. 4, 5, 32 and 33 on S. bdy. of Tp.,
hereinbefore described,
N.0°3'W., bet. secs. 32 and 33.
Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in
the ground to bed rock, with marked cross (+) stone
alongside, supported in a mound of stone, for $\frac{1}{4}$ sec.
cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each N. and S. of cor.
3 ft. dist.

43.00 Draw, course E.
52.62 Wash, 8 lks. wide, course NE.
64.00 Spur, slopes E. Desc.
72.73 Wash, 14 lks. wide, course E.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in
the ground to bed rock, supported in a mound of stone,
for cor. of secs. 28, 29, 32 and 33, marked on brass
cap




Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

40.00 S.89°58'E., on a random line bet. secs. 28 and 33.
Set temp. $\frac{1}{4}$ sec. cor.
80.02 Fall 16 lks. S. of the cor. of secs. 27, 28, 33 and 34.

Thence
S.89°55'W., on a true line bet. secs. 28 and 33.
Over gently rolling land, through scattering undergrowth.

32.85 Wash, 12 lks. wide, course NE.
40.01 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins., one each on line E. and W.
of cor. 3 ft. dist.

68.50 Wash, 7 lks. wide, course NE.
Asc. E. slope.
75.60 Top of ascent. Desc. W. slope.
80.02 The cor. of secs. 28, 29, 32 and 33.

Land; rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush and oak.

Subdivision of T.38 N., R.6 W.

Chains	N.0°3'W., bet. secs. 28 and 29. Over gently rolling land, through scattering undergrowth. Desc. gentle N. slope. Wash, 10 lks. wide, course NE. Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
12.50	
40.00	
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 29 \quad \quad \text{S } 28 \\ 1924 \end{array}$
	Dig pits 18 x 18 x 12 ins. one each on line W. and S. of cor. 3 ft. dist.
53.70	Wash, 16 lks. wide, course E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 20, 21, 28 and 29, marked on brass cap
	$\begin{array}{c} \text{T38N, R6W} \\ \text{S } 20 \quad \quad \text{S } 21 \\ \text{S } 29 \quad \quad \text{S } 28 \\ 1924 \end{array}$
	Dig pits 18 x 18 x 12 ins., one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.
	Land; rolling. Soil; loam, 2nd. and 3rd. rates. Timber; none. Undergrowth; sagebrush.
40.06	N.89°55'E., on a random line bet. secs. 21 and 28. Set temp. $\frac{1}{4}$ sec. cor.
80.06	Fall 2 lks. N. of the cor. of secs. 21, 22, 27 and 28.
	Thence S.89°56'W., on a true line bet. secs. 21 and 28. Over level land, through scattering undergrowth.
7.16	Wash, 12 lks. wide, course NE.
40.03	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\begin{array}{c} \frac{1}{4} \quad \text{S } 21 \\ \quad \quad \text{S } 28 \\ 1924 \end{array}$
	Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.
80.06	The cor. of secs. 20, 21, 28 and 29.
	Land; level. Soil; loam, 2nd. and 3rd. rates. Timber; none. Undergrowth; sagebrush.
30.87	N.0°3'W., bet. secs. 20 and 21. Over nearly level land, through scattering undergrowth.
40.00	Wash, 10 lks. wide, course NE. Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 20 \quad \quad \text{S } 21 \\ 1924 \end{array}$

Subdivision of T.38 N., R.6 W.

<p>Chains 80.00</p>	<p>Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 16, 17, 20 and 21, marked on brass cap</p>
	<p style="text-align: center;">T38N R6W S 17 S 16 S 20 S 21 1924</p> <p>Dig pits 18 x 18 x 12 ins., one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.</p> <p>Land; nearly level. Soil; loam, 2nd. and 3rd. rates. Undergrowth; sagebrush. Timber; none.</p>
<p>40.00 79.94</p>	<p>N.89°56'E., on a random line bet. secs. 16 and 21. Set temp. $\frac{1}{4}$ sec. cor. Fall 5 lks. N. of the cor. of secs. 15, 16, 21 and 22.</p> <p>Thence S.89°58'W., on a true line bet. secs. 16 and 21. Over level land, through scattering undergrowth,</p>
<p>39.97</p>	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <p style="text-align: center;">$\frac{1}{4}$ S 16 S 21 1924</p> <p>Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.</p>
<p>58.00 62.70 79.94</p>	<p>Wash, 10 lks. wide, course SE. Wash, 10 lks. wide, course SE. The cor. of secs. 16, 17, 20 and 21.</p> <p>Land; level. Soil; loam, 2nd. and 3rd. rates. Timber; none. Undergrowth; sagebrush.</p>
<p>40.00</p>	<p>N.0°3'W., bet. secs. 16 and 17. Over gently rolling land, through scattering undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <p style="text-align: center;">$\frac{1}{4}$ S 17 S 16 1924</p> <p>Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.</p>
<p>57.95 80.00</p>	<p>Road, bears NE. and SW. Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 8, 9, 16 and 17, marked on brass cap</p> <p style="text-align: center;">T38N R6W S 8 S 9 S 17 S 16 1924</p>

Subdivision of T.38 N., R.6 W.

Chains


Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

40.00 N. 89° 58' E., on a random line bet. secs. 9 and 16.
79.86 Set temp. $\frac{1}{4}$ sec. cor.
Fall 5 lks. N. of the cor. of secs. 9, 10, 15 and 16.

Thence
West, on a true line bet. secs. 9 and 16.
Over gently rolling land, through scattering undergrowth.

14.35 Road, bears SE. and NW.
39.93 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

50.60 Wash, 8 lks. wide, course SW.
73.35 Wash, 6 lks. wide, course S.
77.40 Road, bears N. and S.
79.86 The cor. of secs. 8, 9, 16 and 17.

Land; rolling.
Soil; loam, 2nd. rate.
Timber; none.
Undergrowth; sagebrush.


N. 0° 3' W., bet. secs. 8 and 9.
Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

50.70 Road, bears SE. and NW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 4, 5, 8 and 9, marked on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

Subdivision of T.38 N., R.6 W.

Chains
40.00
79.86

East, on a random line bet. secs. 4 and 9.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 6 lks. S. of the cor. of secs. 3, 4, 9 and 10.

Thence
S.89°57'W., on a true line bet. secs. 4 and 9.
Over gently rolling land, through scattering undergrowth.

20.50
39.93

Wash, 40 lks. wide, course SE.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ $\frac{S\ 4}{S\ 9}$
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W.
of cor. 3 ft. dist.

42.50
79.86

Road, bears SE. and NW.
The cor. of secs. 4, 5, 8 and 9.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

N.0°3'W., bet. secs. 4 and 5.
Over gently rolling land, through scattering undergrowth.

4.40
30.00
40.00

Road, bears NE. and W.
Enter scattering timber.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S. 5 | S 4
1924

From which,
A cedar, 20 ins. diam., bears S.68°E., 29 lks. dist.
marked $\frac{1}{4}$ S 4 B T
A pinyon, 14 ins. diam., bears S.59 $\frac{3}{4}$ °W., 57 lks.
marked $\frac{1}{4}$ S 5 B T

54.00
58.74
62.88
79.40

Asc. 100 ft. to
Point of spur, slopes E.
Desc. 62 ft.
Head of draw, course SE.
Asc. 125 ft.
Intersect the S. bdy. of T.39 N., R.6 W., 3.39 chs. E.
of the cor. of secs. 32 and 33, hereinbefore described.
At point of intersection, set an iron post, 3 ft. long,
2 ins. diam., 28 ins. in the ground for closing cor.
of secs. 4 and 5, marked on brass cap

T39N R6W
S 33
S 5 | S 4
T38N R6W
C C
1924

From which,
A cedar, 18 ins. diam., bears S.11°E., 67 lks. dist.
marked T 38 N R 6 W S 4 C C B T
A cedar, 8 ins. diam., bears S.39 $\frac{1}{4}$ °W., 94 lks. dist.
marked T 38 N R 6 W S 5 C C B T

Subdivision of T.38 N., R.6 W.

Chains

Land; rolling.
Soil; gumbo, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

From the cor. of secs. 5, 6, 31 and 32 on S. bdy. of Tp.,
hereinbefore described,
N.0°3'W., bet. secs. 31 and 32.
Over level land, through scattering undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 31 | S 32

1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground for cor. of secs. 29, 30, 31 and 32, marked
on brass cap

T38N R6W

S 30 | S 29

S 31 | S 32

1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; level.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00

S.89°58'E., on a random line bet. secs. 29 and 32.
Set temp. $\frac{1}{4}$ Sec. cor.

80.00

Fall 5 lks. S. of the cor. of secs. 28, 29, 32 and 33.

Thence

West, on a true line bet. secs. 29 and 32.

Over rolling land, through scattering undergrowth.

11.15

Wash, 8 lks. wide, course NE. Asc.

19.60

Spur, slopes N. Desc. W. slope.

30.85

Road, bears N. and S.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground for $\frac{1}{4}$ Sec. cor. marked on brass cap

$\frac{1}{4}$ S 29

S 32

1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W.
of cor. 3 ft. dist.

80.00

The cor. of secs. 29, 30, 31 and 32.

Land; rolling and level.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

Subdivision of T.38 N., R.6 W.


Chains
40.00
79.37

N.89°58'W., on a random line bet. secs. 30 and 31.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 7 lks. N. of the cor. of secs. 25, 30, 31 and 36,
on W. bdy. of Tp., hereinbefore described.

Thence
N.89°59'E., on a true line bet. secs. 30 and 31.
Over gently rolling land, through scattering undergrowth.

39.37

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line E. and W.
of cor. 3 ft. dist.

79.37


The cor. of secs. 29, 30, 31 and 32.

Land; gently rolling.
Soil; gumbo, 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

N.0°3'W., bet. secs. 29 and 30.
Over level land, through sagebrush.

40.00


Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. on line, one each N. and S.
of cor. 3 ft. dist.

64.60
80.00

Wash, 10 lks. wide, course NW.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in
the ground for cor. of secs. 19, 20, 29 and 30, marked
on brass cap



Dig pits 18 x 18 x 12 ins. one in each NE., SE., SW. and
NW. of cor. 3 ft. dist.

Land; level.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00
80.00

East, on a random line bet. secs. 20 and 29.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 9 lks. N. of the cor. of secs. 20, 21, 28 and 29.

Thence
N.89°56'W., on a true line bet. secs. 20 and 29.
Over level land, through scattering undergrowth.

15.85
40.00

Road, bears N. and S.
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

Subdivision of T.38 N., R.6 W.

Chains

$\frac{1}{4}$ S 20
S 29
1924

Dig pits 18 x 18 x 12 ins. one each E. and W. of cor.
3 ft. dist.

80.00 The cor. of secs. 19, 20, 29 and 30.

Land; level.
Soil; loam, 2nd. and 3rd. rates.
Timber; none.
Undergrowth; sagebrush.

40.00 S.89°59'W., on a random line bet. secs. 19 and 30.
79.28 Set temp. $\frac{1}{4}$ sec. cor.
Fall 14 lks. S. of the cor. of secs. 19, 24, 25 and 30,
on W. bdy. of Tp., hereinbefore described.

Thence
S.89°55'E., on a true line bet. secs. 19 and 30.
Over level land, through scattering undergrowth.

3.30 Wash, 15 lks. wide, course SW.
10.88 Wash, 15 lks. wide, course SW.
39.28 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 19
S 30
1924

Dig pits 18 x 18 x 12 ins. on line one each E. and W.
of cor. 3 ft. dist.

79.28 The cor. of secs. 19, 20, 29 and 30.

Land; level.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

N.0°3'W., bet. secs. 19 and 20.
Over level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 19 | S 20
1924

Dig pits 18 x 18 x 12 ins. on line one each N. and S.
of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
the ground for cor. of secs. 17, 18, 19 and 20, marked
on brass cap

T38N R6W
S 18 | S 17
S 19 | S 20
1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; level. Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

Subdivision of T.38 N., R.6 W.

Chains
40.00 S.89°56'E., on a random line bet. secs. 17 and 20.
80.02 Set temp. $\frac{1}{4}$ sec. cor.
Intersect the cor. of secs. 16, 17, 20 and 21.

Thence
N.89°56'W., on a true line bet. secs. 17 and 20.
Over level land, through scattering undergrowth.

3.00 Road, bears NE. and SW.
40.01 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 17
S 20
1924

Dig pits 18 x 18 x 12 ins. on line one each E. and W.
of cor. 3 ft. dist.

44.00 Low divide, bears SE. and NW.
80.02 The cor. of secs. 17, 18, 19 and 20.

Land; level.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00 N.89°55'W., on a random line bet. secs. 18 and 19
79.26 Set temp. $\frac{1}{4}$ sec. cor.
Fall 2 lks. N. of the cor. of secs. 17, 18, 19 and 24,
on W. bdy. of T., hereinbefore described.

Thence
S.89°56'E., on a true line bet. secs. 18 and 19.
Over gently rolling land, through scattering undergrowth.

39.26 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 18
S 19
1924

Dig pits 18 x 18 x 12 ins. on line one each E. and W.
of cor. 3 ft. dist.

79.26 The cor. of secs. 17, 18, 19 and 20.

Land; level,
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

N.0°3'W., bet. secs. 17 and 18.
Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 18 | S 17
1924


Dig pits 18 x 18 x 12 ins. on line one each N. and S.
of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in

Subdivision of T.38 N., R.6 W.

Chains

the ground for cor. of secs. 7, 8, 17 and 18, marked on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; gently rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


40.00
79.98

S.89°56'E., on a random line bet. secs. 8 and 17.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 9 lks. N. of the cor. of secs. 8, 9, 16 and 17.

Thence
N.89°52'W., on a true line bet. secs. 8 and 17.
Over gently rolling land, through scattering undergrowth.

36.00
39.99

Wash, course SE.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. on line one each E. and W. of cor. 3 ft. dist.

42.30
79.98

Wash, course SE.
The cor. of secs. 7, 8, 17 and 18.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00
79.15

N.89°56'W., on a random line bet. secs. 7 and 18.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 5 lks. S. of the cor. of secs. 7, 12, 13 and 18 on W. bdy. of Tp., hereinbefore described.

Thence
S.89°54'E., on a true line bet. secs. 7 and 18.
Over gently rolling land, through scattering undergrowth.

39.15

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. on line one each E. and W. cor. 3 ft. dist.

79.15

The cor. of secs. 7, 8, 17 and 18.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

Subdivision of T.38 N., R.6 W.

Chains
 40.00 N.0°3'W., bet. secs. 7 and 8.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 7 | S 8
 1924

80.00 dig pits 18 x 18 x 12 ins. on line one each N. and S.
 of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
 the ground for cor. of secs. 5, 6, 7 and 8, marked on
 brass cap

T38N R6W
 S 6 | S 5
 S 7 | S 8
 1924

dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
 SW. and NW. of cor. 3 ft. dist.

Land; rolling. Soil; gumbo, 3rd. rate.
 Timber; none. Undergrowth; sagebrush.

40.00 S.89°52'E., on a random line bet. secs. 5 and 8.
 79.96 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect the cor. of secs. 5, 6, 8 and 9.

39.98 Thence
 N.89°52'W., on a true line bet. secs. 5 and 8.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 5
 $\frac{1}{4}$ ----
 S 8
 1924

dig pits 18 x 18 x 12 ins. on line, one each E. and W.
 of cor. 3 ft. dist.

49.00 Road, bears SE. and NW.
 79.96 The cor. of secs. 5, 6, 7 and 8.
 Land; rolling. Soil; gumbo, 3rd. rate.
 Timber; none. Undergrowth; sagebrush.

40.00 N.89°54'W., on a random line bet. secs. 6 and 7.
 79.11 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 2 lks. S. of the cor. of secs. 1, 6, 7 and 12 on
 W. bdy. of Tp., hereinbefore described.

39.11 Thence
 S.89°53'W., on a true line bet. secs. 6 and 7.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the
 ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 6
 $\frac{1}{4}$ ----
 S 7
 1924

dig pits 18 x 18 x 12 ins. on line one each E. and W.
 of cor. 3 ft. dist.

79.11 The cor. of secs. 5, 6, 7 and 8.
 Land; rolling. Soil; gumbo, 3rd. rate.
 Timber; none. Undergrowth; sagebrush.

Subdivision of T.38 N., R.6 W.

Chains N.0°3'W., bet. secs. 5 and 6.
Over gently rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 6 | S 6
1924

dig pits 18 x 18 x 12 ins. on line one each N. and S. of cor. 3 ft. dist.

78.99 Intersect the S. bdy. of T.39 N., R.6 W., 3.40 chs. N.89°51'E., of the cor. of secs. 31 and 32, hereinbefore described.
At point of intersection, set an iron post, 3 ft. long 2 ins. diam., 30 ins. in the ground for closing cor. of secs. 5 and 6, marked on brass cap

T39N R6W
S 32
S 6 | S 5
T38N R6W
C C
1924

dig pits 18 x 18 x 12 ins. on line one each E., W. and S. of cor. 3 ft. dist.

Land; rolling.
Soil; gumbo, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

BOUNDARIES OF T.37N., R.6 W.

Latitudes, departures and closing errors.

Line designated.	True bearing.	Distance.	Latitudes.		Departures.	
			N.	S.	E.	W.
South Bdy. (9th. Std. Par. N.)	West	480.00				480.00
West Bdy.	North	480.00	480.00			
North Bdy.	S.89°58'E.	479.44		.21	479.44	
East Bdy.	South	480.00		480.00		
Convergency -----					.54	
<u>Totals</u>			480.00	480.21	479.98	480.00
Error in latitude -----				480.00		479.98
Error in departure -----				0.21		0.02

Boundaries of T.38 N., R.6 W.

Latitudes, departures and closing errors.						
Line designated	True bearing.	Dist- ance	Latitudes.		Departures.	
			N.	S.	E.	W.
South Bdy.	N.89°58'W.	479.44	.21			479.44
West Bdy.	North	478.62	478.62			
North Bdy.	N.89°50'E.	75.57	.22		75.57	
	N.89°51'E.	40.02	.11		40.02	
	N.89°53'E.	39.93	.08		39.93	
	East	323.61			323.61	
East Bdy.	South	479.84		479.84		
Convergency					.54	
Totals.			479.24	479.84	479.67	479.44
				479.24	479.44	
<u>Error in latitude</u>				0.60		
<u>Error in departure</u>					0.23	

The continued satisfactory adjustment of the instruments throughout the survey of this township is indicated from field tests as given in Book "E".

GENERAL DESCRIPTION

The land within township 38 N., R. 6 W., is mostly level. Along the south boundary is rolling land with a scattering growth of cedar timber. There is only one spring known within this township, which is located in sec. 4, and is known as the Yellow Stone Spring - good water. The land along the northern part of the township is rough and mountainous with scattering cedar and pinyon timber. There is a good road traversing the southeastern portion of this township, through secs. 24, 25, 36 and 35, leading from Mt. Trumbull to Kanab, Utah. The land at the present time is used for grazing purposes. Soil is for the most part 3rd rate.

CERTIFICATE OF UNITED STATES SURVEYOR

54

U.S. Transitman

I, Charles E. Hunter

U.S. Surveyor, hereby certify upon honor that, in pursuance

of special instructions received from the U. S. Surveyor General for Group 122, Arizona

bearing date of the 2nd day of Jan., 1924, I have well, faithfully, and truly

in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instruc-

tions, and the laws of the United States, surveyed all those parts or portions of

The South Boundary, West Boundary,

and Subdivision of

Township 38 North, Range 6 West,

and the South Boundary (resurvey) of

Township 39 North, Range 6 West of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented in

the foregoing field notes as having been executed by me, and under my direction; and that all the corners of

said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instruc-

tions, and the special written instructions of the U. S. Surveyor General for Group 122, Arizona

and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place: Phoenix, Arizona

Charles E. Hunter

U. S. Transitman

Date: October 28, 1925

APPROVAL:

Office of the United States Surveyor General,

19

The foregoing field notes of the survey of

executed by

under his special instructions dated, 19, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in

, has been correctly copied from the original notes on file in this office.

CERTIFICATE OF UNITED STATES SURVEYOR.

56

I, William E. Hiester, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 122, Arizona bearing date of the 2nd. day of Jan., 1924, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of The East Boundary and West Boundary of Township 37 North, Range 6 West, The East Boundary and Subdivision lines of Township 38 North, Range 6 West, and resurveyed, all those parts or portions of the South Boundary of Township 39 North, Range 6 West. of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes ^{and by diagrams on pages 1-a and 1-b hereof} as having been executed by me, and under my direction; and that all the corners of said survey and survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 122, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey and resurvey.

Place: Phoenix Arizona William E. Hiester U. S. Surveyor.
 Date: Oct 27 1925

APPROVAL.

OFFICE OF THE UNITED STATES SUPERVISOR OF SURVEYS.

Denver, Colorado, March 8, 1926.

The foregoing field notes of the survey of The East Boundary, and West Boundary of Township 37 North, Range 6 West, the East Boundary, South Boundary, West Boundary and Subdivision lines of Township 38 North, Range 6 West, and of the Resurvey of the South Boundary of Township 39 North, Range 6 West of the Gila and Salt River Base and Meridian, in the State of Arizona, executed by William E. Hiester, U.S. Surveyor, and Charles E. Hunter, U.S. Transitman

executed by _____ under his special instructions dated January 2, 1924 for Group 122, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys ^{and resurveys} they describe, are hereby approved.

Walter Johnson
 U. S. Supervisor of Surveys.

I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.