

3685

4-079

BOOK "F"

BOOK 3685

FIELD NOTES

OF THE SURVEY OF THE

SOUTH BOUNDARY,

WEST BOUNDARY,

NORTH BOUNDARY

and

SUBDIVISION LINES

of

TOWNSHIP 35 NORTH, RANGE 11 WEST

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

William E. Hiester, U.S. Surveyor

and

Charles E. Hunter, U.S. Transitman

~~In the capacity of U.S. Surveyor~~, under Special Instructions dated April 23, 1923, issued by the United States Surveyor General to govern surveys included in Group No. 122, Arizona, which were approved by the Commissioner of the General Land Office, May 17, 1923, and Assignment Instructions dated Nov. 15, 1923.

Survey commenced February 19, 1924.

Survey completed March 12, 1924.

3685


3685

1A

Book "F"

BOOK 3685

INDEX DIAGRAM.



- Lines surveyed under this group.
- Accepted surveys.
- - - - - Unsurveyed.
- //// Areas surveyed as per accepted plats on file.

BOOK 3685

Date 4-679 b

~~INDEX~~ DIAGRAM.

Township 35 North, Range 11 West

	3-5-24	3-5-24	3-5-24	3-5-24	3-5-24	3-4-24
3-5-24	6 3-3-24	5 3-11-24	4 3-4-24	8 3-4-24	2 3-12-24	1 3-11-24
3-3-24	7 3-10-24	8 3-10-24	9 3-11-24	10 3-8-24	11 3-8-24	12 3-11-24
3-3-24	18 3-8-24	17 3-7-24	16 3-6-24	15 3-7-24	14 3-7-24	13 3-8-24
2-29-24	19 3-5-24	20 2-29-24	21 3-1-24	22 3-7-24	23 3-6-24	24 3-6-24
2-29-24	20 2-28-24	29 2-28-24	28 2-27-24	27 3-6-24	26 3-6-24	25 3-6-24
2-28-24	31 2-27-24	32 2-27-24	33 2-27-24	34 2-25-24	35 2-19-24	36 2-19-24
2-28-24			2-25-24			

Surveyed in 1917

Lines in red surveyed by William E. Hiestor, U.S. Surveyor.
Lines in green surveyed by Charles E. Hunter, U.S. Transitman.

BOOK 3685

Survey commenced Feb. 19, 1924, and executed by William E. Hiester, U.S. Surveyor and Charles E. Hunter, U.S. Transitman, on dates shown on diagram on page 1 hereof, using Buff transit No. 9977 and Young and Sons transit No. 8535 respectively. Both instruments are equipped with full vertical circles and Smith solar attachments, and were approved by the Assistant Supervisor of Surveys, conditional upon satisfactory field tests. Unless otherwise specified all azimuth determinations are accomplished with the solar attachments.

We examine the adjustments of the instruments and correct all errors, then to test the solar apparatus by comparing their indications resulting from solar observations made during a.m. and p.m. hours with a meridian determined from observation on Polaris, proceed as follows:

Feb. 23, 1924: in camp near the cor. of secs. 15, 16, 21 and 22, T.35 N., R.11 W., Gila and Salt River Base and Meridian Arizona, in latitude $36^{\circ}25\frac{1}{2}'$ N., longitude $113^{\circ}28\frac{1}{2}'$ W., of Greenwich, at 9h 19m p.m., l.m.t., we observe Polaris at western elongation, making four observations, two each with telescope in direct and reversed positions, and mark the mean point in the line thus determined, on a peg driven firmly in the ground 8 chs. N.

Azimuth of Polaris at western elongation = $1^{\circ}22'2''$

Feb. 24: we lay off the azimuth of Polaris $1^{\circ}22'$ to the east and mark the meridian thus determined, by a tack in a stake driven firmly in the ground 8 chs. N.

At 9h 0m a.m., app.t., we set off $36^{\circ}25\frac{1}{2}'$ N., on the latitude arcs, $9^{\circ}43\frac{1}{2}'$ S., on the declination arcs, and determine meridians with the solars which agree with the true meridian.

At app. noon, with the latitude arcs unchanged, we observe the sun on the meridian, with each instrument, the resulting readings of the declination arcs are $9^{\circ}41'$, which agrees with the computed declination of the sun.

At 3h 0m p.m., app.t., with the latitude arcs unchanged, we set off $9^{\circ}38'$ S., on the declination arcs, and determine meridians with the solars which agree with the true meridian.

As all of the solar observations during the usual hours of solar work come within $1'30''$ of the true meridian, we conclude that the adjustments of the instruments are satisfactory.

Unless otherwise specified all measurements are made with Lufkin steel tapes 5 chs. in length compared with a Lufkin standard steel tape and found correct. The measurements are made on the slope, the vertical angle determined, and the slope measurement properly reduced to true horizontal distances.

South Boundary of T.35 N., R.11 W.

Chains

The cor. of Ts. 34 and 35 N., Rs. 10 and 11 W., is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, properly marked and witnessed by four bearing trees, one in each sec. NE., SE., SW. and NW. of cor.

Thence West, on a true line bet. secs. 1 and 36. Over rolling land, through scattering timber and dense sagebrush.

28.90 Desc. 110 ft. over W. slope to
40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for 1/4 sec. cor. marked on brass cap

1/4 S 36
S 1
1924

From which,
A cedar, 12 ins. diam., bears N.85 1/4°W., 602 lks. dist., marked 1/4 S 36 B T
A cedar, 12 ins. diam., bears S.38 3/4°E., 394 lks. dist., marked 1/4 S 1 B T

41.60 Wash, 70 lks. wide, course SE.
45.00 Wash, 40 lks. wide, course N.15°E.
Asc. gentle NE. slope.
68.90 Road, bears N. and S.
69.20 Road, bears N.70°E. and S.70°W.
72.60 Wash, course N.
74.30 Road, bears N.20°W. and S.20°E.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 1, 2, 35 and 36, marked on brass cap

T35N R11W
S 35 S 36
S 2 S 1
T34N
1924

From which,
A cedar, 12 ins. diam., bears N.29°E., 124 lks. dist., marked T 35 N R 11 W S 36 B T
A cedar, 10 ins. diam., bears S.69°E., 60 lks. dist., marked T 34 N R 11 W S 1 B T
A cedar, 4 ins. diam., bears S.45 1/4°W., 93 lks. dist., marked T 34 N R 11 W S 2 B T
A cedar, 12 ins. diam., bears N.45°W., 164 lks. dist., marked T 35 N R 11 W S 35 B T

Land; rolling.
Soil; clay, 2nd. and 3rd. rates.
Timber; cedar and pine.
Undergrowth; sagebrush.


West, bet. secs. 2 and 35. Over rolling land, through scattering timber and dense undergrowth.

4.80 Wash, 20 lks. wide, course NE.
6.60 Road, bears NE. and SW.
14.10 Road, bears SE. and NW.
19.90 Road, bears NE. and SW.
25.90 Wash, 10 lks. wide, course SE.
37.40 Road, bears S.85°E. and N.85°W.
40.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S 35
S 2
1924

From which,


Chains
 69.00 A cedar, 14 ins. diam., bears N.31 $\frac{1}{4}$ °W., 148 lks. dist., marked $\frac{1}{4}$ S 35 B T
 76.60 A cedar, 10 ins. diam., bears S.31 $\frac{1}{4}$ °E., 87 lks. dist., marked $\frac{1}{4}$ S 2 B T
 80.00 Road, bears N.60°E. and S.60°W.
 Wash, 12 lks. wide, course NE.
 Set an iron post, 3 ft. long, 2 ins. diam., 32 ins. in the ground for cor. of secs. 2, 3, 34 and 35, marked on brass cap



From which,
 A cedar, 10 ins. diam., bears N.52 $\frac{1}{4}$ °E., 231 lks. dist., marked T 35 N R 11 W S 35 B T
 A cedar, 6 ins. diam., bears S.2 $\frac{1}{4}$ °E., 253 lks. dist., marked T 34 N R 11 W S 2 B T
 A cedar, 4 ins. diam., bears S.48 $\frac{1}{2}$ °W., 70 lks. dist., marked B T
 A pinyon, 12 ins. diam., bears N.4°W., 204 lks. dist., marked T 35 N R 11 W S 34 B T


Land; rolling.
 Soil; clay, 2nd. and 3rd. rates.
 Timber; cedar.
 Undergrowth; sagebrush.

40.00 West, bet. secs. 3 and 34.
 Over rolling land, through heavy timber and dense undergrowth.
 Asc. 64 ft. over E. slope to
 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
 A cedar, 22 ins. diam., bears N.40°W., 65 lks. dist. marked $\frac{1}{4}$ S 34 B T
 A cedar, 16 ins. diam., bears S.65 $\frac{1}{4}$ °E., 21 lks. dist. marked $\frac{1}{4}$ S 3 B T

56.06 Asc. 210 ft. over E. slope.
 78.00 Road, bears N. and S.
 Spur, slopes S.
 80.00 Desc. 24 ft. over W. slope.
 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 3, 4, 33 and 34, marked on brass cap



From which,
 A cedar, 6 ins. diam., bears N.44°E., 37 lks. dist. marked T 35 N R 11 W S 34 B T
 A cedar, 6 ins. diam., bears S.48 $\frac{1}{4}$ °E., 154 lks. dist. marked T 34 N R 11 W S 3 B T
 A pinyon, 8 ins. diam., bears S.60 $\frac{3}{4}$ °W., 168 lks. dist., marked T 34 N R 11 W S 4 B T
 A cedar, 12 ins. diam., bears N.16 $\frac{1}{4}$ °W., 132 lks. dist., marked T 35 N R 11 W S 33 B T

Land; rolling.
 Soil; rocky, 3rd. rate.
 Timber; cedar and pinyon. Undergrowth; sagebrush.

South Boundary of T.35 N., R.11 W.

Chains West, bet. secs. 4 and 33.
 Over mountainous land, through heavy timber and dense undergrowth.
 Desc. 150 ft. over W. slope.
 12.05 Wash, 16 lks. wide, course S.
 Asc. 100 ft.
 19.00 Spur, slopes S. Desc. 125 ft. over W. slope.
 25.26 Wash, 14 lks. wide, course SE.
 Asc. 305 ft. over E. slope to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 33
 S 4
 1924

From which,
 A pinyon, 7 ins. diam., bears N.33 $\frac{1}{2}$ °E., 9 lks. dist. marked $\frac{1}{4}$ S 33 B T
 A pinyon, 6 ins. diam., bears S.68°E., 41 lks. dist. marked $\frac{1}{4}$ S 4 B T

Asc. 520 ft. over E. slope.
 54.40 Top of cliff, bears N. and S.
 Continue ascent.
 55.50 Top of ascent.
 75.20 Desc. 56 ft. over W. slope to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 4, 5, 32 and 33, marked on brass cap

T35N R11W
 S 32 | S 33
 S 5 | B 4
 T34N
 1924

From which,
 A cedar, 10 ins. diam., bears N.19°E., 68 lks. dist. marked T 35 N R 11 W S 33 B T
 A cedar, 8 ins. diam., bears S.35 $\frac{1}{4}$ °E., 59 lks. dist. marked T 34 N R 11 W S 4 B T
 A pinyon, 9 ins. diam., bears S.54 $\frac{3}{4}$ °W., 156 lks. dist., marked T 34 N R 11 W S 5 B T
 A cedar, 12 ins. diam., bears N.45°W., 110 lks. dist. marked T 35 N R 11 W S 32 B T

Land; rolling and mountainous.
 Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush, juniper and oak.

West, bet. secs. 5 and 32.
 Over rolling mountainous land, through heavy timber and dense undergrowth.
 Desc. 20 ft.
 3.00 Draw, course S. Asc. 83 ft. over E. slope.
 20.70 Top of ascent. Desc. 72 ft. over W. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 32
 S 5
 1924

From which,
 A pinyon, 8 ins. diam., bears N.52 $\frac{1}{2}$ °E., 35 lks. dist. marked $\frac{1}{4}$ S 32 B T
 A pinyon, 14 ins. diam., bears S.45 $\frac{3}{4}$ °E., 26 lks. marked $\frac{1}{4}$ S 5 B T

Desc. 124 ft. over W. slope.
 53.80 Wash, 24 lks. wide, course SW.

Chains
61.50
71.50
80.00

Asc. 75 ft. over SE. slope.
Top of ascent.
Desc. 46 ft. over W. slope.
Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 5, 6, 31 and 32, marked on brass cap

T35N R11W
S 31 S 32
S 6 S 5
T34N
1924

From which,

- A cedar, 12 ins. diam., bears N.40°E., 23 lks. dist. marked T 35 N R 11 W S 32 B T
- A pinyon, 10 ins. diam., bears S.84½°E., 63 lks. dist. marked T 34 N R 11 W S 5 B T
- A cedar, 10 ins. diam., bears S.77½°W., 74 lks. dist. marked T 34 N R 11 W S 6 B T
- A cedar, 9 ins. diam., bears N.26°W., 52 lks. dist. marked T 35 N R 11 W S 31 B T

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar and pinyon.
Undergrowth; oak, juniper and sagebrush.

5.32
14.70
40.00

West, bet. secs. 6 and 31.
Over rolling land, through heavy timber and dense undergrowth.

Desc. 56 ft. over NW. slope.
Draw, course SW. Asc.
Desc. 83 ft. over gentle W. slope.
Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, supported in a mound of stone for ¼ sec. cor. marked on brass cap

¼ S 31
S 6
1924

From which,

- A cedar, 10 ins. diam., bears N.35½°E., 38 lks. dist. marked ¼ S 31 B T
- A cedar, 12 ins. diam., bears S.57¾°W., 61 lks. dist., marked ¼ S 6 B T

48.12
55.80
67.73
73.40
78.94

Desc. 50 ft. over W. slope.
Wash, 16 lks. wide, course SW. Asc.
Desc. 68 ft. to,
Wash, 18 lks. wide, course SW.
Top of cliff, bears SE. and NW. Desc. 69 ft. to
Set an iron post, 3 ft. long, 3 ins. diam., 14 ins. in the ground to bed rock, supported in a mound of stone, for cor. of Ts. 34 and 35 N., Rs. 11 and 12 W., marked on brass cap

T35N
R12W | R11W
S 36 | S 31
S 1 | S 6
T34N
1924


From which,

- A cedar, 18 ins. diam., bears N.81¼°E., 144 lks. dist., marked T 35 N R 11 W S 31 B T
- A pinyon, 9 ins. diam., bears S.57½°E., 58 lks. dist. marked T 34 N R 11 W S 6 B T
- A cedar, 16 ins. diam., bears S.11¼°W., 84 lks. dist. marked T 34 N R 12 W S 1 B T
- A cedar, 12 ins. diam., bears N.40°W., 39 lks. dist. marked T 35 N R 12 W S 36 B T

Land; rolling. Soil; rocky clay, 4th. rate.
Timber; cedar and pinyon. Undergrowth; sagebrush & oak.


West Boundary of T.35 N., R.11 W.

Chains North, bet. secs. 31 and 36.
 Over rolling land, through heavy timber and dense undergrowth.
 2.40 Asc. 60 ft. over S. slope to Top of cliff, bears SE. and NW.
 Asc. 30 ft. to
 9.00 Top of ascent. Desc. 12 ft.
 12.60 Wash, 8 lks. wide, course SW.
 Asc. 85 ft. over SE. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
 A pinyon, 10 ins. diam., bears S. $83\frac{1}{4}^\circ$ E., 71 lks. dist., marked $\frac{1}{4}$ S 31 B T
 A pinyon, 7 ins. diam., bears N. $55\frac{1}{4}^\circ$ W., 26 lks. dist., marked $\frac{1}{4}$ S 36 B T


56.44 Desc. 256 ft. over NW. slope.
 Wash, 30 lks. wide, course SW.
 Asc. 205 ft. over SE. slope.
 65.90 Top of ascent.
 77.40 Desc. 66 ft. over N. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 25, 30, 31 and 36, marked on brass cap



From which,
 A pinyon, 6 ins. diam., bears N. $75\frac{1}{4}^\circ$ E., 35 lks. dist. marked T 35 N R 11 W S 30 B T
 A pinyon, 7 ins. diam., bears S. $23\frac{1}{2}^\circ$ E., 57 lks. dist. marked T 35 N R 11 W S 31 B T
 A pinyon, 14 ins. diam., bears S. 84° W., 17 lks. dist. marked T 35 N R 12 W S 36 B T
 A cedar, 6 ins. diam., bears N. $51\frac{1}{4}^\circ$ W., 13 lks. dist. marked T 35 N R 12 W S 25 B T

Land; rolling.
 Soil; rocky clay, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; oak, juniper and sagebrush.

North, bet. secs. 25 and 30.
 Over rolling land, through heavy timber and dense undergrowth.
 1.04 Desc. 20 ft. over N. slope.
 Wash, 20 lks. wide, course W.
 Asc. 64 ft. over S. slope.
 8.50 Top of ascent.
 17.50 Desc. 63 ft.
 22.25 Wash, 18 lks. wide, course W.
 Asc. 120 ft. over S. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




From which,

Chains

A cedar, 6 ins. diam., bears S.14 3/4°E., 49 lks. dist., marked 1/4 S 30 B T
 A pinyon, 12 ins. diam., bears S.34 1/2°W., 56 lks. dist., marked 1/4 S 25 B T

43.73 Desc. 56 ft. to
 Draw, course W. Asc. 85 ft. over S. slope.
 49.00 Top of ascent.
 54.00 Desc. 100 ft. to
 61.20 Wash, 16 lks. wide, course SW.
 Asc. SE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 19, 24, 25 and 30, marked on brass cap




From which,
 A cedar, 6 ins. diam., bears N.72 1/2°E., 111 lks. dist. marked T 35 N R 11 W S 19 B T
 A pinyon, 9 ins. diam., bears S.9 1/4°E., 124 lks. dist. marked T 35 N R 11 W S 30 B T
 A cedar, 5 ins. diam., bears S.69 1/2°W., 93 lks. dist. marked T 35 N R 12 W S 25 B T
 A cedar, 14 ins. diam., bears N.79 3/4°W., 60 lks. dist., marked T 35 N R 12 W S 24 B T

Land; rolling.
 Soil; rocky clay, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; oak, juniper and sagebrush.


North, bet. secs. 19 and 24.
 Over rolling land, through heavy timber and dense undergrowth.
 Desc. 462 ft. over NW, and N. slopes.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, supported in a mound of stone, for 1/4 sec. cor. marked on brass cap



From which,
 A cedar, 9 ins. diam., bears S.27°E., 16 lks. dist. marked 1/4 S 19 B T
 A pinyon, 12 ins. diam., bears N.57°W., 35 lks. dist. marked 1/4 S 24 B T

51.56 Desc. 286 ft. over N. slope.
 Wash, 8 lks. wide, course NE.
 Continue descent.
 62.74 Wash, 12 lks. wide, course NE.
 Continue desc.
 70.40 Wash, 12 lks. wide, course NW.
 Foot of descent.
 74.18 Recross wash, course NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 13, 18, 19 and 24, marked on brass cap



From which,

West Boundary of T.35 N., R.11 W.


Chains

- A pinyon, 11 ins. diam., bears N.13°E., 83 lks. dist., marked T 35 N R 11 W S 18 B T
- A cedar, 8 ins. diam., bears S.27°E., 74 lks. dist. marked T 35 N R 11 W S 19 B T
- A cedar, 28 ins. diam., bears S.29½°W., 84 lks. dist. marked T 35 N R 12 W S 24 B T
- A cedar, 10 ins. diam., bears N.13½°W., 56 lks. dist. marked T 35 N R 12 W S 13 B T

Land; rolling.
 Soil; rocky clay, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; oak, juniper and sagebrush.


North, bet. secs. 13 and 18.
 Over rolling land, through heavy timber and dense undergrowth.

- 2.45 Desc. 20 ft. to Wash, 10 lks. wide, course NE.
- 6.70 Asc. 56 ft. over S. slope. Top of small round knoll.
- 17.40 Desc. 93 ft. over N. slope. Foot of descent.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap



- From which,
- A cedar, 12 ins. diam., bears S.68¼°E., 285 lks. dist. marked ¼ S 18 B T
 - A cedar, 6 ins. diam., bears N.45°W., 119 lks. dist. marked ¼ S 13 B T

- 50.00 Small spur, slopes NE. Desc. gentle NW. slope.
- 79.60 Wash, 8 lks. wide, course N.40°E.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 7, 12, 13 and 18, marked on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
 Soil; clay, 1st. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

North, bet. secs. 7 and 12.
 Over rolling land, through scattering timber and undergrowth.

- 3.10 Wash, 12 lks. wide, course NE.
- 11.00 Point of low spur, slopes NE. Desc.
- 30.00 Asc. gentle SE. slope.
- 39.00 Point of low spur, slopes E.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 9 ins. in the ground to bed rock, supported in a mound of stone, for ¼ sec. cor. marked on brass cap

Chains

S 12 | S 7
1924

From which,

- A cedar, 4 ins. diam., bears N.85°E., 73 lks. dist. marked B T
- A pinyon, 6 ins. diam., bears S.30°W., 48 lks. dist. marked $\frac{1}{4}$ S 12 B T

80.00

Set an iron pest, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 1, 6, 7 and 12, marked on brass cap

T35N
R12W | R11W
S 1 | S 6
S 12 | S 7
1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; rocky clay, 2nd. rate.
Timber; cedar and pinyon,
Undergrowth; sagebrush.

North, bet. secs. 1 and 6.
Over rolling land, through scattering timber and undergrowth.

5.56
33.88
40.00

Asc. 100 ft. over gentle S. slope.
Road, bears E. and W.
Spur, slopes SE. Desc. 40 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 1 | S 6
1924

From which,

- A cedar, 30 ins. diam., bears N.47 $\frac{3}{4}$ °E., 197 lks. dist., marked $\frac{1}{4}$ S 6 B T
- A cedar, 15 ins. diam., bears S.18°W., 150 lks. dist., marked $\frac{1}{4}$ S 1 B T

47.88
62.68
80.00

Desc.
Draw, course NE. Asc. 86 ft. over SE. slope.
Spur, slopes E. Desc. 137 ft. over NE. slope.
Set an iron pest, 3 ft. long, 3 ins. diam., 30 ins. in the ground for cor. of Ts. 35 and 36 N., Rs. 11 and 12 W., marked on brass cap

T36N
R12W | R11W
S 36 | S 31
S 1 | S 6
T35N
1924

Raise a mound of stone, 4 ft. base, 3 $\frac{1}{2}$ ft. high W. of cor.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

North Boundary of T.35 N., R.11 W.

Chains The cor. of Ts. 35 and 36 N., Rs. 10 and 11 W., is an iron post, 3 ins. diam., 12 ins. above ground, firmly set properly marked and witnessed by four bearing trees one in each sec. NE., SE., SW. and NW. of cor.

Thence
West, on a random line along N. bdy. of T. 35 N., R.11 W., setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs. and at 478.68 chs. fall 38 lks. N. of the cor. of T35 and 36 N., Rs. 11 and 12 W., hereinbefore described. The falling answers to a correction of 3' or 6 $\frac{1}{3}$ lks. per mile counting from the NE. cor. of the Tp.

N.89°57'E., on a true line bet. secs. 6 and 31.
Over rolling land, through scattering timber and undergrowth.

7.50 Desc. 112 ft. over E. slope.
16.20 Draw, course N. Asc. 60 ft. over W. slope.
23.78 Spur, slopes SE. Desc. 126 ft. over E. slope.
38.38 Road, bears SE. and NW.
38.68 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 31
 S 6
 1924

 Dig pits 18 x 18 x 12 ins. on line E. and W. of cor.
 3 ft. dist.

39.00 Draw, course N.
61.20 Draw, course N.
 Asc. 126 ft. over W. slope.
77.70 Spur, slopes S.
78.68 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 5, 6, 31 and 32, marked on brass cap

T36N R11W
S 31 | S 32
S 6 | S 5
T35N
1924

From which,
A cedar, 10 ins. diam., bears N.61 $\frac{3}{4}$ °E., 162 lks. dist., marked T 36 N R 11 W S 32 B T
A cedar, 12 ins. diam., bears S.20 $\frac{3}{4}$ °E., 46 lks. dist., marked T 35 N R 11 W S 5 B T
A cedar, 12 ins. diam., bears S.81 $\frac{1}{4}$ °W., 63 lks. dist. marked T 35 N R 11 W S 6 B T
A cedar, 14 ins. diam., bears N.29 $\frac{1}{2}$ °W., 140 lks. dist. marked T 36 N R 11 W S 31 B T

Land; rolling.
Soil; clay, rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush and oak.

N.89°57'E., on a true line bet. secs. 5 and 32.
Over rolling land, through scattering timber and undergrowth.

5.00 Desc. 46 ft. to
 Head of draw, course NE.
 Asc. gentle NW. slope.
19.00 Spur, slopes SE. Desc. 103 ft. over E. slope.
40.00 Set an iron post, 3 ft. long, 1 in. diam., on ledge of rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

Chains

1/4 S 32
S 5
1924

From which,

A pinyon, 12 ins. diam., bears N.42 3/4°W., 84 lks. dist., marked 1/4 S 32 B T

A cedar, 20 ins. diam., bears S.14 3/4°W., 66 lks. dist., marked 1/4 S.5 B T

54.50

Desc. 88 ft. over E. slope.

Wash, 20 lks. wide, course N.

Asc. 96 ft. over W. slope.

63.30

Point of spur, slopes NW.

67.36

Draw, course NW. Asc. 46 ft. to

72.30

Spur, slopes S. Desc. 23 ft. over E. slope.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 4, 5, 32 and 33, marked on brass cap

T36N R11W
S 32 | S 33
S 5 | S 4
T35N
1924

From which,

A cedar, 8 ins. diam., bears N.33 1/4°E., 147 lks. dist., marked T 36 N R 11 W S 33 B T

A cedar, 7 ins. diam., bears S.79 3/4°E., 169 lks. dist., marked T 35 N R 11 W S 4 B T

A cedar, 18 ins. diam., bears S.80 1/4°W., 250 lks. dist., marked T 35 N R 11 W S 5 B T

A cedar, 12 ins. diam., bears N.32 1/4°W., 97 lks. dist., marked T 36 N R 11 W S 32 B T

Land; rolling.

Soil; rocky, 4th. rate.

Timber; cedar and pinyon.

Undergrowth; sagebrush and juniper.

N.89°57'E., on a true line bet. secs. 4 and 33.

Over rolling land, through scattering timber and undergrowth.

17.70

Desc. gentle SE. slope.

32.00

Draw, course NE.

40.00

Draw, course N. Asc. gentle NW. slope.

Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, supported in a mound of stone for 1/4 sec. cor. marked on brass cap

1/4 S 33
S 4
1924

From which,

A cedar, 18 ins. diam., bears N.40 3/4°E., 620 lks. dist., marked 1/4 S 33 B T

A cedar, 10 ins. diam., bears S.7 3/4°E., 251 lks. dist., marked 1/4 S 4 B T

59.00

Desc. 74 ft. over SE. slope to

74.90

Wash, 6 lks. wide, course NE.

75.10

Wash, 4 lks. wide, course N.

80.00

Road, bears N. and S.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 3, 4, 33 and 34, marked

T36N R11W
S 33 | S 34
S 4 | S 3
T35N
1924

Dig pits 18 x 18 x 12 ins., one in each sec. NE., SE.,

North boundary of T.35 N., R.11 W.

Chains

SW., and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush and juniper.

N.89°57'E., on a true line bet. secs. 3 and 34.
Over rolling land, through scattering undergrowth.

- 8.30 Asc. 46 ft. over W. slope.
- Point of spur, slopes NW.
- 12.30 Desc. gentle NE. slope.
- 18.00 Draw, course NW.
- Enter scattering timber, bears N. and S.
- 24.40 Asc. 80 ft, over W. slope.
- 34.20 Spur, slopes S. Desc. 46 ft. to
- 40.00 Draw, course NE.
- Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 34
S 3
1924

From which,

- A cedar, 24 ins. diam., bears N.27 $\frac{1}{4}$ °E., 168 lks. dist., marked $\frac{1}{4}$ S 34 B T
- A cedar, 10 ins. diam., bears S.89 $\frac{1}{2}$ °W., 46 lks. dist., marked $\frac{1}{4}$ S 3 B T

- 60.40 Draw, course N.
- 71.80 Road, bears NE. and SW.
- 77.50 Draw, course NE.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 2, 3, 34 and 35, marked on brass cap

T36N R11W
S 34 | S 35
S 3 | S 2
T35N
1924

From which,

- A cedar, 6 ins. diam., bears N.74 $\frac{3}{4}$ °E., 150 lks. dist., marked T 36 N R 11 W S 35 B T
- A cedar, 12 ins. diam., bears S.36°E., 344 lks. dist. marked T 35 N R 11 W S 2 B T
- A cedar, 5 ins. diam., bears S.81 $\frac{1}{4}$ °W., 581 lks. dist. marked T 35 N R 11 W S 3 B T
- A cedar, 20 ins. diam., bears N.65 $\frac{1}{2}$ °W., 508 lks. dist. marked T 36 N R 11 W S 34 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar.
Undergrowth; sagebrush.

N.89°57'E., on a true line bet. secs. 2 and 35.
Over rolling land, through scattering timber and undergrowth.

- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 35
S 2
1924


From which,

- A cedar, 12 ins. diam., bears N.30 $\frac{1}{2}$ °W., 82 lks. dist. marked $\frac{1}{4}$ S 35 B T

North Boundary of T.35 N., R.11 W.

Chains A pinyon, 10 ins. diam., bears S.76 3/4°W., 52 lks. dist., marked 1/4 S 2 B T

60.00 Draw, course NE.
65.00 Wash, course NE.
70.00 Desc. 70 ft. over NE. slope.
78.80 Draw, course N.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 1, 2, 35 and 36, marked on brass cap




From which,
A cedar, 8 ins. diam., bears N.46°E., 84 lks. dist. marked T 36 N R 11 W S 36 B T
A cedar, 6 ins. diam., bears S.49 1/2°E., 83 lks. dist. marked T 35 N R 11 W S 1 B T
A cedar, 10 ins. diam., bears S.33 1/4°W., 253 lks. dist. marked T 35 N R 11 W S 2 B T
A cedar, 10 ins. diam., bears N.56 1/2°W., 147 lks. dist. marked T 36 N R 11 W S 35 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

N.89°57'E., on a true line bet. secs. 1 and 36.
Over rolling land, through scattering timber and undergrowth.

20.00 Desc. gentle NE. slope.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap



From which,
A cedar, 8 ins. diam., bears N.50 1/4°E., 61 lks. dist. marked 1/4 S 36 B T
A cedar, 12 ins. diam., bears S.25 1/4°W., 63 lks. dist. marked 1/4 S 1 B T

62.30 Continue over gentle NE. slope.
80.00 Road, bears SE. and NW.
The cor. of Ts. 35 and 36 N., Rs. 10 and 11 W., hereinbefore described.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

Subdivision of T.35 N., R.11 W.

Chains	<p>From the cor. of secs. 1, 2, 35 and 36 on S. bdy. of Tp., hereinbefore described, N.0°1'W., bet. secs. 35 and 36. Over rolling land, through scattering timber and dense undergrowth. Desc. gentle NW. slope.</p> <p>5.50 Wash, 15 lks. wide, course NE. 6.60 Road, bears N.60°E. and N.60°W. 13.05 Wash, 30 lks. wide, course SE. Asc. gradual SE. slope. 13.70 Road, bears S.40°E. and N.40°W. 20.70 Road, bears S.5°E. and N.4°W. 22.20 Road, bears N.10°E. and S.5°W. 40.00 Set an iron post, 3 ft. long, 1 in. diam., on ledge of rock, supported in a mound of stone, for $\frac{1}{4}$ sec.cor. marked on brass cap</p> <div style="text-align: center;"> $\frac{1}{4}$ S 35 S 36 1924 </div> <p>From which, A cedar, 10 ins. diam., bears S.33$\frac{1}{2}$°E., 108 lks. dist. marked $\frac{1}{4}$ S 36 B T A cedar, 16 ins. diam., bears S.26$\frac{1}{2}$°W., 233 lks. dist. marked $\frac{1}{4}$ S 35 B T</p> <p>43.10 Wash, 10 lks. wide, course SE.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 25, 26, 35 and 36, marked on brass cap</p> <div style="text-align: center;"> T35N R11W S 26 S 25 S 35 S 36 1924 </div> <p>From which, A cedar, 10 ins. diam., bears N.57 $\frac{3}{4}$°E., 111 lks. dist., marked T 35 N R 11 W S 25 B T A cedar, 10 ins. diam., bears S.6°E., 116 lks. dist. marked T 35 N R 11 W S 36 B T A cedar, 16 ins. diam., bears S.63°W., 100 lks. dist. marked T 35 N R 11 W S 35 B T A cedar, 18 ins. diam., bears N.79°W., 192 lks. dist. marked T 35 N R 11 W S 26 B T</p> <p>Land; rolling. Soil; sandy and rocky, 3rd. rate. Timber; cedar and pinyon. Undergrowth; cedar brush, oak and sage.</p> <hr/> <p>40.00 East, on a random line bet. secs. 25 and 36. Set temp. $\frac{1}{4}$ sec. cor. 79.98 Fall 4 lks. S. of the cor. of secs. 25, 30, 31 and 36, on E. bdy. of Tp., which is an iron post, 2 ins. diam., with brass cap properly marked and set in a mound of stone. It is witnessed by three bearing trees, one each NE., SW: and NW of cor. and also by a mound of stone W. of cor.</p> <p>Thence S.89°58'W., on a true line bet. secs. 25 and 36. Over rolling land, through scattering timber and undergrowth.</p> <p>5.00 Asc. 140 ft. over gradual E. slope. 37.50 Spur, slopes S. 39.99 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap</p>
--------	--

Chains

S 25
S 36
1924

From which,

A cedar, 12 ins. diam., bears N.51 $\frac{1}{4}$ °E., 153 lks. dist.
marked $\frac{1}{4}$ S 25 B T

A cedar, 10 ins. diam., bears S.35 $\frac{1}{2}$ °E., 77 lks. dist.
marked $\frac{1}{4}$ S 36 B T

51.60

Desc. 40 ft. over W. slope.

Draw, course S.

Asc. 145 ft. over S $\frac{1}{4}$ slope.

79.98

The cor. of secs. 25, 26, 35 and 36.

Land; rolling.

Soil; clay, rocky, 3rd. rate.

Timber; cedar and pinyon.

Undergrowth; sagebrush and juniper.

N.0°1'W., bet. secs. 25 and 26.

Over rolling land, through scattering timber and dense undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 26 | S 25
1924

From which,

A cedar, 8 ins. diam., bears N.24 $\frac{1}{2}$ °E., 54 lks. dist.
marked $\frac{1}{4}$ S 25 B T

A cedar, 10 ins. diam., bears S.40 $\frac{1}{4}$ °W., 91 lks. dist.
marked $\frac{1}{4}$ S 26 B T

80.00

Desc. gentle N. slope.

Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 23, 24, 25 and 26, marked on brass cap

T35N R11W
S 23 | S 24
S 26 | S 25
1924

From which,

A cedar, 18 ins. diam., bears N.68°E., 174 lks. dist.
marked T 35 N R 11 W S 24 B T

A pinyon, 14 ins. diam., bears S.57°E., 117 lks. dist.
marked T 35 N R 11 W S 25 B T

A cedar, 6 ins. diam., bears S.64 $\frac{3}{4}$ °W., 73 lks. dist., marked T 35 N R 11 W S 26 B T

A cedar, 20 ins. diam., bears N.58 $\frac{3}{4}$ °W., 77 lks. dist., marked T 35 N R 11 W S 23 B T

Land; rolling.

Soil; sandy and rocky, 2nd. to 4th. rates.

Timber; cedar and pinyon.

Undergrowth; cedar, oak and sagebrush.

Subdivision of T.35 N., R.11 W.

Chains N.89°58'E., on a random line bet. secs. 24 and 25.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.18 Intersect the cor. of secs. 19, 24, 25 and 30 on E. bdy. of Tp., which is an iron post, 2 ins. diam., 12 ins. above ground, firmly set, properly marked and witnessed by four pits, one in each sec. NE., SE., SW. and NW. of cor.
 Thence
 S.89°58'W., on a true line bet. secs. 24 and 25.
 Over rolling land, through scattering timber and undergrowth.
 20.30 Road, bears SE. and NW.
 40.09 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 24
 S 25
 1924

From which,
 A cedar, 14 ins. diam., bears N.58 $\frac{1}{2}$ °E., 82 lks. dist. marked $\frac{1}{4}$ S 24 B T
 A cedar, 12 ins. diam., bears S.15°W., 240 lks. dist. marked $\frac{1}{4}$ S 25 B T

Asc. gentle E. slope.
 54.20 Desc. 60 ft. over W. slope.
 67.43 Draw, course N. Asc. 54 ft. over E. slope.
 80.18 The cor. of secs. 23, 24, 25 and 26.

Land; rolling.
 Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush, juniper and oak.

N.0°1'W., bet. secs. 23 and 24.
 Over rolling land, through heavy timber and dense undergrowth.
 Desc. gentle N. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 23 | S 24
 1924

From which,
 A cedar, 17 ins. diam., bears S.87 $\frac{3}{4}$ °E., 107 lks. dist., marked $\frac{1}{4}$ S 24 B T
 A cedar, 14 ins. diam., bears N.82 $\frac{3}{4}$ °W., 15 lks. dist., marked $\frac{1}{4}$ S 23 B T

41.00 Leave timber, bears NE. and SW.
 45.95 Wash, 9 lks. wide, course NE.
 55.00 Enter timber, bears NE. and SW.
 68.40 Road, bears SE. and NW.
 76.00 Leave timber, bears NE. and SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with marked cross (+) stone alongside for cor. of secs. 13, 14, 23 and 24, marked on brass cap

T35N R11W
 S 14 | S 13
 S 23 | S 24
 1924

From which,
 A cedar, 10 ins. diam., bears N.89°E., 567 lks. dist. marked T 35 N R 11 W S 13 B T
 A cedar, 18 ins. diam., bears S.8 $\frac{1}{2}$ °E., 191 lks. dist. marked T 35 N R 11 W S 24 B T

Chains

A cedar, 15 ins. diam., bears S.13 3/4°W., 298 lks. dist., marked T 35 N R 11 W S 23 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush, juniper and oak.

- 40.00 N.89°58'E., on a random line bet. secs. 13 and 24.
Set temp. 1/4 sec. cor.
80.22 Fall 5 lks. N. of the cor. of secs. 13, 18, 19 and 24 on E. bdy. of Tp., which is an iron post, 2 ins. diam., 12 ins. above ground, firmly set, properly marked, witnessed by a mound of stone W. of cor. and two bearing trees, one NE. and one NW. of cor.
Thence
West, on a true line bet. secs. 13 and 24.
Over rolling land, through heavy timber and dense undergrowth.
25.00 Leave timber, bears NE. and SW.
38.00 Enter timber, bears NE. and SW.
40.11 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, for 1/4 sec. cor. marked on brass cap

S 13
1/4 S 24
1924

From which,
A cedar, 18 ins. diam., bears N.80 1/4°W., 15 lks. dist. marked 1/4 S 13 B T
A cedar, 20 ins. diam., bears S.29 1/2°E., 108 lks. dist. marked 1/4 S 24 B T

- 74.00 Leave timber, bears NE. and SW.
80.22 The cor. of secs. 13, 14, 23 and 24.

Land; rolling.
Soil; clay, 3rd. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush, juniper and oak.

- .55 N.0°1'W., bet. secs. 13 and 14.
Over gently rolling land, through dense sagebrush.
12.05 Wash, 30 lks. wide, course NE.
15.00 Wash, 15 lks. wide, course NE.
Enter heavy timber, bears NE. and SW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for 1/4 sec. cor. marked on brass cap

1/4
S 14 | S 13
1924

From which,
A cedar, 36 ins. diam., bears S.54 1/2°E., 137 lks. dist. marked 1/4 S 13 B T
A cedar, 20 ins. diam., bears S.29°W., 36 lks. dist. marked 1/4 S 14 B T

- 47.35 Wash, 10 lks. wide, course E.
70.00 Timber becomes scattering.
78.00 Leave timber, bears E. and W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground with marked cross (+) stone alongside for cor. of secs. 11, 12, 13 and 14, marked on brass cap

Subdivision of T.35 N., R.11 W.

Chains

T35N R11W
S 11 | S 12
S 14 | S 13
1924

From which,
A cedar, 10 ins. diam., bears S.9¼°E., 311 lks. dist., marked T 35 N R 11 W S 13 B T
A cedar, 14 ins. diam., bears S.54 3/4°W., 161 lks. dist., marked T 35 N R 11 W S 14 B T

Land; rolling.
Soil; clay, rocky, 3rd. and 4th. rates.
Timber; cedar and pinyon.
Undergrowth; sagebrush, juniper and oak.

40.00
80.22

East, on a random line bet. secs. 12 and 13.
Set temp. ¼ sec. cor.
Fall 9 lks. S. of the cor. of secs. 7, 12, 13 and 18 on E. bdy. of Tp., which is an iron post, 2 ins. diam., 12 ins. above ground, firmly set, properly marked and witnessed by a mound of stone W. of cor. and two bearing trees NE. and SE. of cor.

Thence
S.89°56'W., on a true line bet. secs. 12 and 13.
Over rolling land, through dense sagebrush.

14.20
26.82
40.11

Wash, 50 lks. wide, course NE.
Road, bears SE. and NW.
Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground for ¼ sec. cor. marked on brass cap

¼ S 12
S 13
1924

From which,
A cedar, 8 ins. diam., bears S.13°W., 178 lks. dist. marked ¼ S 13 B T
A cedar, 18 ins. diam., bears S.27½°W., 175 lks. dist. marked ¼ S 13 B T
No bearing tree available in sec. 12.

53.80
79.20
80.22

Wash, 80 lks. wide, course SE.
Wash, 8 lks. wide, course SE.
The cor. of secs. 11, 12, 13 and 14.

Land; rolling.
Soil; clay, 2nd. and 3rd. rates.
Timber; cedar and pinyon, south of line.
Undergrowth; sagebrush.

N.0°1'W., bet. secs. 11 and 12.
Over rolling land, through dense sagebrush.

1.63
10.00
12.00
20.70
40.00

Wash, 7 lks. wide, course E.
Road, bears E. and W.
Enter heavy timber, bears E. and W.
Asc. gentle SE. slope.
Draw, course SE.
Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to bed rock, supported in a mound of stone, for ¼ sec. cor. marked on brass cap

¼
S 11 | S 12
1924

From which,

Subdivision of T.35 N., R.11 W.

Chains

A cedar, 12 ins. diam., bears N.72½°E., 62 lks. dist. marked ¼ A 12 B T
A cedar, 16 ins. diam., bears S.83½°W., 47 lks. dist. marked ¼ S 11 B T

61.76

Asc. over gentle S. slope.
Draw, course SE.

80.00

Asc. 300 ft. over steep S. slope.
Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 1, 2, 11 and 12, marked on brass cap

T35N R11W
S 2 | S 1
S 11 | S 12
1924

From which,

A pinyon, 6 ins. diam., bears N.17¼°E., 10 lks. dist. marked T 35 N R 11 W S 1 B T
A pinyon, 7 ins. diam., bears S.8°E., 58 lks. dist. marked T 35 N R 11 W S 12 B T
A pinyon, 4 ins. diam., bears S.29¼°W., 80 lks. dist. marked B T 35 N R 11 W S 11 B T
A pinyon, 6 ins. diam., bears N.68°W., 59 lks. dist. marked T 35 N R 11 W S 2 B T

Land; rolling and mountainous.
Soil; rocky, 3rd. and 4th. rates.
Timber; cedar and pinyon.
Undergrowth; juniper, oak and sagebrush.

40.00

N.89°56'E., on a random line bet. secs. 1 and 12.
Set temp. ¼ sec. cor.

80.28

Fall 22 lks. S. of the cor. of secs. 1, 6, 7 and 12 on E. bdy. of sp., which is an iron post, 2 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by four properly marked bearing trees, one in each sec. NE., SE., SW. and NW. of cor.

Thence

S.89°47'W., on a true line bet. secs. 1 and 12.
Over rolling land, through heavy timber and dense undergrowth.

37.88

Asc. gentle SE. slope.
Wash, 6 lks. wide, course SE.

40.14

Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for ¼ sec. cor. marked on brass cap

¼ S 1
S 12
1924

From which,

A cedar, 12 ins. diam., bears N.63 ¾°W., 17 lks. dist., marked ¼ S 1 B T
A cedar, 12 ins. diam., bears S.72½°E., 42 lks. dist. marked ¼ S 12 B T

75.60

Asc. 354 ft. over SE. slope to cor.
Wash, 8 lks. wide, course SE.

80.28

The cor. of secs. 1, 2, 11 and 12.


Land; rolling and mountainous.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; juniper, oak and sagebrush.

Subdivision of T.35 N., R.11 W.

Chains
40.00 N.0°1'W., on a random line bet. secs. 1 and 2.
Set temp. $\frac{1}{4}$ sec. cor.
80.26 Fall 42 lks. W. of the cor. of secs. 1, 2, 35 and 36,
on N. bdy. of Tp., hereinbefore described.

Thence
S.0°17'W., on a true line bet. secs. 1 and 2.
Over mountainous land, through heavy timber and dense
undergrowth.

40.26 Asc. 710 ft. over N. slope to
Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in
the ground to bed rock, supported in a mound of stone,
for $\frac{1}{4}$ sec. cor. marked on brass cap




From which,
A pinyon, 10 ins. diam., bears S.38 $\frac{1}{2}$ °E., 34 lks.
dist., marked $\frac{1}{4}$ S 1 B T
A pinyon, 8 ins. diam., bears S.60 3/4°W., 38 lks.
dist., marked $\frac{1}{4}$ S 2 B T

45.75 Asc. 56 ft. over N. slope.
Top of ascent. Thence over top of Poverty Knoll.
49.15 Desc. 388 ft. over S. slope to
70.70 Wash, 10 lks. wide, course SE.
Asc. 16 ft. over NE. slope.
72.15 Desc. 40 ft. over S. slope.
80.26 The cor. of secs. 1, 2, 11 and 12.

Land; mountainous.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; juniper, oak and sagebrush.


From the cor. of secs. 2, 3, 34 and 35 on S. bdy. of Tp.,
hereinbefore described,
N.0°1'W., bet. secs. 34 and 35.
Over rolling land, through scattering timber and dense
undergrowth.

37.00 Wash, 10 lks. wide, course E.
39.05 Wash, 50 lks. wide, course S.85°E.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
A cedar, 10 ins. diam., bears N.43 $\frac{1}{2}$ °E., 142lks. dist.
marked $\frac{1}{4}$ S 35 B T
A cedar, 12 ins. diam., bears N.85 3/4°W., 96 lks.
dist., marked $\frac{1}{4}$ S 34 B T

60.00 Asc. 60 ft. over S. slope.
72.60 Top of ascent, bears E. and W.
Desc. over N. slope.
79.00 Wash, 30 lks. wide, course E.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
the ground for cor. of secs. 26, 27, 34 and 35, marked
on brass cap



T35N R11W
S 27 | S 26
S 34 | S 35
1924

Subdivision of T.35 N., R.11 W.

Chains

From which,
 A cedar, 28 ins. diam., bears N.56°E., 201 lks. dist., marked T 35 N R 11 W S 26 B T
 A cedar, 10 ins. diam., bears S.14½°E., 222 lks. dist. marked T 35 N R 11 W S 35 B T
 A cedar, 4 ins. diam., bears S.18½°W., 75 blks. dist. marked B T
 A cedar, 10 ins. diam., bears N.26°W., 82 lks. dist. marked T 35 N R 11 W S 27 B T

Land; rolling.
 Soil; clay loam, 2nd. rate.
 Timber; cedar and pine.
 Undergrowth; sagebrush.

40.00 East, on a random line bet. secs. 26 and 35.
 80.06 Set temp. ¼ sec. cor.
 Intersect the cor. of secs. 25, 26, 35 and 36.

Thence
 West, on a true line bet. secs. 26 and 35.
 Over rolling land, through scattering timber and undergrowth.
 Desc. gentle W. slope.
 10.00 Asc. 34 ft. over S. slope.
 14.70 Spur, slopes SW. Desc. 34 ft.
 20.20 Wash, 6 lks. wide, course SW.
 Asc. 80 ft. over E. slope.
 31.80 Spur, slopes S. Desc. 57 ft. over W. slope.
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for ¼ sec. cor. marked on brass cap

¼ S 26
 S 35
 1924

From which,
 A cedar, 10 ins. diam., bears N.23¼°E., 181 lks. dist., marked ¼ S 26 B T
 A cedar, 8 ins. diam., bears S.64 3/4°E., 116 lks. dist., marked ¼ S 35 B T

44.70 Desc. 57 ft. over SW. slope.
 Wash, 8 lks. wide, course SW.
 Asc. 20 ft.
 46.80 Point of spur, slopes S.
 Desc. gentle W. slope.
 56.00 Draw, 4 lks. wide, course S.
 70.07 Wash, 4 lks. wide, course SE.
 80.06 The cor. of secs. 26, 27, 34 and 35.
 Land; rolling.
 Soil; clay, rocky, 3rd. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

40.00 N.0°1'W., bet. secs. 26 and 27.
 Over rolling land, through heavy timber and dense undergrowth.
 Asc. gentle S. slope.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap

¼
 S 27 | S 26
 1924

From which,
 A cedar, 24 ins. diam., bears S.85°E., 90 lks. dist.

Subdivision of T.35 N., R.11 W.

Chains	<p>marked $\frac{1}{4}$ S 26 B T A cedar, 15 ins. diam., bears S.29$\frac{1}{2}$°W., 53 lks. dist. marked $\frac{1}{4}$ S 27 B T</p> <p>Asc. 115 ft. over gradual SW. slope. 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 22, 23, 26 and 27 marked on brass cap</p> <p style="text-align: center;">T35N R11W S 22 S 23 S 27 S 26 1924</p> <p>From which, A cedar, 8 ins. diam., bears N.27°E., 100 lks. dist. marked T 35 N R 11 W S 23 B T A cedar, 6 ins. diam., bears S.12$\frac{1}{2}$°E., 44 lks. dist. marked T 35 N R 11 W S 26 B T A cedar, 16 ins. diam., bears S.16$\frac{1}{2}$°W., 30 lks. dist. marked T 35 N R 11 W S 27 B T A cedar, 10 ins. diam., bears N.80°W., 66 lks. dist. marked T 35 N R 11 W S 22 B T</p> <p>Land; rolling. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush and juniper.</p>
40.00 80.00	<p>East, on a random line bet. secs. 23 and 26. Set temp. $\frac{1}{4}$ sec. cor. Intersect the cor. of secs. 23, 24, 25 and 26.</p> <p>Thence West, on a true line bet. secs. 23 and 26. Over rolling land, through scattering timber and undergrowth.</p>
22.00 37.30 40.00	<p>Draw, course N. Wash, course NE. Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <p style="text-align: center;">$\frac{1}{4}$ S 23 S 26 1924</p> <p>From which, A cedar, 8 ins. diam., bears N.22 3/4°W., 193 lks. dist., marked $\frac{1}{4}$ S 23 B T A cedar, 14 ins. diam., bears S.61 3/4°E., 145 lks. dist., marked $\frac{1}{4}$ S 26 B T</p>
53.10 58.10 80.00	<p>Asc. 64 ft. over E. slope. Desc. 40 ft. Draw, course SE. Asc. 100 ft. over E. slope. 80.00 The cor. of secs. 22, 23, 26 and 27.</p> <p>Land; rolling. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.</p>

Chains	N.0°1'W., bet. secs. 22 and 23. Over rolling land, through heavy timber and dense undergrowth. Desc. 165 ft. over gradual NW. slope. Leave heavy timber, bears NE. and SW.
36.00	
39.16	Wash, 25 lks. wide, course NE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 22 S 23 1924
	From which, A cedar, 14 ins. diam., bears N.85 $\frac{1}{2}$ °E., 193 lks. dist. marked $\frac{1}{4}$ S 23 B T A cedar, 16 ins. diam., bears S.72°E., 152 lks. dist. marked $\frac{1}{4}$ S 23 B T No tree available in sec. 22.
42.80	Wash, 25 lks. wide, course NE.
46.80	Wash, 10 lks. wide, course E.
67.60	Wash, 14 lks. wide, course SE.
69.25	Road, bears SE. and NW.
70.00	Enter heavy timber, bears SE. and NW.
79.50	Wash, 8 lks. wide, course SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 14, 15, 22 and 23, marked on brass cap
	T35N R11W S 15 S 14 S 22 S 23 1924
	From which, A cedar, 20 ins. diam., bears N.74 $\frac{1}{4}$ °E., 119 lks. dist. marked T 35 N R 11 W S 14 B T A cedar, 11 ins. diam., bears S.33 $\frac{1}{4}$ °E., 72 lks. dist. marked T 35 N R 11 W S 23 B T A cedar, 14 ins. diam., bears S.62 $\frac{1}{2}$ °W., 52 lks. dist. marked T 35 N R 11 W S 22 B T A cedar, 30 ins. diam., bears N.52 $\frac{1}{4}$ °W., 52 lks. dist. marked T 35 N R 11 W S 15 B T
	Land; rolling. Soil; gravelly, 3rd. rate. Timber; cedar and pinyon. Undergrowth; sagebrush and juniper.
40.00	East, on a random line bet. secs. 14 and 23. Set temp. $\frac{1}{4}$ sec. cor.
79.92	Fall 2 lks. S. of the cor. of secs. 13, 14, 23 and 24.
	Thence S.89°59'W., on a true line bet. secs. 14 and 23. Over rolling land, through dense undergrowth.
.90	Wash, 30 lks. wide, course NE.
12.00	Corral, bears N. about 4 chs. dist. Enter heavy timber, bears NE. and SW.
25.00	Asc. 57 ft. over E. slope to
39.96	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 14 S 23 1924
	From which, A cedar, 6 ins. diam., bears N.59 3/4°E., 61 lks. dist. marked $\frac{1}{4}$ S 14 B T

Subdivision of T.35 N., R.11 W.

Chains	A cedar, 6 ins. diam., bears S.10°E., 44 lks. dist. marked $\frac{1}{4}$ S 23 B T								
70.00	Asc. 155 ft. over SE. slope. Spur, slopes SW. Desc. 130 ft. over W. slope.								
79.60	Wash, 8 lks. wide, course SW.								
79.92	The cor. of secs. 14, 15, 22 and 23.								
	Land; rolling. Soil; clay, rocky, 3rd. rate. Timber; cedar and pinyon. Undergrowth; sagebrush, juniper and oak.								
	N.0°1'W., bet. secs. 14 and 15. Over rolling land, through heavy timber and dense undergrowth.								
23.00	Asc. 96 ft. over SW. slope to								
40.00	Spur, slopes NW. Desc. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap								
	<table border="1"> <tr><td>S 15</td><td>S 14</td></tr> <tr><td colspan="2">1924</td></tr> </table>	S 15	S 14	1924					
S 15	S 14								
1924									
	From which, A cedar, 16 ins. diam., bears S.22 $\frac{1}{2}$ °E., 57 lks. dist. marked $\frac{1}{4}$ S 14 B T A cedar, 8 ins. diam., bears N.57 $\frac{1}{2}$ °W., 91 lks. dist. marked $\frac{1}{4}$ S 15 B T								
54.90	Desc. 50 ft. over NE. slope. Draw, course E.								
65.00	Asc.								
74.24	Enter scattering timber. Desc. 90 ft. over N. slope.								
80.00	Wash, 25 lks. wide, course NE. Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground with marked cross (+) stone alongside, for cor. of secs. 10, 11, 14 and 15, marked on brass cap								
	<table border="1"> <tr><td>T35N</td><td>R11W</td></tr> <tr><td>S 10</td><td>S 11</td></tr> <tr><td>S 15</td><td>S 14</td></tr> <tr><td colspan="2">1924</td></tr> </table>	T35N	R11W	S 10	S 11	S 15	S 14	1924	
T35N	R11W								
S 10	S 11								
S 15	S 14								
1924									
	From which, A cedar, 20 ins. diam., bears N.25°E., 180 lks. dist., marked T 35 N R 11 W S 11 B T A cedar, 10 ins. diam., bears S.50 $\frac{1}{4}$ °W., 418 lks. dist., marked T 35 N R 11 W S 15 B T A cedar, 9 ins. diam., bears N.6 $\frac{3}{4}$ °W., 69 lks. dist., marked T 35 N R 11 W S 10 B T								
	Land; rolling. Soil; clay, rocky, 3rd. rate. Timber; cedar and pinyon. Undergrowth; sagebrush, juniper and oak.								
40.00	N.80°59'E., on a random line bet. secs. 11 and 14. Set temp. $\frac{1}{4}$ sec. cor.								
79.94	Intersect the cor. of secs. 11, 12, 13 and 14.								
	Thence S.80°59'W., on a true line bet. secs. 11 and 14. Over rolling land, through dense sagebrush. Enter heavy timber, bears SE. and NW.								
27.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap								
39.97									

Subdivision of T.35 N., R.11 W.

Chains

S 11
S 14
1924

From which,

A cedar, 6 ins. diam., bears N.43 $\frac{1}{4}$ °W., 47 lks. dist.
marked $\frac{1}{4}$ S 11 B T

A cedar, 16 ins. diam., bears S.5 $\frac{1}{4}$ °W., 118 lks. dist.
marked $\frac{1}{4}$ S 14 B T

55.00
71.70
79.94

Enter scattering timber.
Wash, 15 lks. wide, course NE.
The cor. of secs. 10, 11, 14 and 15.

Land; rolling.
Soil; clay, rocky, 3rd. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush, juniper and oak.

N.0°1'W., bet. secs. 10 and 11.
Over rolling land, through scattering timber and dense
undergrowth.

16.20
24.32
30.17
32.10
35.00
40.00

Draw, course NE.
Leave timber, bears E. and W.
Wash, 20 lks. wide, course E.
Road, bears E. and W.
Wash, 6 lks. wide, course SE.
Enter heavy timber, bears SE. and NW.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 10 | S 11
1924

From which,

A cedar, 26 ins. diam., bears N.43 $\frac{1}{4}$ °E., 54 lks. dist.
marked $\frac{1}{4}$ S 11 B T

A cedar, 6 ins. diam., bears S.56°W., 97 lks. dist.
marked $\frac{1}{4}$ S 10 B T

79.20
80.00

Asc. 100 ft. over S. slope.
Wash, 20 lks. wide, course SW.
Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in
the ground, in a mound of stone, for cor. of secs.
2, 3, 10 and 11, marked on brass cap

T35N R11W
S 3 | S 2
S 10 | S 11
1924

From which,

A cedar, 25 ins. diam., bears N.25°E., 76 lks. dist.
marked T 35 N R 11 W S 2 B T

A pinyon, 8 ins. diam., bears S.59 $\frac{1}{2}$ °E., 58 lks. dist.
marked T 35 N R 11 W S 11 B T

A cedar, 20 ins. diam., bears S.50°W., 87 lks. dist.
marked T 35 N R 11 W S 10 B T

A pinyon, 7 ins. diam., bears N.25 3/4°W., 24 lks.
dist., marked T 35 N R 11 W S 3 B T

Land; rolling.
Soil; rocky, 3rd. rate,
Timber; cedar and pinyon.
Undergrowth; juniper, oak and sagebrush.

Subdivision of T.35 N., R.11 W.

Chains
40.00 N.89°59'E., on a random line bet. secs. 2 and 11.
80.00 Set temp. $\frac{1}{4}$ sec. cor.
Fall 9 lks. W. of the cor. of secs. 1, 2, 11 and 12.

Thence
N.89°57'W., on a true line bet. secs. 2 and 11.
Over broken mountainous land, through heavy timber and dense undergrowth.
Desc. 64 ft. over W. slope.
4.00 Draw, course SW.
Thence along S. slope of Poverty Knoll, ascending 125 ft.
17.60 Desc. 16 ft.
19.91 Wash, 8 lks. wide, course SE. Asc. 50 ft.
24.00 Along S. slope.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 2
S II
1924

From which,
A cedar, 14 ins. diam., bears N.26 $\frac{3}{4}$ °E., 65 lks. dist., marked $\frac{1}{4}$ S 2 B T
A pinyon, 8 ins. diam., bears S.19 $\frac{1}{4}$ °W., 38 lks. dist. marked $\frac{1}{4}$ S 11 B T

46.60 Desc. 130 ft. over SW. slope.
58.40 Draw, course SW.
77.30 Desc. 320 ft. over W. slope.
80.00 Wash, 20 lks. wide, course SW.
The cor. of secs. 2, 3, 10 and 11.

Land; rolling mountainous.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; juniper, oak and sagebrush.

40.00 N.0°16'E., on a random line bet. secs. 2 and 3.
80.23 Set temp. $\frac{1}{4}$ sec. cor.
Fall 5 lks. E. of the cor. of secs. 2, 3, 34 and 35 on N. bdy. of Tp., hereinbefore described.

Thence
S.0°14'W., on a true line bet. secs. 2 and 3.
Over rolling land, through scattering timber and dense undergrowth.
7.00 Enter heavy timber, bears NE. and SW.
38.00 Wash, 20 lks. wide, course NW.
40.23 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 3 | S 2
1924


From which,
A pinyon, 10 ins. diam., bears S.85°E., 61 lks. dist. marked $\frac{1}{4}$ S 2 B T
A pinyon, 24 ins. diam., bears N.48 $\frac{1}{4}$ °W., 42 lks. dist. marked $\frac{1}{4}$ S 3 B T

56.40 Wash, 6 lks. wide, course SW.
Asc.
63.00 Desc. 140 ft. over SW. slope.
80.23 The cor. of secs. 2, 3, 10 and 11.

Land; rolling.
Soil; clay, rocky, 3rd. and 4th. rates.
Timber; cedar and pinyon.
Undergrowth; juniper, sage and oak.


Subdivision of T.35 N., R.11 W.

Chains. From the cor. of secs. 3, 4, 33 and 34 on S. bdy. of Tp.,
hereinbefore described.
N.0°2'W., bet. secs. 33 and 34.
Over rolling land, through scattering timber and under-
growth.
Asc. 32 ft. over S. slope.
5.00 Spur, slopes E. Desc. 110 ft. over N. slope.
16.17 Draw, course E. Asc. 100 ft. over S. slope.
28.43 Spur, slopes E.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in
the ground to bed rock, supported in a mound of stone,
for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
A pinyon, 8 ins. diam., bears N.67 $\frac{1}{4}$ °E., 58 lks. dist.
marked $\frac{1}{4}$ S 34 B T
A cedar, 12 ins. diam., bears $\frac{1}{4}$.79°W., 26 lks. dist.
marked $\frac{1}{4}$ S 33 B T

Along E. slope.
53.80 Draw, course E.
58.90 Spur, slopes E. Ivanpah Spring, bears N.73°6'W., 21.14
chs. dist.
63.88 Draw, course E.
Asc. 115 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in
the ground to bed rock, supported in a mound of stone,
for cor. of secs. 27, 28, 33 and 34, marked on brass
cap



From which,
A pinyon, 14 ins. diam., bears N.20 $\frac{1}{2}$ °E., 76 lks. dist.
marked T 35 N R 11 W S 27 B T
A cedar, 10 ins. diam., bears S.54 $\frac{3}{4}$ °E., 71 lks.
dist., marked T 35 N R 11 W S 34 B T
A pinyon, 6 ins. diam., bears S.53 $\frac{1}{2}$ °W., 35 lks. dist.
marked T 35 N R 11 W S 33 B T
A cedar, 10 ins. diam., bears N.63 $\frac{1}{2}$ °W., 44 lks. dist.
marked T 35 N R 11 W S 28 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

40.00 East, on a random line bet. secs. 27 and 34.
Set temp. $\frac{1}{4}$ sec. cor.
79.90 Fall 5 lks. S. of the cor. of secs. 26, 27, 34 and 35.

Thence
S.89°58'W., on a true line bet. secs. 27 and 34.
Over rolling land, through scattering timber and under-
growth.
7.80 Wash, 12 lks. wide, course SE.
Asc. 46 ft. along N. slope.
21.82 Wash, 8 lks. wide, course NE.
Asc. 60 ft. along S. slope to
39.95 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

Subdivision of T.35 N., R.11 W.

Chains

S 27
S 34
1924

From which,

A cedar, 18 ins. diam., bears N.25 3/4°E., 64 lks. dist., marked 1/4 S 27 B T

A cedar, 15 ins. diam., bears S.30 1/2°E., 51 lks. dist. marked 1/4 S 34 B T

56.10 Wash, 6 lks. wide, course SE.
65.40 Draw, course SE.
Asc. 200 ft. over NE. slope.
79.90 The cor. of secs. 27, 28, 33 and 34.

Land; rolling.
Soil; clay, rocky, 3rd. and 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush,

N.0°2'W., bet. secs. 27 and 28.

Over rolling land, through scattering timber and undergrowth.

3.14 Desc. 46 ft. over N. slope to
18.00 Draw, course E. Asc. 100 ft. over S. slope.
Spur, slopes E.
Desc.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bed rock, supported in a mound of stone, for 1/4 sec. cor. marked on brass cap

S 28 | S 27
1924

From which,

A cedar, 12 ins. diam., bears S.45°E., 60 lks. dist. marked 1/4 S 27 B T

A cedar, 10 ins. diam., bears N.75 1/4°W., 40 lks. dist. marked 1/4 S 28 B T

42.56 Desc. 30 ft. to
49.21 Draw, course E. asc. 74 ft. over S. slope.
58.50 Spur, slopes E. Desc. 63 ft. to
Draw, course E.
80.00 Thence along broken S. slope.
Set an iron post, 3 ft. long, 2 ins. diam., 39 ins. in the ground for cor. of secs. 21, 22, 27 and 28, marked on brass cap

T35N R11W
S 21 | S 22
S 28 | S 27
1924

From which,

A pinyon, 14 ins. diam., bears N.18 1/4°E., 73 lks. dist., marked T 35 N R 11 W S 22 B T

A pinyon, 16 ins. diam., bears S.25°E., 157 lks. dist., marked T 35 N R 11 W S 27 B T

A pinyon, 10 ins. diam., bears S.56 1/2°W., 62 lks. dist., marked T 35 N R 11 W S 28 B T

A pinyon, 12 ins. diam., bears N.23°W., 80 lks. dist., marked T 35 N R 11 W S 21 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

Subdivision of T.35 N., R.11 W.

Chains
40.00 N.89°58'E., on a random line bet. secs. 22 and 27.
79.94 Set temp. $\frac{1}{4}$ sec. cor.
Fall 23 lks. S. of the cor. of secs. 22, 23, 26 and 27.

Thence
S.89°48'W., on a true line bet. secs. 22 and 27.
Over rolling land, through scattering timber and undergrowth.

6.90 Desc. 130 ft. over W. slope.
Wash, 12 lks. wide, course N.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 22
S 27
1924

From which,

- A cedar, 6 ins. diam., bears N.12 $\frac{1}{2}$ °W., 30 lks. dist. marked $\frac{1}{4}$ S 22 B T
- A cedar, 15 ins. diam., bears S.12 $\frac{1}{4}$ °E., 32 lks. dist. marked $\frac{1}{4}$ S 27 B T

51.25 Wash, 10 lks. wide, course NE.
Asc. 140 ft. to cor.

71.64 Draw, course NE.

79.94 The cor. of secs. 21, 22, 27 and 28.

Land; rolling.
Soil; clay, rocky, 3rd. rate.
Timber; cedar and pinyon.
Undergrowth; juniper, sagebrush and oak.

N.0°2'W., bet. secs. 21 and 22.
Over rolling land, through scattering timber and undergrowth.

30.11 Wash, 20 lks. wide, course NE,
40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 21 | S 22
1924

From which,

- A pinyon, 6 ins. diam., bears S.87°E., 56 lks. dist. marked $\frac{1}{4}$ S 22 B T
- A cedar, 8 ins. diam., bears N.61 $\frac{1}{2}$ °W., 14 lks. dist. marked $\frac{1}{4}$ S 21 B T

43.20 Spur, slopes E. Desc. NE. slope.

53.16 Wash, 10 lks. wide, course E. Asc.

73.27 Spur, slopes E. 80 ft. above wash.

Desc. 40 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 15, 16, 21 and 22, marked on brass cap

T35N | R11W
S 16 | S 15
S 21 | S 22
1924

From which,

- A cedar, 8 ins. diam., bears N.37 $\frac{1}{2}$ °E., 119 lks. dist. marked T 35 N R 11 W S 15 B T
- A cedar, 14 ins. diam., bears S.77°E., 53 lks. dist. marked T 35 N R 11 W S 22 B T
- A cedar, 6 ins. diam., bears S.45°W., 148 lks. dist.

Subdivision of T.35 N., R.11 W.

Chains

marked T 35 N R 11 W S 21 B T
 A cedar, 7 ins. diam., bears N.24 3/4°W., 110 lks.
 dist., marked T 35 N R 11 W S 16 B T

Land; rolling.
 Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

40.00 N.89°48'E., on a random line bet. secs. 15 and 22.
 79.88 Set temp. 1/4 sec. cor.
 Fall 2 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence
 S.89°49'W., on a true line bet. secs. 15 and 22.
 Over rolling land, through scattering timber and dense
 undergrowth.

9.92 Wash, 10 lks. wide, course SE.
 10.50 Road, bears SE. and NW.
 39.94 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in
 the ground to bed rock, supported in a mound of stone,
 for 1/4 sec. cor. marked on brass cap

1/4 S 15
 S 22
 1924

From which,
 A cedar, 6 ins. diam., bears N.7 3/4°E., 91 lks.
 dist., marked 1/4 S 15 B T
 A cedar, 7 ins. diam., bears S.49 1/4°W., 144 lks.
 dist., marked 1/4 S 22 B T

79.88 Asc. gradual E. slope.
 The cor. of secs. 15, 16, 21 and 22.

Land; rolling.
 Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush, juniper and oak.

5.90 N.0°2'W., bet. secs. 15 and 16.
 40.00 Over rolling land, through scattering timber and under-
 growth.

Desc. gentle N. slope.

Draw, course E.

Along E. slope.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground for 1/4 sec. cor. marked on brass cap

1/4
 S 16 | S 15
 1924

From which,
 A cedar, 16 ins. diam., bears N.76°E., 132 lks. dist.
 marked 1/4 S 15 B T
 A cedar, 10 ins. diam., bears S.52 1/2°W., 41 lks. dist.
 marked 1/4 S 16 B T

47.20 Wash, 20 lks. wide, course NE.
 57.80 Spur, slopes E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
 the ground for cor. of secs. 9, 10, 15 and 16, marked
 on brass cap

T35N R11W
 S 9 | S 10
 S 16 | S 15
 1924

Subdivision of T.35 N., R.11 W.

Chains

From which,
 A cedar, 10 ins. diam., bears N.52 3/4°E., 68 lks. dist., marked T 35 N R 11 W S 10, B T
 A cedar, 6 ins. diam., bears S.49 1/2°E., 126 lks. dist. marked T 35 N R 11 W S 15 B T
 A cedar, 6 ins. diam., bears S.57 1/2°W., 121 lks. dist. marked T 35 N R 11 W S 16 B T
 A cedar, 16 ins. diam., bears N.79°W., 139 lks. dist. marked T 35 N R 11 W S 9 B T

Land; rolling.
 Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

40.00 N.89°49'E., on a random line bet. secs. 10 and 15.
 79.86 Set temp. 1/4 sec. cor.
 Fall 7 lks. N. of the cor. of secs. 10, 11, 14 and 15.

Thence
 S.89°52'W., on a true line bet. secs. 10 and 15.
 Over rolling land, through scattering timber and dense undergrowth.
 Asc. 120 ft. over gradual E. slope.

34.05 Draw, course N. continue ascent.
 39.93 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for 1/4 sec. cor. marked on brass cap

S 10
 S 15
 1924

From which,
 A cedar, 15 ins. diam., bears N.54 1/4°E., 209 lks. dist., marked 1/4 S 10 B T
 A cedar, 6 ins. diam., bears S.16 3/4°E., 103 lks. dist., marked 1/4 S 15 B T

62.15 Spur, slopes NW. Desc.
 73.12 Road, bears SE. and NW.
 79.86 The cor. of secs. 9, 10, 15 and 16.

Land; rolling.
 Soil; rocky, 3rd. and 4th. rates.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush, juniper and oak.

7.40 N.0°2'W., bet. secs. 9 and 10.
 10.84 Over rolling land, through scattering timber and undergrowth.
 22.94 Road, bears SE. and NW.
 31.74 Fence, bears E. and W.
 35.44 Wash, 10 lks. wide, course E.
 38.34 Road, bears S. and NE. Thence along W. end of reservoir.
 40.00 Road, bears SE. and NW. Leave reservoir.
 Fence, bears E. and W.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap

S 9 | S 10
 1924

From which,
 A cedar, 10 ins. diam., bears N.54 1/4°E., 439 lks. dist. marked 1/4 S 10 B T
 A cedar, 24 ins. diam., bears N.4 1/2°W., 478 lks. dist. marked 1/4 S 9 B T

Subdivision of T. 35 N., R. 11 W.

Chains
80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 3, 4, 9 and 10, marked on brass cap

T35N R11W
S 4 S 3
S 9 S 10
1924

From which,

A cedar, 6 ins. diam., bears N.34 3/4°E., 41 lks. dist., marked T 35 N R 11 W S 3 B T

A cedar, 20 ins. diam., bears S.58 1/4°E., 210 lks. dist., marked T 35 N R 11 W S 10 B T

A cedar, 18 ins. diam., bears N.19 1/4°W., 83 lks. dist., marked T 35 N R 11 W S 4 B T

Raise a mound of stone, 3 1/2 ft. base, 2 ft. high W. of cor.

Land; rolling.

Soil; rocky, 3rd. rate.

Timber; cedar and pinyon.

Undergrowth; sagebrush.

40.00
79.82

N.89°52'E., on a random line bet. secs. 3 and 10. Set temp. 1/4 sec. cor.

Fall 5 lks. N. of the cor. of secs. 2, 3, 10 and 11.

Thence

S.89°54'W., on a true line bet. secs. 3 and 10.

Over rolling land, through scattering timber and undergrowth.

39.91

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, with marked cross (+) stone alongside, in a mound of stone, for 1/4 sec. cor. marked on brass cap

S 3
S 10
1924

From which,

A cedar, 6 ins. diam., bears S.37 3/4°E., 135 lks. dist., marked 1/4 S 10 B T

66.00
79.82

Asc. 100 ft. over E. slope.

Desc. 157 ft. over W. slope.

The cor. of secs. 3, 4, 9 and 10.

Land; rolling.

Soil; rocky, 3rd. rate.

Timber; cedar and pinyon.

Undergrowth; sagebrush.

40.00
80.33

North, on a random line bet. secs. 3 and 4.

Set temp. 1/4 sec. cor.

Intersect the cor. of secs. 3, 4, 33 and 34 on N. bdy. of Tp., hereinbefore described.

Thence

South, on a true line bet. secs. 3 and 4.

Over gently rolling land, through scattering undergrowth.

40.33

Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for 1/4 sec. cor. marked on brass cap

S 4 S 3
1924

Subdivision of T.35 N., R.11 W.

Chains	Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.
50.00	Enter scattering timber, bears NE. and SW.
80.33	The cor. of secs. 3, 4, 9 and 10. Land; rolling. Soil; clay, rocky, 3rd. rate. Timber; cedar and pinyon, E. of line. Undergrowth; sagebrush and juniper.
40.00	From the cor. of secs. 4, 5, 32 and 33 on S. bdy. of Tp., hereinbefore described, N.0°3'W., bet. secs. 32 and 33. Over rolling land, through heavy timber and scattering undergrowth. Asc. 165 ft. to Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap <div style="text-align: center;"> $\frac{1}{4}$ S 32 S 33 1924 </div> From which, A cedar, 12 ins. diam., bears N.71 $\frac{3}{4}$ °E., 67 lks. dist., marked $\frac{1}{4}$ S 33 B T A cedar, 16 ins. diam., bears N.57 $\frac{1}{4}$ °W., 82 lks. dist., marked $\frac{1}{4}$ S 32 B T
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 28, 29, 32 and 33, marked on brass cap <div style="text-align: center;"> T35N R11W S 29 S 28 S 32 S 33 1924 </div> From which, A pinyon, 12 ins. diam., bears N.28 $\frac{1}{2}$ °E., 58 lks. dist., marked T 35 N R 11 W S 28 B T A pinyon, 10 ins. diam., bears S.40 $\frac{3}{4}$ °E., 34 lks. dist., marked T 35 N R 11 W S 33 B T A pinyon, 10 ins. diam., bears S.20°W., 48 lks. dist., marked T 35 N R 11 W S 32 B T A cedar, 30 ins. diam., bears N.24°W., 78 lks. dist. marked T 35 N R 11 W S 29 B T Land; rolling. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.
40.00	East, on a random line bet. secs. 28 and 33. Set temp. $\frac{1}{4}$ sec. cor.
79.98	Fall 10 lks. N. of the cor. of secs. 27, 28, 33 and 34. Thence N.89°56'W., on a true line bet. secs. 28 and 33. Over rolling land, through scattering timber and undergrowth. Asc. 360 ft. over E. slope to
39.99	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, supported in a mound of stone,

Subdivision of T.35 N., R.11 W.

Chains for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 28
S 33
1924

From which,
 A cedar, 6 ins. diam., bears N.1°E., 37 lks. dist.
 marked $\frac{1}{4}$ S 28 B T
 A pinyon, ins. diam., bears S.22 $\frac{3}{4}$ °E., 102 lks.
 dist., marked $\frac{1}{4}$ S 33 B T.

Asc. 410 ft. over steep E. slope of Poverty Mountain.
 55.00 Top of steep ascent. Asc. 85 ft. over gradual S. slope.
 79.98 The cor. of secs. 28, 29, 32 and 33.

Land; rolling.
 Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

N.0°3'W., bet. secs. 28 and 29.
 Over rolling land, through heavy timber and scattering
 undergrowth.

20.00 Desc. 120 ft. over NE. slope.
 Draw, course NE.

40.00 Asc. 95 ft. over SE. slope to
 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in
 the ground to bed rock, supported in a mound of stone,
 for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 29 | S 28
 1924

From which,
 A pinyon, 12 ins. diam., bears N.68 $\frac{1}{4}$ °E., 63 lks.
 dist., marked $\frac{1}{4}$ S 28 B T
 A pinyon, 8 ins. diam., bears S.88°W., 45 lks. dist.
 marked $\frac{1}{4}$ S 29 B T

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in
 the ground to bed rock, supported in a mound of stone,
 for cor. of secs. 20, 21, 28 and 29, marked on brass
 cap

T35N R11W
 S 20 | S 21
 S 29 | S 28
 1924

From which,
 A pinyon, 8 ins. diam., bears N.52 $\frac{3}{4}$ °E., 53 lks.
 dist., marked T 35 N R 11 W S 21 B T.
 A cedar, 12 ins. diam., bears S.35°E., 37 lks. dist.
 marked T 35 N R 11 W S 28 B T
 A cedar, 8 ins. diam., bears S.29°W., 21 lks. dist.
 marked T 35 N R 11 W S 29 B T
 A cedar, 14 ins. diam., bears N.43 $\frac{3}{4}$ °W., 20 lks.
 marked T 35 N R 11 W S 20 B T

Land; rolling.
 Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

Subdivision of T.35 N., R.11 W.

Chains
40.00
80.00

S.89°56'E., on a random line bet. secs. 21 and 28.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 16 lks. W. of the cor. of secs. 21, 22, 27 and 28.

Thence
N.89°49'W., on a true line bet. secs. 21 and 28.
Over rolling land, through heavy timber and scattering undergrowth.

40.00 Asc, 460 ft. over E. slope.
Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 21
S 28
1924

From which,
A pinyon, 6 ins. diam., bears N.28 $\frac{1}{4}$ °W., 25 lks. dist., marked $\frac{1}{4}$ S 21 B T
A pinyon, 12 ins. diam., bears S.18 $\frac{3}{4}$ °E., 61 lks. dist., marked $\frac{1}{4}$ S 28 B T

71.90 Asc. 320 ft. over NE. slope.
80.00 Top of ascent. Thence over top of Poverty Mountain.
The cor. of secs. 20, 21, 28 and 29.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

6.00

N.0°3'W., bet. secs. 20 and 21.
Over rolling land, through heavy timber and scattering undergrowth.
Desc. 817 ft. over N. slope of Poverty Mountain.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 20 | S 21
1924

From which,
A pinyon, 10 ins. diam., bears S.70 $\frac{1}{2}$ °E., 7 lks. dist., marked $\frac{1}{4}$ S 21 B T
A pinyon, 6 ins. diam., bears N.61 $\frac{3}{4}$ °W., 17 lks. dist., marked $\frac{1}{4}$ S 20 B T

61.77 Desc. gentle NE. slope.
80.00 Wash, 10 lks. wide, course NE.
Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 16, 17, 20 and 31, marked on brass cap

T35N R11W
S 17 | S 16
S 20 | S 21
1924


From which,
A cedar, 10 ins. diam., bears N.37°E., 27 lks. dist. marked T 35 N R 11 W S 16 B T
A cedar, 10 ins. diam., bears S.59 $\frac{3}{4}$ °E., 18 lks. dist., marked T 35 N R 11 W S 21 B T
A pinyon, 12 ins. diam., bears S.24 $\frac{1}{4}$ °W., 78 lks. dist., marked T 35 N R 11 W S 20 B T
A cedar, 6 ins. diam., bears N.45 $\frac{1}{2}$ °W., 52 lks. dist. marked T 35 N R 11 W S 17 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon. Undergrowth; sagebrush.

Subdivision of T.35 N.,R.11 W.

Chains
 40.00 S.89°49'E., on a random line bet. secs. 16 and 21.
 80.10 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 2 lks. S. of the cor. of secs. 15, 16, 21 and 22.

Thence
 N.89°50'W., on a true line bet. secs. 16 and 21.
 Over rolling land, through scattering timber and undergrowth.
 Asc. gentle NE. slope.
 15.00 Spur, slopes N.
 Desc. gentle NW. slope.
 35.00 Wash, 30 lks. wide, course NE. Asc.
 40.05 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




From which,
 A cedar, 7 ins. diam., bears N.60 $\frac{1}{4}$ °W., 87 lks. dist. marked $\frac{1}{4}$ S 16 B T
 A cedar, 6 ins. diam., bears S.7 $\frac{3}{4}$ °W., 148 lks. dist. marked $\frac{1}{4}$ S 21 B T

Asc. gentle NE. slope.
 52.90 Wash, 15 lks. wide, course NE.
 65.50 Wash, 15 lks. wide, course NE.
 80.10 The cor. of secs. 16, 17, 20 and 21.

Land; rolling.
 Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.


N.0°3'W., bet. secs. 16 and 17.
 Over rolling land, through heavy timber and scattering undergrowth.
 Desc. gentle NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, in mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
 A cedar, 6 ins. diam., bears S.67 $\frac{1}{4}$ °E., 77 lks. dist. marked $\frac{1}{4}$ S 16 B T
 A cedar, 10 ins. diam., bears S.31 $\frac{1}{2}$ °W., 30 lks. dist. marked $\frac{1}{4}$ S 17 B T

45.00 Wash, 15 lks. wide, course NE.
 49.80 Wash, 15 lks. wide, course NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 8, 9, 16 and 17, marked on brass cap



From which,
 A cedar, 12 ins. diam., bears S.27°W., 478 lks. dist. marked T 35 N R.11 W S 17 B T
 Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling. Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

Subdivision of T.35 N., R.11 W.


Chains
40.00
80.08

S.89°50'E., on a random line bet. secs. 9 and 16.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect the cor. of secs. 9, 10, 15 and 16.

Thence
N.89°50'W., on a true line bet. secs. 9 and 16.
Over rolling land, through scattering timber and undergrowth.

10.10
40.04

Wash, 10 lks. wide, course NE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



1924 from which
A cedar, 12 ins. diam., bears N.65°E., 29 lks. dist. marked $\frac{1}{4}$ S 9 B T
A cedar, 6 ins. diam., bears S.15 $\frac{1}{2}$ °W., 81 lks. dist. marked $\frac{1}{4}$ S 16 B T.

57.40
73.00
80.08


Wash, 10 lks. wide, course NE.
Wash, 15 lks. wide, course NE.
The cor. of secs. 8, 9, 16 and 17.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

N.0°3'W., bet. secs. 8 and 9.
Over rolling land, through scattering timber and undergrowth.

9.10
10.10
40.00


Desc. gentle N. slope.
Wash, 6 lks. wide, course E.
Asc. over S. slope.
Road, bears E. and W.
Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
A cedar, 4 ins. diam., bears S.66°E., 176 lks. dist. marked $\frac{1}{4}$ S 9 B T.
A cedar, 10 ins. diam., bears S.76°W., 170 lks. dist. marked $\frac{1}{4}$ S 8 B T.

80.00

Over E. slope.
Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 4, 5, 8 and 9, marked on brass cap



From which,
A cedar, 6 ins. diam., bears N.29°E., 41 lks. dist. marked T 35 N R 11 W S 4 B T
A cedar, 10 ins. diam., bears S.29 $\frac{1}{2}$ °E., 45 lks. dist. marked T 35 N R 11 W S 9 B T
A cedar, 8 ins. diam., bears S.30 $\frac{3}{4}$ °W., 68 lks. dist. marked T 35 N R 11 W S 8 B T
A cedar, 12 ins. diam., bears N.42°W., 74 lks. dist. marked T 35 N R 11 W S 5 B T

Subdivision of T.35 N., R.11 W.

Chains	<p>Land; rolling. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.</p> <hr/> <p>S.89°50'E., on a random line bet. secs. 4 and 9. Set temp. $\frac{1}{4}$ sec. cor. 80.10 Fall 7 lks. S. of the cor. of secs. 3, 4, 9 and 10.</p> <p>Thence N.89°53'W., on a true line bet. secs. 4 and 9. Over rolling land, through scattering timber and undergrowth. Along N. slope. 4.10 Road, bears N. and S. 5.00 Draw, course N. Asc. 140 ft. over gradual NE. slope. 40.05 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <div style="text-align: center;"> $\frac{S\ 4}{S\ 9}$ <p>1924</p> </div> <p>From which, A cedar, 10 ins. diam., bears N.38 3/4°E., 165 lks. dist., marked $\frac{1}{4}$ S 4 B T A cedar, 14 ins. diam., bears S.41°W., 125 lks. dist. marked $\frac{1}{4}$ S 9 B T</p> <p>47.40 Desc. 80 ft. to 52.25 Draw, course N. Asc. 120 ft. 80.10 The cor. of secs. 4, 5, 8 and 9.</p> <p>Land; rolling. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.</p> <hr/> <p>40.00 N.0°3'W., on a random line bet. secs. 4 and 5. Set temp. $\frac{1}{4}$ sec. cor. 80.11 Fall 22 lks. W. of the cor. of secs. 4, 5, 32 and 33, on N. sdy. of Tp., hereinbefore described.</p> <p>Thence S.0°6'W., on a true line bet. secs. 4 and 5. Over rolling land, through scattering timber and undergrowth.</p> <p>22.85 Road, bears NE. and SW. 40.11 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <div style="text-align: center;"> $\begin{array}{c} S\ 5 \\ \\ S\ 4 \\ 1924 \end{array}$ </div> <p>From which, A cedar, 14 ins. diam., bears S.8 3/4°E., 844 lks. dist., marked $\frac{1}{4}$ S 4 B T A cedar, 10 ins. diam., bears S.30 3/4°W., 273 lks. dist., marked $\frac{1}{4}$ S 5 B T</p> <p>80.11 The cor. of secs. 4, 5, 8 and 9.</p> <p>Land; rolling. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.</p>
--------	---

Subdivision of T.35 N., R.11 W.

Chains N.0°3'W., bet. secs. 31 and 32.
Over rolling land, through heavy timber and dense undergrowth:
2.00 Draw, course SW.
Asc. 107 ft. over SE. slope.
-23.90 Spur, slopes W. Desc. 75 ft. over NW. slope.
29.05 Wash, 20 lks. wide, course W.
Asc. 74 ft.
38.80 Desc.
40.00 Set an iron post, 3 ft. long, 1 in. diam., on ledge, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 31 | S 32

1924

From which,
A pinyon, 8 ins. diam., bears S.62 $\frac{1}{4}$ °E., 101 lks. dist., marked $\frac{1}{4}$ S 32 B T
A cedar, 18 ins. diam., bears N.69 $\frac{1}{2}$ °W., 10 lks. dist., marked $\frac{1}{4}$ S 31 B T

46.80 Desc. 65 ft. over N. slope.
Draw, course W.
Asc. 66 ft. over S. slope.
62.90 Desc. 110 ft. over N. slope.
70.25 Wash, 14 lks. wide, course W.
71.87 Wash, 12 lks. wide, course SW.
Asc. 80 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 29, 30, 31 and 32, marked on brass cap

T35N R11W
S 30 | S 29
S 31 | S 32
1924

From which,
A pinyon, 8 ins. diam., bears N.57 $\frac{1}{2}$ °E., 64 lks. dist. marked T 35 N R 11 W S 29 B T
A cedar, 10 ins. diam., bears S.33°E., 50 lks. dist. marked T 35 N R 11 W S 32 B T
A pinyon, 8 ins. diam., bears S.39°W., 24 lks. dist. marked T 35 N R 11 W S 31 B T
A pinyon, 8 ins. diam., bears N.25 $\frac{1}{4}$ °W., 65 lks. dist. marked T 35 N R 11 W S 30 B T

Land; rolling.
Soil; rocky, 3rd. and 4th. rates.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

40.00 East, on a random line bet. secs. 29 and 32.
Set temp. $\frac{1}{4}$ sec. cor.
79.84 Fall 7 lks. N. of the cor. of secs. 28, 29, 32 and 33.

Thence
N.89°57'W., on a true line bet. secs. 29 and 32.
Over rolling mesa land, through heavy timber and scattering undergrowth.

39.92 Set an iron post, 3 ft. long, 16 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 29
S 32
1924

From which,
A cedar, 18 ins. diam., bears N.12°W., 66 lks. dist.

Subdivision of T.35 N., R.11 W.

Chains

marked $\frac{1}{4}$ S 29 B T
A cedar, 14 ins. diam., bears S.12°W., 76 lks. dist.
marked $\frac{1}{4}$ S 32 B T

42.60 Desc. 330 ft. over NW. slope.
76.52 Draw, course SW. Asc. 64 ft. to
79.84 The cor. of secs. 29, 30, 31 and 32.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

West, on a random line bet. secs. 30 and 31.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.05 Intersect the cor. of secs. 25, 30, 31 and 36 on W. bdy.
of Tp., hereinbefore described.

Thence
East, on a true line bet. secs. 30 and 31.
Over rolling land, through heavy timber and scattering
undergrowth.
Desc. 16 ft. over SE. slope.
7.00 Draw, course SW.
Asc. 130 ft. over W. slope.
39.05 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
ground to bed rock, supported in a mound of stone, for
 $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 30
S 31
1924

From which,
A pinyon, _____ ins. diam., bears N.30 $\frac{1}{4}$ °W., 15 lks.
dist., marked $\frac{1}{4}$ S 30 B T
A pinyon, 10 ins. diam., bears S.20 $\frac{1}{2}$ °W., 82 lks.
dist., marked $\frac{1}{4}$ S 31 B T

50.00 Spur, slopes SW.
Desc. 70 ft. over SE. slope.
62.70 Draw, course SW.
Asc. 127 ft.
74.00 Spur, slopes SW. Desc.
79.05 The cor. of secs. 29, 30, 31 and 32.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

N.0°3'W., bet. secs. 29 and 30.
Over rolling land, through heavy timber and scattering
undergrowth.
Asc. 100 ft. over SW. slope. to
14.90 Spur, slopes SW.
20.00 Asc. 50 ft. to
39.88 Top of Poverty Mountain.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in
the ground to bed rock, supported in a mound of stone,
for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 30 | S 29
1924

From which,
A pinyon, 6 ins. diam., bears S.69 $\frac{1}{2}$ °E., 77 lks. dist.
marked $\frac{1}{4}$ S 29 B T
A cedar, 24 ins. diam., bears N.6°W., 106 lks. dist.

Chains	marked $\frac{1}{4}$ S 30 B T								
54.92	Desc. 80 ft. over NE. slope. Head of draw, course NE.								
66.92	Asc. 136 ft. over SE. slope. Spur, slopes NE.								
80.00	Desc. 146 ft. to Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 19, 20, 29 and 30, marked on brass cap								
	<table border="0"> <tr><td>T35N</td><td>R11W</td></tr> <tr><td>S 19</td><td>S 20</td></tr> <tr><td>S 30</td><td>S 29</td></tr> <tr><td colspan="2">1924</td></tr> </table>	T35N	R11W	S 19	S 20	S 30	S 29	1924	
T35N	R11W								
S 19	S 20								
S 30	S 29								
1924									
	From which,								
	A cedar, 12 ins. diam., bears N.44 $\frac{1}{2}$ °E., 18 lks. dist. marked T 35 N R 11 W S 20 B T								
	A cedar, 8 ins. diam., bears S.33 $\frac{1}{2}$ °E., 27 lks. dist. marked T 35 N R 11 W S 29 B T								
	A pinyon, 6 ins. diam., bears S.52°W., 83 lks. dist. marked T 35 N R 11 W S 30 B T								
	A cedar, 10 ins. diam., bears N.55°W., 93 lks. dist. marked T 35 N R 11 W S 19 B T								
	Land; rolling. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.								
40.00	S.89°57'E., on a random line bet. secs. 20 and 29. Set temp. $\frac{1}{4}$ sec. cor.								
80.02	Fall 4 lks. S. of the cor. of secs. 20, 21, 28 and 29.								
	Thence N.89°59'W., on a true line bet. secs. 20 and 29. Over rolling land, through heavy timber and scattering undergrowth.								
23.20	NewSpring, bears N.31°45'W., 33.20 chs. Desc. 277 ft. over NW. slope.								
34.00	Draw, course N. Asc. 155 ft. over E. slope.								
40.01	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap								
	<table border="0"> <tr><td>$\frac{1}{4}$</td><td>S 20</td></tr> <tr><td></td><td>S 29</td></tr> <tr><td colspan="2">1924</td></tr> </table>	$\frac{1}{4}$	S 20		S 29	1924			
$\frac{1}{4}$	S 20								
	S 29								
1924									
	from which								
	A pinyon, 8 ins. diam., bears N.64 $\frac{3}{4}$ °E., 80 lks. dist., marked $\frac{1}{4}$ S 20 B T								
	A pinyon, 12 ins. diam., bears S.28°W., 61 lks. dist. marked $\frac{1}{4}$ S 29 B T								
43.60	Asc. 106 ft. over E. slope. Spur, slopes N. Desc. 130 ft. over NW. slope.								
51.77	Draw, course N. Asc. 130 ft. over SE. slope.								
61.60	Spur, slopes N. Desc. 130 ft. over NW. slope.								
69.75	Draw, course NE. Asc. 45 ft. over E. slope.								
80.02	The cor. of secs. 19, 20, 29 and 30.								
	Land; rolling. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.								


Subdivision of T.35 N., R.11 W.

Chains

40.00 West, on a random line bet. secs. 19 and 30.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.81 Fall 2 lks. N. of the cor. of secs. 19, 24, 25 and 30
 on W. bdy. of Tp., hereinbefore described.

Thence
 N.89°59'E., on a true line bet. secs. 19 and 30.
 Over rolling land, through heavy timber and scattering
 undergrowth.

38.81 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in
 the ground to bed rock, supported in a mound of stone,
 for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
 A pinyon, 10 ins. diam., bears N.33 $\frac{1}{4}$ °W., 60 lks. dist.
 marked $\frac{1}{4}$ S 19 B T
 A cedar, 18 ins. diam., bears S.9 $\frac{1}{2}$ °W., 44 lks. dist.
 marked $\frac{1}{4}$ S 30 B T


67.48 Spur, slopes NE. Desc. 123 ft. over NE. slope.

78.81 The cor. of secs. 19, 20, 29 and 30.

Land; rolling.
 Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.


N.0°3'W., bet. secs. 19 and 20.
 Over rolling land, through heavy timber and scattering
 undergrowth.

15.00 Asc. 64 ft. along E. slope of spur.
 Spur, slopes NE.
 35.00 Desc. 150 ft. over steep N. slope of Poverty Mountain to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., on slide rock
 supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked
 on brass cap



From which,
 A pinyon, 6 ins. diam., bears N.18°E., 170 lks. dist.
 marked $\frac{1}{4}$ S 20 B T
 A cedar, 3 ins. diam., bears N.7 $\frac{1}{2}$ °W., 228 lks. dist.
 marked $\frac{1}{4}$ S 19 B T

80.00 Desc. 560 ft. over NE. slope.
 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in
 the ground to bed rock, supported in a mound of stone,
 for cor. of secs. 17, 18, 19 and 20, marked on brass
 cap.



From which,
 A cedar, 18 ins. diam., bears N.45°E., 16 lks. dist.
 marked T 35 N R 11 W S 17 B T
 A cedar, 10 ins. diam., bears S.12 $\frac{1}{2}$ °E., 93 lks. dist.
 marked T 35 N R 11 W S 20 B T
 A pinyon, 6 ins. diam., bears S.32°W., 60 lks. dist.
 marked T 35 N R 11 W S 19 B T
 A cedar, 10 ins. diam., bears N.23 $\frac{1}{4}$ °W., 67 lks. dist.
 marked T 35 N R 11 W S 18 B T

Chains	Land; rolling. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.
40.00	S.89°59'E., on a random line bet. secs. 17 and 20. Set temp. $\frac{1}{4}$ sec. cor.
80.10	Fall 2 lks. S. of the cor. of secs. 16, 17, 20 and 21.
	Thence West, on a true line bet. secs. 17 and 20. Over rolling land, through heavy timber and scattering undergrowth.
27.14	Spur, slopes NE. Desc. 100 ft. over NW. slope.
36.50	Draw, course NE. Asc.
39.67	Pipe Line, bears NW.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ $\frac{S\ 17}{S\ 20}$ 1924
	From which, A pinyon, 14 ins. diam., bears N.39°W., 26 lks. dist. marked $\frac{1}{4}$ S 17 B T A cedar, 16 ins. diam., bears S.2 $\frac{1}{4}$ °W., 94 lks. dist. marked $\frac{1}{4}$ S 20 B T
59.81	Asc. 170 ft. over NE. slope. Spur, slopes NE.
80.10	The cor. of secs. 17, 18, 19 and 20.
	Land; rolling. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.
40.00	S.89°59'W., on a random line bet. secs. 18 and 19. Set temp. $\frac{1}{4}$ sec. cor.
78.77	Fall 21 lks. S. of the cor. of secs. 13, 18, 19 and 24 on W. bdy. of Tp., hereinbefore described.
	Thence S.89°52'E., on a true line bet. secs. 18 and 19. Over rolling land, through heavy timber and scattering undergrowth.
9.40	Head of Draw, course N. Asc. 100 ft. over W. slope.
19.50	Spur, slopes N. Desc. 95 ft. over E. slope.
35.00	Head of draw, course N. Asc. 65 ft. over W. slope.
38.77	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ $\frac{S\ 18}{S\ 19}$ 1924
	From which, A pinyon, 6 ins. diam., bears N.9 $\frac{1}{2}$ °E., 42 lks. dist. marked $\frac{1}{4}$ S 18 B T A cedar, 12 ins. diam., bears S.3 $\frac{1}{2}$ °E., 5 lks. dist. marked $\frac{1}{4}$ S 19 B T
78.77	The cor. of secs. 17, 18, 19 and 20.

Subdivision of T.35 N., R.11 W.


Chains

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

N.0°3'W., bet. secs. 17 and 18.
Over rolling land, through heavy timber and scattering undergrowth.

17.42
40.00


Desc. 95 ft. over NW. slope.
Draw, course NE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
A pinyon, 8 ins. diam., bears S.55°E., 104 lks. dist. marked $\frac{1}{4}$ S 17 B T
A cedar, 10 ins. diam., bears N.85°W., 16 lks. dist. marked $\frac{1}{4}$ S 18 B T

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 7, 8, 17 and 18, marked on brass cap



From which,
A cedar, 18 ins. diam., bears N.46 $\frac{3}{4}$ °E., 66 lks. dist., marked T 35 N R 11 W S 8 B T
A cedar, 16 ins. diam., bears S.72 $\frac{1}{2}$ °E., 15 lks. dist. marked T 35 N R 11 W S 17 B T
A cedar, 16 ins. diam., bears S.73°W., 46 lks. dist. marked T 35 N R 11 W S 18 B T
A cedar, 6 ins. diam., bears N.71 $\frac{1}{4}$ °W., 46 lks. dist. marked T 35 N R 11 W S 7 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.


40.00
80.06

East, on a random line bet. secs. 8 and 17.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 5 lks. S. of the cor. of secs. 8, 9, 16 and 17.

Thence
S.89°58'W., on a random line bet. secs. 8 and 17.
Over rolling land, through scattering timber and undergrowth.

23.00
40.03

Wash, 15 lks. wide, course NE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
A cedar, 18 ins. diam., bears N.36°E., 90 lks. dist. marked $\frac{1}{4}$ S 8 B T
A cedar, 6 ins. diam., bears S.22 $\frac{1}{2}$ °W., 125 lks. dist. marked $\frac{1}{4}$ S 17 B T

43.46

Corral, bears S.8°30'W.

Subdivision of T.35 N., R.11 W.

Chains

61.00 Wash, 20 lks. wide, course N.
 73.42 Corral, bears S.37°37'E.
 80.06 The cor. of secs. 7, 8, 17 and 18.

Land; rolling.
 Soil; rocky, 3rd. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

40.00 N.89°52'W., on a random line bet. secs. 7 and 18.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.71 Fall 6 lks. N. of the cor. of secs. 7, 12, 13 and 18 on
 W. bdy. of Tp., hereinbefore described.

Thence
 S.89°55'E., on a true line bet. secs. 7 and 18.
 Over rolling land, through scattering timber and under-
 growth.

38.71 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in
 the ground to bed rock, with marked cross (+) stone
 alongside, supported in a mound of stone, for $\frac{1}{4}$ sec.
 cor. marked on brass cap

$\frac{1}{4}$ S 7
 S 18
 1924

From which,
 A cedar, 10 ins. diam., bears N.40°W., 194 lks. dist.
 marked $\frac{1}{4}$ S 7 B T
 No tree available in sec. 18.

43.20 Wash, 15 lks. wide, course NE.
 78.71 The cor. of secs. 7, 8, 17 and 18.

Land; rolling.
 Soil; rocky, 4th. rate.
 Timber; cedar and pinyon.
 Undergrowth; sagebrush.

N.0°3'W., bet. secs. 7 and 8.
 Over rolling land, through scattering timber and under-
 growth.

26.00 Wash, 15 lks. wide, course NE.
 30.30 Road, bears SE. and NW.
 37.00 Wash, 15 lks. wide, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
 ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 7 | S 8
 1924

From which,
 A cedar, 6 ins. diam., bears N.32 $\frac{1}{2}$ °E., 231 lks. dist.
 marked $\frac{1}{4}$ S 8 B T
 A cedar, 6 ins. diam., bears N.85°W., 674 lks. dist.
 marked $\frac{1}{4}$ S 7 B T

55.00 Wash, 20 lks. wide, course NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
 the ground for cor. of secs. 5, 6, 7 and 8, marked
 on brass cap

T35N R11W
 S 6 | S 5
 S 7 | S 8
 1924

Subdivision of T.35 N., R.11 W.

Chains Dig pits 18 x 18 x 12 ins. one in each sec., NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

40.00 N.89°58'E., on a random line bet. secs. 5 and 8.
80.16 Set temp. $\frac{1}{4}$ sec. cor.
Fall 5 lks. S. of the cor. of secs. 4, 5, 8 and 9.

Thence
S.89°56'W., on a true line bet. secs. 5 and 8.
Over rolling land, through scattering timber and undergrowth.

40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ $\frac{S 5}{S 8}$
1924

From which,
A cedar, 4 ins. diam., bears N.0°30'W., 173 lks. dist., marked $\frac{1}{4}$ S 5 B T
A cedar, 12 ins. diam., bears S.27°W., 274 lks. dist. marked $\frac{1}{4}$ S 8 B T

45.00 Draw, course NE.
77.66 Wash, 20 lks. wide, course NE.
80.16 The cor. of secs. 5, 6, 7 and 8.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

40.00 N.89°55'W., on a random line bet. secs. 6 and 7.
78.60 Set temp. $\frac{1}{4}$ sec. cor.
Fall 2 lks. N. of the cor. of secs. 1, 6, 7, and 12 on W. hdy. of Tp., hereinbefore described.

Thence
S.89°56'E., on a true line bet. secs. 6 and 7.
Over slightly rolling land, through scattering timber and undergrowth.

28.80 Corral on line.
38.60 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ $\frac{S 6}{S 7}$
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

39.70 Wash, course NE.
68.96 Road, bears SE. and NW.
78.60 The cor. of secs. 5, 6, 7 and 8.


Land; rolling.
Soil; rocky, 2nd. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

Subdivision of T.35 N., R.11 W.

Chains N.0°6'E., on a random line bet. secs. 5 and 6.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.16 Fall 14 lks. W. of the cor. of secs. 5, 6, 31 and 32 on
N. bdy. of Tp., hereinbefore described.

Thence
S.0°12'W., on a true line bet. secs. 5 and 6.
Over rolling land, through scattering timber and under-
growth.

40.16 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in
the ground to bed rock, supported in a mound of stone,
for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
A cedar, 10 ins. diam., bears East, 147 lks. dist.
marked $\frac{1}{4}$ S 5 B T
A cedar, 12 ins. diam., bears S.68 $\frac{1}{4}$ °W., 67 lks. dist.
marked $\frac{1}{4}$ S 6 B T

54.66 Desc. 100 ft. over SE. slope.
Road, bears NE. and SW.
57.16 Wash, 20 lks. wide, course NE.
80.16 The cor. of secs. 5, 6, 7 and 8.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar and pinyon.
Undergrowth; sagebrush.

BOUNDARIES OF T.35 N., R.11 W.

Latitudes, departures and closing errors.

Line designated.	True bearing	Dist- ance.	Latitudes		Departures.	
			N.	S.	E.	W.
S. bdy.	West	478.94				478.94
W. bdy.	North	480.00	480.00			
N. bdy.	N.89°57'E.	478.68	.42		478.68	
E. bdy.	South	480.00		480.00		
Convergency					.53	
Totals			480.42	480.00	479.21	478.94
Error in latitude			480.00		478.94	
			0.42			
Error in departure					0.27	

The continued satisfactory adjustment of the instruments throughout the survey of this township is indicated from field tests as given in Book "G".

GENERAL DESCRIPTION

The surface of T.35 N., R.11 W., ranges from gently rolling to mountainous. The soil is rocky, 3rd. and 4th. rates. There is a scattering growth of cedar and pinyon timber over most of the township and on Poverty Mountain in the southwest cor. of township the timber is quite thick. There is also considerable oak brush on Poverty Mountain. There are two springs in the township; Ivanpah Spring in the NE. $\frac{1}{4}$ of sec. 33 and New Spring near the center of Sec. 20. The land is suitable for grazing. No evidence of mineral was found.

CERTIFICATE OF UNITED STATES TRANSITMAN.

Transitman

I, Charles E. Hunter, U. S. Surveyor, hereby certify upon honor that, in pursuance

of special instructions received from the U. S. Surveyor General, for Group 122, Arizona

bearing date of the 23rd. day of April, 1923, I have well, faithfully, and truly

in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the

The south boundary, east boundary, north boundary and

subdivision lines of

Township 35 North, Range 11 West

of the Gila and Salt

River Baseline Meridian, in the State of Arizona, which are represented in

the foregoing field notes and by diagram on page 1 hereof as having been executed by me, and under my direction; and that all the corners of

said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 122, Arizona

and in the specific manner described in the field notes, and that the foregoing are the original field notes of

such survey.

Place: Phoenix, Arizona

Charles E. Hunter

U. S. Transitman

Date: October 28, 1925.

APPROVAL

OFFICE OF THE UNITED STATES SURVEYOR GENERAL

~~The foregoing field notes of the survey of~~

executed by

under his special instructions dated, 19, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.

4-680

FIELD ASSISTANTS.

NAMES.	CAPACITY.
Ed. F. Stanley	First Chainman
Clifford Stone	Second Chainman
Orvil Bastran	Flagman
Clyde Pectol	Cornerman
Clarence Laub	Axman.
Rex Cannon	AXMAN.

CERTIFICATE OF UNITED STATES SURVEYOR.

I, William E. Hiester, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 122, Arizona bearing date of the 23rd. day of April, 19 23, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of The South Boundary, West Boundary, North Boundary and Subdivision lines of Township 35 North, Range 11 West of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes ^{and by diagram on page 1 hereof} as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 122, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place: Phoenix Arizona
 Date: Oct 27, 1925

William E. Hiester
 U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SUPERVISOR OF SURVEYS.

Denver, Colorado, March 8, 1926.

The foregoing field notes of the survey of The South Boundary, West Boundary, North Boundary and Subdivision lines of Township 35 North, Range 11 West of the Gila and Salt River Base and Meridian in The State of Arizona, executed by William E. Hiester, U.S. Surveyor and Charles E. Hunter, U.S. Transitman

~~examined by~~ under his special instructions dated April 23, 1923 for Group 122, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Charles E. Hunter
 U. S. Supervisor of Surveys.

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~
~~has been correctly copied from the original notes on file in this office.~~