

3689

Book "J"

4-679

BOOK 3689

# FIELD NOTES

OF THE SURVEY OF

*Part of the North Boundary and  
All of the West Boundary of  
Township 38 North, Range 12 West*

*and*

*South Boundary*

*West Boundary*

*East Boundary*

*North Boundary and*

*Subdivision Lines of*

*Township 39 North, Range 13 West*

*of the Gila and Salt River Base and Meridian,*

*In the State of Arizona*

EXECUTED BY

*William E. Hiester, U.S. Surveyor*

*Charles E. Hunter, U.S. Transitman*

AND

*Willis W. Bandy, U.S. Surveyor*

*In the capacity of U. S. Surveyor, under Special Instructions dated April 23, 1923,  
issued by the United States Surveyor General to govern surveys included in Group  
No. 122, Arizona, which were approved by the Commissioner of the General Land  
Office, May 17, 1923, and Assignment Instructions dated Nov. 15, 1923.*

*Survey commenced April 23, 1924*

*Survey completed April 30, 1925.*

3689

3689

# INDEX DIAGRAM.

Township \_\_\_\_\_, Range \_\_\_\_\_

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36


Book "J"  
Group 122 - Arizona  
• INDEX - DIAGRAM •

BOOK 3689

1A

	23	23 24	24	25	25 26	26	
17	6 61	5 52	4 45	3 38	2 32	1	22 6
	61	61 60	52 51	45 44	39 38	33 32	
17	7 60	8 51	9 44	10 38	11 31	12	21 7
16	59	59	50	44 43	37	31	
16	18 58	17 50	16 43	15 36	14 30	13	21 18
	57 58	57	T. 39 N., 49	R. 13 W. 42	36	30	
15	19 56	20 48	21 42	22 35	23 29	24	20 19
	56	55	48 47	41	35	29 28	
15	30 55	29 47	28 40	27 34	26 28	25	20 30
14	54 54	54 53	46	40	34 33	28 27	19
14	31 53	32 46	33 39	34 33	35 27	36	19 31
	12 52	12 11 45	11	10	9	9	8
	6	5	4	3	2	1	6 6

T. 39 N., R. 12 W.



T. 38 N., R. 12 W.

T. 38 N., R. 13 W.

T. 38 N., R. 12 W.

———— Lines surveyed under this group.

———— Accepted surveys.


- - - - - Unsurveyed.



Areas surveyed as per accepted plats on file.

		12	5 7
		13	5 18
		24	4 19
			4
		25	3 30
			3
		36	3 31

Book "J"  
 ° DATE · DIAGRAM ·  
 In two parts  
 Part I



For dates of survey of this line see Book "I"

- Surveyed <sup>by</sup> William E. Hiester, U.S.S. on dates shown thereon.
- Accepted surveyed lines.
- - - - - Unsurveyed lines.

BOOK 3689

DATE DIAGRAM  
IN TWO PARTS  
Part II

Township 39 North, Range 13 West.

	4-11-25	4-10-25	4-10-25	4-9-25	4-9-25	4-8-25	
4-11-25	6 4-11-25	5 4-28-25	4 4-25-25	3 4-28-25	2 4-28-25	1 4-26-25	4-8-25
4-11-25	7 4-27-25	8 4-28-25	9 4-24-25	10 4-25-25	11 4-24-25	12 4-18-25	4-7-25
4-11-25	18 4-26-25	17 4-18-25	16 4-20-25	15 4-24-25	14 4-24-25	13 4-17-25	4-7-25
4-10-25	19 4-18-25	20 4-17-25	21 4-20-25	22 4-15-25	23 4-16-25	24 4-16-25	4-6-25
4-10-25	30 4-14-25	29 4-16-25	28 4-13-25	27 4-15-25	26 4-14-25	25 4-13-25	4-6-25
4-9-25	31 4-14-25	32 4-16-25	33 4-13-25	34 4-14-25	35 4-13-25	36	5-1-24
	4-9-25	4-9-25	4-8-25	4-7-25	4-7-25	4-6-25	

— Lines surveyed by William F. Hiestor U.S.S. on dates shown thereon. W. F. Hiestor, Surveyor.

— Lines surveyed by Willis W. Bandy, U.S.S. on dates shown thereon.

— Lines surveyed by Charles E. Hunter, U.S.T. on dates shown thereon.

Survey commenced April 23, 1924, and partially executed by William E. Hiester, U.S. Surveyor and Charles E. Hunter, U.S. Transitman, on dates shown on diagrams on pages 1a and 1b herof, using Buff transit No. 9977 and Young and Sons transit No. 8535, respectively. For description of these instruments and tests of solars, see Book "I".

Survey continued April 4, 1925 and completed by William E. Hiester, U.S. Surveyor and Willis W. Bandy, U.S. Surveyor, on dates heretofore shown, using Young and Sons transits Nos. 8534 and 8513, respectively. The instruments are equipped with full vertical circles and the Smith solar attachment, and were approved by the Assistant Supervisor of Surveys, conditional upon satisfactory field tests. Unless otherwise specified all azimuth determinations are accomplished with the solar attachments.

We examine the adjustments of the instruments and correct all errors, then to test the solar apparatus by comparing their indications resulting from solar observations made during a.m. and p.m. hours with a meridian determined from observation on Polaris, proceed as follows:

April 4, 1925: At camp in sec. 16, T.39 N., R.13 W., Gila and Salt River Base and Meridian, Arizona, in latitude  $36^{\circ}46\frac{1}{2}'N.$ , longitude  $113^{\circ}43'W.$  of Greenwich, at 6h 38.7m p.m., l.m.t., we observe Polaris at western elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point of the line thus determined, on a stake driven firmly in the ground 5 chs. N.

Azimuth of Polaris at western elongation =  $1^{\circ}22'10''$ .

April 5, 1925: We lay off the azimuth of Polaris  $1^{\circ}22'$  to the east, and mark the meridian thus determined by a tack in a stake driven firmly in the ground, 5 chs. N.

At 8h 0m a.m., app.t., we set off  $36^{\circ}46\frac{1}{2}'N.$  on the latitude arcs,  $6^{\circ}3\frac{1}{2}'N.$  on the declination arcs, and determine meridians with the solars, which agree within 1' of the true meridian.

At app. noon with the latitude arcs unchanged we observe the sun on the meridian with each instrument, the resulting readings of the declination arcs are  $6^{\circ}7'N.$  which agrees with the computed declination of the sun.

At 4h 0m p.m., app.t., with the latitude arcs unchanged, we set off  $6^{\circ}11'N.$  on the declination arcs, and determine meridians with the solars, which agree within 1' of the true meridian.


As all the solar observations during the usual hours of solar work come within  $1'30''$  of the true meridian, we conclude that the adjustments of the instruments are satisfactory.

Unless otherwise specified all measurements are made with Lufkin steel tapes, 5 chs. in length, compared with a Lufkin standard steel tape and found correct. Measurements are made on the slope, the vertical angle determined and the slope measurements properly reduced to true horizontal distances.

West Boundary of T. 38 N., R. 12 W.

Chains  
1.80  
5.40  
14.00  
20.50  
40.00


From the cor. of Ts. 37 and 38 N., Rs. 12 and 13 W., described in Book "I", North, bet. secs. 31 and 36. Over rolling land, through heavy timber and dense undergrowth.  
Asc. S. slope.  
Spur, slopes SW. Desc. 35 ft. to  
Draw, course SW. Asc. 150 ft.  
Spur, slopes W. Desc. 125 ft. to  
Draw, course NW. Desc. 60 ft. over NW. slope.  
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
A cedar, 6 ins. diam., bears S.  $36\frac{1}{2}^{\circ}$ E., 56 lks. dist. marked  $\frac{1}{4}$  S 31 B T  
A cedar, 8 ins. diam., bears N.  $24\frac{1}{4}^{\circ}$ W., 12 lks. dist. marked  $\frac{1}{4}$  S 36 B T

53.61  
64.42  
80.00

Wash, 10 lks. wide, course W.  
Wash, 10 lks. wide, course SW.  
Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 25, 30, 31 and 36, marked on brass cap




From which,  
A cedar, 24 ins. diam., bears N.  $82\frac{1}{2}^{\circ}$ E., 118 lks. dist., marked T 38 N R 12 W S 30 B T  
A cedar, 24 ins. diam., bears S.  $31^{\circ}$ E., 91 lks. dist. marked T 38 N R 12 W S 31 B T  
A cedar, 18 ins. diam., bears S.  $78\frac{1}{4}^{\circ}$ W., 51 lks. dist. marked T 38 N R 13 W S 36 B T  
A cedar, 12 ins. diam., bears N.  $73\frac{3}{4}^{\circ}$ W., 47 lks. dist., marked T 38 N R 13 W S 25 B T

Land; rolling.  
Soil; rocky, 3rd. rate.  
Timber; cedar.  
Undergrowth; sagebrush.

22.50  
25.00  
40.00

North, bet. secs. 25 and 30. Over rolling land, through heavy timber and dense undergrowth.  
Asc. 120 ft. over S. slope.  
Top of ascent. Desc. 50 ft. over NW. slope to  $\frac{1}{4}$  cor. Reservoir, bears west about 20 chs.  
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
A cedar, 6 ins. diam., bears S.  $67\frac{1}{2}^{\circ}$ E., 117 lks. dist. marked  $\frac{1}{4}$  S 30 B T  
A cedar, 8 ins. diam., bears N.  $40^{\circ}$ W., 151 lks. dist. marked  $\frac{1}{4}$  S 25 B T


Desc. 63 ft. over N. slope.

West Boundary of T.38 N., R.12 W.

Chains

50.00  
70.50  
70.75  
80.00

Leave timber, bears NE. and SW. Enter sagebrush flat.  
Road, bears NE. and SW.  
Wash, 10 lks. wide, course SW.  
Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 19, 24, 25 and 30, marked on brass cap




Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.  
Soil; clay, 3rd. rate.  
Timber; cedar.  
Undergrowth; sagebrush.

North, bet. secs. 19 and 24.  
Over rolling land, through sagebrush.

10.00  
15.00  
29.50  
35.50  
40.00


Enter heavy timber, bears NE. and SW.  
Asc. 140 ft. over S. slope.  
Top of ascent.  
Spur, slopes NW. Desc. 40 ft. to  
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
A pinyon, 6 ins. diam., bears N.82°E., 51 lks. dist. marked  $\frac{1}{4}$  S 19 B-T  
A cedar, 6 ins. diam., bears S.16°W., 76 lks. dist. marked  $\frac{1}{4}$  S 24 B-T

47.00  
52.00  
57.70  
63.80  
73.62  
80.00

Desc. 57 ft. over N. slope.  
Foot of descent.  
Leave timber, bears E. and W. Enter sagebrus flat.  
Wash, 10 lks. wide, course NE.  
Wash, 14 lks. wide, course NE.  
Wash, 14 lks. wide, course E.  
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 13, 18, 19 and 24, marked on brass cap



From which,  
A cedar, 10 ins. diam., bears N.13°E., 685 lks. dist. marked T 38 N R 12 W S 18 B T  
A cedar, 10 ins. diam., bears S.86°E., 54 lks. dist. marked T 38 N R 12 W S 19 B T  
A cedar, 24 ins. diam., bears S.87 $\frac{1}{4}$ °W., 425 lks. dist. marked T 38 N R 13 W S 24 BT  
A cedar, 12 ins. diam., bears N.60°W., 263 lks. dist. marked T 38 N R.13 W S 13 B T


Land; rolling.  
Soil; rocky, clay, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush.



West Boundary of T.38 N., R.12 W.


Chains North, bet. secs. 13 and 18.  
 Over rolling land, through heavy timber and dense undergrowth.

2.30 Wash, 8 lks. wide, course E.  
 5.90 Wash, 14 lks. wide, course E.  
 24.90 Road, bears NE. and SW.  
 Asc. 35 ft. to  
 31.00 Low spur, slopes E. Desc. 17 ft. to  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
 A cedar, 6 ins. diam., bears S.35 $\frac{1}{2}$ °E., 98 lks. dist. marked  $\frac{1}{4}$  S 18 B T  
 A cedar, 14 ins. diam., bears S.83 $\frac{1}{4}$ °W., 108 lks. dist. marked  $\frac{1}{4}$  S 13 B T

60.00 Point of spur, slopes E. Desc. 50 ft.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 7, 12, 13 and 18, marked on brass cap




From which,  
 A cedar, 14 ins. diam., bears N.68  $\frac{3}{4}$ °E., 84 lks. dist., marked T 38 N R 12 W S 7 B T  
 A cedar, 20 ins. diam., bears S.61°E., 157 lks. dist. marked T 38 N R 12 W S 18 B T  
 A cedar, 7 ins. diam., bears S.10  $\frac{3}{4}$ °W., 85 lks. dist., marked T 38 N R 13 W S 13 B T  
 A cedar, 7 ins. diam., bears N.9 $\frac{1}{2}$ °W., 63 lks. dist. marked T 38 N R 13 W S 12 B T

Land; rolling.  
 Soil; clay, 3rd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush.

North, bet. secs. 7 and 12.  
 Over rolling land, through heavy timber and dense undergrowth.

7.85 Wash, 10 lks. wide, course NE.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 130 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
 A pinyon, 9 ins. diam., bears N.86°E., 91 lks. dist. marked  $\frac{1}{4}$  S 7 B T  
 A pinyon, 8 ins. diam., bears N.42°W., 42 lks. dist. marked  $\frac{1}{4}$  S 12 B T

48.30 Road, bears E. and W.  
 52.65 Wash, 10 lks. wide, course E. Asc.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 1, 6, 7 and 12, marked on brass cap

West Boundary of T.38 N.,R.12 W.

Chains

T 38 N	
R13W	R12W
S 1	S 6
S 12	S 7
1924	

From which,

- A cedar, 8 ins. diam., bears N.75 $\frac{1}{4}$ °E., 38 lks. dist. marked T 38 N R 12 W S 6 B T
- A pinyon, 14 ins. diam., bears S.19 3/4°E., 67 lks. dist., marked T 38 N R 12 W S 7 B T
- A cedar, 22 ins. diam., bears S.72 $\frac{1}{2}$ °W., 30 lks. dist. marked T 38 N R 13 W S 12 B T
- A cedar, 16 ins. diam., bears N.81°W., 44 lks. dist. marked T 38 N R 13 W S 1 B T

Land; rolling.  
 Soil; rocky, 3rd. rate.  
 Timber; cedar.  
 Undergrowth; sagebrush.

North, bet. secs. 1 and 6.

Over rolling land, through heavy timber and dense undergrowth.

- 10.20 Wash, 10 lks. wide, course SE.
- 17.85 Wash, 16 lks. wide, course SE. Aso.
- 30.60 Spur, slopes E. Desc. 57 ft. to
- 39.70 Wash, 10 lks. wide, course SE.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$	
S 1	S 6
1924	

From which,

- A cedar, 9 ins. diam., bears S.69°E., 52 lks. dist. marked  $\frac{1}{4}$  S 6 B T
- A cedar, 14 ins. diam., bears N.73 $\frac{1}{4}$ °W., 61 lks. dist. marked  $\frac{1}{4}$  S 1 B T

- 81.60 (A point due west of the cor. of secs. 3, 4, 33 and 34, Ts. 38 and 39 N., R. 12 W.) Set an iron post, 3 ft. long, 3 ins. diam., 30 ins. in the ground for cor. of Ts. 38 and 39 N., Rs. 12 and 13 W., marked on brass cap

T 39 N	
R13W	R12W
S 36	S 31
S 1	S 6
T 38 N	
1924	

From which,

- A cedar, 20 ins. diam., bears N.12 3/4°E., 310 lks. dist., marked T 39 N R 12 W S 31 B T
- A cedar, 4 ins. diam., bears S.28°E., 273 lks. dist. marked T 38 N R 12 W S 6 B T
- A cedar, 14 ins. diam., bears S.44 $\frac{1}{2}$ °W., 108 lks. dist. marked T 38 N R 13 W S 1 B T
- A cedar, 14 ins. diam., bears N.56 3/4°W., 80 lks. dist. marked T 39 N R 13 W S 36 B T

Land; rolling.  
 Soil; rocky, 3rd. and 4th. rates.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush.

A Portion of the  
North Boundary of T.38 N., R.12 W.

Chains

The cor. of secs. 3, 4, 33 and 34, Ts. 38 and 39 N., R. 12 W., is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by pits.

Thence,

West, bet. secs. 4 and 33.

Over level land, through scattering timber and dense sagebrush.

12.00

Road, bears SE. and NW.

21.50

Wash, 10 lks. wide, course SE.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 33  
S 4  
1924

From which,

A cedar, 16 ins. diam., bears N.69°W., 148 lks. dist. marked  $\frac{1}{4}$  S 33 B T

A cedar, 14 ins. diam., bears S.77  $\frac{3}{4}$ °E., 209 lks. dist., marked  $\frac{1}{4}$  S 4 B T

45.65

Wash, 10 lks. wide, course SE.

67.00

Spur, slopes SE. Desc.

73.90

Road, bears SE. and NW.

75.65

Wash, 10 lks. wide, course SE.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 4, 5, 32 and 33, marked on brass cap

T39N R12W  
S 32 | S 33  
S 5 | S 4  
T38N  
1924

From which,

A cedar, 4 ins. diam., bears N.48°E., 61 lks. dist. marked B T

A cedar, 5 ins. diam., bears S.32 $\frac{1}{2}$ °E., 221 lks. dist. marked B T

A cedar, 8 ins. diam., bears S.87 $\frac{1}{2}$ °W., 350 lks. dist. marked T 38 N R 12 W S 5 B T

A cedar, 12 ins. diam., bears N.32  $\frac{3}{4}$ °W., 387 lks. dist., marked T 39 N R 12 W S 32 B T

Land; rolling.

Soil; clay, 3rd. rate.

Timber; cedar.

Undergrowth; sagebrush.

West, bet. secs. 5 and 32.

Over rolling land, through scattering timber and dense undergrowth.

18.00

Leave timber, bears SW. and NW.

26.10

Road, bears N. and SW.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 32  
S 5  
1924

From which,

A cedar, 10 ins. diam., bears S.21  $\frac{3}{4}$ °W., 359 lks. dist., marked  $\frac{1}{4}$  S 5 B T

A cedar, 14 ins. diam., bears S.34 $\frac{1}{2}$ °W., 383 lks. dist., marked  $\frac{1}{4}$  S 5 B T

No trees available in sec. 32.

70.00

Enter timber, bears SE. and NE.

A Portion of the  
North Boundary of T. 38 N., R. 12 W.

Chains  
80.00

Set an iron post, 3 ft. long 2 ins. diam., 28 ins. in the ground for cor. of secs. 5, 6, 31 and 32, marked on brass cap

T39N R12W	
S 31	S 32
S 6	S 5
T38N	
1924	

From which,

- A cedar, 4 ins. diam., bears N.34°E., 61 lks. dist. marked B T
- A cedar, 10 ins. diam., bears S.57°E., 104 lks. dist. marked T 38 N R 12 W S 5 B T
- A cedar, 12 ins. diam., bears S.68°W., 130 lks. dist. marked T 38 N R 12 W S 6 B T
- A cedar, 12 ins. diam., bears N.77°W., 91 lks. dist. marked T 39 N R 12 W S 31 B T

Land; rolling.  
Soil; clay, 3rd. rate.  
Timber; cedar.  
Undergrowth; sagebrush.

West, bet. secs. 6 and 31.  
Over rolling land, through heavy timber and dense undergrowth.

19.50  
37.94  
40.00

Wash, 8 lks. wide, course NE. Asc.  
Wash, 10 lks. wide, course N. Asc.  
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for 1/4 sec. cor. marked on brass cap

1/4	S 31
	S 6
1924	

From which,

- A pinyon, 16 ins. diam., bears N.6°W., 27 lks. dist. marked 1/4 S 31 B T
- A pinyon, 12 ins. diam., bears S.21 1/4°E., 33 lks. dist. marked 1/4 S 6 B T

53.00  
80.95

Wash, 10 lks. wide, course N.  
The cor. of Ts. 38 and 39 N., Rs. 12 and 13 W., hereinbefore described.

Land; rolling.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush.

South Boundary of T.39 N., R.13 W.

Chains

From the cor. of Ts. 38 and 39 N., Rs. 12 and 13 E., hereinbefore described. West, bet. secs. 1 and 36. Over gently rolling land, through dense timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap

1/4 S 36 S 1 1925

From which,

A cedar, 10 ins. diam., bears N.72 1/2° E., 20 lks. dist. marked 1/4 S 36 B T

A cedar, 12 ins. diam., bears S.22° E., 18 lks. dist. marked 1/4 S 1 B T

51.00 Wash, 25 lks. wide, course NE.

75.00 Asc. 95 ft. over SE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 1, 2, 35 and 36, marked on brass cap

T39N R13E S 35 S 36 S 2 S 1 T38N 1925

From which,

A cedar, 14 ins. diam., bears N.19 1/2° E., 83 lks. dist. marked T 39 N R 13 E S 36 B T

A pinyon, 10 ins. diam., bears S.26 1/2° E., 87 lks. dist. marked T 38 N R 13 E S 1 B T

A cedar, 12 ins. diam., bears S.16 1/2° W., 32 lks. dist. marked T 38 N R 13 W S 2 B T

A pinyon, 8 ins. diam., bears N.19° W., 49 lks. dist. marked T 39 N R 13 W S 35 B T

Land; rolling.

Soil; rocky, 4th. rate.

Timber; cedar and pinyon.

Undergrowth; sagebrush, oak and cactus.

West, bet. secs. 2 and 35.

Over rolling land, through heavy timber and dense undergrowth.

Asc. 10 ft. over E. slope.

6.80 Spur, slopes N. Desc. 140 ft. over W. slope.

15.00 Wash, 20 lks. wide, course N.

Asc. 260 ft. over E. slope.

35.40 Spur, slopes N. Desc. W. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap

1/4 S 35 S 2 1925

From which,

A cedar, 20 ins. diam., bears N.52° W., 24 lks. dist. marked 1/4 S 35 B T

A pinyon, 10 ins. diam., bears S.56 1/2° E., 30 lks. dist., marked 1/4 S 2 B T

Desc. 170 ft. over W. slope.

54.00 Draw, 20 lks. wide, course NW.

Asc.

56.30 Spur, slopes N. Desc.

58.35 Draw, course N.

63.50 Spur, slopes N. Desc. 100 ft. over NW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 2, 3, 34 and 35, marked

South Boundary of T.39 N., R.13 W.

Chains

on brass cap

T39N R13W  
 S 34 | S 35  
 S 3 | S 2  
 T38N  
 1925

From which,

- A pinyon, 10 ins. diam., bears N.74 $\frac{1}{4}$ °E., 45 lks. dist., marked T 39 N R 13 W S 35 B T
- A pinyon, 10 ins. diam., bears S.24 $\frac{1}{4}$ °E., 30 lks. dist., marked T 38 N R 13 W S 2 B T
- A pinyon, 8 ins. diam., bears S.22 $\frac{1}{2}$ °W., 57 lks. dist., marked T 38 N R 13 W S 3 B T
- A cedar, 8 ins. diam., bears N.70 $\frac{1}{2}$ °W., 12 lks. dist., marked T 39 N R 13 W S 34 B T

Land; rolling.  
 Soil; rocky, 4th. rate.  
 Timber; pinyon and cedar.  
 Undergrowth; oak, sagebrush, manzanita and black brush.

West, bet. secs. 3 and 34.  
 Over mountainous land, through heavy timber and dense undergrowth.

3.70  
 13.30  
 39.00  
 40.00

- Desc. 35 ft. over W. slope.
- Draw, course SW. Asc.
- Ravine, course SW.
- Gulch, course S.
- Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 34  
 S 3  
 1925

From which,

- A pinyon, 6 ins. diam., bears N.34 $\frac{1}{4}$ °E., 27 lks. dist., marked  $\frac{1}{4}$  S 34 B T
- A cedar, 10 ins. diam., bears S.32 $\frac{1}{2}$ °E., 52 lks. dist., marked  $\frac{1}{4}$  S 3 B T

43.67  
 60.50  
 65.90  
 70.00  
 71.55  
 74.50  
 80.00

- Desc. 115 ft. over W. slope.
- Wash, 20 lks. wide, course SW.
- Asc. 115 ft. over E. slope.
- Spur, slopes S. Desc. 120 ft. over NW. slope.
- Wash, 10 lks. wide, course SW.
- Same wash, course NW.
- Same wash, course SW.
- Wash, 12 lks. wide, course S.
- Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 3, 4, 33 and 34, marked on brass cap

T39N R13W  
 S 33 | S 34  
 S 4 | S 3  
 T38N  
 1925

From which,

- A pinyon, 10 ins. diam., bears N.83°E., 34 lks. dist. marked T 39 N R 13 W S 34 B T
- A pinyon, 8 ins. diam., bears S.23 $\frac{1}{2}$ °E., 89 lks. dist. marked T 38 N R 13 W S 3 B T
- A pinyon, 8 ins. diam., bears S.21 $\frac{1}{2}$ °W., 41 lks. dist. marked T 38 N R 13 W S 4 B T
- A pinyon, 6 ins. diam., bears N.24 $\frac{1}{2}$ °W., 43 lks. dist. marked T 39 N R 13 W S 33 B T

Land; mountainous.  
 Soil; rocky, 3rd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; manzanita, oak and cedar.

South Boundary of T.39 N., R.13 W.

Chains West, bet. secs. 4 and 33.  
 Over mountainous land, through heavy timber and dense undergrowth.  
 Desc. 150 ft. over W. slope.  
 14.23 Wash, 20 lks. wide, course S.  
 Asc. 80 ft.  
 24.00 Desc. 140 ft. to  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 33  
 S 4  
 1925

From which,  
 A cedar, 12 ins. diam., bears N.21 $\frac{1}{2}$ °W., 48 lks. dist. marked  $\frac{1}{4}$  S 33 B T  
 A cedar, 18 ins. diam., bears S.22 $\frac{1}{2}$ °E., 55 lks. dist. marked  $\frac{1}{4}$  S 4 B T

40.20 Wash, 15 lks. wide, course SW.  
 Asc. 120 ft. over E. slope.  
 57.50 Rim rock, 8 ft. high, bears N. and S.  
 Desc. 165 ft. over W. slope.  
 63.64 Wash, 40 lks. wide, course S.  
 Asc. 65 ft.  
 74.75 Spur, slopes SE.  
 76.90 Draw, course S. Asc.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 4, 5, 32 and 33, marked on brass cap

T39N R13W  
 S 32 | S 33  
 S 5 | S 4  
 T38N  
 1925

From which,  
 A pinyon, 8 ins. diam., bears N.58 $\frac{1}{2}$ °E., 175 lks. dist. marked T 39 N R 13 W S 33 B T  
 A pinyon, 10 ins. diam., bears S.71 $\frac{1}{2}$ °E., 55 lks. dist. marked T 38 N R 13 W S 4 B T  
 A pinyon, 12 ins. diam., bears S.43 $\frac{1}{2}$ °W., 27 lks. dist. marked T 38 N R 13 W S 5 B T  
 A pinyon, 10 ins. diam., bears N.23 $\frac{1}{4}$ °W., 102 lks. dist. marked T 39 N R 13 W S 32 B T

Land; rolling and mountainous.  
 Soil; rocky, 3rd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; manzanita, oak and cedar.

West, bet. secs. 5 and 32.  
 Over rolling mountainous land, through heavy timber and dense undergrowth.  
 Asc.  
 2.00 Spur, slopes S. Desc. 85 ft. over W. slope.  
 13.60 Wash, 15 lks. wide, course S.  
 Asc. 250 ft. to  
 38.75 Point of spur, slopes N.  
 Desc.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 32  
 S 5  
 1925

From which,  
 A pinyon, 8 ins. diam., bears N.67 $\frac{1}{2}$ °W., 28 lks. dist. marked  $\frac{1}{4}$  S 32 B T  
 A pinyon, 8 ins. diam., bears S.82 $\frac{1}{4}$ °W., 53 lks. dist. marked  $\frac{1}{4}$  S 5 B T

South Boundary of T.39 N.,R.13 W.

Chains  
47.12  
60.20  
  
67.00  
69.00  
80.00

Desc. 130 ft. over NW. slope.  
Draw, course S. Desc. 70 ft. to  
Wash, 14 lks. wide, course SW.  
Asc. 60 ft. over SE. slope.  
Spur, slopes S.  
Spur, slopes S. Desc. 70 ft.  
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in  
the ground for cor. of secs. 5, 6, 31 and 32, marked  
on brass cap

T39N R13W  
S 31 | S 32  
S 6 | S 5  
T38N  
1925

From which,  
A pinyon, 10 ins. diam., bears N.72 $\frac{1}{2}$ °E., 39 lks. dist.  
marked T 39 N R 13 W S 32 B T  
A cedar, 16 ins. diam., bears S.50°E., 5 lks. dist.  
marked T 38 N R 13 W S 5 B T  
A pinyon, 6 ins. diam., bears S.12 $\frac{1}{4}$ °W., 18 lks. dist.  
marked T 38 N R 13 W S 6 B T  
A cedar, 6 ins. diam., bears N.61 $\frac{1}{4}$ °W., 38 lks. dist.  
marked T 39 N R 13 W S 31 B T

Land; rolling mountainous.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; cedar, oak and manzanita.

.70  
12.16  
24.10  
31.02  
40.00

West, bet. secs. 6 and 31.  
Over rolling mountainous land, through heavy timber and  
dense undergrowth.  
Wash, 18 lks. wide, course SE.  
Wash, 10, lks. wide, course SE.  
Wash, 25 lks. wide, course SE.  
Wash, 10 lks. wide, course SE.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 31  
S 6  
1925

From which,  
A pinyon, 6 ins. diam., bears N.45 $\frac{1}{2}$ °E., 29 lks. dist.  
marked  $\frac{1}{4}$  S 31 B T  
A pinyon, 10 ins. diam., bears S.2 $\frac{1}{4}$ °E., 90 lks. dist.  
marked  $\frac{1}{4}$  S 6 B T

44.70  
50.50  
57.35  
64.20  
65.40  
73.94  
78.92

Wash, 10 lks. wide, course S. Asc.  
Spur, slopes SE. Desc. 180 ft. over SW. slope.  
Wash, 30 lks. wide, course SW.  
Wash, 20 lks. wide, course SE.  
Lava ledge, bears N. and S.  
Wash, 20 lks. wide, course S.  
Set an iron post, 3 ft. long, 3 ins. diam., 30 ins. in  
the ground for cor. of Ts. 38 and 39 N., Rs. 13 and 14  
W., marked on brass cap

T39N  
R14W | R13W  
S 36 | S 31  
S 1 | S 6  
T38N  
1925

From which,  
A pinyon, 10 ins. diam., bears N.61°E., 64 lks. dist.  
marked T 39 N R 13 W S 31 B T  
A pinyon, 12 ins. diam., bears S.23 $\frac{1}{2}$ °E., 173 lks.  
dist., marked T 38 N R 13 W S 6 B T  
A pinyon, 10 ins. diam., bears S.60 $\frac{1}{4}$ °W., 66 lks. dist.  
marked T 38 N R 14 W S 1 B T



South Boundary of T.39 N.,R.13 W.

Chains

A pinyon, 10 ins. diam., bears N.40 $\frac{1}{2}$ °W., 45 lks. dist., marked T 39 N. R 14 W S 36 B T

Land; broken mountainous.


Soil; rocky, 3rd. rate.

Timber; cedar and pinyon.

Undergrowth; cedar brush, oak and manzanita.


West Boundary of T.39 N., R.13 W.

Chains From the cor. of Ts. 38 and 39 N., Rs. 13 and 14 W., here-  
 inbefore described,  
 North, bet. secs. 31 and 36.  
 Over mountainous land, through heavy timber and dense  
 undergrowth.  
 9.00 Small saddle in spur.  
 Asc. 175 ft. along E. slope.  
 22.50 Point of spur, slopes W.  
 Desc. 136 ft.  
 29.15 Wash, 10 lks. wide, course W.  
 Asc. 200 ft. over S. slope.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
 A cedar, 14 ins. diam., bears S.70 $\frac{1}{4}$ °E., 44 lks. dist.  
 marked  $\frac{1}{4}$  S 31 B T  
 A cedar, 6 ins. diam., bears N.83°W., 7 lks. dist.  
 marked  $\frac{1}{4}$  S 36 B T


49.00 Spur, slopes W. Desc. 60 ft.  
 57.22 Wash, 10 lks. wide, course SW.  
 Asc.  
 59.80 Spur, slopes SW. Desc. 75 ft.  
 66.70 Wash, 20 lks. wide, course SW.  
 Asc. 165 ft. over SE. slope.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 25 ins. in  
 the ground for cor. of secs. 25, 30, 31 and 36, marked  
 on brass cap



From which,  
 A pinyon, 16 ins. diam., bears N.73 $\frac{1}{2}$ °E., 45 lks. dist.  
 marked T 39 N R 13 W S 30 B T  
 A pinyon, 8 ins. diam., bears S.34°E., 49 lks. dist.  
 marked T 39 N R 13 W S 31 B T  
 A pinyon, 8 ins. diam., bears S.52°W., 23 lks. dist.  
 marked T 39 N R 14 W S 36 B T  
 A pinyon, 8 ins. diam., bears N.15°W., 22 lks. dist.  
 marked T 39 N R 14 W S 25 B T

Land; rolling mountainous.  
 Soil; rocky, 3rd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak and manzanita.

North, bet. secs. 25 and 30.  
 Over rolling mountainous land, through heavy timber and  
 dense undergrowth.  
 Asc. 225 ft. over SE. slope.  
 19.00 Spur, slopes W. Desc.  
 30.20 Wash, 10 lks. wide, course W.  
 Asc. 150 ft. over S. slope.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor. marked on brass cap




From which,  
 A pinyon, 6 ins. diam., bears S.43 $\frac{1}{2}$ °E., 32 lks. dist.

West Boundary of T.39 N., R.13 W.

Chains

marked  $\frac{1}{4}$  S 30 B T  
 A pinyon, 10 ins. diam., bears N.68 $\frac{1}{2}$ °W., 42 lks. dist.  
 marked  $\frac{1}{4}$  S 25 B T

- 41.75 Wash, 10 lks. wide, course W.
- 45.60 Wash, 10 lks. wide, course W. Asc. 140 ft.
- 53.00 Spur, slopes W. Desc. 24 ft.
- 55.55 Draw, course W. Asc. 50 ft.
- 64.20 Desc. 50 ft. to
- 71.30 Wash, 10 lks. wide, course W. Asc.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 19, 24, 25 and 30, marked on brass cap




- From which,
- A pinyon, 10 ins. diam., bears N.26 $\frac{1}{2}$ °E., 55 lks. dist., marked T 39 N R 13 W S 19 B T
  - A pinyon, 6 ins. diam., bears S.14 $\frac{1}{2}$ °E., 75 lks. dist., marked T 39 N R 13 W S 30 B T
  - A cedar, 8 ins. diam., bears S.57 $\frac{1}{2}$ °W., 21 lks. dist., marked T 39 N R 14 W S 25 B T
  - A cedar, 8 ins. diam., bears N.6°W., 35 lks. dist., marked T 39 N R 14 W S 24 B T

Land; rolling mountainous.  
 Soil; rocky, 3rd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak, cedar brush and manzanita.


North, bet. secs. 19 and 24.  
 Over rolling mountainous land, through scattering timber and dense undergrowth.

- 34.50 Asc. 120 ft. along W. slope of mountain.
- 40.00 Point of spur, slopes W.
- Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap



- From which,
- A cedar, 7 ins. diam., bears S.70 $\frac{1}{2}$ °E., 12 lks. dist. marked  $\frac{1}{4}$  S 19 B T
  - A pinyon, 12 ins. diam., bears N.89 $\frac{1}{2}$ °W., 14 lks. dist., marked  $\frac{1}{4}$  S 24 B T

- 42.00 Spur, slopes SW. Desc.
- 45.00 Enter heavy timber, bears E. and W.
- 54.80 Wash, 20 lks. wide, course W. Asc. 440 ft. over SW. slope.
- 63.30 Wash, 30 lks. wide, course SW. Continue ascent.
- 73.00 Enter scattering timber, bears NE. and SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 13, 18, 19 and 24, marked on brass cap



From which,

West Boundary of T.39 N., R.13 W.


Chains

A cedar, 5 ins. diam., bears N.38°E., 76 lks. dist.  
 marked T 39 N R.13 W S 18 B T  
 A pinyon, 8 ins. diam., bears S.82°W., 256 lks. dist.  
 marked T 39 N R 13 W S 19 B T  
 A cedar, 8 ins. diam., bears S.51°W., 79 lks. dist.  
 marked T 39 N R 14 W S 24 B T  
 No trees available NW.

Land; mountainous.  
 Soil; rocky, 3rd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak, buck brush and manzanita.


North, bet. secs. 13 and 18.  
 Over mountainous land, through scattering timber and  
 dense undergrowth.

15.00 Asc. 315 ft. over SW. slope.  
 Main ridge, bears SE. and NW.  
 22.65 Over rolling E. slope.  
 Wash, 40 lks. wide, course SE.  
 40.00 Asc. 115 ft. to  
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
 A cedar, 10 ins. diam., bears S.60 $\frac{1}{2}$ °E., 26 lks. dist.  
 marked  $\frac{1}{4}$  S 18 B T  
 A cedar, 6 ins. diam., bears S.43 $\frac{1}{4}$ °W., 31 lks. dist.  
 marked  $\frac{1}{4}$  S 13 B T

80.00 Asc. 270 ft. over SE. slope.  
 Set an iron post, 3 ft. long, 2 ins. diam., on ledge  
 over cross (+) marked on surface rock, supported in  
 a mound of stone, for cor. of secs. 7, 12, 13 and 18,  
 marked on brass cap




From which,  
 A cedar, 10 ins. diam., bears S.39 $\frac{1}{4}$ °E., 128 lks.  
 dist., marked T 39 N R.13 W S 18 B T  
 A cedar, 6 ins. diam., bears S.30 $\frac{1}{4}$ °W., 134 lks.  
 dist., marked T 39 N R 14 W S 13 B T  
 No other trees near.

Land; rolling mountainous.  
 Soil; rocky, 3rd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak, sagebrush and manzanita.

North, bet. secs. 7 and 12.  
 Over rolling mountainous land, through scattering timber  
 and dense undergrowth.

39.00 Asc. 110 ft. over SE. slope.  
 Enter scattering yellow pine, bears E. and W.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in  
 the ground to bed rock, supported in a mound of stone,  
 for  $\frac{1}{4}$  sec. cor. marked on brass cap



West Boundary of T.39 N., R.13 W.

Chains

From which,

A yellow pine, 24 ins. diam., bears N.34°E., 206 lks. dist., marked 1/4 S 7 B T


A yellow pine, 12 ins. diam., bears S.40°W., 68 lks. dist., marked 1/4 S 12 B T

Along E. slope.

67.37 Wash, 10 lks. wide, course NE.

Asc.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 1, 6, 7 and 12, marked on brass cap



From which,

A yellow pine, 7 ins. diam., bears N.73 1/2°E., 61 lks. dist., marked T 39 N R 13 W S 6 B T

A cedar, 6 ins. diam., bears S.63°W., 83 lks. dist. marked T 39 N R 13 W S 7 B T

A cedar, 12 ins. diam., bears S.49 1/2°W., 47 lks. dist. marked T 39 N R 14 W S 12 B T

A cedar, 6 ins. diam., bears N.69°W., 121 lks. dist. marked T 39 N R 14 W S 1 B T

Land; rolling mountainous.

Soil; rocky, 3rd. rate.

Timber; yellow pine, cedar and pinyon.

Undergrowth; oak, sagebrush and buck brush.

North, bet. secs. 1 and 6.

Over rolling mountainous land, through scattering timber and dense undergrowth.

Desc. 130 ft. over NE. slope to

20.39 Wash, 30 lks. wide, course E.


Asc.

29.50 Desc. 50 ft. to

33.82 Wash, 20 lks. wide, course E.

Asc.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap



From which,

A cedar, 24 ins. diam., bears N.32°E., 158 lks. dist. marked 1/4 S 6 B T


A yellow pine, 16 ins. diam., bears S.29 1/2°W., 175 lks. dist., marked 1/4 S 1 B T

Desc. 200 ft. over NE. slope.

76.38 Wash, 10 lks. wide, course E.

Asc.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., on ledge supported in a mound of stone, for cor. of Ts. 39 and 40 N., Rs. 13 and 14 W., marked on brass cap



From which,

A cross (+) B O S 31 bears N.65°E., 7 lks. dist.

West Boundary of T.39 N., R.13 W.

Chains

A yellow pine, 12 ins. diam., bears N.83 $\frac{1}{2}$ °W., 163 lks. dist., marked T 40 N R 14 W S 36 B T  
No other trees near.

Land; rolling mountainous.  
Soil; rocky, 3rd. rate.  
Timber; yellow pine, cedar and pinyon.  
Undergrowth; oak, sage and manzanita,



[The remainder of the page contains extremely faint and illegible text, likely bleed-through from the reverse side of the document.]

East Boundary of T.39 N., R.13 W.

Chains

From the cor. of Ts. 38 and 39 N., Rs. 12 and 13 W.,  
hereinbefore described,  
North, bet. secs. 31 and 36.  
Over gently rolling land, through scattering timber  
and undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 36 | S 31  
1924

From which,

- A cedar, 10 ins. diam., bears S.65°E., 54 lks. dist.  
marked  $\frac{1}{4}$  S 31 B T
- A cedar, 20 ins. diam., bears S.52°W., 55 lks. dist.  
marked  $\frac{1}{4}$  S 36 B T

44.00

Desc. 50 ft. over N. slope.

48.00

Foot of descent.

55.30

Leave timber.

60.40

Road, bears NW.

66.70

Wash, course NW.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in  
the ground for cor. of secs. 25, 30, 31 and 36, marked  
on brass cap

T39N  
R13W | R12W  
S 25 | S 30  
S 36 | S 31  
1924

From which,

- A cedar, 8 ins. diam., bears N.10 $\frac{3}{4}$ °E., 415 lks. dist.  
marked T 39 N R 12 W S 30 B T
- A cedar, 4 ins. diam., bears S.58 $\frac{1}{2}$ °E., 225 lks. dist.  
marked B T R 12 W S 31
- A cedar, 6 ins. diam., bears S.32 $\frac{1}{4}$ °W., 988 lks. dist.  
marked T 39 N R 13 W S 36 B T
- A cedar, 8 ins. diam., bears N.22°W., 431 lks. dist.  
marked T 39 N R 13 W S 25 B T

Land; rolling.

Soil; gravelly, 2nd. rate.

Timber; cedar.

Undergrowth; sagebrush.

North, bet. secs. 25 and 30.

Over rolling land, through scattering timber and under-  
growth.

3.85

Wash, 20 lks. wide, course W.

Asc. 60 ft. over broken S. slope.

26.65

Spur, slopes S.80°W.

Desc. 20 ft. over N. slope.

34.20

Draw, course S.80°W.

Asc. 160 ft. over SW. slope.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 25 | S 30  
1925

From which,

- A cedar, 10 ins. diam., bears S.30°E., 14 lks. dist.  
marked  $\frac{1}{4}$  S 30 B T
- A cedar, 12 ins. diam., bears N.30°W., 58 lks. dist.  
marked  $\frac{1}{4}$  S 25 B T

East Boundary of T.39 N., R.13 E.

Chains  
51.40  
63.10  
  
80.00

Asc. 164 ft. over S. slope:  
Top of ascent. Desc. 117 ft. over NW. slope.  
Wash, 8 lks. wide, course W.  
Asc. 60 ft. to  
Set an iron post, 3 ft. long; 2 ins. diam., 22 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 19, 24, 25 and 30, marked on brass cap

T39N	
R13W	R12W
S 24	S 19
S 25	S 30
1925	

From which,  
A pinyon, 8 ins. diam., bears N.64 $\frac{1}{2}$ °E., 52 lks. dist. marked T 39 N R 12 W S 19 B T  
A cedar, 9 ins. diam., bears S.9 $\frac{1}{2}$ °E., 40 lks. dist. marked T 39 N R 12 W S 30 B T  
A pinyon, 7 ins. diam., bears S.29 $\frac{1}{2}$ °W., 59 lks. dist. marked T 39 N R 13 W S 25 B T  
A cedar, 10 ins. diam., bears N.64°W., 31 lks. dist. marked T 39 N R 13 W S 24 B T

Land; rolling.  
Soil; gravelly, 2nd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush, cedar and buckthorn.

25.60  
40.00

North, bet. secs. 19 and 24.  
Over mountainous land, through scattering timber and undergrowth.  
Asc. 220 ft. over SW. slope.  
Top of ascent. Desc. 108 ft. over NW. slope.  
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$	
S 24	S 19
1925	

From which,  
A stone, bears S.68°E., 7 lks. dist. marked cross (+) S 19 B 0  
A pinyon, 11 ins. diam., bears S.39 $\frac{1}{2}$ °W., 54 $\frac{1}{2}$  lks. dist., marked  $\frac{1}{4}$  S 24 B T

44.74  
80.00

Desc.  
Wash, 20 lks. wide, course S.80°W.  
Asc. 650 ft. over broken S. slope.  
Set an iron post, 3 ft. long, 2 ins. diam., in slide rock, supported in a mound of stone, for cor. of secs. 13, 18, 19 and 24, marked on brass cap

T39N	
R13W	R12W
S 13	S 18
S 24	S 19
1925	

From which,  
A pinyon, 18 ins. diam., bears N.56 $\frac{1}{2}$ °E., 195 lks. dist., marked T 39 N R 12 W S 18 B T  
A boulder, bears S.74°E., 6 lks. dist., marked B0 + S 19  
A pinyon, 10 ins. diam., bears S.76 $\frac{1}{2}$ °W., 131 lks. dist. marked T 39 N R 13 W S 24 B T  
A cedar, 10 ins. diam., bears N.26°W., 98 lks. dist. marked T 39 N R 13 W S 13 B T

Land; mountainous.  
Soil; rocky, 3rd. rate. Timber; cedar and pinyon.  
Undergrowth; manzanita, cedar and sagebrush.




East Boundary of T.39 N., R.13 W.

Chains

North, bet. secs. 13 and 18.  
Over mountainous land, through scattering timber and dense undergrowth.

19.50  
40.00


Asc. 220 ft. over rocky south slope.  
Top of ascent, bears SE. and NW.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
A pinyon, 9 ins. diam., bears S.40 $\frac{1}{2}$ °E., 26 lks. dist. marked  $\frac{1}{4}$  S 18 B T  
A cedar, 5 ins. diam., bears N.33 $\frac{1}{2}$ °W., 14 lks. dist. marked  $\frac{1}{4}$  S 13 B T

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, in a mound of stone, for cor. of secs. 7, 12, 13 and 18, marked on brass cap




From which,  
A pinyon, 7 ins. diam., bears N.62 $\frac{1}{2}$ °E., 97 lks. dist. marked T 39 N R 12 W S 7 B T  
A cedar, 6 ins. diam., bears S.33 $\frac{1}{2}$ °E., 47 lks. dist. marked T 39 N R 12 W S 18 B T  
A pinyon, 14 ins. diam., bears S.69 $\frac{1}{2}$ °W., 138 lks. dist.; marked T 39 N R 13 W S 13 B T  
A pinyon, 9 ins. diam., bears N.46°W., 63 lks. dist. marked T 39 N R 13 W S 12 B T

Land; mountainous.  
Soil; gravelly and rocky, 2nd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush.

North, bet. secs. 7 and 12.  
Over rolling land, through scattering timber and dense undergrowth.

40.00


Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
A cedar, 6 ins. diam., bears N.54°E., 93 lks. dist. marked  $\frac{1}{4}$  S 7 B T  
A cedar, 10 ins. diam., bears S.59°W., 118 lks. dist. marked  $\frac{1}{4}$  S 12 B T

80.00

Desc. gentle N. slope.  
Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 1, 6, 7, and 12, marked on brass cap



East Boundary of T.39 N., R.13 W.


Chains

From which,  
 A cedar, 7 ins. diam., bears N.68 $\frac{1}{2}$ °E., 109 lks. dist.  
 marked T 39 N R 12 W S 6 B T  
 A cedar, 7 ins. diam., bears S.55 $\frac{1}{4}$ °E., 150 lks. dist.  
 marked T 39 N R 12 W S 7 B T  
 A cedar, 8 ins. diam., bears S.44 $\frac{1}{2}$ °W., 73 lks. dist.  
 marked T 39 N R 13 W S 12 B T  
 A cedar, 3 ins. diam., bears N.81 $\frac{3}{4}$ °W., 57 lks. dist.  
 marked B T

Land; mountainous.  
 Soil; gravelly, 2nd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush and cedar.

North, bet. secs. 1 and 6.  
 Over rolling land, through scattering timber and dense undergrowth.


28.85 Asc. 70 ft. along E. slope.  
 Spur, slopes NE.  
 40.00 Desc. 90 ft. over N. slope to  
 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap



1925

From which,  
 A cedar, 10 ins. diam., bears S.82°E., 58 lks. dist.  
 marked  $\frac{1}{4}$  S 6 B T  
 A cedar, 12 ins. diam., bears N.51°W., 61 lks. dist.  
 marked  $\frac{1}{4}$  S 1 B T

80.00 Desc. 250 ft. over N. slope.  
 Set an iron post, 3 ft. long, 3 ins. diam., on surface rock, supported in a mound of stone, for cor. of Ts. 39 and 40 N., Rs. 12 and 13 W., marked on brass cap



1925

From which,  
 A cedar, 6 ins. diam., bears N.46°E., 80 lks. dist.  
 marked T 40 N R 12 W S 31 B T  
 A cedar, 8 ins. diam., bears S.22°E., 54 lks. dist.  
 marked T 39 N R 12 W S 6 B T  
 A cedar, 7 ins. diam., bears S.50 $\frac{1}{2}$ °W., 81 lks. dist.  
 marked T 39 N R 13 W S 1 B T  
 A cedar, 8 ins. diam., bears N.59 $\frac{3}{4}$ °W., 75 lks. dist.  
 marked T 40 N R 13 W S 36 B T

Land; rolling.  
 Soil; gravelly, 2nd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush and manzanita.

North Boundary of T.39 N., R.13 W.

Chains

From the cor. of Ts. 39 and 40 N., Rs. 12 and 13 W., West, on a random line along N. bdy. of T.39 N., R.13 W., setting temp.  $\frac{1}{4}$  sec. and sec. cors. at intervals of 40.00 chs. until at 478.40 chs. fall 30 lks. N. of the cor. of Ts. 39 and 40 N., Rs. 13 and 14 W., hereinbefore described.

Thence N.  $89^{\circ}58'E.$ , on a true line bet. secs. 6 and 31. Over rolling mountainous land, through scattering timber and dense undergrowth.

1.50  
22.10  
38.40

Asc.  
Desc. 400 ft. over SE. slope.  
Wash, course NE.  
Along N. slope, descending 100 ft. to  
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 31  
S 6  
1925

From which,  
An oak, 5 ins. diam., bears N.  $75\frac{1}{4}^{\circ}W.$ , 104 lks. dist. marked  $\frac{1}{4}$  S 31 B T  
A cedar, 5 ins. diam., bears S.  $3\frac{1}{4}^{\circ}E.$ , 106 lks. dist. marked  $\frac{1}{4}$  S 6 B T

78.40

Desc. 490 ft. along N. slope.  
Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 5, 6, 31 and 32, marked on brass cap

T40N R13W  
S 31 | S 32  
S 6 | S 5  
T39N  
1925

From which,  
A cedar, 6 ins. diam., bears N.  $25^{\circ}E.$ , 53 lks. dist. marked T 40 N R 13 W S 32 B T  
A cedar, 3 ins. diam., bears S.  $70^{\circ}E.$ , 33 lks. dist. marked B T  
A cedar, 4 ins. diam., bears S.  $36^{\circ}W.$ , 66 lks. dist. marked T 39 N R 13 W S 6 B T  
A cedar, 6 ins. diam., bears N.  $65^{\circ}W.$ , 77 lks. dist. marked T 40 N R 13 W S 31 B T

Land; mountainous.  
Soil; gravelly, 2nd. rate.  
Timber; cedar and pinyon.  
Undergrowth; oak and sagebrush.

13.07  
40.00

N.  $89^{\circ}58'E.$ , on a true line bet. secs. 5 and 32. Over mountain us land, through scattering timber and dense undergrowth.  
Desc. 245 ft. over E. slope.  
Wash, 30 lks. wide, course SE.  
Asc.  
Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 32  
S 5  
1925

From which,  
A cedar, 10 ins. diam., bears N.  $11\frac{1}{4}^{\circ}W.$ , 49 lks. dist., marked  $\frac{1}{4}$  S 32 B T  
A cedar, 13 ins. diam., bears S.  $58^{\circ}W.$ , 27 lks. dist., marked  $\frac{1}{4}$  S 5 B T

64.00

Asc. 140 ft. over broken S. slope.  
Spur, slopes S.

## North Boundary of T.39 N., R.13 W.

Chains  
79.79 Desc. 260 ft. to  
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in  
the ground for witness cor. to the cor. of secs. 4, 5,  
32 and 33, marked on brass cap

T40N R13W  
S 32 | S 33  
S 5 | S 4 W C

T39N  
1925

From which,

- A cedar, 10 ins. diam., bears N.56 $\frac{1}{2}$ °E., 68 lks. dist.  
marked W C T 40 N R 13 W S 33 B T
- A cedar, 6 ins. diam., bears S.28°E., 37 lks. dist.  
marked W C T 39 N R 13 W S 4 B T
- A pinyon, 10 ins. diam., bears S.20 $\frac{1}{4}$ °W., 51 lks. dist.  
marked W C T 39 N R 13 W S 5 B T
- A pinyon, 14 ins. diam., bears N.27 $\frac{1}{4}$ °W., 67 lks. dist.  
marked W C T 40 N R 13 W S 32 B T

80.00 True point for cor., falls in wash, course SE.  
Land; mountainous.  
Soil; gravelly, 2nd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush and manzanita.

From true point for cor.,  
N.89°58'E., on a true line bet. secs. 4 and 33.  
Over mountainous land, through scattering timber and  
dense undergrowth.

28.44 Desc. 360 ft. over rolling S. slope.

Wash, 10 lks. wide, course S.

Asc. 60 ft. over W. slope.

35.50 Desc. 85 ft. over E. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the  
ground to bed rock, supported in a mound of stone, for  
 $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 33  
S 4  
1925

From which,

- A pinyon, 10 ins. diam., bears N.22°W., 54 lks. dist.  
marked  $\frac{1}{4}$  S 33 B T
- A cedar, 12 ins. diam., bears S.75 $\frac{1}{2}$ °E., 44 lks. dist.  
marked  $\frac{1}{4}$  S 4 B T

57.90 Desc. 284 ft. over SE. slope.  
Wash, 10 lks. wide, course SE.

Asc.

61.70 Spur, slopes SE.

Desc. 207 ft. over E. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in  
the ground for cor. of secs. 3, 4, 33 and 34, marked  
on brass cap

T40N R13 W  
S 33 | S 34  
S 4 | S 3

T39N  
1925

From which,

- A cedar, 12 ins. diam., bears N.51°E., 54 lks. dist.  
marked T 40 N R 13 W S 34 B T
- A cedar, 9 ins. diam., bears S.37 $\frac{1}{2}$ °E., 84 lks. dist.  
marked T 39 N R 13 W S 3 B T
- A cedar, 10 ins. diam., bears S.28°W., 45 lks. dist.  
marked T 39 N R 13 W S 4 B T
- A cedar, 3 ins. diam., bears N.82°W., 71 lks. dist.  
marked T 40 N R 13 W S 33 B T

Land; mountainous.  
Soil; gravelly, 2nd. rate.  
Timber; cedar and pinyon. Undergrowth; sage and manzanita.

North Boundary of T.39 N., R.13 W.

Chains

N.89°58'E., on a true line bet. secs. 3 and 34.  
Over mountainous land, through scattering timber and dense undergrowth.

- 8.93 Desc. 90 ft. over E. slope.  
Wash, 10 lks. wide, course SE.  
Asc. 50 ft. over SW. slope.
- 18.00 Desc. 140 ft. over SE. slope.
- 27.32 Wash, 20 lks. wide, course NE.
- 27.44 Road, bears N.25°E. and S.  
Asc. 174 ft. to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   $\frac{S\ 34}{S\ 3}$   
1925

From which,

- A cedar, 9 ins. diam., bears N.31°E., 46 lks. dist. marked  $\frac{1}{4}$  S 34 B T
- A cedar, 12 ins. diam., bears S.31°E., 42 lks. dist. marked  $\frac{1}{4}$  S 3 B T

- 59.57 Over rolling S. slope.  
Spur, slopes NE.  
Desc. 224 ft. over E. slope.
- 73.78 Wash, 40 lks. wide, course N.  
Asc. 180 ft. over W. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 2, 3, 34 and 35, marked on brass cap

T40N R13W  
S 34 | S 35  
S 3 | S 2  
T39N  
1925

From which,

- A cedar, 6 ins. diam., bears S.50 $\frac{1}{2}$ °W., 174 lks. dist., marked T 39 N R 13 W S 3 B T
- A cedar, 4 ins. diam., bears N.42°W., 110 lks. dist., marked T 40 N R 13 W S 34 B T
- No other suitable trees near.
- Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high W. of cor.

Land; mountainous.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush and buck brush.

N.89°58'E., on a true line bet. secs. 2 and 35.  
Over rolling land, through scattering timber and dense undergrowth.

- 3.00 Asc. 63 ft. over W. slope.  
Spur, slopes N.
- 29.20 Over rolling N. slope.  
Spur, slopes N.
- 40.00 Desc. 160 ft. over E. slope.  
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   $\frac{S\ 35}{S\ 2}$   
1925

From which,

- A cedar, 10 ins. diam., bears N.6 $\frac{1}{2}$ °W., 47 lks. dist. marked  $\frac{1}{4}$  S 35 B T
- A cedar, 12 ins. diam., bears S.62°W., 61 lks. dist. marked  $\frac{1}{4}$  S 2 B T

Desc. 110 ft. over E. slope.

## North Boundary of T.39 N., R.13 W.

Chains

44.00

Wash, 35 lks. wide, course N.  
Asc. 750 ft. over broken W. slope.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 1, 2, 35 and 36, marked on brass cap

T40N	R13W
S 35	S 36
S 2	S 1
T39N	
1925	

From which,

A pinyon, 8 ins. diam., bears N.55°E., 22 lks. dist.  
marked T 40 N R 13 W S 36 B TA pinyon, 10 ins. diam., bears S.39½°E., 53 lks. dist.  
marked T 39 N R 13 W S 1 B TA pinyon, 12 ins. diam., bears S.72°W., 22 lks. dist.  
marked T 39 N R 13 W S 2 B TA pinyon, 10 ins. diam., bears N.43°W., 55 lks. dist.  
marked T 40, N R 13 W S 35 B T

Cor. stands in draw, course NW.

Land; rolling.

Soil; rocky, 3rd. rate.

Timber; cedar and pinyon.

Undergrowth; sagebrush and manzanita.

40.00

N.89°58'E., on a true line bet. secs. 1 and 36.

Over rolling land, through scattering timber and dense undergrowth.

Asc. 400 ft. over broken W. slope.

Set an iron post, 3 ft. long, 1 in. diam., on surface rock, supported in a mound of stone, for ¼ sec. cor. marked on brass cap

¼	S 36
	S 1
1925	

From which,

A rock, bears N.89°E., 7 lks. dist.  
marked cross (+) B O S 36

43.00

Asc. 166 ft. over W. slope.

43.30

Ledge, bears N. and S.

54.22

Spur, slopes N.

Wash, 6 lks. wide, course N.

Over rolling N. slope.

80.00

The cor. of Ts. 39 and 40 N., Rs. 12 and 13 W., hereinbefore described.

Land; rolling.


Soil; gravelly, 2nd. rate.

Timber; cedar and pinyon.

Undergrowth; sagebrush and manzanita.

Subdivision of T.39 N., R.13 W.


Chains From the cor. of secs. 1, 2, 35 and 36 on S. bdy. of Tp., hereinbefore described.  
 N.0°1'W., bet. secs. 35 and 36.  
 Over broken land, through scattering timber and undergrowth.  
 Desc. 233 ft. over N. slope.  
 27.72 Road, bears S.70°E. and N.70°W.  
 36.00 Wash, 10 lks. wide, course N.75°E.  
 Asc. 36. ft.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



1925

From which,  
 A pinyon, 5 ins. diam., bears S.54°E., 33 lks. dist. marked  $\frac{1}{4}$  S 36 B T  
 A pinyon, 12 ins. diam., bears N.8°W., 83 lks. dist. marked  $\frac{1}{4}$  S 35 B T

45.00 Spur, slopes E.  
 Desc. 123 ft. over NE. slope.  
 67.20 Wash, 15 lks. wide, course N.10°W.  
 69.50 Road, bears SE. and NW.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 25, 26, 35 and 36, marked on brass cap




From which,  
 A cedar, 12 ins. diam., bears N.62 $\frac{1}{2}$ °E., 226 lks. dist., marked T 39 N R 13 W S 25 B T  
 A cedar, 3 ins. diam., bears S.67 $\frac{1}{2}$ °E., 17 lks. dist. marked B T  
 A cedar, 3 ins. diam., bears S.85°W., 140 lks. dist. marked B T  
 A cedar, 12 ins. diam., bears N. $\frac{1}{4}$ °W., 313 lks. dist. marked T 39 N R 13 W S 26 B T

Land; broken hills.  
 Soil; gravelly, 2nd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush.

40.00 East, on a random line bet. secs. 25 and 36.  
 79.86 Set temp.  $\frac{1}{4}$  sec. cor.  
 Fall 7 lks. N. of the cor. of secs. 25, 30, 31 and 36, on E. bdy. of Tp., hereinbefore described.

Thence  
 N.89°57'W., on a true line bet. secs. 25 and 36.  
 Over rolling land, through scattering timber and undergrowth.

11.24 Wash, 15 lks. wide, course NW.  
 Asc. 90 ft. over E. slope.  
 21.00 Road, bears N. and S.  
 36.00 Spur, slopes NE.  
 39.93 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,

## Subdivision of T.39 N., R.13 W.

Chains	<p>A pinyon, 8 ins. diam., bears N.17°W., 70 lks. dist. marked <math>\frac{1}{4}</math> S 25 B T</p> <p>A cedar, 8 ins. diam., bears S.23<math>\frac{1}{4}</math>°W., 74 lks. dist. marked <math>\frac{1}{4}</math> S 36 B T</p>
66.80	Desc. 186 ft. over NW. slope.
79.55	Road, bears N. and S.
79.86	Wash, course NW.
	The cor. of secs. 25, 26, 35 and 36.
	Land; rolling hills.
	Soil; gravelly, 2nd. and 3rd. rates.
	Timber; cedar and pinyon.
	Undergrowth; sagebrush.
	N.0°1'W., bet. secs. 25 and 26.
	Over rolling land, through scattering timber and undergrowth.
.21	Wash, 10 lks. wide, course NW.
10.00	Spur, slopes NW. Desc. 74 ft.
37.25	Wash, 70 lks. wide, course W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 26   S 25 1925
	From which,
	A cedar, 6 ins. diam., bears S.10 $\frac{1}{4}$ °E., 279 lks. dist. marked $\frac{1}{4}$ S 25 B T
	A cedar, 3 ins. diam., bears west, 64 lks. dist. marked B T
54.30	Wash, 10 lks. wide, course SW.
63.90	Road, bears E. and W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked on brass cap
	T39N R13W S 23   S 24 S 26   S 25 1925
	From which,
	A pinyon, 14 ins. diam., bears N.15 $\frac{1}{2}$ °E., 36 lks. dist. marked T 39 N R 13 W S 24 B T
	A pinyon, 15 ins. diam., bears S.31°E., 82 lks. dist. marked T 39 N R 13 W S 25 B T
	A pinyon, 10 ins. diam., bears S.24 $\frac{1}{2}$ °W., 73 lks. dist. marked T 39 N R 13 W S 26 B T
	A cedar, 12 ins. diam., bears N.38°W., 26 lks. dist. marked T 39 N R 13 W S 23 B T
	Land; rolling.
	Soil; gravelly, 2nd. rate.
	Timber; cedar and pinyon.
	Undergrowth; sagebrush, buckbrush.
40.00	S.89°57'E., on a random line bet. secs. 24 and 25.
79.88	Set temp. $\frac{1}{4}$ sec. cor.
	Fall 9 lks. N. of the cor. of secs. 19, 24, 25 and 30 on E. bdy. of Tp., hereinbefore described.
	Thence
	N.89°53'W., on a true line bet. secs. 24 and 25.
	Over rolling land, through scattering timber and undergrowth.
11.38	Desc. 86 ft. over W. slope.
	Wash, 10 lks. wide, course S.



Subdivision of T.39 N., R.13 W.

Chains  
39.94  
S

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 24  
S 25  
1925

M

From which,

A pinyon, 12 ins. diam., bears N.68 $\frac{3}{4}$ °E., 14 lks. dist. marked  $\frac{1}{4}$  S 24 B T

A pinyon, 6 ins. diam., bears S.25°W., 55 lks. dist. marked  $\frac{1}{4}$  S 25 B T

t

t

79.88

Desc. 180 ft. to  
The cor. of secs. 23, 24, 25 and 26.

Land; rolling.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush.

td

.:

N.0°1'W., bet. secs. 23 and 24.  
Over rolling land, through scattering timber and undergrowth.

12.60

Asc. 40 ft. to

16.54

Desc. 28 ft.  
Wash, 10 lks. wide, course W.

40.00

Asc. 135 ft. to  
Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 23 | S 24  
1925

From which,

A cedar, 7 ins. diam., bears N.62 $\frac{1}{2}$ °E., 44 lks. dist. marked  $\frac{1}{4}$  S 24 B T

A pinyon, 15 ins. diam., bears N.60 $\frac{1}{2}$ °W., 23 lks. dist., marked  $\frac{1}{4}$  S 23 B T

58.60

Over rolling W. slope, ascend 143 ft. to cor.

80.00

Ravine, 100 ft. deep, course W.  
Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 13, 14, 23 and 24, marked on brass cap

T39N R13W  
S 14 | S 13  
S 23 | S 24  
1925

From which,

A pinyon, 13 ins. diam., bears N.21 $\frac{1}{2}$ °E., 83 lks. dist. marked T 39 N R 13 W S 13 B T

A cedar, 4 ins. diam., bears S.21 $\frac{1}{2}$ °E., 46 lks. dist. marked B T 39 N R 13 W S 24 B T

A pinyon, 12 ins. diam., bears S.66°W., 13 lks. dist. marked T 39 N R 13 W S 23 B T

A pinyon, 15 ins. diam., bears N.22°W., 46 lks. dist. marked T 39 N R 13 W S 14 B T

Land; mountainous.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; cedar, buck brush and sagebrush.

Subdivision of T.39 N., R.13 W.

Chains S.89°53'E., on a random line bet. secs. 13 and 24.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
79.88 Fall 2 lks. S. of the cor. of secs. 13, 18, 19 and 24  
on E. bdy. of Tp., hereinbefore described.

Thence  
N.89°54'W., on a true line bet. secs. 13 and 24.  
Over mountainous land, through scattering timber and under-  
growth.

25.00 Desc. 172 ft. over SW. slope.  
38.70 Asc. 72 ft.  
39.94 Spur, slopes SW.  
Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in  
the ground to bed rock, supported in a mound of stone,  
for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 13  
S 24  
1925

From which,  
A pinyon, 12 ins. diam., bears N.9°W., 34 lks. dist.  
marked  $\frac{1}{4}$  S 13 B T  
A pinyon, 8 ins. diam., bears S.12 $\frac{1}{2}$ °E., 101 lks.  
dist., marked  $\frac{1}{4}$  S 24 B T

79.88 Desc. 713 ft. over W. slope.  
The cor. of secs. 13, 14, 23 and 24.

Land; mountainous.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush, manzanita and buck brush.

N.0°1'W., bet. secs. 13 and 14.  
Over mountainous land, through scattering timber and  
undergrowth.

36.70 Asc. 140 ft. to  
Spur, slopes W.  
40.00 Desc. 26 ft. over NW. slope.  
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in  
the ground to bed rock, supported in a mound of stone,  
for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 14 | S 13  
1925

From which,  
A pinyon, 9 ins. diam., bears East, 19 lks. dist.  
marked  $\frac{1}{4}$  S 13 B T  
A cedar, 14 ins. diam., bears West, 10 lks. dist.  
marked  $\frac{1}{4}$  S 14 B T

79.10 Desc. 360 ft. to  
80.00 Wash, 12 lks. wide, course N.75°W.  
Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in  
the ground for cor. of secs. 11, 12, 13 and 14, marked  
on brass cap

T39N R13W  
S 11 | S 12  
S 14 | S 13  
1925

From which,  
A pinyon, 12 ins. diam., bears N.49°E., 23 lks. dist.  
marked T 39 N R 13 W S 12 B T  
A pinyon, 8 ins. diam., bears S.27 $\frac{1}{2}$ °E., 44 lks. dist.  
marked T 39 N R 13 W S 13 B T  
A pinyon, 10 ins. diam., bears S.70°W., 55 lks. dist.  
marked T 39 N R 13 W S 14 B T  
A pinyon, 8 ins. diam., bears N.42°W., 34 lks. dist.

Subdivision of T.39 N., R.13 W.

Chains

marked T 39 N R 13 W S 11 B T

Land; mountainous.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; buck brush, cedar and manzanita.

40.00  
79.92

S.89°54'E., on a random line bet. secs. 12 and 13.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 2 lks. N. of the cor. of secs. 7, 12, 13 and 18,  
on E. bdy. of Tp., hereinbefore described.

39.96

Thence  
N.89°53'W., on a true line bet. secs. 12 and 13.  
Over mountainous land, through scattering timber and  
undergrowth.  
Desc. 610 ft. over W. slope to  
Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the  
ground to bed rock, supported in a mound of stone, for  
 $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 12  
S 13  
1925

From which,  
A cedar, 13 ins. diam., bears N.77°W., 9 lks. dist.  
marked  $\frac{1}{4}$  S 12 B T  
A cedar, 12 ins. diam., bears S.15°W., 33 lks. dist.  
marked  $\frac{1}{4}$  S 13 B T

79.92

Desc. 600 ft. over W. slope.  
The cor. of secs. 11, 12, 13 and 14.

Land; mountainous.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sage, buck brush and cedar.

29.50

N.0°1'W., bet. secs. 11 and 12.  
Over mountainous land, through scattering timber and  
undergrowth.  
Along broken W. slope.  
Wash, course W.

40.00

Asc. 150 ft. over SW. slope.  
Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in  
the ground to bed rock, supported in a mound of stone,  
for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 11 | S 12

1925

From which,  
A cedar, 8 ins. diam., bears S.24°E., 37 lks. dist.  
marked  $\frac{1}{4}$  S 12 B T  
A cedar, 14 ins. diam., bears N.73°W., 38 lks. dist.  
marked  $\frac{1}{4}$  S 11 B T

49.20

Asc. 170 ft. over S. slope.  
Spur, slopes W. Desc. N. slope.

60.90

Wash, 40 lks. wide, course W.

74.28

Asc. 180 ft. to  
Spur, slopes W.  
Desc. 50 ft.

79.80

Wash, 10 lks. wide, course W.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in  
the ground for cor. of secs. 1, 2, 11 and 12, marked  
on brass cap

Subdivision of T.39 N., R.13 W.

Chains

T39N R13W  
S 2 | S 1  
S 11 | S 12  
1925

From which,  
A pinyon, 10 ins. diam., bears N.10 $\frac{1}{2}$ °E., 53 lks. dist., marked T 39 N R 13 W S 1 B T  
A pinyon, 12 ins. diam., bears S.75°E., 74 lks. dist., marked T 39 N R 13 W S 12 B T  
A pinyon, 12 ins. diam., bears S.44°W., 95 lks. dist., marked T 39 N R 13 W S 11 B T  
A pinyon, 14 ins. diam., bears N.47 $\frac{1}{2}$ °W., 74 lks. dist., marked T 39 N R 13 W S 2 B T

Land; mountainous.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush and cedar.

40.00  
79.96

S.89°53'E., on a random line bet. secs. 1 and 12.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 5 lks. S. of the cor. of secs. 1, 6, 7 and 12 on E. bdy. of Tp., hereinbefore described.

39.98

Thence  
N.89°55'W., on a true line bet. secs. 1 and 12.  
Over mountainous land, through heavy timber and dense undergrowth.  
Desc. 138 ft. over W. slope.  
Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 1  
S 12  
1925

From which,  
A cedar, 12 ins. diam., bears N.20°E., 3 lks. dist. marked  $\frac{1}{4}$  S 1 B T  
A cedar, 6 ins. diam., bears S.30°E., 20 lks. dist. marked  $\frac{1}{4}$  S 12 B T

59.55  
79.96

Desc. 620 ft. over broken W. slope.  
Ledge, bears N.40°W. and S.  
Continue descent.  
The cor. of secs. 1, 2, 11 and 12.

Land; mountainous.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush, manzanita and buck brush.

40.00  
79.86

N.0°1'W., on a random line bet. secs. 1 and 2.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 6 lks. E. of the cor. of secs. 1, 2, 35 and 36 on N. bdy. of Tp., hereinbefore described.

39.86

Thence  
S.0°4'E., on a true line bet. secs. 1 and 2.  
Over mountainous land, through scattering timber and undergrowth.  
Asc. 420 ft. over NW. slope.  
Set an iron post, 3 ft. long, 1 in. diam., on surface rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S. 2 | S 1  
1925

Subdivision of T.39 N.,R.13 W.


Chains  
 at  
 From which,  
 A pinyon, 13 ins. diam., bears S.13°E., 58 lks. dist.  
 marked  $\frac{1}{4}$  S 1 B T  
 A pinyon, 12 ins. diam., bears N.34 $\frac{1}{2}$ °W., 103 lks.  
 dist., marked  $\frac{1}{4}$  S 2 B T

54.00 Asc. 83 ft. over N. slope.  
 Spur, slopes W.  
 79.86 Desc. 426 ft. over SW. slope.  
 The cor. of secs. 1, 2, 11 and 12.

Land; mountainous.  
 Soil; rocky, 3rd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush and manzanita.


From the cor. of secs. 2, 3, 34 and 35 on S.bdy. of Tp.  
 hereinbefore described,  
 N.0°1'W., bet. secs. 34 and 35.  
 Over rolling land, through scattering timber and under-  
 growth.

40±00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
 A cedar, 12 ins. diam., bears N.59 $\frac{1}{2}$ °E., 31 lks. dist.  
 marked  $\frac{1}{4}$  S 35 B T  
 A cedar, 7 ins. diam., bears N.10°W., 27 lks. dist.  
 marked  $\frac{1}{4}$  S 34 B T

59.60 Wash, 10 lks. wide, course NE.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in  
 the ground for cor. of secs. 26, 27, 34 and 35, marked  
 on brass cap



From which,  
 A cedar, 10 ins. diam., bears N.3°E., 88 lks. dist.  
 marked T 39 N R 13 W S 26 B T  
 A cedar, 9 ins. diam., bears S.58 $\frac{1}{2}$ °E., 138 lks. dist.  
 marked T 39 N R 13 W S 35 B T  
 A cedar, 5 ins. diam., bears S.67 $\frac{1}{4}$ °W., 174 lks. dist.  
 marked T 39 N R 13 W S 34 B T  
 A cedar, 12 ins. diam., bears N.79 $\frac{1}{2}$ °W., 370 lks. dist.  
 marked T 39 N R 13, W S 27 B T

Land; rolling.  
 Soil; gravelly and rocky, 2nd. and 3rd. rates.  
 Timber; pinyon and cedar.  
 Undergrowth; cedar and sagebrush.

40.00 East, on a random line bet. secs. 26 and 35.  
 79.96 Set temp.  $\frac{1}{4}$  sec. cor.  
 Intersect the cor. of secs. 25, 26, 35 and 36.

Thence,  
 West, on a true line bet. secs. 26 and 35.  
 Over rolling land, through scattering timber and under-  
 growth.

27.00 Wash, 80 lks. wide, course N.  
 32.20 Asc. 77 ft. to  
 Spur, slopes N.

## Subdivision of T.39 N., R.13 W.

Chains	Desc. 80 ft.
39.98	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
MI	
	$\frac{1}{4}$ S 26 $\frac{1}{4}$ S 35 1925
	From which,
	A cedar, 12 ins. diam., bears N.42°E., 70 lks. dist. marked $\frac{1}{4}$ S 26 B T
	A pinyon, 10 ins. diam., bears S.66 $\frac{1}{2}$ °W., 38 lks. dist. marked $\frac{1}{4}$ S 35 B T
	Desc.
46.20	Asc. 100 ft.
59.60	Desc. 70 ft.
65.20	Draw, course N.
70	Asc. 66 ft.
72.11	Spur, slopes N.
	Desc. 57 ft.
74.90	Wash, 10 lks. wide, course N.
79.96	The cor. of secs. 26, 27, 34 and 35.
	Land; rolling.
	Soil; gravelly, 2nd. rate.
	Timber; cedar and pinyon.
	Undergrowth; sagebrush, buck brush and cedar.
	N.0°1'W., bet. secs. 26 and 27.
	Over rolling land, through scattering timber and undergrowth.
5.40	Wash, 10 lks. wide, course NE.
15.00	Wash, 30 lks. wide, course NE.
30.00	Asc. 50 ft.
37.00	Spur, slopes E. Desc. 34 ft. to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 27   S 26 1925
	From which,
	A cedar, 9 ins. diam., bears N.42 $\frac{1}{2}$ °E., 79 lks. dist. marked $\frac{1}{4}$ S 26 B T
	A cedar, 15 ins. diam., bears N.28 $\frac{1}{2}$ °W., 56 lks. dist. marked $\frac{1}{4}$ S 27 B T
	Desc. 60 ft. to
60.93	Wash, 100 lks. wide, course NE.
64.67	Wash, 70 lks. wide, course E.
	Asc. 54 ft.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, in a mound of stone, for cor. of secs. 22, 23, 26 and 27, marked on brass cap
	T39N R13W S 22   S 23 S 27   S 26 1925
	From which,
	A cedar, 10 ins. diam., bears N.25°E., 75 lks. dist. marked T 39 N R 13 W S 23 B T
	A cedar, 14 ins. diam., bears S.28 $\frac{1}{2}$ °E., 30 lks. dist. marked T 39 N R 13 W S 26 B T
	A cedar, 10 ins. diam., bears S.52 $\frac{1}{4}$ °W., 53 lks. dist. marked T 39 N R 13 W S 27 B T
	A cedar, 8 ins. diam., bears N.40 $\frac{1}{2}$ °W., 72 lks. dist. marked T 39 N R 13 W S 22 B T

Subdivision of T.39 N., R.13 W.

Chains  
ff

Land; rolling mountainous.  
Soil; gravelly, 2nd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sage, cedar and buck brush.

40.00  
80.00

East, on a random line bet. secs. 23 and 26.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Intersect the cor. of secs. 23, 24, 25 and 26.

s

Thence  
West, on a true line bet. secs. 23 and 26.  
Over rolling land, through scattering timber and undergrowth.

40.00  
br

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 23  
S 26  
1925

ff

From which,  
A cedar, 24 ins. diam., bears S.78°W., 44 lks. dist. marked  $\frac{1}{4}$  S 26 B T  
No other tree near.

45.00  
58.63  
67.50  
80.00

Wash, 100 lks. wide, course N.  
Wash, 90 lks. wide, course N.  
Wash, 10 lks. wide, course SE.  
The cor. of secs. 22, 23, 26 and 27.

Land; rolling.  
Soil; gravelly, 2nd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sage, cedar and buck brush.

N.0°1'W., bet. secs. 22 and 23.  
Over rolling land, through scattering timber and undergrowth.

37.45

Wash, 10 lks. wide, course E.  
Asc.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 22 | S 23  
1925

From which,  
A pinyon, 9 ins. diam., bears East, 36 lks. dist. marked  $\frac{1}{4}$  S 23 B T  
A cedar, 24 ins. diam., bears N.80°W., 42 lks. dist. marked  $\frac{1}{4}$  S 22 B T

80.00

Asc. 500 ft. over S. slope.  
Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 14, 15, 22 and 23, marked on brass cap

T39N R13W  
S 15 | S 14  
S 22 | S 23  
1925

From which,  
A pinyon, 9 ins. diam., bears N.17°E., 29 lks. dist. marked T 39 N R 13 W S 14 B T  
A cedar -- ins. diam., bears S.55°E., 39 lks. dist. marked T 39 N R 13 W S 23 B T  
A cedar, 4 ins. diam., bears S.51 $\frac{1}{2}$ °W., 66 lks. dist.

## Subdivision of T.39 N., R.13 W.

Chains

marked B T

A cedar, 14 ins. diam., bears N.59°W., 55 lks. dist.

marked T 39 N R 13 W S 15 B T

Land; rolling and mountainous.

Soil; rocky, 3rd. rate.

Timber; cedar and pinyon.

Undergrowth; sage, buck and cedar.

East, on a random line bet. secs. 14 and 23.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Fall 5 lks. S. of the cor. of secs. 13, 14, 23 and 24.

Thence

S.89°58'W., on a true line bet. secs. 14 and 23.

Over mountainous land, through scattering timber and undergrowth.

Desc. 250 ft. over broken W. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap
$$\frac{1}{4} \begin{array}{r} S 14 \\ S 23 \\ 1925 \end{array}$$

From which,

A cedar, 7 ins. diam., bears N.30°W., 30 lks. dist.  
marked  $\frac{1}{4}$  S 14 B TA cedar, 10 ins. diam., bears S.38 $\frac{1}{2}$ °E., 32 lks. dist.  
marked  $\frac{1}{4}$  S 23 B T

Desc. 17 ft. to

44.60 Wash, 100 lks. wide, course N.

Asc. 460 ft. over E. slope.

80.00 The cor. of secs. 14, 15, 22 and 23.

Land; mountainous.

Soil; rocky, 3rd. rate.

Timber; cedar and pinyon.

Undergrowth; sagebrush and manzanita.

N.0°1'W., bet. secs. 14 and 15.

Over mountainous land, through heavy timber and scattering undergrowth.

Desc. 567 ft. over N. slope.

39.30 Wash, 10 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap $\frac{1}{4}$ 

S 15 | S 14

1925

From which,

A cedar, 12 ins. diam., bears S.29°E., 56 lks. dist.  
marked  $\frac{1}{4}$  S 14 B TA pinyon, 10 ins. diam., bears N.80°W., 67 lks. dist.  
marked  $\frac{1}{4}$  S 15 B T

Asc. 42 ft. over SW. slope.

52.56 Short spur, slopes NW.

Desc. 144 ft.

58.58 Wash, 50 lks. wide; course E.

Asc. 113 ft. over S. slope.

75.50 Spur, slopes E. Desc. 43 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 10, 11, 14 and 15, marked on brass cap



Subdivision of T.39 N., R.13 W.

Chains

T39N R13W  
S 10 | S 11  
S 15 | S 14  
1925

From which,

- A cedar, 13 ins. diam., bears N.17½°E., 101 lks. dist., marked T 39 N R 13 W S 11 B T
- A cedar, 12 ins. diam., bears S.60½°E., 77 lks. dist. marked T 39 N R 13 W S 14 B T
- A cedar, 14 ins. diam., bears S.52°W., 74 lks. dist. marked T 39 N R 13 W S 15 B T
- A cedar, 3 ins. diam., bears N.43½°W., 85 lks. dist. marked T 39 N R 13 W S 10 B T

Land; mountainous.  
Soil; gravelly, 2nd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush and cedar.

- 40.00 N.89°58'E., on a random line bet. secs. 11 and 14. Set temp. ¼ sec. cor.
- 80.06 Fall 5 lks. S. of the cor. of secs. 11, 12, 13 and 14.

Thence  
S.89°56'W., on a true line bet. secs. 11 and 14.  
Over rolling land, through heavy timber and scattering undergrowth.

- 2.88 Desc. Wash, 10 lks. wide, course NW.
- 18.00 Desc. 120 ft.
- 34.63 Wash, 10 lks. wide, course NW.
- Asc. 70 ft.
- 40.03 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for ¼ sec. cor. marked on brass cap

¼ S 11  
S 14  
1925

From which,

- A cedar, 8 ins. diam., bears N.34°W., 31 lks. dist. marked ¼ S 11 B T
- A cedar, 8 ins. diam., bears S.54°E., 50 lks. dist. marked ¼ S 14 B T

- 58.00 Desc. 160 ft. over W. slope.
- Wash, 150 lks. wide, course N.
- Asc. 143 ft. over E. slope.
- 80.06 The cor. of secs. 10, 11, 14 and 15.

Land; mountainous.  
Soil; gravelly and rocky, 2nd. rate.  
Timber; cedar and pinyon.  
Undergrowth; sagebrush and buck brush.

N.0°1'W., bet. secs. 10 and 11.  
Over rolling land, through scattering timber and undergrowth.

- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, supported in a mound of stone, for ¼ sec. cor. marked on brass cap

¼  
S 10 | S 11  
1925

From which,

## Subdivision of T.39 N., R.13 W.

Chains

A cedar, 12 ins. diam., bears N.88 $\frac{1}{2}$ °E., 79 lks. dist.  
marked  $\frac{1}{4}$  S 11 B T  
A cedar, 5 ins. diam., bears S.64 $\frac{1}{2}$ °W., 201 lks. dist.  
marked  $\frac{1}{4}$  S 10 B T

Desc.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in  
the ground for cor. of secs. 2, 3, 10 and 11, marked  
on brass cap

T39N R13W	
S 3	S 2
S 10	S 11
1925	

From which,

A cedar, 3 ins. diam., bears N.6 $\frac{1}{4}$ °E., 63 lks. dist.  
marked B T  
A cedar, 10 ins. diam., bears S.35 $\frac{1}{2}$ °E., 77 lks. dist.  
marked T 39 N R 13 W S 11 B T  
A cedar, 12 ins. diam., bears S.72°W., 55 lks. dist.  
marked T 39 N R 13 W S 10 B T  
A cedar, 8 ins. diam., bears N.28 $\frac{1}{2}$ °W., 115 lks. dist.  
marked T 39 N R 13 W S 3 B T

Land; rolling.

Soil; rocky and gravelly, 2nd. and 3rd. rates.

Timber; cedar and pinyon.

Undergrowth; sagebrush and cedar.

40.00 N.89°56'E., on a random line bet. secs. 2 and 11.  
Set temp.  $\frac{1}{2}$  sec. cor.

80.10 Fall 9 lks. N. of the cor. of secs. 1, 2, 11 and 12.

Thence.

West, on a true line bet. secs. 2 and 11.

Over mountainous land, through heavy timber and scatter-  
ing undergrowth.

Desc. 490 ft. over broken W. slope.

40.05 Set an iron post, 3 ft. long, 1 in. diam., over cross  
(+) on surface rock, supported in a mound of stone,  
for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$	S 2
	S 11
1925	

From which,

A cedar, 5 ins. diam., bears N.58°W., 99 lks. dist.  
marked  $\frac{1}{4}$  S 2 B T  
A cedar, 12 ins. diam., bears S.66 $\frac{1}{2}$ °W., 64 lks. dist.  
marked  $\frac{1}{4}$  S 11 B T

49.52 Desc. 120 ft. over W. slope to  
Wash, 80 lks. wide, course N.

80.10 Asc. 165 ft. over broken E. slope.

The cor. of secs. 2, 3, 10 and 11.

Land; mountainous.

Soil; rocky and gravelly, 2nd. and 3rd. rates.

Timber; cedar and pinyon.

Undergrowth; sagebrush, buck brush and cedar.

40.00 N.0°1'W., on a random line bet. secs. 2 and 3.  
Set temp.  $\frac{1}{4}$  sec. cor.

79.91 Fall 8 lks. W. of the cor. of secs. 2, 3, 34 and 35, on  
N. bdy. of Tp., hereinbefore described.

Thence

S.0°2'W., on a true line bet. secs. 2 and 3.

Over rolling land, through scattering timber and under-  
growth.

Asc. 200 ft. over NW. slope.

Subdivision of T.39 N., R.13 W.

Chains  
 26.10 Top of ascent.  
 Desc. 50 ft.  
 35.00 Asc. 30 ft.  
 39.91 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
 S 3 | S 2  
 1925

From which,  
 A cedar, 4 ins. diam., bears N.15°E., 45 lks. dist. marked  $\frac{1}{4}$  S 2 B T  
 A cedar, 10 ins. diam., bears S.82 $\frac{1}{2}$ °W., 60 lks. dist. marked  $\frac{1}{4}$  S 3 B T

79.91 Desc. 117 ft. over S. slope.  
 The cor. of secs. 2, 3, 10 and 11.

Land; rolling.  
 Soil; gravelly, 2nd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush, buck brush and manzanita.

---

From the cor. of secs. 3, 4, 33 and 34, on S. bdy. of Tp., hereinbefore described, N.0°2'W., bet. secs. 33 and 34. Over rolling mountainous land, through scattering timber and dense undergrowth.  
 Asc. 310 ft. over broken S. slope.

32.60 Top of ascent. Thence along W. slope.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
 S 33 | S 34  
 1925

From which,  
 A pinyon, 5 ins. diam., bears N.80 $\frac{1}{4}$ °E., 11 lks. dist. marked  $\frac{1}{4}$  S 34 B T  
 A cedar, 6 ins. diam., bears N.60 $\frac{1}{4}$ °W., 18 lks. dist. marked  $\frac{1}{4}$  S 33 B T

50.70 Desc. 140 ft. over NW. slope.  
 62.10 Gulch, course NW.  
 Asc. 46 ft. to  
 66.50 Spur, slopes W.  
 Desc. 194 ft. over N. slope.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 27, 28, 33 and 34, marked on brass cap

T39N R13W  
 S 28 | S 27  
 S 33 | S 34  
 1925

From which,  
 A cedar, 8 ins. diam., bears N.12 $\frac{3}{4}$ °E., 30 lks. dist. marked T 39 N R 13 W S 27 B T  
 A cedar, 10 ins. diam., bears S.8 $\frac{1}{2}$ °E., 17 lks. dist. marked T 39 N R 13 W S 34 B T  
 A cedar, 10 ins. diam., bears S.18°W., 10 lks. dist. marked T 39 N R 13 W S 33 B T  
 A cedar, 14 ins. diam., bears N.46°W., 57 lks. dist. marked T 39 N R 13 W S 28 B T

## Subdivision of T.39 N., R.13 W.

Chains	Land; rolling mountainous. Soil; rocky, 4th. rate. Timber; cedar and pinyon. Undergrowth; sagebrush and oak.
	East, on a random line bet. secs. 27 and 34.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.10	Fall 10 lks. N. of the cor. of secs. 26, 27, 34 and 35.
	Thence N.89°56'W., on a true line bet. secs. 27 and 34. Over rolling land, through scattering timber and undergrowth.
1.50	Wash, 20 lks. wide, course NE.
	Asc.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4} \begin{array}{l} S 27 \\ S 34 \\ 1925 \end{array}$
	From which, A pinyon, 12 ins. diam., bears North, 30 lks. dist. marked $\frac{1}{4}$ S 27 B T A pinyon, 10 ins. diam., bears S.45°W., 41 lks. dist. marked $\frac{1}{4}$ S 34 B T
46.60	Asc. 100 ft. to
59.60	Spur, slopes N. Desc. 40 ft.
65.86	Wash, 10 lks. wide, course N. Desc. 80 ft. to
80.10	The cor. of secs. 27, 28, 33 and 34.
	Land; rolling hills. Soil; sandy, 3rd. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.
	N.0°2'W., bet. secs. 27 and 28. Over rolling land, through scattering timber and undergrowth.
14.30	Spur, slopes E. Desc. 60 ft.
31.00	Wash, 10 lks. wide, course E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4} \begin{array}{l} S 28 \\ S 27 \\ 1925 \end{array}$
	From which, A cedar, 8 ins. diam., bears N.81 $\frac{1}{4}$ °E., 38 lks. dist. marked $\frac{1}{4}$ S 27 B T A cedar, 10 ins. diam., bears N.58°W., 17 lks. dist. marked $\frac{1}{4}$ S 28 B T
57.54	Wash, 10 lks. wide, course E.
65.40	Wash, 15 lks. wide, course SE. Asc. 116 ft. to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 21, 22, 27 and 28, marked on brass cap
	$\begin{array}{l} T39N R13W \\ S 21   S 22 \\ S 28   S 27 \\ 1925 \end{array}$

Subdivision of T.39 N., R.13 W.

Chains

From which,  
 A pinyon, 12 ins. diam., bears N.27°E., 49 lks. dist.  
 marked T 39 N R 13 W S 22 B T  
 A pinyon, 7 ins. diam., bears S.56 $\frac{1}{2}$ °E., 29 lks. dist.  
 marked T 39 N R 13 W S 27 B T  
 A cedar, 10 ins. diam., bears S.55°W., 56 lks. dist.  
 marked T 39 N R 13 W S 28 B T  
 A pinyon, 9 ins. diam., bears N.5°W., 35 lks. dist.  
 marked T 39 N R 13 W S 21 B T

Land; rolling.  
 Soil; sandy, 2nd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush, buckthorn and manzanita.

40.00 S.89°56'E., on a random line bet. secs. 22 and 27.  
 80.06 Set temp.  $\frac{1}{4}$  sec. cor.  
 Intersect the cor. of secs. 22, 23, 26 and 27.

Thence  
 N.89°56'W., on a true line bet. secs. 22 and 27.  
 Over rolling land, through scattering timber and under-  
 growth.  
 12.66 Wash, 10,lks. wide, course SE.  
 28.00 Asc. 85 ft. to  
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 22  
 S 27  
 1925

From which,  
 A cedar, 9 ins. diam., bears N.32 $\frac{1}{2}$ °E., 37 lks. dist.  
 marked  $\frac{1}{4}$  S 22 B T  
 A pinyon, 11 ins. diam., bears S.5°W., 35 lks. dist.  
 marked  $\frac{1}{4}$  S 27 B T

80.06 Asc. over SE. slope.  
 The cor. of secs. 21, 22, 27 and 28.

Land; hilly.  
 Soil; sandy, 2nd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; manzanita, buckthorn and cedar.

.20 N.0°2'W., bet. secs. 21 and 22.  
 Over rolling mountainous land, through heavy timber and  
 dense undergrowth.  
 24.20 Wash, 10 lks. wide, course SE.  
 26.00 Asc. 440 ft. over S. slope.  
 40.00 Spur, slopes E.  
 Desc. 240 ft. over NE. slope.  
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
 S 21 | S 22  
 1925

From which,  
 A pinyon, 14 ins. diam., bears N.28°E., 57 lks. dist.  
 marked  $\frac{1}{4}$  S 22 B T  
 A pinyon, 16 ins. diam., bears N.14°W., 17 lks. dist.  
 marked  $\frac{1}{4}$  S 21 B T

49.25 Desc. 536 ft. over NE. slope.  
 Spur, slopes NE.  
 Continue descent.  
 55.75 Wash, 15 lks. wide, course NE.

## Subdivision of T.39 N., R.13 W.

Chains  
77.90  
80.00

Continue descent.

Wash, 8 lks. wide, course NW.

Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 15, 16, 21 and 22, marked on brass cap

T39N R13W	
S 16	S 15
S 21	S 22
1925	

From which,

A pinyon, 6 ins. diam., bears N.76 $\frac{3}{4}$ °E., 59 lks. dist. marked T 39 N R 13 W S 15 B T

A pinyon, 6 ins. diam., bears S.29 $\frac{1}{4}$ °E., 40 lks. dist. marked T 39 N R 13 W S 22 B T

A pinyon, 9 ins. diam., bears S.75 $\frac{3}{4}$ °W., 73 lks. dist. marked T 39 N R 13 W S 21 B T

A pinyon, 10 ins. diam., bears N.61 $\frac{1}{2}$ °W., 23 lks. dist. marked T 39 N R 13 W S 16 B T

Land; rolling mountainous.

Soil; rocky, 4th. rate.

Timber; cedar and pinyon.

Undergrowth; oak, service berry and manzanita.

40.00  
80.10

S.89°56'E., on a random line bet. secs. 15 and 22.

Set temp.  $\frac{1}{4}$  sec. cor.

Fall 9 lks. S. of the cor. of secs. 14, 15, 22 and 23.

Thence

West, on a true line bet. secs. 15 and 22.

Over rolling land, through heavy timber and scattering undergrowth.

Desc. 184 ft. to

10.22 Draw, course S.

Asc. 180 ft. over SE. slope.

21.00 Spur, slopes NE.

Desc. 165 ft.

35.60 Foot of descent. Asc.

40.05 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$	S 15
	S 22
1925	

From which,

A cedar, 12 ins. diam., bears N.25°W., 34 lks. dist. marked  $\frac{1}{4}$  S 15 B T

A pinyon, 12 ins. diam., bears S.18°E., 60 lks. dist. marked  $\frac{1}{4}$  S 22 B T

56.84 Desc. 235 ft. over W. slope.

Wash, 15 lks. wide, course N.

Asc. 132 ft.

66.60 Spur, slopes N.

Desc. 120 ft. over W. slope.

80.10 The cor. of secs. 15, 16, 21 and 22.

Land; hilly.


Soil; sandy, 2nd. rate.

Timber; cedar and pinyon.

Undergrowth; sagebrush.


Subdivision of T.39 N., R.13 W.

Chains N.0°2'W., bet. secs. 15 and 16.  
 Over rolling land, through heavy timber and scattering undergrowth.  
 Asc. 34 ft.  
 7.00 Desc. 175 ft. to  
 26.78 Wash, 50 lks. wide, course NW.  
 Asc.  
 34.90 Wash, 15 lks. wide, course W.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
 A cedar, 8 ins. diam., bears S.50 $\frac{1}{2}$ °E., 60 lks. dist. marked  $\frac{1}{4}$  S 15 B T  
 A cedar, 4 ins. diam., bears N.7°W., 129 lks. dist. marked  $\frac{1}{4}$  S 16 B T

57.40 Desc. 160 ft. to  
 74.60 Wash, 60 lks. wide, course NE.  
 75.06 Road, bears NE. and SW.  
 Asc.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 9, 10, 15 and 16, marked on brass cap




From which,  
 A cedar, 8 ins. diam., bears N.23°E., 70 lks. dist. marked T 39 N R 13 W S 10 B T  
 A cedar, 9 ins. diam., bears S.81°E., 118 lks. dist. marked T 39 N R 13 W S 15 B T  
 A cedar, 7 ins. diam., bears S.22 $\frac{1}{2}$ °W., 45 lks. dist. marked T 39 N R 13 W S 16 B T  
 A cedar, 10 ins. diam., bears N.60°W., 43 lks. dist. marked T 39 N R 13 W S 9 B T

Land; hilly.  
 Soil; sandy, 2nd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush and buck brush.

40.00 East, on a random line bet. secs. 10 and 15.  
 80.10 Set temp.  $\frac{1}{4}$  sec. cor.  
 Intersect the cor. of secs. 10, 11, 14 and 15.

Thence  
 West, on a true line bet. secs. 10 and 15.  
 Over rolling land, through scattering timber and undergrowth.  
 Asc. 120 ft. over E. slope.  
 27.80 Spur, slopes S.  
 40.05 Set an iron post, 3 ft. long, 1 in. diam., over cross (+) on surface rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
 A cedar, 8 ins. diam., bears N.34 $\frac{1}{2}$ °W., 94 lks. dist. marked  $\frac{1}{4}$  S 10 B T  
 A cedar, 7 ins. diam., bears S.12 $\frac{1}{2}$ °W., 47 lks. dist. marked  $\frac{1}{4}$  S 15 B T

## Subdivision of T.39 N., R.13 W.

## Chains

53.50 Desc.  
 64.43 Wash, 10 lks. wide, course NW.  
 74.73 Wash, 60 lks. wide, course N. Asc.  
 76.26 Road, bears N. and S.  
 80.10 The cor. of secs. 9, 10, 15 and 16.

Land; hilly.  
 Soil; sandy, 2nd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush.

N.0°2'W., bet. secs. 9 and 10.  
 Over rolling hills, through scattering timber and undergrowth.

10.67 Wash, 15 lks. wide, course E.

Asc.

19.70 Desc.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
 S 9 | S 10

1925

From which,

A cedar, 6 ins. diam., bears N.56 $\frac{1}{2}$ °E., 163 lks. dist.  
 marked  $\frac{1}{4}$  S 10 B T

A cedar, 3 ins. diam., bears N.47 $\frac{1}{2}$ °W., 56 lks. dist.  
 marked  $\frac{1}{4}$  S 9 B T

Asc.

46.30 Desc.

56.90 Wash, 100 lks. wide, course E.

64.28 Road, bears SE. and NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 3, 4, 9 and 10, marked on brass cap

T39N R13W  
 S 4 | S 3  
 S 9 | S 10  
 1925

From which,

A cedar, 9 ins. diam., bears N.28°E., 63 lks. dist.  
 marked T 39 N R 13 W S 3 B T

A cedar, 8 ins. diam., bears S.53°E., 15 lks. dist.  
 marked T 39 N R 13 W S 10 B T

A cedar, 7 ins. diam., bears S.42 $\frac{1}{2}$ °W., 32 lks. dist.  
 marked T 39 N R 13 W S 9 B T

A cedar, 12 ins. diam., bears N.15°W., 25 lks. dist.  
 marked T 39 N R 13 W S 4 B T

Land; rolling.

Soil; sandy, 2nd. rate.

Timber; cedar and pinyon.

Undergrowth; sagebrush.

East, on a random line bet. secs. 3 and 10.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.08 Fall 12 lks. S. of the cor. of secs. 2, 3, 10 and 11.

Thence

S.89°55'W., on a true line bet. secs. 3 and 10.

Over rolling land, through scattering timber and undergrowth.

Desc. 85 ft. over broken W. slope to  $\frac{1}{4}$  sec. cor.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



Subdivision of T.39 N., R.13 W.

Chains	$\frac{1}{4} \begin{array}{l} S 3 \\ S 10 \\ 1925 \end{array}$ <p>From which,  A cedar, 10 ins. diam., bears N.55°W., 23 lks. dist.  marked <math>\frac{1}{4}</math> S 3 B T  A cedar, 8 ins. diam., bears S.28°W., 8 lks. dist.  marked <math>\frac{1}{4}</math> S 10 B T</p>
52.26	Wash, .70 lks. wide, course NE.
80.08	Asc. 93 ft. over E. slope. The cor. of secs. 3, 4, 9 and 10.
	Land; hilly. Soil; sandy, 2nd. rate. Timber; cedar and pinyon. Undergrowth; sagebrush.
40.00	N.0°1'E., onto random line bet. secs. 3 and 4. Set temp. $\frac{1}{4}$ sec. cor.
80.00	Fall 7 lks. W. of the cor. of secs. 3, 4, 33 and 34 on N. bdy. of Tp., hereinbefore described.
	Thence S.0°4'W., on a true line bet. secs. 3 and 4. Over rolling hills, through heavy timber and scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4} \begin{array}{l} S 4 \quad   \quad S 3 \\ 1925 \end{array}$ <p>From which,  A cedar, 10 ins. diam., bears S.60°E., 30 lks. dist.  marked <math>\frac{1}{4}</math> S 3 B T  A cedar, 16 ins. diam., bears N.85°W., 66 lks. dist.  marked <math>\frac{1}{4}</math> S 4 B T</p>
40.20	Road, bears NE. and SW.
45.10	Road, bears E. and W. Wash, 50 lks. wide, course NE.
55.60	Road, bears NE. and SW. Asc.
62.40	Desc. 65 ft. to
80.00	The cor. of secs. 3, 4, 9 and 10.
	Land; hilly. Soil; sandy and gravelly, 2nd. and 3rd. rates. Timber; cedar and pinyon. Undergrowth; sagebrush.
16.23	From the cor. of secs. 4, 5, 32 and 33 on S. bdy. of T., hereinbefore described, N.0°3'W., bet. secs. 32 and 33. Over rolling mountainous land, through heavy timber and dense undergrowth.
33.74	Draw, course E.
40.00	Draw, course E. Asc. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4} \begin{array}{l} S 32 \quad   \quad S 33 \\ 1925 \end{array}$

Subdivision of T.39 N., R.13 W.

Chains

From which,  
 A cedar, 8 ins. diam., bears S.82½°E., 21 lks. dist.  
 marked ¼ S 33 B T  
 A cedar, 12 ins. diam., bears N.82½°W., 35 lks. dist.  
 marked ¼ S 32 B T

- 57.80 Wash, 15 lks. wide, course SE:
- 60.00 Low spur, slopes SE. Desc.
- 62.65 Wash, 10 lks. wide, course SE.  
Asc. 87 ft. to
- 68.00 Spur, slopes SE.
- 70.53 Wash, 10 lks. wide, course SE.  
Asc. 130 ft.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in  
the ground for cor. of secs. 28, 29, 32 and 33, marked  
on brass cap

T39N R13W  
 S 29 | S 28  
 S 32 | S 33  
 1925

From which,  
 A pinyon, 10 ins. diam., bears N.40½°E., 87 lks.  
 dist., marked T 39 N R 13 W S 28 B T  
 A pinyon, 6 ins. diam., bears S.34½°E., 43 lks. dist.  
 marked T 39 N R 13 W S 33 B T  
 A pinyon, 8 ins. diam., bears S.51½°W., 14 lks. dist.  
 marked T 39 N R 13 W S 32 B T  
 A pinyon, 10 ins. diam., bears N.27°W., 34 lks. dist.  
 marked T 39 N R 13 W S 29 B T

Land; rolling mountainous.  
 Soil; rockt, 3rd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak, manzanita and sagebrush.

- 40.00 East, on a random line bet. secs. 28 and 33.  
Set temp. ¼ sec. cor.
- 80.00 Intersect the cor. of secs. 27, 28, 33 and 34.

Thence  
 West, on a true line bet. secs. 28 and 33.  
 Over rolling mountainous land, through heavy timber and  
 dense undergrowth.

- 27.00 Desc. gradually along N. slope.
- 40.00 Wash, 20 lks. wide, course SW.  
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in  
the ground for ¼ sec. cor. marked on brass cap

¼ S 28  
 S 33  
 1925


From which,  
 A pinyon, 10 ins. diam., bears N.28°W., 38 lks. dist.  
 marked ¼ S 28 B T  
 A pinyon, 10 ins. diam., bears S.4½°E., 37 lks. dist.  
 marked ¼ S 33 B T

- 41.50 Wash, 8 lks. wide, course SE.  
Asc.
- 47.74 Wash, 10 lks. wide, course SE.  
Asc. 70 ft. to
- 59.40 Spur, slopes SE. Desc.
- 61.50 Draw, course SE.  
Asc. 75 ft. over NE. slope.
- 67.50 Top of ascent.
- 72.60 Desc. 87 ft. to
- 75.40 Gulch, course S. Asc. 100 ft. to
- 80.00 The cor. of secs. 28, 29, 32 and 33.

Land; mountainous. Soil; rocky, 4th. rate.  
 Timber; cedar, pinyon & oak. Undergrowth; sagebrush & oak.


Subdivision of T.39 N., R.13 W.

Chains N.0°3'W., bet. secs. 28 and 29.  
 Over mountainous land, through heavy timber and dense undergrowth.  
 .30 Spur, slopes E. Desc.  
 4.00 Wash, 20 lks. wide, course SE.  
 Asc. 160 ft. over steep SW. slope.  
 9.00 Spur, slopes SE.  
 Asc. 145 ft. along E. slope.  
 25.50 Desc.  
 30.00 Wash, 15 lks. wide, course SE.  
 Asc. 330 ft. over SW. slope.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 32 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
 A pinyon, 8 ins. diam., bears S.26 $\frac{1}{4}$ °E., 39 lks. dist. marked  $\frac{1}{4}$  S 28 B T  
 A pinyon, 10 ins. diam., bears N.87 $\frac{1}{2}$ °W., 56 lks. dist. marked  $\frac{1}{4}$  S 29 B T

42.50 Asc. 65 ft. to Ridge, bears NE. and SW.  
 44.50 Desc. 600 ft. over N. slope.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 20, 21, 28 and 29, marked on brass cap




From which,  
 A pinyon, 12 ins. diam., bears N.82 $\frac{1}{4}$ °E., 56 lks. dist. marked T 39 N R 13 W S 21 B T  
 A pinyon, 8 ins. diam., bears S.13 $\frac{1}{4}$ °E., 32 lks. dist. marked T 39 N R 13 W S 28 B T  
 A pinyon, 10 ins. diam., bears S.64 $\frac{1}{2}$ °W., 79 lks. dist. marked T 39 N R 13 W S 29 B T  
 A pinyon, 8 ins. diam., bears N.55 $\frac{1}{2}$ °W., 60 lks. dist. marked T 39 N R 13 W S 20 B T

Land; rolling mountainous.  
 Soil; rocky, 3rd. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak, buck brush and manzanita.

40.00 East, on a random line bet. secs. 21 and 28.  
 80.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 Fall 5 lks. S. of the cor. of secs. 21, 22, 27 and 28.

Thence  
 S.89°58'W., on a true line bet. secs. 21 and 28.  
 Over rolling mountainous land, through heavy timber and dense undergrowth.  
 Asc. 90 ft. over E. slope.  
 8.25 Point of spur, slopes S.  
 Desc. 50 ft.  
 21.40 Wash, 15 lks. wide, course SE. Asc. 150 ft.  
 22.20 Old road, bears SE. and NW.  
 27.80 Point of spur, slopes N. Desc.  
 Asc. 30 ft.  
 33.50 Point of spur, slopes N. Desc. 50 ft.  
 37.50 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



Subdivision of T.39 N.,R.13 W.

Chains


From which,  
 A pinyon, 12 ins. diam., bears N.21°E., 33 lks. dist.  
 marked 1/4 S 21 B T  
 A pinyon, 12 ins. diam., bears S.8°E., 30 lks. dist.  
 marked 1/4 S 28 B T

45.00 Desc. 100 ft. along gradual N. slope.  
 51.10 Leave heavy timber, bears SE. and NW.  
 73.00 Draw, course N.  
 80.00 Enter heavy timber, bears N. and S.  
 The cor. of secs. 20, 21, 28 and 29.

Land; rolling.  
 Soil; rocky, 4th. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak, service berry and sagebrush.


N.0°3'W., bet. secs. 20 and 21.  
 Over rolling mountainous land, through heavy timber and  
 dense undergrowth.

7.53 Desc. 105 ft. over NW. slope to  
 Wash, 20 lks. wide, course NE.  
 16.43 Desc. 30 ft. along E. slope.  
 Same wash, course NW.  
 35.77 Desc. 75 ft. along W. slope.  
 Same wash, course NE.  
 40.00 Asc.  
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in  
 the ground for 1/4 sec. cor. marked on brass cap



From which,  
 A white oak, 8 ins. diam., bears N.181°E., 23 lks.  
 dist., marked 1/4 S 21 B T  
 A cedar, 5 ins. diam., bears N.13°W., 28 lks. dist.  
 marked 1/4 S 20 B T  
 Stockade corral, bears East about 2 chs. dist.

44.00 Small alkaline seep, bears E. about 3 chs. dist.  
 51.50 Wash, 20 lks. wide, course NE.  
 Asc. 28 ft.  
 61.00 Point of spur, slopes E.  
 Desc. 65 ft. to  
 69.00 Wash, 30 lks. wide, course E.  
 78.26 Wash, 30 lks. wide, course SE.  
 Asc.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in  
 the ground for cor. of secs. 16, 17, 20 and 21, marked  
 on brass cap



From which,  
 A pinyon, 16 ins. diam., bears N.77 1/2°E., 73 lks. dist.  
 marked T 39 N R 13 W S 16 B T  
 A pinyon, 12 ins. diam., bears S.27 1/2°E., 43 lks. dist.  
 marked T 39 N R 13 W S 21 B T  
 A cedar, 10 ins. diam., bears S.55 1/2°W., 89 lks. dist.  
 marked T 39 N R 13 W S 20 B T  
 A pinyon, 8 ins. diam., bears N.26 3/4°W., 26 lks. dist.  
 marked T 39 N R 13 W S 17 B T

Land; rolling hills.  
 Soil; rocky, 4th. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak, sagebrush and service berry.

Subdivision of T.39 N., R.13 W.

Chains N.89°58'E., on a random line bet. secs. 16 and 21.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
79.98 Fall 4 lks. S. of the cor. of secs. 15, 16, 21 and 22.

Thence  
S.89°56'W., on a true line bet. secs. 16 and 21.  
Over rolling mountainous land, through heavy timber and  
dense undergrowth.

2.00 Desc. 23 ft. to  
Wash, 15 lks. wide, course NW.  
Asc. 145 ft. over NE. slope.  
10.15 Wash, 15 lks. wide, course NE.  
21.50 Spur, slopes N.  
Desc. 86 ft. to  
26.80 Wash, 20 lks. wide, course N.  
Asc. 120 ft.  
36.75 Spur, slopes N.  
Desc. 47 ft.  
39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 16  
S 21  
1925

From which,  
A pinyon, 6 ins. diam., bears N.14 $\frac{1}{4}$ °E., 20 lks. dist.  
marked  $\frac{1}{4}$  S 16 B T  
A pinyon, 6 ins. diam., bears S.56°W., 52 lks. dist.  
marked  $\frac{1}{4}$  S 21 B T

42.15 Desc.  
Wash, 10 lks. wide, course NW.  
49.00 Spur, slopes N.  
Desc.  
53.80 Wash, 20 lks. wide, course NW.  
59.30 Old road, bears NE. and SW.  
62.60 Wash, 40 lks. wide, course NE. Asc.  
64.90 Wash, 10 lks. wide, course SE. Asc.  
72.60 Point of spur, slopes SE. Desc. 20 ft.  
79.98 The cor. of secs. 16, 17, 20 and 21.

Land; rolling hills.  
Soil; rocky, 4th. rate.  
Timber; cedar and pinyon.  
Undergrowth; oak, service berry and sagebrush.

N.0°3'W., bet. secs. 16 and 17.  
Over rolling hills, through heavy timber and dense under-  
growth.

5.20 Asc. 60 ft. over S. slope.  
Point of spur, slopes E.  
Desc.  
18.22 Wash, 10 lks. wide, course E.  
Asc. 100 ft. over S. slope.  
28.25 Spur, slopes E.  
34.00 Desc. 34' ft. to  
38.00 Wash, 20 lks. wide, course E.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 17 | S.16  
1925

From which,  
A pinyon, 16 ins. diam., bears N.57 $\frac{1}{2}$ °E., 26 lks. dist.  
marked  $\frac{1}{4}$  S 16 B T  
A cedar, 6 ins. diam., bears S.27 $\frac{3}{4}$ °W., 26 lks. dist.  
marked  $\frac{1}{4}$  S 17 B T

## Subdivision of T.39 N., R.13 W.

Chains.

44.00 Desc. 105 ft. over N. slope.  
 49.00 Wash, 20 lks. wide, course NE.  
 Asc. 145 ft. over S<sup>W</sup>. slope.  
 59.50 Spur, slopes E.  
 63.50 Desc. 140 ft. over NE. slope.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in  
 the ground for cor. of secs. 8, 9, 16 and 17, marked  
 on brass cap

T39N R13W	
S 8	S 9
S 17	S 16
1925	

From which,

A cedar, 10 ins. diam., bears N.  $58\frac{1}{4}^{\circ}$ E., 59 lks. dist.  
 marked T 39 N R 13 W S 9 B T  
 A cedar, 10 ins. diam., bears S.  $76\frac{1}{2}^{\circ}$ E., 58 lks. dist.  
 marked T 39 N R 13 W S 16 B T  
 A cedar, 10 ins. diam., bears S.  $76^{\circ}$ W., 89 lks. dist.  
 marked T 39 N R 13 W S 17 B T  
 A cedar, 10 ins. diam., bears N.  $75\frac{1}{4}^{\circ}$ W., 31 lks. dist.  
 marked T 39 N R 13 W S 8 B T

Land; rolling hills.

Soil; rocky, 4th. rate.

Timber; cedar and pinyon.

Undergrowth; oak, sagebrush and service berry.

40.00

N.  $89^{\circ}56'$ E., on a random line bet. secs. 9 and 16.

79.98

Set temp.  $\frac{1}{4}$  sec. cor.

Intersect the cor. of secs. 9, 10, 15 and 16.

Thence

S.  $89^{\circ}56'$ W., on a true line bet. secs. 9 and 16.Over rolling hills, through scattering timber and under-  
growth.

10.20

Asc. 112 ft. over E. slope.

Spur, slopes N.

25.70

Desc. 108 ft. over NW. slope.

Wash, 30 lks. wide, course NE.

39.99

Asc. 56 ft. to

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$	S 9
	S 16
1925	

From which,

A cedar, 6 ins. diam., bears N.  $37^{\circ}$ E., 77 lks. dist.  
marked  $\frac{1}{4}$  S 9 B TA cedar, 10 ins. diam., bears S.  $45\frac{3}{4}^{\circ}$ E., 77 lks. dist.  
marked  $\frac{1}{4}$  S 16 B T

45.00

Asc. 50 ft.

Spur, slopes SE.

49.00

Desc. 40 ft. to

Wash, 10 lks. wide, course SE.

56.00

Asc. 110 ft.

Spur, slopes SE.

65.25

Desc. 50 ft.

Wash, 8 lks. wide, course SE.

68.50

Asc. 50 ft.

Spur, slopes SE.

73.72

Wash, 10 lks. wide, course SE.

79.98

Asc. 40 ft. to

The cor. of secs. 8, 9, 16 and 17.

Land; rolling hills.

Soil; sandy, 2nd. rate.

Timber; cedar and pinyon.


Undergrowth; sagebrush.

Subdivision of T.39 N., R.13 W.

Chains


N.0°3'W., bet. secs. 8 and 9.  
Over rolling hills, through heavy timber and dense undergrowth.

- 3.50 Desc.
- Wash, 6 lks. wide, course SE.
- Asc. 45 ft.
- 10.75 Spur, slopes NW.
- Desc. 120 ft. to
- 13.50 Wash, 5 lks. wide, course NW. Asc.
- 28.50 Point of spur, slopes NW.
- Desc. 86 ft. to
- 38.70 Wash, 20 lks. wide, course NE.
- Asc. 24 ft. to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
 A cedar, 6 ins. diam., bears N.16 $\frac{1}{4}$ °E., 49 lks. dist. marked  $\frac{1}{4}$  S 9 BT  
 A cedar, 10 ins. diam., bears N.71 $\frac{3}{4}$ °W., 31 lks. dist. marked  $\frac{1}{4}$  S 8 B T

- 49.00 Desc. 84 ft. to
- 56.00 Wash, 10 lks. wide, course E.
- Asc. 50 ft.
- 65.50 Spur, slopes E. Desc. 40 ft.
- 73.00 Wash, 40 lks. wide, course E. Asc.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bed rock, for cor. of secs. 4, 5, 8 and 9, marked on brass cap




From which,  
 A cedar, 14 ins. diam., bears N.72 $\frac{1}{2}$ °E., 47 lks. dist. marked T 39 N R 13 W S 4 B T  
 A cedar, 5 ins. diam., bears S.8 $\frac{1}{4}$ °E., 39 lks. dist. marked B T  
 A cedar, 12 ins. diam., bears S.60 $\frac{1}{4}$ °W., 94 lks. dist. marked T 39 N R 13 W S 8 B T  
 A cedar, 14 ins. diam., bears N.75 $\frac{1}{2}$ °W., 95 lks. dist. marked T 39 N R 13 W S 5 B T

Land; rolling hills.  
 Soil; rocky, 4th. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak and sagebrush.

- 40.00 N.89°56'E., on a random line bet. secs. 4 and 9.
- Set temp.  $\frac{1}{4}$  sec. cor.
- 80.00 Fall 9 lks. N. of the cor. of secs. 3, 4, 9 and 10.

Thence  
 West, on a true line bet. secs. 4 and 9.  
 Over rolling land, through heavy timber and dense undergrowth.

- 12.13 Road, bears SE. and NW.
- 27.55 Wash, 12 lks. wide, course SE.
- Asc. 60 ft. over E. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, for  $\frac{1}{4}$  sec. cor. marked on brass cap



## Subdivision of T.39 N., R.13 W.


Chains	<p>From which,  A cedar, 16 ins. diam., bears N.41°W., 24 lks. dist.  marked <math>\frac{1}{4}</math> S 4 B T  A cedar, 10 ins. diam., bears S.32<math>\frac{1}{2}</math>°E., 27 lks. dist.  marked <math>\frac{1}{4}</math> S 9 B T</p>
74.50	Wash, 8 lks. wide, course SW.
80.00	The cor. of secs. 4, 5, 8 and 9.
	<p>Land; rolling.  Soil; rocky, 4th. rate  Timber; cedar and pinyon.  Undergrowth; sagebrush.</p>
40.00	N.0°3'W., on a random line bet. secs. 4 and 5. Set temp. $\frac{1}{4}$ sec. cor.
80.06	Fall 4 lks. E. of the true point for cor. of secs. 4, 5, 32 and 33 on N. bdy. of Tp., hereinbefore described.
	<p>Thence  S.0°5'E., on a true line bet. secs. 4 and 5.  Over rolling hills, through heavy timber and dense under-  undergrowth.  Desc. 415 ft. over SE. slope to <math>\frac{1}{4}</math> sec. cor.</p>
.16	Wash, 5 lks. wide, course SE.
17.00	Spur, slopes SE. Continue descent.
40.06	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 5   S 4 1925
	<p>From which,  A cedar, 10 ins. diam., bears S.60<math>\frac{1}{4}</math>°E., 29 lks. dist.  marked <math>\frac{1}{4}</math> S 4 B T  A cedar, 8 ins. diam., bears N.88<math>\frac{1}{4}</math>°W., 26 lks. dist.  marked <math>\frac{1}{4}</math> S 5 B T</p>
	Desc. 244 ft. to cor.
50.16	Old road, bears E. and W.
54.26	Small ditch, course SE.
56.76	Road to Black Rock Spring, bears SE. and NW.
59.56	Small ditch, course SE.
61.56	House, bears E. 5 chs.
62.06	NW. cor. of pole fence, bears E. about 3 chs.
65.63	Black Rock Spring, bears N.61 $\frac{1}{4}$ °W.
70.06	SW. cor. of pole fence, bears E. about 3 chs.
80.06	The cor. of secs. 4, 5, 8 and 9.
	<p>Land; mountainous.  Soil; rocky, 4th. rate.  Timber; cedar and pinyon.  Undergrowth; oak, sage and cedar brush.</p>
	<p>From the cor. of secs. 5, 6, 31 and 32 on S. bdy. of Tp., hereinbefore described,  N.0°3'W., bet. secs. 31 and 32.  Over rolling mountainous land, through heavy timber and dense undergrowth.</p>
1.90	Wash, 18 lks. wide, course SW.
3.20	Same wash, course SE. Asc.
12.60	Point of spur, slopes SW.
15.45	Wash, 10 lks. wide, course SW.
19.25	Spur, slopes W. Desc.
30.23	Wash, 10 lks. wide, course SW.
37.63	Wash, 10 lks. wide, course SW.



Subdivision of T.39 N., R.13 W.

Chains  
40.00

Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap




From which,  
A pinyon, 6 ins. diam., bears S.  $39\frac{1}{2}^{\circ}$ E., 32 lks. dist. marked  $\frac{1}{4}$  S 32 B T  
A pinyon, 6 ins. diam., bears S.  $26\frac{1}{2}^{\circ}$ W., 27 lks. dist. marked  $\frac{1}{4}$  S 31 B T

66.75

Asc. 440 ft. to cor.  
Draw, course SE.  
Continue ascent.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 29, 30, 31 and 32, marked on brass cap



From which,  
A pinyon, 6 ins. diam., bears N.  $27\frac{1}{4}^{\circ}$ E., 26 lks. dist. marked T 39 N R 13 W S 29 B T  
A cedar, 14 ins. diam., bears S.  $36\frac{1}{2}^{\circ}$ E., 3 lks. dist. marked T 39 N R 13 W S 32 B T  
A cedar, 10 ins. diam., bears S.  $76^{\circ}$ W., 24 lks. dist. marked T 39 N R 13 W S 31 B T  
A pinyon, 7 ins. diam., bears N.  $22^{\circ}$ W., 23 lks. dist. marked T 39 N R 13 W S 30 B T

Land; rolling mountainous.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; oak, sage and buck brush.


40.00  
79.94

East, on a random line bet. secs. 29 and 32.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Intersect the cor. of secs. 28, 29, 32 and 33.

Thence  
West, on a true line bet. secs. 29 and 32.  
Over rolling mountainous land, through heavy timber and dense undergrowth.

4.15  
14.00  
18.40  
25.00  
31.00  
37.30  
39.97

Asc. 80 ft. to  
Spur, slopes S.  
Desc. 140 ft.  
Wash, 18 lks. wide, course S.  
Asc. 88 ft.  
Spur, slopes S.  
Along S. slope.  
Spur, slopes S. Desc.  
Wash, 15 lks. wide, course S. Asc. 50 ft.  
Spur, slopes S. Desc. 34 ft.  
Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which,  
A pinyon, 10 ins. diam., bears N.  $12\frac{1}{2}^{\circ}$ W., 36 lks. dist. marked  $\frac{1}{4}$  S 29 B T  
A pinyon, 8 ins. diam., bears S.  $7\frac{1}{4}^{\circ}$ W., 30 lks. dist. marked  $\frac{1}{4}$  S 32 B T

## Subdivision of T.39 N., R.13 W.

Chains	
42.60	Wash, 15 lks. wide, course S.
47.30	Wash, 15 lks. wide, course S.
51.90	Wash, 10 lks. wide, course S.
	Asc. 190 ft. over SE. slope.
76.20	Spur, slopes S.
	Desc. 75 ft.
79.94	The cor. of secs. 29, 30, 31 and 32.
	Land; rolling mountainous.
	Soil; rocky, 4th. rate.
	Timber; cedar and pinyon.
	Undergrowth; oak, service berry and sage.
	West, on a random line bet. secs. 30 and 31.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
78.80	Fall 5 lks. N. of the cor. of secs. 25, 30, 31 and 36 on W. bdy. of Tp., hereinbefore described.
	Thence
	N. $89^{\circ}58'E.$ , on a true line bet. secs. 30 and 31.
	Over broken mountainous land, through heavy timber and dense undergrowth.
	Along S. slope.
9.60	Wash, 10 lks. wide, course SW.
	Asc. 245 ft. to
29.55	Spur, slopes S. Desc. 76 ft. over SE. slope.
38.80	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4} \begin{array}{r} S \ 30 \\ S \ 31 \\ 1925 \end{array}$
	From which,
	A pinyon, 6 ins. diam., bears N. $48\frac{1}{2}^{\circ}W.$ , 53 lks. dist. marked $\frac{1}{4}$ S 30 B T
	A pinyon, 10 ins. diam., bears S. $68^{\circ}E.$ , 76 lks. dist. marked $\frac{1}{4}$ S 31 B T
42.56	Wash, 20 lks. wide, course SW.
46.44	Wash, 10 lks. wide, course SW.
	Asc. 87 ft. to
52.30	Spur, slopes S. Desc. 193 ft. to
66.55	Wash, 30 lks. wide, course S. Small alkaline seep, bears south 5 chs. dist.
77.20	Wash, 15 lks. wide, course SW.
78.80	The cor. of secs. 29, 30, 31 and 32.
	Land; rolling mountains.
	Soil; rocky, 4th. rate.
	Timber; cedar and pinyon.
	Undergrowth; oak and service berry.
	N. $0^{\circ}3'W.$ , bet. secs. 29 and 30.
	Over mountainous land, through scattering timber and dense undergrowth.
	On account of the precipitous nature of the land along this line, I triangulate as follows:
	Set a flag on line ahead the vertical angle to which is $+22^{\circ}$ . From the $\frac{1}{4}$ sec. cor. of secs. 30 and 31, the flag bears N. $40^{\circ}21'E.$
	The three angles of the triangle are therefore $89^{\circ}59'$ , $40^{\circ}24'$ and $49^{\circ}37'$ .
	Dist. by triangulation = 47.01 chs.
	Dist. by return measure = $\frac{7.01}{40.00}$ chs.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the

## Subdivision of T.39 N., R.13 W.

Chains

the ground to bed rock, supported in a mound of stone,  
for  $\frac{1}{4}$  sec. cor. marked on brass cap.

$\frac{1}{4}$   
S 30 | S 29  
1925

From which,

A cedar, 10 ins. diam., bears N.84°E., 38 lks. dist.  
marked  $\frac{1}{4}$  S 29 B T

A pinyon, 8 ins. diam., bears N.15°W., 58 lks. dist.  
marked  $\frac{1}{4}$  S 30 B T

47.60  
54.80  
80.00

Asc. 337 ft. to

Ridge, bears E. and W.

Desc. 635 ft. over steep N. slope.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in  
the ground for cor. of secs. 19, 20, 29 and 30, marked  
on brass cap

T39N R13W  
S 19 | S 20  
S 30 | S 29  
1925

Raise a mound of stone, 4 ft. base, 3 ft. high W. of  
cor.

Land; mountainous.

Soil; rocky, 4th. rate.

Timber; cedar.

Undergrowth; oak, service berry and sage.

40.00  
79.98

East, on a random line bet. secs. 20 and 29.

Set temp.  $\frac{1}{4}$  sec. cor.

Fall 10 lks. S. of the cor. of secs. 20, 21, 28 and 29.

Thence

S.89°56'W., on a true line bet. secs. 20 and 29.

Over rolling mountainous land, through heavy timber and  
dense undergrowth.

Desc. 46 ft. over NW. slope.

5.80

Wash, 20 lks. wide, course NE.

Asc. 480 ft. to  $\frac{1}{4}$  sec. cor.

17.50

Slope changes from SE. to NE.

35.00

Enter scattering timber, bears NE. and SW.

39.99

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 20  
S 29  
1925

From which,

A cedar, 24 ins. diam., bears N.31 $\frac{1}{4}$ °W., 184 lks.  
dist., marked  $\frac{1}{4}$  S 20 B T

Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high N.  
of cor.

44.50

Asc. 46 ft. over NE. slope.

48.10

Spur, slopes N. Desc. 55 ft.

63.75

Draw, course N. Asc. 125 ft.

67.60

Spur, slopes N. Desc. 67 ft. to

Wash, 10 lks. wide, course N.

79.98

Asc. 180 ft. over E. slope.

The cor. of secs. 19, 20, 29 and 30.

Land; rolling mountains.

Soil; rocky, 4th. rate.

Timber; cedar and pinyon.

Undergrowth; oak, service berry and sage.

## Subdivision of T.39 N., R.13 W.

Chains	S.89°58'W., on a random line bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
78.62	Fall 12 lks. S. of the cor. of secs. 19, 24, 25 and 30, on W. bdy. of Tp., hereinbefore described.
	Thence
	S.89°57'E., on a true line bet. secs. 19 and 30
	Over rolling mountainous land, through scattering timber and dense undergrowth.
	Asc. 630 ft. over W. slope.
38.62	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 19 $\frac{1}{4}$ S 30 1925
	From which,
	A pinyon, 5 ins. diam., bears N.18 $\frac{1}{2}$ °E., 125 lks. dist. marked B T
	A pinyon, 8 ins. diam., bears S.43 $\frac{3}{4}$ °E., 28 lks. dist. marked $\frac{1}{4}$ S 30 B T
	Asc. 145 ft. over W. slope.
45.60	Top of ascent. Thence over top of ridge, bearing SE. and North.
51.00	Desc. 634 ft. over E. slope.
72.00	Wash, 20 lks. wide, course NE.
	Asc. 24 ft.
74.60	Desc.
78.62	The cor. of secs. 19, 20, 29 and 30.
	Land; rolling mountains.
	Soil; rocky, 4th. rate.
	Timber; cedar and pinyon.
	Undergrowth; oak, service berry and sagebrush.
	N.0°3'W., bet. secs. 19 and 20.
	Over rolling mountainous land, through scattering timber and dense undergrowth.
	Desc. 155 ft. over N. slope.
6.70	Wash, 20 lks. wide, course NE.
	Asc. 150 ft. over SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 19   S 20 1925
	From which,
	A cedar, 6 ins. diam., bears N.46 $\frac{1}{4}$ °E., 83 lks. dist. marked $\frac{1}{4}$ S 20 B T
	A cedar, 6 ins. diam., bears N.74 $\frac{3}{4}$ °W., 132 lks. dist. marked $\frac{1}{4}$ S 19 B T
	Asc. 67 ft. over S. slope.
51.50	Spur, slopes E.
	Desc. 500 ft. over NE. slope.
77.60	Wash, 10 lks. wide, course NE.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 17, 18, 19 and 20, marked on brass cap
	T39N R13W S 18   S 17 S 19   S 20 1925
	From which,
	A white oak, 6 ins. diam., bears N.87 $\frac{1}{2}$ °E., 106 lks.

Subdivision of T.39 N., R.13 W.

Chains

marked T 39 N R 13 W S 17 B T  
 A cedar, 10 ins. diam., bears S.17 $\frac{1}{2}$ °E., 77 lks. dist.  
 marked T 39 N R 13 W S 20 B T  
 A white oak, 6 ins. diam., bears S.3 $\frac{1}{4}$ °W., 89 lks. dist.  
 marked T 39 N R 13 W S 19 B T  
 A white oak, 6 ins. diam., bears N.1°W., 78 lks. dist.  
 marked T 39 N R 13 W S 18 B T

Land; rolling mountains.  
 Soil; rocky, 4th. rate.  
 Timber; maple, white oak and cedar.  
 Undergrowth; oak, service berry and sagebrush.

40.00 N.89°56'E., on a random line bet. secs. 17 and 20.  
 80.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 Fall 9 lks. S. of the cor. of secs. 16, 17, 20 and 21.

Thence  
 S.89°52'W., on a true line bet. secs. 17 and 20.  
 Over rolling mountainous land, through heavy timber and  
 dense undergrowth.  
 4.35 Wash, 15 lks. wide, course SE.  
 Asc. 100 ft. to  
 15.80 Spur, slopes SE.  
 33.58 Wash, 20, lks. wide, course SE.  
 Asc. 65 ft. over NE. slope.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 17  
 S 20  
 1925

From which,  
 A cedar, 5 ins. diam., bears N.13 $\frac{1}{2}$ °W., 158 lks. dist.  
 marked  $\frac{1}{4}$  S 17 B T  
 A cedar, 10 ins. diam., bears S.9 $\frac{1}{2}$ °W., 162 lks. dist.  
 marked  $\frac{1}{4}$  S 20 B T

Asc. 350 ft. over NE. slope to cor.  
 44.40 Trail, bears SE. and NW.  
 48.00 Enter scattering timber, bears SE. and NW.  
 58.00 Draw, course NE.  
 61.00 Point of spur, slopes NE.  
 78.50 Maple Spring, bears N. about 2 chs. dist.  
 78.94 Small stream, course NE.  
 80.00 The cor. of secs. 17, 18, 19 and 20.

Land; rolling mountains.  
 Soil; rocky, 4th. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak, service berry and sage.

40.00 N.89°57'W., on a random line bet. secs. 18 and 19.  
 78.52 Set temp.  $\frac{1}{4}$  sec. cor.  
 Fall 7 lks. S. of the cor. of secs. 13, 18, 19 and 24  
 on W. bdy. of Tp., hereinbefore described.

Thence  
 S.89°54'E., on a true line bet. secs. 18 and 19.  
 Over rolling mountainous land, through scattering timber  
 and dense undergrowth.  
 Asc. 246 ft. over W. slope.  
 18.00 Ridge, bears SE. and NW.  
 Desc. 330 ft. to  
 38.52 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 18  
 S 19  
 1925

## Subdivision of T.39 N., R.13 W.

Chains

Raise a mound of stone, 4 ft. base, 3 ft. high N. of cor.

78.52 Desc. 520 ft. over NE. slope.  
The cor. of secs. 17, 18, 19 and 20.Land; rolling mountains.  
Soil; rocky, 4th. rate.  
Timber; cedar and pinyon.  
Undergrowth; oak, service berry and sagebrush..90 N.0°3'W., bet. secs. 17 and 18.  
2.40 Over rolling mountainous land, through scattering timber  
and dense undergrowth.  
Desc. 70 ft. over N. slope.  
Trail, bears E. and W.  
40.00 Wash, 15 lks. wide, course E.  
Asc. 750 ft. over S. slope.  
Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in  
the ground to bed rock, supported in a mound of stone,  
for  $\frac{1}{4}$  sec. cor. marked on brass cap
$$\frac{1}{4}$$

$$S 18 \left| S 17$$

1925

From which,

A cedar, 6 ins. diam., bears S.51 $\frac{1}{4}$ °E., 89 lks. dist.  
marked  $\frac{1}{4}$  S 17 B TA cedar, 6 ins. diam., bears N.75 $\frac{1}{4}$ °W., 41 lks. dist.  
marked  $\frac{1}{4}$  S 18 B T42.00 Asc. 32 ft.  
Spur, slopes E.  
46.50 Desc. 570 ft. over N. slope.  
63.20 Draw, course NE.Along E. slope.  
76.00 Enter heavy timber, bears E. and W.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in  
the ground for cor. of secs. 7, 8, 17 and 18, marked  
on brass cap

T39N R13W

$$S 7 \left| S 8$$

$$S 18 \left| S 17$$

1925

From which,

A cedar, 8 ins. diam., bears N.78 $\frac{3}{4}$ °E., 38 lks. dist.  
marked T 39 N R 13 W S 8 B TA cedar, 8 ins. diam., bears S.80°E., 53 lks. dist.  
marked T 39 N R 13 W S 17 B TA cedar, 8 ins. diam., bears S.81°W., 89 lks. dist.  
marked T 39 N R 13 W S 18 B TA cedar, 10 ins. diam., bears N.87°W., 12 lks. dist.  
marked T 39 N R 13 W S 7 B TLand; rolling mountainous.  
Soil; rocky, 4th. rate.  
Timber; cedar and pinyon.  
Undergrowth; oak, service berry and sagebrush.

Subdivision of T.39 N., R.13 W.

Chains N.89°52'E., on a random line bet. secs. 8 and 17.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.04 Fall 33 lks. N. of the cor. of secs. 8, 9, 16 and 17.

Thence  
 N.89°54'W., on a true line bet. secs. 8 and 17.  
 Over rolling mountainous land, through heavy timber and  
 dense undergrowth.

18.70 Along N. slope.  
 Wash, 15 lks. wide, course NE.  
 Asc. 145 ft. to

40.02 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 8  
 S 17  
 1925

From which,  
 A cedar, 5 ins. diam., bears N.38 $\frac{1}{4}$ °W., 26 lks. dist.  
 marked  $\frac{1}{4}$  S 8 B T  
 A cedar, 8 ins. diam., bears S.35°W., 15 lks. dist.  
 marked  $\frac{1}{4}$  S 17 B T

50.40 Asc. 520 ft. to cor.  
 Wash, 25 lks. wide, course NE.  
 Continue ascent.

63.40 Same wash, 10 lks. wide, course SE.

80.04 The cor. of secs. 7, 8, 17 and 18.

Land; rolling mountainous.  
 Soil; rocky, 4th. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak, service berry and sagebrush.

40.00 N.89°54'W., on a random line bet. secs. 7 and 18.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 78.42 Fall 23 lks. N. of the cor. of secs. 7, 12, 13 and 18  
 on W. bdy. of Tp., hereinbefore described.

Thence  
 N.89°56'E., on a true line bet. secs. 7 and 18.  
 Over rolling mountainous land, through scattering timber  
 and dense undergrowth.

28.30 Desc. 335 ft. over E. slope to  $\frac{1}{4}$  sec. cor.  
 Draw, course SE.

38.42 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 7  
 S 18  
 1925

From which,  
 A cedar, 6 ins. diam., bears N.42 $\frac{1}{4}$ °W., 230 lks. dist.  
 marked  $\frac{1}{4}$  S 7 B T  
 A cedar, 6 ins. diam., bears S.24 $\frac{1}{4}$ °E., 170 lks. dist.  
 marked  $\frac{1}{4}$  S 18 B T

68.50 Desc. 820 ft. over E. slope.  
 Enter heavy timber, bears S. and NW.

70.72 Draw, course NE. Continue descent.

78.42 The cor. of secs. 7, 8, 17 and 18.

Land; rolling mountainous.  
 Soil; rocky, 4th. rate.  
 Timber; cedar and pinyon.  
 Undergrowth; oak, buck brush and manzanita.

## Subdivision of T.39 N., R.13 W.

Chains N.0°3'W., bet. secs. 7 and 8.  
Over rolling mountainous land, through heavy timber and dense undergrowth.  
Desc. 80 ft. over N. slope.  
4.00 Wash, 10 lks. wide, course SE.  
Along broken E. slope.  
29.00 Leave heavy and enter scattering timber, bears E. and W.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for  $\frac{1}{4}$  sec. cor. marked on brass cap

 $\frac{1}{4}$ 

S 7 | S 8

1925

From which,

A cedar, 8 ins. diam., bears S.37 $\frac{1}{2}$ °E., 99 lks. dist. marked  $\frac{1}{4}$  S 8 B TA cedar, 6 ins. diam., bears S.6 $\frac{1}{2}$ °W., 162 lks. dist. marked  $\frac{1}{4}$  S 7 B T

43.80 Wash, 15 lks. wide, course SE.  
70.00 Wash, 10 lks. wide, course NE.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 5, 6, 7 and 8, marked on brass cap

T39N R13W

S 6 | S 5

S 7 | S 8

1925

From which,

A cedar, 8 ins. diam., bears N.40°E., 73 lks. dist. marked T 39 N R 13 W S 5 B T

A cedar, 5 ins. diam., bears S.14 $\frac{1}{4}$ °E., 132 lks. dist. marked B T 39 N R 13 W S 6 B TA pinyon, 10 ins. diam., bears S.28 $\frac{1}{4}$ °W., 35 lks. dist. marked T 39 N R 13 W S 7 B TA cedar, 10 ins. diam., bears N.79 $\frac{1}{2}$ °W., 73 lks. dist. marked T 39 N R 13 W S 6 B T

Land; mountainous.

Soil; rocky, 4th. rate.

Timber; cedar and pinyon.

Undergrowth; oak and manzanita.

40.00 S.89°54'E., on a random line bet. secs. 5 and 8.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.16 Fall 33 lks. S. of the cor. of secs. 4, 5, 8 and 9.

Thence

S.89°52'W., on a true line bet. secs. 5 and 8.

Over rolling mountainous land, through heavy timber and dense undergrowth.

Asc. 300 ft. to  $\frac{1}{4}$  sec. cor.

10.66 Wash, 40 lks. wide, course SE.

33.26 Wash, 10 lks. wide, course NE.

40.08 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap $\frac{1}{4}$  S 5

S 8

1925

From which,

A pinyon, 12 ins. diam., bears N.26 $\frac{1}{4}$ °W., 31 lks. dist. marked  $\frac{1}{4}$  S 5 B TA pinyon, 10 ins. diam., bears S.33°W., 42 lks. dist. marked  $\frac{1}{4}$  S 8 B T

47.62 Asc. 500 ft. over E. slope to cor.  
Black Rock Spring, bears N.6°W.



Subdivision of T.39 N.,R.13 W.

Chains


62.00 Leave heavy and enter scattering timber, bears N. and S.  
70.76 Wash, 15 lks. wide, course NE.  
80.16 The cor. of secs. 5, 6, 7 and 8.

Land; rolling.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; oak, manzanita and sagebrush.

40.00 S.89°56'W., on a random line bet. secs. 6 and 7.  
Set temp. 1/4 sec. cor.  
78.19 Fall 16 lks. S. of the cor. of secs. 1, 6, 7 and 12 on  
W. bdy. of Tp., hereinbefore described.

Thence  
S.89°57'E., on a true line bet. secs. 6 and 7.  
Over mountainous land, through heavy timber and dense  
undergrowth.

38.19 Desc. 350 ft. over rolling E. slope to  
Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in  
the ground to bed rock, supported in a mound of stone,  
for 1/4 sec. cor. marked on brass cap



From which,  
A cedar, 12 ins. diam., bears S.85°E., 15 lks. dist.  
marked 1/4 S 7 BT  
No other suitable trees near.


78.19 Desc. 840 ft. over E. slope.  
The cor. of secs. 5, 6, 7 and 8.

Land; mountainous.  
Soil; rocky, 3rd. rate.  
Timber; cedar and pinyon.  
Undergrowth; oak, and manzanita.

40.00 N.0°3'W., on a random line bet. secs. 5 and 6.  
Set temp. 1/4 sec. cor.  
79.98 Fall 33 lks. W. of the cor. of secs. 5, 6, 31 and 32.

Thence  
S.0°11'W., on a true line bet. secs. 5 and 6.  
Over mountainous land, through scattering timber and  
dense undergrowth.

39.98 Along E. slope.  
Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in  
the ground to bed rock, supported in a mound of stone,  
for 1/4 sec. cor. marked on brass cap



From which,  
A cedar, 6 ins. diam., bears S.83°E., 34 lks. dist.  
marked 1/4 S 5 B T  
A cedar, 4 ins. diam., bears West, 38 lks. dist.  
marked 1/4 S 6 B T

58.00 Desc. 200 ft. over SE. slope.  
70.00 Asc. 200 ft. over NE. slope.  
79.98 Desc. 112 ft. to  
The cor. of secs. 5, 6, 7 and 8.

Land; mountainous. Soil; rocky, 2nd. and 3rd. rates.  
Timber; cedar and pinyon. Undergrowth; manzanita.

Boundaries of T.39 N.,R.13 W.

Latitudes, departures and closing errors.

Line designated.	True bearing.	Dist- ance.	Latitudes		Departures.	
			N.	S.	E.	W.
South bdy.	West	478.92				478.92
West bdy.	North	480.00	480.00			
North bdy.	N.89°58'E.	478.40	.28		478.40	
East bdy.	South	480.00		480.00		
Convergency -----	-----				.54	
Totals.			480.28	480.00	478.94	478.92
Error in latitude -----			0.28			
Error in departure -----					0.02	

The satisfactory adjustment of the instrument throughout the survey of this township is indicated from frequent tests of the solar apparatus which were made as the work progressed. Owing to cloudy and stormy weather on completion of the township no observation could be made.

GENERAL DESCRIPTION

Township 39 North, Range 13 West, which lies about thirty miles south of St. George, Utah, consists of rolling and mountainous land. It is covered with a thick growth of cedar and pinyon timber. There is also some yellow pine and dense oak brush in the western part.

There are two large springs of good water, Black Rock Spring in Sec. 5 and Maple Spring in Sec. 17, also two small springs of seepage water unfit to drink, one in Sec. 31 and the other in Sec. 21.

There is a small house in sec. 4 with about 5 acres of cleared land.

BOOK 3689

63

4-680

**FIELD ASSISTANTS. to**

Charles E. Hunter, U.S. Transitman.

NAMES.	CAPACITY.
Orvil Bastian	First Chainman.
Lorin J. Haycock	Second Chainman.
Tom Pierce	Flagman.
Robert W. Cosgrave	Cornerman.

CERTIFICATE OF UNITED STATES TRANSITMAN.

I, Charles E. Hunter, U.S. Transitman, U.S. Surveyor, hereby certify upon honor that, in pursuance

of special instructions received from the U. S. Surveyor General, for Group 122, Arizona

bearing date of the 23rd day of April, 1923, I have well, faithfully, and truly

in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instruc- tions, and the laws of the United States, surveyed all those parts or portions of

The East Boundary of T.39 N., R.13 W.

of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in

the foregoing field notes and by diagram on page 1-b hereof as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instruc- tions, and the special written instructions of the U. S. Surveyor General, for Group 122, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place: Phoenix, Arizona

Charles E. Hunter

U.S. Transitman

Date: October 28, 1925

APPROVAL:

Office of the United States Surveyor General

The foregoing field notes of the survey of

executed by under his special instructions dated 19 , having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General

I certify that the foregoing transcript of the field notes of the above-described surveys in , has been correctly copied from the original notes on file in this office.

U. S. Surveyor General

4-680

FIELD ASSISTANTS. to

Willis W. Bandy, U. S. Surveyor

NAMES.	CAPACITY.
Clifford Way	First Chainman.
Guy Semple	Second Chainman.
Lorin Haycock	Flagman.
Arthur Sawyer	Cornerman.
Earl Laub	Axman.
Ross Mils	Axman.

CERTIFICATE OF UNITED STATES SURVEYOR.

I, Willis W. Bandy, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 122, Arizona, bearing date of the 23rd day of April, 1923, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

The East Boundary, North Boundary and Subdivision lines of T. 39 N., R. 13 W.,

of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes and by diagram on page 1-b hereof as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 122, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place: Kayenta, Ariz. Date: Feb 16, 1926

Willis W. Bandy U. S. Surveyor.

APPROVAL

OFFICE OF THE UNITED STATES SURVEYOR GENERAL

191

The foregoing field notes of the survey of

executed by under his special instructions dated 191, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.

BOOK 3689

67

4-680

FIELD ASSISTANTS. to

William E. Hiester, U.S. Surveyor.

NAMES.	CAPACITY.
Ed Stanley	First Chainman.
Clarence Laub	Second Chainman.
Owen Wright	Flagman.
Carl R. Cragin	Axman.
John B. McClung	First Chainman.
Ed Stanley	Second Chainman.
Clarence Laub	Cornerman.
Irving Ison.	Cornerman.
Bernard Ison	Axman.

CERTIFICATE OF UNITED STATES SURVEYOR.

I, William E. Hiester, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 122, Arizona bearing date of the 23rd. day of April, 1923, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of \_\_\_\_\_  
The North Boundary and West Boundary of T.38 N., R.12 W. and  
The South Boundary, West Boundary, East Boundary, North  
and Subdivision lines of T.39 N., R.13 W.  
 \_\_\_\_\_  
 \_\_\_\_\_ of the Gila and Salt  
River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes <sup>and by diagrams on pages 1-a and 1-b hereof</sup> as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 122, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place: Phoenix Arizona William E. Hiester  
 Date: Oct-27-1925 \_\_\_\_\_  
 U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES <sup>SUPERVISOR OF SURVEYS.</sup> ~~SURVEYOR GENERAL,~~

Denver, Colorado, March 8, 1926.

The foregoing field notes of the survey of The West Boundary and Part of the  
North Boundary of T.38 N., R.12 W., and the South Boundary, West  
Boundary, East Boundary, North Boundary and Subdivision <sup>lines</sup> of T.39 N.,  
R.13 W., of the Gila and Salt River Base and Meridian in the State  
of Arizona, executed by

William E. Hiester, U.S. Surveyor,  
Charles E. Hunter, U.S. Transitman and  
Willis W. Bandy, U.S. Surveyor

~~executed by~~ their under ~~the~~ special instructions dated April 23, 1923 for Group 122 Arizona, 23, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Wm. H. Johnson  
 U. S. Supervisor of Surveys. U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~  
 \_\_\_\_\_, ~~has been correctly copied from the original notes on file in this office~~