

BOOK 3745

FIELD NOTES

OF THE SURVEY OF THE

West and North boundaries, and the subdivision of T. 15 N., R. 10 W.

WEST boundary

NORTH boundary

and

SUBDIVISION lines

of

Township 15 North, Range 10 West

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

Glenn F. Sawyer, U. S. Surveyor
and

Charles E. Hunter, U. S. Transitman

In the capacity of U. S. Surveyors, under Special Instructions dated *June 25*, 1925,
issued by the United States Surveyor General to govern surveys included in Group
No. *132, Arizona*, which were approved by the Commissioner of the General Land
Office, *July 6*, 1925, and Assignment Instructions dated *October 22*, 1925

Survey commenced *January 20*, 19 *26*


Survey completed *February 8*, 19 *26*

3745

3745

INDEX DIAGRAM.

Township _____, Range _____



Book "E"

Group 132 Arizona

BOOK 3745

4-679 b

INDEX DIAGRAM.

		Township				Range				
		12	11	11	10	10	9	9		
8		6 47	5 38	4 31	3 25	2 18	1	[Hatched Area]		
		47	46	37	31	25 24	19			
7		7 46	8 37	9 30	10 24	11 18	12	[Hatched Area]		
		45 45	44 36	36	30 29	23 17	17			
7		18 44	17 35	16 29	15 23	14 16	18	[Hatched Area]		
		43 43	42 35	T. 15 N., R. 10 W. 22		22	16			
6		19 42	20 34	21 28	22 22	23 15	24	[Hatched Area]		
		41 41	40 34	33 27	27 21	21 15	14			
6		30 40	29 33	28 27	27 20	26 14	25	[Hatched Area]		
		39 40	39 33	32 26	26 20	20 14	13			
5		31 38	32 32	33 26	34 19	35 13	36	[Hatched Area]		
				25						

———— Surveyed under this group.

———— Accepted surveys.

----- Unsurveyed.

[Hatched Area] Areas surveyed as per accepted plats on file.

DATE DIAGRAM
1926

BOOK 3745

	2-5	2-1	1-31	1-31	1-31	1-30
2-3	6 2-4	5 2-6	4 2-3	3 2-2	2 2-2	1 1-29
2-3	7 2-2	8 2-8	9 2-4	10 2-1	11 1-28, 1-29	12 1-28
1-25	18 1-23	17 2-8	16 2-8	15 1-30	14 1-27	13 1-27
1-22	19 1-22	20 2-6	21 2-6	22 1-29	23 1-26	24 1-27
1-21	30 1-21	29 1-20	28 1-22	27 1-22	26 1-23	25 1-25
1-21	31 1-20	32 1-20	33 1-22	34 1-23	35 1-23	36

T15N., R.10W.

Surveyed in 1919-1920

Surveyed in 1923

———— Surveyed by Charles E. Hunter, U.S. Transitman on dates shown.

———— Surveyed by Glenn F. Sawyer, U.S. Surveyor on dates shown.

———— Accepted surveys.

Surveys herein described were executed on dates shown on diagram on page 2 hereof, by Glenn F. Sawyer, U. S. Surveyor and Charles E. Hunter, U. S. Transitman, using respectively, Young and Sons light mountain transit No. 8478 and Buff and Buff light mountain transit No. 10125, each equipped with full vertical and Smith solar attachment; unless otherwise specified, all azimuth determinations are accomplished with the solar attachment.

PRELIMINARY TEST OF BUFF AND BUFF
INSTRUMENT NO. 10125, BY CHARLES E. HUNTER.

January 18, 1926: I examine the adjustments of the transit and find them correct; then to test the solar apparatus, by comparing its indications, resulting from observations made during a.m. and p.m. hours with a meridian established by Polaris observation, I proceed as follows:

At camp near the $\frac{1}{4}$ sec. cor. of secs. 28 and 29, T.15N., R.10 W., G. and S.R. Base and Meridian, Ariz., latitude, $34^{\circ}36\frac{1}{2}'N.$, longitude $113^{\circ}19\frac{1}{2}'W.$, at 11h 40.2m. p.m., l.m.t., I observe Polaris at western elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point in line thus determined on a peg driven firmly in the ground 5 chs. northerly.

Azimuth of Polaris at western elongation, $1^{\circ}19'20''$

January 19, 1926: At 7h 45m a.m., l.m.t., I lay off the azimuth of Polaris $1^{\circ}19\frac{1}{2}'$ to the east and mark the meridian thus determined by a tack in a peg driven firmly in the ground, 5 chs. N.

At 8h 0m a.m., l.m.t., I set off $34^{\circ}36\frac{1}{2}'N.$ on the lat. arc, $20^{\circ}20\frac{1}{2}'S.$ on the decl. arc, and determine a meridian with the solar, which is found to agree with the true meridian.

At apparent noon, with the lat. arc unchanged, I observe the sun on the meridian; the resulting reading of the decl. arc is $20^{\circ}20\frac{1}{2}'S.$, which agrees with the computed decl. of the sun.

At 4h 0m p.m., l.m.t., with the lat. arc unchanged, I set off $20^{\circ}16\frac{1}{2}'S.$ on the decl. arc and determine a meridian with the solar which is found to agree with the true meridian.

As all of the solar observations during the usual hours of solar work come within 1' of the true meridian, I conclude that the adjustments of the instrument are satisfactory.

PRELIMINARY TEST OF YOUNG AND SON'S
INSTRUMENT NO. 8478, BY GLENN F. SAWYER.

January 21, 1926
I examine the adjustments of the transit and find them correct; then to test the solar apparatus, by comparing its indications, resulting from observations made during a.m. and p.m. hours with a meridian established by Polaris observation by Charles E. Hunter on Jan. 18, 1926, hereinbefore described, I proceed as follows:

At 8h 0m a.m., l.m.t., I set off $34^{\circ}36\frac{1}{2}'N.$ on the lat. arc, $19^{\circ}55'S.$ on the decl. arc, and determine a mer-

idian with the solar, which is found to agree within 1' with the true meridian.

At apparent noon, with the lat. arc unchanged, observe the sun on the meridian; the resulting reading of the decl. arc is $19^{\circ}54\frac{1}{2}'S.$, which agrees with the computed decl. of the sun.

At 4h 0m p.m., l.m.t., with the lat. arc unchanged, set off $19^{\circ}50\frac{1}{2}'S.$ on the decl. arc and determine a meridian with the solar, which is found to agree within 1' with the true meridian.

As all of the solar observations during the usual hours of solar work come within 1' of the true meridian, conclude that the adjustments of the instrument are satisfactory.

Unless otherwise specified, all measurements are made with Lufkin steel tapes, 5 chs. in length, compared with a Lufkin steel test tape, 1 ch. in length, and found correct. The measurements are made on the slope, the vertical angle determined and the slope measurements properly reduced to true horizontal distances.


Survey of the West boundary of T15N, R10W.

Chains.

From the cor. of Tps. 14 and 15 N., Rs. 10 and 11 W., which is an iron post, 3 ins. in diam., firmly set in mound of stone 30 ins. above ground, properly marked on brass cap.


North, on true line bet. secs. 31 and 36. Over mountainous land, through scattering undergrowth. Asc. 120 ft. over SW. slope.

- 14.60 Spur, slopes SW.; desc. 152 ft. over NW. slope.
- 32.00 Wash, 6 lks. wide, course SE.; asc. 93 ft. over SE. slope.
- 40.00 True point for $\frac{1}{4}$ sec. cor. falls in small wash, course SE.
- 40.20 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap



No bearing trees available. Raise mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor. Asc. 40 ft. over S. slope.

- 42.20 Spur, slopes E.; desc. 29 ft. over N. slope.
- 44.70 Draw, 4 lks. wide, course E.; asc. 60 ft. over S. slope.
- 49.60 Spur, slopes SE.; desc. 31 ft. over NE. slope.
- 56.30 Draw, 10 lks. wide, course SE.; asc. 75 ft. over SW. slope.
- 61.90 Spur, slopes SE.; desc. 52 ft. over NE. slope.
- 69.30 Wash, 20 lks. wide, course SE.; asc. 184 ft. over SW. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 25, 30, 31, and 36., marked on brass cap




No bearing trees available.

Land, mountainous. Soil, rocky loam, 4th rate. Timber, none. Undergrowth, cacti, catclaw, greasewood, palo verde, mesquite, and juniper.

North, bet. secs. 25 and 30. Over mountainous land, through scattering undergrowth. Asc. 185 ft. over SW. slope.

- 10.60 Ridge, brs E. and W.; desc. 315 ft. over N. slope.
- 23.80 Draw, 6 lks. wide, course NE.; asc. 52 ft. over SE. slope.
- 27.00 Spur, slopes NE.; desc. 91 ft. over NE. slope.
- 38.70 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap



- Chains.
- 40.00 No bearing trees available.
True point for $\frac{1}{4}$ sec. cor. falls in wash, 150 lks. wide, course E.
- 43.70 Wash, 20 lks. wide, course S.20°W.; asc. 56 ft. over SE. slope.
- 52.60 Same wash, 20 lks. wide, course S.20°E.; asc. 266 ft. over SW. slope.
- 68.80 Spur, slopes W.; desc. 60 ft. over N. slope.
- 70.70 Same wash, 20 lks. wide, course SW.; asc. 147 ft. over SW. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 19, 24, 25, and 30, marked on brass cap

T15N
R11W R10W
S24 | S19

S25 | S30

1926

No bearing trees available.

Land, mountainous.

Soil, rocky and gravelly, 4th rate.

Timber, none.

Undergrowth, greasewood, catclaw, palo verde, mesquite, and yucca.

-
- North, bet. secs. 19 and 24.
Over mountainous land; through scattering undergrowth.
Along NW. slope.
- .60 Ravine, course SW.; asc. 230 ft. over SE. slope.
- 11.90 Spur, slopes SW.; asc. 241 ft. over SW. slope.
- 36.90 Slope changes; desc. 25 ft. along NW. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S24 | S19

1926

- No bearing trees available.
- 45.00 Raise mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
Head of draw, course SW.; asc. 195 ft. over S. slope.
- 55.50 Slope changes; asc. 131 ft. over SW. slope.
- 63.70 Spur, slopes S.20°E.; asc. 74 ft. over NE. slope.
- 70.10 Spur, slopes S.70°W.; asc. 120 ft. over SW. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 13, 18, 19, and 24, marked on brass cap

T15N
R11W R10W
S13 | S18

S24 | S19

1926

No bearing trees available.

Land, mountainous.


Soil, sandy and rocky, 3rd and 4th rate.

Undergrowth, cacti, catclaw, greasewood, palo verde.

Timber, none.


Survey of the West boundary of T15N, R10W.

Chains. North, bet. secs. 13 and 18.
 Asc. 400 ft. over SW. slope, to bottom of cliff.
 29.80 Foot of cliff, brs E. and W.; asc. 200 ft. over precipitous cliff facing S.
 36.11 Top of cliff, brs E. and W.; asc. 132 ft. over SW. slope to.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



1926


No bearing trees available.
 Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Asc. 219 ft. over SW. slope.
 61.00 Ridge, brs NE. and SW.; desc. 63 ft. over NW. slope.
 70.30 Draw, 6 lks. wide, course SW.; asc. 74 ft. over SE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 7, 12, 13, and 18, marked on brass cap



1926

No bearing trees available.
 Land, mountainous.
 Soil, sandy and rocky, 3rd and 4th rate.
 Timber, none.
 Undergrowth, greasewood, mountain mahogany, oak brush and juniper.

North, bet. secs. 7 and 12.
 Over mountainous land, through scattering undergrowth.
 Desc. 306 ft. over NW. slope.
 16.00 Spur, slopes NW.; desc. 168 ft. over NE. slope.
 25.20 Head of draw, course NE.; asc. 52 ft. over SE. slope.
 34.60 Same spur, slopes NE.; desc. 181 ft. over N. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap



1926

No bearing trees available.
 47.90 Wash, 6 lks. wide, course S.60°E.; asc. 61 ft. over S. slope.
 51.20 Point of spur, slopes SE.; desc. 28 ft. over NE. slope.
 54.60 Wash, 10 lks. wide, course SE.; asc. 200 ft. over SE. slope.
 71.00 Spur, slopes S.20°W.; asc. 53 ft. over SW. slope.
 75.70 Slope changes; desc. 68 ft. over NW. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 1, 6, 7, and 12, marked on brass cap

Chains.

T15N	
R11W	R10W
S 1	S 6

S12	S 7

1926

No bearing trees available.

Land, mountainous.

Soil, sandy and rocky, 4th rate.

Timber, none.

Undergrowth, cacti, catclaw, oak brush, greasewood, and yucca.

 North, bet. secs. 1 and 6.

Over mountainous land, through scattering undergrowth.

Desc. 12 ft. over NW. slope.

- 5.20 Wash, 6 lks. wide, course SW.; asc. 13 ft. over S. slope.
- 28.70 Saddle in low ridge, brs E. and W.; desc. 15 ft. over N. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	
S 1	S 6

1926

No bearing trees available.

No rocks available. Pits impracticable.

- 60.50 Wash, 10 lks. wide, course E.; asc. 72 ft. over SE. slope.
- 80.00 Set an iron post, 3 ft. long, 3 ins. in diam., 10 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of Tps. 15 and 16 N., Rs. 10 and 11 W., marked on brass cap

T16N	
R11W	R10W
S36	S31

S 1 S 6

T15N
1926

No bearing trees available.

Land, mountainous.

Soil, sandy and rocky loam, 3rd rate.

Timber, none.

Undergrowth, mountain mahogany, oak brush, buck brush, catclaw, and yucca.

Survey of the North boundary of T15N, R10W.

From the cor. of Tps. 15 and 16 N., hereinbefore described.

East, on a random line along N. bdy. of Tp. 15 N., R. 10 W. setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs.; and at 479.25 chs., fall 14 lks. N. of the cor. of Tps. 15 and 16 N., Rs. 9 and 10 W. which is an iron post, 3 ins. in diam., firmly set, properly marked on brass cap, set in 1915.

The falling answers to a correction of 0°1' or 2.3 lks. S. per mile, counting from the NW. cor. of the Tp.

Thence

N. 89°59' W., on true line bet. secs. 1 and 36.

Over mountainous land, through heavy undergrowth.

Desc. 416 ft. over W. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S36

S 1
1926

No bearing trees available.

Desc. 289 ft. over W. slope.

55.00 East bank of Burro Creek, brs. N. and S.

59.80 Center of stream of Burro Creek, 150 lks. wide, course SW.

64.20 West bank of Burro Creek, brs NE. and SW.

Asc. 207 ft. over E. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 16 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 1, 2, 35, and 36, marked on brass cap

T16N	R10W
S35	S36

S 2	S 1
T15N	R10W

1926

No bearing trees available.

Land, mountainous.

Soil, black loam, 2nd rate and rocky, 4th rate.

Timber, none.

Undergrowth, mesquite, ocotilla, and cacti.

N. 89°59' W., on true line bet. secs. 2 and 35.

Over very high mountainous country, through scattering undergrowth.

Ascend 980 ft. over broken SE. slope to witness cor. to $\frac{1}{4}$ sec. cor.

40.00 True point for $\frac{1}{4}$ sec. cor. falls on very steep slope, where a permanent cor. could not be built.

49.00 Set an iron post, 3 ft. long, 1 in. diam., 7 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S35 WC

S 2
1926

Chains.

No bearing trees available.

Desc. 77 ft. over W. slope.

61.30 Draw, 10 lks. wide, course SE.; asc. 189 ft. over E. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 2, 3, 34, and 35, marked on brass cap

T16N R10W

S34 | S35

S 3 | S 2

T17N R10W

1926

No bearing trees available.

Land, mountainous.

Soil, black loam mixed with rocks, 3rd rate.

Timber, none.

Undergrowth, catclaw, mesquite, ocotilla, and cacti.

N. 89° 59' W., on true line bet. secs. 3 and 34.

Over mountainous land, through scattering undergrowth.

Asc. 202 ft. over E. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S34

S 3

1926

No bearing trees available.

Proceed over rolling land, sloping to SE. Asc. 96 ft.

69.66 Desc. 212 ft. over W. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 8 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 3, 4, 33, and 34, marked on brass cap

T16N R10W

S33 | S34

S 4 | S 3

1926

No bearing trees available.

Land, mountainous.

Soil, sandy, gravelly and rocky, 3rd rate.

Timber, none.

Undergrowth, catclaw, buck brush, ocotilla, and cacti.

N. 89° 59' W., on true line bet. secs. 4 and 33.

Over mountainous land, through scattering undergrowth.

Desc. slightly.

1.00 Draw, 5 lks. wide, course SE.; asc. 55 ft. over E. slope.

5.90 Spur, slopes SW.; desc. 714 ft. over W. slope.

38.08 A creek with stream of alkali water, 3 lks. wide, 2 ins.

Survey of the North boundary of T15N,R10W.

11

Chains	deep, course SE.; asc. slightly to	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap	
	$\frac{1}{4}$ S33	
	S 4 1926	
	No bearing trees available.	
	Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor. Asc. 452 ft. over E. slope.	
69.00	Spur, slopes NE.; desc. 146 ft. along N. slope of spur.	
79.90	Head of draw, course NE.; asc. slightly.	
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 4,5,32, and 33, marked on brass cap	
	T16N R10W S32 S33 S 5 S 4 T15N R10W 1926	
	No bearing trees available.	
	Land, mountainous.	
	Soil, sandy, gravelly, and rocky, 3rd rate.	
	Timber, none.	
	Undergrowth, catclaw, ocotilla, and buck brush.	

	N.89°59'W., on true line bet. secs. 5 and 32.	
	Over mountainous land, through scattering undergroth. Asc. 376 ft. over E. slope.	
25.60	Spur, slopes NE.; desc. 217 ft. over NW. slope.	
35.13	Draw, 10 lks. wide, course NE.; asc. 46 ft. over E. slope.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap	
	$\frac{1}{4}$ S32	
	S 5 1926	
	No bearing trees available.	
	Asc. 314 ft. over E. slope.	
71.50	Spur, slopes NE.; desc. 154 ft. over NW. slope.	
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 6 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 5,6,31, and 32, marked on brass cap	
	T16N R10W S31 S32 S 6 S 5 T15N R10W 1926	
	No bearing trees available.	

Chains.

Land, mountainous.
Soil, sandy and gravelly, 3rd rate.
Timber, none.
Undergrowth, buck brush, mountain mahogany, and oak brush

-
- N. 89° 59' W., on true line bet. secs. 6 and 31
Over mountainous land, through scattering undergrowth.
Asc. 30 ft. over NW. slope.
- 11.45 Spur, slopes NW.; desc. 243 ft. over SW. slope.
22.75 Wash, 10 lks. wide, course NE.; asc. 41 ft. over NE.
slope.
- 30.75 Point of spur, slopes NE.; desc. 43 ft. over NW. slope.
36.05 Wash, 10 lks. wide, course N. 60° E.; asc. slightly.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in
the ground to bed rock, deposit a stone marked with a
cross (X) at base of post, and raise a mound of stone
around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 31

S 6
1926

- No bearing trees available.
Asc. 63 ft. over SE. slope.
- 43.45 Point of spur, slopes S.; desc. 19 ft. over SW. slope.
45.25 Same wash, 10 lks. wide, course SE.; asc. 104 ft.
over NE. slope.
- 52.15 Point of spur, slopes N.; desc. 20 ft. over NW. slope.
53.85 Wash, 10 lks. wide, course NE.; asc. 194 ft. over SE.
slope.
- 79.25 Intersect the cor. of Tps. 15 and 16 N., Rs. 10 and 11 W.
hereinbefore described.

Land, mountainous.
Soil, sandy and rocky, 3rd rate.
Timber, none.
Undergrowth, greasewood, mountain mahogany, oak brush,
cat claw, palo verde, mesquite, and yucca.

Survey of the Subdivision of T15N, R10W.

Chains.

From the cor. of secs. 1, 2, 35, and 36, on the S. bdy. of the tp., which is an iron post, 2 ins. in diam., projecting 9 ins. above ground, firmly set, properly marked on brass cap and witnessed by a mound of stone W. of cor.

Thence

N.0°1'W., bet. secs. 35 and 36.

Over mountainous land, through scattering undergrowth.

Asc. 57 ft. over S. slope.

3.70 Spur, slopes SW.; desc. 43 ft. over N. slope.

8.90 Draw, 10 lks. wide, course SW.; asc. 370 ft. over S. slope.

27.32 South rim of mesa, brs NE. and SW.; then across mesa.

39.40 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
W/C
S35|S36

1926

No bearing trees available.

39.67 North rim of mesa, brs NW. and SE.; desc. 835 ft. over N. slope.

40.00 True point for $\frac{1}{4}$ sec. cor. falls on cliff facing N.

76.00 Draw, 60 lks. wide, course NW.; asc. 64 ft. over S. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 8 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 25, 26, 35, and 36, marked on brass cap

T15N R10W
S26|S25
S35|S36

1926.

No bearing trees available.

Land, mountainous.

Soil, sandy and rocky, 3rd rate.

Timber, none.

Undergrowth, catclaw, and mesquite.

East, on random line bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.10 Intersect the E. bdy. of the Tp., 2 lks. S. of the cor. of secs. 25, 30, 31, and 36, which is an iron post, 2 ins. in diam., 18 ins. above ground in mound of stone, firmly set, properly marked on brass cap and witnessed by mound of stone W. of cor.

Thence

S.89°59'W., on true line bet. secs. 25 and 36.

Over mountainous land, through scattering undergrowth.

Desc. slightly over mesa land.

22.90 Desc. 171 ft. over W. slope.

28.90 Draw, 5 lks. wide, course N.; asc. 57 ft. over E. slope.

33.60 Spur, slopes N.; desc. slightly.

36.60 Draw, 2 lks. wide, course N.; asc. slightly over E. slope.

38.60 Spur, slopes N.; desc. 23 ft. over N. slope.

40.05 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

Chains	
	$\frac{1}{4}$ S25
	S36 1926
	No bearing trees available. Desc. slightly
40.70	Draw, 2 lks. wide, course N.; asc. 172 ft. over NE. slope.
45.75	Spur, slopes NW.; desc. 560 ft. over general NW. slope.
55.30	Spur, slopes SW.; continue descent.
76.50	Spur, slopes NW.; continue descent.
80.10	The cor. of secs. 25, 26, 35, and 36.
	Land, mountainous. Soil, sandy and rocky, 4th rate. Timber, none. Undergrowth, buck brush, catclaw, and cedar.
	<hr/>
	N.0°1'W., bet. secs. 25 and 26. Over mountainous land, through scattering undergrowth. Desc. 216 ft. over N. slope.
10.50	Draw, 5 lks. wide, course NW.; continue desc.
26.20	Boulder creek, with stream of water, 40 lks. wide, 10 ins. deep, course SW.; thence over bottom land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S26 S25 1926
	No bearing trees available. Asc. 808 ft. over S. slope.
57.70	Draw, 10 lks. wide, course SE.
68.80	Draw, 5 lks. wide, course SW. (Same)
80.00	True point for cor. of secs. 23, 24, 25, and 26 falls on very steep slide, unsuitable for permanent cor. (W.C. is described on line bet. secs. 23 and 24)
	Land, mountainous. Soil, rocky, 4th rate. Timber, none. Undergrowth, catclaw, mesquite, and cacti.
	<hr/>
	From the true point for cor. of secs. 23, 24, 25, and 26. N.89°59'E., on random line, bet. secs. 24 and 25.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.28	Fall 9 lks. S. of the cor. of secs. 19, 24, 25, and 30, which is an iron post, 2 ins. in diam., 12 ins. above ground, firmly set, properly marked on brass cap, and witnessed by mound of stone, W. of cor.
	Thence S.89°55'W., on true line bet. secs. 24 and 25. Over very rough mountains, through scattering undergrowth. Asc. 160 ft. over SE. slope.
9.42	S. rim of mesa, brs NE. and SW.; thence across.
25.30	S. rim of mesa, brs NW. and SE.; desc. 192 ft. over SW. slope.
30.28	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap.

Survey of the Subdivision of T15N,R10W.

Chains

1/4 S24
WC
S25
1926

No bearing trees available.
Continue descent.

40.14 True point for 1/4 sec. cor. falls on rock slide of steep slope.

Asc. 180 ft. along SE. slope.

58.30 S. rim of mesa, brs NE. and SW.; thence across same.

72.30 S. rim of mesa, brs NW. and SE.; desc. 160 ft. over SW. slope to

80.28 The true point for cor. of secs. 23,24,25, and 26.

Land, mountainous.
Soil, rocky, 4th rate.
Timber, none.
Undergrowth, sage brush and buck brush.

From true point for cor. of secs. 23,24,25, and 26.
N. 0° 1' W., bet. secs. 23 and 24.
Over mountainous land, through scattering undergrowth.
Asc. 152 ft. over S. slope.

2.50 S. rim of mesa, brs E. and W.

2.70 Set an iron post, 3 ft. long, 2 ins. in diam., 6 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for witness cor. to cor. of secs. 23,24,25, and 26, marked on brass cap

T15N R10W
S23 | S24
S26 | S25
WC
1926

No bearing trees available.
Thence over mesa land.

21.70 N. rim of mesa land, brs SW. and NE.; desc. 534 ft. over N. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for 1/4 sec. cor., marked on brass cap

1/4
S23 | S24
1926

No bearing trees available.
Thence desc. slightly over flat, 12 ft.

58.50 Draw, 80 lks. wide, course SW.; asc. 301 ft. over S. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 16 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 13,14,23, and 24, marked on brass cap

T15N R10W
S14 | S13
S23 | S24
1926


No bearing trees available.

Chains.

Land, mountainous.
Soil, rocky, 4th rate.
Timber, none.
Undergrowth, sage brush, cacti, and fair grass.

40.00 N.89°55'E., on random line bet. secs. 13 and 24.
Set temp. $\frac{1}{4}$ sec. cor.
80.26 Intersect the E. bdy. of the Tp., 5 lks. S. of the cor. of secs. 13,18,19, and 24, which is an iron post, $\frac{3}{8}$ ins. in diam., 9 ins. above ground, firmly set, properly marked on brass cap, and witnessed by mound of stone W. of cor.


Thence
S.89°53'W., on true line bet. secs. 13 and 24.
Over mountainous land, through scattering undergrowth.
Over mesa land.
14.60 W. rim of mesa, brs N. and S.; desc. 643 ft. over NW. slope.
40.13 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap



No bearing trees available.
Desc. 179 ft. over NW. slope.
50.00 Draw, 70 lks. wide, course SW.; asc. 195 ft. over SE. slope.
71.95 Thence over level land.
80.26 The cor. of secs. 13,14,23, and 24.

Land, mountainous.
Soil, rocky, 4th rate.
Timber, none.
Undergrowth, sage brush and buck brush.

N.0°1'W., bet. secs. 13 and 14.
Over mountainous land, through scattering undergrowth.
Asc. 346 ft. over S. slope.
9.50 S. rim of mesa, brs SW. and NE., ; then across level mesa land.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



No bearing trees available.
Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Continue over level mesa.
48.70 N. rim of mesa, brs NE. and SW.; desc. 494 ft. over NW. slope.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 8 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 11,12,13, and 14., marked on brass cap

Survey of the Subdivision of T15N, R10W.

Chains.

T15N R10W

S11 | S12

S14 | S13

1926

No bearing trees available.

Land, mountainous.

Soil, rocky, 4th rate.

Timber, none.

Undergrowth, catclaw, and cacti.

40.00

N.89°53'E., on random line bet. secs. 12 and 13.

80.20

Set temp. 1/4 sec. cor.

Intersect the E. bdy. of the Tp., 5 lks. S. of the cor. of secs. 7, 12, 13, and 18, which is an iron post, 2 ins. in diam., 9 ins. above ground, firmly set, properly marked on brass cap, and witnessed by mound of stone W. of cor.

Thence

S.89°51'W., on true line bet. secs. 12 and 13.

4.00

Over mountainous land, through scattering undergrowth. W. rim of mesa, brs N. and S.; desc. 530 ft. over W. slope.

15.50

Wash, 70 lks. wide, course SW.; asc. 639 ft. over E. slope.

32.80

E. rim of mesa, brs SW. and NE.; thence across same.

40.10

Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for 1/4 sec. cor., marked on brass cap

1/4 S 12

S 13

1926

No bearing trees available.

Continue over level mesa land.

69.40

W. rim of mesa, brs N. and S.; desc. 466 ft. over W. slope.

80.20

The cor. of secs. 11, 12, 13, and 14.

Land, mountainous.

Soil, black loam, 2nd rate on mesa, and rocky 4th rate.

Timber, none.

Undergrowth, catclaw, cacti, and grass.

N.0°1'W., bet. secs. 11 and 12.

Over mountainous land, through scattering undergrowth.

Asc. 412 ft. over broken SW. slope.

14.26

Rim of mesa, brs NW. and SE.; thence across same.

30.16

Rim of mesa, brs NE. and SW.; desc. 284 ft. over W. slope.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 11 in. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for 1/4 sec. cor., marked on brass cap

S11 | S12

1926

Chains.	No bearing trees available. Desc. over NW. slope 178 ft.
65.90	Draw, 5 lks. wide, course W.; asc. 128 ft. over S. slope.
69.60	Spur, slopes W.; desc. 159 ft. over W. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 1, 2, 11, and 12, marked on brass cap
	T15N R10W S 2 S 1 ———— S11 S12 1926
	No bearing trees available. Land, mountainous. Soil, sandy and rocky, 3rd rate. Timber, none. Undergrowth, catclaw, mesquite, ocotilla, and cacti.
	—————
	N. 89° 51' E., on random line bet. secs. 1 and 12.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.22	Intersect the E. bdy. of the Tp., 2 lks. N. of the cor. of secs. 1, 6, 7, and 12, which is an iron post, 2 ins. in diam., firmly set, properly marked on brass cap, and witnessed by mound of stone W. of cor.
	Thence
	S. 89° 52' W., on true line bet. secs. 1 and 12.
	Over mountainous land, through scattering undergrowth.
	Over mesa land, descending 98 ft. to $\frac{1}{4}$ sec. cor.
40.11	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S 1 ———— S12 1926
	No bearing trees available. Raise mound of stone, 3 ft. base, 2 ft. high, N. of cor. Continue over level mesa land.
66.60	NW. rim of mesa, brs NE. and S.; desc. 606 ft. over W. slope.
80.22	The cor. of secs. 1, 2, 11, and 12.
	Land, level mesa and mountainous. Soil, black loam 2nd rate on mesa. Rocky 4th rate in mountains. Timber, none. Undergrowth, grass, ocotilla and cacti.
	—————
	North, on random line bet. secs. 1 and 2.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect the N. bdy. of the Tp., 19 lks. W. of the cor. of secs. 1, 2, 33, and 36, hereinbefore described.
	Thence
	S. 0° 8' W., on true line bet. secs. 1 and 2.
	Over mountainous land, through scattering undergrowth.
	Desc. 186 ft. over SE. slope.
9.70	Foot of desc.; then over bottom land.
17.10	N. bank of Burro Creek, brs E. and W.

Survey of the Subdivision of T15N, R10W.

Chains

19.80 Center of stream in Burro Creek, 80 lks. wide, 1 ft. deep, course S.60°W.


21.00 S. bank of Burro Creek, brs E. and S.

Follow along bank of Creek.

31.34 The bank of Burro Creek from the north, turns to SW.

Asc. 120 ft. over NW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for 1/4 sec. cor., marked on brass cap



No bearing trees available.

Asc. 361 ft. over broken NW. slope.

80.00 The cor. of secs. 1, 2, 11, and 12.

Land, mountainous.

Soil, black loam, 2nd rate in bottom and rocky 4th rate in hills.

Timber, none.

Undergrowth, mesquite, ocotilla, and cacti.

From the cor. of secs. 2, 3, 34, and 35 on the S. bdy. of the Tp., which is an iron post, 2 ins. in diam., projecting 16 ins. above ground in mound of stone, firmly set, properly marked on brass cap, and witnessed by mound of stone W. of cor.

Thence

N.0°1'W., bet secs. 34 and 35.

Over mountainous land, through scattering undergrowth.

Asc. 249 ft. over S. slope.

8.20 S. rim of mesa brs E. and W.; thence across broken land.


Asc. slightly over S. slope.

14.85 Spur, slopes SW.; desc. 56 ft. over NW. slope.

28.70 Draw, 10 lks. wide, course SW.; asc. 46 ft. over S. slope.

33.70 Spur, slopes SW.; desc. 40 ft. over SW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for 1/4 sec. cor., marked on brass cap




No bearing trees available.

Desc. slightly.

40.30 Draw, 10 lks. wide, course SW.; asc. 49 ft. over SW. slope.

56.51 N. rim of mesa brs NW. and SE.; desc. 641 ft. over N. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34, and 35, marked on brass cap



1926

No bearing trees available

Chains.

Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.

Soil, sandy and rocky, 3rd rate.

Timber, none.

Undergrowth, catclaw, mesquite, buck brush, and cacti.

East, on random line bet. secs. 26 and 35.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Fall 11 lks. N. of the cor. of secs. 25, 26, 35, and 36.

Thence

N. $89^{\circ}55'W.$, on true line bet. secs. 26 and 35.

Over mountainous land, through scattering undergrowth.

Desc. 147 ft. over SW. slope.

8.70 Draw, 30 lks. wide, course NW.

11.90 Same draw, 30 lks. wide, course SW.

14.47 Same draw, 50 lks. wide, course NW.; asc. 100 ft. along N. slope.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S26S35
1926

No bearing trees available.

Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

Asc. gradually over NE. slope, 123 ft.

50.50 Spur, slopes NE.; desc. 25 ft. over N. slope.

54.75 Spur, slopes N.; desc. 215 ft. over NW. slope.

60.30 Draw, 5 lks. wide, course N.; asc. 22 ft. over NE. slope.

69.75 Spur, slopes N.; desc. 246 ft. over NW. slope.

80.04 The cor. of secs. 26, 27, 34, and 35.

Land, mountainous.

Soil, sandy and rocky, 3rd and 4th rate.

Timber, none.

Undergrowth, catclaw and mesquite.

N. $0^{\circ}1'W.$, bet. secs. 26 and 27.

Over bottom land, through scattering undergrowth.

Desc. 27 ft. over N. slope.

1.50 Center of Boulder Creek, 60 lks. wide, course W.; then over level land.

33.30 Wash, 10 lks. wide, course S. $10^{\circ}W.$; asc. 77 ft. over SE. slope to.40.00 Set an iron post, 3 ft. long, 8 ins. in diam., 8 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$

S27 | S26

1926

No bearing trees available.

Asc. 282 ft. over SE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 22, 23, 26, and 27, marked on brass cap

Chains

T15N R10W
 S22 | S23
 S27 | S26

1926

No bearing trees available.

Land, mountainous.

Soil, sandy and rocky, 3rd rate.

Timber, none.

Undergrowth, palo verde, cacti, greasewood, catclaw, and juniper.

40.00 S.89°55'E., on random line bet. secs. 23 and 26.
 Set temp. 1/4 sec. cor.
 80.14 Fall 14 lks. S. of the cor. of secs. 23, 24, 25, and 26.

Thence

8.15 S.89°59'W., on true line bet. secs. 23 and 26.
 17.10 Over mountainous land, through scattering undergrowth.
 Asc. 130 ft. over SE. slope.
 Rim of mesa brs. NE. and SW.; thence across same.
 35.44 Flat top of spur on mesa, slopes S.; desc. slightly over
 40.07 SW. slope.
 Rim of mesa, brs N. and S.; desc. 150 ft. over W. slope.
 Set an iron post, 3 ft. long, 1 in. diam., on bed rock,
 deposit a stone marked with a cross (X) at base of post,
 and raise a mound of stone around post, for 1/4 sec. cor.,
 marked on brass cap

1/4 S23
 S26
 1926

58.30 No bearing trees available.
 Desc. 450 ft. over W. slope.
 Gulch, 6 lks. wide, course S.15°W.; asc. 170 ft. over
 E. slope.
 64.30 Top of steep ascent; asc. gradual SE. slope to
 80.14 The cor. of secs. 22, 23, 26, and 27.

Land, mountainous.

Soil, sandy and rocky, 3rd and 4th rate.

Timber, none.

Undergrowth, cacti, catclaw, greasewood, palo verde, mesquite, and yucca.

10.00 N.0°1'W., bet. secs. 22 and 23.
 21.50 Over mountainous land, through scattering undergrowth.
 34.20 Asc. gradual SE. slope slightly.
 Asc. abrupt S. slope 500 ft.
 40.00 Rim of mesa, brs E. and NW.; then over rolling mesa land.
 Head of draw, course SW.; continue mesa land.
 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in
 the ground to bed rock, deposit a stone marked with a
 cross (X) at base of post, and raise a mound of stone
 around post, for 1/4 sec. cor., marked on brass cap

1/4
 S22 | S23
 1926

No bearing trees available.

Chains.	Continue over mesa.
59.24	Rim of mesa, brs NE. and SW.; desc. 530 ft. over NW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 14, 15, 22, and 23, marked on brass cap
	T15N R10W S15 S14 S22 S23 1926
	No bearing trees available. Land, mountainous. Soil, rocky, 4th rate. Timber, none. Undergrowth, cacti, catclaw, mesquite, palo verde, bear-grass, greasewood, and yucca.

	N. 89° 59' E., on random line bet. secs. 14 and 23.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.32	Intersect the cor. of secs. 13, 14, 23, and 24.
	Thence
	S. 89° 59' W., on true line bet. secs. 14 and 23.
	Over mountainous land, through scattering undergrowth.
	Asc. 444 ft. over SE. slope.
20.00	Rim of mesa brs. NE. and SW.; thence over mesa land.
40.16	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S14 S23 1926
	No bearing trees available. Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Desc. over rolling bench land, 75 ft.
59.50	Rim of mesa, brs NE. and SW.; desc. 600 ft. over NW. slope.
80.32	The cor. of secs. 14, 15, 22, and 23.
	Land, mountainous. Soil, rocky 4 rate on slopes and black loam 2nd rate on mesa. Timber, none. Undergrowth, cacti, catclaw, greasewood, palo verde, beargrass, mesquite, and yucca.

	N. 0° 1' W., bet. secs. 14 and 15.
	Over mountainous land, through scattering undergrowth.
	Desc. 47 ft. over NW. slope.
.90	Ravine, 4 lks. wide, course W.; asc. 47 ft. over SW. slope.
5.50	Spur, slopes W.; desc. 325 ft. over NW. slope.
19.70	Center of Burro Creek, with stream, 50 lks. wide, course SW.; asc. 289 ft. over SE. slope.
29.30	Spur, slopes E.; desc. 254 ft. over NE. slope.
38.30	Burro Creek, with stream, 60 lks. wide, 1 ft. deep, course SE.; asc. 68 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in

Chains.

the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \text{S15} \mid \text{S14} \\ 1926 \end{array}$$

No bearing trees available.

Asc. slightly.

- 41.00 Point of spur, slopes W.; desc. 77 ft. over NW. slope.
 44.90 Burro Creek, with stream, 60 lks. wide, 1 ft. deep, course S.20°W.; asc. 570 ft. over SE. slope.
 72.00 Spur, slopes E.; desc. 270 ft. over NE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 10, 11, 14, and 15, marked on brass cap

$$\begin{array}{c} \text{T15N R10W} \\ \text{S10} \mid \text{S11} \\ \text{S15} \mid \text{S14} \end{array}$$

1926

No bearing trees available.

Land, mountainous.

Soil, rocky, 4th rate.

Timber, scattered cottonwood along Burro Creek.

Undergrowth, cacti, catclaw, palo verde, greasewood, mesquite, bear grass and yucca.

- 40.00 N.89°59'E., on random line bet. secs. 11 and 14.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.26 Fall 9 lks. S. of the cor. of secs. 11, 12, 13, and 14.

Thence

- S.89°55'W., on true line bet. secs. 11 and 14.
 Over mountainous land, through scattering undergrowth.
 Desc. 480 ft. over broken W. slope.
 31.00 Burro Creek, with stream, of water 60 lks. wide, 1 ft. deep, course S.; asc. 100 ft. over E. slope.
 40.13 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \text{ S11} \\ \text{S14} \\ 1926 \end{array}$$

No bearing trees available.

Raise mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

Asc. 70 ft. over E. slope.

- 41.90 Spur, slopes SE.; desc. 179 ft. over SW. slope.
 53.70 Thence along stony S. slope.
 68.00 Asc. 100 ft. over SW. slope.
 73.26 Stream, with alkali water, 6 lks. wide, 6 ins. deep, course S.80°E.
 Asc. 100 ft. over NE. slope.
 80.26 The cor. of secs. 10, 11, 14, and 15.

Land, mountainous.

Soil, rocky, 4th rate.

Timber, none.

Undergrowth, cacti, catclaw, palo verde and greasewood.

Chains.	N.0°1'W., bet. secs. 10 and 11. Over mountainous land, through scattering undergrowth. Desc. 33 ft. over N. slope.
1.60	Stream, with alkali water, 8 lks. wide, 6 ins. deep, course E.; asc. 469 ft. over S. slope.
10.30	Spur, slopes SE.; continue ascent.
19.40	Spur, slopes E.; desc. 96 ft. over NE. slope.
30.40	Draw, 5 lks. wide, course SE.; asc. 185 ft. over E. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S10 S11 1926
	No bearing trees available. Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Asc. 432 ft. along broken E. slope.
60.67	S. edge of peak, brs E. and W.; proceed over mesa.
73.66	N. edge of peak, brs E. and W.; desc. 108 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 27 ins. in the ground, for cor. of secs. 2, 3, 10, and 11, marked on brass cap
	T15N R10W S 3 S 2 S10 S11 1926
	No bearing trees available. Raise mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Land, mountainous. Soil, rocky, 4th rate. Timber, none. Undergrowth., sage brush, cacti, and catclaw.
40.00	N.89°55'E., on random line bet. secs. 2 and 11. Set temp. $\frac{1}{4}$ sec. cor.
80.24	Fall 14 lks. S. of the cor. of secs. 1, 2, 11, and 12.. Thence S.89°49'W., on true line bet. secs. 2 and 11. Over mountainous land, through scattering undergrowth. Over gently rolling W. slope.
10.00	Desc. 575 ft. over W. slope.
35.00	E. bank of Burro Creek, brs N. and S.
36.00	Burro Creek, with stream of water, 100 lks. wide, 1 ft. deep, course S.
40.12	True point for $\frac{1}{4}$ sec. cor. falls in bottom land where high water would wash away. Asc. 46 ft. over E. slope.
45.07	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S 2 S11 WC 1926
48.55	No bearing trees available. Raise mound of stone, 3 ft. base, 2 ft. high, N. of cor. Asc. 936 ft. over broken E. slope. Draw, 10 lks. wide, course SE .

Survey of the Subdivision of T15N, R10W.

Chains.

- 80.24 Continue asc.
The cor. of secs. 2, 3, 10, and 11.

Land, mountainous.
Soil, rocky, 4th rate.
Timber, none.
Undergrowth, sage brush, ocotilla, and cacti.

- 40.00 N.0°8'E., on random line bet. secs. 2 and 3.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.38 Intersect the N. bdy. of the Tp., 23 lks. N.89°59'W. of
the cor. of secs. 2, 3, 34, and 35, hereinbefore described
- 27.65 Thence
S.0°18'W., on true line bet. secs. 2 and 3.
Over mountainous land, through scattering undergrowth.
Desc. over mesa land, sloping slightly to the S.
Rim of mesa, brs NE. and SW.; desc. 165 ft. over broken
SE. slope.
- 40.38 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in
the ground to bed rock, deposit a stone marked with a
cross (X) at base of post, and raise a mound of stone
around post, for $\frac{1}{2}$ sec. cor., marked on brass cap

 $\frac{1}{4}$
S 3 | S 2

1926
No bearing trees available.
Continue along a very rough ragged E. slope.
- 80.38 The cor. of secs. 2, 3, 10, and 11.

Land, mountainous.
Soil, black loam, 1st rate on mesa and rocky 4th rate on
slopes.
Timber, none.
Undergrowth, sage brush, grass, ocotilla, and cacti.

- 2.90 From the cor. of secs. 3, 4, 33, and 34, on the S. bdy.
of the Tp., which is an iron post, 2 ins. in diam.,
projecting 24 ins. out of the ground supported in mound
of stone, properly marked on brass cap, and witnessed by
mound of stone W. of cor.
- 9.90 N.0°2'W., bet. secs. 33 and 34.
Over mountainous land, through scattering undergrowth.
Draw, 30 lks. wide, course W.; asc. 124 ft. over S. slope.
- 31.85 Spur, slopes SW.; desc. 55 ft. over NW. slope.
Draw, 10 lks. wide, course SW.; asc. 175 ft. over S.
slope to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam. 4 ins. in the
ground to bed rock, deposit a stone marked with a cross
(X) at base of post, and raise a mound of stone around
post, for $\frac{1}{2}$ sec. cor., marked on brass cap

 $\frac{1}{4}$
S 33 | S 34

1926
No bearing trees available.
Asc. 68 ft. over steep S. slope to sec. cor.
- 42.00 Rim of mesa, brs E. and W. Enter rolling land on mesa.
Asc. 120 ft. to sec. cor.
- 47.35 Draw, 10 lks. wide, course SW.

Chains.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 6 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 27, 28, 33, and 34, marked on brass cap.

T15N R10W
S28 | S27

S33 | S34

1926

No bearing trees available.

Land, mountainous, and rolling.

Soil, rocky, 4th rate.

Timber, none.

Undergrowth, catclaw, cacti, and mesquite.

40.00 East, on random line bet. secs. 27 and 34.
Set temp. $\frac{1}{4}$ sec. cor.

79.94 Intersect the cor. of secs. 26, 27, 34, and 35.

Thence

West, on true line bet. secs. 27 and 34.

Over mountainous land, through scattering undergrowth.

Desc. 25 ft. along N. slope.

7.40 S. edge of water in Boulder Creek, from N. 70° E., course N. 70° W.; asc. 266 ft. over NE. slope.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec cor., marked on brass cap

$\frac{1}{4}$ S27

S34

1926

No bearing trees available.

Asc. 324 ft. over NE. slope.

55.70 Rim of mesa, brs NW. and SE.; thence desc. 65 ft. over gradual W. slope. on mesa.

79.94 The cor. of secs. 27, 28, 33, and 34.

Land, mountainous, and rolling.

Soil, sandy and gravelly, 2nd and 3rd rate.

Timber, none.

Undergrowth, catclaw, mesquite, buck brush, and cacti.

N. 0° 2' W., bet. secs. 27 and 28.

Over rolling mesa land, through scattering undergrowth.

Asc. 132 ft. over S. slope.

16.00 Rdm of mesa land, brs NW. and SE.; then desc. 633 ft. over NE. slope to Boulder Creek.


40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S28 | S27

1926

Survey of the Subdivision of T15N, R10W.

Chains .
 No bearing trees available.
 Continue descent.
 51.80 Boulder Creek, with stream of water, 30 lks. wide, 1 ft. deep, course N.60°W.; then across bottom land.
 64.30 Asc. 29 ft. over S. slope.
 67.20 Point of spur, slopes W.; desc. 50 ft. over N. slope.
 72.50 Burro Creek, 20 lks. wide, 1 ft. deep, course W.; asc. 180 ft. over SE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 21, 22, 27, and 28, marked on brass cap.



1926

No bearing trees available.
 Land, ^{rolling and} mountainous.
 Soil, rocky, 4th rate.
 Timber, none.
 Undergrowth, cacti, catclaw, greasewood, palo verde, mesquite, bear grass, and yucca.

40.00 East, on random line bet. secs. 22 and 27.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.10 Fall 5 lks. N. of the cor. of secs. 22, 23, 26, and 27.

Thence
 N.89°58'W., on true line bet. secs. 22 and 27.
 Over mountainous land, through scattering undergrowth.
 Asc. 443 ft. over rocky SE. slope.
 22.80 SE. edge of flat topped spur; thence across same.
 27.10 Top of flat topped spur, slopes SW.
 29.70 Desc. 436 ft. over SW. slope to
 40.05 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap.

$\frac{1}{4}$ S22

S27
 1926

No bearing trees available.
 Desc. 430 ft. over W. slope.
 66.00 Burro Creek, 30 lks. wide, 8 ins. deep, course SW.

Asc. 97 ft. over SE. slope.
 80.10 The cor. of secs. 21, 22, 27, and 28.

Land, rough mountains.
 Soil, rocky, 4th rate.
 Timber, none.
 Undergrowth, cacti, catclaw, greasewood and palo verde.

N.0°2'W., bet. secs. 21 and 22.
 Over mountainous land, through scattering undergrowth
 Asc. 230 ft. over SE. slope.
 13.80 Slope changes; asc. 46 ft. over SW. slope.
 19.00 Slope changes; desc. 81 ft. over NW. slope.

Chains.

30.50 Ravine, 6 lks. wide, course SW.; asc. 97 ft. over SW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
$$\frac{1}{4}$$

S21	S22
-----	-----

1926

No bearing trees available.

Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

40.40 Spur, slopes W.; desc. 91 ft. over NW. slope.

46.50 Ravine, course S.60°W.; asc. 164 ft. over S. slope.

52.80 Spur, slopes SW.; desc. 57 ft. over NW. slope.

57.70 Ravine, 4 lks. wide, course SW.; asc. 110 ft. over S. slope.

61.20 Spur, slopes SW.; desc. 76 ft. over NW. slope.

65.80 Ravine, 6 lks. wide, course SW.; asc. 207 ft. over S. slope.

75.50 Spur, slopes SW.; then along W. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 27 ins. in the ground, for cor. of secs. 15, 16, 21, and 22, marked on brass cap

T15N	R10W
S16	S15

S21	S22
-----	-----

1926

No bearing trees available.

Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.

Soil, rocky, 4th rate.

Timber, none.

Undergrowth, cacti, catclaw, palo verde, greasewood, and mesquite.

40.00 S.89°58'E., on random line bet. secs. 15 and 22.

79.96 Set temp. $\frac{1}{4}$ sec. cor.

Intersect the cor. of secs. 14, 15, 22, and 23.

Thence

N.89°58'W., on true line bet. secs. 15 and 22.

Over rough mountainous land, through scattering undergrowth.

Desc. 200 ft. over W. slope.

8.00 Burro Creek, with stream of water, 30 lks wide, 1 ft. deep, course S.; asc. 185 ft. over NE. slope.

15.00 Spur, slopes SE.; desc. 200 ft. over SW. slope.

23.96 Burro Creek, with stream of water, 30 lks. wide, 1 ft. deep, course N.80°W.; asc. 100 ft. over NE. slope.

33.58 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap
$$\frac{1}{4}$$

S15	
-----	--

WC

S22

1926

No bearing trees available.

34.46 Point of spur, slopes NW.; desc. 100 ft. over NW. slope.


36.45 Burro Creek, 30 lks. wide, 1 ft. deep, course S.

Survey of the Subdivision of T15N, R10W.


- Chains. Asc. slightly.
- 39.98 True point for $\frac{1}{4}$ sec. cor. falls on steep slope, where post would be insecure.
- 56.65 Asc. 600 ft. over E. slope.
- 59.95 Top of slope brs N. and S.
- 68.40 Ridge, brs. N. and S.; desc. 150 ft. over NW. slope.
- 76.20 Ravine, 6 lks. wide, course SW.; asc. 35 ft. over SE. slope.
- 79.96 Spur, slopes SW.; desc. 68 ft. over W. slope.
- The cor. of secs. 15, 16, 21, and 22.

Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, none.
 Undergrowth, palo verde, greasewood, and mesquite.

-
- N.0°2'W., bet. secs. 15 and 16.
 - Over mountainous land, through scattering undergrowth.
 - Asc. 95 ft. over SW. slope.
 - 7.30 Spur, slopes SW.; desc. 207 ft. over N. slope.
 - 15.70 Draw, 10 lks. wide, course SW.; asc. 318 ft. over S. slope to
 - 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap



- No bearing trees available.
- Asc. 140 ft. over S. slope.
- 49.70 Spur, slopes SW.; desc. 50 ft. over NW. slope.
- 52.80 Head of draw, course SW.; asc. 77 ft. over SW. slope.
- 66.60 Spur, slopes SW.; desc. 45 ft. over SW. slope.
- 72.40 Wash, 4 lks. wide, course SW.; asc. 68 ft. over SW. slope.
- 76.40 Spur, slopes SW.; desc. 23 ft. over NW. slope.
- 80.00 Set an iron post, 3ft long, 2 ins. in diam., 27 ins. in the ground, for cor. of secs. 9, 10, 15, and 16, marked on brass cap



No bearing trees available.
 Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.
 Soil, rocky and gravelly loam, 3rd and 4th rate.
 Timber, none.
 Undergrowth, cacti, catclaw, greasewood, palo verde, mesquite, and yucca.

-
- S.89°58'E., on random line bet. secs. 10 and 15.
 - 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 - 79.92 Fall 14 lks. N. of the cor. of secs. 10, 11, 14, and 15.
 - Thence
 - N.89°52'W., on true line bet. secs. 10 and 15.

Survey of the Subdivision of T15N R10W.

Chains. Over mountainous land, through scattering undergrowth.
 Desc. 44 ft. along N. slope.
 3.50 Enter creek, with alkali water, from W., course N.80°E.
 and follow up same. (Stream is 4 lks. wide, 6 ins. deep)
 13.70 Leave creek, from NW., course E.
 Asc. 450 ft. over E. slope.
 27.00 Spur, slopes N.; desc. 164 ft. over W. slope.
 39.20 Draw, 10 lks. wide, course N.; asc. slightly.
 39.96 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S10

S15
 1926

No bearing trees available.
 Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 Asc. 64 ft. over N. slope.
 48.90 Draw, 6 lks. wide, course NE.; asc. 167 ft. over NE.
 slope.
 75.20 Spur, slopes SW.; desc. 54 ft. over NW. slope.
 79.92 The cor. of secs. 9, 10, 15, and 16.

Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, none.
 Undergrowth, greasewood, catclaw, cacti, palo verde,
 yucca, and mesquite.

N.0°2'W., bet. secs. 9 and 10.
 Over mountainous land, through scattering undergrowth.
 4.40 Wash, course N.10°E.
 12.90 Same wash, course NW.
 16.00 Same wash, course NE.; then along SE. slope.
 26.80 Spur, slopes NE.; desc. 105 ft. over N. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in
 the ground to bed rock, deposit a stone marked with a
 cross (X) at base of post, and raise a mound of stone
 around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 9 | S10

1926

No bearing trees available.
 45.00 Creek, with alkali water, 5 lks. wide, 6 ins. deep, course
 S.60°E.; ascend 116 ft. over S. slope.
 65.20 Wash, 4 lks. wide, course SW.; asc. 174 ft. over S. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 27 ins.
 in the ground, for cor. of secs. 3, 4, 9, and 10, marked
 on brass cap

T15N R10W
 S 4 | S 3
 S 9 | S10

1926

No bearing trees available.
 Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.
 Soil, sandy and gravelly, 3rd rate.
 Timber, none.
 Undergrowth, cacti, catclaw, palo verde, greasewood, yucca,
 and mesquite.

Survey of the Subdivision of T15N,R10W.

Chains.
 40.00 S.89°52'E., on random line bet. secs. 3 and 10.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.86 Fall 9 lks. S. of the cor. of secs. 2,3,10, and 11.

Thence
 N.89°56'W. on true line bet. secs. 3 and 10.
 Over mountainous land, through scattering undergrowth.
 Asc. 125 ft. over E. slope.
 2.33 E. rim of spur, brs N. and S.
 3.50 Spur, slopes S.
 4.53 W. rim of spur, brs N. and S.; desc. 230 ft. over W.slope.
 10.60 Draw, 10 lks. wide, course S.; asc. 246 ft. over E. slope.
 19.30 Spur, slopes S.; desc. 507 ft. over W. slope.
 35.00 Draw, course S.; asc. slightly over E. slope.
 39.93 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 3

S10
1926

No bearing trees available.
 Raise mound of stone, 3 ft. base, 2 ft. high, N. of cor.
 Asc. 13 ft. over E. slope.
 42.20 Spur, slopes SW.; desc. 101 ft. over W. slope.
 51.00 Draw, 5 lks. wide, course SW.; then along S. slope.
 60.90 Wash, 10 lks. wide, course S.; continue along S. slope.
 66.40 Wash, 20 lks. wide, course S.; continue along S. slope.
 69.50 Wash, course S.; asc. 80 ft. along S. slope.
 79.86 The cor. of secs. 3,4,9, and 10.

Land, mountainous.
 Soil, rocky and gravelly, 3rd and 4th rate.
 Timber, none.
 Undergrowth, sage brush, ocotilla, and catclaw.

N.0°18'E., on random line bet. secs. 3 and 4.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.30 Intersect the N. bdy. of the Tp., 9 lks. N. of the cor.
 of secs. 3,4,33, and 34., hereinbefore described

Thence
 S.0°14'W., on true line bet. secs. 3 and 4.
 Over mountainous land, thru scattering undergrowth, along E. slope.
 5.00 Wash, course SE.
 39.30 Low saddle in spur, slopes SE.; desc. slightly.
 40.30 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 4 | S 3
 1926

No bearing trees available.
 Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Desc. 483 ft. over NW. slope.
 72.40 Spur, slopes SW.; continue descent.
 80.30 The cor. of secs. 3,4,9, and 10.

Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, none.
 Undergrowth, sage brush, ocotilla, and grass.

Chains.	From the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the tp., which is an iron post, 2 ins. in diam., projecting 12 ins. above ground, properly marked on brass cap and witnessed by mound of stone W. of cor.
	Thence N.0°2'W., bet. secs. 32 and 33. Over mountainous land, through scattering undergrowth. Asc. 80 ft. over S. slope.
16.00	Spur, slopes S.; desc. 20 ft. over NW. slope.
21.50	Head of wash, course W.; asc. 155 ft. over SW. slope.
31.70	Spur, slopes SW.; desc. 145 ft. over NW. slope.
37.80	Ravine, 6 lks. wide, course SW.; asc. 169 ft. over S. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S32 S33 1926
	No bearing trees available.
60.00	Continue over rolling land. Desc. 186 ft. over NW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 6 ins. in the ground, for bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 28, 29, 32, and 33, marked on brass cap
	T15N R10W S29 S28 S32 S33 1926
	No bearing trees available.
	Land, mountainous. Soil, rocky, 4th rate. Timber, none. Undergrowth, cacti, catclaw, palo verde, mesquite.
	East, on random line bet. secs. 28 and 33.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	Fall 9 lks. N. of the cor. of secs. 27, 28, 33, and 34.
	Thence N.89°56'W. on true line bet. secs. 28 and 33. Over mountainous land, through scattering undergrowth. Asc. over rolling mesa land 60 ft., draining to SW.
12.90	Spur, slopes SW.; desc. 255 ft. over NW. slope.
40.04	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S28 S33 1926
	No bearing trees available.
62.90	Desc. 281 ft. over NW. slope. Draw, 2 lks. wide, course N.; continue desc.

Survey of the Subdivision of T15N, R10W.

Chains.	
80.08	<p>The cor. of secs. 28, 29, 32, and 33.</p> <p>Land, low mountains. Soil, sandy and gravelly, 3rd rate. Timber, none. Undergrowth, catclaw, mesquite, and cacti.</p>

	<p>N.0°2'W., bet. secs. 28 and 29. Over valley land, through scattering undergrowth. Desc. 59 ft. over N. slope.</p>
2.80	<p>Enter creek bottom land, brs E. and W.; thence across same following along the E. bank of Burro Creek.</p>
27.70	<p>Wire fence, brs NW. and SE. Enter field, brs NW. and SE.</p>
39.45	<p>Wire fence, brs N.30°W. and S.30°E.; Leave field. Asc. slightly along W. slope.</p>
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>
$\begin{array}{c} \frac{1}{4} \\ \hline S29 S28 \\ 1926 \end{array}$	
	<p>No bearing trees available. Asc. 18 ft. over W. slope.</p>
57.50	<p>S. bank of Burro Creek, brs NE. and SW.</p>
60.40	<p>Center of stream of Burro Creek, 80 lks. wide, 1 ft. deep, course SW.</p>
62.90	<p>N. bank of Burro Creek, brs NE. and SW.; asc. 288 ft over S. slope.</p>
75.80	<p>Spur, slopes W.; desc. 72 ft. over N. slope.</p>
79.50	<p>Set an iron, 3 ft. long, 2 ins. in diam., 12' ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for witness cor. to cor. of secs. 20, 21, 28 and 29, marked on brass cap.</p>
$\begin{array}{c} W C \\ T15N R10W \\ \hline S20 S21 \\ \hline S29 S28 \\ 1926 \end{array}$	
	<p>No bearing trees available.</p>
80.00	<p>True point for cor. of secs. 20, 21, 28 and 29 falls on cliff. Land, mountainous, and bottom land. Soil, black loam, 1st rate in bottom land and black and rocky, 2nd and 3rd rate in hills. Timber, none. Undergrowth, sage brush and ocotilla.</p>

40.00	<p>From true point for cor. of secs. 20, 21, 28, and 29. S.89°56'E., on random line bet. secs. 21 and 28. Set temp. $\frac{1}{4}$ sec. cor.</p>
80.02	<p>Fall 14 lks. N. of the cor. of secs. 21, 22, 27, and 28,</p>
	<p>Thence</p>
	<p>N.89°50'W., on true line bet. secs. 21 and 28. Over broken bottom land, through scattering undergrowth. Desc. 93 ft. along S. slope.</p>
16.20	<p>Burro Creek, with stream, 100 lks. wide, 1 ft. deep, course NW.</p>

Chains.

- Across bottom land.
 21.22 Burro Creek, with stream, 100 lks. wide, 1 ft. deep, course SW.
 29.30 W. bank of Burro Creek, brs N. and S.
 Asc. 169 ft. over E. slope.
 31.10 Spur, slopes S.; continue asc.
 32.70 Draw, 10 lks. wide, course S.; continue ascent.
 40.01 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

 $\frac{1}{4}$ S21S28
1926

No bearing trees available.

Asc. 300 ft. over E. slope.

54.40 Spur, slopes SE.; desc. 116 ft. over S. slope.

69.00 Spur, slopes SW.; desc. 198 ft. over W. slope.

80.02 The true point for cor. of secs. 20, 21, 28, and 29.

Land, mountainous.

Soil, rocky, 4th rate.

Timber, none.

Undergrowth, greasewood, palo verde and cacti.

From the true point for cor. of secs. 20, 21, 28, and 29.
 N.0°2'W., bet. secs. 20 and 21.

Over mountainous land, through light undergrowth.

Asc. 394 ft. over S. slope.

.10 Draw, 10 lks. wide, course SW.

15.90 Spur, slopes SW.; continue ascent.

23.30 Wash, 10 lks. wide, course SW.; continue ascent.

35.90 Spur, slopes SE.; desc. 92 ft. over N. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$

S20 | S21

1926

No bearing trees available.

Raise mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor
 Desc. 27 ft. over N. slope.

43.30 Draw, 5 lks. wide, course E.; asc. 44 ft. over S. slope.

47.00 Spur, slopes E.; desc. 50 ft. over N. slope.

61.60 Draw, 5 lks. wide, course E.; then along broken E. slope.

65.00 Spur, slopes E.; asc. slightly along E. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 27 ins. in the ground, for cor. of secs. 16, 17, 20, and 21, marked on brass cap

T15N R10W

S17 | S16

S20 | S21

1926

No bearing trees available.

Raise mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, mountainous.

Soil, sandy and gravelly, 3rd rate.

Timber, none.

Undergrowth, ocotilla, catclaw, cacti, and grass


Survey of the Subdivision of T15N, R10W.

Chains.	
	S.89°50'E., on random line bet. secs. 16 and 21.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Fall 7 lks. S. of the cor. of secs. 15,16,21, and 22.
	Thence
	N.89°53'W., on true line bet. secs. 16 and 21.
	Over mountainous land, through scattering undergrowth.
	Desc. 200 ft. over W. slope.
10.40	Draw, 50 lks. wide, course S.; asc. 72 ft. over E. slope.
20.65	Spur, slopes S.; desc. 154 ft. over W. slope.
30.50	Draw, 80 lks. wide, course S.; asc. 57 ft. over E. slope.
35.90	Spur, slopes SE.; desc. 51 ft. over S. slope.
39.50	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S16 WC S21 1926
	No bearing trees available.
40.00	True point for $\frac{1}{4}$ sec. cor. falls in wash, 10 lks. wide, course SE.
40.20	Wash, 40 lks. wide, course SE.; asc. 257 ft. over E. slope.
72.10	Spur, slopes S.; desc. 96 ft. over W. slope.
78.30	Draw, 50 lks. wide, course S.
80.00	The cor. of secs. 16,17,20, and 21.
	Land, mountainous.
	Soil, sandy and gravelly, 3rd rate.
	Timber, none.
	Undergrowth, ocotilla, catclaw, cacti, and grass.

	N.0°2'W., bet. secs. 16 and 17.
	Over mountainous land, through scattering undergrowth.
	Asc. slightly along SE. slope.
2.00	Wash, 10 lks. wide, course SE.; asc. 63 ft. over SE. slope.
6.60	Slope changes; desc. 19 ft. over NE. slope.
9.30	Wash, 100 lks. wide, course S.20°W.; asc. 59 ft. over S. slope.
14.00	Spur, slopes SE.; desc. 15 ft. over NE. slope.
16.30	Wash, 10 lks. wide, course SE.; asc. 175 ft. over S. slope.
25.00	Spur, slopes SE.; desc. 72 ft. over NE. slope.
34.50	Wash, 6 lks. wide, course SE.; asc. 283 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S17/S16 1926
	No bearing trees available.
	Raise mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	Asc. 100 ft. over SE. slope.
50.50	Spur, slopes E.; desc. 174 ft. over NE. slope.
58.20	Wash, 6 lks. wide, course SE.; asc. 135 ft. over SW. slope.
68.70	Spur, slopes SE.; asc. along SE. slope. 45 ft.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked on

Survey of the Subdivision of T15N,R10W.

with a cross (X) and raise a mound of stone around post, for cor. of secs. 8,9,16, and 17, marked on brass cap



1926

No bearing trees available.

Land, mountainous.


Soil, rocky and gravelly, 3rd rate.

Timber, none.

Undergrowth, palo verde, catclaw, greasewood, and yucca.

40.00 S.89°53'E., on random line bet. secs. 9 and 16.
 79.96 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 16 lks. S. of the cor. of secs. 9,10,15, and 16.


Thence
 West, on true line bet. secs. 9 and 16.
 Over low hills, through light undergrowth.
 2.00 Head of draw, course NE.; asc. 55 ft. over NE. slope.
 14.30 Top of small peak, brs N. and S.; desc. 133 ft. along
 S. slope.
 39.50 Set an iron post, 3 ft. long, 1 in. diam., 3 ins. in
 ground to bedrock, deposit a stone marked with a cross
 (X) at base of post, and raise a mound of stone around
 post, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap



No bearing trees available.
 39.98 True point for $\frac{1}{4}$ sec. cor. falls in wash, 50 lks. wide,
 course S.
 Asc. SE. slope. 385 ft.
 65.80 Spur, slopes SW.; desc. 130 ft. over W. slope,
 71.77 Draw, 5 lks. wide, course S.; asc. 10 ft. along S. slope.
 79.96 The cor. of secs. 8,9,16, and 17.

Land, mountainous.
 Soil, rocky red loam, 3rd rate.
 Timber, none.
 Undergrowth, ocotilla, grass, cacti, and sage.

N.0°2'W., bet. secs. 8 and 9.
 Over mountainous land, through scattering undergrowth.
 Asc. 212 ft. over SE. slope.
 15.40 Spur, slopes E.; desc. 231 ft. over NW. slope.
 24.20 Wash, 15 lks. wide, course E.; asc. 108 ft. over S. slope.
 30.80 Spur, slopes E.; desc. 51 ft. over NE. slope.
 33.10 Ravine, 4 lks. wide, course E.; asc. 339 ft. over SE.
 slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in
 the ground to bed rock, deposit a stone marked with a
 cross (X) at base of post, and raise a mound of stone
 around post, for $\frac{1}{4}$ sec. cor., marked on brass cap



Survey of the Subdivision of T15N, R10W

37

Chains.

No bearing trees available.
Continue ascent.

- 55.00 Spur, slopes E.; asc. 37 ft. over SE. slope.
59.00 Spur, slopes NE.; desc. 312 ft. over NW. slope.
77.70 Ravine, 6 lks. wide, course NE.; asc. 21 ft. over SE. slope.
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 4, 5, 8, and 9, marked on brass cap

T15N R10W	
S 5 S 4	
S 8 S 9	

1926

No bearing trees available.

Land, mountainous.
Soil, rocky and gravelly, 4th rate.
Timber, none.
Undergrowth, greasewood, palo verde, catclaw, mountain mahogany, and yucca.

- 40.00 East, on random line bet. secs. 4 and 9.
Set temp. $\frac{1}{4}$ sec. cor.
80.06 Fall 7 lks. N. of the cor. of secs. 3, 4, 9, and 10.

Thence

- N. 89° 57' W., on true line bet. secs. 4 and 9.
Over mountainous land, through scattering undergrowth.
Asc. 72 ft. over broken S. slope.
6.37 Spur, slopes SW.; desc. 211 ft. over W. slope.
13.00 Draw, 2 lks. wide, course SW.; continue descent.
28.90 Stream of water, 4 lks. wide, 2 ins. deep, course SE.
Asc. 127 ft. over E. slope.
40.03 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 4

S 9
1926


- No bearing trees available.
Asc. 149 ft. over E. slope.
50.00 Spur, slopes NE.; desc. 67 ft. over N. slope.
55.60 Wash, 2 lks. wide, course NE.; asc. 166 ft. over N. slope.
65.70 Spur, slopes NE.; desc. 122 ft. over NW. slope.
78.30 Draw, 5 lks. wide, course NE.; asc. slightly.
80.06 The cor. of secs. 4, 5, 8, and 9.

Land, mountainous.
Soil, rocky, 4th rate.
Timber, none.
Undergrowth, grass and sage brush.

- 40.00 N. 0° 14' E., on random line bet. secs. 4 and 5.
Set temp. $\frac{1}{4}$ sec. cor.
80.21 Intersect the N. bdy. of the Tp., 5 lks. N. 89° 59' W., of the cor. of secs. 4, 5, 32, and 33, hereinbefore described.

Chains.

Thence
 S.0°16'W., on true line bet. secs. 4 and 5.
 Over mountainous land, through scattering undergrowth.
 Asc. 59 ft. over N. slope.
 4.10 Spur, slopes NE.; desc. 89 ft. over S. slope.
 8.50 Draw, 5 lks. wide, course E.; asc. 245 ft. over N. slope.
 28.30 Spur, slopes NE.; desc. 215 ft. over E. slope.
 40.21 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in
 the ground to bed rock, deposit a stone marked with a
 cross (X) at base of post, and raise a mound of stone
 around post, for $\frac{1}{4}$ sec. cor., marked on brass cap




No bearing trees available.
 Desc. 365 ft. over SE. slope.
 50.10 Draw, 10 lks. wide, course SE.; continue descent.
 67.05 Spur, slopes SE.; continue descent.
 72.20 Draw, 20 lks. wide, course E.; asc. slightly, 76 ft.
 over NE. slope.
 78.90 Spur, slopes NE.; continue asc.
 80.21 The cor. of secs. 4, 5, 8, and 9.


Land, mountainous.
 Soil, rocky, 4th rate
 Timber, none.
 Undergrowth, ocotilla, grass, sage brush, and cacti.

From the cor. of secs. 5, 6, 31, and 32 on the S. bdy.
 of the Tp., which is an iron post, 2 ins. in diam.,
 firmly set in mound of stone, properly marked on brass
 cap,

Thence
 N.0°3'W., bet. secs. 31 and 32.
 Over mountainous land, through scattering undergrowth.
 Asc. 108 ft. over S. slope.
 6.80 Spur, slopes E.; desc. 96 ft. over N. slope.
 10.90 Draw, 6 lks. wide, course E.; asc. 160 ft. over S. slope.
 20.50 Spur, slopes E.; desc. 95 ft. over NE. slope.
 26.20 Draw, 6 lks. wide, course E.; asc. 120 ft. over S. slope.
 32.50 Spur, slopes E.; desc. 148 ft. over N. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in
 the ground to bed rock, deposit a stone marked with a
 cross (X) at base of post, and raise a mound of stone
 around post, for $\frac{1}{4}$ sec. cor., marked on brass cap



No bearing trees available.
 40.50 Draw, 6 lks. wide, course E.; asc. 133 ft. over SE. slope.
 50.70 Spur, slopes E.; desc. 218 ft. over NE. slope.
 72.20 Wash, 100 lks. wide, course SE.; asc. 181 ft. over SE.
 slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins.
 in the ground to bed rock, deposit a stone marked with
 a cross (X) at base of post, and raise a mound of stone
 around post, for cor. of secs. 29, 30, 31, and 32, marked
 on brass cap



Survey of the Subdivision of T15N,R10W.

Chains.

No bearing trees available.
Land, mountainous.
Soil, rocky, 4th rate.
Timber, none.
Undergrowth, cacti, catclaw, palo verde, greasewood, and juniper.

40.00 East, on random line bet. secs. 29 and 32.
Set temp. $\frac{1}{4}$ sec. cor.
80.12 Fall 19 lks. S. of the cor. of secs. 28,29,32, and 33.

Thence
S.89°52'W., on true line bet. secs. 29 and 32.
Over mountainous land, through scattering undergrowth.
Asc. 51 ft. along NE. slope.
9.40 Slope changes; desc. 92 ft. over W. slope.
35.30 Corral brs North, 1.00 ch. dist.
40.06 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S29
S32
1926

No bearing trees available.
42.70 Road, brs NE. and SW.
48.80 Rail fence, brs N. and S.; enter cultivated field, brs N. and S.
54.40 Rail fence, brs NE. and SW.; leave cultivated field brs NE. and SW.
59.40 Burro Creek, with stream of water, 60 lks. wide, 1 ft. deep, course S.; asc. 227 ft. over SE. slope.
80.12 The cor. of secs. 29,30,31, and 32.

Land, mountainous.
Soil, sandy and black loam in bottom, 2nd rate, and rocky 3rd rate on slopes.
Timber, none.
Undergrowth, cacti, catclaw, greasewood, and palo verde.

40.00 West, on random line bet. secs. 30 and 31.
Set temp. $\frac{1}{4}$ sec. cor.
79.19 Intersect the W. bdy. of the Tp., 7 lks. N. of the cor. of secs. 25,30,31, and 36, hereinbefore described.

Thence
N.89°57'E., on true line bet. secs. 30 and 31.
Over mountainous land, through scattering undergrowth.
Desc. 24 ft. over E. slope.
3.70 Ravine, 6 lks. wide, course S.30°E.; asc. 60 ft. over SW. slope.
8.10 Spur, slopes S.30°E.; desc. 209 ft. over SE. slope.
34.80 Spur, slopes SE.; desc. 50 ft. over E. slope.
39.19 Set an iron post, 3 ft. long, 1 in. diam. 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S30
S31
1926

No bearing trees available.

Chains.

- 68.50 Desc. 375 ft. over E. slope.
Wash, 30 lks. wide, course SE.; asc. 159 ft. over SW. slope.
- 78.80 Spur, slopes S.; desc. 25 ft. over SE. slope.
- 79.19 The cor. of secs. 29, 30, 31, and 32.

Land, mountainous.
Soil, sandy and rocky, 3rd rate.
Timber, none.
Undergrowth, cacti, catclaw, palo verde, greasewood, and juniper.

- 13.00 N.0°3'W., bet. secs. 29 and 30.
Over mountainous land, through scattering undergrowth.
Asc. 161 ft. over SE. slope.
- 13.50 Spur, slopes SW.
- 30.30 Spur, slopes N.60°E.; desc. 83 ft. over NE. slope.
- 40.00 Wash, 10 lks. wide, course S.20°E.; asc. 45 ft. along W. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S30 | S29

1926

- 40.70 No bearing trees available.
Same wash, 15 lks. wide, course SW.; asc. 270 ft. over rolling SE. slope.

- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 19, 20, 29, and 30, marked on brass cap

T15N R10W

S19 | S20

S30 | S29

1926

No bearing trees available.

Land, mountainous.
Soil, sandy and rocky, 3rd rate.
Timber, none.
Undergrowth, greasewood, catclaw, palo verde, mesquite, and juniper.

- 40.00 N.89°52'E., on random line bet. secs. 20 and 29.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.00 Intersect the true point for cor. of secs. 20, 21, 28, and 29.

Thence from true point.
S.89°52'W., on true line bet. secs. 20 and 29.
Over mountainous land, through scattering undergrowth.
Desc. 20 ft. over NW. slope.

1.10 Wash, 10 lks. wide, course S.30°W.

1.70 Point of spur, slopes S.

2.60 Wash, 10 lks. wide, course S.; asc. 94 ft. over SE. slope.

Chains.

- 14.00 Spur, slopes S.; desc. 43 ft. over SW. slope,
28.50 Wash, 30 lks. wide, course S.20°W.; asc. 20 ft. over E. slope.
31.10 Point of spur, slopes S.; desc. 146 ft. over S. slope.
32.00 Wash, 100 lks. wide, course S.; asc. 169 ft. over E. slope.
38.40 Spur, slopes SE.; desc. slightly.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

 $\frac{1}{2}$ S20S29
1926

- No bearing trees available.
Desc. 63 ft. over SW. slope.
45.60 Wash, 10 lks. wide, course SE.; asc. 82 ft. over NE. slope.
53.30 Spur, slopes SE.; desc. 48 ft. over SW. slope.
58.60 Ravine, 4 lks. wide, course S.; asc. 43 ft. over rolling SE. slope.
66.00 Spur, slopes SE.; desc. 35 ft. over SW. slope.
70.50 Wash, 10 lks. wide, course SE.; asc. 52 ft. over SE. slope.
80.00 The cor. of secs. 19, 20, 29, and 30.

Land, mountainous.

Soil, sandy and rocky, 3rd rate.

Timber, none.

Undergrowth, cacti, catclaw, palo verde, greasewood, mesquite, and juniper.

- S.89°57'W., on random line bet. secs. 19 and 30.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.03 Intersect the W. bdy. of the Tp., 2 lks. S. of the cor. of secs. 19, 24, 25, and 30, hereinbefore described.

Thence

- N.89°58'E., on true line bet. secs. 19 and 30.
Over mountainous land, through scattering undergrowth.
Asc. 237 ft. over W. slope.
9.80 Spur, slopes SE.; desc. 260 ft. over NE. slope.
23.40 Draw, 6 lks. wide, course SE.; asc. 125 ft. over SW. slope.
29.90 Spur, slopes S.; desc. 73 ft. over SE. slope.
35.50 Spur, slopes SE.; desc. 100 ft. over NE. slope.
39.03 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

 $\frac{1}{4}$ S19S30
1926

- No bearing trees available.
Desc. 227 ft. over NE. slope.
52.00 Wash, 10 lks. wide, course SE.; asc. 44 ft. over SW. slope.
53.70 Point of spur, slopes S.; desc. 41 ft. over SE. slope.
58.30 Wash, 15 lks. wide, course SW.; asc. 205 ft. over SW. slope.
72.70 Spur, slopes S.; desc. 172 ft. over E. slope.
79.03 The cor. of secs. 19, 20, 29, and 30.

Chains.

Land, mountainous.
Soil, sandy and gravelly, 3rd rate.
Timber, none.
Undergrowth, cacti, catclaw, greasewood, palo verde
and yucca.

N.0°3'W., bet. secs. 19 and 20.

Over mountainous land, through scattering undergrowth.
.20 Ravine, course E.; asc. 292 ft. over SE. slope.
16.71 Spur, slopes E.; desc. 40 ft. over NE. slope.
37.66 Ravine, course SE.; asc. 31 ft. over SE. slope.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in
the ground topped rock, deposit a stone marked with a
cross (X) at base of post, and raise a mound of stone
around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S19 | S20
1926

No bearing trees available.

Asc. 308 ft. over SE. slope.
55.20 Spur, slopes SE.; desc. 189 ft. over NE. slope.
73.54 Ravine, 30 lks. wide, course SE.; asc. 84 ft. over
S. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 18 ins.
in the ground to bed rock, deposit a stone marked with
a cross (X) at base of post, and raise a mound of stone
around post, for cor. of secs. 17, 18, 19, and 20, marked
on brass cap

T15N R10W
S18 | S17
S19 | S20

1926

No bearing trees available.

Land, mountainous.
Soil, sandy and rocky, 3rd rate.
Timber, none.
Undergrowth, cacti, catclaw, greasewood, palo verde,
mesquite, and juniper.

N.89°52'E., on random line bet. secs. 17 and 20.

40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.92 Fall 4 lks. S. of the cor. of secs. 16, 17, 20, and 21.

Thence

S.89°50'W., on true line bet. secs. 17 and 20.
Over mountainous land, through scattering undergrowth.
Asc. 145 ft. over E. slope. ;
6.02 Spur, slopes NE.; continue asc. 266 ft. over E. slope.
23.80 Spur, slopes SE.; desc. 69 ft. over S. slope.
30.70 Head of draw, 5 lks. wide, course S.; asc. 49 ft. over
E. slope.
36.80 Spur, slopes S.; desc. 95 ft. over S. slope.
39.96 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in
the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S17

S20
1926

Chains. No bearing trees available.
 Raise mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 Asc. along S. slope 37 ft.
 41.50 Head of draw, 2 lks. wide, course S.
 46.70 Spur, slopes S.; desc. 20 ft. over SW. slope.
 54.50 Draw, 2 lks. wide, course S.; asc. 191 ft. over SW. slope.
 60.00 Spur, slopes S.
 61.00 Draw, 2 lks. wide, course S.; continue asc.
 65.00 Spur, slopes S.; continue asc.
 76.13 Spur, slopes S.; desc. 54 ft. along S. slope.
 79.92 The cor. of secs. 17, 18, 19, and 20.

Land, mountainous
 Soil, sandy and gravelly, 3rd rate.
 Timber, none.
 Undergrowth, ocotilla, catclaw, cacti, and grass.

40.00 S.89°58'W., on random line bet. secs. 18 and 19.
 Set temp. ¼ sec. cor.
 79.04 Intersect the W. bdy. of the Tp., 12 lks. S. of the cor.
 of secs. 13, 18, 19, and 24, hereinbefore described.

Thence
 S.89°57'E., on true line bet. secs. 18 and 19.
 Over mountainous land, through scattering undergrowth.
 Asc. 44 ft. over SW. slope.
 1.70 Spur, slopes S.; desc. 175 ft. over E. slope.
 7.50 Draw, 6 lks. wide, course SE.; then along S. slope.
 14.00 Point of spur, slopes SE.; desc. 51 ft. over E. slope.
 17.00 Ravine, course SE.; asc. 40 ft. over SW. slope.
 21.60 Spur, slopes SE.; desc. 157 ft. over E. slope.
 28.90 Ravine, 4 lks. wide, course SE.; asc. 43 ft. over SW.
 slope.
 32.05 Spur, slopes SE.; desc. 122 ft. over SE. slope.
 37.80 Wash, 10 lks. wide, course S.; asc. 255 ft. over W.
 slope.
 39.04 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in
 the ground to bed rock, deposit a stone marked with a
 cross (X) at base of post, and raise a mound of stone
 around post, for ¼ sec. cor., marked on brass cap

½ S18

S19
 1926

No bearing trees available.
 Continue ascent over W. slope.
 45.50 Spur, slopes S.; then along SW. slope.
 53.00 Spur, slopes SE.; desc. 322 ft. over NE. slope.
 73.80 Draw, 6 lks. wide, course SE.; asc.
 76.10 Spur, slopes S.; desc. 22 ft. over E. slope.
 77.50 Wash, 6 lks. wide, course S.; asc. 22 ft. over SW. slope.
 79.04 The cor. of secs. 17, 18, 19, and 20.

Land, mountainous.
 Soil, sandy and rocky, 3rd rate.
 Timber, none.
 Undergrowth, cacti, catclaw, palo verde, mesquite,
 greasewood, and juniper.

N.0°3'W., bet. secs. 17 and 18.
 Over mountainous land, through scattering undergrowth.
 Asc. 112 ft. over SW. slope.
 8.20 Spur, slopes SE.; asc. 91 ft. along E. slope.
 21.10 Draw, 6 lks. wide, course SE.; asc. 238 ft. over SW.
 slope.

Chains.


29.30 Spur, slopes SE.; asc. 91 ft. over SE. slope.
 34.00 Spur, slopes E.; desc. 105 ft. over N. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap



1926

No bearing trees available.

42.30 Draw, 6 lks. wide, course E.; asc. 53 ft. over S. slope.
 46.60 Spur, slopes E.; desc. 45 ft. over NE. slope.
 51.80 Ravine, 4 lks. wide, course S.60°E.; asc. 184 ft. over SE. slope.
 58.30 Spur, slopes SE.; then along E. slope.
 64.90 Ravine, 6 lks. wide, course SE.; asc. 156 ft. over S. slope.
 69.70 Spur, slopes SE.; desc. 157 ft. over NE. slope.
 79.80 Ravine, 4 lks. wide, course E.; asc. 12 ft. over S. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 7, 8, 17, and 18, marked on brass cap




1926

No bearing trees available.

Land, mountainous.
 Soil, rocky, 4th rate.
 Timber, none.
 Undergrowth, palo verde, oak brush, greasewood, catclaw, and yucca.

40.00 N.89°50'E., on random line bet. secs. 8 and 17.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Fall 2 lks. N. of the cor. of secs. 8, 9, 16, and 17.

Thence
 S.89°51'W., on true line, bet. secs. 8 and 17.
 Over mountainous land, thru scattering undergrowth. Asc. 184 ft. over E. slope
 8.10 Spur, slopes SE. Ascend 125 ft. over S. slope.
 13.13 Ascend 327 ft. over NE. slope. 10 ft. over SW. slope.
 30.10 Spur, slopes SE.; Desc. 40 ft. over SW. slope.
 35.10 Head of draw, course SE.; Asc. 63 ft. over SE. slope to
 39.98 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap



S17
 1926

No bearing trees available.

45.90 Asc. 64 ft. over SE. slope.
 Spur, slopes S.; Desc. 180 ft. over SW. slope.

Chains.

58.60 Slope changes; asc. 207 ft. over SE. slope.
79.96 The cor. of secs. 7, 8, 17, and 18.

Land, mountainous.
Soil, sandy and rocky, 3rd rate.
Timber, none.
Undergrowth, mountain mahogany, catclaw, palo verde,
greasewood, and mesquite.

40.00 N. 89° 57' W., bet. secs. 7 and 18, on random line.
Set temp. 1/4 sec. cor.
78.91 Intersect the W. bdy. of the Tp., 9 lks. N. of the cor.
of secs. 7, 12, 13, and 18, hereinbefore described.

Thence
N. 89° 59' E., on true line bet. secs. 7 and 18.
Over mountainous land, through scattering undergrowth.
Asc. 102 ft. over NW. slope.

16.61 Slope changes; desc. 182 ft. over SE. slope.
35.41 Head of wash, course S.; asc. slightly
38.91 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in
the ground to bed rock, deposit a stone marked with a
cross (X) at base of post, and raise a mound of stone
around post, for 1/4 sec. cor., marked on brass cap

1/4 S 7

S 18
1926

No bearing trees available.
Asc. 91 ft. over SW. slope.
49.11 Desc. 95 ft. over gentle NE. slope.
55.31 Top of cliff, brs NW. and SE; desc. 248 ft. over
precipitous NE. slope.
60.61 Foot of precipitous slope; desc. 140 ft. over NE. slope.
66.31 Spur, slopes NE.; desc. 358 ft. over SE. slope.

78.91 The cor. of secs. 7, 8, 17, and 18.

Land, mountainous.
Soil, sandy and rocky, 3rd and 4th rate.
Timber, none.
Undergrowth, palo verde, oak brush, catclaw, greasewood,
mountain mahogany and yucca.

N. 0° 3' W., bet. secs. 7 and 8.
Over mountainous land, through scattering undergrowth.
Asc. 21 ft. over SE. slope.
1.50 Spur, slopes E.; desc. 80 ft. over NE. slope.
10.40 Ravine, 4 lks. wide, course E.; asc. 99 ft. over SE.
slope.
18.30 Spur, slopes E.; desc. 284 ft. over NW. slope.
36.40 Wash, 10 lks. wide, course E.; asc. 14 ft. over S. slope.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in
the ground to bed rock, deposit a stone marked with a
cross (X) at base of post, and raise a mound of stone
around post, for 1/4 sec. cor., marked on brass cap

S 7 | S 8

1926

No bearing trees available.

Chains.

- 63.00 Asc. 300 ft. over SE. slope.
- 72.10 Spur, slopes SW.; desc. 15 ft. over NW. slope.
- 80.00 Ravine, 4 lks. wide, course SW.; asc. 110 ft. over SW: slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for cor. of secs. 5,6,7, and 8., marked on brass cap

T15N R10W
 S 6 | S 5

 S 7 | S 8

1926

No bearing trees available.

Land, mountainous.
 Soil, sandy and rocky, 3rd and 4th rate.
 Timber, none.
 Undergrowth, palo verde, mountain mahogany, catclaw, greasewood, oak brush, and yucca.

- 40.00 N.89°51'E., on random line bet. secs. 5 and 8.
- 80.10 Set temp. $\frac{1}{4}$ sec. cor.
- 80.10 Fall 2 lks. N. of the cor. of secs. 4,5,8, and 9.

Thence
 S.89°52'W., on true line bet. secs. 5 and 8.
 Over mountainous land, through scattering undergrowth.
 Asc. 54 ft. over NE. slope.

- 3.80 Spur, slopes N.; desc. 67 ft. over NW. slope.
- 9.20 Wash, course NE. ; asc. 222 ft. over NE. slope.
- 13.40 Same wash, 10 lks. wide, course SE.
- 23.80 Point of spur, slopes NE.; desc. 29 ft. over NW. slope.
- 27.70 Wash, 10 lks. wide, course NE.; asc. 306 ft. over SE. slope.
- 40.05 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 5

 S 8
 1926

No bearing trees available.

- 47.90 Asc. 243 ft. over SE. slope.
- 56.80 Spur, slopes NE.; asc. 139 ft. over NE. slope.
- 61.80 Spur, slopes SE.; asc. 15 ft. along SE. slope.
- 69.70 Spur, slopes SW.; desc. 247 ft. over W. slope.
- 80.10 Head of draw, course SW.; ; desc. 119 ft. over SW. slope.
- 80.10 The cor. of secs. 5,6,7, and 8.

Land, mountainous.
 Soil, rocky and gravelly, 4th rate.
 Timber, none.
 Undergrowth, palo verde, greasewood, mesquite, catclaw, and mountain mahogany.

- 40.00 S.89°59'W., on random line bet. secs. 6 and 7.
- 78.85 Set temp. $\frac{1}{4}$ sec. cor.
- 78.85 Intersect the W. bdy. of the Tp., 5 lks. N. of the cor.

Survey of the Subdivision of T15N, R10W.

Chains.

of secs. 1, 6, 7, and 12, hereinbefore described.

Thence

N. 89° 57' E., on true line bet. secs. 6 and 7.
Over mountainous land, through scattering undergrowth.
Asc. 48 ft. over NW. slope.

- 3.00 Spur, slopes S.; desc. 93 ft. over SE. slope.
- 8.10 Head of draw, course SE.; asc. 37 ft. over W. slope.
- 10.80 Spur, slopes S.; desc. 45 ft. over SE. slope.
- 15.60 Head of draw, course S.; asc. 112 ft. over SW. slope.
- 21.60 Spur, slopes S.; desc. 100 ft. along SE. slope.
- 34.70 Spur, slopes SE.; desc. 125 ft. over SE. slope.
- 38.85 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for 1/4 sec. cor., marked on brass cap

1/4 S 6
S 7
1926

No bearing trees available.

- 48.00 Desc. 258 ft. over E. slope.
- 48.00 Wash, 10 lks. wide, course SE.; asc. 234 ft. over SW. slope.
- 62.10 Spur, slopes S. 25° E.; desc. 110 ft. over E. slope.
- 65.30 Ravine, course S.; asc. 87 ft. over SW. slope.
- 68.10 Spur, slopes S.; desc. 97 ft. over SE. slope.
- 75.30 Ravine, 4 lks. wide, course S.; asc. 60 ft. over SW. slope.
- 78.85 The cor. of secs. 5, 6, 7, and 8.

Land, mountainous.
Soil, sandy and rocky, 3rd and 4th rate.
Timber, none.
Undergrowth, catclaw, oak brush, greasewood, mesquite, mountain mahogany, and yucca.

- 40.00 N. 0° 16' E., on random line bet. secs. 5 and 6.
- 40.00 Set temp. 1/4 sec. cor.
- 80.00 Intersect the N. bdy. of the Tp., 5 lks. N. 89° 59' W., of the cor. of secs. 5, 6, 31, and 32, hereinbefore described.

Thence

S. 0° 18' W., on true line bet. secs. 5 and 6.
Over mountainous land, through scattering undergrowth.
Asc. 140 ft. over N. slope.

- 7.50 Spur, slopes NW.; then along W. slope.
- 11.50 Spur, slopes NE.; desc. 181 ft. over S. slope.
- 20.80 Head of wash, course E.; asc. 86 ft. over NE. slope.
- 33.80 Spur, slopes E.; then along E. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., on bed rock, deposit a stone marked with a cross (X) at base of post, and raise a mound of stone around post, for 1/4 sec. cor., marked on brass cap

1/4
S 6 | S 5
1926

No bearing trees available.

- 51.00 Head of draw, course E.; asc. 178 ft. over NE. slope.
- 70.50 Ridge, brs NW. and SE.; desc. 204 ft. over SW. slope.
- 80.00 The cor. of secs. 5, 6, 7, and 8.

Chains.

Land, mountainous.
 Soil, sandy and rocky, 3rd rate.
 Timber, none.
 Undergrowth, oak brush, mountain mahogany, catclaw,
 greasewood, and mesquite.

The continued satisfactory adjustment of the solar apparatus of the instruments used in the execution of the surveys described in the foregoing notes, is indicated from field tests described in book "F" of this group.

BOUNDARIES OF T15N, R10W.

Latitudes, departures and closing errors.

Line designated	True Course	Distance	Latitudes		Departures	
			N.	S.	E.	W.
South boundary	West	479.28				479.28
West boundary	North	480.00	480.00			
North boundary	S.89°59'E.	479.25		.14	479.25	
East boundary	South			480.00		
Convergency					.50	
<u>Totals</u>			480.00	480.14	479.75	479.28
				480.00	479.28	
			<u>Error in latitude----- 0.14</u>			
			<u>Error in departure-----0.47</u>			

GENERAL DESCRIPTION

LAND: This township is very rough and mountainous. Burro Creek and Boulder Creek take care of all the drainage. The canyons are about 1,000 ft. deep along these creeks, leaving small level strips of mesa land between them.

SOIL: The soil on top of the mesa land is a black loam, 2nd rate. In the hills it is sandy, gravelly, and rocky, 3rd and 4th rate.

TIMBER: A few scattered cottonwood are found along Burro and Boulder Creeks.

UNDERGROWTH: Cacti, greasewood, mesquite, catclaw, mountain mahogany, buck brush, oak brush, grass, palo verde, and yucca.

EVIDENCE OF MINERAL: None.

WATERING PLACES: Burro and Boulder Creeks flow large streams of water. A few of the smaller gulches on the east side of the township have small streams in them.

SETTLEMENT: John Neal, who owns a large cattle ranch, lives in section 29 and uses the entire township for grazing his cattle.

INDUSTRY: Stock grazing is all this township can be used for.

--	--	--	--

CERTIFICATE OF UNITED STATES SURVEYOR.

I, Charles E. Hunter U.S. Transitman, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 132, Arizona bearing date of the 25th day of June, 1925, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

the West boundary

North boundary and

Subdivision lines of

Township 15 North, Range 10 West of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented in and by diagram on page 2 hereof

the foregoing field notes/as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 132, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place: Phoenix, Arizona

Charles E. Hunter

U.S. Transitman.

Date: May 1, 1926.

APPROVAL:

Office of the United States Surveyor General,

, 19

The foregoing field notes of the survey of

executed by

under his special instructions dated, 19, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in

has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.

CERTIFICATE OF UNITED STATES SURVEYOR.

I, Glenn F. Sawyer, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 132, Arizona bearing date of the 25th day of June, 1925, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the North boundary and Subdivision lines of Township 15 North, Range 10 West of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in and by diagram on page 2 hereof the foregoing field notes/as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 132, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Glenn F. Sawyer
U. S. Surveyor.

APPROVAL.

June 5 1926
Phoenix, Arizona

OFFICE OF THE U.S. SUPERVISOR OF SURVEYS,

Denver, Colo., Dec. 20, 1926

The foregoing field notes of the survey of the North and West boundaries

and

Subdivision lines of

Township 15 North, Range 10 West

of the Gila and Salt River Base and Meridian, in the State of Arizona

executed by Glenn F. Sawyer, U.S. Surveyor & Charles E. Hunter, U.S. Transitman under his special instructions dated June 25, 1925 for Group 132, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Wm. H. Johnson
U. S. Supervisor of Surveys.

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~
~~has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General.~~