

FIELD NOTES

OF THE SURVEY OF THE

NORTH Boundary and

PART of the EAST Boundary of

Township 34 North, Range 1 East

and

EAST Boundary

NORTH Boundary

and

SUBDIVISION lines of

Township 35 North, Range 1 East

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

Benjamin J. Kinsey, U.S. Surveyor

and

Leroy R. Hanson, U.S. Transitman

In the capacity of U. S. Surveyors, under Special Instructions dated *May 11*, 1927, issued by the District Cadastral Engineer to govern surveys included in Group No. *146*, Arizona, which were approved by the Commissioner of the General Land Office, *May 20*, 1927, and Assignment Instructions dated *July 8*, 1927, and *July 26*, 1927.

Survey commenced *August 3*, 1927.

Survey completed *September 17*, 1927.

3861

3861


1A

———— Surveyed under this group.



Land within Grand Canyon National Park.

———— Accepted surveys.




Land within Kaibab National Forest & Grand Canyon National Game Preserve.

- - - - - Unsurveyed.

BOOK 3861

Book "A"
Group 146 - Arizona.

INDEX DIAGRAM.



T. 34 N. R. 1 E.

Group 146 Arizona

Townships 34 & 35 North, Range 1 East

DATE DIAGRAM

1927

Gila and Salt River Meridian
Surveyed in 1922 by B. J. Kinsey

	8-13	8-13	8-13	8-12	8-12	8-12
6	9-16	5	4	3	2	1
9-15	9-14	9-17	9-13	8-23	8-24	8-11
7	9-14	8	9	10	11	12
9-10	9-15	9-9	9-9	9-8	8-22	8-23
18	9-10	17	16	15	14	13
9-6	9-10	9-9	T.35N. R.1E. 9-8	8-22	8-22	8-10
19	9-6	20	21	22	23	24
9-3	9-3	9-3	8-30	8-20	8-19	8-9
30	9-3	29	28	27	26	25
9-2	9-2	9-1	8-30	8-29	8-18	8-17
31	9-2	32	33	34	35	36
8-9	8-8	8-31	8-25	8-18	8-17	8-8
6		5	4	3	2	1
						8-3
7						12
						8-3

T.34N. R.1E.

Surveyed in 1922 by B. J. Kinsey

Surveyed by Benjamin J. Kinsey, U.S. Surveyor, on dates shown thereon.

Surveyed by Leroy R. Hanson, U.S. Transitman, on dates shown thereon.

Accepted surveys.

The surveys herein described were executed on dates shown on diagram on page 1 hereof, by Benjamin J. Kinsey, U.S. Surveyor and Leroy R. Hanson, U.S. Transitman, using Buff Transit No. 9940 and Young & Son Transit No. 8477 respectively; the instruments are equipped with Smith solars and otherwise conform to the standard requirements of the General Land Office. Unless otherwise specified all azimuth determinations are accomplished with the solar attachment.

PRELIMINARY FIELD TEST
of
Buff Transit No. 9940
by
Benjamin J. Kinsey, U.S. Surveyor.

July, 30, 1927: at my station in camp, in the N.W. quarter of sec. 19, T. 35 N., R. 2 E., G. & S. R. B. & M., Arizona, latitude $36^{\circ} 25' 13''$ N., and approximate longitude $112^{\circ} 14''$ W., examine the adjustments of the instrument and find no errors; then to test the workings of the solar apparatus proceed as follows:

At 11h. 07m., p.m., l.m.t., observe Polaris at eastern elongation, making four observations, two each with the telescope in direct and reversed positions, and marking the mean point in the line thus determined by a tack set in top of a peg, driven firmly in the ground about 5 chs. N.

Azimuth of Polaris at eastern elongation : $1^{\circ} 21' 20''$.

July, 31: lay off the azimuth of Polaris $1^{\circ} 21'$ to the west and mark the meridian thus determined by a nail set in top of log about 5 chs. N.

At 10h. 00m., a.m., app.t., set off $36^{\circ} 25'$ N., on the latitude arc; $18^{\circ} 24\frac{1}{2}'$ N., on the declination arc and determine a meridian with the solar which is found to agree with the true meridian.

At 12h. 00m., app. noon, with the latitude arc unchanged, observe the sun on the meridian; the resultant reading of the declination arc is $18^{\circ} 23'$ N., which agrees with the computed declination of the sun.

At 3h. 00m., p.m., app.t., with the latitude arc unchanged, set off $18^{\circ} 21'$ N., on the declination arc and determine a meridian with the solar which is found to agree with the true meridian.

As all of the observations taken during the usual hours of solar work agree within 1' of the true meridian, conclude that the instrument is in adjustment.

All measurements are made with a Lufkin steel tape 5 chs. in length, compared with a Lufkin standard and found correct.

The measurements are made on the slope, the vertical angle determined with a clinometer and the slope measurements properly reduced to true horizontal distances.

Preliminary Field Test
of
Young and Son Transit No. 8477.
by
Leroy R. Hanson, U.S. Transitman.

July, 31, 1927: In camp in T. 35 N., R. 2 E., G. & S. R. Base and M., Arizona, on the same meridian described on page 2 hereof, examine the adjustments of the transit and find no errors; then to test the workings of the solar apparatus proceed as follows:

At 10h.00m., a.m., app. t., set off $36^{\circ}25'$ N., on the latitude arc, $18^{\circ}24\frac{1}{2}'$ N., on the declination arc and determine a meridian with the solar which is found to agree with the true meridian.

At 12h.00m., app. noon, with the lat. arc unchanged, observe the sun on the meridian; the resultant reading of the decl. arc is $18^{\circ}23\frac{1}{2}'$ N., which agrees with the computed declination of the sun.

At 3h.00m., p.m., with lat. arc unchanged, set off $18^{\circ}21\frac{1}{2}'$ N., on the decl. arc and determine a meridian with the solar which is found to agree with the true meridian.

As all of the observations taken during the usual hours of solar work agree within 1' of the true meridian, conclude that the instrument is in adjustment.

All measurements are made on the slope, the vertical angle determined with a clinometer and the slope measurements properly reduced to true horizontal distances.

Survey of Part of the East Bdy. of T.34 N., R. 1 E.

Chains

The corner of secs. 7, 12, 13 and 18, Ts. 34 N., Rs. 1 and 2 E., was established in 1922, by Benjamin J. Kinsey, U.S. Transitman, in the survey of the latitudinal subdivisional line thru T.34 N., R.1 E., forming part of the boundary of the Grand Canyon National Park.

The following notes describe the survey of part of the East Bdy. of T.34 N., R.1 E.

The cor. of secs. 7, 12, 13 and 18, Ts. 34 N., Rs. 1 and 2 E., is an iron post 2 ins. in diam., firmly set and projecting 16 ins. above ground and mound of stone, with brass cap properly marked and witnessed by four properly marked bearing trees, one each NE, SE, SW and NW of cor.

Thence

North, on true line, bet. secs. 7 and 12.

Over mountainous land, thru heavy timber and scattering undergrowth.

Asc. 81 ft. over gradual S. slope.

9.00 Top of ridge, brs. E-W. Over level surface of same.

24.00 Leave top; desc. 40 ft. over gradual NE slope.

32.00 Draw, course SE. Asc. gradual SW slope, to

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor. of secs. 7 and 12, with brass cap marked

$\frac{1}{4}$

S12 S7

1927

from which,

an aspen, 10 ins. in diam., brs. S. $85\frac{1}{2}^{\circ}$ E., 33 lks. dist., mkd. $\frac{1}{4}$ S7 BT

an aspen, 10 ins. in diam., brs. S. $71\frac{1}{2}^{\circ}$ W., 41 lks. dist., mkd. $\frac{1}{4}$ S12 BT

Corner falls on South edge of ridge, bearing E-W.

Over level top.

45.00 Leave ridge, desc. gradual W. slope.

49.00 Draw, course SW; (about 1 ch. wide.)

Asc. 28 ft. over gradual S. slope.

53.00 Spur, slopes gradually to W. Over nearly level surface.

58.00 Leave spur; desc. 23 ft. over N. slope.

79.50 Shallow draw, about 2 chs. wide, course W.

Old road, brs. NW-SE.

Over level bottom land to

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 1, 6, 7 and 12, with brass cap mkd.

T34N

R1E R2E

S1 S6

S12 S7

1927

from which,

a yellow pine, 10 ins. in diam., brs. N. 10° E., 41 lks. dist., mkd. T34N R2E S6 BT

an aspen, 10 ins. in diam., brs. S. $30\frac{1}{2}^{\circ}$ E., 166 lks. dist., mkd. T34N R2E S7 BT

a spruce, 36 ins. in diam., brs. S. $34\frac{1}{2}^{\circ}$ W., 123 lks. dist., mkd. T34N R1E S12 BT

a yellow pine, 40 ins. in diam., brs. N. $50\frac{1}{2}^{\circ}$ W., 90 lks. dist., mkd. T34N R1E S1 BT

Land, mountainous and level.

Soil, rocky 3rd. rate.

Timber, yellow pine, aspen, and spruce.

Undergrowth, locust.

Chains

North, on true line, bet. secs. 1 and 6.
 Over mountainous land, thru heavy timber and scattering undergrowth.
 Asc. 123 ft. over S. slope.
 11.80 Ridge, brs. E-W.; over level surface of same.
 11.82 Old rail fence, brs. NE-SW.
 23.00 Leave level, desc. 99 ft. over gradual N. slope to draw.
 29.07 Trail, brs. E-W.
 29.30 Draw (Browns Canyon) about 1 ch. wide, course NW.
 Asc. 116 ft. over gradual S. slope.
 35.25 Ridge, brs. NW-SE. Over level surface of same, to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 12 ins. in the ground to bedrock, supported by a md. of stone, for the $\frac{1}{4}$ sec. cor. of secs. 1 and 6, with brass cap mkd.

$\frac{1}{4}$

S1 S6

1927 from which,
 a yellow pine, 12 ins. in diam., brs. S. $71\frac{1}{2}^{\circ}$ E., 48 lks. dist., mkd. $\frac{1}{4}$ S6 BT
 a fir, 10 ins. in diam., brs. S. $81\frac{1}{2}^{\circ}$ W., 60 lks. dist., mkd. $\frac{1}{4}$ S1 BT

Leave level; desc. gradual N. slope.
 53.90 Draw, about 50 lks. wide, course W.
 Asc. 57 ft. over S. slope.
 62.90 Ridge, brs. E-W.; over level surface of same.
 63.75 Leave ridge, desc. 249 ft. over N. slope into Quaking Asp Canyon.
 80.00 Set an iron post 33 ft. long, 3 ins. in diam., 24 ins. in the ground for the cor. of Ts. 34 and 35 N., Rs. 1 and 2 E., with brass cap mkd.

T35N	
R1E	R2E
S36	S31
S1	S6

T34N
 1927 from which,
 a spruce, 18 ins. in diam., brs. N. $38\frac{1}{2}^{\circ}$ E., 186 lks. dist., mkd. T35N R2E S31 BT
 a fir, 12 ins. in diam., brs. S. $17\frac{1}{2}^{\circ}$ E., 52 lks. dist., mkd. T34N R2E S6 BT
 a spruce, 10 ins. in diam., brs. S. $70\frac{1}{2}^{\circ}$ W., 104 lks. dist., mkd. T34N R1E S1 BT
 a spruce, 16 ins. in diam., brs. N. 53° W., 165 lks. dist., mkd. T35N R1E S36 BT

Land, mountainous and level.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, aspen, spruce and fir.
 Undergrowth, thorn and locust brush.

Survey of the South Bdy., of T.35 N., R. 1 E.

Chains

From the cor. of Ts. 34 and 35 N., Rs. 1 and 2 E., here-
inbefore described.

West, on a random line setting temp. corners at intervals
of 40 chs., until at

478.75 Fall 28 lks. South of the cor. of Ts. 34 and 35 N., Rs. 1
E. and 1 W., established by Benjamin J. Kinsey, U.S. tra-
nsitman, in 1922, which is an iron post 3 ins. in diam.,
firmly set, projecting 12 ins. above ground, with brass
cap properly and witnessed by four properly mkd. bear-
ing trees, one each NE, SE, SW and NW of corner.

Thence

S. 89° 58' E., on true line, bet. secs. 6 and 31.

Over mountainous land, thru heavy timber and scattering
undergrowth.

Over level bench.

11.50 Leave bench; desc. 112 ft. over SE slope.

22.75 Wash, 30 lks. wide, course SW. Asc. 23 ft. over NW slope.

35.00 Edge of bench, bears NE-SW; proceed over level surface to
38.75 (40.00 chs. westing from cor. of secs. 5, 6, 31 and 32)

Set an iron post 3 ft. long, 1 in. in diam., 15 ins. in
the ground to bedrock, supported by a md. of stone, for
the $\frac{1}{4}$ sec. cor. of secs. 6 and 31, with brass cap mkd.

$\frac{1}{4}$ $\frac{S \ 31}{S \ 6}$

1927

from which,

a yellow pine, 36 ins. in diam., brs. N. 55° E., 50 lks.
dist., mkd. $\frac{1}{4}$ S31 BT

a yellow pine, 12 ins. in diam., brs. S. 78 $\frac{1}{2}$ ° E., 36 lks.
dist., mkd. $\frac{1}{4}$ S6 BT

Continue over level bench.

40.00 Leave bench, brs. NE-SW; desc. 145 ft. over SE slope.

57.00 Wash, 20 lks. wide, course SW. Asc. 32 ft. over NW slope.

65.00 Asc. 100 ft. along S. slope to

78.75 Set an iron post 3 ft. long, 2 ins. in diam., 14 ins. in
the ground to bedrock, supported by a md. of stone, for
the cor. of secs. 5, 6, 31 and 32, with brass cap mkd.

T 35 N R 1 E

S31 | S32

— S6 | S5 —

T 34 N

1927

from which,

a yellow pine, 14 ins. in diam., brs. N. 87° E., 114 lks.
dist., mkd. T35N R1E S32 BT

a yellow pine, 20 ins. in diam., brs. S. 32 $\frac{1}{2}$ ° E., 78 lks.
dist., mkd. T34N R1E S5 BT

a yellow pine, 14 ins. in diam., brs. S. 35 $\frac{3}{4}$ ° W., 63 lks.
dist., mkd. T34N R1E S6 BT

a yellow pine, 36 ins. in diam., brs. N. 64° W., 29 lks.
dist., mkd. T35N R1E S31 BT

Land, mountainous and level.

Soil, rocky 3rd. rate.

Timber, yellow pine, aspen, fir and spruce.

Undergrowth, thorn and locust brush.

S. 89° 58' E., on true line, bet. secs. 5 and 32.

Over mountainous land, thru heavy timber and scattering
undergrowth.

Chains

8.00 Asc. 23 ft. over gradual S. slope.
 Desc. 18 ft. over SE slope.
 22.00 Wash, 10 lks. wide, course SW. Asc. 99 ft. over W. slope.
 39.00 Spur, slopes SW.; over level top to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 18 ins. in
 the ground to bedrock, supported by a md. of stone, for
 the $\frac{1}{4}$ sec. cor. of secs. 5 and 32, with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 32}{S\ 5}$

1927 from which,
 a yellow pine, 6 ins. in diam., brs. N.60 $\frac{3}{4}$ °E., 40 lks.
 dist., mkd. $\frac{1}{4}$ S32 BT
 a yellow pine, 8 ins. in diam., brs. S.5 $\frac{1}{2}$ °W., 24 lks.
 dist., mkd. $\frac{1}{4}$ S5 BT

50.00 Asc. gradually 29 ft. over S. slope.
 Desc. gradual SE slope.
 58.20 Wash, 10 lks. wide, course SW. Asc. gradual NW slope.
 65.00 Proceed over level S. slope.
 70.00 Desc. gradual SE slope.
 73.85 Wash, 10 lks. wide, course SW. Asc. 85 ft. over NW slope to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for the cor. of secs. 4, 5, 32 and 33, with
 brass cap mkd.

T 35 N R 1 E
 $\frac{S32\ S33}{S5\ S4}$

T 34 N
 1927 from which,
 a yellow pine, 12 ins. in diam., brs. N.62 $\frac{1}{2}$ °E., 55 lks.
 dist., mkd. T35N R1E S33 BT
 a spruce, 16 ins. in diam., brs. S.3°E., 29 lks.
 dist., mkd. T34N R1E S4 BT
 a yellow pine, 18 ins. in diam., brs. S.72 $\frac{1}{4}$ °W., 93 lks.
 dist., mkd. T34N R1E S5 BT
 a fir, 10 ins. in diam., brs. N.37 $\frac{1}{4}$ °W., 55 lks.
 dist., mkd. T35N R1E S32 BT

Land, rolling, level and mountainous.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, aspen, fir and spruce.
 Undergrowth, locust and thornbrush.

S.89°58'E., on true line, bet. secs. 4 and 33.
 Over rolling land, thru heavy timber and scattering under-
 growth.

3.00 Asc. gradual NW slope.
 8.00 Desc. 36 ft. over NE slope.
 Wash, 10 lks. wide, near head, course NW.
 Asc. 28 ft. over SW slope.
 15.00 Desc. 23 ft. over SE slope.
 26.00 Wash, 10 lks. wide, course SW. Asc. 23 ft. over NW slope.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 18 ins. in
 the ground to bedrock, supported by a md. of stone, for
 the $\frac{1}{4}$ sec. cor. of secs. 4 and 33, with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 33}{S\ 4}$

1927 from which,

Survey of the South Bdy. of T. 35 N., R. 1 E.

Chains

any yellow pine, 26 ins. in diam., brs. N. 59 1/2° W., 18 lks.
 dist., mkd. 1/4 S33 BT
 a yellow pine, 12 ins. in diam., brs. S. 59 1/2° E., 48 lks.
 dist., mkd. 1/4 S4 BT
 Asc. gradual NW slope.
 Desc. gradual SE slope.
 Draw, course S. Asc. 13 ft. over S. slope to cor.
 Trail, course NW-SE. Asc. 11 ft. over general S. slope to
 Set an iron post 3 ft. long, 2 ins. in diam., 20 ins. in
 the ground to bedrock, supported by a md. of stone, for
 the cor. of secs. 3, 4, 33 and 34, with brass cap mkd.

53.00
 55.00
 75.00
 80.00

T 35 N	R 1 E
S33	S34
S4	S3

T34N
 1927 from which,
 a yellow pine, 7 ins. in diam., brs. N. 28 1/2° E., 75 lks.
 dist., mkd. T35N R1E S34 BT
 a yellow pine, 10 ins. in diam., brs. S. 63 1/2° E., 92 lks.
 dist., mkd. T34N R1E S3 BT
 an aspen, 7 ins. in diam., brs. S. 18 1/2° W., 63 lks.
 dist., mkd. T34N R1E S4 BT
 a yellow pine, 14 ins. in diam., brs. N. 4 1/2° W., 19 lks.
 dist., mkd. T35N R1E S33 BT

Land, rolling and level.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, aspen, fir and spruce.
 Undergrowth, locust and thornbrush.

S. 89° 58' E., on true line, bet. secs. 3 and 34.
 Over rolling land, thru heavy timber and scattering under-
 growth.

0.20 Desc. slight SE slope.
 10.50 Draw, course S. Asc. 54 ft. over W. slope.
 13.70 Desc. 26 ft. over SE slope.
 20.00 Wash, 10 lks. wide, course SW. Asc. 106 ft. over W. slope.
 26.22 Desc. 24 ft. over SE slope to wash.
 31.80 Wire fence, brs. N-S.
 36.00 Draw, course SW. Asc. gradual SW slope.
 40.00 Along S. slope to
 Set an iron post 3 ft. long, 1 in. in diam. 20 ins. in the
 ground to bedrock, supported by a md. of stone, for the
 1/4 sec. cor. secs. 3 and 34, with brass cap mkd.

1/4 S 34
S 3

1927 from which,
 a yellow pine, 22 ins. in diam., brs. N. 55° E., 19 lks.
 dist., mkd. 1/4 S34 BT
 a yellow pine, 12 ins. in diam., brs. S. 61° E., 37 lks.
 dist., mkd. 1/4 S3 BT

Asc. gradual W. slope.
 52.00 Desc. 46 ft. over SE slope.
 57.80 Wash, 10 lks. wide, course SW. Asc. 57 ft. along S. slope.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for the cor. of secs. 2, 3, 34 and 35, with
 brass cap mkd.

T 35 N	R 1 E
S34	S35
S3	S2

T 34 N
 1927 from which,

Survey of the South Bdy. of T. 35 N., R. 1 E.

- Chains a yellow pine, 18 ins. in diam., brs. N. 81° E., 88 lks. dist., mkd. T 35 N R 1 E S 35 B T.
- a yellow pine, 10 ins. in diam., brs. S. 47° E., 71 lks. dist., mkd. T 34 N R 1 E S 2 B T.
- a yellow pine, 9 ins. in diam., brs. S. 73° W., 14 lks. dist., mkd. T 34 N R 1 E S 3 B T.
- a yellow pine, 9 ins. in diam., brs. N. 19° W., 67 lks. dist., mkd. T 35 N R 1 E S 34 B T.

Land, rolling.
 Soil, rocky, 3rd rate.
 Timber, yellow pine, aspen, spruce and fir.
 Undergrowth, locust and thorn brush.

S. 89° 58' E., on true line, bet. secs. 2 and 35.
 Over rolling land, thru heavy timber and scattering undergrowth.

- Asc. gradual S. slope.
- 0.61 From which, Quaking Asp Forest Ranger Station brs. South, 17.50 chs. distant. This station is unoccupied and is in Quaking Asp Canyon; below station and about 15. chs. distant, in Canyon is a fine spring of water, piped into troughs.
- 9.70 Desc. 288 ft. over SE. slope.
- 21.30 Enter side draw, drains SW. Over level bottom.
- 23.20 Remains of old log fence, brs. N. and S. Asc. 34 ft. over W. slope.
- 28.70 Desc. 126 ft. over SE. slope to 1/4 sec. cor.
- 38.10 Telephone line, brs. N. 60° E. and S. 60° W.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 2 and 35, with brass cap mkd.

1/4 S 35
 S 2
 1927

From which,
 a yellow pine, 24 ins. in diam., brs. N. 69 1/2° W., 154 lks. dist., mkd. 1/4 S 35 B T.
 a spruce, 10 ins. in diam., brs. S. 11 1/2° E., 148 lks. dist., mkd. 1/4 S 2 B T.

Cor. falls on edge of Quaking Asp Canyon.
 Over level bottom of canyon.

- 41.15 Wash, 30 lks. wide, course SW.
- 41.45 Road, brs. N. 60° E., and S. 60° W. (to ranger station)
- 43.00 Leave bottom; asc. 125 ft. over NW. slope.
- 55.00 Desc. gradually, 23 ft. over NE. slope to
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 1, 2, 35 and 36, with brass cap mkd.

T 35 N | R 1 E
 S 35 | S 36
 S 2 | S 1
 T 34 N
 1927

From which
 a fir, 12 ins. in diam., brs. N. 9° E., 29 lks. dist., mkd. T 35 N R 1 E S 36 B T.
 a fir, 10 ins. in diam., brs. S. 23 1/2° E., 21 lks. dist., mkd. T 34 N R 1 E S 1 B T.
 a fir, 14 ins. in diam., brs. S. 62 1/2° W., 26 lks. dist., mkd. T 34 N R 1 E S 2 B T.

Survey of the South Bdy. of T. 35 N., R. 1 E.

Chains a fir, 12 ins. in diam., brs. N. $23\frac{1}{2}^{\circ}$ W., 27 lks. dist., mkd. T 35 N R 1 E S 35 B T.

Land, rolling and level.
Soil, rocky, 3rd rate; in Quaking Asp. Canyon bottom the soil is a black loam, 2nd rate.
Timber, yellow pine, aspen, fir and spruce.
Undergrowth, locust and thornbrush.

S. $89^{\circ} 58'$ E., on true line, bet. secs. 1 and 36.
Over rolling land, thru heavy timber and scattering undergrowth.
Desc. gradual NE. slope.

3.00 Enter Quaking Asp Canyon, brs. NW. and SE.; over level bottom.

4.65 From which, an old cabin, brs. N., about 4 chs. dist.

8.25 Rail fence, brs. N. and S.

9.95 Old road, brs. NW. and SE. (to ranger station).

10.00 Center of canyon, drains NW.

13.00 Leave canyon bottom; asc. gradual SW. slope.

28.00 Desc. gradual SE. slope, 31 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in the ground to bedrock, supported by a md. of stone for the $\frac{1}{4}$ sec. cor. of secs. 1 and 36, with brass cap mkd.

$\frac{1}{4}$ S 36
S 1
1927

From which
a yellow pine, 7 ins. in diam., brs. N. $32\frac{1}{2}^{\circ}$ W., 16 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.
a yellow pine, 6 ins. in diam., brs. S. $77\frac{1}{2}^{\circ}$ W., 20 lks. dist., mkd. $\frac{1}{4}$ S 1 B T.

Desc. gradual SE. slope.

44.00 Enter Quaking Asp Canyon, brs. NE. and SW. Over level bottom.

44.50 Road, brs. NE. and SW.

44.90 Center of canyon bottom, drains SW.

46.50 Telephone line, brs. NE. and SW.
Leave bottom; asc. 112 ft. over gradual NW. slope.

55.00 Desc. gradual NE. slope to


80.00 Intersect the cor. of secs. 1, 6, 31 and 36, Ts. 34 and 35 N., Rs. 1 and 2 E., hereinbefore described.
Land; rolling and level.
Soil, rocky loam, 2nd and 3rd rate.
Timber, yellow pine, aspen, fir and spruce.
Undergrowth, locust and thornbrush.

chains

From the cor. of Ts.34 and 35 N., Rs. 1 and 2 E.,
hereinbefore described,

North, on true line, bet. secs. 31 and 36.
Over mountainous land, thru dense timber and scattering
undergrowth.


- Descend 31 ft. over N. slope.
- 1.00 Enter bottom of Quaking Asp Canyon.
Thence over level bottom of canyon, course W.
- 2.45 Wash, 15 lks. wide, course W.
Continue over level bottom of canyon.
- 2.75 Road, bears E. and W.
- 3.00 Leave bottom of Quaking Asp Canyon. Enter mountainous
land. Ascend 254 ft. over S. slope.
- 4.60 Telephone line, bears NE. and SW.
- 12.00 Ascend 98 ft. over SE. slope.
- 21.50 Rim of bench, bears NE. and SW.
Thence over nearly level land on bench.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins.
in the ground, for $\frac{1}{4}$ sec. cor. of secs. 31 and 36,
with brass cap marked,



- from which
- a yellow pine, 16 ins. in diam., brs. N.27°E.,
46 lks. dist., marked $\frac{1}{4}$ S31 BT
- a yellow pine, 8 ins. in diam., brs. N.19°W.,
21 lks. dist., marked $\frac{1}{4}$ S36 BT

- 60.00 Continue over nearly level land on bench.
Enter gently rolling land.
Ascend 50 ft. over S. slope to

- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.
in the ground, for cor. of secs. 25, 30, 31 and 36,
with brass cap marked,



- from which
- an aspen, 10 ins. in diam., brs. N.33 $\frac{1}{2}$ °E., 40 lks.
dist., marked T35N R2E S30 BT
- an aspen, 8 ins. in diam., brs. S.38 $\frac{1}{2}$ °E., 53 lks.
dist., marked T35N R2E S31 BT
- an aspen, 6 ins. in diam., brs. S.22°W., 8 lks.
dist., marked T35N R1E S36 BT
- an aspen, 10 ins. in diam., brs. N.10°W., 57 lks.
dist., marked T35N R1E S25 BT

Land, mountainous, nearly level and gently rolling.
Soil, rocky, 3rd rate.
Timber, fir, aspen, yellow pine and spruce.
Undergrowth, scrub locust and young trees .

North, on true line, bet. secs. 35 and 36.
Over level land, on bench, thru dense timber and scat-
tering undergrowth.


Survey of the East Bdy. of T.35 N., R.1 E.

chains

North, on true line, bet. secs. 25 and 30.
Over level land, on bench, thru dense timber and scattering undergrowth.

32.40 Road, bears NE. and SW.


40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of secs. 25 and 30, with brass cap marked



from which,
a yellow pine, 10 ins. in diam., brs. S.74°E., 7 lks. dist., marked $\frac{1}{4}$ S30 BT
a yellow pine, 14 ins. in diam., brs. S.85°W., 59 lks. dist., marked $\frac{1}{4}$ S25 BT

75.00 Continue over level land on bench.
Leave level land and bench, and enter rolling land. Descend 25 ft. over N. slope to

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 25 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, with brass cap marked



from which,
a fir, 8 ins. in diam., brs. N.37°E., 57 lks. dist., marked T35N R2E S19 BT
a fir, 10 ins. in diam., brs. S.55°E., 46 lks. dist., marked T35N R2E S30 BT
an aspen, 8 ins. in diam., brs. S.5°W., 100 lks. dist., marked T35N R1E S25 BT
a yellow pine, 40 ins. in diam., brs. N.62°W., 721 lks. dist., marked T35N R1E S24 BT

Land, level and rolling.
Soil, rocky, 4th rate.
Timber, yellow pine, fir, aspen and spruce.
Undergrowth, scrub locust and young trees.

North, on true line, bet. secs. 19 and 24.
Over nearly level surface of an old lake bed, thru dense timber and scattering undergrowth.

6.00 Leave lake bed and enter rolling land.
Ascend 58 ft. over S. slope to

15.00 S. edge of flat topped ridge, brs. E. and W.
General bearing of ridge NW. and SE.

17.60 N. edge of same ridge, brs. NW. and SE.
Thence along E. slope, descending gradually.


30.00 Descend 25 ft. over NE. slope.

36.00 Shallow draw, course E.
Ascend 25 ft. over S. slope to


40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of secs. 19 and 24, with brass cap marked

Survey of the East Bdy. of T.35 N., R.1 E.

chains



- from which,
 an aspen, 20 ins. in diam., brs. S.83°E., 100 lks.
 dist., marked $\frac{1}{4}$ S19 BT.
- a yellow pine, 10 ins. in diam., brs. S.17 $\frac{1}{2}$ °W.,
 26 lks. dist., marked $\frac{1}{4}$ S24 BT
- Thence across nearly level top of spur, sloping E.
- 50.00 A point from which the South Lake of Dry Park Lakes brs.
 East about 8 chs. dist., and the North Lake of same
 brs. North about 4 chs. dist. from the South Lake.
 Leave top of spur and descend 29 ft. over NE. slope.
- 53.60 Telephone line, brs. NW. and SE.
- 55.00 Center of draw, about 3 chs. wide, course NW.
 Ascend 52 ft. over SW. slope.
- 56.40 Road, bears NW. and SE.
- 63.78 Log fence, bears N.20°W. and S.20°E., on top of spur,
 sloping W.
 Descend 46 ft. over N. slope.
- 76.00 Wash, 10 lks. wide, course W.
 Ascend 30 ft. over SW. slope to
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.
 in the ground, for cor. of secs. 13, 18, 19 and 24,
 with brass cap marked



1927


- from which,
 a yellow pine, 10 ins. in diam., brs. N.79 $\frac{1}{2}$ °E., 11 lks.
 dist., marked T35N R2E S18 BT
- an aspen, 12 ins. in diam., brs. S.4 $\frac{1}{2}$ °E., 70 lks.
 dist., marked T35N R2E S19 BT
- a yellow pine, 8 ins. in diam., brs. S.18 $\frac{1}{2}$ °W., 38 lks.
 dist., marked T35N R1E S24 BT
- a yellow pine, 14 ins. in diam., brs. N.47°W., 8 lks.
 dist., marked T35N R1E S13 BT

Land, nearly level and rolling.
 Soil, stony, 3rd rate.
 Timber, yellow pine, fir, aspen and spruce.
 Undergrowth, scrub locust and young trees.

-
- North, on true line, bet. secs. 13 and 18.
 Over gently rolling land, thru dense timber and scat-
 tering undergrowth.
 Descend 20 ft. over NW. slope.
 - 11.00 Shallow draw, course SW.
 Ascend gradually over SW. slope.
 - 13.00 A circular crater, 200 ft. in diam., 50 ft. deep, bears
 East 2.00 chs. dist.
 - 15.00 Descend gradually over N. slope.
 - 20.00 Shallow draw, course NW.
 Ascend 25 ft. over SW. slope.
 - 26.00 Descend 15 ft. over NW. slope.
 - 30.50 Shallow draw, course SW.
 Ascend 57 ft. over SW. slope to
 - 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor. of secs. 13 and 18,
 with brass cap marked

Survey of the East Bdy. of T.35 N., R.1 E.


chains



from which,
 a spruce, 18 ins. in diam., brs. S.40°E., 23 lks.
 dist., marked $\frac{1}{4}$ S18 BT
 a yellow pine, 10 ins. in diam., brs. S.12°W., 52 lks.
 dist., marked $\frac{1}{4}$ S13 BT

Enter mountainous land.
 Descend along W. slope.

- 45.00 Spur, slopes NW.
 Descend 80 ft. over NE. slope.
- 51.40 Wash, 10 lks. wide, course W.
 Ascend 135 ft. over SW. slope.
- 59.20 Descend gradually along W. slope to
- 74.20 Edge of top of spur, sloping NW.
 Thence over nearly level top of spur to
- 80.00 Set an iron post, 3 ft long, 2 ins. in diam., 24 ins. in
 the ground, for cor. of secs. 7, 12, 13 and 18, with
 brass cap marked




1927

from which
 a yellow pine, 24 ins. in diam., brs. N.47°E., 48 lks.
 dist., marked T35N R2E S7 BT
 an aspen, 8 ins. in diam., brs. S.20°E., 19 lks.
 dist., marked T35N R2E S18 BT
 an aspen, 8 ins. in diam., brs. S.13°W., 66 lks.
 dist., marked T35N R1E S13 BT
 an aspen, 8 ins. in diam., brs. N.28°W., 75 lks.
 dist., marked T35N R1E S12 BT

Land, rolling, mountainous and nearly level.
 Soil, rocky, 3rd rate.
 Timber, yellow pine, fir, aspen and spruce.
 Undergrowth, scrub juniper and young trees.

 North, on true line, bet. secs. 7 and 12.
 Over nearly level top of spur, sloping NW, thru dense
 timber and scattering undergrowth.


- 1.50 Edge of top of spur, brs. NW. and SE. Leave top of spur.
 Enter mountainous land. Descend 100 ft. over NE.
 slope.
- 6.52 Shallow draw, course NE. near head.
 Ascend 16 ft. over SE. slope.
- 8.50 Point of spur, slopes E.
 Descend 48 ft. over NE. slope.
- 11.40 Draw, 100 lks. wide, course NW.
 Ascend 245 ft. over SW. slope.
- 22.75 Spur, slopes NW.
 Descend 119 ft. over N. slope.
- 31.40 Draw, 100 lks. wide, course NW.
 Ascend 105 ft. over SW. slope to
- 40.00 Edge of top of spur, sloping NW. Set an iron post, 3 ft.
 long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$
 sec. cor. of secs. 7 and 12, with brass cap marked



chains

from which,
 a spruce, 20 ins. in diam., brs. N.76°E., 88 lks.
 dist., marked $\frac{1}{4}$ S7 BT
 an aspen, 12 ins. in diam., brs. N.21°W., 40 lks.
 dist., marked $\frac{1}{4}$ S12 BT

- Ascend 34 ft. over rolling top of spur.
- 45.00 Edge of top of spur, brs. NW. and SE. Leave top of spur.
 Descend 34 ft. over N. slope.
- 49.95 Draw, course NW., near head.
 Ascend gradually over rolling bench.
- 70.00 Edge of bench, brs. E. and W. Leave bench.
 Descend 40 ft. over N. slope.
- 76.50 Draw, 50 lks. wide, course NW.
 Ascend 25 ft. over SW. slope to sec. cor.
- 77.40 Highway, brs. NW. and SE., with telephone line same
 bearing alongside.
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins.
 in the ground to bedrock, and raise a mound of
 stone around post, for cor. of secs. 1, 6, 7 and 12,
 with brass cap marked




1927

from which
 an aspen, 10 ins. in diam., brs. N.76 $\frac{1}{2}$ °E., 40 lks.
 dist., marked T35N R2E S6 BT
 an aspen, 8 ins. in diam., brs. S.22 $\frac{1}{4}$ °E., 12 lks.
 dist., marked T35N R2E S7 BT
 an aspen, 8 ins. in diam., brs. S.71°W., 43 lks.
 dist., marked T35N R1E S12 BT
 an aspen, 10 ins. in diam., brs. N.32 $\frac{1}{4}$ °W., 18 lks.
 dist., marked T35N R1E S1 BT

Land, rolling and mountainous.
 Soil, rocky, 3rd rate.
 Timber, yellow pine, fir, aspen and spruce.
 Undergrowth, scrub juniper and young trees.

- North, on true line, bet. secs. 1 and 6.
 Over rolling land, thru dense timber and scattering
 undergrowth.
 Ascend 73 ft. over SW. slope.
- 15.00 Spur, slopes NW.
 Descend 65 ft. over NE. slope.
- 25.00 Descend 33 ft. over E. slope.
- 29.30 Blazed trail, brs. NW. and SE.
- 33.00 Same spur, slopes N.20°E.
 Descend 28 ft. over NW. slope to
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor. of secs. 1 and 6, with
 brass cap marked



1927

from which
 an aspen, 10 ins. in diam., brs. S.80°E., 20 lks.
 dist., marked $\frac{1}{4}$ S6 BT
 an aspen, 8 ins. in diam., brs. S.73°W., 29 lks.
 dist., marked $\frac{1}{4}$ S1 BT

chains
 48.00 Descend 26 ft. over W. slope to
 Point of spur, sloping N.20°W. Enter mountainous land.
 Descend 147 ft. over N. slope.
 57.30 Wire fence, bears NE. and W.
 57.80 Wash, 10 lks. wide, course SW.
 Ascend 146 ft. over SE. slope.
 72.00 Point of spur, sloping SE.
 Ascend 50 ft. over E. slope.
 79.00 West edge of draw, 50 lks. wide, in bend, course SE. from
 NE. A fence follows the center of this draw.
 80.00 Set an iron post, 3 ft. long, 3 ins. in diam., 24 ins.
 in the ground, for cor. of Ts. 35 and 36 N., Rs. 1 and
 2 E., with brass cap marked

T36N	
R1E	R2E
S36	S31
S1	S6
T 35 N	
1927	

from which

an aspen, 6 ins. in diam., brs. N.35 $\frac{1}{2}$ °E., 13 lks.
 dist., marked T36N R2E S31 BT
 an aspen, 6 ins. in diam., brs. S. 6 $\frac{1}{2}$ °E., 23 lks.
 dist., marked T35N R2E S6 BT
 an aspen, 12 ins. in diam., brs. S.43 $\frac{1}{2}$ °W., 82 lks.
 dist., marked T35N R1E S1 BT
 an aspen, 6 ins. in diam., brs. N.78°W., 59 lks.
 dist., marked T36N R1E S36 BT

Land, rolling and mountainous.

Soil, rocky, 4th rate.

Timber, yellow pine, fir, aspen and spruce.

Undergrowth, scrub juniper and young trees.


Survey of the North Bdy. of T.35 N., R.1 E.

Chains

478.32 From the cor. of secs. 1, 6, 31 and 36, Ts. 35 and 36 N., Rs. 1 and 2 E., hereinbefore described, West, on a random line, setting temp. points at intervals of 40.00 chs., until at Fall 55 lks. N. of the cor. of secs., 1, 6, 31 and 36, Ts. 35 and 36 N., Rs. 1 E. and 1 W., established by Benjamin J. Kinsey, U.S. Transitman, in 1922, which is an iron post 3 ins. in diam., projecting 12 ins. above ground, firmly set, with brass cap properly mkd. and witnessed by four properly mkd. bearing trees, one each NE, SE, SW and NW of cor.


Thence, N. 89° 56' E., on true line, bet. secs. 6 and 31. Over rolling land, thru heavy timber and scattering undergrowth.

Over level bench.
 9.50 Leave bench, brs. NW-SE. Desc. 72 ft. over NE slope.
 19.50 Draw, course NW. Asc. 107 ft. over SW slope.
 31.30 Over level bench, brs. NW-SE.
 31.80 Blazed trail brs. NW-SE.
 38.32 (40.00 chs. westing from the cor. of secs. 5, 6, 31 and 32) Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 6 and 31, with brass cap mkd.



1927 from which,
 a yellow pine, 18 ins. in diam., brs. N. 66 1/2° E., 118 lks. dist., mkd. 1/4 S 31 BT
 a yellow pine, 18 ins. in diam., brs. S. 29 1/2° E., 57 lks. dist., mkd. 1/4 S 6 BT

Asc. gradual W. slope.
 53.80 Leave bench, brs. NE-SW. Desc. 71 ft. over SE slope.
 59.10 Draw, course SE. Asc. 28 ft. over SW slope.
 64.80 Spur, slopes S. Desc. 48 ft. over SE slope.
 74.00 Draw, course SW. Asc. gradual SW slope to
 78.32 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 5, 6, 31 and 32, with brass cap mkd.



T35N 1927 from which,
 an aspen, 6 ins. in diam., brs. N. 72 1/4° E., 50 lks. dist., mkd. T36N R1E S32 BT
 an aspen, 6 ins. in diam., brs. S. 1° E., 67 lks. dist., mkd. T35N R1E S5 BT
 a spruce, 6 ins. in diam., brs. S. 46 1/4° W., 65 lks. dist., mkd. T35N R1E S6 BT
 an aspen, 6 ins. in diam., brs. N. 51 1/2° W., 81 lks. dist., mkd. T36N R1E S31 BT

Land, rolling and level.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, fir and aspen.
 Undergrowth, juniper brush and young timber.

N. 89° 56' E., on true line, bet. secs. 5 and 32. Over rolling land, thru heavy timber and scattering undergrowth.
 Over gradual NE slope.
 3.40 Draw, course NW; up same.
 11.20 Leave draw from SE. Asc. gradual SW slope.

Chains

15.00 Spur, slopes NW. Desc. gradual NE slope.
 17.00 Draw, course NW. Asc. 198 ft. over NW slope.
 27.40 Spur, slopes NW. Desc. 59 ft. over NE slope.
 32.90 Draw, course NW. Asc. 68 ft. over SW slope.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 20 ins. in the ground to bedrock, raise a md. of stone around post for the $\frac{1}{4}$ sec. cor. of secs. 5 and 32, with brass cap mkd.

$$\frac{1}{4} \frac{S \ 32}{S \ 5}$$

1927

from which,

a yellow pine, 12 ins. in diam., brs. N.45°W., 3 lks.
 dist., mkd. $\frac{1}{4}$ S32 BT
 a pine, 6 ins. in diam., brs. S.79 $\frac{1}{4}$ °W., 46 lks.
 dist., mkd. $\frac{1}{4}$ S5 BT

44.40 Cor. set on spur, slopes NW. Desc. 40 ft. over NE slope.
 Draw, course N. Asc. 32 ft. over SW slope.
 52.40 Spur, slopes NW. Desc. 25 ft. over NE slope.
 65.40 Draw, course NW. Asc. 84 ft. over SW slope, to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bedrock, raise a md. of stone around post, for the cor. of secs. 4, 5, 32 and 33, with brass cap mkd.

T36N R1E
S32 S33
S5 S4

T35N

1927

from which,

a yellow pine, 8 ins. in diam., brs. N.62 $\frac{1}{2}$ °E., 67 lks.
 dist., mkd. T36N R1E S33 BT
 a yellow pine, 6 ins. in diam., brs. S.36°E., 23 lks.
 dist., mkd. T35N R1E S4 BT
 a yellow pine, 14 ins. in diam., brs. S.56°W., 29 lks.
 dist., mkd. T35N R1E S5 BT
 a yellow pine, 14 ins. in diam., brs. N.63 $\frac{1}{2}$ °W., 36 lks.
 dist., mkd. T36N R1E S32 BT

Land, rolling and level.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, and aspen.
 Undergrowth, juniper brush and grass.

N.89°56'E., on true line, bet. secs. 4 and 33.
 Over rolling land, thru heavy timber and scattering undergrowth.

Asc. 29 ft. over SW slope.
 9.50 Spur, slopes NW. Desc. 14 ft. over NE slope.
 15.90 Draw, course NW. Asc. 135 ft. over SW slope.
 31.40 Over level bench, brs. NW-SE.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 4 and 33, with brass cap mkd.

$$\frac{1}{4} \frac{S \ 33}{S \ 4}$$

1927

from which,

a yellow pine, 8 ins. in diam., brs. N.62 $\frac{1}{2}$ °E., 23 lks.
 dist., mkd. $\frac{1}{4}$ S33 BT
 a yellow pine, 10 ins. in diam., brs. S.20°W., 5 lks.
 dist., mkd. $\frac{1}{4}$ S4 BT

Chains

Over level top.
 43.00 Desc. gradual NE slope, 71 ft.
 53.30 Draw, course NW. Asc. 89 ft. over SW slope.
 65.00 Spur, slopes NW. Desc. 67 ft. over NE slope.
 80.80 Draw, course NW. Asc. 82 ft. over SW slope, to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for the cor. of secs. 3, 4, 33 and 34, with
 brass cap mkd.

T36N R1E
 S33 | S34

S4 | S3

T35N

1927

from which,

a yellow pine, 20 ins. in diam., brs. N.68°E., 53 lks.
 dist., mkd. T36N R1E S34 BT
 a yellow pine, 30 ins. in diam., brs. S.25°E., 23 lks.
 dist., mkd. T35N R1E S3 BT
 a yellow pine, 24 ins. in diam., brs. S.25°W., 10 lks.
 dist., mkd. T35N R1E S4 BT
 a yellow pine, 14 ins. in diam., brs. N.52°W., 33 lks.
 dist., mkd. T36N R1E S33 BT

Land, rolling and level.
 Soil, rocky 3rd. rate.
 Timber, yellow pine and aspen.
 Undergrowth, juniper brush and grass.

N.89°56'E., on true line, bet. secs. 3 and 34.
 Over rolling land, thru heavy timber and scattering under-
 growth.

Desc. gradual NE slope.
 4.40 Draw, course N. Asc. 23 ft. over SW slope.
 8.00 Spur, slopes NW. Desc. gradual NE slope.
 10.70 Draw, course NW. Asc. 79 ft. over SW slope.
 23.40 Center of basin. Across same.
 28.40 Leave basin; asc. gradual W. slope to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor. of secs. 3 and 34, with
 brass cap mkd.

S 34

S 3

1927

from which,

a yellow pine, 26 ins. in diam., brs. N.10°W., 71 lks.
 dist., mkd. $\frac{1}{4}$ S34 BT
 a yellow pine, 14 ins. in diam., brs. S.51°E., 76 lks.
 dist., mkd. $\frac{1}{4}$ S3 BT

Desc. 18 ft. over gradual NE slope.
 51.00 Small ravine, course SW. Asc. 80 ft. over NW slope.
 58.00 Spur, slopes SW. Desc. gradual SE slope to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 12 ins. in
 the ground to bedrock, raise a md. of stone around post,
 for the cor. of secs. 2, 3, 34 and 35, with brass cap
 mkd.

T36N R1E
 S34 | S35

S3 | S2

T35N

1927

from which,

a yellow pine, 18 ins. in diam., brs. N.39°E., 86 lks.
 dist., mkd. T36N R1E S35 BT
 a yellow pine, 20 ins. in diam., brs. N.61°E., 71 lks.
 dist., mkd. T35N R1E S2 BT

Chains

a yellow pine, 20 ins. in diam., brs. S.61°E., 133 lks.
 dist., mkd. T35N R1E S2 BT
 a yellow pine, 12 ins. in diam., brs. S.52°W., 51 lks.
 dist., mkd. T35N R1E S3 BT
 a yellow pine, 16 ins. in diam., brs. N.66°W., 42 lks.
 dist., mkd. T36N R1E S34 BT

Land, rolling.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, fir, and aspen.
 Undergrowth, juniper brush and grass.

N.89°56'E., on true line, bet. secs. 2 and 35.
 Over rolling land, thru heavy timber and scattering under-
 growth.

Over level bench.
 29.00 Asc. gradual W. slope, 22 ft.
 33.00 Highway, brs. NW-SE.
 Over level land to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 12 ins. in
 the ground to bedrock, raise a md. of stone around post,
 for the 1/4 sec. cor. of secs. 2 and 35, with brass cap mkd.

1/4 S 35
 S 2
 1927

from which,
 a yellow pine, ins. in diam., brs. N., 7 lks.
 dist., mkd. 1/4 S35 BT
 a yellow pine, ins. in diam., brs. S.2 1/2°W., 51 lks.
 dist., mkd. 1/4 S2 BT

42.00 Telephone line, brs. NW-SE.
 58.40 Leave timber, brs. N-S.
 Desc. gradual E. slope.
 64.00 Draw, course NE. Asc. 45 ft. over gradual W. slope.
 70.40 Enter timber, brs. N-S.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground, for the cor. of secs. 2, 35 and 36, with
 brass cap mkd.

T36N R1E
S35 | S36
 S2 | S1
 T35N
 1927

from which,
 a yellow pine, 26 ins. in diam., brs. N.59°E., 101 lks.
 dist., mkd. T36N R1E S36 BT
 a yellow pine, 24 ins. in diam., brs. S.54°E., 37 lks.
 dist., mkd. T35N R1E S1 BT
 a yellow pine, 30 ins. in diam., brs. S.12 1/2°W., 95 lks.
 dist., mkd. T35N R1E S2 BT
 a yellow pine, 30 ins. in diam., brs. N.55 1/2°W., 169 lks.
 dist., mkd. T36N R1E S35 BT

Land, rolling.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, and aspen.
 Undergrowth, juniper brush and grass.

Survey of the North boundary of T.35 N.,R.1 E.

Chains	N89°56'E. on true line bet. secs.1 and 36. Over rolling land, thru scattering timber and undergrowth.
2.00	Leave timber bears N. and S. Across N.end of Dry Park
14.00	Road bears N. and S.
16.20	Draw drains N.
29.40	Edge of timber bears N. and S.; Enter mountainous land. Ascend 209 ft. over SW. slope.
40.00	Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in. the ground for $\frac{1}{4}$ sec.cor. marked on brass cap.

$\frac{1}{4}$ S 36
 $\frac{1}{4}$ S 1
 1927

from which

51.50	A yellow pine 12 ins. in diam. bears N44 $\frac{1}{2}$ °W.18 lks. dist., marked $\frac{1}{4}$ S36 BT.
64.90	A yellow pine 14 ins. in diam. bears S33°E.38 lks. dist., marked $\frac{1}{4}$ S1 BT.
75:00	This cor.falls on top of ridge bears N. and S. Descend 149 ft. over NE. slope. Draw course NW. Ascend 290 ft. over W. slope.
77.40	Spur slopes NW. Descend 42 ft. over E. slope.
80.00	Basin 5 chs. in diam. lies S.1.ch.dist. Ascend gradually over W. slope. Spur slopes SE. Descend 56 ft. over NE. slope.
	The cor. of secs.1,6,31,and 36. Ts.35 and 36 N.,Rs.1 and 2 E.,hereinbefore described.

Land,rolling and mountainous.
Soil,rocky 3 rd. rate.
Timber,yellow pine,fir,and aspen.
Undergrowth,juniper brush.

BOUNDARIES OF TOWNSHIP 35 NORTH., RANGE 1 EAST.
LATITUDES, DEPARTURES, AND CLOSING ERRORS.


Line designated	True bearing	Dist.	Latitudes		Departures	
			N	S	E	W
South boundary	N89°58'W	478.75	.28			478.75
West boundary (Gila Meridian)	North	480.00	480.00			
North boundary	N89°56'E	478.32	.55		478.32	
East boundary	South	480.00		480.00		
Convergency					.53	
Totals			480.83	480.00	478.85	478.75
			480.00		478.75	
	Error in latitude		0.83		0.10	
	Error in departure				0.10	

Survey of the Subdivision lines of T.35 N., R.1 E.

Chains


From the cor. of secs. 1, 2, 35, and 36 on S. bdry. of Tp.,
hereinbefore described, this group,

- N 0° 1' W. bet. secs. 35 and 36.
- Descend N. slope over rolling stony mountainous land, thru.
heavy timber and scattering undergrowth.
- .70 Telephone line bears NE. and SW.
- .80 Wash 15 lks. wide 3 ft. deep in Quaking Asp Canyon, course SW.
- 1.40 Road bears E. and W.
- 5.00 Leave bottom of Quaking Asp Canyon, bears NE. and SW.
Ascend 272 ft. over rocky SE. slope.
- 16.00 Top of spur bears SW., thence over nearly level land.
- 25.27 Intersect a yellow pine 24 ins. in diam., and mark same
for line tree, with two notches on opposite sides
facing the line.
- Descend 26 ft. over N. slope.
- 28.14 Sand wash 20 lks. wide course SW.
Ascend 65 ft. over SE. slope.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



from which

- An aspen 14 ins. in diam. bears S 87° E. 32 lks. dist.,
marked $\frac{1}{4}$ S 36 BT.
- An aspen 14 ins. in diam. bears N 37° W. 17 lks. dist.,
marked $\frac{1}{4}$ S 35 BT.
- 42.00 Top of spur bears SW.
Descend 52 ft. over NW. slope.
- 49.46 Sand wash course SW.
- 49.97 Leave sand wash.; Ascend 199 ft. over SE. slope.
- 64.60 Intersect a yellow pine 18 ins. in diam., and mark same
for line tree, with two notches on opposite
sides facing the line.
- 68.40 Top of spur bears SW.
Descend 34 ft. over NW. slope.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the
ground for cor. of secs. 25, 26, 35, and 36., marked
on brass cap



from which

- An aspen 6 ins. in diam. bears N 63° E. 54 lks. dist.,
marked T35N., R1E., S25 BT.
- An aspen 6 ins. in diam. bears S 27° E. 29 lks. dist.,
marked T35N., R1E., S36 BT.
- A spruce 15 ins. in diam. bears S 14° W. 25 lks. dist.,
marked T35N., R1E., S35 BT.
- A yellow pine 30 ins. in diam. bears N 36° W. 25 lks. dist.,
marked T35N., R1E., S26 BT.

Land, rolling mountains.
Soil, stony 3rd. and 4th. rate.
Timber, pine, fir, aspen, and spruce.
Undergrowth, locust, grass, and small trees.

Survey of the Subdivision lines of T.35 N., R1 E.

Chains	
40.00	S 89°58'E. on a random line bet. secs.25 and 36. Set temp. $\frac{1}{4}$ sec. cor.
80.04	Intersect the East boundary of the Tpe 5 lks. S. of the cor. of 30,31, and 36, hereinbefore described.
	Thence West on a true line bet. secs.25 and 36.
24.50	Over level land on top of mountain thru heavy timber and scattering undergrowth.
28.10	Leave level land bears NE. and SW. Descend 34 ft. over steep SW. slope.
29.10	Sand wash course NW. Sand wash 8 lks. wide course SW.
40.02	Ascend 23 ft. over SE. slope. Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4} \frac{S 25}{S 36}$
	1927.
	from which
	A yellow pine 6 ins. in diam. bears N2°E. 3 lks. dist., marked $\frac{1}{4}$ S25 BT.
	A yellow pine 10 ins. in diam. bears S9°W. 9 lks. dist., marked $\frac{1}{4}$ S36 BT.
48.04	Top of ridge bears NE. and SW. thence over nearly level land.
57.14	West edge of ridge bears NE. and SW. Descend 87 ft. over NW. slope.
62.08	Foot of steep descent in bottom land along sand wash, bears NE. and SW.
63.08	Sand wash 100 lks. wide course SW. Ascend 40 ft. over E. slope.
65.04	Top of spur bears NW. and SE. thence over level land on top of spur.
75.00	West edge of spur, bears NW. and SE. Descend 40 ft. over SW. slope to
80.04	The cor. of secs. 25, 26, 35, and 36.
	Land, level and mountainous. Soil, stony 3 rd. and 4 th. rate. Timber, cedar, aspen, fir, spruce, and pine. Undergrowth, young timber.
2.50	N 0°1'W. bet. secs. 25 and 26. Ascend SW. slope over rolling stony mountainous land thru heavy timber and undergrowth.
9.00	Top of spur bears SW. Descend 24 ft. over NW. slope
12.64	Draw 5 lks. wide course W. Ascend 131 ft. over SE. slope.
18.75	Intersect a yellow pine 40 ins. in diam. and mark same for line trees, with two notches on opposite sides facing the line.
22.50	Old road along top of ridge bears E. and W. Descend 23 ft. over N. slope.
22.70	Wash 20 lks. wide course W. Leave sand wash and ascend 52 ft. over S. slope.
37.70	Top of spur bears NW. Descend 40 ft. over NE. slope.
40.00	Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap

Chains

↑
S 26 | S 25

1927

from which

- A spruce 10 ins. in diam. bears N88°E.46 lks. dist.,
marked $\frac{1}{4}$ S25 BT.
- A spruce 16 ins. in diam. bears S68°W.71 lks. dist.,
marked $\frac{1}{4}$ S26 BT.
- 45.96 Sand wash 50 lks. wide course NW.
- 46.93 Ascend 28 ft. over SW. slope.
- 50.43 Top of spur bears NW.
- Descend 41 ft. over NW. slope.
- 55.36 Ravine 50 lks. wide course SW.
- Ascend 98 ft. over S. slope
- 65.00 Top of ridge bears N. and SE
- 75.23 Ridge bears NW.
- Descend 29 ft. over NE. slope to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
the ground for cor. of secs. 23, 24, 25, and 26.
marked on brass cap.

T35N | R1E
S 23 | S 24
S 26 | S 25

1927

from which

- A yellow pine 10 ins. in diam. bears N70°E.8 lks. dist.,
marked T35N., R1E., S24 BT.
- A yellow pine 14 ins. in diam. bears S30°E.21 lks. dist.,
marked T35N., R1E., S25 BT.
- A yellow pine 14 ins. in diam. bears S25°W.14 lks. dist.,
marked T35N., R1E., S26 BT.
- A fir 10 ins. in diam. bears N76 $\frac{1}{2}$ °W.10 lks. dist.,
marked T35N., R1E., S23 BT.


Land, rolling and mountainous.
Soil, stony 3 rd. and 4 th. rate.
Timber, aspen, fir, spruce, and pine.
Undergrowth, 2nd. growth timber.

- 40.00 E a s t, on a random line bet. secs: 24 and 25.
- 80.10 Set temp. $\frac{1}{4}$ sec. cor.
- Intersect E. bdy. of Tp. 7 lks. N. of the cor. of secs:
19, 24, 25, and 30. hereinbefore described.
- Thence
- N 89°57'W. on true line bet. secs. 24 and 25.
- Over level bottom of old lake bed near south end.
- 4.00 Leave lake bed, bears N. and S.
- Ascend 52 ft. over E. slope over rolling mountainous
land and heavy timber and undergrowth, bears
N. and S.
- 6.00 Top of slope on ridge bears N. and S., thence over nearly
level land.

Survey of the Subdivision lines of T.35 N., R.1 E.

Chains

- 15.00 West edge of ridge bears NW. and SE.
- Descend 103 ft. over steep SW. slope.
- 27.00 Wash 20 lks. wide 3 ft. deep in botom of Parishwampitts Canyon, course NW.
- Ascend NE. slope.
- 35.00 Top of low spur bears N.
- Descend 23 ft. over W. slope.
- 40.05 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap




from which

- An aspen 8 ins. in diam. bears N9°W. 38 lks. dist., marked $\frac{1}{4}$ S24 BT.
- An aspen 6 ins. in diam. bears S2 $\frac{1}{2}$ °E. 26 lks. dist., marked $\frac{1}{4}$ S25 BT.
- 43.00 Draw course NW.
- 45.00 Ascend 109 ft. over NE. slope.
- 58.00 Top of spur slopes NW.
- Descend 85 ft. over SW. slope.
- 64.10 Sand wash 10 lks. wide course N.
- Ascend 165 ft. over NE. slope.
- 79.50 Top of ridge bears NW. and SE.
- Descend 16 ft. over SW. slope. to
- 80.10 The cor. of secs. 23, 24, 25, and 26.

Land, level, rolling, and mountainous.
 Soil, stony 3 rd. and 4 th. rate.
 Timber, fir, pine, and aspen.
 Undergrowth, young fir, pine, and aspen timber.

- N0°1'W. bet. secs. 23 and 24.
- Descend gradually over W. slope over stony mountainous land, thru. heavy timber and undergrowth.
- 12.00 Spur slopes NW.
- Descend 214 ft. over NE. slope.
- 24.00 Foot of descent in wash 100 lks. wide in bottom of Parishwampitts Canyon, course W.
- Ascend 191 ft. over SW. slope
- 40.00 Top of spur bears SW.; Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap



from which

- A yellow pine 30 ins. in diam. bears N82°E. 44 lks. dist., marked $\frac{1}{4}$ S24 BT.
- A yellow pine 18 ins. in diam. bears S33°W. 14 lks. dist., marked $\frac{1}{4}$ S23 BT.
- Descend 34 ft. over NW. slope
- 45.00 Sand wash 10 lks. wide course SW.

Chains
 52.00 Ascend 106 ft. over SE. slope.
 Top of ascent on ridge bears E. and W. thence over rolling
 land.
 57.50 North edge of ridge bears E. and W.
 Descend 87 ft. over N. slope.
 61.75 Ravine 25 lks. wide course W.
 Ascend 59 ft. over S. slope.
 66.00 Top of ascent on S. edge of ridge bears E. and W.
 Over level land.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for cor. of secs. 13, 14, 23, and 24.
 marked on brass cap

T35N	R1E
S 14	S 13
S 23	S 24

19 27

from which

An aspen 6 ins. in diam. bears N30 $\frac{1}{2}$ °E. 9 lks. dist.,

marked T35N., R1E., S13 BT.

An aspen 8 ins. in diam. bears S70°E. 8 lks. dist.,

marked T35N., R1E., S24 BT.

An aspen 8 ins. in diam. bears S18°W. 26 lks. dist.,

marked T35N., R1E., S23 BT.

An aspen 6 ins. in diam. bears N54°W. 8 lks. dist.,

marked T35N., R1E., S14 BT.

Land level, rolling, and mountainous.

Soil, stony 3 rd. rate.


Timber, spruce, fir, pine, and aspen.

Undergrowth, young timber.

40.00 S 89°57'E. on a random line bet. secs. 13 and 24
 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect E. bdy. of Tp. 14 lks. S. of the cor. of secs.
 13, 18, 19, and 24. hereinbefore described.
 Thence
 S 89°57'W. on true line bet. secs. 13 and 24
 Descend 64 ft. over NW. slope over rolling stony mount-
 ainous land, thru heavy timber and undergrowth.
 3.00 S. edge of old crater 300 lks. in diam. 45 ft. deep
 Ascend
 5.00 Top of ascent on spur bears NW. thence over rolling land
 on top of spur.
 6.38 West edge of spur. Descend 12 ft. over SW. slope.
 6.59 Wire fence bears NE. and SW.
 10.89 Draw 50 lks. wide course NW.
 Ascend 28 ft.
 13.98 Top of spur bears N.
 Descend 34 ft. over W. slope.
 18.12 Telephone line bears N. and S.
 19.23 Road bears NW. and SE.
 19.58 Wash 10 lks. wide 3 ft. deep in canyon, course NW.
 Ascend 109 ft. over NE. slope.
 24.98 Top of ascent on ridge bears N., and S., thence over level
 land on ridge.
 29.98 West edge of ridge, bears N. and S.
 Descend 45 ft. over SW. slope.
 36.28 Draw 200 lks. wide course NW.
 Ascend over NE. slope
 39.99 Top of spur bears N.; Set an iron post 3 ft. long, 1 in. in
 diam. 20 ins. in the ground to bedrock, supported
 in a mound of stone for $\frac{1}{4}$ sec. cor.,
 marked on brass cap

Survey of the Subdivision lines of T.35 N., R.1 E.

Chains




from which

- An aspen 10 ins. in diam. bears N8°E.25 lks. dist., marked $\frac{1}{4}$ S13 BT.
- A fir 10 ins. in diam. bears S51°W.46 lks. dist., marked $\frac{1}{4}$ S24 BT.
- Descend over NW. slope.
- 40.98 Draw 100 lks. wide course NE.
- Ascend 51 ft. over SE. slope.
- 44.98 Top of ascent on spur bears NE. thence over nearly level land on top of spur,
- 48.98 West edge of spur, bears N.
- Descend 28 ft. over W. slope.
- 54.09 Draw 50 lks. wide course NE.
- Ascend 37 ft. over SE. slope.
- 59.98 Top of ascent on spur bears NE., thence over rolling land on top of spur.
- 69.98 West edge of spur.; bears NW.
- Descend over SW. slope.
- 75.48 Draw 200 lks. wide course NW.
- Ascend 103 ft. over NE. slope to
- 79.98 The cor. of secs. 13, 14, 23, and 24.

Land, rolling, level, and mountainous.
 Soil, stony 4th. rate.
 Timber, pine, spruce, fir, and aspen.
 Undergrowth, young timber,

- N 0°1'W. bet. secs. 13 and 14.
- Descend 50 ft. over NE. slope over rolling mountainous land, thru heavy timber and undergrowth.
- 8.36 Ravine course NW.
- Ascend over SW. slope
- 15.66 Top of spur bears W.
- Descend 50 ft. over NW. slope.
- 22.30 Sand wash course NE.
- 22.60 Leave wash.; Ascend 74 ft. over SE. slope.
- 33.00 Top of spur bears NE. thence over level land on top of spur.
- 39.00 North edge of spur bears NE.
- Descend 167 ft. over NW. slope.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap



1927

from which

- A fir 8 ins. in diam. bears S68°E.21 lks. dist., marked $\frac{1}{4}$ S13 BT.
- A spruce 18 ins. in diam. bears S46°W.21 lks. dist., marked $\frac{1}{4}$ S14 BT.
- 61.24 Draw 50 lks. wide course W.
- Ascend 139 ft.

Survey of the Subdivision lines of T.35 N., R.1 E.

Chains	Top of spur slopes SE.						
70.67	Set an iron post 3 ft. long, 2 ins. in diam. 26 ins. in the ground for cor. of secs. 11, 12, 13, and 14. marked on brass cap						
80.00	<table style="margin-left: auto; margin-right: auto;"> <tr> <td>T35N</td> <td>R1E</td> </tr> <tr> <td>S 11</td> <td>S 12</td> </tr> <tr> <td>S 14</td> <td>S 13</td> </tr> </table> <p style="text-align: center;">1927</p> <p style="text-align: center;">from which</p> <p>An aspen 5 ins. in diam. bears N76$\frac{1}{2}$°E. 4 lks. dist., marked T35N., R1E., S12 BT.</p> <p>A yellow pine 30 ins. in diam. bears S41°E. 67 lks. dist., marked T35N., R1E., S13 BT.</p> <p>A yellow pine 36 ins. in diam. bears S25°W. 70 lks. dist., marked T35N., R1E., S14 BT.</p> <p>A yellow pine 10 ins. in diam. bears N81°W. 34 lks. dist., marked T35N., R1E., S11 BT.</p> <p>Land, rolling mountains. Soil, stony 4 th. rate. Timber, pine, spruce, fir, and aspen. Undergrowth, young timber.</p>	T35N	R1E	S 11	S 12	S 14	S 13
T35N	R1E						
S 11	S 12						
S 14	S 13						
40.00	N 89°57'E. on a random line bet. secs. 12 and 13.						
80.12	Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp. 14 lks. S. of the cor. of secs. 7, 12, 13, and 18. hereinbefore described.						
	Thence						
	S 89°51'W. on true line bet. secs. 12 and 13.						
	Descend 264 ft. over W. slope over stony mountainous land, thru heavy timber and undergrowth.						
13.19	Wire fence bears NE. and SW.						
17.64	Foot of descent; enter rolling land.						
20.03	Sand wash course NW. Ascend gradually over NE. slope. 43 ft.						
20.63	Leave timber bears N. and S.						
24.83	Road bears NW. and SE.						
31.03	Enter timber bears NW. and SE.						
33.64	Telephone line bears NW. and SE.						
37.62	Top of spur bears N. Descend over W. slope.						
40.02	Sand wash course NE. Ascend gently over SE. slope 39 ft.						
40.06	Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap						
	<table style="margin-left: auto; margin-right: auto;"> <tr> <td>$\frac{1}{4}$ S 12</td> </tr> <tr> <td>S 13</td> </tr> </table> <p style="text-align: center;">1927</p> <p style="text-align: center;">from which</p> <p>An aspen 8 ins. in diam. bears N80$\frac{1}{2}$°E. 42 lks. dist., marked $\frac{1}{4}$ S12 BT.</p> <p>An aspen 6 ins. in diam. bears S42°E. 45 lks. dist., marked $\frac{1}{4}$ S13 BT.</p>	$\frac{1}{4}$ S 12	S 13				
$\frac{1}{4}$ S 12							
S 13							
44.24	Top of spur bears NW. Descend over SW. slope.						
53.67	Sand wash course NE. Ascend 57 ft. over SE. slope.						
69.00	Top of ridge bears N. and S.						


Survey of the Subdivision lines of T.35 N., R.1 E.

Chains

- 77.13 Descend 38 ft. over W. slope.
- 78.25 Foot of descent.; enter bottom land along sand wash
- 80.12 Sand wash 30 lks. wide course NE.
Ascend 17 ft. over SE. slope to
The cor. of secs. 11, 12, 13, and 14.

Land, level, rolling, and mountainous.
Soil, stony 3 rd. rate.
Timber, fir, pine, spruce, and aspen.
Undergrowth, young timber.


- 3.98 N 0°1'W. bet. secs. 11 and 12.
Ascend 55 ft. over SE. slope over rolling stony mountainous land, thru heavy timber and undergrowth.
- 6.93 Top of spur bears SE.
Descend over NE. slope.
- 12.48 Sand wash course SE,
Ascend over S. slope.
- 24.93 Top of ridge bears E. and W., thence over level land on top of ridge.
- 25.93 North edge of ridge bears E. and W,
Descend over N. slope.
- 34.93 Draw course NE.
Ascend over SE. slope.
- 40.00 Top of spur bears NE.
Descend over NW. slope. 29 ft.
Set an iron post 3 ft. long, 1 in. in diam. 24 ins. in the ground for 1/4 sec. cor., marked on brass cap



from which

A yellow pine 30 ins. in diam. bears S89°E. 31 lks. dist. marked 1/4 S12 BT.
An aspen 12 ins. in diam. bears S65°W. 36 lks. dist., marked 1/4 S 11 BT.

- 54.98 Ravine course NE.
- 55.98 Intersect a yellow pine 40 ins. in diam., and mark same for line tree, with two notches on opposides facing the line.
- 61.38 Sand wash 20 lks. wide course NE.
Ascend over SE. slope.
- 64.98 Top of spur bears NE., thence over rolling land on top of spur.
- 69.98 North edge of spur bears NE.
Descend gradually over NW. slope
- 77.00 Top of spur bears NE.
- 80.00 Continue descent 39 ft. over NW. slope to
Set an iron post 3 ft. long, 2 ins. in diam. 26 ins. in the ground for cor. of secs. 1, 2, 11, and 12. marked on brass cap



from which

Chains	
	<p>A yellow pine 36 ins. in diam. bears N25°E.131 lks diat. marked T35N.,R1E.,S1 BT.</p> <p>A yellow pine 40 ins. in diam. bears S45°E.3 lks.dist., marked T35N.,R1E.,S12 BT.</p> <p>An aspen 8 ins. in diam. bears S28½°W.72 lks dist., marked T35N.,R1E.,S11 BT.</p> <p>An aspen 6 ins. in diam. bears N37°W.91 lks. dist., marked T35N.,R1E.,S2 BT.</p> <p>Land,rolling mountainous. Soil,stony 4 th.rate. Timber, pine,fir,spruce,and aspen. Undergrowth,young growth timber.</p>
40.00	N 89°51'E. on a random line bet. secs. 1 and 12.
80.38	Set temp.¼ sec. cor. Intersect E.bdry.of Tp.3 lks. N.of the cor. of secs.1,6, 7,and 12. hereinbefore described.
	Thence
	S. 89° 52' W., on a true line bet. secs.1 and 12.
	Descend 37 ft. over SW. slope over rolling mountainous land,thru heavy timber and undergrowth.
2.18	Enter Highway bears NW. and SE.
3.32	Leave highway bears NW. and SE.
3.79	Telephone line bears NW. and SE.
4.38	Sand wash course NW: Ascend 36 ft. over NE. slope.
12.04	Top of spur bears NW.
	Descend 15 ft. over SW. slope
16.04	Foot of descent in draw course NW.
18.03	Leave draw.course NW. Ascend 14 ft. over NE. slope.
19.32	Wire fence bears N. and S.
21.52	Top of ridge bears NW. and SE. Descend 374 ft. over W. slope.
39.88	Sand wash 15 lks. wide course N.
40.19	Set an iron post 3 ft. long, 1 in. in diam.26 ins. in the ground for ¼ sec. cor.,marked on brass cap
	$\frac{1}{4} \frac{S 1}{S 12}$
	1927
	from which
	An aspen 30 ins. in diam.bears N87°E.50 lks. dist., marked ¼ S 1 BT.
	An aspen 16 ins. in diam. bears S58°W.62 lks. dist., marked ¼ S12 BT.
41.45	Leave sand wash. Ascend over NE. slope.34 ft.
48.45	Highway bears NE. and SW.
54.75	Old lake bed on line. Spur bears N.
59.72	Telephone line bears N. and S.
65.42	Top of spur bears NE. Descend 20 ft. over NW. slope.
68.90	Bottom of draw course NE.
70.50	Sand wash course NE. Ascend 20 ft. over SE. slope.
71.40	Top of ascent on spur bears NE.thence over level land.
75.38	Edge of spur. Descend over NW. slope
80.38	The cor. of secs. 1,2,11,and 12.

Survey of the Subdivision Lines of T. 35 N., R. 1 E.

Chains	Land, rolling mountains. Soil, stony, 3rd and 4th rate. Timber, cedar, pine, fir and aspen. Undergrowth, young timber.

	N. 0° 1' W., on a random line, bet. secs. 1 and 2.
40.00	Set temp. 1/4 sec. cor.
80.18	Intersect N. bdry. of Tp. 19 lks. W. of cor. of secs. 1, 2, 35 and 36, hereinbefore described.
	Thence
	S. 0° 7' W., on a true line, bet. secs. 1 and 2.
	Ascend NW. slope over stony mountainous land, thru heavy timber and undergrowth.
6.68	Top of spur bears NE. Descend over SE. slope.
12.58	A point from which "Dry Park" Ranger Station bears S. 70° 00' E.
	Forest Service Lookout tower bears N. 87° 30' E.
13.18	Foot of descent in wash 100 lks. wide, course E.
13.68	Ascend N. slope.
16.68	Top of spur bears E., thence over nearly level land.
18.48	A point from which "Dry Park" Ranger Station bears S. 80° 50' E.
	Forest Service Lookout tower bears N. 79° 40' E.
19.68	Highway bears NE. and SW.
24.68	Descend.
26.58	Telephone line bears NE. and SW.
29.58	Telephone line bears SE. Ascend.
31.68	Top of spur, bears NE. Descend.
35.68	Foot of descent in sand wash 30 lks. wide, course NE.
35.98	Leave sand wash. Ascend over NW. slope.
40.18	Top of spur, bears NE.; Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap
	From which
	A yellow pine, 36 ins. in diam., bears S. 76° E., 89 lks. dist., marked 1/4 S 1 B T.
	A yellow pine, 26 ins. in diam., bears S. 2 1/2° W., 65 lks. dist., marked 1/4 S 2 B T.
	Descend over S. slope, 18 ft.
41.96	Foot of descent in sand wash, course NE.
44.97	Leave sand wash, course NE. Ascend 25 ft. over NW. slope.
56.18	Top of spur, bears NE. Descend 46 ft. over SW. slope.
62.18	Foot of descent in draw, course NE. Over rolling land.
62.88	Old Bee Springs road, bears NE. and SW.
63.58	Leave draw. Ascend 29 ft. over N. slope.
69.18	Top of spur, bears W. Descend S. slope.
71.18	Foot of slope.
72.88	Draw, course NW. Ascend over NE. slope.
74.18	Intersect a yellow pine 30 ins. in diam., and mark same for line tree with two notches on opposite sides facing the line.
75.18	Top of spur, bears NE. Descend over SE. slope.
79.18	Draw, course NE. Ascend over NW. slope to
80.18	The cor. of secs. 1, 2, 11 and 12.

Survey of the Subdivision Lines of T. 35 N., R. 1 E.

Chains Land, rolling mountains.
Soil, stony, 4th rate.
Timber, spruce, fir, yellow pine and aspen.
Undergrowth, young timber.

From the cor. of secs. 2, 3, 34 and 35 on S. bdry. of Tp.
hereinbefore described.

N. $0^{\circ} 1'$ W., bet. secs. 34 and 35.

Over rolling mountainous land, thru heavy timber and
undergrowth.

Ascend 75 ft. over S. slope.

14.21 Top of ridge, bears E. and W.

Descend 148 ft. over N. slope.

14.88 Wire fence bears E. and W.

29.88 Sand wash, course W. Ascend 131 ft. over S. slope.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 34 | S 35
 1927

From which

A pine, 26 ins. in diam., bears N. 88° E., 30 lks.
dist., marked $\frac{1}{4}$ S 35 B T.

A spruce, 10 ins. in diam., bears S. $8\frac{1}{2}^{\circ}$ W., 19 lks.
dist., marked $\frac{1}{4}$ S 34 B T.

44.00 Top of ridge, bears E. and W.

Descend 76 ft. over N. slope.

53.44 Sand wash, course W.

Ascend 152 ft. over S. slope.

63.58 Top of ridge, bears E. and W.

Descend 168 ft. over N. slope.

79.35 Sand wash, course W.

Ascend S. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.
in the ground, for cor. of secs. 26, 27, 34 and 35,
marked on brass cap

T 35 N R 1 E
 S 27 | S 26
 S 34 | S 35
 1927

From which

A pine, 10 ins. in diam., bears N. $65\frac{1}{4}^{\circ}$ E., 65 lks.
dist., marked T 35 N R 1 E S 26 B T.

A fir, 8 ins. in diam., bears S. $26\frac{1}{2}^{\circ}$ E., 78 lks.
dist., marked T 35 N R 1 E S 35 B T.

An aspen, 6 ins. in diam., bears S. 26° W., 46 lks. dist.

Survey of the Subdivision lines of T.35 N.,R.1 E.

Chains

marked T35N.,R1E.,S34 BT.
A pine 20 ins. in diam. bears N37 $\frac{1}{2}$ °W.65 lks. dist.,
marked T35N.,R1E.,S27 BT.

Land,rolling mountains.
Soil,stonly 3 rd. rate.
Timber,fir,spruce,pine,and aspen.
Undergrowth,young 2nd. growth timber.

40.00 S 89°58'E. on a random line bet. secs.26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.
79.92 Intersect N. and S. line 21 lks.N.of the cor. of secs.
25,26,35,and 36.

Thence
N 89°49'W. on true line bet. secs.26 and 35.
Descend 39 ft. over NW. slope over stony mountainous
land,thru.heavy timber and scattering undergrowth

3.92 Sand wash course NW.
8.00 Spur slopes N.
Descend 25 ft.over W. slope.
11.06 Sand wash course N.
Ascend 37 ft. over E. slope.
14.13 Point of spur bears N.
Descend 18 ft. over W. slope.
24.21 Sand wash course N.
Ascend 37 ft. over E. slope.
26.64 Top of spur bears N.
35.01 Descend over W. slope 72 ft.
39.02 Wash course N.
39.96 Set an iron post 3 ft. long, 1 in. in diam,24 ins. in
the ground for $\frac{1}{4}$ sec. cor.,marked on brass cap

$$\frac{1}{4} \begin{array}{l} S 26 \\ S 35 \end{array}$$

1927

from which

A fir 10 ins. in diam. bears N15°W.36 lks. dist.,
marked $\frac{1}{4}$ S26 BT.
A fir 12 ins. in diam. bears S36 $\frac{1}{2}$ °E.12 lks. dist.,
marked $\frac{1}{4}$ S35 BT.
Descend 60 ft. over N. slope.
53.50 Wash course NW.
Ascend 8 ft.
55.50 Top of spur slopes N.
Descend 60 ft. over W. slope.
61.59 Sand wash course N.
Ascend 31. ft. over E. slope.
66.50 Top of ascent on N.slope
Descend 76 ft. over NW. slope.
70.58 Wash course SW.
Ascend 36 ft. over S. slope.
79.92 The cor. of secs.26,27,34,and 35.

Land,rolling mountainous
Soil,gravelly and stony loam 2nd. and 3 rd. rate
Timber,fir,spruce,pine,and aspen.
Undergrowth,scattering 2nd. growth timber.

+

Chains. N 0°1'W. bet. secs:26 and 27.
 Ascend 188 ft. over S. slope over mountainous land, thru.
 heavy timber
 16.31 Road bears E. and W.
 16.40 Top of ridge bears E. and W.
 Descend 152 ft. over N. slope.
 35.49 Sand wash course NW.
 37.00 Sand wash course SW.
 Ascend 58 ft. over S. slope.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap

S 27 | S 26

1927

from which

A pine 22 ins. in diam. bears S83 $\frac{1}{2}$ °E. 43 lks. dist.,
 marked $\frac{1}{4}$ S26 BT.
 A pine 36 ins. in diam. bears N28°W. 23 lks. dist.,
 marked $\frac{1}{4}$ S27 BT.
 42.10 Top of ridge bears E. and W.
 Descend 74 ft. over N. slope.
 50.17 Wash course W.
 Ascend 158 ft. over S. slope:
 66.00 Top of ridge bears E. and W.
 Descend 35 ft. over N. slope.
 73.40 Wash course W.
 78.60 Wash 10 lks. wide course SW.
 Ascend 23 ft. over S. slope to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for cor. of secs. 22, 23, 26, and 27.
 marked on brass cap

T35N | R1E
 S 22 | S 23
 S 27 | S 26

1927

from which

A pine 8 ins. in diam. bears N44 $\frac{1}{2}$ °E. 59 lks. dist.,
 marked T35N., R1E., S23 BT.
 A pine 8 ins. in diam. bears S24°E. 23 lks. dist.,
 marked T35N., R1E., S26 BT.
 A pine 18 ins. in diam. bears S77 $\frac{1}{2}$ °W. 19 lks. dist.,
 marked T35N., R1E., S27 BT.
 A spruce 14 ins. in diam. bears N79 $\frac{1}{2}$ °W. 62 lks. dist.,
 marked T35N., R1E., S22 BT.

Land, rolling mountainous.
 Soil, stony 2nd. and 3rd. rate.
 Timber, fir, spruce, pine, and aspen.
 Undergrowth, none.

Survey of the Subdivision lines of T.35 N., R.1 E.

Chains	
40.00	S 89°49'E. on a random line bet. secs.23 and 26.
79.90	Set temp. $\frac{1}{4}$ sec. cor.
	Intersect N. and S. line at the cor. of secs.23,24,25, and 26.
	Thence
	N 89°49'W. on true line bet. secs.23 and 26.
	Overrolling mountainous land, thru, heavy timber.
	Descend 36 ft. over NW. slope to
5.00	Head of ravine course N.
	Ascend 31 ft.
8.29	Top of ascent on spur slopes N.
	Descend 20 ft.
16.75	Swail course N.
	Ascend 33 ft. over low ridges.
29.90	Descend 59 ft. over NW. slope.
36.00	Wash course NW.
39.95	Top of ridge bears N. and S.; Set an iron post 3 ft. long,
	1 in. in diam. 15 ins. in the ground to bedrock,
	supported in a mound of stone for $\frac{1}{4}$ sec. cor.,
	marked on brass cap
	$\frac{1}{4}$ $\frac{S}{S}$ $\frac{23}{26}$ 1927
	from which
	A fir 8 ins. in diam. bears N58 $\frac{1}{4}$ °W. 11 lks. dist., marked $\frac{1}{4}$ S23 BT.
	A pine 12 ins. in diam. bears S34 $\frac{1}{2}$ °W. 16 lks. dist., marked $\frac{1}{4}$ S26 BT.
42.13	Sand wash course N.
	Ascend 50 ft. over E. slope.
54.40	Top of spur slopes N.
	Descend 73 ft. over W. slope.
59.10	Sand wash course N.
78.10	Wash course SW.
	Ascend along spur.
79.90	The cor. of secs. 22, 23, 26, and 27.
	Land, rolling mountainous. Soil, gravelly loam 2 nd. rate. Timber, fir, spruce, pine, and aspen. Undergrowth, none

	N 0°1'W. bet. secs. 22 and 23.
	Over rolling mountainous land thru. heavy timber.
	Ascend 30 ft. over S. slope.
5.00	Top of ridge bears E. and W.
	Descend 89 ft. over N. slope.
23.79	Wash course W.
	Ascend 142 ft. over S. slope.
34.88	Top of ridge bears E. and W.
	Descend 60 ft. over N. slope.
40.00	Set an iron post 3 ft. long, 1 in. in diam. 24 ins. in the
	ground for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S 22 S 23 1927

Chains

from which

- A pine 40 ins. in diam. bears $N71\frac{1}{4}^{\circ}E.62$ lks. dist.,
marked $\frac{1}{4}$ S23 BT.
- A pine 16 ins. in diam. bears $S56\frac{1}{4}^{\circ}W.29$ lks. dist.,
marked $\frac{1}{4}$ S22 BT.
- 43.00 Head of wash course NE.
- 54.80 Wash course W.
Ascend 113 ft. over S. slope.
- 61.73 Top of ridge bears E. and W.
Descend N. slope.
- 64.70 Wash course SW.
Ascend 133 ft. over S. slope.
- 71.00 Top of ridge bears E. and W.
Descend over N. slope 92 ft.
- 75.78 Wash course W.
Ascend 82 ft. over S. slope to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
the ground for cor. of secs. 14, 15, 22, and 23.
marked on brass cap

T35N	R1E
S 15	S 14
S 22	S 23

1927

from which

- A pine 24 ins. in diam. bears $N29\frac{1}{2}^{\circ}E.10$ lks. dist.,
marked T35N., R1E., S14 BT.
- A pine 16 ins. in diam. bears $S33\frac{1}{4}^{\circ}E.33$ lks. dist.,
marked T35N., R1E., S23 BT.
- A pine 10 ins. in diam. bears $S43^{\circ}W.12$ lks. dist.,
marked T35N., R1E., S22 BT.
- A pine 18 ins. in diam. bears $N52^{\circ}W.25$ lks. dist.,
marked T35N., R1E., S15 BT.

Land, rolling mountainous.
Soil, gravelly loam 2nd. rate.
Timber, fir, spruce, pine, and aspen.
Undergrowth, none.

- 40.00 S $89^{\circ}49'E.$ on a random line bet. secs. 14 and 23.
Set temp. $\frac{1}{4}$ sec. cor.
- 79.86 Intersect N. and S. line at the cor. of secs. 13, 14, 23, and
24.
- Thence
N $89^{\circ}49'W.$ on true line bet. secs. 14 and 23.
Over rolling gravelly land, thru heavy timber .
Descend 34 ft. over SW. slope.
- 31.86 Wash 10 lks. wide course NW.
Ascend 15 ft. over NE. slope. to
- 39.93 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the
ground for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 14	
S 23	

1927

from which


Survey of the Subdivision lines of T.35 N., R.1 E.

Chains

A pine 26 ins. in diam. bears N9°E.40 lks. dist.,
 marked $\frac{1}{4}$ S14 BT.
 A pine 22 ins. in diam. bears S29 $\frac{1}{2}$ °W.52 lks. dist.,
 marked $\frac{1}{4}$ S23 BT.
 Descend 34 ft. over SW. slope.
 Wash course NW.
 50.26 Ascend over NE. slope
 66.40 Top of ridge bears NW. and SE.
 Descend 32 ft. over SW. slope to
 79.86 The cor. of secs. 14,15,22, and 23.


Land, rolling mountainous.
 Soil, gravelly loam 2 nd. rate.
 Timber, fir, spruce, pine, and aspen.
 Undergrowth, none.

N 0°1'W. bet. secs. 14 and 15.
 Ascend 23 ft. over SW. slope of ridge over mountainous
 land, through heavy timber.
 5.00 Top of ridge bears NW. and SE.
 Descend over NE. slope
 8.70 Wash course W.
 26.11 Wash course NE.
 32.50 Wash course NW.
 Ascend 83 ft. to
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 24 ins. in the
 ground for $\frac{1}{4}$ sec. cor. marked on brass cap



from which

A pine 14 ins. in diam. bears N76°E.31 lks. dist.,
 marked $\frac{1}{4}$ S14 BT.
 A pine 10 ins. in diam. bears S69 $\frac{1}{2}$ °W.21 lks. dist.,
 marked $\frac{1}{4}$ S15 BT
 Descend 152 ft. over N. slope.
 51.30 Wash course SW.
 Ascend 234 ft. over SE. slope.
 72.00 Top of ridge bears E. and W.
 Descend 40 ft. over N. slope
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the
 ground for cor. of secs .10,11,14, and 15
 marked on brass cap



from which

A pine 36 ins. in diam. bears N75°E.81 lks. dist.,
 marked T35N., R1E., S11 BT.
 A pine 8 ins. in diam. bears S16 $\frac{1}{2}$ °E.46 lks. dist.,
 marked T35N., R1E., S14 BT.

Survey of the Subdivision lines of T.35 N., R.1 E.

Chains

A pine .6 ins. in diam. bears S57°W. 28 lks. dist.,
marked T35N., R1E., S15 BT.
A fir 14 ins. in diam. bears N82°W. 23 lks. dist.,
marked T35N., R1E., S10 BT.

Land, rolling mountainous.
Soil, gravelly loam 2 nd. rate.
Timber, fir, spruce, pine, and aspen.
Undergrowth, none.

40.00 S 89°49'E. on a random line bet. secs. 11 and 14.
80.00 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line 5 lks. S. of the cor. of secs.
11, 12, 13, and 14.

Thence
N 89°51'W. on true line bet. secs. 11 and 14.
Over rolling mountainous land, thru heavy timber.
Ascend 17 ft. over E. slope.
1.52 Top of ascent bears N. and S.
Descend 21 ft. over W. slope.
13.00 Foot of ascent, Thence over rolling land.
40.00 Set an iron post 3 ft. long, 1 in. in diam. 18 ins. in
the ground to bedrock, supported in a mound of
stone for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 11
S 14

1927

from which


61.41 A pine 14 ins. in diam. bears N44 $\frac{1}{4}$ °W. 41 lks. dist.,
marked $\frac{1}{4}$ S11 BT.
78.30 A pine 12 ins. in diam. bears S43 $\frac{1}{4}$ °W. 15 lks. dist.,
marked $\frac{1}{4}$ S14 BT.
80.00 Descend 86 ft. over W. slope.
Wash course NW.
Ascend 40 ft.
Wash 6 lks. wide course NW.
Descend 57 ft.
The cor. of secs. 10, 11, 14, and 15.

Land, rolling mountainous.
Soil, gravelly loam 2 nd. rate.
Timber, fir, spruce, and pine.
Undergrowth, none.

4.91 N 0°1'W. bet. secs. 10 and 11.
8.60 Over rolling mountainous land, thru heavy timber.
28.31 Descend 75 ft. over NE. slope.
Wash, course NW.
40.00 Wash course W.
Ascend 131 ft. over S. slope.
Top of ridge bears E. and W.
Descend 170 ft. over N. slope to
Set an iron post 3 ft. long 1 in. in diam. 20 ins. in the
ground to bedrock, supported in a mound of stone
for $\frac{1}{4}$ sec. cor., marked on brass cap

Survey of the Subdivision lines of T.35 N.,R.1 E.


Chains



1927

from which

- A spruce 10 ins. in diam. bears S73 $\frac{1}{4}$ °E.59 lks. dist. marked $\frac{1}{4}$ S11 BT.
- A spruce 6 ins. in diam. bears S44°W.81 lks. dist., marked $\frac{1}{4}$ S10 BT.
- 41.00 East edge of crater 2.00 chs.in diam.20 ft. deep. Descend 23 ft.
- 45.43 Sand wash course NW. Ascend 118 ft. over SW. slope.
- 53.00 Top of ridge bears E. and W. Descend 69 ft. over N. slope.
- 60.40 Wash course W. Ascend 70 ft. over S. slope.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam.15 ins. in the ground to bedrock supported in a mound of stone for cor. of secs.2,3,10,and 11.,marked on brass cap



19 27

from which


- A pine 12 ins. in diam. bears N11°E.75 lks. dist., marked T35N.,R1E.,S2 BT.
- A pine 10 ins. in diam. bears S24 $\frac{1}{2}$ °E.42 lks. dist., marked T35N.,R1E.,S11 BT.
- A pine 12 ins. in diam. bears S27 $\frac{1}{2}$ °W.66 lks. dist., marked T35N.,R1E.,S10 BT.
- A pine 14 ins. in diam. bears N46°W.67 lks. dist. marked T35N.,R1E.,S3 BT.

Land,rolling mountainous.
 Soil,gravelly loam 2 nd. rate.
 Timber,fir,spruce,pine,and aspen.
 Undergrowth,none.

- 40.00 S 89°51'E. on a random line bet. secs.2 and 11. Set temp. $\frac{1}{4}$ sec. cor.
- 80.10 Intersect N. and S. line 21 lks. S.of the cor. of secs. 1,2,11,and 12.

Thence
 West on true line bet. secs.2 and 11.
 Ascend 34 ft. over E. slope over rolling mountainous land,thru heavy timber.

- 18.50 Top of ascent Descend 20 ft. over W. slope.
- 40.05 Set an iron post 3 ft. long 1 in. in diam.18 ins. in the ground to bedrock,supported in a mound of stone for $\frac{1}{4}$ sec. cor.,marked on brass cap




1927

Chains

from which

- A pine 14 ins. in diam. bears $N73\frac{1}{2}^{\circ}W$. 54 lks. dist.,
marked $\frac{1}{4}$ S2 BT.
- A pine 16 ins. in diam. bears $S60\frac{1}{2}^{\circ}E$. 11 lks. dist.,
marked $\frac{1}{4}$ S11 BT.
- 49.00 Descend 57 ft. over NW. slope.
- 55.70 Sand wash course SW.
- Ascend 23 ft. over SE. slope to
- 80.10 The cor. of secs. 2, 3, 10, and 11
- Land, rolling mountainous.
Soil, sandy loam 2 nd. rate.
Timber, fir, spruce, pine, and aspen.
Undergrowth, none:
-
- 40.00 N $0^{\circ}7'E$, on a random line bet. secs. 2 and 3.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.27 Intersect N. bdy. of Tp. 12 lks. E. of the cor. of secs. 2,
3, 34, and 35, hereinbefore described.
- Thence
- S $0^{\circ}2'W$. on true line bet. secs. 2 and 3.
Descend SE. slope over rolling mountainous land thru
heavy timber
- 6.67 Wash course SW.
- Ascend 23 ft. over NW. slope.
- 10.34 Top of spur bears W.
- Descend over S. slope.
- 13.87 Wash course NW.
- Ascend 62 ft. over NE. slope.
- 28.53 Top of ridge bears NE. and SW.
- Descend 52 ft. over SE. slope.
- 34.07 Wash course NW.
- Ascend 57 ft.
- 40.27 Set an iron post 3 ft. long 1 in. in diam. 14 ins. in the
ground to bedrock, supported in a mound of
stone for $\frac{1}{4}$ sec. cor., marked on brass cap



1927

from which

- A pine 12 ins. in diam. bears $N53^{\circ}E$. 59 lks. dist.,
marked $\frac{1}{4}$ S2 BT.
- A pine 26 ins. in diam. bears $S52^{\circ}W$. 43 lks. dist.,
marked $\frac{1}{4}$ S3 BT.
- 41.27 Top of ridge bears E. and W.
- Descend 51 ft.
- 53.77 Wash course W.
- 58.77 Wash course NW.
- Ascend 60 ft.
- 66.27 Top of ascent on ridge bears NW. and SE. thence over
rolling land.
- 80.08 Road to Bee Springs, bears NE. and SW.
- 80.27 The cor. of secs. 2, 3, 10, and 11

Land, rolling mountainous.
Soil, gravelly loam, 2 nd. rate.
Timber, fir, spruce, aspen, and pine.
Undergrowth, none.

Survey of the Subdivision lines of T.35 N.,R.1 E.

Chains

From the cor. of secs.3,4,33,and 34, on S.bdry.of Tp.,
hereinbefore described, of this group,

Thence

N 0°2'W., bet. secs.33 and 34.

Over rolling stony mountainous land thru.heavy timber.

Ascend 125 ft. over S. slope.

11.00 Top of ridge bears E. and W.

Descend 154 ft. over N. slope.


23.00 Wash course W.

Ascend 120 ft. over S. slope.

33.20 Top of ridge bears E. and W.

Descend 84 ft. over N. slope.

40.00 Set an iron post 3 ft. long, 1 in. in diam.24 ins. in the
ground for 1/4 sec. cor.,marked on brass cap



1927

from which

A spruce 10 ins. in diam. bears S40 1/4°E.23 lks. dist.,
marked 1/4 S34 BT.

A spruce 12 ins. in diam. bears N52°W.52 lks. dist.,
marked 1/4 S33 BT.

47.00 Sand wash course NW.

Ascend 69 ft. over SW. slope.


56.75 Top of ridge bears E. and W.

Descend 131 ft. over N. slope.

69.40 Sand wash course W.

Ascend 132 ft. over S. slope to

80.00 Set an iron post 3 ft. long, 2 ins. in diam.24 ins. in
the ground for cor. of secs.27,28,33,and 34
marked on brass cap



1927

from which

A pine 14 ins: in diam. bears N40 1/4°E.68 lks. dist.,
marked T35N.,R1E.,S27 BT.

A pine 24 ins. in diam. bears S68°E.19 lks. dist.,
marked T35N.,R1E.,S34 BT.

A pine 24 ins. in diam. bears S50°W.51 lks. dist.,
marked T35N.,R1E.,S33 BT.

A pine 20 ins. in diam. bears N38°W.57 lks. dist.,
marked T35N.,R1E.,S28

Land,rolling mountainous.
Soil,sandy loam 2 nd. rate.
Timber,spruce,fir,pine,and aspen.
Undergrowth, none.

40.00 S 89°58'E. on a random line bet. secs.27 and 34.

80.06 Set temp.1/4 sec. cor.

Intersect N. and S.line 32 lks. S.of the cor. of secs.
26,27,34,and 35.

Thence

S 89°48'W. on true line bet. secs. 27 and 34.

Chains. Over rolling gravelly mountainous land, thru heavy timber
 Descend 51 ft. in draw course W.
 40.03 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ $\frac{S\ 27}{S\ 34}$
 1927

from which

A pine 20 ins. in diam. bears N29°W. 10 lks. dist.,
 marked $\frac{1}{4}$ S27 BT.
 A fir 20 ins. in diam. bears S42 $\frac{1}{2}$ °E. 53 lks. dist.,
 marked $\frac{1}{4}$ S34 BT.

52.56 Sand wash course SW.
 Ascend 110 ft. over SE. slope.
 59.06 Top of spur bears S,
 Descend 23 ft. over W. slope.
 65.36 A spring bears South 5.40 chs. dist.
 Ascend 15 ft. over E. slope
 80.06 The cor. of secs. 27, 28, 33, and 34.

Land, rolling mountainous.
 Soil, sandy loam 2 nd. rate.
 Timber, fir, spruce, pine, and aspen.
 Undergrowth, none.

N 0°2'W. bet. secs. 27 and 28.
 Over rolling stony mountainous land thru heavy timber
 Ascend 57 ft. over S. slope.
 4.32 Top of ridge bears E. and W.
 Descend 29 ft. over N. slope.
 8.50 Sand wash course NW.
 Ascend over SW. slope.
 12.27 Top of spur bears NW.
 Descend 86 ft. over NE. slope.
 17.60 Sand wash course NW.
 Ascend 57 ft. over SW. slope.
 22.11 Top of ridge bears NW. and SE.
 Descend 79 ft. over NE. slope.
 22.88 Road bears NW. and SE.
 24.40 A point from which a cabin bears E. 12.00 chs. dist.
 24.84 A point from which a spring bears E. 12.32 chs. dist.
 27.99 Sand wash course W.
 Ascend 146 ft. over S. slope. to
 40.00 Top of ridge bears E. and W.; Set an iron post 3 ft. long,
 1 in. in diam. 12 ins. in the ground to bedrock
 supported in a mound of stone for $\frac{1}{4}$ sec. cor.
 marked on brass cap

$\frac{1}{4}$
 S 28 | S 27


1927

from which

A pine 10 ins. in diam. bears S85°E. 99 lks. dist.,
 marked $\frac{1}{4}$ S27 BT.
 A pine 12 ins. in diam. bears N37°W. 28 lks. dist.,
 marked $\frac{1}{4}$ S28 BT.

Survey of the Subdivision lines of T.35 N., R.1 E.

Chains	Over rolling land on top of ridge.
50.00	North edge of ridge bears E. and W.
	Descend 35 ft. over N. slope.
52.58	Wash course W.
	Ascend 34 ft. over S. slope.
55.08	Top of spur bears W.
	Descend 61 ft. over N. slope.
59.45	Sand wash course SW.
	Ascend 81 ft. over SE. slope.
68.45	Top of ridge bears E. and W.
	Descend 85 ft. over N. slope.
78.97	Sand wash course W.
	Ascend 33 ft. over S. slope.
80.00	Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 21, 22, 27, and 28., marked on brass cap




from which

- A pine 26 ins. in diam. bears N68 $\frac{1}{2}$ °E. 82 lks. dist., marked T35N., R1E., S22 BT.
- A fir 6 ins. in diam. bears S34 $\frac{1}{2}$ °E. 75 lks. dist., marked T35N., R1E., S27 BT.
- A pine 16 ins. in diam. bears S76 $\frac{1}{2}$ °W. 112 lks. dist., marked T35N., R1E., S28 BT.
- A pine 14 ins. in diam. bears N40 $\frac{1}{2}$ °W. 55 lks. dist., marked T35N., R1E., S21 BT.

Land, mountainous.
 Soil, gravelly loam, 2nd. rate.
 Timber, fir, spruce, pine, and aspen.
 Undergrowth, none.

40.00	N 89°48'E. on a random line bet. secs. 22 and 27.
	Set temp. $\frac{1}{4}$ sec. cor.
79.90	Intersect N. and S. line 5 lks. S. of the cor. of secs. 22, 23, 26, and 27.
	Thence
	S 89°46'W. on true line bet. secs. 22 and 27.
	Over rolling stony and gravelly mountainous land, thru heavy timber.
	Descend 173 ft. over W. slope.
36.70	Sand wash course NW.
	Ascend 37 ft. over NE. slope.
39.95	Set an iron post 3 ft. long, 1 in. in diam. 20 ins. in the ground to bedrock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap



from which

- A fir. 10 ins. in diam. bears N32°W. 51 lks. dist., marked $\frac{1}{4}$ S22 BT.

Survey of the Subdivision lines of T.35 N.,R.1 E.,

44

Chains

A spruce 14 ins. in diam. bears S37½°W.27 lks. dist., marked ¼ S27 BT.

54.82 Top of ridge bears NE. and SW.

Descend 127 ft.

68.40 Sand wash course SW.

Ascend over SE. slope.

79.90 The cor. of secs.21,22,27,and 28.

Land,rolling mountainous.
Soilsandy and rocky loam,2 nd. and 3 rd. rate.
Timber,fir,spruce,aspen,and pine.
Undergrowth,oak brush.

N 0°2'W. bet. secs.21 and 22.

Ascend 73 ft. over SE. slope over rolling mountainous land thru heavy timber and scattering undergrowth.

5.60 Top of ridge bears NE. and SW.

Descend 160 ft. over NW. slope.

16.77 Sand wash course W.

Ascend 91 ft. over S. slope.

23.02 Top of spur bears W.

Descend 52 ft. over N. slope.

26.50 Sand wash course W.

Ascend 38 ft. over S. slope.


29.36 Top of spur bears W.

Descend over N. slope.

33.33 Sand wash course SW.

Ascend 130 ft. over SE slope.

40.00 Set an iron post 3 ft. long, 1 in. in diam.15 ins. in the ground for ¼ sec. cor.,marked on brass cap



from which

An aspen 10 ins. in diam. bears N89¼°E.74 lks. dist., marked ¼ S22 BT.

A pine 18 ins. in diam. bears N41¼°W,39 lks. dist., marked ¼ S21 BT.

53.50 Top of ridge bears E. and W.

Descend over N. slope.

69.84 Wash 40 lks. wide 3 ft. deep in Parishawampitts Canyon, course NW.

Ascend 15 ft.


73.54 Top of spur bears W.

Descend

76,00 Sand wash course SW.

Ascend 69 ft. over SE. slope

80.00 Set an iron post 3 ft. long, 2 ins. in diam.24 ins. in the ground for cor. of secs.15,16,21,and 22 marked on brass cap



1927

from which

Survey of the Subdivision lines of T.35 N., R.1 E.

Chains

A pine 12 ins. in diam. bears N 16°E. 36 lks. dist.,
marked T35N., R1E., S15 BT.

A pine 10 ins. in diam. bears S 67½°E. 29 lks. dist.,
marked T35N., R1E., S22 BT.

A pine 20 ins. in diam. bears S 83°W. 70 lks. dist.,
marked T35N., R1E., S21 BT.

A pine 24 ins. in diam. bears N 58½°W. 81 lks. dist.,
marked T35N., R1. E., S16 BT.

Land, mountainous.
Soil, sandy and gravelly loam 2 nd. and 3 rd. rate.
Timber, fir, spruce, pine, and aspen.
Undergrowth, oak brush.

40.00 N 89°46'E. on a random line bet. secs. 15 and 22.
Set temp. ¼ sec. cor.

79.94 Intersect N. and S. line 8 lks. N. of the cor. of secs.
14, 15, 22, and 23.

Thence
S 89°49'W. on true line bet. secs. 15 and 22.
Over rolling mountainous land thru heavy timber and
scattering undergrowth.

10.94 Ascend gradually over SE. slope. 110 ft.
Top of spur bears SW.

17.54 Descend over NW. slope. 88 ft.
Sand wash course SW.

28.22 Ascend 70 ft. over SE. slope.
Top of spur bears SW.

39.97 Descend 108 ft. over NW. slope.
Set an iron post 3 ft. long, 1 in. in diam. 24 ins. in
the ground for ¼ sec. cor. marked on brass cap

¼ $\frac{S 15}{S 22}$
1927

from which

A pine 32 ins. in diam. bears N 37½°W. 48 lks. dist.,
marked ¼ S15 BT.

A pine 16 ins. in diam. bears S 8°W. 44 lks. dist.,
marked ¼ S22 BT.

42.54 Sand wash course S.
Ascend 102 ft. over E. slope.

55.10 Top of ridge bears NE. and W. thence over S. slope.

79.94 The cor. of secs. 15, 16, 21, and 22.

Land, rolling mountainous.
Soil, gravelly and stony loam, 2nd. and 3rd. rate.
Timber, fir, spruce, pine, and aspen.
Undergrowth, oak brush.

N 0°2' W, bet. secs. 15 and 16,
Ascend 16 ft. over S. slope over rolling mountainous
land, thru heavy timber and scattering under-
growth.

1.23 Top of ascent on spur bears W.

1.80 Descend 18 ft. over N. slope.

4.57 Foot of descent in wash course W.

Chains

6.27 Leave wash. Ascend 30 ft. over S. slope.
 9.22 Top of spur bears SW.
 Descend 37 ft. over NW. slope.
 12.18 Foot of descent in draw, course SW:
 16.60 Leave draw course SW:
 Ascend 62 ft. over SE. slope.
 20.60 Top of ridge bears NE. and SW.
 Descend 56 ft. over NW. slope.
 24.56 Foot of descent in draw course W.
 24.67 Leave draw course W.
 Ascend 31 ft. over S. slope.
 30.00 Top of mountain bears NE. and SW. thence over nearly
 level land.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 24 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 16 | S 15
 1927

from which

An aspen 6 ins. in diam. bears S51 $\frac{1}{2}$ °E. 12 lks. dist.,
 marked $\frac{1}{4}$ S15 BT.
 An aspen 8 ins. in diam. bears N52 $\frac{1}{2}$ °W. 17 lks. dist.,
 marked $\frac{1}{4}$ S16 BT.
 52.38 Descend 242 ft. over N. slope.
 56.38 Foot of descent in Hole-in-the-rock canyon, bears E. and
 W.
 57.35 Wash 15 lks. wide 3 ft. deep course W.
 57.65 Leave canyon bears E. and W.
 Ascend 108 ft. over S. slope
 70.00 Top of mountain bears E. and W. thence over level land.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for cor. of secs. 9, 10, 15, and 16.,
 marked on brass cap

T35N | R1E
 S 9 | S10
 S 16 | S 15
 1927

from which

A yellow pine 8 ins. in diam. bears N35°E. 40 lks. dist.,
 marked T35N., R1E., S10 BT.
 A yellow pine 20 ins. in diam. bears S21 $\frac{1}{2}$ °E. 30 lks. dist.,
 marked T35N., R1E., S15 BT.
 A yellow pine 15 ins. in diam. bears S56°W. 35 lks. dist.,
 marked T35N., R1E., S16 BT.
 A yellow pine 8 ins. in diam. bears N33 $\frac{1}{2}$ °W. 46 lks. dist.,
 marked T35N., R1E., S9 BT.

Land, mountainous.

Soil, stony and gravelly loam 2nd. and 3rd. rate.

Timber, fir, spruce, pine, and aspen.

Undergrowth, oak brush.

BOOK 3861

Survey of the Subdivision lines of T.35 N.,R.1 E.

Chains

N 89°49'E. on a random line bet. secs.10 and 15.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.06 Intersect N. and S. line 10 lks. S. of the cor. of secs.10, 11, 14, and 15.
 Thence
 S 89°45'W. on true line bet. secs.10 and 15.
 Over rolling mountainous land, thru. heavy timber and scattering brush undergrowth.
 Ascend 41 ft. over NE. slope.
 8.46 Top of spur bears NW.
 9.96 Descend 203 ft. over SW. slope.
 19.83 Sand wash course NW.
 20.03 Leave wash
 Ascend 26 ft. over NE. slope.
 27.21 Top of spur bears NW.
 Descend 24 ft. over SW. slope.
 30.06 Draw course NW.
 30.58 Leave draw. Ascend 22 ft. over NE. slope.
 36.86 Top of spur bears NW.
 Descend 28 ft. over SW. slope.
 40.03 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ $\frac{S 10}{S 15}$

1927

from which

A yellow pine 10 ins. in diam. bears N24°E. 61 lks. dist., marked $\frac{1}{4}$ S10 BT.
 A yellow pine 6 ins. in diam. bears S57 $\frac{1}{2}$ °E. 33 lks. dist., marked $\frac{1}{4}$ S15 BT.
 Over rolling land along top of spur slopes W.
 43.50 Descend 40 ft. over NW. slope.
 46.50 Ascend 40 ft. over NE. slope.
 51.46 Top of ridge bears NE. and SW.
 54.46 West edge of ridge bears NE. and SW.
 Descend 40 ft. over NW. slope.
 57.80 Wash course NW.
 58.42 Leave wash. Ascend 31 ft. over NE. slope.
 61.38 Top of ridge bears N., thence along N. slope.
 71.38 Top of ridge bears NW. and SE. thence over SW. slope
 80.06 The cor. of secs. 9, 10, 15, and 16

Land, rolling mountainous.
 Soil, gravelly 2 nd. and 3 rd. rate.
 Timber, fir, spruce, pine, and aspen.
 Undergrowth, oak brush.

N 0°2'W. bet. secs. 9 and 10.
 Over rolling mountainous land thru heavy timber and scattering undergrowth.
 Ascend gradually over SE. slope.
 5.00 Descend 86 ft. over NW. slope.
 16.28 Draw course NW.
 16.77 Leave draw.
 Ascend 113 ft. over SW. slope.
 24.10 Top of ridge bears E. and W.
 26.60 North edge of ridge bears E. and W.
 Descend 51 ft. over NW. slope.
 29.30 Draw course SW.

Chains

Ascend 26 ft.
 33.55 Top of ridge bears E. and W. thence over rolling land.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap.

$\frac{1}{4}$
 S 9 | S 10

1927

from which

A yellow pine 15 ins. in diam. bears N35 $\frac{1}{2}$ °E. 15 lks. dist.,
 marked $\frac{1}{4}$ S10 BT.
 A yellow pine 12 ins. in diam. bears N48°W. 23 lks. dist.,
 marked $\frac{1}{4}$ S9 BT.
 Continue over level land on top of mountain.
 47.00 Descend 120 ft. over NE. slope.
 61.22 Draw 75 lks. wide course NW.
 61.31 Ascend 138 ft. over SW. slope.
 68.51 Top of ridge bears NE. and SW.
 74.00 Descend gradually over N. slope.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 26 ins. in the
 ground for cor. of secs. 3, 4, 9, and 10., marked on
 brass cap

T35N | R1E
 S 4 | S 3
 S 9 | S 10

1927

from which

A yellow pine 12 ins. in diam. bears N57 $\frac{1}{2}$ °E. 68 lks. dist.,
 marked T35N., R1E., S3 BT.
 A yellow pine 15 ins. in diam. bears S84 $\frac{1}{2}$ °E. 18 lks. dist.,
 marked T35N., R1E., S10 BT.
 An aspen 8 ins. in diam. bears S71°W. 29 lks. dist.,
 marked T35N., R1E., S9 BT.
 A yellow pine 10 ins. in diam. bears N44°W. 25 lks. dist.,
 marked T35N., R1E., S4 BT.

Land, rolling mountainous.
 Soil, sandy and gravelly loam 2 nd. rate.
 Timber, aspen, pine, fir, and spruce.
 Undergrowth, oak brush.

40.00 N 89°45'E. on a random line bet. secs. 3 and 10.
 79.94 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line 14 lks. N. of the cor. of secs.
 2, 3, 10, and 11.

Thence

S 89°51'W. on true line bet. secs. 3 and 10.
 Over rolling mountainous land thru heavy timber and
 scattering undergrowth.
 Descend 52 ft. over W. slope.
 .50 Road to Bee spring bears NE. and SW.
 39.97 Point for $\frac{1}{4}$ cor. falls in Bee Spring Road, brs. NW. & SE.
 40.07 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for witness set to $\frac{1}{4}$ sec. cor., marked on brass cap,

Chains

$\frac{1}{4}$ $\frac{S 3}{S 10}$ W C

1927

from which

A pine 15 ins. in diam. bears N24 $\frac{1}{2}$ °W.28 lks. dist.,
 marked $\frac{1}{4}$ S3 W C B T.
 A pine 26 ins. in diam. bears South 23 lks. dist.,
 marked $\frac{1}{4}$ S10 W C B T.
 Descend 29 ft. along N. slope of ridge bears E. and W.
 79.94 The cor. of secs.3,4,9,and 10.

Land,rolling mountainous.
 Soil,gravelly loam 2 nd. rate.
 Timber,fir,spruce,pine,and aspen.
 Undergrowth,young 2nd. growth timber.

40.00 N 0°2'E. on a random line bet. secs.3 and 4.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.19 Intersect N. bdry. of Tp.at the cor. of secs.3,4,33,and
 34.,hereinbefore described.

Thence
 S 0°2'W. on true line bet. secs.3 and 4.
 Over rolling mountainous land,thru heavy timber and
 scattering undergrowth.
 Ascend 51 ft. over NW. slope.
 4.65 Top of ascent on ridge bears NE. and SW.,thence over
 rolling land.
 6.63 South edge of ridge bears E. and W.
 Descend 180 ft. over S. slope.
 16.62 Spur slopes SW.;Descend over SE. slope.
 24.93 Draw course SW.
 Ascend 34 ft.over NW. slope.
 29.40 Top of spur bears W.
 Descend 18 ft. over S. slope.
 31.38 Foot of descent in draw course NW.
 31.88 Leave draw.;Ascend 93 ft. over NE. slope.
 37.69 Top of ascent on ridge bears NW. and SE. thence over
 level land.
 40.19 Set an iron post 3 ft. long, 1 in. in diam.26 ins. in the
 ground for $\frac{1}{4}$ sec. cor.,marked on brass cap

$\frac{1}{4}$
S 4 | S 3

1927

from which

A yellow pine 10 ins. in diam. bears N65 $\frac{1}{2}$ °E.16 lks. dist.,
 marked $\frac{1}{4}$ S3 BT.
 A yellow pine 12 ins. in diam. bears West 27 lks. dist.,
 marked $\frac{1}{4}$ S4 BT:
 Descend 26 ft. over SW. slope.
 43.86 Foot of descent in draw course NW.
 44.46 Wash 10 lks. wide 2 ft. deep course NW.
 Ascend 35 ft. over NE. slope.
 58.76 A blazed road bears NW. and SE.
 65.19 Top of mountain bears E. and W.
 Descend 34 ft. over S. slope.
 76.21 Ravine course SW.

Chains

76.71
80.19

Ascend 24 ft. over N. slope to
Old road to Bee Spring bears NE. and SW.
The cor. of secs. 3,4,9, and 10.

Land.rolling mountainous.
Soil,gravelly loam,2 nd. rate.
Timber, fir,spruce,pine,and aspen.
Undergrowth,young timber.

From the cor. of secs.4,5,32, and 33 on S.bdry. of Tp.
hereinbefore described, this group.

Thence

N 0°31'W. bet. secs. 32 and 33.

Over rolling mountainous land, thru. heavy timber and
scattering undergrowth.

3.70 Descend 45 ft. over N. slope.
Wash course W.

5.50 Ascend 23 ft. over S. slope.
Top of spur bears W.

6.90 Descend 12 ft. over N. slope.
Wash course. SW.

24.40 Ascend 123 ft. over SE. slope.
Top of ridge bears NE. and SW.


29.50 Descend 52 ft. over NW. slope.
Wash course W.

33.60 Ascend 18 ft. over SE. slope.
Top of ridge bears E. and W.

37.61 Descend 63 ft. over N. slope.
Wash course W.

A spring bears East 48.23 chs. dist.
Ascend 45 ft. over S. slope. to

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for 1/4 sec. cor., marked on brass cap



from which

A pine 24 ins. in diam. bears S42°E. 34 lks. dist.,
marked 1/4 S33 BT.

A pine 16 ins. in diam. bears S83°W. 12 lks. dist.,
marked 1/4 S32 BT.

43.40 Ascend 32 ft.
Top of ridge bears E. and W.
Descend 202 ft. over N. slope.


46.58 A point from which a spring bears East 33.59 chs. dist.
54.30 Wash course W.

68.40 Ascend 219 ft. over S. slope.
Top of ridge bears E. and W.

77.60 Descend 46 ft. over N. slope.
Wash course W.

80.00 Ascend 45 ft. over S. slope.
Set an iron post 3 ft. long 2 ins. in diam. 24 ins. in the

ground for cor. of secs. 28, 29, 32, and 33., marked
on brass cap



1927

Survey of the Subdivision lines of T.35 N., R. 1 E.

Chains

from which

- A pine 24 ins. in diam. bears N10 $\frac{1}{4}$ °E.22 lks. dist., marked T35N.,R1E.,S28 BT.
- A pine 12 ins. in diam. bears S71 $\frac{1}{2}$ °E.215 lks. dist., marked T35N.,R1E.,S33 BT.
- A spruce 10 ins. in diam. bears S22°W.116 lks. dist., marked T35 N.,R1E.,S32 BT.
- A pine 8 ins. in diam. bears N45 $\frac{1}{4}$ °W.22 lks. dist., marked T35 N.,R1E.,S29 BT.

Land,rolling mountainous.
 Soil,gravelly loam 2 nd. rate.
 Timber,fir,spruce,pine,and aspen.
 Undergrowth,oak and locust brush.

- 40.00 S 89°58'E. on a random line bet. secs.28 and 33.
Set temp. $\frac{1}{4}$ sec. cor.
- 80.04 Intersect N. and S. line 16 lks. N.of the cor. of secs. 27,28,33,and 34.
Thence
N 89°51'W. on true line bet. secs.28 and 33.
Descend 31 ft. along S. slope over rolling mountainous land,thru heavy timber and scattering undergrowth.
- 6.30 Foot of slope.
Ascend 20 ft. over E. slope.
- 10.10 Top of spur slopes S.
Descend 106 ft. over W. slope.
- 19.13 Wash course SW.
Ascend 120 ft. over E. slope.
- 28.94 Top of ridge bears N. and S.
Descend W. slope.38 ft.
- 40.02 Set an iron post 3 ft. long, 1 in. in diam.18 ins. in the ground to bedrock,supported in a mound of stone for $\frac{1}{4}$ sec. cor.,marked on brass cap

$\frac{1}{4}$ $\frac{S 28}{S 33}$

1927

from which


- A pine 12 ins. in diam. bears N28°W.51 lks. dist., marked $\frac{1}{4}$ S28 BT.
- A pine 12 ins. in diam. bears S15 $\frac{1}{2}$ °W.56 lks. dist., marked $\frac{1}{4}$ S33 BT.
- 44.90 Wash course SW.
Over level bottom land.
- 48.58 Ascend 29 ft. over E. slope.
- 58.56 Top of ridge bears N. and S.
Descend 58 ft. over W. slope.
- 73.00 Wash course SW.
Ascend gradually.
- 80.04 The cor. of secs. 28,29,32,and 33.

Land,rolling mountainous.
 Soil,gravelly loam 2 nd. rate.
 Timber,fir,spruce,pine,and aspen.
 Undergrowth,oak and locust brush.

Survey of the Subdivision lines of T.35 N., R.1 E.


Chains

- N 0°3'W. bet. secs. 28 and 29.
Ascend 42 ft. over SE. slope over mountainous land, thru heavy timber and scattering undergrowth.
- 3.50 Top of ridge bears NE. and SW.
Descend 82 ft. over N. slope.
- 10.60 Wash course W.
Ascend 83 ft. over S. slope.
- 21.00 Top of ridge bears E. and W.
Descend 27 ft. over N. slope.
- 21.10 Wash course W.
Ascend 20 ft. over S. slope.
- 27.55 Top of ridge bears E. and W.
Descend 162 ft. over N. slope.
- 38.63 Wash 20 lks. wide in Locust Canyon course W.
Ascend 46 ft.
- 40.00 Set an iron post 3 ft. long 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap



from which

- A pine, 10 ins. in diam. bears N24 $\frac{1}{2}$ °E. 26 lks. dist., marked $\frac{1}{4}$ S28 BT.
- A pine, 16 ins. in diam. bears S44 $\frac{1}{2}$ °W. 42 lks. dist., marked $\frac{1}{4}$ S29 BT.
- 54.83 Top of ridge in saddle bears E. and W.
Descend 54 ft. in draw course N.
- 59.22 Wash course SW.
Ascend 65 ft. over S. slope.
- 72.00 Top of ridge bears E. and W.
Descend 42 ft. over N. slope.
- 77.40 Wash course SW.
Ascend 41 ft. over SE. slope. to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 20, 21, 28, and 29, marked on brass cap



from which

- A pine 6 ins. in diam. bears N31 $\frac{1}{2}$ °E. 34 lks. dist., marked T35N., R1E., S21 BT.
- A pine 28 ins. in diam. bears S45 $\frac{1}{2}$ °E. 63 lks. dist., marked T35N., R1E., S28 BT.
- A pine 8 ins. in diam. bears S37°W. 80 lks. dist., marked T35N., R1E., S29 BT.
- A pine 7 ins. in diam. bears N11 $\frac{1}{2}$ °W. 45 lks. dist., marked T35N., R1E., S20 BT.

Land, rolling mountainous.
Soil, gravelly loam 2 nd. rate.
Timber, fir, spruce, pine, and aspen.
Undergrowth, oak and locust brush.


Survey of the Subdivision lines of T.35 N., R.1 E.

Chains

S89°51'E. on a random line bet. secs.21 and 28
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line 3 lks. N. of the cor. of secs.
 21, 22, 27, and 28.

Thence
 N 89°50'W. on true line bet. secs. 21 and 28.
 Over rolling gravelly mountainous land, thru heavy timber
 and scattering undergrowth.

Descend 72 ft. over SW. slope.
 8.20 Wash course NW.
 Ascend 20 ft. over NE. slope.
 11.40 Top of spur bears NW.
 Descend 37 ft. over SW. slope.
 16.70 Wash course N.
 19.80 Wash course NW.
 Ascend 41 ft. over NE. slope
 26.40 Top of spur bears NW.
 Descend 100 ft. over NW. slope.
 34.08 Foot of descent, thence along N. slope of ridge.
 40.04 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap



from which


A fir 16 ins. in diam. bears N32 $\frac{1}{2}$ °E. 56 lks. dist.,
 marked $\frac{1}{4}$ S21 BT.
 An aspen 6 ins. in diam. bears S51°W. 35 lks. dist.,
 marked $\frac{1}{4}$ S28 BT.

49.00 Top of ridge bears NW. and SE.
 Descend 77 ft. along ridge to
 80.08 The cor. of secs. 20, 21, 28, and 29

Land, rolling mountains.
 Soil, gravelly loam 2 nd. rate.
 Timber, fir, spruce, pine, and aspen.
 Undergrowth, oak and locust brush.

N 0°3'W. bet. secs. 20 and 21.
 Over rolling gravelly mountainous land, thru heavy timber
 and scattering undergrowth.

Ascend 21 ft. over rolling S. slope.
 3.68 Top of ridge bears E. and W.
 Descend 132 ft. over N. slope.
 13.88 Wash course W.
 Ascend 156 ft. over S. slope.
 24.00 Top of ridge bears E. and W.
 Descend 144 ft. over N. slope.
 32.68 Wash course W.
 37.00 Parishwampitts Canyon course W.
 Ascend 172 ft. over SE. slope.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap



1927

from which

Chains

An aspen 8 ins. in diam. bears $N59\frac{1}{2}^{\circ}E.180$ lks. dist.,
marked $\frac{1}{4}$ S21 BT.

An aspen 6 ins. in diam. bears $S19\frac{1}{4}^{\circ}W.237$ lks. dist.,
marked $\frac{1}{4}$ S20 BT.

63.74 Top of ridge bears E. and W.

Descend 66 ft. over N. slope.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the
ground for cor. of secs. 16, 17, 20, and 21.,
marked on brass cap

T35N	R1E
S 17	S 16
S 20	S 21

1927

from which

A pine 24 ins. in diam. bears $N38^{\circ}E.51$ lks. dist.,
marked T35N., R1E., S16 BT.

A pine 40 ins. in diam. bears $S73\frac{1}{4}^{\circ}E.71$ lks. dist.,
marked T35N., R1E., S21 BT.

An aspen 16 ins. in diam. bears $S62\frac{1}{4}^{\circ}W.35$ lks. dist.,
marked T35N., R1E., S20 BT.

A pine 12 ins. in diam. bears $N54^{\circ}W.108$ lks. dist.,
marked T35N., R1E., S17 BT.

Land, mountainous.

Soil, gravelly loam 2 nd. rate.

Timber, fir, spruce, pine, and aspen.

Undergrowth, scattering locust and oak brush.

40.00 S $89^{\circ}50'E.$ on a random line bet. secs. 16 and 21.

79.90 Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line 12 lks. S. of the cor. of secs.
15, 16, 21, and 22.

Thence

N $89^{\circ}55'W.$ on true line bet. secs. 16 and 21.

Over rolling gravelly mountainous land, thru heavy timber
and scattering undergrowth.

Descend gradually over NW. slope.

15.11 Wash course SW.

Ascend 69 ft. over SE. slope.

32.55 Top of spur bears SW.

Descend 42 ft. over W. slope.

39.95 Set an iron post 3 ft. long, 1 in. in diam. 20 ins. in
the ground to bedrock, supported in a mound of
stone for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 16
S 21

1927

from which

A pine 10 ins. in diam. bears $N54\frac{1}{2}^{\circ}E.42$ lks. dist.,
marked $\frac{1}{4}$ S16 BT.

A pine 34 ins. in diam. bears $S19\frac{1}{2}^{\circ}W.36$ lks. dist.,
marked $\frac{1}{4}$ S21 BT.

44.08 Draw course W.

57.00 Leave draw course N.

Ascend 29 ft. over NE. slope.

65.00 Top of spur bears N.

Descend 60 ft. over W. slope.

70.97 Wash course N.


Survey of the Subdivision lines of T.35 N., R.1 E.

Chains

74.93 Ascend 37 ft. over E. slope.
Top of spur bears N.
79.90 Descend 19 ft. over W. slope.
The cor. of secs. 16, 17, 20, and 21.

Land, mountainous.
Soil, gravelly loam 2 nd. rate.
Timber, fir, spruce, aspen, and pine.
Undergrowth, oak and locust brush.


N 0°3'W. bet. secs. 16 and 17.
Over rolling mountainous land, thru heavy timber and scattering undergrowth.
Descend 34 ft. over N. slope.
2.05 Wash course NE.
Ascend
6.00 Top of spur bears NE.
Descend 23 ft. over NW. slope.
12.36 Wash course NW.
Ascend
13.98 Top of spur bears W.
15.46 Descend 10 ft.
16.24 Wash course SW.
16.94 Ascend 98 ft. over S. slope.
29.35 Top of ridge bears E. and W.
Descend 85 ft. over N. slope.
40.00 Set an iron post 3 ft. long, 1 in. in diam. 20 ins. in the ground to bedrock, supported in a mound of stone for 1/4 sec. cor., marked on brass cap



from which

A spruce 6 ins. in diam. bears S61 1/4° E. 38 lks. dist., marked 1/4 S16 BT.
An aspen 6 ins. in diam. bears S76 1/2° W. 29 lks. dist., marked 1/4 S17 BT.

41.00 Wash course W.
42.00 Ascend 91 ft. over S. slope.
50.83 Top of spur bears SW.
57.83 Top of ridge bears NE. and SW.
58.83 Descend 180 ft. over NW. slope.
66.82 Draw course NW.
Ascend 165 ft.
74.93 Top of ridge bears NE. and SW.
Descend over NW. slope to
80.00 Set an iron post 3 ft. long, 2 ins. in diam. 26 ins. in the ground for cor. of secs. 8, 9, 16, and 17., marked on brass cap




from which

A yellow pine 26 ins. in diam. bears N58 1/2° E. 81 lks. dist.,

Chains	
	<p>marked T35N.,R1E.,S9 BT..</p> <p>A yellow pine 40 ins. in diam. bears S38$\frac{1}{2}$°E.53 lks. dist., marked T35N.,R1E.,S16 BT.</p> <p>A yellow pine 30 ins. in diam. bears S40$\frac{1}{2}$°W.37 lks. dist., marked T35N.,R1E.,S17 BT.</p> <p>A yellow pine 20 ins. in diam. bears N36$\frac{1}{2}$°W.47 lks. dist., marked T35N.,R1E.,S8 BT.</p> <p>Land, rolling mountainous. Soil, gravelly loam 2 nd. rate. Timber, fir, spruce, aspen, and pine. Undergrowth, locust and oak brush.</p>
40.00	S 89°55'E. on a random line bet. secs. 9 and 16.
79.84	Set temp. $\frac{1}{4}$ sec. cor. Intersect N&S. line 23 lks. S. of cor. of secs. 9, 10, 15, and 16,
	Thence
	S89°55'W. on true line bet. secs. 9 and 16.
	Over rolling mountainous land, thru heavy timber and scattering undergrowth.
	Descend over W. slope.
23.24	Head of draw course SW.
39.92	Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{S 9}{S 16}$ 1927
	from which
	A yellow pine 12 ins. in diam. bears N42 $\frac{1}{2}$ °E.45 lks. dist., marked $\frac{1}{4}$ S9 BT.
	A yellow pine 20 ins. in diam. bears S20°W.20 lks. dist., marked $\frac{1}{4}$ S16 BT.
41.84	Wash course SW.
45.94	Wash course S. thence over S. slope.
	Ascend 41 ft.
77.39	Top of spur bears SW.
	Descend 31 ft. over NW. slope to
79.84	The cor. of secs. 8, 9, 16, and 17.
	Land, mountainous. Soil, gravelly loam. 2 nd. rate. Timber, fir, spruce, pine, and aspen. Undergrowth, oak and locust brush.
	N 0°3'W. bet. secs. 8 and 9.
	Descend NW. slope over rolling mountainous land, thru heavy timber and scattering undergrowth.
3.78	Wash course SW.
	Ascend 46 ft. over SE. slope.
7.38	Top of spur bears SW.
	Descend over NW. slope.
9.88	Foot of spur bears NE. and SW.
12.38	Wash course SW.
	Ascend over ridges and ravines.
20.36	Top of ridge bears NW. and SE.
	Descend over NE. slope.
25.16	Head of wash course NE. continue descent 83 ft.


Chains

27.74 Top of spur slopes NE. thence along top of spur.
 29.24 Descend 99 ft. over NW. slope.
 32.53 Foot of spur bears NE.
 33.02 Wash course NE.
 36.10 Wash 10 lks. wide 12 ft. deep course NW.
 40.00 Bottom of draw course NW.; Set an iron post 3 ft. long
 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor.
 marked on brass cap



from which

An aspen 6 ins. in diam. bears $N60\frac{1}{2}^{\circ}E$. 31 lks. dist.,
 marked $\frac{1}{4}$ S9 BT.
 A yellow pine 30 ins. in diam. bears $N27\frac{1}{2}^{\circ}W$. 74 lks. dist.,
 marked $\frac{1}{4}$ S8 BT.
 Ascend 159 ft. over SW. slope.
 54.61 Top of ridge bears E. and W.
 Descend 18 ft.
 57.21 Wash course NW.
 Ascend over SW. slope.
 61.61 Top of ridge bears E. and W.
 Descend 171 ft. over NW. slope.
 68.66 Foot of ridge bears NE. and SW.
 69.66 Draw course SW.
 Ascend 72 ft. over SE. slope.
 74.50 Top of spur bears SW.
 Descend 20 ft. over NW. slope, to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 22 ins. in
 the ground to bedrock, supported in a mound of
 stone for cor. of secs. 4, 5, 8, and 9, marked on
 brass cap



from which

A yellow pine 6 ins. in diam. bears $N64\frac{1}{2}^{\circ}E$. 38 lks. dist.,
 marked T35N., R1E., S4 BT.
 A yellow pine 8 ins. in diam. bears $S61^{\circ}E$. 24 lks. dist.,
 marked T35N., R1E., S9 BT.
 A yellow pine 10 ins. in diam. bears $S9\frac{1}{2}^{\circ}W$. 20 lks. dist.,
 marked T35N., R1E., S8 BT.
 A yellow pine 8 ins. in diam. bears $N50\frac{1}{2}^{\circ}W$. 15 lks. dist.,
 marked T35N., R1E., S5 BT.

Land, rolling mountainous.
 Soil, gravelly loam 2 nd. rate.
 Timber, fir, spruce, aspen and pine.
 Undergrowth, young 2nd. growth timber.

Chains
 40.00 N89°55'E. on a random line bet. secs.4 and 9.
 79.74 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line 5 lks. S. of the cor. of secs.
 3,4,9, and 10.
 Thence
 S.89°53'W. on true line bet. secs. 4 and 9.
 Over rolling mountainous land, thru heavy timber and
 scattering undergrowth.
 Along N. slope
 33.49 Descend 91 ft. over NW. slope
 39.87 Set an iron post 3 ft. long, 1 in. in diam. 20 ins. in
 the ground to bedrock, supported in a mound of
 stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$$\frac{1}{4} \frac{S 4}{S 9}$$

1927

from which

A yellow pine 15 ins. in diam. bears N57 $\frac{1}{2}$ °W. 49 lks. dist.,
 marked $\frac{1}{4}$ S4 BT.
 A yellow pine 30 ins. in diam. bears S1 $\frac{1}{2}$ °W. 48 lks. dist.,
 marked $\frac{1}{4}$ S9 BT.
 41.33 Road to Bee Spring, bears NE. and SW.
 41.43 Wash course SW.
 41.95 Ascend 20 ft. over SE. slope.
 47.93 Ridge bears NE. and SW.
 Descend 46 ft. over SW. slope.
 52.58 Road in bottom of draw bears NW. and SE.
 Ascend 100 ft. over NE. slope.
 60.21 Top of ridge bears NW. and SE.
 62.21 Descend 164 ft. over SW. slope.
 79.74 The cor. of secs. 4, 5, 8, and 9.

Land, rolling mountainous.
 Soil, gravelly loam 2nd. rate.
 Timber, fir, spruce, aspen, and pine.
 Undergrowth, young 2nd. growth timber.

40.00 N 0°2'E. on a random line bet. secs. 4 and 5.
 80.38 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. bdry. of Tp. 18 lks. E. of the cor. of secs.
 4, 5, 32, and 33. hereinbefore described.
 Thence
 S 0°6'E., on true line bet. secs. 4 and 5.
 Over rolling sandy and gravelly land, thru heavy timber
 and undergrowth.
 Descend 29 ft. over SW. slope.
 2.56 Wash course NW.
 Ascend 92 ft. over NE. slope.
 12.63 Top of ridge bears E. and W., thence over level land.
 15.63 South edge of ridge.
 Descend 165 ft. over S. slope.
 25.00 Wash course SW. Ascend 181 ft. over NW. slope.
 37.00 Top of ridge, 10 ch. wide, brs. NE. and SW. Descend 22
 ft. over S. slope to level land.
 40.38 Set an iron post 3 ft. long, 1 in. in diam.; 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor.; marked on brass cap.

BOOK 3867

Survey of the Subdivision Lines of T. 35 N., R. 1 E.

Chains

S 5 | S 4
1927

From which

- An aspen, 10 ins. in diam., bears S. 55° E., 23 lks. dist., marked $\frac{1}{4}$ S 4 B T.
- An aspen, 8 ins. in diam., bears N. 85½° W., 15 lks. dist., marked $\frac{1}{4}$ S 5 B T.

- 46.00 Wash, 20 lks. wide, course NW. Ascend 275 ft. over N. slope.
- 58.00 Top of mountain ridge, bears E. and W., 4 chains wide.
- 68.00 Wash, course SE.
- 76.88 Wash, 80 lks. wide, course SW. Bee Spring road in this wash bears NE. and SW.
- 80.38 The cor. of secs. 4, 5, 8 and 9. Land, rolling mountainous. Soil, sandy and gravelly loam, 2nd and 3rd rate. Timber, fir, spruce, pine and aspen. Undergrowth, 2nd growth timber.

From the cor. of secs. 5, 6, 31 and 32 on S. bdry. of Tp. 35 N. before described, of the Group.

N. 0° 3' W., bet. secs. 31 and 32. Over rolling, gravelly, mountainous land, thru heavy timber and scattering undergrowth. Ascend 18 ft. over S. slope.

- 5.50 Top of ridge, bears E. and W. Descend 68 ft. over N. slope.
- 16.40 Wash, course SW. Ascend 72 ft. over SE. slope.
- 28.00 Top of ridge bears E. and W. Descend 23 ft. over N. slope.
- 34.60 Wash, course W. Ascend 83 ft. over S. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in the ground to bedrock, supported in a mound of stone for $\frac{1}{4}$ sec. cor., marked on brass cap

S 31 | S 32
1927

From which

- A pine, 10 ins. in diam., bears N. 79½° E., 57 lks. dist., marked $\frac{1}{4}$ S 32 B T.
- A pine, 18 ins. in diam., bears S. 51½° W., 74 lks. dist., marked $\frac{1}{4}$ S 31 B T.

- 53.50 Top of ridge, bears E. and W. Descend 26 ft. over N. slope.
- 62.80 Wash, course W. Ascend 18 ft. over S. slope.
- 65.30 Top of ridge, bears E. and W. Descend 35 ft. over N. slope.
- 71.64 Wash, course W. Ascend 35 ft. over S. slope to
- 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 29, 30, 31 and 32, marked on brass cap

Survey of the Subdivision Lines of T. 35 N., R. 1 E.

Chains

T 35 N R 1 E

S 30 | S 29

S 31 | S 32

1927

From which

A pine, 18 ins. in diam., bears N. 65 1/2° E., 29 lks.

dist., marked T 35 N R 1 E S 29 B.T.

A pine, 26 ins. in diam., bears S. 65 1/2° E., 39 lks.

dist., marked T 35 N R 1 E S 32 B.T.

A pine, 12 ins. in diam., bears S. 74 1/2° W., 93 lks.

dist., marked T 35 N R 1 E S 31 B.T.

A pine, 20 ins. in diam., bears N. 44 1/2° W., 59 lks.

dist., marked T 35 N R 1 E S 30 B.T.

Land, rolling mountainous. Soil, gravelly loam, 2nd rate. Timber, pine, fir, spruce and aspen. Undergrowth, oak and locust brush

S. 89° 58' E., on a random line, bet. secs. 29, and 32.

40.00 Set temp. 1/4 sec. cor.

79.98 Intersect N. and S. line 10 lks. S. of the cor. of secs. 28, 29, 32 and 33.

Thence

S. 89° 58' W., on true line bet. secs. 29 and 32.

Over rolling, gravelly, mountainous land, thru heavy timber, and scattering undergrowth.

Descend 154 ft. along S. slope of ridge.

19.80 Wash, course S.

Ascend 57 ft. over E. slope.

29.69 Top of spur, bears S.

Descend 160 ft. along top of ridge.

39.99 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground to bedrock supported in a mound of stone for 1/4 sec. cor., marked on brass cap

1/4 S 29

S 32

1927

From which

* pine, 8 ins. in diam., bears N. 55 1/2° E., 43 lks.

dist., marked 1/4 S 29 B.T.

* pine, 23 ins. in diam., bears S. 49 1/2° E., 43 lks.

dist., marked 1/4 S 32 B.T.

64.38 Wash, course NW.

Ascend over NE. slope to

79.98 The cor. of secs. 29, 30, 31 and 32.

Land, rolling, mountainous. Soil, gravelly loam; 2nd rate. Timber, fir, pine, aspen and spruce. Undergrowth, oak and locust brush.

Chains
 40.00 N 89°58'W. on a random line bet. secs.30 and 31.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.69 Intersect the Gila and Salt River Meridian, 5 lks. S. of the
 cor. of secs. 25,30,31, and 36, T35N., Rs.1 E. and
 1 W., which is an iron post 2 ins. in diam. firmly
 set in a mound of stone, properly marked on brass
 cap, and witnessed by four bearing trees, one each
 NE., SE., SW., and NW. of cor.; all properly marked.

Thence
 S 89°56'E. on true line bet. secs.30 and 31.
 Over rolling gravelly mountainous land, thru heavy timber
 and scattering undergrowth.
 Descend 109 ft. over E. slope.
 20.96 Wash course S.
 Ascend 221 ft. over W. slope.
 38.69 Set an iron post 3 ft. long, 1 in. in diam. 12 ins. in the
 ground to bedrock supported in a mound of stone
 for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} S 30 \\ \frac{1}{4} S 31 \end{array}$$

1927

from which

A pine 10 ins. in diam. bears N67°W. 34 lks. dist.,
 marked $\frac{1}{4}$ S30 BT..
 A pine 8 ins. in diam. bears S77 $\frac{1}{2}$ °W. 24 lks. dist.,
 marked $\frac{1}{4}$ S31 BT..
 43.69 Top of ascent on ridge bears E.
 Over level land on ridge.
 78.69 The cor. of secs. 29,30,31, and 32.

Land, rolling mountainous.
 Soil, gravelly loam 2 nd. rate.
 Timber, pine, aspen, spruce, and fir.
 Undergrowth, oak and locust brush.

N 0°3'W. bet. secs.29 and 30.
 Over rolling mountainous land, thru heavy timber and
 scattering undergrowth.
 Descend 135 ft. over N. slope.
 6.06 Wash course W.
 Ascend 144 ft. over S. slope.
 19.42 Top of ridge bears E. and W.
 Descend 122 ft. over N. slope.
 34.83 Wash course W.
 Ascend 74 ft. over S. slope.
 40.00 Top of ridge bears E. and W.; Set an iron post 3 ft. long
 1 in. in diam. 20 ins. in the ground to bedrock,
 supported in a mound of stone for $\frac{1}{4}$ sec. cor.
 marked on brass cap

$$\begin{array}{c} \uparrow \\ S 30 \mid S 29 \end{array}$$

1927

from which

Chains

A pine 20 ins. in diam. bears N12°E. 31 lks. dist.,
marked $\frac{1}{4}$ S29 BT.

A pine 18 ins. in diam. bears West 5 lks. dist.,
marked $\frac{1}{4}$ S30 BT.

Continue gradual ascent 40 ft.

42.00

Ridge bears E. and W.

Descend N. slope

47.09

Wash course W.

Ascend 166 ft. over S. slope.

69.88

Top of ridge bears E. and W.

Descend 116 ft. over N. slope.

79.50

Wash course NW.

Ascend

80.00

Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
the ground for cor. of secs. 19, 20, 29, and 30.,
marked on brass cap

T35N	R1E
S 19	S 20
S 30	S 29

1927

from which

A yellow pine 36 ins. in diam. bears N54 $\frac{1}{2}$ °E. 42 lks. dist.,
marked T35N., R1E., S20 BT.

A yellow pine 36 ins. in diam. bears S20 $\frac{1}{2}$ °E. 40 lks. dist.,
marked T35N., R1E., S29 BT.

A fir 8 ins. in diam. bears S51 $\frac{1}{2}$ °W. 50 lks. dist.,
marked T35N., R1E., S30 BT.

A yellow pine 15 ins. in diam. bears N86 $\frac{1}{2}$ °W. 67 lks. dist.,
marked T35N., R1E., S19 BT.

Land, mountainous.

Soil, gravelly loam, 2 nd. rate.

Timber, fir, spruce, aspen, and pine.

Undergrowth, oak and locust brush.

40.00

N 89°58'E. on a random line bet. secs. 20 and 29

Set temp. $\frac{1}{4}$ sec. cor.

80.00

Intersect N. and S. line 12 lks. N. of the cor. of secs.
20, 21, 28, and 29.

Thence

N 89°57'W. on true line bet. secs. 20 and 29.

Over rolling gravelly mountainous land, thru. heavy timber
and scattering undergrowth.

12.80

Ascend over SE. slope.

Top of ridge bears NE. and SW.

Descend 40 ft. over NW. slope

20.12

Foot of slope

Ascend 29 ft.

25.10

Top of spur slopes N.

Descend 227 ft.

40.00

Set an iron post 3 ft. long, 1 in. in diam. 24 ins. in the
ground for $\frac{1}{4}$ sec. cor., marked on brass cap

S 20
S 29

1927


from which

Survey of the Subdivision lines of T.35 N., R. 1 E.

Chains	<p>A pine 30 ins. in diam. bears $N10\frac{1}{2}^{\circ}W$. 56 lks. dist., marked $\frac{1}{4}$ S20 BT.</p> <p>A pine 6 ins. in diam. bears $S6\frac{1}{2}^{\circ}W$. 17 lks. dist., marked $\frac{1}{4}$ S29 BT.</p> <p>43.02 Wash course NW.</p> <p>Ascend 61 ft. over NE. slope.</p> <p>60.15 Top of ridge bears NW. and SE.</p> <p>Descend along S. slope.</p> <p>80.00 The cor. of secs. 19, 20, 29, and 30.</p> <p>Land, rolling mountainous. Soil, gravelly loam 2 nd. rate. Timber, fir, spruce, aspen, and pine. Undergrowth, scattering oak brush.</p> <hr/> <p>N $89^{\circ}56'W$. on a random line bet. secs. 19 and 30. Set temp. $\frac{1}{4}$ sec. cor.</p> <p>40.00 78.85 Intersect the Gila and Salt River Meridian 30 lks. N. of the cor. of secs. 19, 24, 25, and 30., T. 35 N., R. 1 E. and 1 W., which is an iron post 2 ins. in diam. firmly set in a mound of stone, properly marked on brass cap, and witnessed by four bearing trees, one each, NE., SE., SW., and NW. of cor., properly marked.</p> <p>Thence N $89^{\circ}51'E$. on true line bet. secs. 19 and 30. Over rolling gravelly mountainous land, thru heavy timber and scattering undergrowth.</p> <p>Descend 91 ft. over SE. slope.</p> <p>17.16 Wash course SW.</p> <p>Ascend over NW. slope.</p> <p>21.17 Top of spur bears NW.</p> <p>Descend 77 ft. over E. slope.</p> <p>35.05 Wash course NW.</p> <p>Ascend 155 ft. over SW. slope.</p> <p>38.85 Set an iron post 3 ft. long, 1 in. in diam. 22 ins. in the ground to bedrock supported in a mound of stone for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;">$\frac{1}{4}$ S 19 S 30</p> <p style="text-align: center;">1927</p> <p>from which</p> <p>A pine 12 ins. in diam. bears $N20^{\circ}E$. 51 lks. dist., marked $\frac{1}{4}$ S19 BT.</p> <p>A pine 22 ins. in diam. bears $S40\frac{1}{2}^{\circ}W$. 48 lks. dist., marked $\frac{1}{4}$ S30 BT.</p> <p>46.36 Top of spur bears N.</p> <p>Descend 73 ft. over E. slope.</p> <p>58.80 Wash course NW.</p> <p>Ascend 138 ft. over SW. slope.</p> <p>66.50 Top of ridge bears $S80^{\circ}E$.</p> <p>Descend 59 ft. along N. slope.</p> <p>78.85 The cor. of secs. 19, 20, 29, and 30.</p> <p>Land, rolling mountainous. Soil, gravelly loam. 2 nd. rate. Timber, fir, spruce, aspen, and pine. Undergrowth, oak and locust brush.</p>
--------	--


Chains

N 0°31'W. bet. secs.19 and 20.
 Ascend 58 ft. over SW. slope over rolling mountainous
 land, thru heavy timber and scattering undergrowth
 2.77 Top of ridge bears NW. and SE.
 5.87 North edge of ridge. Descend 158 ft. over NE. slope.
 12.53 Parishwampitts wash course NW.
 13.51 Leave wash. Ascend 245 ft. over SW. slope.
 31.00 Top of ridge bears SE. and W.
 Descend 18 ft. to
 31.80 Wash course SW.
 Ascend 18 ft. over SE. slope
 40.00 Top of ascent on S. edge of ridge bears E. and W.
 Set an iron post 3 ft. long, 1 in. in diam. 18 ins. in the
 ground to bedrock, supported in a mound of
 stone for 1/4 sec. cor., marked on brass cap



from which

A yellow pine 8 ins. in diam. bears S46°E. 14 lks. dist.,
 marked 1/4 S20 BT.
 A yellow pine 20 ins. in diam. bears S54 1/2°W. 34 lks. dist.,
 marked 1/4 S19 BT.
 43.50 North edge of ridge bears E. and W.
 Descend 23 ft. over N. slope.
 45.57 Wash course SW.
 46.00 Leave wash.
 Ascend 45 ft. over S. slope.
 51.95 Top of ridge bears E. and W. thence over level land.
 52.59 Blazed trail bears NW. and SE.
 Descend 57 ft. over NW. slope.
 56.77 Wash course SW.
 Ascend 65 ft. over S. slope.
 62.76 Top of ridge bears E. and W.
 Over rolling land on ridge.
 70.76 Descend 94 ft. over NW. slope.
 76.06 Wash course SW.
 Ascend 76 ft. over SW. slope to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the
 ground for cor. of secs. 17, 18, 19, and 20. marked
 on brass cap



1927

from which

A yellow pine 10 ins. in diam. bears N81 1/2°E. 29 lks. dist.,
 marked T35N.,R1E.,S17 BT.
 A yellow pine 6 ins. in diam. bears S72°E. 14 lks. dist.,
 marked T35N.;R1E.,S20 BT.
 A yellow pine 10 ins. in diam. bears S82 1/2°W. 82 lks. dist.,
 marked T35N.,R1E.,S19 BT.
 A yellow pine 8 ins. in diam. bears N40°W. 33 lks. dist.,
 marked T35N.,R1E.,S18 BT.

Land, mountainous.
 Soil, gravelly loam 2 nd. rate.
 Timber, fir, spruce, pine, and aspen.

Chains Undergrowth, scattering oak, and locust brush.

40.00 S 89°57'E. on a random line bet. secs.17 and 20.
 79.90 Set temp. 1/4 sec. cor.
 Intersect N. and S. line 12 lks. S. of the cor. of secs.
 16,17,20, and 21.

Thence
 S 89°58'W. in true line bet. secs.17 and 20.
 Over rolling mountainous land, thru heavy timber and
 undergrowth.
 1.40 Descend gradually over NW. slope.
 Wash course NE.
 5.00 Ascend 40 ft. over NE. slope.
 Top of ridge bears N. and S.
 Descend over W. slope
 9.38 Blazed trail bears NE. and SW.
 9.48 Wash course NE.
 10.48 Ascend 27 ft. over NE. slope.
 12.48 Spur slopes N. thence over broken land.
 25.94 Descend over SW. slope.
 29.40 Head of draw course NE.
 29.50 Leave draw. Ascend 53 ft. over
 29.92 Top of spur bears NW. thence over level land on spur.
 33.90 Enter level land on top of mountain bears NW. and SE.
 39.95 Set an iron post 3 ft. long, 1 in. in diam. 24 ins. in
 the ground for 1/4 sec. cor., marked on brass cap

S 17
 1/4 S 20
 1927

from which

A yellow pine 20 ins. in diam. bears N23 1/4°W. 68 lks. dist.,
 marked 1/4 S17 BT.
 A yellow pine 18 ins. in diam. bears S45 1/2°W. 49 lks. dist.,
 marked 1/4 S20 BT.
 43.00 Leave level land on top of mountain bears NW. and SE.
 Descend 40 ft. over SW. slope.
 51.50 Wash course SW.
 Ascend 40 ft. over NE. slope
 54.85 Top of ascent on mountain bears NW. and SE. thence over
 broken land.
 64.85 Leave broken land bears NW. and SE.
 Descend over SW. slope 52 ft.
 71.00 Wash course SW.
 Ascend over SE. slope 20 ft. to
 79.90 The cor. of secs.17,18,19, and 20

Land, rolling mountainous.
 Soil, gravelly loam 2 nd. rate.
 Timber, fir, aspen, spruce, and pine.
 Undergrowth, oak and locust brush.

40.00 S 89°51'W. on a random line bet. secs.18 and 19.
 78.76 Set temp. 1/4 sec. cor.
 Intersect the Gila and Salt River Meridian 28 lks. S.
 of the cor. of secs.13,18,19, and 24, T35N., Rs.
 1 E., and 1 W., which is an iron post 2 ins. in
 diam. projecting, 10 ins. above ground, firmly
 set, properly marked on brass cap, and witnessed

Chains

by four properly marked bearing trees, one each NE., SE., SW., and NW. of cor.

Thence

S 89°57'E. on true line bet. secs.18 and 19.

Over rolling gravelly mountainous land, thru heavy timber and scattering undergrowth.

Ascend 31 ft. over NW. slope.

7.90

Top of ascent on ridge bears NW. and SE., thence over level land.

9.50

North edge of ridge. Descend 25 ft. over NE. slope.

15.96

Foot of descent in wash course N.

16.31

Leave wash. Ascend 41 ft. over W. slope.

21.43

Top of ridge bears NW. and SE.

Descend 89 ft. over NE. slope.

31.27

Foot of slope. Over rolling land.

37.06

A blazed trail bears NW. and SE.

38.76

Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor., marked on brass cap

1/4 S 18
S 19

1927

from which

An aspen 10 ins. in diam. bears N48 1/2°W. 22 lks. dist.; marked 1/4 S18 BT.

A yellow pine 40 ins. in diam. bears S50 1/2°E. 60 lks. dist.; marked 1/4 S19 BT.

Ascend 32 ft. over NW. slope.

42.44

Top of spur bears NW.

43.44

Descend over NE. slope.

46.74

Wash course NW.

48.42

Wash course SW.

Ascend over NW. slope

51.78

Top of NW. slope thence along S. slope

78.76

The cor. of secs.17,18,19, and 20.

Land, mountainous.

Soil, gravelly loam, 2 nd. rate.

Timber, fir, spruce, pine, and aspen.

Undergrowth, locust and oak brush.

N 0°3'W. bet. secs.17 and 18.

Over rolling mountainous land, thru heavy timber and scattering undergrowth.

Ascend 23 ft. over S. slope.

1.97

Top of ridge bears E. and W. thence over nearly level land

6.97

North edge of ridge bears NW. and SE.

Descend 122 ft. over NE. slope.

17.68

Draw course NW.

17.78

Leave draw. Ascend 31 ft. over SW. slope

20.74

Top of spur bears W., thence over level land.

22.23

North edge of spur. Descend 47 ft. over NW. slope.

26.16

Top of spur bears SW.

29.35

Wash 100 lks. wide in draw course SW.

30.66

Leave draw. Ascend 89 ft. over SE. slope

40.00

Set an iron post 3 ft. long, 1 in. in diam. 24 ins. in the ground for 1/4 sec. cor., marked on brass cap

S 18 | S 17

1927

Survey of the Subdivision lines of T.35 N.,R.1 E.

Chains

from which

A yellow pine 30 ins. in diam. bears S45 $\frac{1}{2}$ °E.31 lks. dist., marked $\frac{1}{4}$ S17 BT.

A yellow pine 20 ins. in diam. bears N64°W.24 lks. dist., marked $\frac{1}{4}$ S18 BT.

41.00 Ascend 34 ft. over SE. slope

44.97 Top of ridge bears NE. and SW.
Descend 20 ft. over NW. slope.

50.65 Draw course SW.

51.00 Leave draw.; Ascend 24 ft. over SE. slope.

54.95 Top of ridge bears NE. and SW.
Over rolling land on top of ridge.


58.45 North edge of ridge bears E. and W.
Descend 21 ft. over N. slope.

60.53 Draw course SW. Continue descent 134 ft.

74.40 Wash course NE.
Ascend 24 ft. over SE. slope.

77.32 Top of ridge bears NE. and SW.
Descend

80.00 Set an iron post 3 ft. long 2 ins. in diam. 20 ins. in the ground to bedrock, supported in a mound of stone for cor. of secs. 7, 8, 17, and 18., marked on brass cap



from which

A yellow pine 15 ins. in diam. bears N27°E.83 lks. dist., marked T35N.,R1E.,S8 BT.

A yellow pine 20 ins. in diam. bears S12 $\frac{1}{2}$ °E.57 lks. dist., marked T35N.,R1E.,S17 BT.

A yellow pine 50 ins. in diam. bears S68°W.20 lks. dist., marked T35N.,R1E.,S18 BT.

A yellow pine 30 ins. in diam. bears N18°W.96 lks. dist., marked T35N.,R1E.,S7 BT.

Land, mountainous.
Soil, gravelly loam 2nd. and 3 rd. rate.
Timber, fir, spruce, aspen, and pine.
Undergrowth, oak, and locust brush and young timber.

40.00 N 89°58'E. on a random line bet. secs. 8 and 17.
Set temp. $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line 8 lks. N. of the cor. of secs. 8, 9, 16, and 17.

Thence
N 89°59'W. on true line bet. secs. 8 and 17.
Over rolling gravelly mountainous land, thru. heavy timber and scattering undergrowth.

2.77 Descend 58 ft. over SW. slope.
Wash 10 lks. wide course SW.

9.27 Ascend 70 ft. over SE. slope.
Top of ascent on ridge bears NE. and SW., thence over level land.

12.27 West edge of ridge bears NE. and SW.
Descend 197 ft. over NW. slope.

20.31 Wash 50 lks. wide course SW.
Ascend 84 ft. over SE. slope.


Chains	
27.73	Top of ridge bears NE. and SW. Descend 86 ft. over NW. slope.
34.04	Wash course SW. Ascend 71 ft. over SE. slope.
39.95	Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\begin{array}{r} S 8 \\ \frac{1}{4} S 17 \\ 1927 \end{array}$
	from which
	A yellow pine 25 ins. in diam. bears $N63\frac{1}{2}^{\circ}W.59$ lks. dist., marked $\frac{1}{4}$ S8 BT.
	A yellow pine 20 ins. in diam. bears $S31\frac{1}{2}^{\circ}W.40$ lks. dist., marked $\frac{1}{4}$ S17 BT.
43.50	Top of spur bears SE. Descend over SW. slope
64.67	Spur bears S. Descend 17 ft. over W. slope.
71.40	Wash 200 lks. wide 18 ft. deep course NW.
74.12	Leave wash. Ascend 135 ft. over NE. slope to
79.00	Top of ridge bears N. and S. thence over rolling land
79.90	The cor. of secs. 7, 8, 17, and 18.
	Land, rolling mountainous. Soil, gravelly loam, 2nd. and 3 rd. rate. Timber, fir, spruce, aspen, and pine. Undergrowth, oak and locust brush.
40.00	N $89^{\circ}57'W.$ on a random line bet. secs. 7 and 18. Set temp. $\frac{1}{4}$ sec. cor.
78.73	Intersect the Gila and Salt River Meridian 14 lks. S. of the cor. of secs. 7, 12, 13, and 18. which is an iron post 2 ins. in diam. projecting 10 ins. above ground, firmly, set, properly marked on brass cap, and witnessed by four properly marked bearing trees, one each NE., SE., SW., and NW. of cor.
	Thence S $89^{\circ}51'E.$ on true line bet. secs. 7 and 18. Over rolling mountainous land thru heavy timber and scattering undergrowth.
38.73	Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4} S 7 \\ S 18 \\ 1927 \end{array}$
	from which
	A yellow pine 15 ins. in diam. bears $N13\frac{1}{4}^{\circ}W.39$ lks. dist., marked $\frac{1}{4}$ S7 BT.
	A yellow pine 7 ins. in diam. bears $S35^{\circ}E.34$ lks. dist., marked $\frac{1}{4}$ S18 BT.
55.25	Ascend gradually 40 ft. over W. slope. Top of ridge bears NW. and SE. thence over level land on ridge.
70.25	East edge of ridge. Descend 28 ft. over SE. slope.
78.73	The cor. of secs. 7, 8, 17, and 18

Survey of the Subdivision lines of T.35 N.,R.1 E.

Chains

Land,rolling mountainous.
Soil,gravelly loam,2nd. rate.
Timber,fir,spruce,aspen,and pine.
Undergrowth,young 2nd. growth timber.


- N 0°3'W. bet. secs. 7 and 8..
- Over rolling mountainous land,thru heavy timber and scattering undergrowth.
- 4.50 Descend 152 ft. over.N. slope.
- 11.58 Wash 150 lks. wide,course NW.
- Ascend 126 ft. over.SW. slope
- 18.60 Top of ridge bears NE. and SW.
- Descend 91 ft. over NW. slope.
- 23.46 Draw course SW.
- Ascend 183 ft. over SE. slope.
- 34.65 Top of ridge bears NE. and SW.
- Over level land on ridge.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam.26 ins. in. the ground for $\frac{1}{4}$ sec. cor.,marked on brass cap



1927

from which

- A yellow pine 20 ins. in diam.bears N63 $\frac{1}{2}$ °E.32 lks. dist., marked $\frac{1}{4}$ S8 BT.
- A yellow pine 30 ins. in diam. bears N26 $\frac{1}{2}$ °W.40 lks. dist., marked $\frac{1}{4}$ S7 BT.
- 44.98 North edge of ridge.bears N80°W. and S80°E.
- Descend 17 ft. over NE. slope.
- 49.84 Wash course NW.
- 51.44 Leave wash. Ascend 14 ft. over SW. slope.
- 57.45 Top of spur bears NW.
- Descend 254 ft. over NE. slope.
- 79.09 Draw course NW.;Road to Bee spring in draw bears NW. and SE.
- Ascend gradually.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam.26 ins. in the ground for cor. of secs. 5,6,7,and 8.,marked on brass cap.



1927

from which

- An aspen 8 ins. in diam. bears N23°E.10 lks. dist., marked T35N.,R1E.,S5 BT.
- An aspen 8 ins. in diam. bears S22°E.17 lks. dist., marked T35N.,R1E.,S8 BT.
- An aspen 6 ins. in diam. bears S79 $\frac{1}{2}$ °W.11 lks. dist., marked T35N.,R1E.,S7 BT.
- An aspen 10 ins. in diam. bears N44°W.37 lks. dist., marked T35N.,R1E.,S6 BT.

Land,mountainous.

Survey of the Subdivision lines of T.35 N., R.1 E.

Chains

Soil, gravelly loam. 2 nd. and 3 rd. rate.
 Timber, fir, spruce, pine, and aspen.
 Undergrowth, young 2 nd. growth timber.

S 89°59'E. on a random line bet. secs. 5 and 8.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.04 Intersect N. and S. line 8 lks. N. of the cor. of secs.
 4, 5, 8, and 9.
 Thence
 N 89°56'W. on true line bet. secs. 5 and 8.
 Over rolling mountainous land, thru heavy timber and
 scattering undergrowth.
 Descend 59 ft. over NW. slope.
 2.80 Road in draw bears NE. and SW.
 3.30 Wash course SW.
 3.64 Leave draw. Ascend 114 ft. over SE. slope.
 8.83 Top of ridge bears NW. and SE.
 Descend 162 ft. over SW. slope.
 20.48 Draw 200 lks. wide course SW.
 25.56 Ascend 57 ft. over SE. slope.
 33.00 Top of spur bears SW.
 Descend 33 ft. over NW. slope.
 35.84 Wash course S.
 36.50 Leave wash. Ascend 21 ft. over SE. slope.
 40.02 Set an iron post 3 ft. long, 1 in. in diam. 8 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ $\frac{S}{S}$ $\frac{5}{8}$

1927

from which

A yellow pine 10 ins. in diam. bears N31 $\frac{1}{2}$ °W. 98 lks. dist.,
 marked $\frac{1}{4}$ S5 BT.
 A yellow pine 30 ins. in diam. bears S32 $\frac{1}{2}$ °W. 17 lks. dist.,
 marked $\frac{1}{4}$ S8 BT.
 45.26 Top of spur bears SW.
 Descend over SW. slope.
 52.55 A point from which Bee spring bears South 11.25 chs. dist.
 52.90 A point from which the N. end of cabin bears South 11.60
 chs. dist.
 56.09 Head of wash course SW.
 56.62 Leave wash,
 Ascend 87 ft. over SE. slope.
 64.10 Ridge bears NW. and SE. thence over rolling land.
 67.00 Descend over SW. slope.
 72.05 Spur slopes SW.
 Descend 216 ft.
 80.04 The cor. of secs. 5, 6, 7, and 8.

Land, mountainous.
 Soil, gravelly loam 2 nd. and 3 rd. rate.
 Timber, fir, spruce, pine, and aspen.
 Undergrowth, young 2nd. growth timber.

N 89°51'W. on a random line bet. secs. 6 and 7.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 78.45 Intersect the Gila and Salt River Meridian 16 lks. S. of
 secs. 1, 6, 7, and 12., which is an iron post 2 ins.
 in diam. projecting 10 ins. above ground,

BOOK 300

Survey of the Subdivision Lines of T. 35 N., R. 1 E.

Chains	firmly set, properly marked on brass cap, and witnessed by four properly marked bearing trees one each NE., SE., SW. and NW. of cor.
	Thence S. 89° 44' E., on true line, bet. secs. 6 and 7. Over rolling mountainous land, thru heavy timber and scattering undergrowth. Ascend over SW. slope.
15.14	Top of ridge, bears NW. and SE. Descend 181 ft. over E. slope.
24.69	Foot of descent in road bears NE. and SW. Ascend 89 ft. over SW. slope.
31.04	Top of spur, bears SW., thence over nearly level land.
32.51	E. edge of spur. Descend 41 ft. over E. slope.
34.76	Foot of spur in draw, course SW.
37.46	Wash, 10 lks. wide, course SW. Ascend over NW. slope.
38.45	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap
	S 6 S 7 1927.
	From which A yellow pine, 12 ins. in diam., bears N. 52 1/4° W., 154 lks. dist., marked 1/4 S 6 B T. A yellow pine, 18 ins. in diam., bears S. 50° W., 100 lks. dist., marked 1/4 S 7 B T.
41.07	Top of spur, bears SW. Descend over SE. slope 38 ft.
45.06	Wash, course SW.
45.96	Road, bears NE. and SW. Ascend 47 ft. over NW. slope.
48.23	Top of spur, bears NW. Descend 30 ft. over NE. slope.
51.68	Foot of spur, bears NW. and SE.
51.79	Wash, course NW. Ascend 79 ft. over SW. slope.
53.59	Top of spur, bears NW. Descend 127 ft. over NE. slope.
77.46	Draw, course NW. Ascend gradually.
78.31	Road, bears NW. and SE.
78.45	The cor. of secs. 5, 6, 7 and 8. Land, rolling, mountainous. Soil, gravelly loam, 2nd and 3rd rate. Timber, fir, spruce, aspen and pine. Undergrowth, young 2nd growth timber.
	N. 0° 6' W., on a random line, bet. secs. 5 and 6.
40.00	Set temp. 1/4 sec. cor.
80.17	Intersect N. bdry. of Tp. 10 lks. W. of the cor. of secs. 5, 6, 31 and 32, hereinbefore described. Thence S. 0° 2' E., on true line, bet. secs. 5 and 6. Over rolling mountainous land, thru heavy timber and scattering undergrowth. Descend SW. slope 23 ft.
7.09	Draw, course NW. Ascend 84 ft. over NE. slope.
13.30	Top of ascent on spur bears W., thence over level land.
15.80	South edge of spur, bears W. Descend 14 ft. over S. slope
18.28	Foot of descent, in draw, course W.
19.22	Wash, course NW. Ascend 14 ft. over NE. slope.
20.78	Top of ascent on ridge, bears NW. and SE., thence over level land.
22.77	South edge of ridge, bears NW. and SE. Descend 163 ft. over SW. slope.
32.42	Foot of descent, in wash, course NW.
39.92	Leave wash. Ascend 17 ft. over NE. slope.

Survey of the Subdivision Lines of T. 35 N., R. 1 E.

Chains

- 40.17 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor., marked on brass cap
- 45.97 From which
- 48.97 A pine, 15 ins. in diam., bears N. 48 1/2° E., 16 lks. dist., marked S 5 B T.
- 50.41 A pine, 12 ins. in diam., bears N. 57° W., 61 lks. dist., marked S 6 B T.
- 53.47 Top of spur, bears E. and W., thence over level land.
- 60.47 South edge of spur. Descend over S. slope.
- 75.17 Wash, course SW. Ascend 28 ft. over N. slope.
- 80.17 Top of ascent on N. edge of ridge, bears E. and W., thence over level land.
- 80.17 South edge of ridge, bears E. and W. Descend 194 ft. over S. slope.
- 80.17 A blazed trail, bears E. and W., at foot of descent in draw, course W.
- 80.17 Ascend gradually over NW. slope.
- 80.17 The cor. of secs. 5, 6, 7 and 8.
- Land, rolling, mountainous.
- Soil, gravelly loam, 2nd and 3rd rate.
- Timber, fir, spruce, aspen and pine.
- Undergrowth, young 2nd growth timber.

The continued satisfactory adjustment of the instruments used in the execution of the surveys described in the foregoing notes is indicated from field tests described in Books "C" and "D" of this group.

GENERAL DESCRIPTION.

The land embraced in this township is nearly all of a rolling, mountainous, character and the soil ranges from 2nd to 4th rate in character.

The land of the eastern portion of the township is highest and slopes in a westerly and northwesterly direction toward the Kanab and Shinumo Canyons.

The drainage of the land in the township is in a northwesterly direction toward the Shinumo canyon into which the numerous washes in the township discharge their waters.

The township is poorly watered by springs located in secs. 8, 14, 27, 33 and 34, which furnish the only permanent water supply in the township.

The township is timbered with a heavy growth of fir, spruce, aspen and pine timber, many of the trees being very large.

No deposits of valuable minerals or stone were found in the township.

Two cabins, one each in secs. 8 and 27, and the Forest Ranger Station in sec. 1, constitute the only habitations in the township.

The greater portion of the township supports a good growth of different kinds of grass and other forage plants which affords excellent pasture for cattle, horses and sheep during the summer months, and adapt the township as a whole to stock raising.

BOOK 3881

4-680
(August, 1926)

FIELD ASSISTANTS.

To
Benjamin J Kinsey, U.S. Surveyor

NAMES.	CAPACITY.
Mc. Millan Pollock	1st. Chainman
Charles Decker	2nd. Chainman
Bert Wells	Flagman

FIELD ASSISTANTS

To
Leroy R Hanson, U.S. Transitman

Lester Parker	1st. Chainman
John Deatsch	2nd. Chainman
Clair Pierson	Flagman
Floyd Wright	Axeman
Ivan Workman	Moundman

CERTIFICATE OF UNITED STATES SURVEYOR.

74

I, Leroy R. Hanson ~~U.S. TRANSITMAN~~, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer, for Group 146 Arizona bearing date of the 11th day of May, 1927, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

the East boundary of Township 34 North, Range 1 East

and

South and North boundaries

and Subdivision Lines of

Township 35 North, Range 1 East of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented in and by diagram on page 1 hereof the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer, for Group 146 Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place: Phoenix, Arizona.

Leroy R. Hanson
 U.S. Transitman

Date: JAN. 15, 1929.

~~APPROVAL~~

~~OFFICE OF U. S. SUPERVISOR OF SURVEYS,~~

~~, 19~~

~~The foregoing field notes of the survey of~~

~~executed by~~

~~under his special instructions dated~~, 10, ~~having been~~
~~critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys~~
~~they describe, are hereby approved.~~

~~U. S. Supervisor of Surveys.~~

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~

~~, has been correctly copied from the original notes on file in this office.~~

~~U. S. Supervisor of Surveys.~~

CERTIFICATE OF UNITED STATES SURVEYOR.

76

I, Benjamin J. Kinsey, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer, for Group 146, Arizona bearing date of the 11th day of May, 1927, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

the EAST boundary and

SUBDIVISION lines of

Township 35 North, Range 1 East of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented in and by diagram on page 1 hereof

the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer, for Group 146, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place; Phoenix, Arizona.

Date: April 18, 1928.

Benjamin J. Kinsey, U.S. Surveyor.

APPROVAL.

OFFICE OF THE U.S. SUPERVISOR OF SURVEYS

Denver, Colo., November 8, 1929.

The foregoing field notes of the survey of the EAST boundary and

Part of the EAST boundary of Township 34 North, Range 1 East

and

the SOUTH, EAST and NORTH boundaries

and SUBDIVISION lines of

Township 35 North, Range 1 East

of the Gila and Salt River Base and Meridian, in the State of Arizona

executed by Benjamin J. Kinsey, U.S. Surveyor and Leroy R. Hanson, U.S. Transitman

under special instructions dated May 11, 1927 for Group 146, Arizona, 19, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Leroy R. Hanson, U.S. Supervisor of Surveys.

I certify that the foregoing transcript of the field notes of the above described surveys in has been correctly copied from the original notes on file in this office.

U. S. Surveyor General